

Comfortably Full Bladder

CT Scan Date: _____ Time: _____

Your health care team wants your bladder to be comfortably full for your CT scan and radiation treatments. When the bladder is full, the small intestines are pushed up and out of the pelvis area. This helps to lower the risk of diarrhea and other side effects. It also helps us deliver the treatment to the target area and reduce the risk of harming healthy tissue. Follow the steps in this handout to make sure you have a comfortably full bladder.

One and a half hours before your CT scan and treatment:

1. Empty your bladder.
2. Drink 24-32 ounces of water within 30 minutes.
3. Do not urinate again before your CT scan.

Follow these same steps before each treatment.

If you feel like you will have an accident and you must urinate, try to go just enough to take the pressure off. Please let the therapist know this before your treatment.

We know that it may be hard to have a full bladder every day. Our staff will work with you to make this process as easy as we can.

Your health care team may have given you this information as part of your care. If so, please use it and call if you have any questions. If this information was not given to you as part of your care, please check with your doctor. This is not medical advice. This is not to be used for diagnosis or treatment of any medical condition. Because each person's health needs are different, you should talk with your doctor or others on your health care team when using this information. If you have an emergency, please call 911. Copyright © 7/2020 University of Wisconsin Hospitals and Clinics Authority. All rights reserved. Produced by the Department of Nursing HF#8154.