



INTERIOR LIGHTING



STRIP LIGHTING

EW0100 Series

Ideal for illuminating toolboxes, racking and small interior compartments, these convenient self-adhesive LED strips are available in various pre-configured lengths as well as 16'/5m rolls. Featuring 1-watt LEDs, each strip can be spliced every 3 LEDs and preconfigured lengths are supplied with wire leads at each end allowing multiple units to be easily daisy-chained together.

Three 1-watt LEDs per 1.5"/38mm

Self-adhesive utilising 3M high-bond tape

**Wire leads at both ends allow multiple units to be connected
(excludes EW0118 / 0128)**

Spliceable every 3 LEDs

Available in 16'/5m rolls

CE, RoHS, IP65

ACCESSORIES

EZ0112

Cap & wire for spliced sections



EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)





6" EW0115
9 LEDs
12 VDC
0.2 Amps
200 Raw Lumens
200 Effective Lumens
Flood Beam



8" EW0125
9 LEDs
24 VDC
0.1 Amps
200 Raw Lumens
200 Effective Lumens
Flood Beam



12" EW0116
18 LEDs
12 VDC
0.4 Amps
350 Raw Lumens
350 Effective Lumens
Flood Beam

12" EW0126
18 LEDs
24 VDC
0.2 Amps
350 Raw Lumens
350 Effective Lumens
Flood Beam



24" EW0117
36 LEDs
12 VDC
0.7 Amps
700 Raw Lumens
700 Effective Lumens
Flood Beam

24" EW0127
36 LEDs
24 VDC
0.4 Amps
700 Raw Lumens
700 Effective Lumens
Flood Beam



16' EW0118
5M Roll
12 VDC
3.6 Amps
Flood Beam



16' EW0128
5M Roll
24 VDC
2.6 Amps
Flood Beam



INTERIOR LIGHTING





EW0200 Series

Perfect for passenger compartment, sleeper cab and small interior compartment illumination, the EW0200 Series LED courtesy light range offers the choice of flush mount or surface mount models, round and rectangular housings, chrome or white bezels, as well as switched and non-switched models.

**Flush mount
(EW0210-221only)**

**Surface mount
(EW0200/201 & EW0230-241 only)**

Switched and non-switched options

White or chrome bezel options

CE, RoHS

ACCESSORIES

EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity
(automatically activates light when human movement is detected)



DIMENSIONS

EW0200: 0.7 [18] D x 5.5 [140] Diameter
EW0201: 0.7 [18] D x 7.1 [180] Diameter
EW0210-0221: 0.8 [20] D x 2.8 [71] Diameter
EW0230-0241: 2.4 [61] H x 4.6 [117] W x 0.7 [18] D



EW0200
72 LEDs
12-24 VDC
0.4 Amps
400 Raw Lumens
400 Effective Lumens
Flood Beam



EW0201
108 LEDs
12-24 VDC
0.5 Amps
750 Raw Lumens
700 Effective Lumens
Flood Beam



EW0210
8 LEDs
12 VDC
0.1 Amps
100 Raw Lumens
50 Effective Lumens
Spot Beam



EW0220
7 LEDs
12 VDC
0.1 Amps
50 Raw Lumens
50 Effective Lumens
Spot Beam



EW0211
8 LEDs
12 VDC
0.1 Amps
100 Raw Lumens
50 Effective Lumens
Spot Beam



EW0221
7 LEDs
12 VDC
0.1 Amps
50 Raw Lumens
50 Effective Lumens
Spot Beam



EW0230
30 LEDs
12-24 VDC
0.2 Amps
200 Raw Lumens
200 Effective Lumens
Flood Beam



EW0240
30 LEDs
12-24 VDC
0.2 Amps
150 Raw Lumens
150 Effective Lumens
Flood Beam



EW0231
30 LEDs
12-24 VDC
0.2 Amps
200 Raw Lumens
200 Effective Lumens
Flood Beam



EW0241
30 LEDs
12-24 VDC
0.2 Amps
150 Raw Lumens
150 Effective Lumens
Flood Beam



EW0300 Series

These surface mount rectangular LED interior lights are available in a variety of lengths and with either clear or frosted (diffused light) lenses. In addition the EW0351 features a modular design where multiple units can be connected together. Robust aluminium housings and concealed fasteners complete the package.

Surface mount with concealed fasteners (hardware included)

Aluminium housing with clear or frosted lenses

Modular design, connect up to four units with integrated bullet connectors (EW0351 only)

CE, RoHS

ACCESSORIES

EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)



EZ0351

Replacement bullet connectors (for use with EW0351 only, max four)



DIMENSIONS DIMENSIONES

EW0310 / 311: 1.3 [33] H x 4.5 [114] W x 0.5 [13] D
EW0320 / 321: 1.3 [33] H x 7 [178] W x 0.5 [13] D
EW0330 / 331: 1.3 [33] H x 9.5 [241] W x 0.5 [13] D
EW0340 / 341: 1.3 [33] H x 12 [305] W x 0.5 [13] D
EW0351: 1.3 [33] H x 13.7 [348] W x 0.5 [13] D
EW0351: 10.9 [277] W excluding endcaps





4.5" EW0310

Clear
4 LEDs
12-24 VDC
0.1 Amps
100 Raw Lumens
100 Effective Lumens
Flood Beam



4.5" EW0311

Frost
15 LEDs
12 VDC
0.1 Amps
100 Raw Lumens
50 Effective Lumens
Flood Beam



7" EW0320

Clear
8 LEDs
12-24 VDC
0.1 Amps
200 Raw Lumens
200 Effective Lumens
Flood Beam



7" EW0321

Frost
30 LEDs
12 VDC
0.2 Amps
150 Raw Lumens
100 Effective Lumens
Flood Beam



9.5" EW0330

Clear
12 LEDs
12-24 VDC
0.2 Amps
300 Raw Lumens
300 Effective Lumens
Flood Beam



9.5" EW0331

Frost
45 LEDs
12 VDC
0.2 Amps
200 Raw Lumens
150 Effective Lumens
Flood Beam



12" EW0340

Clear
16 LEDs
12-24 VDC
0.3 Amps
350 Raw Lumens
350 Effective Lumens
Flood Beam



12" EW0341

Frost
60 LEDs
12 VDC
0.3 Amps
300 Raw Lumens
250 Effective Lumens
Flood Beam



Connect multiple units together



14" EW0351

Frost
16 LEDs
12 VDC
0.5 Amps
300 Raw Lumens
250 Effective Lumens
Flood Beam



EW0400 Series

These heavy-duty surface mount LED interior lights feature aluminium housings and frosted lenses designed for optimum light diffusion. Suited to a wide variety of interior applications these lights are available in three length options and with or without integrated on/off switch and door control (operated via trigger wire).

Surface mount (hardware included)

Rugged, heavy-duty design

Aluminium housing with frosted lens

**On/off and door switch feature
(EW0410/411/412 only)**

CE, R10, RoHS, IP64

ACCESSORIES

EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity
(automatically activates light when human movement is detected)



DIMENSIONS DIMENSIONES

EW0400 / 410: 2 [51] H x 5.4 [137] W x 0.5 [13] D
EW0401 / 411: 2 [51] H x 11.8 [300] W x 0.5 [13] D
EW0402 / 412: 2 [51] H x 17.7 [450] W x 0.5 [13] D

5.5" EW0400
10 LEDs
12-24 VDC
0.4 Amps
200 Raw Lumens
200 Effective Lumens
Flood Beam



SWITCHED
EW0410
10 LEDs
12-24 VDC
0.4 Amps
200 Raw Lumens
200 Effective Lumens
Flood Beam



12" EW0401
22 LEDs
12-24 VDC
0.7 Amps
450 Raw Lumens
450 Effective Lumens
Flood Beam



SWITCHED
EW0411
22 LEDs
12-24 VDC
0.7 Amps
450 Raw Lumens
450 Effective Lumens
Flood Beam



18" EW0402
32 LEDs
12-24 VDC
1.2 Amps
650 Raw Lumens
600 Effective Lumens
Flood Beam



SWITCHED
EW0412
32 LEDs
12-24 VDC
1.2 Amps
650 Raw Lumens
600 Effective Lumens
Flood Beam







EW0500 Series

These super thin flat-panel LED interior lights are ideal for use in a wide variety of applications, particularly where a high-output light is required but space is limited. Surface mounted with concealed fasteners these 12-24V lights feature aluminium housings, frosted lenses and on/off switches.

Flat-panel light with switch

Surface mount with concealed fasteners (hardware included)

Aluminium housing with frosted lens

CE, R10, RoHS

ACCESSORIES

EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)



DIMENSIONS

EW0500: 3.5 [89] H x 7 [178] W x 0.5 [13] D

EW0501: 5.7 [145] H x 7 [178] W x 0.5 [13] D

EW0502: 3.5 [89] H x 18.3 [465] W x 0.5 [13] D

EW0503: 5.7 [145] H x 14.8 [376] W x 0.5 [13] D



7" EW0500
42 LEDs
12-24 VDC
0.5 Amps
250 Raw Lumens
200 Effective Lumens
Flood Beam



7" EW0501
42 LEDs
12-24 VDC
0.5 Amps
350 Raw Lumens
350 Effective Lumens
Flood Beam



18" EW0502
138 LEDs
12-24 VDC
0.9 Amps
400 Raw Lumens
350 Effective Lumens
Flood Beam



15" EW0503
108 LEDs
12-24 VDC
0.8 Amps
600 Raw Lumens
550 Effective Lumens
Flood Beam





EW0600 Series

These high-output LED interior lights are ideal for illuminating large spaces such as van cargo areas with up to 4800 lumens of light intensity. Each model is switched, operates on 12V or 24V systems and surface mounts with concealed fasteners.

High-output switched light ideal for large spaces

Surface mount with concealed fasteners (hardware included)

Aluminium housing

CE, RoHS

ACCESSORIES

EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)




DIMENSIONS

EW0600: 4 [102] H x 18 [460] W x 1.1 [28] D

EW0601: 4 [102] H x 25 [635] W x 1.1 [28] D

EW0602: 4 [102] H x 33 [860] W x 1.1 [28] D



18" EW0600
96 LEDs
12-24 VDC
1.7 Amps
2000 Raw Lumens
1900 Effective Lumens
Flood Beam



25" EW0601
144 LEDs
12-24 VDC
2.7 Amps
3700 Raw Lumens
3600 Effective Lumens
Flood Beam



33" EW0602
192 LEDs
12-24 VDC
3.6 Amps
4900 Raw Lumens
4800 Effective Lumens
Flood Beam



EW0700 Series

Available in two length options these heavy-duty LED cargo/work area lights feature pivoting mounting feet that allow the angle of light output to be adjusted. Each unit has an integrated on/off switch, aluminium housing and operates on both 12V and 24V systems.

Heavy-duty switched cargo / work area light

Pivot-mounting foot provides adjustable lighting angles

Surface mount (hardware included)

Aluminium housing

CE, RoHS

ACCESSORIES

EZ0120

PIR Motion Sensor - 110° cone, adjustable sensitivity (automatically activates light when human movement is detected)



DIMENSIONS

EW0700: 1.8 [46] H x 13 [330] W x 2 [51] D

EW0701: 1.8 [46] H x 21.5 [546] W x 2 [51] D



13" EW0700

6 LEDs
12-24 VDC
0.5 Amps
400 Raw Lumens
350 Effective Lumens
Flood Beam



22" EW0701

12 LEDs
12-24 VDC
0.9 Amps
1250 Raw Lumens
1200 Effective Lumens
Flood Beam





Worldwide leader in
commercial and emergency
vehicle warning and safety products

www.eccosafetygroup.com

Distributed by:



Unit 1, Coal Road, Leeds, LS14 2AL, UK
+44 (0)113 237 5340 | europe@eccogroup.com | www.eccosafetygroup.com

A Division of ESG | www.eccosafetygroup.com

© 2016 Electronic Controls Company
INTLIGHTING2016 (316 - 25K)