

www.samukltd.com | sales@samukltd.com | tel: 01480 462582

perfect digital
SELF ADHESIVE

FASSON®

SELF-ADHESIVE SHEETS PRODUCT GUIDE

A premium range of paper, filmic and speciality materials together with a wide range of adhesives provide the ideal solution for your labelling requirements.

sheets
SELF ADHESIVE

Specialist supplier of self-adhesive materials to the printing industry

QUALITY | RELIABILITY | SERVICE | EXPERIENCE

SAM
(UK) LTD



Self-Adhesive Sheet Range



MATERIAL/GSM/THICKNESS	ADHESIVE	WEIGHT	BACKPRINTED BRANDING	PACK SIZE	SHEET SIZE SRA2 450 x 640		SHEET SIZE B2 500 x 700		SHEET SIZE B1 700 x 1000	
					SOLID	SPLIT	SOLID	SPLIT	SOLID	SPLIT
STANDARD PAPERS										
WHITE OFFSET 80 FSC®	PERMANENT	80gsm	N	200/B1 100	■	■	■	■	■	
WHITE OFFSET 80 FSC®	REMOVABLE	80gsm	N	200	■	■				
WHITE OFFSET 80 FSC®	SUPERTACK	80gsm	N	200	■	■	■	■		
WHITE OFFSET 80 FSC®	SUPERTACK PLUS	80gsm	N	200	■	■	■	■		
WHITE OFFSET 80 FSC®	DEEFPREEZE	80gsm	N	200				■		
CONTRACT VELLUM 80 FSC®	PERMANENT	80gsm	N	200	■	■				
MC MATT 90 FSC®	PERMANENT	90gsm	N	200	■	■	■			
MC GLOSS 80 FSC®	PERMANENT	80gsm	N	200/B1 100	■	■	■	■	■	■
MC GLOSS 80 FSC®	REMOVABLE	80gsm	N	200	■	■	■		■	
MC GLOSS 80 FSC®	SUPERTACK	80gsm	N	200	■	■		■		
CONTRACT GLOSS 80 FSC®	PERMANENT	80gsm	N	200	■	■				
CAST COATED 80	PERMANENT	80gsm	N	200	■	■				
CAST COATED 80	REMOVABLE	80gsm	N	200	■					
CAST COATED 80	SUPERTACK	80gsm	N	200			■			
LASERPRINT 70 FSC®	PERMANENT	70gsm	N	200	■					
BOARDS										
UNCOATED BOARD 150 FSC®	SUPERTACK	150gsm	N	150			■			
LITHO BOARD 170 FSC®	SUPERTACK	170gsm	N	125			■			
SEMI-GLOSS BOARD 170 FSC®	SUPERTACK	170gsm	N	125			■			
MATT BOARD 160 FSC®	SUPERTACK	160gsm	N	100					■	
CAST COATED BOARD 180 FSC®	SUPERTACK	180gsm	N	125			■			
MC BOARD 245 FSC®	SUPERTACK	245gsm	N	100			■			
HEAVY WEIGHT BACKING										
KISS CUT PRO GLOSS 80+135gsm FSC®	SUPERTACK	80/135gsm	N	150			■			
CAST COATED BOARD BACK 80+180gsm	SUPERTACK	80/180gsm	N	125						
SPECIALITY PAPERS										
SEMI-GLOSS OPAQUE 80 FSC®	SUPERTACK	80gsm	N	200	■	■		■		
COPY CF 57 FSC®	PERMANENT	57gsm	N	200		■				
TYVEK 75	SUPERTACK	75gsm	N	125			■			
WHITE SATIN FABRIC 120	SUPERTACK	120gsm	N	125			■			
RECYCLED UNCOATED 80 FSC®	PERMANENT	80gsm	N	200				■		
DOUBLE SIDED PAPER CORE 62 FSC®	SUPERTACK	62gsm	N	100					■	
DOUBLE SIDED PP CORE 40µ	SUPERTACK	40µ	N	100					■	
DESIGN PAPERS / WINE LABELLING										
EMBOSSED LINEA WHITE 85 FSC® - Embossed lines	SUPERTACK PLUS	85gsm	N	200				■		
BROWN RIBBED KRAFT 90 FSC® - Unbleached laid	SUPERTACK	90gsm	N	200			■			
FELT CANDIDO 90 - Felt marked, wet strength	SUPERTACK PLUS	90gsm	N	200			■			
COLOURS										
YELLOW/GREEN/BLUE/RED 80 FSC®	SUPERTACK	80gsm	N	200			■	■		
FLUORESCENT COLOURS										
YELLOW/GREEN/RED/ORANGE 80 FSC®	SUPERTACK	80gsm	N	200			■	■		
METALICS										
GLOSS SILVER/GOLD 72	SUPERTACK	72gsm	N	200			■			
MATT SILVER/GOLD 72	SUPERTACK	72gsm	N	200			■			
FILMIC - LITHO										
BRIGHT WHITE POLYPROPYLENE TC 60µ	PERMANENT	60µ	N	200			■	■		
BRIGHT WHITE POLYPROPYLENE TC 60µ	REMOVABLE	60µ	N	200			■			
BRIGHT CLEAR POLYPROPYLENE TC 60µ	PERMANENT	60µ	N	200			■			
ECO MATT WHITE POLYPROPYLENE TC 70µ	PERMANENT	70µ	N	200			■			
NON SELF-ADHESIVE GRADES										
SAM GUMMED WHITE OFFSET/LASER 80	GUMMED	80gsm	N	500			■			

FASSON Self-Adhesive Sheet Range

MATERIAL	ADHESIVE	WEIGHT	BACKPRINTED BRANDING	PACK SIZE	SHEET SIZE SRA2 450 x 640			SHEET SIZE B2 500 x 700			SHEET SIZE B1 700 x 1000		
					SOLID	SPLIT	CB+	SOLID	SPLIT	CB+	SOLID	SPLIT	CB+
STANDARD PAPERS													
VELLUX FSC®	PERMANENT	80gsm	Y	250/B1 150	■	■	■	■	■	■	■	■	
VELLUX FSC®	REMOVABLE	80gsm	Y	250				■	■				
VELLUX FSC®	SUPERTACK	80gsm	Y	250/B1 150				■	■	■	■	■	
VELLUX FSC®	DEEFPREEZE	80gsm	Y	250				■					
MC WHITE FSC®	PERMANENT	80gsm	Y	250		■	■	■	■				
MC WHITE FSC®	REMOVABLE	80gsm	Y	250				■	■				
MC WHITE FSC®	SUPERTACK	80gsm	Y	250				■	■				
GLOSS ART FSC®	PERMANENT	80gsm	Y	250					■				
GLOSS ART FSC®	REMOVABLE	80gsm	Y	250					■				
HIGH GLOSS FSC®	PERMANENT	80gsm	Y	250/B1 150		■	■	■	■	■	■	■	
HIGH GLOSS FSC®	REMOVABLE	80gsm	Y	250				■	■				
HIGH GLOSS FSC®	SUPERTACK	80gsm	Y	250/B1 150				■	■	■	■	■	
HIGH GLOSS FSC®	DEEFPREEZE	80gsm	Y	250				■					
OFFSET & LASER VELLUX FSC®	PERMANENT	68gsm	Y	250	■								
OFFSET & LASER MC WHITE FSC®	PERMANENT	80gsm	Y	250	■								
BOARDS													
WHITE MANILLA FSC®	PERMANENT	150gsm	Y	150				■					
HIGH GLOSS BOARD FSC®	PERMANENT	180gsm	Y	150				■					
HEAVY WEIGHT BACKING													
HIGH GLOSS POST CARD FSC®	PERMANENT	80/200gsm	N	150				■					
SPECIALITY PAPERS													
MATT COVER FSC®	PERMANENT	80gsm	Y	250					■				
COVERALL HIGH GLOSS FSC®	PERMANENT	80gsm	Y	250					■				
COPYFACE FSC®	PERMANENT	80gsm	Y	250		610x430							
TYVEK	PERMANENT	76gsm	Y	150				■					
SATIN CLOTH	PERMANENT	120gsm	Y	150				■					
GUM TWIN FSC®	SUPERTACK	80gsm	N	150				■					
VELLUM PIGGYBACK FSC®	PERMANENT	80gsm	Y	150				■					
DESIGN PAPERS - WINE LABELLING													
BIANCO MATT FSC® - Matt coated supercalendered	PERMANENT	90gsm	N	200					■				
MARTELE BLANC - Uncoated hammered/embossed	PERMANENT	90gsm	N	200					■				
RUSTIQUE NATURE FSC® - Uncoated felt marked finish	PERMANENT	90gsm	N	200					■				
VERGE BLANC - Uncoated laid watermark	PERMANENT	80gsm	N	200					■				
CREME VERGE FSC® - Cream uncoated laid watermark	PERMANENT	90gsm	Y	125					■				
VERGE CREME - Cream uncoated laid watermark	PERMANENT	80gsm	N	200					■				
NATURAL KRAFT BROWN - Unbleached laid watermark	PERMANENT	90gsm	N	200					■				
COLOURS													
SATIN YELLOW/GREEN/RED/BLUE FSC®	PERMANENT	80gsm	Y	150					■				
FLUORESCENT COLOURS													
RADIANT CHARTREUSE/GREEN/ORANGE/RED FSC®	PERMANENT	80gsm	Y	150					■				
METALICS													
DULL SILVER FOIL	PERMANENT	81gsm	N	200					■				
BRIGHT SILVER FOIL	PERMANENT	86gsm	N	200					■				
180 SOLID FOIL MATT CHROME	PERMANENT	50µ	Y	100						■			
FILMIC - LITHO/SCREEN													
400 GLOSS WHITE VINYL	PERMANENT	90µ	Y	100							■	■	
400 GLOSS WHITE VINYL	REMOVABLE	90µ	Y	100							■		
400 GLOSS WHITE VINYL	ULTRA REM	90µ	Y	100							■		
420 MATT WHITE VINYL	PERMANENT	80µ	Y	100							■		
440 GLOSS TRANSPARENT VINYL	PERMANENT	90µ	Y	100							■		
440 GLOSS TRANSPARENT VINYL	REMOVABLE	90µ	Y	100							■		
GREENLINE GLOSS WHITE PP	PERMANENT	60µ	Y	100							■		
GREENLINE GLOSS TRANSP PP	PERMANENT	60µ	Y	100							■		
OFFSET VINYL													
OFFSET VINYL GLOSS WHITE	PERMANENT	80µ	Y	200					■				
OFFSET VINYL GLOSS WHITE	REMOVABLE	80µ	Y	200					■				
OFFSET VINYL MATT WHITE	PERMANENT	80µ	Y	200					■				
OFFSET VINYL MATT WHITE	REMOVABLE	80µ	Y	200					■				
OFFSET VINYL TRANSP GLOSS	PERMANENT	80µ	Y	200					■				
OFFSET VINYL TRANSP GLOSS	REMOVABLE	80µ	Y	200					■				
OFFSET VINYL TRANSP MATT	REMOVABLE	80µ	Y	200					■				

Kraft Backing: available solid or split (split every 38mm parallel to the long edge - SRA3, SRA2 & B2)
 Backing Sheet weights vary depending on the product
 Custom split and Guillotining service available
 ALL FSC® Certified items are solid as FSC® Mixed Credit

bespoke cut
 PERFECT LABELS

Precision kiss cutting and die cutting service with unrivalled quality.
 Sheet sizes up to 450mm x 700mm.
 Kiss cut either before or after printing.

Kraft Backing: available solid or split (split approx every 31mm, parallel to the long edge - SRA2 & B2) or Crack-Back Plus (CB+) Diagonal Splits
 Backing Sheet weights vary depending on the product
 ALL FSC® Certified items are solid as FSC® Mixed Credit

PD REFERENCE	MATERIAL/GSM/THICKNESS	DRY TONER	HP INDIGO	SHEET SIZE	ADHESIVE	SHEETS/BOX	Back/Printed Branding	SPLIT BACK*	SOLID BACK
STANDARD PAPERS									
WHITE UNCOATED									
PD-UC-PSPL100/250	WHITE UNCOATED 80	■	■	320 x 450	PERMANENT	100 250	N	L	
PD-UC-RSPL100	WHITE UNCOATED 80	■	■	320 x 450	REMOVABLE	100	N	S	
PD-UC-STSP100	WHITE UNCOATED 80	■	■	320 x 450	SUPERTACK	100	N	S	
PD-UC-ST+SPL100	WHITE UNCOATED 80	■	■	320 x 450	SUPERTACK+	100	N	S	
PD-UC-DFSPL100	WHITE UNCOATED 80	■	■	320 x 450	DEEFPREEZE	100	N	S	
PD-UC-PSOL100/250	WHITE UNCOATED 80	■	■	320 x 450	PERMANENT	100 250	N		■
PD-UC-RSOL100	WHITE UNCOATED 80	■	■	320 x 450	REMOVABLE	100	N		■
PD-UC-STSOL100	WHITE UNCOATED 80	■	■	320 x 450	SUPERTACK	100	N		■
WHITE MATT COATED									
PD-MAT-PSPL100/250	MATT COATED 90	■	■	320 x 450	PERMANENT	100 250	N	L	
FASSON BI7900002	MC MATT 90 (DI-OF)	■	■	320 x 460	PERMANENT	250	Y	CB+	
PD-MAT-PSOL100/250	MATT COATED 90	■	■	320 x 450	PERMANENT	100 250	N		■
WHITE GLOSS COATED									
PD-MCG-PSPL100/250	MC GLOSS 80	■	■	320 x 450	PERMANENT	100 250	N	L	
FASSON BI7870002	MC GLOSS 90 (DI-OF)	■	■	320 x 460	PERMANENT	250	Y	CB+	
PD-MCG-RSPL100	MC GLOSS 80	■	■	320 x 450	REMOVABLE	100	N	S	
PD-MCG-STSP100	MC GLOSS 80	■	■	320 x 450	SUPERTACK	100	N	S	
PD-MCG-PSOL100/250	MC GLOSS 80	■	■	320 x 450	PERMANENT	100 250	N		■
PD-MCG-RSOL100	MC GLOSS 80	■	■	320 x 450	REMOVABLE	100	N		■
PD-MCG-STSOL100	MC GLOSS 80	■	■	320 x 450	SUPERTACK	100	N		■
WHITE CAST COATED/HIGH GLOSS									
PD-CC-PSPL100/250	CAST COATED 80	■	■	320 x 450	PERMANENT	100 250	N	S	
FASSON FHD80P002	HIGH GLOSS 80 (DI-OF)	■	■	320 x 460	PERMANENT	250	Y	CB+	
PD-CC-PSOL100/250	CAST COATED 80	■	■	320 x 450	PERMANENT	100 250	N		■
PD-CC-RSOL100	CAST COATED 80	■	■	320 x 450	REMOVABLE	100	N		■
COLOURS									
PD-*COL-PSPL100	YELLOW/GREEN/BLUE/RED 80	■	■	320 x 450	PERMANENT	100	N	S	
FLUORESCENT COLOURS									
PD-*FLUCOL-PSPL100	FLU YELLOW/GREEN/RED/ORANGE 80	■	■	320 x 450	PERMANENT	100	N	S	
BOARDS									
PD-UCB150-STSP100	UNCOATED BOARD 150	■	■	320 x 450	SUPERTACK	100	N		■
PD-UCB170-STSP100	UNCOATED BOARD 170	■	■	320 x 450	SUPERTACK	100	N		■
PD-SGB170-STSP100	SEMI-GLOSS BOARD 170	■	■	320 x 450	SUPERTACK	100	N		■
PD-MB160-STSP100	MATT BOARD 160	■	■	320 x 450	SUPERTACK	100	N		■
PD-CCB180-STSP100	CAST COATED BOARD 180	■	■	320 x 450	SUPERTACK	100	N		■
PD-MCB300-STSP100	MC BOARD 300	■	■	320 x 450	SUPERTACK	100	N		■
HEAVY WEIGHT BACKING									
PD-KCPG-PSOL100	KISS CUT PRO GLOSS 80+135gsm	■	■	320 x 450	PERMANENT	100	N		■
PD-BB180-STSP100	CAST COATED BOARD BACK 80+180gsm	■	■	320 x 450	SUPERTACK	100	N		■
DOUBLE SIDED (For laminating two or more sheets together)									
PD-DSP-ST100	DOUBLE SIDED ADHESIVE PAPER CORE	NA	NA	320 x 460	SUPERTACK	100	N		■
PD-DSF-ST100	DOUBLE SIDED ADHESIVE FILM CORE	NA	NA	320 x 460	SUPERTACK	100	N		■
SPECIALITY PAPERS									
PD-SGO-STSP100	OPAQUE SEMI-GLOSS 80	■	■	320 x 450	SUPERTACK	100	N	S	
PD-SGO-STSP100	OPAQUE SEMI-GLOSS 80	■	■	320 x 450	SUPERTACK	100	N		■
PD-RECY-PSPL100	RECYCLED UNCOATED 80	■	■	320 x 450	PERMANENT	100	N	S	
PD-BRK-STSP100	BROWN RIBBED KRAFT 90	■	■	320 x 450	SUPERTACK	100	N		■
PD-EMBL-ST+SPL100	EMBOSSED LINEA WHITE 85 (WINE LABEL)	■	■	320 x 450	SUPERTACK+	100	N	S	
PD-SF120-STSP100	SATIN FABRIC 120	■	■	320 x 450	SUPERTACK	125	N		■
PD-GUM-UC100	DIGITAL GUMMED UNCOATED 80	■	■	320 x 450	GUMMED	100	N		■
PD-CCF-PSPL100	COPY CF 57	■	■	320 x 450	PERMANENT	100	N	S	
FILMIC GLOSS WHITE									
PD-GWP-STSP100	GLOSS WHITE LASER POLYESTER 50µ	■	■	320 x 450	SUPERTACK	100	N		■
PD-GWP-STSP100	GLOSS WHITE LASER POLYESTER 50µ	■	■	320 x 450	SUPERTACK	100	N	L	
PD-WPP-PSOL100	GLOSS WHITE POLYPROPYLENE 60µ	□	■	320 x 450	PERMANENT	100	N		■
PD-WPP-PSPL100	GLOSS WHITE POLYPROPYLENE 60µ	□	■	320 x 450	PERMANENT	100	N	S	
PD-WPP-RSOL100	GLOSS WHITE POLYPROPYLENE 60µ	□	■	320 x 450	REMOVABLE	100	N		■
PD-GWV-PSOL100/200	GLOSS WHITE DIGITAL VINYL INDIGO TC 80µ	□	■	320 x 450	PERMANENT	100 200	N		■
FILMIC MATT WHITE									
PD-MWP-STSP100	MATT WHITE POLYESTER 50µ	■	■	320 x 450	SUPERTACK	100	N		■
PD-MWP-STSP100	MATT WHITE POLYESTER 50µ	■	■	320 x 450	SUPERTACK	100	N	L	
PD-MWP-RSOL100	MATT WHITE POLYESTER 50µ	■	■	320 x 450	REMOVABLE	100	N		■
PD-MPP-PSOL100	MATT WHITE POLYPROPYLENE 70µ	□	■	320 x 450	PERMANENT	100	N		■
FILMIC CLEAR									
PD-GCP-STSP100	GLOSS CLEAR LASER POLYESTER 50µ	■	■	320 x 450	SUPERTACK	100	N		■
PD-GCPET-RSOL100	GLOSS CLEAR POLYESTER 53µ	■	■	320 x 450	REMOVABLE	100	N		■
PD-CPP-PSOL100	GLOSS CLEAR POLYPROPYLENE 60µ	□	■	320 x 450	PERMANENT	100	N		■
FILMIC SILVER									
PD-GSILVPET-PSOL100	GLOSS SILVER LASER POLYESTER 60µ	■	■	320 x 450	PERMANENT	100	N		■

Other sizes (SRA3+ 320mm x 460mm), materials and pack sizes available on request

□ Not suitable for high temperature machines.

Please make sure that all material is thoroughly tested to ensure that it satisfies the requirements of the end user and that it is also compatible with the printing and conversion process.

*SPLITS
L = Splits parallel with the long edge
S = Splits parallel with the short edge
CB+ = Diagonal Splits

Specialist supplier of self-adhesive materials to the printing industry
For our full list of products and services please visit WWW.SAMUKLTD.COM
SELF-ADHESIVE MATERIALS (UK) LTD · 26 EDISON ROAD · ST IVES · CAMBS · PE27 3LF
TEL: 01480 462582 EMAIL: SALES@SAMUKLTD.COM

