Printing date 17.01.2014 Version number 2 Revision: 17.01.2014

## 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Eurolub Glas- und Polsterreiniger - 500ml

· Article number: 00128 9

· Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the preparation: Cleaning material/ Detergent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

EUROLUB GmbH Freisinger Strasse 25-27

85386 Eching bei München

Telefon: 08165 / 95 91 - 0 Fax: 08165 / 95 91 - 20 Email: info@eurolub.de

· Further information obtainable from:

Herr Günter Dietz

*Telefon:* +49-(0)8165 / 95 91-0 (über Zentrale vermittelt)

Email: info@eurolub.de

· Emergency telephone number:

Beratungsstelle bei Vergiftungen, Mainz

Tel. 0049 (0) 6131 / 19240

### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



F+; Extremely flammable

*R12: Extremely flammable.* 

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Warning! Pressurized container.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS02
- · Signal word Danger
- · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

(Contd. on page 2)

Printing date 17.01.2014 Version number 2 Revision: 17.01.2014

Trade name: Eurolub Glas- und Polsterreiniger - 500ml

(Contd. of page 1)

#### · Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P211 Do not spray on an open flame or other ignition source.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0	butane  F+ R12  Flam. Gas 1, H220; Press. Gas, H280	10-<25%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25	propan-2-ol  X Xi R36;  F R11  R67  ◆ Flam. Liq. 2, H225; ◆ Eye Irrit. 2, H319; STOT SE 3, H336	3-<10%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5	propane F+ R12 Flam. Gas 1, H220; Press. Gas, H280	3-<10%
· Regulation (EC) No 648/200	4 on detergents / Labelling for contents	
aliphatic hydrocarbons		15 - 30%
perfumes		< 5%

· Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- $\cdot \textit{Special hazards arising from the substance or \textit{mixture}} \ \textit{No further relevant information available}.$

(Contd. on page 3)

Printing date 17.01.2014 Version number 2 Revision: 17.01.2014

Trade name: Eurolub Glas- und Polsterreiniger - 500ml

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Recommended storage temperature: 10-30 °C.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

- · Respiratory protection: When used properly and under normal conditions, breathing protection is not required.
- · Protection of hands: Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing date 17.01.2014 Version number 2 Revision: 17.01.2014

Trade name: Eurolub Glas- und Polsterreiniger - 500ml

(Contd. of page 3)

- · As protection from splashes gloves made of the following materials are suitable: PVC or PE gloves
- · Eye protection:



Tightly sealed goggles

· Body protection: Light weight protective clothing

· Decomposition temperature: Not determined.

## 9 Physical and chemical properties

· Information on basic phy · General Information	sical and chemical properties
· Appearance:	
Form:	Aerosol
Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not applicable for an aerosol *
. Change in condition	

Melting point/Melting range Boiling point/Boiling range:	
· Flash point:	Not applicable, as aerosol.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	365 °C

• •	
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Protect from sunlight and temperatures above 50 °C. Development of explosive vapor / air mixtures.
Explosion limits:	1.5 W <sub>2</sub> 1.0/

Lower:	1,5 Vol %
Upper:	8,5 Vol %
· Vapour pressure at 20 °C:	4200 hPa
· Density at 20 °C:	$0.874 \ g/cm^3$
Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not applicable.
· Solubility in / Miscibility with	i
water:	Not miscible or difficult to mix.
· Other information	* The final mixture in the aerosol is formed only after the addition of the pressurized gas. Some data are not measurable in a hermetically sealed,

pressurized container.

— EU

Printing date 17.01.2014 Version number 2 Revision: 17.01.2014

Trade name: Eurolub Glas- und Polsterreiniger - 500ml

(Contd. of page 4)

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Acute toxic	cuy.		
· LD/LC50	values rele	vant for classification:	
106-97-8 b	utane		
Inhalative	LC50/4 h	658 mg/l (rat)	
67-63-0 pr	67-63-0 propan-2-ol		
Oral	LD50	5045 mg/kg (rat)	
Dermal	LD50	12800 mg/kg (rabbit)	
Inhalative	LC50/4 h	30 mg/l (rat)	
74-98-6 pr	74-98-6 propane		
Inhalative	LC50/4 h	>20 mg/l (rat)	
		>20 mg/l (rat)	

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Printing date 17.01.2014 Version number 2 Revision: 17.01.2014

Trade name: Eurolub Glas- und Polsterreiniger - 500ml

(Contd. of page 5)

	(
·European	waste catalogue
16 05 04*	gases in pressure containers (including halons) containing dangerous substances
15 01 04	metallic packaging
15 01 11*	metallic packaging containing a dangerous solid porous matrix (for example asbestos), including empty pressure containers

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

7 4	4 6		•	r	
1/1	Tranc	nort	777	Orma	TION
	Trans	11XVII V			71111

	_	
IIN.	Number	•

· ADR, IMDG, IATA

UN1950

· UN proper shipping name

 $\cdot AD\hat{R}$  $\cdot$  *IMDG* 

1950 AEROSOLS

**AEROSOLS** 

 $\cdot$  IATA

AEROSOLS, flammable

- · Transport hazard class(es)
- $\cdot ADR$



· Class

2 5F Gases.

·Label

· IMDG, IATA



· Class

2.1

 $\cdot$  Label

2.1

· Packing group

· ADR, IMDG, IATA

Void

· Environmental hazards:

· Marine pollutant:

No

· Special precautions for user

Warning: Gases.

· Danger code (Kemler):

F-D,S-U

· EMS Number:

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

· Limited quantities (LQ)

1L

· Transport category

2

· Tunnel restriction code

D

(Contd. on page 7)

Printing date 17.01.2014 Version number 2 Revision: 17.01.2014

Trade name: Eurolub Glas- und Polsterreiniger - 500ml

(Contd. of page 6)

· UN "Model Regulation":

UN1950, AEROSOLS, 2.1

## 15 Regulatory information

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

R11 Highly flammable.

R12 Extremely flammable.

R36 Irritating to eyes.

R67 Vapours may cause drowsiness and dizziness.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EU —