

# Gear Uni HC SAE 80W90

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 14-12-2018 Revision date: 14-12-2018 Supersedes: 17-5-2018 Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Gear Uni HC SAE 80W90  
Product code : 367xxx  
Type of product : Lubricants  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use  
Use of the substance/mixture : Transmission oil

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Eurolob GmbH  
Freisinger Str. 25 - 27  
85386 Eching - Germany  
Tel. +49 (0) 8165 / 95 91 - 0  
info@eurolob.com

#### 1.4. Emergency telephone number

| Country        | Organisation/Company  | Address                     | Emergency number | Comment |
|----------------|---|-----------------------------|------------------|---------|
| United Kingdom | National Poisons Information Service (Cardiff Centre)<br>Gwenwyn Ward, Llandough Hospital | Penarth<br>CF64 2XX Cardiff | 0344 892 0111    |         |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains Polysulfides, di-tert-Bu(68937-96-2), Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : Highly refined mineral oils and additives.

| Name                     | Product identifier  | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------------|---|---------|---|
| Polysulfides, di-tert-Bu | (CAS-No.) 68937-96-2<br>(EC-No.) 273-103-3<br>(REACH-no) 01-2119540515-43 | 2,5 - 5 | Skin Sens. 1B, H317<br>Aquatic Chronic 3, H412                  |
| Mineral oil *            |   | 1 - 5   | Asp. Tox. 1, H304   |

# Gear Uni HC SAE 80W90

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|   |   |           |  |
|---|---|-----------|--|
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | (EC-No.) 931-384-6<br>(REACH-no) 01-2119493620-38 | 0,1 - 2,5 | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>Aquatic Chronic 2, H411 |
|---|---|-----------|--|

Comments : \* contains one or more of the following CAS-numbers (REACH registration numbers):  
64741-88-4 (01-2119488706-23), 64741-89-5 (01-2119487067-30), 64741-95-3 (01-2119487081-40), 64741-96-4 (01-2119483621-38), 64741-97-5 (01-2119480374-36), 64742-01-4 (01-2119488707-21), 64742-52-5 (01-2119467170-45), 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-57-0 (01-2119489287-22), 64742-62-7 (01-2119480472-38), 64742-65-0 (01-2119471299-27), 64742-71-8 (01-2119485040-48), 72623-85-9 (01-2119555262-43), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 74869-22-0 (01-2119495601-36)  
The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No additional information available. Not expected to present a significant hazard under anticipated conditions of normal use.  
Symptoms/effects after ingestion : May result in aspiration into the lungs, causing chemical pneumonia.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.  
Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

# Gear Uni HC SAE 80W90

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.

Storage temperature : 0 - 40 °C

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Gear Uni HC SAE 80W90

|    |  |
|----|--|
| EU | Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended: 5 mg/m <sup>3</sup> - ACGIH TLV (inhalable fraction). |
|----|--|

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Materials for protective clothing:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

| Type            | Material                                     | Permeation                           | Thickness (mm) | Penetration | Standard |
|-----------------|--|--------------------------------------|----------------|-------------|----------|
| Reusable gloves | Nitrile rubber (NBR), Neoprene rubber (HNBR) | 5 (> 240 minutes), 6 (> 480 minutes) | >=0,35         |             | EN 374   |

#### Eye protection:

Safety glasses

| Type           | Use     | Characteristics | Standard |
|----------------|---------|-----------------|----------|
| Safety glasses | Droplet | clear           | EN 166   |

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Yellow.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : Not applicable

Freezing point : -30 °C - ASTM D5950 (pour point)

Boiling point : No data available

Flash point : 200 °C - ASTM D92 (COC)

Auto-ignition temperature : No data available

# Gear Uni HC SAE 80W90

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                  |  |
|----------------------------------|--|
| Decomposition temperature        | : No data available                                |
| Flammability (solid, gas)        | : Not applicable                                   |
| Vapour pressure                  | : No data available                                |
| Relative vapour density at 20 °C | : No data available                                |
| Relative density                 | : No data available                                |
| Density                          | : 0,893 kg/l (15 °C) - ASTM D4052                  |
| Solubility                       | : Water : Practically not miscible.                |
| Log Pow                          | : No data available                                |
| Viscosity, kinematic             | : 146,4 mm <sup>2</sup> /s (40 °C) - ASTM D7279    |
| Viscosity, dynamic               | : No data available                                |
| Explosive properties             | : Presents no particular fire or explosion hazard. |
| Oxidising properties             | : No data available                                |
| Explosive limits                 | : No data available                                |

### 9.2. Other information

VOC content : 0 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reacts violently with (strong) oxidizers.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No decomposition if stored normally.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

#### Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

|               |                              |
|---------------|------------------------------|
| LD50 oral rat | 2000 mg/kg (OECD 401 method) |
|---------------|------------------------------|

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

### Gear Uni HC SAE 80W90

|                      |   |
|----------------------|---|
| Viscosity, kinematic | 146,4 mm <sup>2</sup> /s (40 °C) - ASTM D7279 |
|----------------------|---|

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Not classified

# Gear Uni HC SAE 80W90

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) |  |
|---|--|
| LC50 fish 1   | 24 mg/l (Oncorhynchus mykiss, 96h) (OECD 203 method)             |
| LC50 fish 2   | 8,5 mg/l (Pimephales promelas, 96h) (OECD 203 method)            |
| EC50 Daphnia 1  | 91,4 mg/l (Daphnia magna, 48h) (OECD 202 method)                 |
| EC50 72h algae (1)  | 6,4 mg/l (Pseudokirchnerella subcapitata, 96h) (OECD 201 method) |
| NOEC chronic crustacea  | 0,12 mg/l (Daphnia magna, 21d) (OECD 211 method)                 |
| NOEC chronic algae  | 1,7 mg/l (Pseudokirchnerella subcapitata, 96h) (OECD 201 method) |

| Mineral oil *      |              |
|--------------------|--------------|
| LC50 fish 1        | > 100 mg/l   |
| EC50 Daphnia 1     | > 10000 mg/l |
| EC50 72h algae (1) | > 100 mg/l   |

### 12.2. Persistence and degradability

| Polysulfides, di-tert-Bu (68937-96-2) |                    |
|---------------------------------------|--------------------|
| Biodegradation                        | 13 % (Sturm, 28 d) |

| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) |                                     |
|---|-------------------------------------|
| Biodegradation  | 3,6 % Sturm (28 d) [ASTM D-5864-95] |

### 12.3. Bioaccumulative potential

| Polysulfides, di-tert-Bu (68937-96-2) |                                      |
|---------------------------------------|--------------------------------------|
| Log Kow                               | 6 (Octanol/water coefficient, 0,1 d) |

| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) |                                |
|---|--------------------------------|
| Log Pow   | < 0,3 (40°C) (OECD 117 method) |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|  |   |
|--|---|
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Product/Packaging disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations.                     |
| European List of Waste (LoW) code          | : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils                 |

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR                                     | IMDG           | IATA           | ADN            | RID            |
|---|----------------|----------------|----------------|----------------|
| <b>14.1. UN number</b>                  |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| <b>14.2. UN proper shipping name</b>    |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| <b>14.3. Transport hazard class(es)</b> |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| <b>14.4. Packing group</b>              |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |

# Gear Uni HC SAE 80W90

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.5. Environmental hazards

|                |                |                |                |                |
|----------------|----------------|----------------|----------------|----------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
|----------------|----------------|----------------|----------------|----------------|

No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

|  |  |
|--|--|
| 3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1   | Polysulfides, di-tert-Bu - Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)                 |
| 3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 | Polysulfides, di-tert-Bu - Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) - Mineral oil * |
| 3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008   | Polysulfides, di-tert-Bu - Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)                 |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 0 %

Directive 2012/18/EU (SEVESO III)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

#### Indication of changes:

| Section | Changed item                                     | Change   | Comments |
|---------|--|----------|----------|
|         | Revision date                                    | Added    |          |
|         | Date of issue                                    | Modified |          |
| 4.1     | First-aid measures after ingestion               | Modified |          |
| 5.2     | Hazardous decomposition products in case of fire | Modified |          |
| 10.3    | Possibility of hazardous reactions               | Modified |          |
| 13.1    | Waste treatment methods                          | Modified |          |

# Gear Uni HC SAE 80W90

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways   |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road               |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| CLP                         | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                       |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC50                        | Median effective concentration  |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |
| NOEC                        | No-Observed Effect Concentration  |
| OECD                        | Organisation for Economic Co-operation and Development  |
| PBT                         | Persistent Bioaccumulative Toxic  |
| PNEC                        | Predicted No-Effect Concentration   |
| REACH                       | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                      |
| vPvB                        | Very Persistent and Very Bioaccumulative  |

  

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4   |
| Aquatic Chronic 2                   | Hazardous to the aquatic environment — Chronic Hazard, Category 2   |
| Aquatic Chronic 3                   | Hazardous to the aquatic environment — Chronic Hazard, Category 3   |
| Asp. Tox. 1                         | Aspiration hazard, Category 1   |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1   |
| Skin Sens. 1                        | Skin sensitisation, Category 1  |
| Skin Sens. 1B                       | Skin sensitisation, category 1B   |
| H302                                | Harmful if swallowed.   |
| H304                                | May be fatal if swallowed and enters airways.   |
| H317                                | May cause an allergic skin reaction.  |
| H318                                | Causes serious eye damage.  |
| H411                                | Toxic to aquatic life with long lasting effects.  |
| H412                                | Harmful to aquatic life with long lasting effects.  |
| EUH208                              | Contains Polysulfides, di-tert-Bu(68937-96-2), Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). May produce an allergic reaction. |
| EUH210                              | Safety data sheet available on request.   |

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*