

Site #1 Project 2025

Express South Parking Lot
Dallas, TX 75261

Inquiry Number: 7411289.2s
August 08, 2023

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	675
Government Records Searched/Data Currency Tracking	GR-1
<u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-16
Physical Setting Source Map Findings	A-18
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

EXPRESS SOUTH PARKING LOT
DALLAS, TX 75261

COORDINATES

Latitude (North): 32.8903750 - 32° 53' 25.35"
Longitude (West): 97.0437470 - 97° 2' 37.48"
Universal Tranverse Mercator: Zone 14
UTM X (Meters): 682989.4
UTM Y (Meters): 3640640.0
Elevation: 574 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	12969224 GRAPEVINE, TX
Version Date:	2019
Northeast Map:	12797323 CARROLLTON, TX
Version Date:	2019
Southeast Map:	12797367 IRVING, TX
Version Date:	2019
South Map:	12969218 EULESS, TX
Version Date:	2019

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20201111, 20201011
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
EXPRESS SOUTH PARKING LOT
DALLAS, TX 75261

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.)
A1		2610 NORTH INTERNATI	ERNS	Lower	1 ft.
A2	DFW TERMINAL E 55-79	2610 N. INTERNATINAL	ASBESTOS	Lower	1 ft.
B3	DALLAS FORT WORTH IN	ON GATES E-4 AND E-6	FINDS	Higher	1 ft.
A4	DFW TERMINAL E MEZZA	2610 N. INTERNATINAL	ASBESTOS	Lower	1 ft.
A5	DFW TERMINAL E 55-79	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
C6	AMERICAN AIRLINES	2W AUTOMOTIVE	LPST	Lower	1 ft.
A7	DFW TERMINAL E 56-69	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
B8	AIRTRAN AIRWAYS	ON TERMINAL E SECTIO	FINDS	Higher	1 ft.
A9	DFW TERMINAL E 55-28	2610 N. INTERNATINAL	ASBESTOS	Lower	1 ft.
B10	MIDWEST AIRLINES INC	TERMINAL E OF DALLAS	FINDS	Higher	1 ft.
A11	DFW TERMINAL E 55-79	2610 S. INTERNATIONAL	ASBESTOS	Lower	1 ft.
D12	VERIZON DFW MAIN CEN	2740 S. SERVICE ROAD	ASBESTOS, TIER 2	Lower	1 ft.
A13	DFW TERMINAL E 38-64	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A14	DFW TERMINAL E 72-84	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A15	DFWTRIP2016134 - TER	2610 NORTH INTERNATI	ASBESTOS	Lower	1 ft.
A16	DFW TERMINAL E 65-84	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A17	DFW TERMINAL E 56-83	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A18	DFW TERMINAL E 64-84	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A19	DFW TERMINAL E 56-69	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A20	DFW TERMINAL E 55-79	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
C21	JET AIRCRAFT MAINTEN		PFAS ECHO	Lower	1 ft.
A22	DFW TERMINAL E 73-75	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A23	SPIRIT AIRLINES	2610 NORTH INTERNATI	CENTRAL REGISTRY	Lower	1 ft.
A24	TERMINAL E UNITED LO	2610 NORTH INTERNATI	ASBESTOS	Lower	1 ft.
B25	SOLID WASTE INCINERA	3122 E 30TH ST	AIRS	Higher	1 ft.
A26	DFW TERMINAL E	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A27	SPIRIT AIRLINES	2610 NORTH INTERNATI	FINDS, ECHO	Lower	1 ft.
A28	DFWTRIP2017006 - TER	2610 N INTERNATIONAL	ASBESTOS	Lower	1 ft.
A29	DALLAS/FORT WORTH IN	2610 INTERNATIONAL P	ASBESTOS, CENTRAL REGISTRY	Lower	1 ft.
A30	DFW TERMINAL E 33024	2610 NORTH INTERNATI	ASBESTOS	Lower	1 ft.
A31	DFW TERMINAL E GUIDE	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A32	DFW AIRPORT - TERMIN	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A33	GAT AIRLINE GROUND S	2610 INTERNATIONAL P	FINDS, ECHO	Lower	1 ft.
A34	DFW TERMINAL E 69-80	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A35	DFW TERMINAL E 64-84	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A36	DFWTRIP2017010 - TER	2610 NORTH INTERNATI	ASBESTOS	Lower	1 ft.
A37	DFW TERMINAL E B F	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
E38	DFW AIRPORT MS4		PFAS ECHO	Lower	1 ft.
A39	DFW TERMINAL E STAIR	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.

MAPPED SITES SUMMARY

Target Property Address:
EXPRESS SOUTH PARKING LOT
DALLAS, TX 75261

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A40	DFW TERIMINAL E	2610 NORTH INTERNATI	ASBESTOS	Lower	1 ft.
A41	DFW TERMINAL E	2610 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
B42	DALLAS FORT WORTH IN	3122 E 30TH ST	SPILLS, AIRS	Higher	1 ft.
B43	AMERICAN AIRLINES AU		AIRS, COMP HIST	Higher	1 ft.
E44	SPIRIT AIRLINES		PFAS ECHO	Lower	1 ft.
A45	DFW TERMINAL E 48-55	2640 N. INTERNATIONAL	ASBESTOS	Lower	1 ft.
A46	DFW TERMINAL E 69-80	2610 N. INTERNATINAL	ASBESTOS	Lower	1 ft.
A47	AIRPORT OPERATIONS A	2625 SOUTH INTERNATI	ASBESTOS	Lower	1 ft.
E48	DFW AIRPORT MS4	WITHIN DFW AIRPORT L	FINDS, ECHO	Lower	1 ft.
D49	RUNWAY 17L ALSF FLQ	DFW AIRPORT RUNWAY 1	UST, AST	Lower	1 ft.
F50		SOUTH END,TERMINAL 4	CLI	Lower	1 ft.
F51	DELTA AIR LINES INC		CLI	Lower	1 ft.
C52	UNITED AIRLINES	TERMIAL E SECTION 1	TIER 2	Lower	67, 0.013, NE
C53	UNITED AIRLINES	TERMIAL E SECTION 1	TIER 2	Lower	67, 0.013, NE
G54		2505 SOUTH SERVICE R	ERNS	Higher	141, 0.027, NNE
G55		2505 S. SERVICE RD.	ERNS	Higher	141, 0.027, NNE
G56	SOUTHERN STAR MATERI	2505 S. SERVICE RD	FINDS, ECHO	Higher	141, 0.027, NNE
H57	DTG OPERATIONS INC.,	3839 SOUTH 62TH AVEN	TIER 2	Lower	260, 0.049, SSE
H58	"DTG OPERATIONS, INC	"3839 SOUTH 26TH AVE	TIER 2	Lower	260, 0.049, SSE
I59	DFW TERMINAL C HIGH	2400 N INTERNATIONAL	ECHO	Lower	754, 0.143, NE
I60	DFW AIRPORT	2400 INTERNATIONAL P	FINDS	Lower	754, 0.143, NE
I61	DFW TERMINAL C HIGH	2400 N INTERNATIONAL	FINDS	Lower	754, 0.143, NE
62	D10 TERMINAL RADAR A	2401 N INTERNATIONAL	FINDS	Higher	830, 0.157, NNE
I63	DFW AIR TRAFFIC CONT	2401 INTERNATIONAL P	TIER 2	Higher	1031, 0.195, NNE
I64	DFW AIR TRAFFIC CONT	2400 INTERNATIONAL P	TIER 2	Higher	1031, 0.195, NNE
J65	DFW - DALLAS/FT. WOR	DFW INTERNATIONAL AI	TIER 2	Higher	1034, 0.196, North
J66	DFW - DALLAS/FT. WOR	DFW INTERNATIONAL AI	TIER 2	Higher	1034, 0.196, North
I67	AMERICAN AIRLINES DF		AIRS	Higher	1035, 0.196, NNE
J68	AMERICAN AIRLINES	HANGAR II	LPST, UST, Financial Assurance	Higher	1109, 0.210, NNW
K69	INSTALL PRE-MANUFACT	2323 N SUPPORT RD DA	CENTRAL REGISTRY	Lower	1137, 0.215, SSE
I70	DFW INTERNATIONAL AI	LOCATED WITHIN THE N	NPDES	Higher	1252, 0.237, NNE
K71	BP PRODUCTS NORTH AM	2405 N SUPPORT	EDR Hist Auto	Lower	1280, 0.242, SE
K72	DALLAS FORT WORTH IN	2417 N SUPPORT RD	CENTRAL REGISTRY	Lower	1316, 0.249, SE
K73	DALLAS FORT WORTH IN	2417 N SUPPORT RD	FINDS, ECHO	Lower	1316, 0.249, SE
K74	ERMC AVIATION	2417 N SUPPORT RD ST	ECHO	Lower	1316, 0.249, SE
K75	AIRPORT TERMINAL SER	2417 N SUPPORT RD	CENTRAL REGISTRY	Lower	1316, 0.249, SE
K76	ERMC AVIATION		FINDS, PFAS ECHO	Lower	1316, 0.249, SE
K77	FINE AMERICAS, INC.	2417 N SUPPORT RD	FINDS	Lower	1316, 0.249, SE
K78	ERMC AVIATION	2417 N SUPPORT RD ST	CENTRAL REGISTRY	Lower	1316, 0.249, SE

MAPPED SITES SUMMARY

Target Property Address:
EXPRESS SOUTH PARKING LOT
DALLAS, TX 75261

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
K79	DALLAS FT WORTH INTE	2417 N SUPPORT RD #	CENTRAL REGISTRY	Lower	1316, 0.249, SE
K80		2417 NORTH SUPPORT R	ERNS	Lower	1316, 0.249, SE
K81	DELTA AIR LINES, INC	2417 N. SUPPORT ROAD	TIER 2	Lower	1316, 0.249, SE
J82	CENTRAL UTILITIES PL	2375 NORTH INTERNATI	ASBESTOS	Higher	1363, 0.258, North
L83	DFW - DALLAS-FORT WO		PFAS PART 139 AIRPORT	Higher	1379, 0.261, NE
L84	DALLAS FORT WORTH IN	ON RECONSTRUCTION OF	CENTRAL REGISTRY	Higher	1433, 0.271, NNE
L85	DFW DALLAS/FT. WORTH	DFW INTERNATIONAL AI	TIER 2	Higher	1433, 0.271, NNE
L86	AIRWAYS SUPPORT BUIL	2300 SOUTH INTERNATI	ASBESTOS	Higher	1433, 0.271, NNE
L87	DALLAS FORT WORTH AI	5E SUPPORT AREA	Ind. Haz Waste	Higher	1433, 0.271, NNE
L88	DALLAS FORT WORTH AI	3122 E 30TH ST	LPST, Ind. Haz Waste, IHW CORR ACTION	Higher	1433, 0.271, NNE
L89	DFW DALLAS/FT. WORTH	DFW INTERNATIONAL AI	TIER 2	Higher	1433, 0.271, NNE
L90	MIDWEST AIRLINES AT	TERMINAL E OF DALLAS	CENTRAL REGISTRY	Higher	1433, 0.271, NNE
L91	DALLAS FORT WORTH IN	DALLAS COUNTY	CENTRAL REGISTRY	Higher	1433, 0.271, NNE
L92	"DFW - DALLAS/FT. WO	DFW INTERNATIONAL AI	TIER 2	Higher	1433, 0.271, NNE
L93	DALLASFORT WORTH INT	CONSTRUCTION SITES O	CENTRAL REGISTRY	Higher	1433, 0.271, NNE
L94	DALLAS FORT WORTH IN	ON N OF ESTERS RD S	CENTRAL REGISTRY	Higher	1433, 0.271, NNE
L95	DALLAS FORT WORTH IN	ON GATES E-4 AND E-6	CENTRAL REGISTRY	Higher	1433, 0.271, NNE
L96	DALLAS FORT WORTH IN	BRANIFF INTERNATIONA	SPILLS	Higher	1433, 0.271, NNE
L97	DALLAS FORT WORTH IN	ON RECONSTRUCTION OF	FINDS	Higher	1433, 0.271, NNE
L98	DALLAS FORT WORTH DF	ON NW SIDE OF CORPOR	CENTRAL REGISTRY	Higher	1433, 0.271, NNE
L99	DALLAS FT WORTH INTN	TERMINAL B NORTH	CENTRAL REGISTRY	Higher	1433, 0.271, NNE
L100	DFW - DALLAS/FT. WOR	DFW INTERNATIONAL AI	TIER 2	Higher	1433, 0.271, NNE
L101	DFW - DALLAS/FT. WOR	DFW INTERNATIONAL AI	TIER 2	Higher	1433, 0.271, NNE
102	DAVIS 3H TB		TIER 2	Higher	1451, 0.275, NNW
L103	D10 TERMINAL RADAR A	2401 N INTERNATIONAL	UST	Higher	1452, 0.275, NNE
M104	DFW		PFAS ECHO	Higher	1460, 0.277, NNE
K105	AEX STATION	3122 E 30TH ST	LPST	Lower	1496, 0.283, SSE
M106	DALLAS/FORT WORTH IN	UNKNOWN	FINDS	Higher	1501, 0.284, NNE
J107	DFW INT. AIRPORT - T	33260 / 2333 SOUTH I	ASBESTOS	Higher	1513, 0.287, North
J108	DFW	2333 INTERNATIONAL P	FINDS, ECHO	Higher	1513, 0.287, North
J109	DFW	2333 INTERNATIONAL P	CENTRAL REGISTRY	Higher	1513, 0.287, North
J110	DFWEAD2017036 TERMIN	2333 NORTH INTERNATI	ASBESTOS	Higher	1513, 0.287, North
J111	DFWEAD2018052 - TERM	2333 SOUTH INTERNATI	ASBESTOS	Higher	1513, 0.287, North
N112		2413 5E NORTH SUPPOR	ERNS	Lower	1528, 0.289, SE
N113		2413 5E NORTH SUPPOR	ERNS	Lower	1528, 0.289, SE
N114	DFW AIRPORT	2471 N SUPPORT RD DA	CENTRAL REGISTRY	Lower	1560, 0.295, SE
N115	DELTA AIR LINES INC	5E SUPPORT AREA	FINDS	Lower	1620, 0.307, SE
116	AMERICAN AIRLINES	2E 3E CONNECTOR BLDG	UST, Financial Assurance	Higher	1772, 0.336, NNE
117	DFW REGIONAL AIRPORT	AMERICAN AIRLINES TE	SWF/LF	Higher	2380, 0.451, NNE

MAPPED SITES SUMMARY

Target Property Address:
EXPRESS SOUTH PARKING LOT
DALLAS, TX 75261

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
O118	DELTA AIRLINES	3003 S SERVICE RD	LPST	Lower	2413, 0.457, South
O119	DELTA AIRLINES	3003 S SERVICE RD	LPST	Lower	2413, 0.457, South
O120	RIG #26 (CHESAPEAKE	3003 S. SERVICE ROAD	FINDS	Lower	2451, 0.464, South
O121		3003 SOUTH SERVICE R	ERNS	Lower	2451, 0.464, South
O122	RIG #5	3003 S. SERVICE ROAD	FINDS	Lower	2451, 0.464, South
O123	HENSEL PHELPS YARD	3003 S SERVICE RD	FINDS	Lower	2471, 0.468, South
O124	HPCC AUTOMATED PEOP	ON DFW AIRPORT 3003	FINDS	Lower	2471, 0.468, South
O125	SPOILS STORAGE SITE	ON 3003 S SERVICE RO	FINDS	Lower	2471, 0.468, South
O126	DFW AIRPORT - SOUTH	3003 SOUTH SERVICE R	ECHO	Lower	2471, 0.468, South
O127	TRIP PARKING ENHANCE	3003 S SERVICE ROAD	FINDS	Lower	2471, 0.468, South
O128	DFW INTERNATIONAL AI	3003 S SERVICE RD	FINDS	Lower	2471, 0.468, South
129	DELTA AIRLINES INC	DEPT. 587, P.O.BOX 6	ECHO	Lower	2489, 0.471, SSE
130	RUNWAY 35C ALSF 2 PK	DFW AIRPORT RUNWAY 3	UST	Lower	2811, 0.532, SE
P131	DFW AIRPORT JHZ LOC	DFW AIRPORT	UST	Higher	3325, 0.630, NNE
P132	DFW AIRPORT FLQ LOC	DFW AIRPORT	UST	Higher	3325, 0.630, NNE
P133	DFW AIRPORT	DFW AIRPORT	UST	Higher	3325, 0.630, NNE
P134	DFW AIRPORT CIX SSAL	DFW AIRPORT	UST	Higher	3325, 0.630, NNE
P135	DFW AIRPORT FLQ GS 1	DFW AIRPORT	UST	Higher	3325, 0.630, NNE
P136	RUNWAY 35R ALSF 2	DFW AIRPORT	AST	Higher	3325, 0.630, NNE
P137	NATIONAL CAR RENTAL	DFW AIRPORT NORTH	UST, Financial Assurance	Higher	3325, 0.630, NNE
P138	DFW AIRPORT JHZ SSAL	DFW AIRPORT	UST	Higher	3325, 0.630, NNE
P139	DFW AIRPORT VORTAC	DFW AIRPORT	UST	Higher	3325, 0.630, NNE
140	RUNWAY 36L ALSF 2 BX	DFW AIRPORT RUNWAY 3	UST	Lower	3436, 0.651, SW
141	STAR ENTERPRISE TEXA	3500 S SERVICE RD	UST, Financial Assurance	Higher	3567, 0.676, NE
142	BUDGET 5305 DFW APO	NORTH FACILITY	LPST, UST, Financial Assurance	Higher	4114, 0.779, NNE
143	DELTA AIRLINES	2901 E 28TH ST	LPST	Lower	4341, 0.822, ESE
144	DOBBS HOUSE	3301 S 22ND AVE	LPST	Lower	4979, 0.943, South
Q145	AVIS RENT A CAR SYST	3122 E 30TH ST	LPST	Lower	5119, 0.970, SE
Q146	DPS STATION 4 TANK 2	3122 E 30TH ST	LPST	Lower	5119, 0.970, SE
Q147	DFW INTERNATIONAL AI	3122 E 30TH ST	LPST	Lower	5119, 0.970, SE
Q148	AVIS RENT A CAR SYST	3122 E 30TH ST	LPST	Lower	5119, 0.970, SE
Q149	DPS FIRE TRAINING PI	3122 E 30TH ST	LPST	Lower	5119, 0.970, SE
Q150	DFW PAVING GROUNDS B	3122 E 30TH ST	LPST	Lower	5119, 0.970, SE
Q151	VEHICLE MAINTENANCE	3122 E 30TH ST	LPST	Lower	5119, 0.970, SE
Q152	DPS STATION 3	3122 E 30TH ST	LPST	Lower	5119, 0.970, SE
Q153	DALLAS/FORT WORTH IN	3122 E 30TH ST 1W AR	RDR	Lower	5119, 0.970, SE
Q154	FACILITIES MAINTENAN	3122 E 30TH ST	LPST	Lower	5119, 0.970, SE
Q155	D FW WORTH INTL AIRP	3122 E 30TH ST	LPST	Lower	5119, 0.970, SE
Q156	DFW INTERNATIONAL AI	3100 E 30TH ST	RDR	Lower	5149, 0.975, ESE

MAPPED SITES SUMMARY

Target Property Address:
 EXPRESS SOUTH PARKING LOT
 DALLAS, TX 75261

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Q157	HERTZ RENT A CAR N S	3080 E 30TH	LPST	Lower	5227, 0.990, ESE
Q158	HERTZ RENTAL CAR	3080 E 30TH	LPST	Lower	5227, 0.990, ESE
Q159	DFW INTERNATIONAL AI	3080 CARBON RD	LPST, Financial Assurance, GCC	Lower	5227, 0.990, ESE
Q160	BUDGET RENT A CAR SO	3080 CARBON RD	LPST	Lower	5227, 0.990, ESE
Q161	BUDGET RENT A CAR	3080 CARBON RD	LPST	Lower	5227, 0.990, ESE
Q162	AMERICAN AIRLINES	3080 E 30TH	LPST	Lower	5227, 0.990, ESE

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Lists of Federal Delisted NPL sites

Delisted NPL..... National Priority List Deletions

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY..... Federal Facility Site Information listing
SEMS..... Superfund Enterprise Management System

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE..... Superfund Enterprise Management System Archive

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS..... Corrective Action Report

Lists of Federal RCRA TSD facilities

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Lists of Federal RCRA generators

RCRA-LQG..... RCRA - Large Quantity Generators
RCRA-SQG..... RCRA - Small Quantity Generators
RCRA-VSQG..... RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

Federal institutional controls / engineering controls registries

LUCIS..... Land Use Control Information System

EXECUTIVE SUMMARY

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROLS..... Institutional Controls Sites List

Lists of state- and tribal (Superfund) equivalent sites

SHWS..... State Superfund Registry

Lists of state and tribal landfills and solid waste disposal facilities

DEBRIS..... Approved Debris Management Sites Locations
WASTE MGMT..... Commercial Hazardous & Solid Waste Management Facilities

Lists of state and tribal leaking storage tanks

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

Lists of state and tribal registered storage tanks

FEMA UST..... Underground Storage Tank Listing
INDIAN UST..... Underground Storage Tanks on Indian Land
TANKS..... Petroleum Storage Tanks Listing

State and tribal institutional control / engineering control registries

AUL..... Sites with Controls

Lists of state and tribal voluntary cleanup sites

VCP..... Voluntary Cleanup Program Database
INDIAN VCP..... Voluntary Cleanup Priority Listing

Lists of state and tribal brownfield sites

BROWNFIELDS..... Brownfields Site Assessments

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY..... Recycling Facility Listing
HIST LF..... Historical Information About Municipal Solid Waste Facilities
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands
ODI..... Open Dump Inventory
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
IHS OPEN DUMPS..... Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register
CDL..... CDL

EXECUTIVE SUMMARY

PRIORITYCLEANERS..... Dry Cleaner Remediation Program Prioritization List
DEL SHWS..... Deleted Superfund Registry Sites
US CDL..... National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

NON REGIST PST..... Petroleum Storage Tank Non Registered

Local Land Records

HIST LIENS..... Environmental Liens Listing
LIENS..... Environmental Liens Listing
LIENS 2..... CERCLA Lien Information

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System
SPILLS 90..... SPILLS 90 data from FirstSearch
SPILLS 80..... SPILLS 80 data from FirstSearch

Other Ascertainable Records

RCRA NonGen / NLR..... RCRA - Non Generators / No Longer Regulated
FUDS..... Formerly Used Defense Sites
DOD..... Department of Defense Sites
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR..... Financial Assurance Information
EPA WATCH LIST..... EPA WATCH LIST
2020 COR ACTION..... 2020 Corrective Action Program List
TSCA..... Toxic Substances Control Act
TRIS..... Toxic Chemical Release Inventory System
SSTS..... Section 7 Tracking Systems
ROD..... Records Of Decision
RMP..... Risk Management Plans
RAATS..... RCRA Administrative Action Tracking System
PRP..... Potentially Responsible Parties
PADS..... PCB Activity Database System
ICIS..... Integrated Compliance Information System
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS..... Material Licensing Tracking System
COAL ASH DOE..... Steam-Electric Plant Operation Data
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER..... PCB Transformer Registration Database
RADINFO..... Radiation Information Database
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS..... Incident and Accident Data
CONSENT..... Superfund (CERCLA) Consent Decrees
INDIAN RESERV..... Indian Reservations
FUSRAP..... Formerly Utilized Sites Remedial Action Program
UMTRA..... Uranium Mill Tailings Sites
LEAD SMELTERS..... Lead Smelter Sites
US AIRS..... Aerometric Information Retrieval System Facility Subsystem
US MINES..... Mines Master Index File
ABANDONED MINES..... Abandoned Mines

EXECUTIVE SUMMARY

DOCKET HWC.....	Hazardous Waste Compliance Docket Listing
UXO.....	Unexploded Ordnance Sites
FUELS PROGRAM.....	EPA Fuels Program Registered Listing
PFAS NPL.....	Superfund Sites with PFAS Detections Information
PFAS FEDERAL SITES.....	Federal Sites PFAS Information
PFAS TSCA.....	PFAS Manufacture and Imports Information
PFAS RCRA MANIFEST.....	PFAS Transfers Identified In the RCRA Database Listing
PFAS ATSDR.....	PFAS Contamination Site Location Listing
PFAS WQP.....	Ambient Environmental Sampling for PFAS
PFAS NPDES.....	Clean Water Act Discharge Monitoring Information
PFAS ECHO FIRE TRAINING	Facilities in Industries that May Be Handling PFAS Listing
AQUEOUS FOAM NRC.....	Aqueous Foam Related Incidents Listing
PFAS.....	PFAS Contamination Site Location Listing
AQUEOUS FOAM.....	AFFF Sites Listing
APAR.....	Affected Property Assessment Report Site Listing
COAL ASH.....	Coal Ash Disposal Sites
DRYCLEANERS.....	Drycleaner Registration Database Listing
ED AQUIF.....	Edwards Aquifer Permits
ENF.....	Notice of Violations Listing
GCC.....	Groundwater Contamination Cases
IOP.....	Innocent Owner/Operator Program
LEAD.....	LEAD
MSD.....	Municipal Settings Designations Database
RWS.....	Radioactive Waste Sites
UIC.....	Underground Injection Wells Database Listing
PST STAGE 2.....	PST Stage 2
MINES MRDS.....	Mineral Resources Data System
PFAS TRIS.....	List of PFAS Added to the TRI

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP.....	EDR Proprietary Manufactured Gas Plants
EDR Hist Cleaner.....	EDR Exclusive Historical Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS.....	Recovered Government Archive State Hazardous Waste Facilities List
RGA LF.....	Recovered Government Archive Solid Waste Facilities List

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

EXECUTIVE SUMMARY

STANDARD ENVIRONMENTAL RECORDS

Federal ERNS list

ERNS: The Emergency Response Notification System records and stores information on reported releases of oil and hazardous substances. The source of this database is the U.S. EPA.

A review of the ERNS list, as provided by EDR, and dated 03/20/2023 has revealed that there are 7 ERNS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported Incident Date Time: 2003-03-20 12:00:00 NRC Report #: 640112	2505 SOUTH SERVICE R	NNE 0 - 1/8 (0.027 mi.)	G54	299
Not reported Incident Date Time: 2003-03-25 07:45:00 NRC Report #: 640496	2505 S. SERVICE RD.	NNE 0 - 1/8 (0.027 mi.)	G55	303

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported Incident Date Time: 2014-08-07 06:15:00 NRC Report #: 1091568	2610 NORTH INTERNATI	0 - 1/8 (0.000 mi.)	A1	8
Not reported Incident Date Time: 2000-08-10 01:30:00 NRC Report #: 538231	2417 NORTH SUPPORT R	SE 1/8 - 1/4 (0.249 mi.)	K80	393
Not reported Incident Date Time: 1996-05-24 06:00:00 NRC Report #: 343619	2413 5E NORTH SUPPOR	SE 1/4 - 1/2 (0.289 mi.)	N112	533
Not reported Incident Date Time: 1996-05-03 11:00:00 NRC Report #: 339516	2413 5E NORTH SUPPOR	SE 1/4 - 1/2 (0.289 mi.)	N113	538
Not reported Incident Date Time: 2010-09-01 15:05:00 NRC Report #: 952807	3003 SOUTH SERVICE R	S 1/4 - 1/2 (0.464 mi.)	O121	560

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the Texas Commission on Environmental Quality's permitted Solid Waste Facilities list.

A review of the SWF/LF list, as provided by EDR, and dated 04/19/2023 has revealed that there is 1 SWF/LF site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DFW REGIONAL AIRPORT Facility Status: CLOSED	AMERICAN AIRLINES TE	NNE 1/4 - 1/2 (0.451 mi.)	117	557

EXECUTIVE SUMMARY

Estimated Closure Date: 6/1/1995
Permit Number: 113

CLI: Closed and abandoned landfills (permitted as well as unauthorized) across the state of Texas. For current information regarding any of the sites included in this database, contact the appropriate Council of Governments agency.

A review of the CLI list, as provided by EDR, has revealed that there are 2 CLI sites within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported Database: CLI, Date of Government Version: 08/30/1999 Facility Id: 2095 Last Date in Records Site Accepted Waste: ***** Permit Status: W	SOUTH END, TERMINAL 4	0 - 1/8 (0.000 mi.)	F50	286
DELTA AIR LINES INC Database: NCTCOG LI, Date of Government Version: 03/27/2023 Facility Id: 2095 Date Closed: 12/29/1899 Status: Closed		0 - 1/8 (0.000 mi.)	F51	288

Lists of state and tribal leaking storage tanks

LPST: The Leaking Petroleum Storage Tank Incident Reports contain an inventory of reported leaking petroleum storage tank incidents. The data come from the Texas Commission on Environmental Quality's Leaking Petroleum Storage Tank Database.

A review of the LPST list, as provided by EDR, and dated 03/28/2023 has revealed that there are 25 LPST sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
AMERICAN AIRLINES LPST Id: 104871 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0058393 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED	HANGAR II	NNW 1/8 - 1/4 (0.210 mi.)	J68	370
DALLAS FORT WORTH AI LPST Id: 119969 CA Status: 6A - FINAL CONCURRENCE ISSUED	3122 E 30TH ST	NNE 1/4 - 1/2 (0.271 mi.)	L88	466
BUDGET 5305 DFW APO LPST Id: 105844 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0047588 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED	NORTH FACILITY	NNE 1/2 - 1 (0.779 mi.)	142	648

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
AMERICAN AIRLINES	2W AUTOMOTIVE	0 - 1/8 (0.000 mi.)	C6	16

EXECUTIVE SUMMARY

LPST Id: 104868 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0012471 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
AEX STATION	3122 E 30TH ST	SSE 1/4 - 1/2 (0.283 mi.)	K105	520
LPST Id: 103554 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0021747 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
DELTA AIRLINES	3003 S SERVICE RD	S 1/4 - 1/2 (0.457 mi.)	O118	558
LPST Id: 111410 CA Status: 6P - FINAL PENDING WELL PLUG Facility ID: 0013043 Status Code: FINAL CONCURRENCE PENDING DOCUMENTATION OF WELL PLUGGING				
DELTA AIRLINES	3003 S SERVICE RD	S 1/4 - 1/2 (0.457 mi.)	O119	558
LPST Id: 107452 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0013043 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
DELTA AIRLINES	2901 E 28TH ST	ESE 1/2 - 1 (0.822 mi.)	143	658
LPST Id: 096138 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0013043 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
DOBBS HOUSE	3301 S 22ND AVE	S 1/2 - 1 (0.943 mi.)	144	658
LPST Id: 101518 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0000853 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
AVIS RENT A CAR SYST	3122 E 30TH ST	SE 1/2 - 1 (0.970 mi.)	Q145	659
LPST Id: 091877 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0023813 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
DPS STATION 4 TANK 2	3122 E 30TH ST	SE 1/2 - 1 (0.970 mi.)	Q146	660
LPST Id: 107909 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0021747 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
DFW INTERNATIONAL AI	3122 E 30TH ST	SE 1/2 - 1 (0.970 mi.)	Q147	660
LPST Id: 097550 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0021747 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
AVIS RENT A CAR SYST	3122 E 30TH ST	SE 1/2 - 1 (0.970 mi.)	Q148	661
LPST Id: 091282 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0023814 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
DPS FIRE TRAINING PI	3122 E 30TH ST	SE 1/2 - 1 (0.970 mi.)	Q149	662
LPST Id: 101346				

EXECUTIVE SUMMARY

CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0021747 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
DFW PAVING GROUNDS B	3122 E 30TH ST	SE 1/2 - 1 (0.970 mi.)	Q150	662
LPST Id: 105552 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0021747 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
VEHICLE MAINTENANCE	3122 E 30TH ST	SE 1/2 - 1 (0.970 mi.)	Q151	663
LPST Id: 107750 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0021747 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
DPS STATION 3	3122 E 30TH ST	SE 1/2 - 1 (0.970 mi.)	Q152	664
LPST Id: 097174 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0021747 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
FACILITIES MAINTENAN	3122 E 30TH ST	SE 1/2 - 1 (0.970 mi.)	Q154	665
LPST Id: 101347 CA Status: 6P - FINAL PENDING WELL PLUG Facility ID: 0021747 Status Code: FINAL CONCURRENCE PENDING DOCUMENTATION OF WELL PLUGGING				
D FW WORTH INTL AIRP	3122 E 30TH ST	SE 1/2 - 1 (0.970 mi.)	Q155	666
LPST Id: 096180 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0021747 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
HERTZ RENT A CAR N S	3080 E 30TH	ESE 1/2 - 1 (0.990 mi.)	Q157	667
LPST Id: 099015 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0031385 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
HERTZ RENTAL CAR	3080 E 30TH	ESE 1/2 - 1 (0.990 mi.)	Q158	668
LPST Id: 098686 CA Status: 6A - FINAL CONCURRENCE ISSUED Facility ID: 0031385 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED				
DFW INTERNATIONAL AI	3080 CARBON RD	ESE 1/2 - 1 (0.990 mi.)	Q159	668
LPST Id: 120545 CA Status: 6P - FINAL PENDING WELL PLUG				
BUDGET RENT A CAR SO	3080 CARBON RD	ESE 1/2 - 1 (0.990 mi.)	Q160	672
LPST Id: 105997 LPST Id: 091770 CA Status: 6A - FINAL CONCURRENCE ISSUED CA Status: 3 - MONITORING Facility ID: 0031044 Status Code: FINAL CONCURRENCE ISSUED, CASE CLOSED Status Code: MONITORING				
BUDGET RENT A CAR	3080 CARBON RD	ESE 1/2 - 1 (0.990 mi.)	Q161	673
LPST Id: 096862				

EXECUTIVE SUMMARY

Facility Num: 67640 AI Number: 757619442002247				
DFW AIRPORT FLQ LOC	DFW AIRPORT	NNE 1/2 - 1 (0.630 mi.)	P132	583
Facility Status: INACTIVE Facility Id: 35834 Facility Num: 67643 AI Number: 800639552002247				
DFW AIRPORT	DFW AIRPORT	NNE 1/2 - 1 (0.630 mi.)	P133	587
Facility Status: INACTIVE Facility Id: 35836 Facility Num: 67645 AI Number: 440827752002138				
DFW AIRPORT CIX SSAL	DFW AIRPORT	NNE 1/2 - 1 (0.630 mi.)	P134	590
Facility Status: INACTIVE Facility Id: 35838 Facility Num: 67647 AI Number: 652816212002138				
DFW AIRPORT FLQ GS 1	DFW AIRPORT	NNE 1/2 - 1 (0.630 mi.)	P135	593
Facility Status: INACTIVE Facility Id: 35835 Facility Num: 67644 AI Number: 453833172002138				
NATIONAL CAR RENTAL	DFW AIRPORT NORTH	NNE 1/2 - 1 (0.630 mi.)	P137	598
Facility Status: INACTIVE Facility Id: 45751 Facility Num: 58455 AI Number: 128612422002207				
DFW AIRPORT JHZ SSAL	DFW AIRPORT	NNE 1/2 - 1 (0.630 mi.)	P138	612
Facility Status: INACTIVE Facility Id: 35837 Facility Num: 67646 AI Number: 554821832002138				
DFW AIRPORT VORTAC	DFW AIRPORT	NNE 1/2 - 1 (0.630 mi.)	P139	615
Facility Status: INACTIVE Facility Id: 35852 Facility Num: 67654 AI Number: 602729612002138				
STAR ENTERPRISE TEXA	3500 S SERVICE RD	NE 1/2 - 1 (0.676 mi.)	141	630
Facility Status: INACTIVE Facility Id: 13602 Facility Num: 58441 AI Number: 497582342002172				
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
RUNWAY 17L ALSF FLQ	DFW AIRPORT RUNWAY 1	0 - 1/8 (0.000 mi.)	D49	280
Facility Status: Inactive Facility Id: 69295 Facility Num: 105086 AI Number: 507026522002139				
RUNWAY 35C ALSF 2 PK	DFW AIRPORT RUNWAY 3	SE 1/2 - 1 (0.532 mi.)	130	567
Facility Status: INACTIVE				

EXECUTIVE SUMMARY

Facility Id: 75355
 Facility Num: 115393
 AI Number: 100734142002275

RUNWAY 36L ALSF 2 BX Facility Status: ACTIVE Facility Id: 76565 Facility Num: 117554 AI Number: 767431672005053	DFW AIRPORT RUNWAY 3 SW 1/2 - 1 (0.651 mi.)	140	618
---	---	-----	-----

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Texas Commission on Environmental Quality's Petroleum Storage Tank Database.

A review of the AST list, as provided by EDR, and dated 03/02/2023 has revealed that there are 2 AST sites within approximately 0.75 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
RUNWAY 35R ALSF 2 Facility Id: 105705 Facility Id: 72856642002138 Facility Id: 69644 Facility Status: ACTIVE	DFW AIRPORT	NNE 1/2 - 1 (0.630 mi.)	P136	597

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
RUNWAY 17L ALSF FLQ Facility Id: 105086 Facility Id: 507026522002139 Facility Id: 69295 Facility Status: Inactive	DFW AIRPORT RUNWAY 1	0 - 1/8 (0.000 mi.)	D49	280

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Hazardous waste / Contaminated Sites

CENTRAL REGISTRY: The Central Registry, a common record area of the TCEQ, maintains information about TCEQ customers and regulated activities, such as company names, addresses, and telephone numbers. This information is commonly referred to as "core data". The Central Registry provides the regulated community with a central access point within the agency to check core data and make changes when necessary.

A review of the CENTRAL REGISTRY list, as provided by EDR, and dated 09/30/2022 has revealed that there are 17 CENTRAL REGISTRY sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DALLAS FORT WORTH IN	ON RECONSTRUCTION OF	NNE 1/4 - 1/2 (0.271 mi.)	L84	422
MIDWEST AIRLINES AT	TERMINAL E OF DALLAS	NNE 1/4 - 1/2 (0.271 mi.)	L90	479
DALLAS FORT WORTH IN	DALLAS COUNTY	NNE 1/4 - 1/2 (0.271 mi.)	L91	479
DALLASFORT WORTH INT	CONSTRUCTION SITES O	NNE 1/4 - 1/2 (0.271 mi.)	L93	482
DALLAS FORT WORTH IN	ON N OF ESTERS RD S	NNE 1/4 - 1/2 (0.271 mi.)	L94	485
DALLAS FORT WORTH IN	ON GATES E-4 AND E-6	NNE 1/4 - 1/2 (0.271 mi.)	L95	486
DALLAS FORT WORTH DF	ON NW SIDE OF CORPOR	NNE 1/4 - 1/2 (0.271 mi.)	L98	488

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DALLAS FT WORTH INTN DFW	TERMINAL B NORTH 2333 INTERNATIONAL P	NNE 1/4 - 1/2 (0.271 mi.) N 1/4 - 1/2 (0.287 mi.)	L99 J109	489 523

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SPIRIT AIRLINES DALLAS/FORT WORTH IN	2610 NORTH INTERNATI 2610 INTERNATIONAL P	0 - 1/8 (0.000 mi.) 0 - 1/8 (0.000 mi.)	A23 A29	55 61
INSTALL PRE-MANUFACT	2323 N SUPPORT RD DA	SSE 1/8 - 1/4 (0.215 mi.)	K69	382
DALLAS FORT WORTH IN	2417 N SUPPORT RD	SE 1/8 - 1/4 (0.249 mi.)	K72	386
AIRPORT TERMINAL SER	2417 N SUPPORT RD	SE 1/8 - 1/4 (0.249 mi.)	K75	389
ERMC AVIATION	2417 N SUPPORT RD ST	SE 1/8 - 1/4 (0.249 mi.)	K78	391
DALLAS FT WORTH INTE	2417 N SUPPORT RD #	SE 1/8 - 1/4 (0.249 mi.)	K79	392
DFW AIRPORT	2471 N SUPPORT RD DA	SE 1/4 - 1/2 (0.295 mi.)	N114	542

Records of Emergency Release Reports

SPILLS: The Spills Database comes from the Texas Commission on Environmental Quality.

A review of the SPILLS list, as provided by EDR, has revealed that there are 2 SPILLS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DALLAS FORT WORTH IN Database: SPILLS, Date of Government Version: 04/10/2023 Incident Status: CLOSED Facility Id: RN100213990 Incident Number: 271354	3122 E 30TH ST	0 - 1/8 (0.000 mi.)	B42	265
DALLAS FORT WORTH IN Database: SPILLS, Date of Government Version: 04/10/2023 Incident Status: Closed Facility Id: RN100214907 Incident Number: 135873	BRANIFF INTERNATIONA	NNE 1/4 - 1/2 (0.271 mi.)	L96	486

Other Ascertainable Records

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 05/04/2023 has revealed that there are 24 FINDS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DALLAS FORT WORTH IN	ON GATES E-4 AND E-6	0 - 1/8 (0.000 mi.)	B3	13

EXECUTIVE SUMMARY

Registry ID:: 110034331612				
AIRTRAN AIRWAYS	ON TERMINAL E SECTIO	0 - 1/8 (0.000 mi.)	B8	19
Registry ID:: 110033448641				
MIDWEST AIRLINES INC	TERMINAL E OF DALLAS	0 - 1/8 (0.000 mi.)	B10	21
Registry ID:: 110034618199				
SOUTHERN STAR MATERI	2505 S. SERVICE RD	NNE 0 - 1/8 (0.027 mi.)	G56	307
Registry ID:: 110039193770				
D10 TERMINAL RADAR A	2401 N INTERNATIONAL	NNE 1/8 - 1/4 (0.157 mi.)	62	310
Registry ID:: 110034319333				
DALLAS FORT WORTH IN	ON RECONSTRUCTION OF	NNE 1/4 - 1/2 (0.271 mi.)	L97	488
Registry ID:: 110070173015				
DALLAS/FORT WORTH IN	UNKNOWN	NNE 1/4 - 1/2 (0.284 mi.)	M106	520
Registry ID:: 110038025794				
DFW	2333 INTERNATIONAL P	N 1/4 - 1/2 (0.287 mi.)	J108	522
Registry ID:: 110070366812				
Lower Elevation	Address	Direction / Distance	Map ID	Page
SPIRIT AIRLINES	2610 NORTH INTERNATI	0 - 1/8 (0.000 mi.)	A27	59
Registry ID:: 110070359944				
GAT AIRLINE GROUND S	2610 INTERNATIONAL P	0 - 1/8 (0.000 mi.)	A33	252
Registry ID:: 110070357192				
DFW AIRPORT MS4	WITHIN DFW AIRPORT L	0 - 1/8 (0.000 mi.)	E48	280
Registry ID:: 110038335058				
DFW AIRPORT	2400 INTERNATIONAL P	NE 1/8 - 1/4 (0.143 mi.)	I60	310
Registry ID:: 110068160858				
DFW TERMINAL C HIGH	2400 N INTERNATIONAL	NE 1/8 - 1/4 (0.143 mi.)	I61	310
Registry ID:: 110070882214				
DALLAS FORT WORTH IN	2417 N SUPPORT RD	SE 1/8 - 1/4 (0.249 mi.)	K73	388
Registry ID:: 110034215481				
ERMC AVIATION		SE 1/8 - 1/4 (0.249 mi.)	K76	389
Registry ID:: 110071156776				
FINE AMERICAS, INC.	2417 N SUPPORT RD	SE 1/8 - 1/4 (0.249 mi.)	K77	391
Registry ID:: 110069435757				
DELTA AIR LINES INC	5E SUPPORT AREA	SE 1/4 - 1/2 (0.307 mi.)	N115	542
Registry ID:: 110037919107				
RIG #26 (CHESAPEAKE	3003 S. SERVICE ROAD	S 1/4 - 1/2 (0.464 mi.)	O120	559
Registry ID:: 110033187646				
RIG #5	3003 S. SERVICE ROAD	S 1/4 - 1/2 (0.464 mi.)	O122	564
Registry ID:: 110033189591				
HENSEL PHELPS YARD	3003 S SERVICE RD	S 1/4 - 1/2 (0.468 mi.)	O123	564
Registry ID:: 110070174484				
HPCC AUTOMATED PEOP	ON DFW AIRPORT 3003	S 1/4 - 1/2 (0.468 mi.)	O124	565
Registry ID:: 110070171875				
SPOILS STORAGE SITE	ON 3003 S SERVICE RO	S 1/4 - 1/2 (0.468 mi.)	O125	565
Registry ID:: 110070172428				
TRIP PARKING ENHANCE	3003 S SERVICE ROAD	S 1/4 - 1/2 (0.468 mi.)	O127	566

EXECUTIVE SUMMARY

Registry ID:: 110070180121
 DFW INTERNATIONAL AI 3003 S SERVICE RD S 1/4 - 1/2 (0.468 mi.) O128 566
 Registry ID:: 110034697996

ECHO: ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

A review of the ECHO list, as provided by EDR, and dated 03/25/2023 has revealed that there are 10 ECHO sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SOUTHERN STAR MATERI Registry ID: 110039193770	2505 S. SERVICE RD	NNE 0 - 1/8 (0.027 mi.)	G56	307
DFW Registry ID: 110070366812	2333 INTERNATIONAL P	N 1/4 - 1/2 (0.287 mi.)	J108	522

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SPIRIT AIRLINES Registry ID: 110070359944	2610 NORTH INTERNATI	0 - 1/8 (0.000 mi.)	A27	59
GAT AIRLINE GROUND S Registry ID: 110070357192	2610 INTERNATIONAL P	0 - 1/8 (0.000 mi.)	A33	252
DFW AIRPORT MS4 Registry ID: 110038335058	WITHIN DFW AIRPORT L	0 - 1/8 (0.000 mi.)	E48	280
DFW TERMINAL C HIGH Registry ID: 110070882214	2400 N INTERNATIONAL	NE 1/8 - 1/4 (0.143 mi.)	I59	309
DALLAS FORT WORTH IN Registry ID: 110034215481	2417 N SUPPORT RD	SE 1/8 - 1/4 (0.249 mi.)	K73	388
ERMC AVIATION Registry ID: 110071156776	2417 N SUPPORT RD ST	SE 1/8 - 1/4 (0.249 mi.)	K74	388
DFW AIRPORT - SOUTH Registry ID: 110070529353	3003 SOUTH SERVICE R	S 1/4 - 1/2 (0.468 mi.)	O126	565
DELTA AIRLINES INC Registry ID: 110006529104	DEPT. 587, P.O.BOX 6	SSE 1/4 - 1/2 (0.471 mi.)	129	566

PFAS ECHO: Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

A review of the PFAS ECHO list, as provided by EDR, and dated 03/30/2023 has revealed that there are 5 PFAS ECHO sites within approximately 0.75 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DFW		NNE 1/4 - 1/2 (0.277 mi.)	M104	518
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
JET AIRCRAFT MAINTEN		0 - 1/8 (0.000 mi.)	C21	52

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DFW AIRPORT MS4		0 - 1/8 (0.000 mi.)	E38	259
SPIRIT AIRLINES		0 - 1/8 (0.000 mi.)	E44	269
ERMC AVIATION		SE 1/8 - 1/4 (0.249 mi.)	K76	389

PFAS PART 139 AIRPORT: Since July 1, 2006, all certified part 139 airports are required to have fire-fighting foam onsite that meet military specifications (MIL-F-24385) (14 CFR 139.317). To date, these military specification fire-fighting foams are fluorinated and have been historically used for training and extinguishing. The 2018 FAA Reauthorization Act has a provision stating that no later than October 2021, FAA shall not require the use of fluorinated AFFF. This provision does not prohibit the use of fluorinated AFFF at Part 139 civilian airports; it only prohibits FAA from mandating its use. The Federal Aviation Administration's document AC 150/5210-6D - Aircraft Fire Extinguishing Agents provides guidance on Aircraft Fire Extinguishing Agents, which includes Aqueous Film Forming Foam (AFFF).

A review of the PFAS PART 139 AIRPORT list, as provided by EDR, and dated 03/30/2023 has revealed that there is 1 PFAS PART 139 AIRPORT site within approximately 0.75 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DFW - DALLAS-FORT WO		NE 1/4 - 1/2 (0.261 mi.)	L83	422

AIRS: The database lists by company, along with their actual emissions, the Texas Commission on Environmental Quality's air accounts that emit EPA criteria pollutants.

A review of the AIRS list, as provided by EDR, and dated 03/09/2023 has revealed that there are 4 AIRS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SOLID WASTE INCINERA Permit Num: 3484 Regulated Id: RN100213990 Customer Id: CN601700610	3122 E 30TH ST	0 - 1/8 (0.000 mi.)	B25	57
DALLAS FORT WORTH IN Permit Num: 111123 Permit Num: 111128 Permit Num: 1382 Permit Num: 18257 Permit Num: 37660 <i>*Additional key fields are available in the Map Findings section</i> Regulated Id: RN100213990 Customer Id: CN601700610	3122 E 30TH ST	0 - 1/8 (0.000 mi.)	B42	265
AMERICAN AIRLINES AU Permit Num: 52552 Regulated Id: RN103994786 Customer Id: CN602385767		0 - 1/8 (0.000 mi.)	B43	269
AMERICAN AIRLINES DF Permit Num: 79110 Permit Num: 46093 Permit Num: 46094 Permit Num: 46500		NNE 1/8 - 1/4 (0.196 mi.)	I67	368

EXECUTIVE SUMMARY

Permit Num: 46501
 Regulated Id: RN100213461
 Customer Id: CN602385767

ASBESTOS: A listing of asbestos notification site locations.

A review of the ASBESTOS list, as provided by EDR, and dated 02/23/2023 has revealed that there are 38 ASBESTOS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CENTRAL UTILITIES PL	2375 NORTH INTERNATI	N 1/4 - 1/2 (0.258 mi.)	J82	420
AIRWAYS SUPPORT BUIL	2300 SOUTH INTERNATI	NNE 1/4 - 1/2 (0.271 mi.)	L86	433
DFW INT. AIRPORT - T	33260 / 2333 SOUTH I	N 1/4 - 1/2 (0.287 mi.)	J107	521
DFWEAD2017036 TERMIN	2333 NORTH INTERNATI	N 1/4 - 1/2 (0.287 mi.)	J110	523
DFWEAD2018052 - TERM	2333 SOUTH INTERNATI	N 1/4 - 1/2 (0.287 mi.)	J111	528

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DFW TERMINAL E 55-79	2610 N. INTERNATINAL	0 - 1/8 (0.000 mi.)	A2	12
DFW TERMINAL E MEZZA	2610 N. INTERNATINAL	0 - 1/8 (0.000 mi.)	A4	14
DFW TERMINAL E 55-79	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A5	15
DFW TERMINAL E 56-69	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A7	17
DFW TERMINAL E 55-28	2610 N. INTERNATINAL	0 - 1/8 (0.000 mi.)	A9	20
DFW TERMINAL E 55-79	2610 S. INTERNATIONA	0 - 1/8 (0.000 mi.)	A11	22
VERIZON DFW MAIN CEN	2740 S. SERVICE ROAD	0 - 1/8 (0.000 mi.)	D12	23
DFW TERMINAL E 38-64	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A13	40
DFW TERMINAL E 72-84	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A14	43
DFWTRIP2016134 - TER	2610 NORTH INTERNATI	0 - 1/8 (0.000 mi.)	A15	44
DFW TERMINAL E 65-84	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A16	46
DFW TERMINAL E 56-83	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A17	47
DFW TERMINAL E 64-84	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A18	48
DFW TERMINAL E 56-69	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A19	50
DFW TERMINAL E 55-79	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A20	51
DFW TERMINAL E 73-75	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A22	54
TERMINAL E UNITED LO	2610 NORTH INTERNATI	0 - 1/8 (0.000 mi.)	A24	56
DFW TERMINAL E	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A26	58
DFWTRIP2017006 - TER	2610 N INTERNATIONA	0 - 1/8 (0.000 mi.)	A28	60
DALLAS/FORT WORTH IN	2610 INTERNATIONAL P	0 - 1/8 (0.000 mi.)	A29	61
DFW TERMINAL E 33024	2610 NORTH INTERNATI	0 - 1/8 (0.000 mi.)	A30	63
DFW TERMINAL E GUIDE	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A31	248
DFW AIRPORT - TERMIN	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A32	249
DFW TERMINAL E 69-80	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A34	253
DFW TERMINAL E 64-84	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A35	255
DFWTRIP2017010 - TER	2610 NORTH INTERNATI	0 - 1/8 (0.000 mi.)	A36	257
DFW TERMINAL E B F	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A37	258
DFW TERMINAL E STAIR	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A39	261
DFW TERIMINAL E	2610 NORTH INTERNATI	0 - 1/8 (0.000 mi.)	A40	262
DFW TERMINAL E	2610 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A41	263
DFW TERMINAL E 48-55	2640 N. INTERNATIONA	0 - 1/8 (0.000 mi.)	A45	271
DFW TERMINAL E 69-80	2610 N. INTERNATINAL	0 - 1/8 (0.000 mi.)	A46	272
AIRPORT OPERATIONS A	2625 SOUTH INTERNATI	0 - 1/8 (0.000 mi.)	A47	275

EXECUTIVE SUMMARY

Financial Assurance: Financial assurance information.

A review of the Financial Assurance list, as provided by EDR, has revealed that there are 2 Financial Assurance sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
AMERICAN AIRLINES Database: Financial Assurance 2, Date of Government Version: 03/02/2023 Facility Id: 58463 AI: 58394 Finass ID: 199439 Finass ID: 145156 Finass ID: 125664 Finass ID: 42974 Finass ID: 4088 <i>*Additional key fields are available in the Map Findings section</i>	HANGAR II	NNW 1/8 - 1/4 (0.210 mi.)	J68	370
AMERICAN AIRLINES Database: Financial Assurance 2, Date of Government Version: 03/02/2023 Facility Id: 58438 AI: 12472 Finass ID: 145149 Finass ID: 125651 Finass ID: 42684 Finass ID: 4080 Finass ID: 110246 <i>*Additional key fields are available in the Map Findings section</i>	2E 3E CONNECTOR BLDG	NNE 1/4 - 1/2 (0.336 mi.)	116	543

Ind. Haz Waste: The Industrial and Hazardous Waste Database contains summary reports by waste handlers, generators and shippers in Texas.

A review of the Ind. Haz Waste list, as provided by EDR, and dated 03/14/2023 has revealed that there are 2 Ind. Haz Waste sites within approximately 0.75 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DALLAS FORT WORTH AI Registration Number: 65166	5E SUPPORT AREA	NNE 1/4 - 1/2 (0.271 mi.)	L87	435
DALLAS FORT WORTH AI Registration Number: 79113	3122 E 30TH ST	NNE 1/4 - 1/2 (0.271 mi.)	L88	466

NPDES: Permitted wastewater outfalls.

A review of the NPDES list, as provided by EDR, and dated 08/02/2023 has revealed that there is 1 NPDES site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DFW INTERNATIONAL AI AI: WQ0001441000 Facility Id: 14528 EPA Id: TX0025101	LOCATED WITHIN THE N	NNE 1/8 - 1/4 (0.237 mi.)	I70	383

EXECUTIVE SUMMARY

TIER 2: A listing of facilities which store or manufacture hazardous materials and submit a chemical inventory report.

A review of the TIER 2 list, as provided by EDR, and dated 12/31/2012 has revealed that there are 16 TIER 2 sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DFW AIR TRAFFIC CONT Facility Id/Name: FATR201247EQ3301G33R Facility Id/Name: FATR201147EQ3301G33R Facility Id/Name: FATR200847EQ3301G33R	2401 INTERNATIONAL P	NNE 1/8 - 1/4 (0.195 mi.)	I63	311
DFW AIR TRAFFIC CONT Facility Id/Name: FATR201047EQ3301G33R Facility Id/Name: FATR200947EQ3301G33R Facility Id/Name: FATR200547EQ3301G33R Facility Id/Name: FATR200747EQ3301G33R Facility Id/Name: FATR200647EQ3301G33R	2400 INTERNATIONAL P	NNE 1/8 - 1/4 (0.195 mi.)	I64	319
DFW - DALLAS/FT. WOR Facility Id/Name: FATR20123K4JQG0026TN Facility Id/Name: FATR20103K4JQG0026TN Facility Id/Name: FATR20073K4JQG0026TN Facility Id/Name: FATR20113K4JQG0026TN Facility Id/Name: FATR20083K4JQG0026TN	DFW INTERNATIONAL AI	N 1/8 - 1/4 (0.196 mi.)	J65	327
DFW - DALLAS/FT. WOR Facility Id/Name: FATR20123K6EBD0025N9 Facility Id/Name: FATR20103K6EBD0025N9 Facility Id/Name: FATR20073K6EBD0025N9 Facility Id/Name: FATR20113K6EBD0025N9	DFW INTERNATIONAL AI	N 1/8 - 1/4 (0.196 mi.)	J66	337
DFW DALLAS/FT. WORTH Facility Id/Name: FATR20093K6EBD0025N9	DFW INTERNATIONAL AI	NNE 1/4 - 1/2 (0.271 mi.)	L85	423
DFW DALLAS/FT. WORTH Facility Id/Name: FATR20093K4JQG0026TN	DFW INTERNATIONAL AI	NNE 1/4 - 1/2 (0.271 mi.)	L89	476
"DFW - DALLAS/FT. WO Facility Id/Name: FATR20053K6EBD0025N9	DFW INTERNATIONAL AI	NNE 1/4 - 1/2 (0.271 mi.)	L92	481
DFW - DALLAS/FT. WOR Facility Id/Name: FATR20063K6EBD0025N9	DFW INTERNATIONAL AI	NNE 1/4 - 1/2 (0.271 mi.)	L100	490
DFW - DALLAS/FT. WOR Facility Id/Name: FATR20063K4JQG0026TN	DFW INTERNATIONAL AI	NNE 1/4 - 1/2 (0.271 mi.)	L101	490
DAVIS 3H TB Facility Id/Name: FATR2012E01328896267 Facility Id/Name: FATR2011E01328896267		NNW 1/4 - 1/2 (0.275 mi.)	102	491
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
VERIZON DFW MAIN CEN Facility Id/Name: FATR2007TX5617001 Facility Id/Name: FATR2009TX5617001 Facility Id/Name: FATR2011TX5617001 Facility Id/Name: FATR2008TX5617001 Facility Id/Name: FATR2012TX5617001 <i>*Additional key fields are available in the Map Findings section</i>	2740 S. SERVICE ROAD	0 - 1/8 (0.000 mi.)	D12	23
UNITED AIRLINES	TERMIAL E SECTION 1	NE 0 - 1/8 (0.013 mi.)	C52	289

EXECUTIVE SUMMARY

Facility Id/Name: FATR200968ZUVX0021PP				
Facility Id/Name: FATR201168ZUVX0021PP				
UNITED AIRLINES	TERMIAL E SECTION 1	NE 0 - 1/8 (0.013 mi.)	C53	296
Facility Id/Name: FATR201268ZUVX0021PP				
DTG OPERATIONS INC.,	3839 SOUTH 62TH AVEN	SSE 0 - 1/8 (0.049 mi.)	H57	308
Facility Id/Name: FATR20075MDW1X00ST9R				
"DTG OPERATIONS, INC	"3839 SOUTH 26TH AVE	SSE 0 - 1/8 (0.049 mi.)	H58	309
Facility Id/Name: FATR20053JZWSA00P5VB				
DELTA AIR LINES, INC	2417 N. SUPPORT ROAD	SE 1/8 - 1/4 (0.249 mi.)	K81	397
Facility Id/Name: FATR20125MC4MH030C66				
Facility Id/Name: FATR20105MC4MH030C66				
Facility Id/Name: FATR20095MC4MH030C66				
Facility Id/Name: FATR20115MC4MH030C66				
Facility Id/Name: FATR200547MFXT002A3K				
<i>*Additional key fields are available in the Map Findings section</i>				

IHW CORR ACTION: Industrial hazardous waste facilities with corrective actions.

A review of the IHW CORR ACTION list, as provided by EDR, and dated 03/24/2023 has revealed that there is 1 IHW CORR ACTION site within approximately 0.75 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DALLAS FORT WORTH AI	3122 E 30TH ST	NNE 1/4 - 1/2 (0.271 mi.)	L88	466
RN NUM: RN100213990				
Program Id: 79113				
Status: INACTIVE				

COMP HIST: A listing of compliance histories of regulated entities

A review of the COMP HIST list, as provided by EDR, and dated 11/21/2022 has revealed that there is 1 COMP HIST site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
AMERICAN AIRLINES AU		0 - 1/8 (0.000 mi.)	B43	269

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk

EXECUTIVE SUMMARY

Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there is 1 EDR Hist Auto site within approximately 0.625 miles of the target property.


<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BP PRODUCTS NORTH AM	2405 N SUPPORT	SE 1/8 - 1/4 (0.242 mi.)	K71	386

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 7 records.

<u>Site Name</u>	<u>Database(s)</u>
DELTA AIRLINES INCINERATION FACILI	SWF/LF, CENTRAL REGISTRY
AMERICAN AIRLINES OLD AIR FREIGHT	LPST
GENERAL TELEPHONE SOUTHWEST	LPST
DFW AIRPORT	LPST, AIRS
NATIONAL CAR RENTAL FACILITY	LPST
TEXACO SERVICE STATION	LPST, UST, Financial Assurance
NATIONAL CAR RENTAL SYSTEM	LPST

OVERVIEW MAP - 7411289.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

County Boundary

Power transmission lines

Pipelines

Special Flood Hazard Area (1%)

0.2% Annual Chance Flood Hazard

National Wetland Inventory


State Wetlands








This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.




SITE NAME: Site #1 Project 2025
 ADDRESS: Express South Parking Lot
 Dallas TX 75261
 LAT/LONG: 32.890375 / 97.043747

CLIENT: Integrated Env. Solutions, Inc.
 CONTACT: Rae Lynn Schneider
 INQUIRY #: 7411289.2s
 DATE: August 08, 2023 12:04 pm

DETAIL MAP - 7411289.2S



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  Sensitive Receptors
-  National Priority List Sites
-  Dept. Defense Sites

-  Indian Reservations BIA
-  County Boundary
-  Pipelines



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Site #1 Project 2025
 ADDRESS: Express South Parking Lot
 Dallas TX 75261
 LAT/LONG: 32.890375 / 97.043747

CLIENT: Integrated Env. Solutions, Inc.
 CONTACT: Rae Lynn Schneider
 INQUIRY #: 7411289.2s
 DATE: August 08, 2023 12:06 pm

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Lists of Federal NPL (Superfund) sites</i>								
NPL	1.500		0	0	0	0	0	0
Proposed NPL	1.500		0	0	0	0	0	0
NPL LIENS	1.500		0	0	0	0	0	0
<i>Lists of Federal Delisted NPL sites</i>								
Delisted NPL	1.500		0	0	0	0	0	0
<i>Lists of Federal sites subject to CERCLA removals and CERCLA orders</i>								
FEDERAL FACILITY	1.000		0	0	0	0	NR	0
SEMS	1.000		0	0	0	0	NR	0
<i>Lists of Federal CERCLA sites with NFRAP</i>								
SEMS-ARCHIVE	1.000		0	0	0	0	NR	0
<i>Lists of Federal RCRA facilities undergoing Corrective Action</i>								
CORRACTS	1.500		0	0	0	0	0	0
<i>Lists of Federal RCRA TSD facilities</i>								
RCRA-TSDF	1.000		0	0	0	0	NR	0
<i>Lists of Federal RCRA generators</i>								
RCRA-LQG	0.750		0	0	0	0	NR	0
RCRA-SQG	0.750		0	0	0	0	NR	0
RCRA-VSQG	0.750		0	0	0	0	NR	0
<i>Federal institutional controls / engineering controls registries</i>								
LUCIS	1.000		0	0	0	0	NR	0
US ENG CONTROLS	1.000		0	0	0	0	NR	0
US INST CONTROLS	1.000		0	0	0	0	NR	0
<i>Federal ERNS list</i>								
ERNS	0.500		3	1	3	NR	NR	7
<i>Lists of state- and tribal (Superfund) equivalent sites</i>								
SHWS	1.500		0	0	0	0	0	0
<i>Lists of state and tribal landfills and solid waste disposal facilities</i>								
SWF/LF	1.000		0	0	1	0	NR	1
CLI	1.000		2	0	0	0	NR	2
DEBRIS	1.000		0	0	0	0	NR	0
WASTE MGMT	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<i>Lists of state and tribal leaking storage tanks</i>								
INDIAN LUST	1.000		0	0	0	0	NR	0
LPST	1.000		1	1	4	19	NR	25
RDR	1.000		0	0	0	2	NR	2
<i>Lists of state and tribal registered storage tanks</i>								
FEMA UST	0.750		0	0	0	0	NR	0
UST	0.750		1	1	2	11	NR	15
AST	0.750		1	0	0	1	NR	2
INDIAN UST	0.750		0	0	0	0	NR	0
TANKS	1.000		0	0	0	0	NR	0
<i>State and tribal institutional control / engineering control registries</i>								
AUL	1.000		0	0	0	0	NR	0
<i>Lists of state and tribal voluntary cleanup sites</i>								
VCP	1.000		0	0	0	0	NR	0
INDIAN VCP	1.000		0	0	0	0	NR	0
<i>Lists of state and tribal brownfield sites</i>								
BROWNFIELDS	1.000		0	0	0	0	NR	0
<u>ADDITIONAL ENVIRONMENTAL RECORDS</u>								
<i>Local Brownfield lists</i>								
US BROWNFIELDS	1.000		0	0	0	0	NR	0
<i>Local Lists of Landfill / Solid Waste Disposal Sites</i>								
SWRCY	1.000		0	0	0	0	NR	0
HIST LF	1.000		0	0	0	0	NR	0
INDIAN ODI	1.000		0	0	0	0	NR	0
ODI	1.000		0	0	0	0	NR	0
DEBRIS REGION 9	1.000		0	0	0	0	NR	0
IHS OPEN DUMPS	1.000		0	0	0	0	NR	0
<i>Local Lists of Hazardous waste / Contaminated Sites</i>								
US HIST CDL	0.500		0	0	0	NR	NR	0
CDL	0.500		0	0	0	NR	NR	0
PRIORITYCLEANERS	1.000		0	0	0	0	NR	0
DEL SHWS	1.500		0	0	0	0	0	0
US CDL	0.500		0	0	0	NR	NR	0
CENTRAL REGISTRY	0.500		2	5	10	NR	NR	17
<i>Local Lists of Registered Storage Tanks</i>								
NON REGIST PST	0.750		0	0	0	0	NR	0
<i>Local Land Records</i>								
HIST LIENS	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS	0.500		0	0	0	NR	NR	0
LIENS 2	0.500		0	0	0	NR	NR	0
Records of Emergency Release Reports								
HMIRS	0.500		0	0	0	NR	NR	0
SPILLS	0.500		1	0	1	NR	NR	2
SPILLS 90	0.500		0	0	0	NR	NR	0
SPILLS 80	0.500		0	0	0	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.750		0	0	0	0	NR	0
FUDS	1.500		0	0	0	0	0	0
DOD	1.500		0	0	0	0	0	0
SCRD DRYCLEANERS	1.000		0	0	0	0	NR	0
US FIN ASSUR	0.500		0	0	0	NR	NR	0
EPA WATCH LIST	0.500		0	0	0	NR	NR	0
2020 COR ACTION	0.750		0	0	0	0	NR	0
TSCA	0.500		0	0	0	NR	NR	0
TRIS	0.500		0	0	0	NR	NR	0
SSTS	0.500		0	0	0	NR	NR	0
ROD	1.500		0	0	0	0	0	0
RMP	0.500		0	0	0	NR	NR	0
RAATS	0.500		0	0	0	NR	NR	0
PRP	0.500		0	0	0	NR	NR	0
PADS	0.500		0	0	0	NR	NR	0
ICIS	0.500		0	0	0	NR	NR	0
FTTS	0.500		0	0	0	NR	NR	0
MLTS	0.500		0	0	0	NR	NR	0
COAL ASH DOE	0.500		0	0	0	NR	NR	0
COAL ASH EPA	1.000		0	0	0	0	NR	0
PCB TRANSFORMER	0.500		0	0	0	NR	NR	0
RADINFO	0.500		0	0	0	NR	NR	0
HIST FTTS	0.500		0	0	0	NR	NR	0
DOT OPS	0.500		0	0	0	NR	NR	0
CONSENT	1.500		0	0	0	0	0	0
INDIAN RESERV	1.500		0	0	0	0	0	0
FUSRAP	1.500		0	0	0	0	0	0
UMTRA	1.000		0	0	0	0	NR	0
LEAD SMELTERS	0.500		0	0	0	NR	NR	0
US AIRS	0.500		0	0	0	NR	NR	0
US MINES	0.750		0	0	0	0	NR	0
ABANDONED MINES	0.750		0	0	0	0	NR	0
FINDS	0.500		7	6	11	NR	NR	24
ECHO	0.500		4	3	3	NR	NR	10
DOCKET HWC	0.500		0	0	0	NR	NR	0
UXO	1.500		0	0	0	0	0	0
FUELS PROGRAM	0.750		0	0	0	0	NR	0
PFAS NPL	0.750		0	0	0	0	NR	0
PFAS FEDERAL SITES	0.750		0	0	0	0	NR	0
PFAS TSCA	0.750		0	0	0	0	NR	0
PFAS RCRA MANIFEST	0.750		0	0	0	0	NR	0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

A1

ERNS 2014091568
N/A

< 1/8
1 ft.

2610 NORTH INTERNATIONAL HWY
DALLAS, TX

Site 1 of 36 in cluster A

Relative:
Lower
Actual:
561 ft.

Incident Commons:
NRC Report #: 1091568
Description of Incident: CALLER IS REPORTING A RELEASE OF APPROXIMATELY 25 GALLONS OF JET A FUEL ONTO THE TARMAC AND INTO A STORM DRAIN FROM THE LEFT WING OF AN AIRCRAFT. THE DRAIN WAS CLEANED OUT WITH A SUMP PUMP. CAUSE IS UNDER INVESTIGATION.
Type of Incident: AIRCRAFT
Incident Cause: UNKNOWN
Incident Date Time: 2014-08-07 06:15:00
Incident DTG: OCCURRED
Incident Location: DALLAS FORT WORTH AIRPORT
Loaction Address: 2610 NORTH INTERNATIONAL HWY
Location Street 1: TERMINAL E
Location Street 2: Not reported
Location Nearest City: DALLAS
Location State: TX
Location County: DALLAS
Location Zip: Not reported
Distance From City: Not reported
Distance Units: Not reported
Direction From City: Not reported
Lat Deg: Not reported
Lat Min: Not reported
Lat Sec: Not reported
Lat Quad: Not reported
Long Deg: Not reported
Long Min: Not reported
Long Sec: Not reported
Long Quad: Not reported
Location Section: Not reported
Location Township: Not reported
Location range: Not reported
Potential Range: N

Incidents:
Year: 2014
NRC Report #: 1091568
Aircraft Type: COMMERCIAL
Aircraft Model: EMBRERER 190
Aircraft ID: 231
Aircraft Fuel Capacity: Not reported
Aircraft Fuel Capacity Units: Not reported
Aircraft Fuel on Board: Not reported
Aircraft Fuel on Board Units: Not reported
Aircraft Spot Number: GATE E-10
Aircraft Hanger: Not reported
Aircraft Runway Number: Not reported
Road Mile Marker: Not reported
Building ID: Not reported
Type of Fixed Object: Not reported
Power Generating Facility: U
Generating Capacity: Not reported
Type of Fuel: Not reported
NPDES: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2014091568

NPDES Compliance:	U
Pipeline Type:	Not reported
DOT Regulated:	U
Pipeline Above Ground:	ABOVE
Exposed Underwater:	N
Pipeline Covered:	U
Railroad Hotline:	Not reported
Grade Crossing:	U
Location Subdivision:	Not reported
Railroad Milepost:	Not reported
Type Vehicle Involved:	Not reported
Crossing Device Type:	Not reported
Device Operational:	U
DOT Crossing Number:	Not reported
Brake Failure:	U
Description of Tank:	Not reported
Tank Above Ground:	ABOVE
Transportable Container:	U
Tank Regulated:	U
Tank Regulated By:	Not reported
Tank ID:	Not reported
Capacity of Tank:	Not reported
Capacity of Tank Units:	Not reported
Actual Amount:	Not reported
Actual Amount Units:	Not reported
Platform Rig Name:	Not reported
Platform Letter:	Not reported
Location Area ID:	Not reported
Location Block ID:	Not reported
OCSG Number:	Not reported
OCSF Number:	Not reported
State Lease Number:	Not reported
Pier Dock Number:	Not reported
Berth Slip Number:	Not reported
Continuous Release Type:	Not reported
Initial Continuous Release No:	Not reported
Continuous Release Permit:	Not reported
Allision:	U
Type of Structure:	Not reported
Structure Name:	Not reported
Structure Operational:	U
Airbag Deployed:	U
Date Tiem Normal Service:	Not reported
Service Disruption Time:	Not reported
Service Disruption Units:	Not reported
Transit Bus Flag:	Not reported
CR Begin Date:	Not reported
CR End Date:	Not reported
CR Change Date:	Not reported
FBI Contact:	Not reported
FBI Contact Date Time:	Not reported
Sub Part C Testing Req:	XXX
Conductor Testing:	Not reported
Engineer Testing:	Not reported
Trainman Testing:	Not reported
Yard Foreman Testing:	Not reported
RCL Operator Testing:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2014091568

Brakeman Testing: Not reported
Train Dispatcher Testing: Not reported
Signalman Testing: Not reported
Other Employee Testing: Not reported
Unknown Testing: Not reported
Passenger Handling: Not reported
Passenger Route: XXX
Passenger Delay: XXX

Incident Details:

Year: 2014
NRC Report #: 1091568
Fire Involved: N
Fire Extinguished: U
Any Evacuations: N
Number Evacuated: Not reported
Who Evacuated: Not reported
Radius of Evacuation: Not reported
Any Injuries: N
Number Injured: Not reported
Number Hospitalized: Not reported
Any Fatalities: N
Number Fatalities: Not reported
Any Damages: N
Damage Amount: Not reported
Air Corridor Closed: N
Air Corridor Desc: Not reported
Air Closure Time: Not reported
Waterway Closed: N
Waterway Desc: Not reported
Waterway Closure Time: Not reported
Road Closed: N
Road Desc: Not reported
Road Closure Time: Not reported
Closure Direction: Not reported
Major Artery: N
Track Closed: N
Track Desc: Not reported
Track Closure Time: Not reported
Media Interest: NONE
Medium Desc: WATER
Additional Medium Info: TARMAC AND STORM DRAIN
Body of Water: STORM DRAIN
Tributary of: Not reported
Release Secured: Y
Estimated Duration of Release: Not reported
Release rate: Not reported
Desc Remedial Action: STORM DRAIN WAS SUMPED OUT, SPEEDY DRY APPLIED TO THE SPILL AND SWEPT UP.
State Agency on Scene: Not reported
State Agency Report Number: Not reported
Other Agency Notified: Not reported
Weather Conditions: SUNNY
Air Temperature: 80
Wind Speed: Not reported
Wind Direction: Not reported
Water Supply Contaminated: U

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2014091568

Sheen Size: Not reported
Sheen Color: Not reported
Direction of Sheen Travel: Not reported
Sheen Odor Description: Not reported
Wave Condition: Not reported
Current Speed: Not reported
Current Direction: Not reported
Water Temperature: Not reported
Track Close Dir: Not reported
Empl Fatality: Not reported
Pass Fatality: Not reported
Community Impact: Not reported
Wind Speed Unit: Not reported
Employee Injuries: Not reported
Passenger Injuries: Not reported
Occupant Fatality: Not reported
Current Speed Unit: Not reported
Road Closure Units: Not reported
Track CLosure Units: Not reported
Sheen Size Units: Not reported
Additional Info: Not reported
State Agency Notified: DEP
Federal Agency Notified: Not reported
nearest River Mile Marker: Not reported
Sheen Size Length: Not reported
Sheen Size Length Units: Not reported
Sheen Size Width: Not reported
Sheen Size Width Units: Not reported
Offshore: N
Duration Unit: Not reported
Release Rate Unit: Not reported
Release Rate Rate: Not reported
Passengers Transferred: NO

Calls:

Year: 2014
NRC Report #: 1091568
Site ID: 20141091568
Date Time Received: 2014-08-07 08:31:58
Date Time Complete: 2014-08-07 08:39:34
Call Type: INC
Responsible Company: Not reported
Responsible Org Type: UNKNOWN
Responsible City: Not reported
Responsible State: XX
Responsible Zip: Not reported
On Behalf: Not reported
Source: TELEPHONE

Material Involved:

Year: 2014
NRC Report #: 1091568
Chris Code: OTH
Case Number: 000000-00-0
UN Number: Not reported
Amount of Material: 25

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

2014091568

Unit of Measure: GALLON(S)
 Name of Material: JET A FUEL OIL
 If Reached Water: YES
 Amount in Water: 5
 Unit of Measure Reach Water: GALLON(S)

A2

**DFW TERMINAL E 55-79
 2610 N. INTERNATINAL PKWY
 DALLAS, TX 75261**

ASBESTOS

S119142926

**< 1/8
 1 ft.**

N/A

Site 2 of 36 in cluster A

**Relative:
 Lower
 Actual:
 561 ft.**

ASBESTOS:
 Name: DFW TERMINAL E 55-79
 Address: 2610 N. INTERNATINAL PKWY
 City,State,Zip: DALLAS, TX 75261
 Date of inspection: 05/11/2015
 Reason for Inspection: Complaint
 Violation: No
 Complaint Date: 5/8/2015
 Notification Number: 2015001039
 ASB Priority: Low
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: 03
 Init: JR
 Seq: 02
 Facility Type: Asbestos
 Inspector Name: Frank Rodriguez
 Date Report Received: 07/27/2015
 Date Routed by Supervisor: Not reported
 Date Routed to PSQA: 07/28/2015
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: 07/27/2015
 Date Rtn'd to Inspector Corrections: Not reported
 Date Rcv'd Back: Not reported
 Date Rtn'd to Inspector Corrections2: Not reported
 Date Rcv'd Back 2: Not reported
 Date Rtn'd to Inspector Corrections 3: Not reported
 Date Rcv'd Back 3: Not reported
 Notification Status: Not reported
 Amendo: Not reported
 Notification Work Type: Not reported
 Notification Type: Not reported
 Work Type Flag: Not reported
 Certification Statement Date: Not reported
 Certification Statement Phone: Not reported
 Is The Facility a School or K-12?: Not reported
 Region: Not reported
 Priority: Not reported
 ARU: Not reported
 Is this a phased abatement project?: Not reported
 Ordered: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 55-79 (Continued)

S119142926

Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

B3

**DALLAS FORT WORTH INTERNATIONAL AIRPORT
 ON GATES E-4 AND E-6 AT DFW AIRPORT
 DALLAS, TX 75261**

**FINDS 1011323927
 N/A**

< 1/8
 1 ft.

Site 1 of 6 in cluster B

**Relative:
 Higher
 Actual:
 577 ft.**

FINDS:
 Registry ID: 110034331612

[Click Here for FRS Facility Detail Report:](#)

Environmental Interest/Information System:

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
 EPA ID Number

A4 **DFW TERMINAL E MEZZANIE**
2610 N. INTERNATINAL PKWY
 < 1/8 **DFW AIRPORT, TX 75261**
 1 ft.

ASBESTOS **S119142944**
N/A

Site 3 of 36 in cluster A

Relative:
Lower
Actual:
561 ft.

ASBESTOS:
 Name: DFW TERMINAL E MEZZANIE
 Address: 2610 N. INTERNATINAL PKWY
 City,State,Zip: DFW AIRPORT, TX 75261
 Date of inspection: 04/21/2015
 Reason for Inspection: Notified
 Violation: No
 Complaint Date: Not reported
 Notification Number: 2015001218
 ASB Priority: Low
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: 03
 Init: JR
 Seq: 01
 Facility Type: Asbestos
 Inspector Name: Frank Rodriguez
 Date Report Received: 07/27/2015
 Date Routed by Supervisor: Not reported
 Date Routed to PSQA: 07/28/2015
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: 07/27/2015
 Date Rtd to Inspector Corrections: Not reported
 Date Rcvd Back: Not reported
 Date Rtd to Inspector Corrections2: Not reported
 Date Rcvd Back 2: Not reported
 Date Rtd to Inspector Corrections 3: Not reported
 Date Rcvd Back 3: Not reported
 Notification Status: Not reported
 Amendo: Not reported
 Notification Work Type: Not reported
 Notification Type: Not reported
 Work Type Flag: Not reported
 Certification Statement Date: Not reported
 Certification Statement Phone: Not reported
 Is The Facility a School or K-12?: Not reported
 Region: Not reported
 Priority: Not reported
 ARU: Not reported
 Is this a phased abatement project?: Not reported
 Ordered: Not reported
 Is This Project an Emergency?: Not reported
 Is Building Occupied?: Not reported
 High Profile: Not reported
 Ref Method: Not reported
 Analytical Method: Not reported
 Start Date: Not reported
 Client Code: Not reported
 Client Name: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E MEZZANIE (Continued)

S119142944

License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

A5

**DFW TERMINAL E 55-79
 2610 N. INTERNATIONAL PWY
 DFW AIRPORT, TX 75261**

**ASBESTOS S119142928
 N/A**

< 1/8
 1 ft.

Site 4 of 36 in cluster A

**Relative:
 Lower**

ASBESTOS:

**Actual:
 561 ft.**

Name:	DFW TERMINAL E 55-79
Address:	2610 N. INTERNATIONAL PWY
City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	04/06/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2015001039
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	02
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	07/27/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	07/28/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	07/27/2015
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 55-79 (Continued)

S119142928

Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

C6

**AMERICAN AIRLINES
 2W AUTOMOTIVE
 DFW AIRPORT, TX 75261**

**LPST S107747528
 N/A**

< 1/8
 1 ft.

Site 1 of 4 in cluster C

**Relative:
 Lower
 Actual:
 568 ft.**

LPST:	
Name:	AMERICAN AIRLINES
Address:	2W AUTOMOTIVE
City,State,Zip:	DFW AIRPORT, TX 75261
Facility ID:	0012471
LPST Id:	104868
Facility Location:	2W AUTOMOTIVE @ DFW AIRPORT
TCEQ Region# and City:	REGION 04 - DFW METROPLEX
Region City:	ARLINGTON
Discovered Date:	10/07/1992
Entered Date:	11/12/1992
Reported Date:	10/07/1992
Closure Date:	10/20/1995
Priority:	5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
Program:	1 - RPR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

S107747528

CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1/2
Coordinators RPR: RPR
Responsible Party Name: Not reported
Responsible Party Contact: CHARLES BEAM
Responsible Party Address: PO BOX 619616
Responsible Party City,St,Zip: DFW INTL AIRPORT, TX 75261 9616
Responsible Party Telephone: 214/574-5593
Reported Date: 10/07/1992
Case Start Date: 10/20/1995
Reference Number: RN103947909
Project Manager: HWELCH

A7
< 1/8
1 ft.

**DFW TERMINAL E 56-69
2610 N. INTERNATIONAL PKY
DFW AIRPORT, TX 75261**

**ASBESTOS S119142930
N/A**

Site 5 of 36 in cluster A

**Relative:
Lower**

ASBESTOS:

**Actual:
561 ft.**

Name: DFW TERMINAL E 56-69
Address: 2610 N. INTERNATIONAL PKY
City,State,Zip: DFW AIRPORT, TX 75261
Date of inspection: 03/19/2015
Reason for Inspection: Notified
Violation: No
Complaint Date: Not reported
Notification Number: 2015001213
ASB Priority: n/a
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: 03
Init: JR
Seq: 01
Facility Type: Asbestos
Inspector Name: Frank Rodriguez
Date Report Received: 07/27/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: 07/28/2015
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: 07/27/2015
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 56-69 (Continued)

S119142930

Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported
Region: Not reported
Priority: Not reported
ARU: Not reported
Is this a phased abatement project?: Not reported
Ordered: Not reported
Is This Project an Emergency?: Not reported
Is Building Occupied?: Not reported
High Profile: Not reported
Ref Method: Not reported
Analytical Method: Not reported
Start Date: Not reported
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFW TERMINAL E 56-69
Address: 2610 N. INTERNATIONAL PKY
City,State,Zip: DFW AIRPORT, TX 75261
Date of inspection: 03/19/2015
Reason for Inspection: Notified
Violation: No
Complaint Date: Not reported
Notification Number: 2015001213
ASB Priority: n/a
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: 03
Init: JR
Seq: 02
Facility Type: Asbestos
Inspector Name: Frank Rodriguez
Date Report Received: 07/27/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: 07/28/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 56-69 (Continued)

S119142930

Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: 07/27/2015
Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported
Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported
Region: Not reported
Priority: Not reported
ARU: Not reported
Is this a phased abatement project?: Not reported
Ordered: Not reported
Is This Project an Emergency?: Not reported
Is Building Occupied?: Not reported
High Profile: Not reported
Ref Method: Not reported
Analytical Method: Not reported
Start Date: Not reported
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

B8

**AIRTRAN AIRWAYS
ON TERMINAL E SECTION E DFW AIRPORT
DFW AIRPORT, TX 75261**

**FINDS 1010718838
N/A**

**< 1/8
1 ft.**

Site 2 of 6 in cluster B

**Relative:
Higher**

**FINDS:
Registry ID: 110033448641**

**Actual:
577 ft.**

[Click Here for FRS Facility Detail Report:](#)

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AIRTRAN AIRWAYS (Continued)

1010718838

Environmental Interest/Information System:

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

A9

**DFW TERMINAL E 55-28
 2610 N. INTERNATINAL PKWY
 DFW AIRPORT, TX 75261**

**ASBESTOS S119142925
 N/A**

< 1/8
 1 ft.

Site 6 of 36 in cluster A

**Relative:
 Lower**

ASBESTOS:

**Actual:
 561 ft.**

Name:	DFW TERMINAL E 55-28
Address:	2610 N. INTERNATINAL PKWY
City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	05/28/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2015001039
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	02
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	07/27/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	07/28/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	07/27/2015
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 55-28 (Continued)

S119142925

Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

B10 **MIDWEST AIRLINES INC AT DALLAS FT WORTH INTERNATIO
 TERMINAL E OF DALLAS FT. WORTH INTERNATIONAL AIRPO
 DALLAS, TX 75261**

FINDS **1011361090
 N/A**

< 1/8
 1 ft.

Site 3 of 6 in cluster B

Relative: FINDS:
Higher Registry ID: 110034618199

Actual:
577 ft. Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
 EPA ID Number

A11 **DFW TERMINAL E 55-79**
2610 S. INTERNATIONAL PKWY
 < 1/8 **DFW AIRPORT, TX 75261**
 1 ft.

ASBESTOS **S119142929**
 N/A

Site 7 of 36 in cluster A

Relative:	ASBESTOS:	
Lower	Name:	DFW TERMINAL E 55-79
	Address:	2610 S. INTERNATIONAL PKWY
Actual:	City,State,Zip:	DFW AIRPORT, TX 75261
561 ft.	Date of inspection:	06/17/2015
	Reason for Inspection:	Notified
	Violation:	No
	Complaint Date:	Not reported
	Notification Number:	2015001039
	ASB Priority:	Low
	PIF State:	Not reported
	Detained:	Not reported
	Product Name:	Not reported
	Time Spent:	Not reported
	Travel Time:	Not reported
	Mileage:	Not reported
	Reg:	03
	Init:	JR
	Seq:	04
	Facility Type:	Asbestos
	Inspector Name:	Frank Rodriguez
	Date Report Received:	07/27/2015
	Date Routed by Supervisor:	Not reported
	Date Routed to PSQA:	07/28/2015
	Date Reviewed by PSQA:	Not reported
	Date Routed by Supervisor1:	07/27/2015
	Date Rtn'd to Inspector Corrections:	Not reported
	Date Rcv'd Back:	Not reported
	Date Rtn'd to Inspector Corrections2:	Not reported
	Date Rcv'd Back 2:	Not reported
	Date Rtn'd to Inspector Corrections 3:	Not reported
	Date Rcv'd Back 3:	Not reported
	Notification Status:	Not reported
	Amendo:	Not reported
	Notification Work Type:	Not reported
	Notification Type:	Not reported
	Work Type Flag:	Not reported
	Certification Statement Date:	Not reported
	Certification Statement Phone:	Not reported
	Is The Facility a School or K-12?:	Not reported
	Region:	Not reported
	Priority:	Not reported
	ARU:	Not reported
	Is this a phased abatement project?:	Not reported
	Ordered:	Not reported
	Is This Project an Emergency?:	Not reported
	Is Building Occupied?:	Not reported
	High Profile:	Not reported
	Ref Method:	Not reported
	Analytical Method:	Not reported
	Start Date:	Not reported
	Client Code:	Not reported
	Client Name:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 55-79 (Continued)

S119142929

License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

D12
 < 1/8
 1 ft.

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001)
2740 S. SERVICE ROAD
DFW AIRPORT, TX 75261

ASBESTOS S108887908
TIER 2 N/A

Site 1 of 2 in cluster D

Relative:
Lower
Actual:
563 ft.

ASBESTOS:	
Name:	FRONTIER COMMUNICATIONS DFW MAIN CENTRAL OFFICE
Address:	2740 S SERVICE ROAD
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Richard Robb
Violation:	Not reported
Complaint Date:	05/01/2018
Notification Number:	2018002760
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	NESHAP
Inspector Name:	Not reported
Date Report Received:	04/02/2018
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 04/02/2018
Certification Statement Phone: 512-260-7171
Is The Facility a School or K-12?: N
Region: 03
Priority: LOW
ARU: 21
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: N
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 04/17/2018
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

TIER 2:

Facility Id: FATR2012TX5617001
Facility Name: VERIZON DFW MAIN CENTRAL OFFICE (TX5617001)
Reporting Year: 2012
Facility Country: US
Facility Department: Not reported
Facility Date Modified: 5/10/2013
Date Tier 2 Signed: 1/3/2013
Mailing Address: 2400 North Glenville
Mailing City/State/Country: Richardson, TX US
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: No
State Fees Total: Not reported
Number Of Employess On Site: 0
Site Map: Not reported
Fire District: DFW AIRPORT DEPT. OF PUBLIC SAFETY ID: 3312
Submitted By: Jason Weller - Manager, Global EH&S Compliance
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR2011TX5617001
Facility Name: VERIZON DFW MAIN CENTRAL OFFICE (TX5617001)
Reporting Year: 2011
Facility Country: US
Facility Department: Not reported
Facility Date Modified: 5/16/2012
Date Tier 2 Signed: 1/3/2012
Mailing Address: 2400 North Glenville
Mailing City/State/Country: Richardson, TX US
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: No
State Fees Total: Not reported
Number Of Employess On Site: 0
Site Map: Not reported
Fire District: DFW AIRPORT DEPT. OF PUBLIC SAFETY ID: 3312
Submitted By: Jason Weller
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR2010TX5617001
Facility Name: VERIZON DFW MAIN CENTRAL OFFICE (TX5617001)
Reporting Year: 2010
Facility Country: US
Facility Department: Not reported
Facility Date Modified: 6/1/2011
Date Tier 2 Signed: 1/14/2011
Mailing Address: 2 Hampshire Street, 3rd Floor
Mailing City/State/Country: Lawrence, MA US
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: No
State Fees Total: Not reported
Number Of Employess On Site: 0
Site Map: Not reported
Fire District: DFW AIRPORT DEPT. OF PUBLIC SAFETY ID: 3312
Submitted By: William Irwin

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR2009TX5617001
Facility Name: VERIZON DFW MAIN CENTRAL OFFICE (TX5617001)
Reporting Year: 2009
Facility Country: US
Facility Department: Not reported
Facility Date Modified: 5/24/2010
Date Tier 2 Signed: 1/14/2010
Mailing Address: 2 Hampshire Street, 3rd Floor
Mailing City/State/Country: Lawrence, MA US
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: No
State Fees Total: Not reported
Number Of Employess On Site: 0
Site Map: Not reported
Fire District: DFW AIRPORT DEPT. OF PUBLIC SAFETY ID: 3312
Submitted By: William Irwin
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR2008TX5617001
Facility Name: VERIZON DFW MAIN CENTRAL OFFICE (TX5617001)
Reporting Year: 2008
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 6/30/2009
Date Tier 2 Signed: 01/14/2009
Mailing Address: 33 Winter Street, Floor 2
Mailing City/State/Country: Haverhill, MA USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: Not reported
Number Of Employess On Site: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Site Map:	Not reported
Fire District:	Not reported
Submitted By:	William Irwin
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id:	FATR2007TX5617001
Facility Name:	VERIZON DFW MAIN CENTRAL OFFICE (TX5617001)
Reporting Year:	2007
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	8/5/2008
Date Tier 2 Signed:	01/07/2008
Mailing Address:	700 Hidden Ridge, HQW01J08 Attn: SARA Compliance
Mailing City/State/Country:	Irving, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	Not reported
State Fees Total:	Not reported
Number Of Employess On Site:	0
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	David M. Jean
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Location Desc:	Not reported
Lat/Long Method:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported
Facility Id:	FATR2006TX5617001
Facility Name:	VERIZON DFW MAIN CENTRAL OFFICE (TX5617001)
Reporting Year:	2006
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	10/10/2007
Date Tier 2 Signed:	01/09/2007
Mailing Address:	700 Hidden Ridge, HQW01J08 Attn: SARA Compliance
Mailing City/State/Country:	Irving, TX USA
Dikes/Other Safeguard Meas Emp:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

All Chemicals Same As Last Year: Not reported
State Fees Total: Not reported
Number Of Emploeyess On Site: 0
Site Map: Not reported
Fire District: Not reported
Submitted By: David M. Jean
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Info:

Id: 107212169
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 1/14/2009
Id: 232259884
Id Type: EIN #
Description: Not reported
Last Modified: 1/14/2009
Id: 4813
Id Type: SIC
Description: TELEPHONE COM, EXCEPT RADIO
Last Modified: 1/14/2009
Id: 517110
Id Type: NAICS
Description: Not reported
Last Modified: 1/14/2009

Contact:

Contact Email: Not reported
Contact Mail Address: 700 HIDDEN RIDGE
Contact City/State/Zip: IRVING, TX
Contact Mail Country: US
Contact Type 1: Emergency Contact
Contact Name: Lawrence D Staton
Title: Property Manager
Modification Date: 2/24/2010

Contact:

Contact Email: Not reported
Contact Mail Address: 2 Hampshire Street, 3rd Floor
Contact City/State/Zip: Lawrence, MA 1840
Contact Mail Country: US
Contact Type 1: Owner / Operator
Contact Type 2: Emergency Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Contact Name: William Irwin
Title: Environment Management
Modification Date: 2/24/2010

Chemical Inventory:

Facility Id: FATR2009TX5617001
Chemical Name: LEAD ACID BATTERIES
Chemical Inv Record Id: TX561700191443
CAS Number: 7664-93-9
Chemical Same As Last Year: N
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 654
Chronic Health Risks: T
EHS Substance: T
Last Modified: 2/24/2010
Days On Site: 365
Fire Hazard: T
Gas: F
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: F
Pure Form: F
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TX561700191443220319
Chemical Inventory Record Id: TX561700191443
Amt Of Sub Stored Or Transported: 11748
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Floor 1
Last Modified: 2/24/2010

Record Key: TX561700191443220318
Chemical Inventory Record Id: TX561700191443
Amt Of Sub Stored Or Transported: 31392
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Floor 1
Last Modified: 2/24/2010

Record Key: TX56170019144371135
Chemical Inventory Record Id: TX561700191443
Amt Of Sub Stored Or Transported: 270
Amount Units: pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Floor Ground
Last Modified: 2/24/2010

Mixture:

Record Key: TX56170019144377860
Chemical Inv Record Id: TX561700191443
Mix Chemical: SULFURIC ACID
Percentage: 8.60
Facility Id: FATR2009TX5617001
Mixture Cas: 7664-93-9
Weight/Volume: Wt
Mixture Ehs: T
Mixture Last Modified: 2/24/2010

Facility Id: FATR2009TX5617001
Chemical Name: DIESEL FUEL
Chemical Inv Record Id: TX561700195968
CAS Number: 68476-34-6
Chemical Same As Last Year: N
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 14600
Chronic Health Risks: T
EHS Substance: F
Last Modified: 2/24/2010
Days On Site: 365
Fire Hazard: T
Gas: F
Liquid: T
Mixture Form: F
Sudden Release Of Pressure Haz: F
Pure Form: T
Reactive Hazard: F
Solid: F
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TX561700195968200266
Chemical Inventory Record Id: TX561700195968
Amt Of Sub Stored Or Transported: 2000
Amount Units: gallons
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Outside-Main Bldg
Last Modified: 2/24/2010

Notes: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Validation: This facility passed all validation checks.

Notes: Not reported
Validation: Not reported

Facility Info:

Id: 517110
Id Type: NAICS
Description: Not reported
Last Modified: 1/3/2012
Id: 4813
Id Type: SIC
Description: TELEPHONE COM, EXCEPT RADIO
Last Modified: 1/3/2012
Id: 107212169
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 1/3/2012
Id: 232259884
Id Type: EIN #
Description: Not reported
Last Modified: 1/3/2012

Contact:

Contact Email: larry.staton@one.verizon.com
Contact Mail Address: 700 HIDDEN RIDGE
Contact City/State/Zip: IRVING, TX
Contact Mail Country: US
Contact Type 1: Emergency Contact
Contact Name: Lawrence D Staton
Title: Property Manager
Modification Date: 3/30/2012

Contact Email: larry.staton@one.verizon.com
Contact Mail Address: 700 HIDDEN RIDGE
Contact City/State/Zip: IRVING, TX
Contact Mail Country: US
Contact Type 1: Emergency Contact
Contact Name: Lawrence D Staton
Title: Property Manager
Modification Date: 3/30/2012

Contact:

Contact Email: jason.weller@verizon.com
Contact Mail Address: 2400 North Glenville
Contact City/State/Zip: Richardson, TX 75082
Contact Mail Country: US
Contact Type 1: Owner / Operator
Contact Name: Jason Weller
Title: - Manager, Global EH&S Compliance
Modification Date: 3/30/2012

Contact Email: jason.weller@verizon.com
Contact Mail Address: 2400 North Glenville

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Contact City/State/Zip: Richardson, TX 75082
Contact Mail Country: US
Contact Type 1: Owner / Operator
Contact Name: Jason Weller
Title: - Manager, Global EH&S Compliance
Modification Date: 3/30/2012

Contact:

Contact Email: jason.weller@verizon.com
Contact Mail Address: 2400 North Glenville
Contact City/State/Zip: Richardson, TX 75082
Contact Mail Country: US
Contact Type 1: Emergency Contact
Contact Name: Jason Weller
Title: Manager
Modification Date: 3/30/2012

Contact Email: jason.weller@verizon.com
Contact Mail Address: 2400 North Glenville
Contact City/State/Zip: Richardson, TX 75082
Contact Mail Country: US
Contact Type 1: Emergency Contact
Contact Name: Jason Weller
Title: Manager
Modification Date: 3/30/2012

Chemical Inventory:

Facility Id: FATR2011TX5617001
Chemical Name: LEAD ACID BATTERIES
Chemical Inv Record Id: TX561700191443
CAS Number: 7664-93-9
Chemical Same As Last Year: N
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 693
Chronic Health Risks: T
EHS Substance: T
Last Modified: 3/30/2012
Days On Site: 365
Fire Hazard: T
Gas: F
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: F
Pure Form: F
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TX561700191443220319

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Chemical Inventory Record Id: TX561700191443
Amt Of Sub Stored Or Transported: 11712
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Floor 1
Last Modified: 3/30/2012

Record Key: TX561700191443371846
Chemical Inventory Record Id: TX561700191443
Amt Of Sub Stored Or Transported: 11712
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Floor 1
Last Modified: 3/30/2012

Record Key: TX561700191443371847
Chemical Inventory Record Id: TX561700191443
Amt Of Sub Stored Or Transported: 33264
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Floor 1
Last Modified: 3/30/2012

Record Key: TX56170019144371135
Chemical Inventory Record Id: TX561700191443
Amt Of Sub Stored Or Transported: 270
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Floor Ground
Last Modified: 3/30/2012

Mixture:

Record Key: TX56170019144377860
Chemical Inv Record Id: TX561700191443
Mix Chemical: SULFURIC ACID
Percentage: 6.42
Facility Id: FATR2011TX5617001
Mixture Cas: 7664-93-9
Weight/Volume: Wt
Mixture Ehs: T
Mixture Last Modified: 3/30/2012

Facility Id: FATR2011TX5617001
Chemical Name: DIESEL FUEL
Chemical Inv Record Id: TX561700195968
CAS Number: 68476-34-6
Chemical Same As Last Year: N
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 14600
Chronic Health Risks: T
EHS Substance: F
Last Modified: 3/30/2012
Days On Site: 365
Fire Hazard: T
Gas: F
Liquid: T
Mixture Form: F
Sudden Release Of Pressure Haz: F
Pure Form: T
Reactive Hazard: F
Solid: F
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TX561700195968200266
Chemical Inventory Record Id: TX561700195968
Amt Of Sub Stored Or Transported: 2000
Amount Units: gallons
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Outside-Main Bldg -
Last Modified: 3/30/2012

Notes: Not reported
Validation: Not reported

Notes: Not reported
Validation: Not reported

Facility Info:

Id: 232259884
Id Type: EIN #
Description: Not reported
Last Modified: 1/3/2013
Id: 4813
Id Type: SIC
Description: TELEPHONE COM, EXCEPT RADIO
Last Modified: 1/3/2013
Id: 517110
Id Type: NAICS
Description: Not reported
Last Modified: 1/3/2013
Id: 107212169
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 1/3/2013

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Contact:

Contact Email: larry.staton@verizon.com
Contact Mail Address: 700 HIDDEN RIDGE
Contact City/State/Zip: IRVING, TX
Contact Mail Country: US
Contact Type 1: Emergency Contact
Contact Name: Lawrence D Staton
Title: Property Manager
Modification Date: 2/24/2013

Contact Email: larry.staton@verizon.com
Contact Mail Address: 700 HIDDEN RIDGE
Contact City/State/Zip: IRVING, TX
Contact Mail Country: US
Contact Type 1: Emergency Contact
Contact Name: Lawrence D Staton
Title: Property Manager
Modification Date: 2/24/2013

Contact:

Contact Email: jason.weller@verizon.com
Contact Mail Address: 2400 North Glenville
Contact City/State/Zip: Richardson, TX 75082
Contact Mail Country: US
Contact Type 1: Owner / Operator
Contact Name: Jason Weller
Title: - Manager, Global EH&S Compliance
Modification Date: 2/24/2013

Contact Email: jason.weller@verizon.com
Contact Mail Address: 2400 North Glenville
Contact City/State/Zip: Richardson, TX 75082
Contact Mail Country: US
Contact Type 1: Owner / Operator
Contact Name: Jason Weller
Title: - Manager, Global EH&S Compliance
Modification Date: 2/24/2013

Contact:

Contact Email: jason.weller@verizon.com
Contact Mail Address: 2400 North Glenville
Contact City/State/Zip: Richardson, TX 75082
Contact Mail Country: US
Contact Type 1: Emergency Contact
Contact Name: Jason Weller
Title: Manager
Modification Date: 2/24/2013

Contact Email: jason.weller@verizon.com
Contact Mail Address: 2400 North Glenville
Contact City/State/Zip: Richardson, TX 75082
Contact Mail Country: US
Contact Type 1: Emergency Contact
Contact Name: Jason Weller

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Title: Manager
Modification Date: 2/24/2013

Chemical Inventory:

Facility Id: FATR2012TX5617001
Chemical Name: LEAD ACID BATTERIES
Chemical Inv Record Id: TX561700191443
CAS Number: 7664-93-9
Chemical Same As Last Year: N
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 693
Chronic Health Risks: T
EHS Substance: T
Last Modified: 2/24/2013
Days On Site: 365
Fire Hazard: T
Gas: F
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: F
Pure Form: F
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TX561700191443371847
Chemical Inventory Record Id: TX561700191443
Amt Of Sub Stored Or Transported: 33264
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Floor 1
Last Modified: 2/24/2013

Record Key: TX56170019144371135
Chemical Inventory Record Id: TX561700191443
Amt Of Sub Stored Or Transported: 270
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Floor Ground
Last Modified: 2/24/2013

Mixture:

Record Key: TX56170019144377860
Chemical Inv Record Id: TX561700191443
Mix Chemical: SULFURIC ACID
Percentage: 6.01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Facility Id: FATR2012TX5617001
Mixture Cas: 7664-93-9
Weight/Volume: Wt
Mixture Ehs: T
Mixture Last Modified: 2/24/2013

Facility Id: FATR2012TX5617001
Chemical Name: DIESEL FUEL
Chemical Inv Record Id: TX561700195968
CAS Number: 68476-34-6
Chemical Same As Last Year: N
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 14600
Chronic Health Risks: T
EHS Substance: F
Last Modified: 2/24/2013
Days On Site: 365
Fire Hazard: T
Gas: F
Liquid: T
Mixture Form: F
Sudden Release Of Pressure Haz: F
Pure Form: T
Reactive Hazard: F
Solid: F
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TX561700195968200266
Chemical Inventory Record Id: TX561700195968
Amt Of Sub Stored Or Transported: 2000
Amount Units: gallons
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Outside-Main Bldg -
Last Modified: 2/24/2013

Notes: Not reported
Validation: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:

Id: 232259884
Id Type: EIN #
Description: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Last Modified: 1/14/2011
Id: 517110
Id Type: NAICS
Description: Not reported
Last Modified: 1/14/2011
Id: 107212169
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 1/14/2011
Id: 4813
Id Type: SIC
Description: TELEPHONE COM, EXCEPT RADIO
Last Modified: 1/14/2011

Contact:

Contact Email: larry.staton@core.verizon.com
Contact Mail Address: 700 HIDDEN RIDGE
Contact City/State/Zip: IRVING, TX
Contact Mail Country: US
Contact Type 1: Emergency Contact
Contact Name: Lawrence D Staton
Title: Property Manager
Modification Date: 3/9/2011

Contact:

Contact Email: b.irwin@verizon.com
Contact Mail Address: 2 Hampshire Street, 3rd Floor
Contact City/State/Zip: Lawrence, MA 01840
Contact Mail Country: US
Contact Type 1: Owner / Operator
Contact Type 2: Emergency Contact
Contact Name: William Irwin
Title: Environment Management
Modification Date: 3/9/2011

Chemical Inventory:

Facility Id: FATR2010TX5617001
Chemical Name: LEAD ACID BATTERIES
Chemical Inv Record Id: TX561700191443
CAS Number: 7664-93-9
Chemical Same As Last Year: N
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 654
Chronic Health Risks: T
EHS Substance: T
Last Modified: 3/9/2011
Days On Site: 365
Fire Hazard: T
Gas: F
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: F
Pure Form: F

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TX561700191443220319
Chemical Inventory Record Id: TX561700191443
Amt Of Sub Stored Or Transported: 11712
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Floor 1
Last Modified: 3/9/2011

Record Key: TX561700191443220318
Chemical Inventory Record Id: TX561700191443
Amt Of Sub Stored Or Transported: 31392
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Floor 1
Last Modified: 3/9/2011

Record Key: TX56170019144371135
Chemical Inventory Record Id: TX561700191443
Amt Of Sub Stored Or Transported: 270
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Floor Ground
Last Modified: 3/9/2011

Mixture:

Record Key: TX56170019144377860
Chemical Inv Record Id: TX561700191443
Mix Chemical: SULFURIC ACID
Percentage: 7.44
Facility Id: FATR2010TX5617001
Mixture Cas: 7664-93-9
Weight/Volume: Wt
Mixture Ehs: T
Mixture Last Modified: 3/9/2011

Facility Id: FATR2010TX5617001
Chemical Name: DIESEL FUEL
Chemical Inv Record Id: TX561700195968
CAS Number: 68476-34-6
Chemical Same As Last Year: N
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VERIZON DFW MAIN CENTRAL OFFICE (TX5617001) (Continued)

S108887908

Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 14600
Chronic Health Risks: T
EHS Substance: F
Last Modified: 3/9/2011
Days On Site: 365
Fire Hazard: T
Gas: F
Liquid: T
Mixture Form: F
Sudden Release Of Pressure Haz: F
Pure Form: T
Reactive Hazard: F
Solid: F
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: TX561700195968200266
Chemical Inventory Record Id: TX561700195968
Amt Of Sub Stored Or Transported: 2000
Amount Units: gallons
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Outside-Main Bldg -
Last Modified: 3/9/2011

Notes: Not reported
Validation: Not reported

A13

**DFW TERMINAL E 38-64
2610 N. INTERNATIONAL PKY
DFW AIRPORT, TX 75261**

**ASBESTOS S119142923
N/A**

< 1/8
1 ft.

Site 8 of 36 in cluster A

**Relative:
Lower
Actual:
561 ft.**

ASBESTOS:
Name: DFW TERMINAL E 38-64
Address: 2610 N. INTERNATIONAL PKY
City,State,Zip: DFW AIRPORT, TX 75261
Date of inspection: 07/22/2015
Reason for Inspection: Notified
Violation: No
Complaint Date: Not reported
Notification Number: 2015003321
ASB Priority: Low
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 38-64 (Continued)

S119142923

Reg: 03
Init: JR
Seq: 03
Facility Type: Asbestos
Inspector Name: Frank Rodriguez
Date Report Received: 08/03/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: 08/06/2015
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: 08/04/2015
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported
Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported
Region: Not reported
Priority: Not reported
ARU: Not reported
Is this a phased abatement project?: Not reported
Ordered: Not reported
Is This Project an Emergency?: Not reported
Is Building Occupied?: Not reported
High Profile: Not reported
Ref Method: Not reported
Analytical Method: Not reported
Start Date: Not reported
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFW TERMINAL E 38-64
Address: 2610 N. INTERNATIONAL PKY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 38-64 (Continued)

S119142923

City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	07/22/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2015003321
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	04
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	08/03/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	08/06/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	08/04/2015
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 38-64 (Continued)

S119142923

Area: Not reported
 Staff Operator ID: Not reported
 Inspection Number: Not reported
 Inspection Status: Not reported
 Disposition: Not reported
 Inspection Class Descriptio: Not reported
 Inspection Secondary Class Code: Not reported
 Inspection Secondary Class Code Description: Not reported
 Results: Not reported
 Inspection Number Grade: Not reported

A14

 < 1/8
 1 ft.

DFW TERMINAL E 72-84
2610 N. INTERNATIONAL PKWY
DFW AIRPORT, TX 75261

ASBESTOS S119142939
N/A

Site 9 of 36 in cluster A

Relative:
Lower

Actual:
561 ft.

ASBESTOS:
 Name: DFW TERMINAL E 72-84
 Address: 2610 N. INTERNATIONAL PKWY
 City,State,Zip: DFW AIRPORT, TX 75261
 Date of inspection: 12/09/2014
 Reason for Inspection: Notified
 Violation: No
 Complaint Date: Not reported
 Notification Number: Unknown
 ASB Priority: Low
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: 03
 Init: JR
 Seq: 01
 Facility Type: Asbestos
 Inspector Name: Frank Rodriguez
 Date Report Received: 05/07/2015
 Date Routed by Supervisor: Not reported
 Date Routed to PSQA: 05/21/2015
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: 05/18/2015
 Date Rtn'd to Inspector Corrections: Not reported
 Date Rcv'd Back: Not reported
 Date Rtn'd to Inspector Corrections2: Not reported
 Date Rcv'd Back 2: Not reported
 Date Rtn'd to Inspector Corrections 3: Not reported
 Date Rcv'd Back 3: Not reported
 Notification Status: Not reported
 Amendo: Not reported
 Notification Work Type: Not reported
 Notification Type: Not reported
 Work Type Flag: Not reported
 Certification Statement Date: Not reported
 Certification Statement Phone: Not reported
 Is The Facility a School or K-12?: Not reported
 Region: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 72-84 (Continued)

S119142939

Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

A15

**DFWTRIP2016134 - TERMINAL E (FID#33024)
 2610 NORTH INTERNATIONAL PARKWAY
 DALLAS, TX 75261**

**ASBESTOS S121360336
 N/A**

< 1/8
 1 ft.

Site 10 of 36 in cluster A

**Relative:
 Lower
 Actual:
 561 ft.**

Relative:	ASBESTOS:
Lower	Name: DFWTRIP2016134 - TERMINAL E (FID#33024)
Actual:	Address: 2610 NORTH INTERNATIONAL PARKWAY
561 ft.	City,State,Zip: DALLAS, TX 75261
	Date of inspection: Not reported
	Reason for Inspection: Ashley Gonzalez
	Violation: Not reported
	Complaint Date: 02/06/2017
	Notification Number: 2017000534
	ASB Priority: Not reported
	PIF State: Not reported
	Detained: Not reported
	Product Name: Not reported
	Time Spent: Not reported
	Travel Time: Not reported
	Mileage: Not reported
	Reg: Not reported
	Init: Not reported
	Seq: Not reported
	Facility Type: Public
	Inspector Name: Not reported
	Date Report Received: 01/20/2017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFWTRIP2016134 - TERMINAL E (FID#33024) (Continued)

S121360336

Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	01/20/2017
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	02/06/2017
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

A16 **DFW TERMINAL E 65-84**
2610 N. INTERNATIONAL PKY
< 1/8 **DFW AIRPORT, TX 75261**
1 ft.

ASBESTOS **S119142936**
N/A

Site 11 of 36 in cluster A

Relative:
Lower
Actual:
561 ft.

ASBESTOS:
 Name: DFW TERMINAL E 65-84
 Address: 2610 N. INTERNATIONAL PKY
 City,State,Zip: DFW AIRPORT, TX 75261
 Date of inspection: 03/19/2015
 Reason for Inspection: Notified
 Violation: No
 Complaint Date: Not reported
 Notification Number: 2015000139
 ASB Priority: n/a
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: 03
 Init: JR
 Seq: 04
 Facility Type: Asbestos
 Inspector Name: Frank Rodriguez
 Date Report Received: 07/27/2015
 Date Routed by Supervisor: Not reported
 Date Routed to PSQA: 07/28/2015
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: 07/27/2015
 Date Rtned to Inspector Corrections: Not reported
 Date Rcvd Back: Not reported
 Date Rtned to Inspector Corrections2: Not reported
 Date Rcvd Back 2: Not reported
 Date Rtned to Inspector Corrections 3: Not reported
 Date Rcvd Back 3: Not reported
 Notification Status: Not reported
 Amendo: Not reported
 Notification Work Type: Not reported
 Notification Type: Not reported
 Work Type Flag: Not reported
 Certification Statement Date: Not reported
 Certification Statement Phone: Not reported
 Is The Facility a School or K-12?: Not reported
 Region: Not reported
 Priority: Not reported
 ARU: Not reported
 Is this a phased abatement project?: Not reported
 Ordered: Not reported
 Is This Project an Emergency?: Not reported
 Is Building Occupied?: Not reported
 High Profile: Not reported
 Ref Method: Not reported
 Analytical Method: Not reported
 Start Date: Not reported
 Client Code: Not reported
 Client Name: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 65-84 (Continued)

S119142936

License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

A17
 < 1/8
 1 ft.

DFW TERMINAL E 56-83
2610 N. INTERNATIONAL PWY
DFW AIRPORT, TX 75261

ASBESTOS S119142932
N/A

Site 12 of 36 in cluster A

Relative:
Lower
Actual:
561 ft.

ASBESTOS:	
Name:	DFW TERMINAL E 56-83
Address:	2610 N. INTERNATIONAL PWY
City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	04/06/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2015001218
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	07/27/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	07/28/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	07/27/2015
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 56-83 (Continued)

S119142932

Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

A18

**DFW TERMINAL E 64-84
 2610 N. INTERNATIONAL PKY
 DFW AIRPORT, TX 75261**

**ASBESTOS S119142934
 N/A**

**< 1/8
 1 ft.**

Site 13 of 36 in cluster A

**Relative:
 Lower
 Actual:
 561 ft.**

ASBESTOS:	
Name:	DFW TERMINAL E 64-84
Address:	2610 N. INTERNATIONAL PKY
City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	07/22/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2015000139
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 64-84 (Continued)

S119142934

Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	08/03/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	08/06/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	08/04/2015
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A19 **DFW TERMINAL E 56-69**
2610 N. INTERNATIONAL PWY
< 1/8 **DFW AIRPORT, TX 75261**
1 ft.

ASBESTOS **S119142931**
N/A

Site 14 of 36 in cluster A

Relative:
Lower
Actual:
561 ft.

ASBESTOS:
Name: DFW TERMINAL E 56-69
Address: 2610 N. INTERNATIONAL PWY
City,State,Zip: DFW AIRPORT, TX 75261
Date of inspection: 04/02/2015
Reason for Inspection: Notified
Violation: No
Complaint Date: Not reported
Notification Number: 2015001213
ASB Priority: Low
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: 03
Init: JR
Seq: 02
Facility Type: Asbestos
Inspector Name: Frank Rodriguez
Date Report Received: 07/27/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: 07/28/2015
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: 07/27/2015
Date Rtned to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtned to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtned to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported
Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported
Region: Not reported
Priority: Not reported
ARU: Not reported
Is this a phased abatement project?: Not reported
Ordered: Not reported
Is This Project an Emergency?: Not reported
Is Building Occupied?: Not reported
High Profile: Not reported
Ref Method: Not reported
Analytical Method: Not reported
Start Date: Not reported
Client Code: Not reported
Client Name: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 56-69 (Continued)

S119142931

License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

A20

**DFW TERMINAL E 55-79
 2610 N. INTERNATIONAL PKY
 DFW AIRPORT, TX 75261**

**ASBESTOS S119142927
 N/A**

**< 1/8
 1 ft.**

Site 15 of 36 in cluster A

**Relative:
 Lower**

ASBESTOS:

**Actual:
 561 ft.**

Name:	DFW TERMINAL E 55-79
Address:	2610 N. INTERNATIONAL PKY
City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	03/19/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2015001039
ASB Priority:	n/a
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	03
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	07/27/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	07/28/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	07/27/2015
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 55-79 (Continued)

S119142927

Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

C21 JET AIRCRAFT MAINTENANCE

**PFAS ECHO 1027373376
 N/A**

**< 1/8
 1 ft. DALLAS, TX**

Site 2 of 4 in cluster C

Relative:	PFAS ECHO:	
Lower	Name:	JET AIRCRAFT MAINTENANCE
	Address:	Not reported
Actual:	City,State,Zip:	DALLAS, TX
569 ft.	Latitude:	32.892911
	Longitude:	-97.038937
	Count:	1
	County:	Not reported
	Status:	Inactive
	Region:	06
	Industry:	Airports
	ECHO Facility Report:	https://echo.epa.gov/detailed-facility-report?fid=110070362023
	Facility Percent Minority:	48.584
	Facility Derived Tribes:	-
	Facility Population:	620.93

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

JET AIRCRAFT MAINTENANCE (Continued)

1027373376

EPA Programs:	CWA
Federal Facility:	No
Federal Agency:	-
Facility FIPS Code:	48439
Facility Indian Country Flag:	N
Facility Collection Method:	-
Facility Derived HUC:	12030103
Facility Derived WBD:	120301020705
Facility Derived CD113:	24
Facility Derived CB2010:	484399800001160
Facility Major Flag:	-
Facility Active Flag:	Y
Facility Inspection Count:	0
Facility Date Last Inspection:	-
Facility Days Last Inspection:	-
Facility Informal Count:	0
Facility Date Last Informal Action:	-
Facility Formal Action Count:	0
Facility Date Last Formal Action:	-
Facility Total Penalties:	0
Facility Penalty Count:	-
Facility Date Last Penalty:	-
Facility Last Penalty AMT:	-
Facility QTRS With NC:	0
Facility Programs With SNC:	0
Facility Compliance Status:	No Violation Identified
Facility SNC Flag:	N
AIR Flag:	N
NPDES Flag:	Y
SDWIS Flag:	N
RCRA Flag:	N
TRI Flag:	N
GHG Flag:	N
AIR IDS:	-
CAA Permit Types:	-
CAA NAICS:	-
CAA SICS:	-
NPDES IDS:	TXRNEAQ76
CWA Permit Types:	Minor
CWA NAICS:	-
CWA SICS:	4581
RCRA IDS:	-
RCRA Permit Types:	-
RCRA NAICS:	-
SDWA IDS:	-
SDWA System Types:	-
SDWA Compliance Status:	-
SDWA SNC Flag:	N
TRI IDS:	-
TRI Releases Transfers:	-
TRI On Site Releases:	-
TRI Off Site Transfers:	-
TRI Reporter:	-
Facility IMP Water Flag:	-
EJSCREEN Flag US:	N
EJSCREEN Report:	https://ejscreen.epa.gov/mapper/mobile/EJSCREEN_mobile.aspx?geometry=%7B%22x%22:-97.038937,%22y%22:32.892911,%22spatialReference%22:%7B%22wk

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

JET AIRCRAFT MAINTENANCE (Continued)

1027373376

id%22:4326%7D%7D&unit=9035&areatype=&areaid=&basemap=streets&distance=1

A22
 < 1/8
 1 ft.

DFW TERMINAL E 73-75
2610 N. INTERNATIONAL PKY
DALLAS, TX 75261

ASBESTOS S119142941
N/A

Site 16 of 36 in cluster A

Relative:
Lower
Actual:
561 ft.

ASBESTOS:
 Name: DFW TERMINAL E 73-75
 Address: 2610 N. INTERNATIONAL PKY
 City,State,Zip: DALLAS, TX 75261
 Date of inspection: 07/01/2015
 Reason for Inspection: Notified
 Violation: No
 Complaint Date: Not reported
 Notification Number: 2015004444
 ASB Priority: Low
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: 03
 Init: JR
 Seq: 01
 Facility Type: Asbestos
 Inspector Name: Frank Rodriguez
 Date Report Received: 08/03/2015
 Date Routed by Supervisor: Not reported
 Date Routed to PSQA: 08/06/2015
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: 08/04/2015
 Date Rtn'd to Inspector Corrections: Not reported
 Date Rcv'd Back: Not reported
 Date Rtn'd to Inspector Corrections2: Not reported
 Date Rcv'd Back 2: Not reported
 Date Rtn'd to Inspector Corrections 3: Not reported
 Date Rcv'd Back 3: Not reported
 Notification Status: Not reported
 Amendo: Not reported
 Notification Work Type: Not reported
 Notification Type: Not reported
 Work Type Flag: Not reported
 Certification Statement Date: Not reported
 Certification Statement Phone: Not reported
 Is The Facility a School or K-12?: Not reported
 Region: Not reported
 Priority: Not reported
 ARU: Not reported
 Is this a phased abatement project?: Not reported
 Ordered: Not reported
 Is This Project an Emergency?: Not reported
 Is Building Occupied?: Not reported
 High Profile: Not reported
 Ref Method: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 73-75 (Continued)

S119142941

Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

A23

**SPIRIT AIRLINES
 2610 NORTH INTERNATIONAL PARKWAY
 DALLAS, TX 75261**

**CENTRAL REGISTRY S126858157
 N/A**

< 1/8
 1 ft.

Site 17 of 36 in cluster A

**Relative:
 Lower
 Actual:
 561 ft.**

CENTRAL REGISTRY:	
Regulated Entity Number:	RN106896830
Name:	SPIRIT AIRLINES
Address:	2610 NORTH INTERNATIONAL PARKWAY
Address 2:	Not reported
City,State,Zip:	DALLAS, TX 75261-
Status:	ACTIVE
Status Date:	2013-09-10
Customer Number:	CN604375717
Customer Name:	SPIRIT AIRLINES INC
Customer Legal Name:	Spirit Airlines, Inc.
Customer Ownership Type:	CORPORATION
Affiliation Begin Date:	2013-09-10
Affiliation End Date:	3000-12-31
Customer Status:	ACTIVE
Primary NAICS Industry Type Code:	481111
Primary NAICS Industry Type Description:	Scheduled Passenger Air Transportation
Physical Location Description:	Not reported
Regulated Entity Number:	RN106896830
Name:	SPIRIT AIRLINES
Address:	2610 NORTH INTERNATIONAL PARKWAY
Address 2:	Not reported
City,State,Zip:	DALLAS, TX 75261-
Status:	ACTIVE
Status Date:	2013-09-10
Customer Number:	CN604375717
Customer Name:	SPIRIT AIRLINES INC
Customer Legal Name:	Spirit Airlines, Inc.
Customer Ownership Type:	CORPORATION

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SPIRIT AIRLINES (Continued)

S126858157

Affiliation Begin Date: 2013-09-10
 Affiliation End Date: 3000-12-31
 Customer Status: ACTIVE
 Primary NAICS Industry Type Code: 481111
 Primary NAICS Industry Type Description: Scheduled Passenger Air Transportation
 Physical Location Description: Not reported

A24

**TERMINAL E UNITED LOUNGE
 2610 NORTH INTERNATIONAL PARKW
 DALLAS, TX 75261**

ASBESTOS

S121362940

< 1/8
 1 ft.

N/A

Site 18 of 36 in cluster A

**Relative:
 Lower
 Actual:
 561 ft.**

ASBESTOS:
 Name: TERMINAL E UNITED LOUNGE
 Address: 2610 NORTH INTERNATIONAL PARKW
 City,State,Zip: DALLAS, TX 75261
 Date of inspection: Not reported
 Reason for Inspection: Fadi Malakieh
 Violation: Not reported
 Complaint Date: 10/05/2017
 Notification Number: 2017006784
 ASB Priority: Not reported
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: Not reported
 Init: Not reported
 Seq: Not reported
 Facility Type: Public
 Inspector Name: Not reported
 Date Report Received: 09/19/2017
 Date Routed by Supervisor: Not reported
 Date Routed to PSQA: Not reported
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: Not reported
 Date Rtd to Inspector Corrections: Not reported
 Date Rcvd Back: Not reported
 Date Rtd to Inspector Corrections2: Not reported
 Date Rcvd Back 2: Not reported
 Date Rtd to Inspector Corrections 3: Not reported
 Date Rcvd Back 3: Not reported
 Notification Status: Current
 Amendo: 0
 Notification Work Type: Abatement
 Notification Type: Original
 Work Type Flag: A
 Certification Statement Date: 09/19/2017
 Certification Statement Phone: 972-919-3314
 Is The Facility a School or K-12?: Y
 Region: 03
 Priority: HIGH
 ARU: 3
 Is this a phased abatement project?: N
 Ordered: N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

TERMINAL E UNITED LOUNGE (Continued)

S121362940

Is This Project an Emergency?: N
 Is Building Occupied?: N
 High Profile: N
 Ref Method: Full Containment
 Analytical Method: PLM
 Start Date: 10/03/2017
 Client Code: Not reported
 Client Name: Not reported
 License Number: Not reported
 File Number: Not reported
 License Status Description: Not reported
 Expiration Date: Not reported
 Original Date: Not reported
 Rank Effective Date: Not reported
 Mod Code: Not reported
 Area: Not reported
 Staff Operator ID: Not reported
 Inspection Number: Not reported
 Inspection Status: Not reported
 Disposition: Not reported
 Inspection Class Descriptio: Not reported
 Inspection Secondary Class Code: Not reported
 Inspection Secondary Class Code Description: Not reported
 Results: Not reported
 Inspection Number Grade: Not reported

B25

**SOLID WASTE INCINERATOR
 3122 E 30TH ST
 GRAPEVINE, TX**

**AIRS S121945023
 N/A**

**< 1/8
 1 ft.**

Site 4 of 6 in cluster B

**Relative:
 Higher
 Actual:
 577 ft.**

AIRS:
 Name: SOLID WASTE INCINERATOR
 Address: 3122 E 30TH ST
 City,State,Zip: GRAPEVINE, TX
 Permit Num: 3484
 Regulated Id: RN100213990
 Permit Type: CONSTRUCT
 Permit Status: CANCELLED
 Permit Issued Date: 01/23/1991
 Expiration Date: 02/07/1991
 Customer Id: CN601700610
 Company Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
 Physical Location Desc: WITHIN THE NE CORNER OF TARRANT COUNTY & NW CORNER OF DALLAS COUNTY
 JUST SE OF GRAPEVINE LAKE TARRANT & DALLAS COUNTIES
 Rep Official(RO): Not reported
 RO Name: Not reported
 RO Delivery Address: Not reported
 RO City/State/Zip: Not reported
 RO Phone: Not reported
 RO Ext Num: Not reported
 RO EMail Address: Not reported
 Lat Dec Coord Num: 32.891600
 Long Dec Coord Num: -97.041600

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
 EPA ID Number

A26 **DFW TERMINAL E**
2610 N. INTERNATIONAL PKY
DFW AIRPORT, TX 75261
 < 1/8
 1 ft.

ASBESTOS **S119142948**
 N/A

Site 19 of 36 in cluster A

Relative:
Lower

Actual:
561 ft.

ASBESTOS:
 Name: DFW TERMINAL E
 Address: 2610 N. INTERNATIONAL PKY
 City,State,Zip: DFW AIRPORT, TX 75261
 Date of inspection: 07/08/2015
 Reason for Inspection: Notified
 Violation: No
 Complaint Date: Not reported
 Notification Number: 2015002024
 ASB Priority: Low
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: 03
 Init: JR
 Seq: 02
 Facility Type: Asbestos
 Inspector Name: Frank Rodriguez
 Date Report Received: 08/03/2015
 Date Routed by Supervisor: Not reported
 Date Routed to PSQA: 08/06/2015
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: 08/04/2015
 Date Rtned to Inspector Corrections: Not reported
 Date Rcvd Back: Not reported
 Date Rtned to Inspector Corrections2: Not reported
 Date Rcvd Back 2: Not reported
 Date Rtned to Inspector Corrections 3: Not reported
 Date Rcvd Back 3: Not reported
 Notification Status: Not reported
 Amendo: Not reported
 Notification Work Type: Not reported
 Notification Type: Not reported
 Work Type Flag: Not reported
 Certification Statement Date: Not reported
 Certification Statement Phone: Not reported
 Is The Facility a School or K-12?: Not reported
 Region: Not reported
 Priority: Not reported
 ARU: Not reported
 Is this a phased abatement project?: Not reported
 Ordered: Not reported
 Is This Project an Emergency?: Not reported
 Is Building Occupied?: Not reported
 High Profile: Not reported
 Ref Method: Not reported
 Analytical Method: Not reported
 Start Date: Not reported
 Client Code: Not reported
 Client Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E (Continued)

S119142948

License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Description: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

A27

**SPIRIT AIRLINES
2610 NORTH INTERNATIONAL PARKWAY
DALLAS, TX 75261**

**FINDS 1024437475
ECHO N/A**

< 1/8
1 ft.

Site 20 of 36 in cluster A

**Relative:
Lower**

FINDS:
Registry ID: 110070359944

**Actual:
561 ft.**

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1024437475
Registry ID: 110070359944
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110070359944>
Name: SPIRIT AIRLINES
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A28 **DFWTRIP2017006 - TERMINAL B (FID#43001)**
2610 N INTERNATIONAL PARKWAY
DALLAS, TX 75261

ASBESTOS **S121360338**
N/A

< 1/8
1 ft.

Site 21 of 36 in cluster A

Relative:
Lower
Actual:
561 ft.

ASBESTOS:
Name: DFWTRIP2017006 - TERMINAL B (FID#43001)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 04/12/2017
Notification Number: 2017002399
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 03/24/2017
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 03/24/2017
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 04/10/2017
Client Code: Not reported
Client Name: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFWTRIP2017006 - TERMINAL B (FID#43001) (Continued)

S121360338

License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

A29

**DALLAS/FORT WORTH INTERNATIONAL AIRPORT
 2610 INTERNATIONAL PKWY
 DALLAS, TX 75261**

**ASBESTOS
 CENTRAL REGISTRY**

**S126927736
 N/A**

< 1/8
 1 ft.

Site 22 of 36 in cluster A

**Relative:
 Lower**

ASBESTOS:

**Actual:
 561 ft.**

Name:	DALLAS/FORT WORTH INTERNATIONAL AIRPORT
Address:	2610 INTERNATIONAL PKWY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	08/17/2016
Notification Number:	2016005752
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	07/14/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Cancelled
Amendo:	0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS/FORT WORTH INTERNATIONAL AIRPORT (Continued)

S126927736

Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 07/11/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: Y
Region: 03
Priority: TOP
ARU: 12
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 07/25/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

CENTRAL REGISTRY:

Regulated Entity Number: RN110059300
Name: GAT AIRLINE GROUND SUPPORT
Address: 2610 INTERNATIONAL PARKWAY
Address 2: Not reported
City,State,Zip: DALLAS, TX 75261-
Status: ACTIVE
Status Date: 2017-12-07
Customer Number: CN605445550
Customer Name: GAT AIRLINE GROUND SUPPORT INC
Customer Legal Name: Gat Airline Ground Support, Inc.
Customer Ownership Type: CORPORATION
Affiliation Begin Date: 2017-12-07
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: Not reported
Primary NAICS Industry Type Description: Not reported
Physical Location Description: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

A30 **DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B**
2610 NORTH INTERNATIONAL PARKWAY
< 1/8 **DALLAS, TX 75261**
1 ft.

ASBESTOS **S121360340**
N/A

Site 23 of 36 in cluster A

Relative:
Lower
Actual:
561 ft.

ASBESTOS:
 Name: DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
 Address: 2610 NORTH INTERNATIONAL PARKWAY
 City,State,Zip: DALLAS, TX 75261
 Date of inspection: Not reported
 Reason for Inspection: Ashley Gonzalez
 Violation: Not reported
 Complaint Date: 12/04/2015
 Notification Number: 2015007815
 ASB Priority: Not reported
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: Not reported
 Init: Not reported
 Seq: Not reported
 Facility Type: Public
 Inspector Name: Not reported
 Date Report Received: 11/16/2015
 Date Routed by Supervisor: Not reported
 Date Routed to PSQA: Not reported
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: Not reported
 Date Rtd to Inspector Corrections: Not reported
 Date Rcvd Back: Not reported
 Date Rtd to Inspector Corrections2: Not reported
 Date Rcvd Back 2: Not reported
 Date Rtd to Inspector Corrections 3: Not reported
 Date Rcvd Back 3: Not reported
 Notification Status: Current/Has Amendment
 Amendo: 0
 Notification Work Type: Abatement
 Notification Type: Original
 Work Type Flag: A
 Certification Statement Date: 11/16/2015
 Certification Statement Phone: 972-973-5682
 Is The Facility a School or K-12?: N
 Region: 03
 Priority: HIGH
 ARU: 0
 Is this a phased abatement project?: N
 Ordered: N
 Is This Project an Emergency?: N
 Is Building Occupied?: Y
 High Profile: N
 Ref Method: Full Containment
 Analytical Method: PLM
 Start Date: 12/01/2015
 Client Code: Not reported
 Client Name: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

License Number: Not reported
 File Number: Not reported
 License Status Description: Not reported
 Expiration Date: Not reported
 Original Date: Not reported
 Rank Effective Date: Not reported
 Mod Code: Not reported
 Area: Not reported
 Staff Operator ID: Not reported
 Inspection Number: Not reported
 Inspection Status: Not reported
 Disposition: Not reported
 Inspection Class Descriptio: Not reported
 Inspection Secondary Class Code: Not reported
 Inspection Secondary Class Code Descriptio: Not reported
 Results: Not reported
 Inspection Number Grade: Not reported

Name: DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
 Address: 2610 NORTH INTERNATIONAL PARKWAY
 City,State,Zip: DALLAS, TX 75261
 Date of inspection: Not reported
 Reason for Inspection: Ashley Gonzalez
 Violation: Not reported
 Complaint Date: 12/04/2015
 Notification Number: 2015007815
 ASB Priority: Not reported
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: Not reported
 Init: Not reported
 Seq: Not reported
 Facility Type: Public
 Inspector Name: Not reported
 Date Report Received: 11/24/2015
 Date Routed by Supervisor: Not reported
 Date Routed to PSQA: Not reported
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: Not reported
 Date Rtn'd to Inspector Corrections: Not reported
 Date Rcv'd Back: Not reported
 Date Rtn'd to Inspector Corrections2: Not reported
 Date Rcv'd Back 2: Not reported
 Date Rtn'd to Inspector Corrections 3: Not reported
 Date Rcv'd Back 3: Not reported
 Notification Status: Current
 Amendo: 1
 Notification Work Type: Abatement
 Notification Type: Amendment
 Work Type Flag: A
 Certification Statement Date: 11/24/2015
 Certification Statement Phone: 972-973-5682
 Is The Facility a School or K-12?: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 12/01/2015
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEADTRIP2016126-127 / DFW TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/08/2016
Notification Number: 2016004087
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/27/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rcvd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 8
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 07/27/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 1802
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/06/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEADTRIP2016126-DFW TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/01/2016
Notification Number: 2016004087
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	05/24/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	05/24/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1802
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/06/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Name: DFWEADTRIP2016126-127 / DFW TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/01/2016
Notification Number: 2016004087
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 06/13/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 2
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 06/13/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 1802
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/06/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEADTRIP2016126-127 / DFW TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/01/2016
Notification Number: 2016004087
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/06/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtned to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtned to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtned to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 3
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 07/06/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 1802
Is this a phased abatement project?: N
Ordered: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/06/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEADTRIP2016126-127 / DFW TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/01/2016
Notification Number: 2016004087
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/21/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Status:	Current/Has Amendment
Amendo:	4
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	07/21/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1802
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/06/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWEADTRIP2016126-127 / DFW TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	08/01/2016
Notification Number:	2016004087
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	07/22/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	5
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	07/22/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1802
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/06/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWEADTRIP2016126-127 / DFW TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Violation:	Not reported
Complaint Date:	08/08/2016
Notification Number:	2016004087
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	07/26/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	6
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	07/26/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1802
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/06/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEADTRIP2016126-127 / DFW TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/08/2016
Notification Number: 2016004087
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/27/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 7
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 07/27/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 1802
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Start Date: 06/06/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEADTRIP2016126-DFW TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/01/2016
Notification Number: 2016004087
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 05/17/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Certification Statement Date: 05/17/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 82
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/06/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016127-DFW TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/01/2016
Notification Number: 2016004091
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 05/24/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Cancelled
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	05/17/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	99
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/06/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

Name:	DFW TERMINAL E 33024 CONCOURSE COL 56-69 ROW B-F TRIP
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Not reported
Violation:	Not reported
Complaint Date:	2015/04/02
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Notified
Inspector Name:	RODRIGUEZ, FRANK
Date Report Received:	Not reported
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Region 3
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	03/19/2015
Client Code:	1400
Client Name:	Environmental Facilities/Notification
License Number:	2015001213
File Number:	123071
License Status Description:	Paid
Expiration Date:	04/25/2015
Original Date:	02/26/2015
Rank Effective Date:	02/26/2015
Mod Code:	ANOT
Area:	Area 04
Staff Operator ID:	frodriquez
Inspection Number:	42992
Inspection Status:	Open
Disposition:	0060 - Completed No Complaint Open
Inspection Class Descriptio:	Environmental
Inspection Secondary Class Code:	AB
Inspection Secondary Class Code Descriptio:	Asbestos Both

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Results:	Pass
Inspection Number Grade:	0
Name:	DFW TERMINAL E 33024 MEZZANINE COL 56-83 ROW A-C TRIP
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Not reported
Violation:	Not reported
Complaint Date:	2015/04/21
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Notified
Inspector Name:	RODRIGUEZ, FRANK
Date Report Received:	Not reported
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Region 3
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	04/06/2015
Client Code:	1400
Client Name:	Environmental Facilities/Notification
License Number:	2015001218
File Number:	123077

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

License Status Description: Paid
Expiration Date: 04/27/2015
Original Date: 02/26/2015
Rank Effective Date: 02/26/2015
Mod Code: ANOT
Area: Area 04
Staff Operator ID: frodriguez
Inspection Number: 43011
Inspection Status: Closed
Disposition: 0060 - Completed No Complaint Open
Inspection Class Descriptio: Environmental
Inspection Secondary Class Code: AB
Inspection Secondary Class Code Description: Asbestos Both
Results: Pass
Inspection Number Grade: 0

Name: DFWTRIP2016115-116-117 / DFW TERMINAL E (FID#33024) R14,R15,R17
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 07/13/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/12/2016
Notification Number: 2016004459
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 05/31/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 05/31/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

ARU: 110
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/13/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016115-116-117 / DFW TERMINAL E (FID#33024) R14,R15,R17
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 07/13/2016
Reason for Inspection: Ashley Gonzales
Violation: Not reported
Complaint Date: 08/05/2016
Notification Number: 2016004459
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 05/27/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtdn to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtdn to Inspector Corrections2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	05/27/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	110
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/10/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFW TERMINAL E
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Not reported
Violation:	Not reported
Complaint Date:	2012/04/17
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Notified
Inspector Name: RODRIGUEZ, FRANK
Date Report Received: Not reported
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported
Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported
Region: Region 3
Priority: Not reported
ARU: Not reported
Is this a phased abatement project?: Not reported
Ordered: Not reported
Is This Project an Emergency?: Not reported
Is Building Occupied?: Not reported
High Profile: Not reported
Ref Method: Not reported
Analytical Method: Not reported
Start Date: 03/29/2012
Client Code: 1400
Client Name: Environmental Facilities/Notification
License Number: 2012002171
File Number: 88035
License Status Description: Paid
Expiration Date: 04/27/2012
Original Date: 04/02/2012
Rank Effective Date: 04/02/2012
Mod Code: ANOT
Area: Area 04
Staff Operator ID: frodriguez
Inspection Number: 29129
Inspection Status: Closed
Disposition: 0060 - Completed No Complaint Open
Inspection Class Descriptio: Environmental
Inspection Secondary Class Code: A
Inspection Secondary Class Code Description: Asbestos
Results: Pass
Inspection Number Grade: Not reported

Name: DFW TERMINAL E (33024) CONCOURSE COL 55-79 ROW Y-B TRIP
Address: 2610 NORTH INTERNATIONAL PARKWAY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Not reported
Violation:	Not reported
Complaint Date:	2015/06/17
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Notified
Inspector Name:	RODRIGUEZ, FRANK
Date Report Received:	Not reported
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Region 3
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	03/19/2015
Client Code:	1400
Client Name:	Environmental Facilities/Notification
License Number:	2015001039
File Number:	122841
License Status Description:	Paid
Expiration Date:	06/30/2015
Original Date:	02/19/2015
Rank Effective Date:	02/19/2015
Mod Code:	ANOT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Area: Area 04
Staff Operator ID: frodriguez
Inspection Number: 42993
Inspection Status: Closed
Disposition: 0060 - Completed No Complaint Open
Inspection Class Description: Environmental
Inspection Secondary Class Code: AB
Inspection Secondary Class Code Description: Asbestos Both
Results: Pass
Inspection Number Grade: 0

Name: DFW TERMINAL E (33024) CONCOURSE COL 69-80 ROW B-D TRIP
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Not reported
Violation: Not reported
Complaint Date: 2015/06/08
Notification Number: Not reported
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Notified
Inspector Name: RODRIGUEZ, FRANK
Date Report Received: Not reported
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported
Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported
Region: Region 3
Priority: Not reported
ARU: Not reported
Is this a phased abatement project?: Not reported
Ordered: Not reported
Is This Project an Emergency?: Not reported
Is Building Occupied?: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

High Profile: Not reported
Ref Method: Not reported
Analytical Method: Not reported
Start Date: 05/28/2015
Client Code: 1400
Client Name: Environmental Facilities/Notification
License Number: 2015001878
File Number: 123920
License Status Description: Paid
Expiration Date: 06/27/2015
Original Date: 03/30/2015
Rank Effective Date: 03/30/2015
Mod Code: ANOT
Area: Area 04
Staff Operator ID: frodriguez
Inspection Number: 43334
Inspection Status: Closed
Disposition: 0060 - Completed No Complaint Open
Inspection Class Description: Environmental
Inspection Secondary Class Code: AB
Inspection Secondary Class Code Description: Asbestos Both
Results: Pass
Inspection Number Grade: 0

Name: DFW TERMINAL E (33024) GUIDEWAY COL 56-84 ROW Y-C TRIP
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DFW AIRPORT, TX 75261
Date of inspection: Not reported
Reason for Inspection: Not reported
Violation: Not reported
Complaint Date: 2015/07/22
Notification Number: Not reported
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Notified
Inspector Name: RODRIGUEZ, FRANK
Date Report Received: Not reported
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtnd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtnd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtnd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Region 3
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	07/08/2015
Client Code:	1400
Client Name:	Environmental Facilities/Notification
License Number:	2015002024
File Number:	124110
License Status Description:	Paid
Expiration Date:	09/05/2015
Original Date:	04/06/2015
Rank Effective Date:	04/06/2015
Mod Code:	ANOT
Area:	Area 04
Staff Operator ID:	frodriguez
Inspection Number:	43904
Inspection Status:	Closed
Disposition:	0060 - Completed No Complaint Open
Inspection Class Descriptio:	Environmental
Inspection Secondary Class Code:	AB
Inspection Secondary Class Code Description:	Asbestos Both
Results:	Pass
Inspection Number Grade:	0
Name:	DFW TERMINAL E (33024) RAMP LEVEL COLUMNS 65-74.5 ROWS B-F
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Not reported
Violation:	Not reported
Complaint Date:	2015/07/22
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Notified
Inspector Name:	RODRIGUEZ, FRANK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Report Received: Not reported
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported
Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported
Region: Region 3
Priority: Not reported
ARU: Not reported
Is this a phased abatement project?: Not reported
Ordered: Not reported
Is This Project an Emergency?: Not reported
Is Building Occupied?: Not reported
High Profile: Not reported
Ref Method: Not reported
Analytical Method: Not reported
Start Date: 07/22/2015
Client Code: 1400
Client Name: Environmental Facilities/Notification
License Number: 2015003321
File Number: 125840
License Status Description: Paid
Expiration Date: 09/08/2015
Original Date: 05/29/2015
Rank Effective Date: 05/29/2015
Mod Code: ANOT
Area: Area 04
Staff Operator ID: frodriguez
Inspection Number: 44033
Inspection Status: Closed
Disposition: 0060 - Completed No Complaint Open
Inspection Class Descriptio: Environmental
Inspection Secondary Class Code: AB
Inspection Secondary Class Code Description: Asbestos Both
Results: Pass
Inspection Number Grade: 0

Name: DFW TERMINAL E 33024 RAMP COL 63-84 ROW B-F TRIP
Address: 2610 NORTH INTERNATIONAL PKWY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Not reported
Violation: Not reported
Complaint Date: 2015/07/22

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Notified
Inspector Name:	RODRIGUEZ, FRANK
Date Report Received:	Not reported
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Region 3
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	02/04/2015
Client Code:	1400
Client Name:	Environmental Facilities/Notification
License Number:	2015000139
File Number:	121664
License Status Description:	Paid
Expiration Date:	09/05/2015
Original Date:	01/12/2015
Rank Effective Date:	01/12/2015
Mod Code:	ANOT
Area:	Area 04
Staff Operator ID:	frodriguez
Inspection Number:	42954
Inspection Status:	Closed
Disposition:	0060 - Completed No Complaint Open

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Class Description: Environmental
Inspection Secondary Class Code: AB
Inspection Secondary Class Code Description: Asbestos Both
Results: Pass
Inspection Number Grade: 0

Name: DFWTRIP2016123-124-125 / DFW TERMINAL E (FID#33024) M02,M03,M04
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 07/12/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 07/13/2016
Notification Number: 2016004735
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/06/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Current
Amendo: 2
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 07/06/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 62
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/20/2016
Client Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016123-124-125 / DFW TERMINAL E (FID#33024) M02,M03,M04
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 07/12/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 07/08/2016
Notification Number: 2016004735
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 06/09/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtned to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtned to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtned to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 06/09/2016
Certification Statement Phone: 972-973-2740

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 62
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/20/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016123-124-125 / DFW TERMINAL E (FID#33024) M02,M03,M04
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 07/12/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 07/08/2016
Notification Number: 2016004735
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 06/06/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	06/06/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	62
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/20/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016128 TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	08/31/2016
Notification Number:	2016005081
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/18/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/18/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	19
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Name: DFWTRIP2016128 TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Javier Araya
Violation: Not reported
Complaint Date: 08/31/2016
Notification Number: 2016005081
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 08/12/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 08/12/2016
Certification Statement Phone: 972-973-5682
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 16
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/29/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016128 TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	08/31/2016
Notification Number:	2016005081
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/15/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/15/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	19
Is this a phased abatement project?:	N
Ordered:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/29/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016128 TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/17/2016
Notification Number: 2016005081
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 06/15/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	06/15/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	16
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016129-130 TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	07/12/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	08/17/2016
Notification Number:	2016005083
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	07/06/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	07/06/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	93
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016129-130 TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	07/12/2016
Reason for Inspection:	Javier Araya

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Violation:	Not reported
Complaint Date:	08/31/2016
Notification Number:	2016005083
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/12/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/12/2016
Certification Statement Phone:	972-973-5682
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	93
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016129-130 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 07/12/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 09/06/2016
Notification Number: 2016005083
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 08/29/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 3
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 08/29/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 93
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Start Date: 06/29/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016129-130 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 07/12/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 09/23/2016
Notification Number: 2016005083
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/06/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 4
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Certification Statement Date: 09/06/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 93
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/29/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016129-130 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 07/12/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 09/23/2016
Notification Number: 2016005083
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/14/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	5
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	09/14/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	93
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016129-130 TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	07/12/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	09/30/2016
Notification Number:	2016005083
ASB Priority:	Not reported
PIF State:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/21/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	6
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	09/21/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	93
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016129-130 TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	07/12/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	08/17/2016
Notification Number:	2016005083
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/15/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	06/15/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	89
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016129-130 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 07/12/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 09/30/2016
Notification Number: 2016005083
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/23/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 7
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 09/23/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

ARU:	94
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016132-133 TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	08/17/2016
Notification Number:	2016005084
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/17/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtdn to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtdn to Inspector Corrections2:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/17/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	8
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016132-133 TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	08/17/2016
Notification Number:	2016005084
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/06/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 07/06/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 8
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/29/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016132-133 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Javier Araya
Violation: Not reported
Complaint Date: 08/26/2016
Notification Number: 2016005084
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 08/12/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 2
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 08/12/2016
Certification Statement Phone: 972-973-5682
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 8
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/29/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016132-133 TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	08/17/2016
Notification Number:	2016005084
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/15/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	06/15/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	8
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/29/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2015097 (A) TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 07/21/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/12/2016
Notification Number: 2016005085
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/26/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtnd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtnd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtnd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	07/26/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	TOP
ARU:	89
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	06/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2015097 TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	07/21/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	07/29/2016
Notification Number:	2016005085
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Report Received: 07/14/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 07/14/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP
ARU: 89
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/29/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2015097 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 07/21/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 07/29/2016

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Number: 2016005085
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/22/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 2
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 07/22/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP
ARU: 89
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/29/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2015097 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 07/21/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 07/15/2016
Notification Number: 2016005085
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 06/15/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtned to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtned to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtned to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 06/15/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP
ARU: 89
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 06/29/2016
Client Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016178 - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 01/13/2017
Notification Number: 2016009711
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 01/10/2017
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Current
Amendo: 6
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 01/10/2017
Certification Statement Phone: 972-973-2740

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 1
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 12/19/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016178 - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 12/23/2016
Notification Number: 2016009711
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 12/05/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	12/05/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	12/19/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016178 - TERMINAL E (FID#33024)
Address:	2610 N INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	12/23/2016
Notification Number:	2016009711
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/19/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtned to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtned to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtned to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	12/19/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	12/19/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Name: DFWTRIP2016178 - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 01/05/2017
Notification Number: 2016009711
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 12/20/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 3
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 12/20/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 1
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 12/19/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016178 - TERMINAL E (FID#33024)
Address:	2610 N INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	01/05/2017
Notification Number:	2016009711
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/20/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	4
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	12/20/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 12/19/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016178 - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 01/12/2017
Notification Number: 2016009711
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 01/04/2017
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Status:	Current/Has Amendment
Amendo:	5
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	01/04/2017
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	12/19/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016176 - TERMINAL E (FID#33024)
Address:	2610 N INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	12/23/2016
Notification Number:	2016009711
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/05/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	12/05/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	12/19/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFW TERMINAL E (FID 33024
Address:	2610 N. INTERNATIONAL PKWY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Violation:	Not reported
Complaint Date:	2016/04/19
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Notified
Inspector Name:	RODRIGUEZ, FRANK
Date Report Received:	Not reported
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Region 3
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	04/19/2016
Client Code:	1500
Client Name:	Environmental Notification
License Number:	Not reported
File Number:	8174
License Status Description:	Current
Expiration Date:	04/18/2021
Original Date:	04/19/2016
Rank Effective Date:	04/19/2016
Mod Code:	NONL
Area:	Area 04
Staff Operator ID:	frodriguez
Inspection Number:	898

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Status: Open
Disposition: I090 - Completed Inspection
Inspection Class Descriptio: Environmental
Inspection Secondary Class Code: AB
Inspection Secondary Class Code Description: Asbestos Both
Results: Pass
Inspection Number Grade: 0

Name: DFWTRIP2015097 (A) TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Not reported
Violation: Not reported
Complaint Date: 2016/07/21
Notification Number: Not reported
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Notified
Inspector Name: RODRIGUEZ, FRANK
Date Report Received: Not reported
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported
Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported
Region: Region 3
Priority: Not reported
ARU: Not reported
Is this a phased abatement project?: Not reported
Ordered: Not reported
Is This Project an Emergency?: Not reported
Is Building Occupied?: Not reported
High Profile: Not reported
Ref Method: Not reported
Analytical Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Start Date: 07/21/2016
Client Code: 1500
Client Name: Environmental Notification
License Number: 2016005085
File Number: 10118
License Status Description: Paid
Expiration Date: 08/12/2016
Original Date: 06/15/2016
Rank Effective Date: 06/15/2016
Mod Code: ANOT
Area: Area 04
Staff Operator ID: frodriguez
Inspection Number: 2511
Inspection Status: Open
Disposition: I090 - Completed Inspection
Inspection Class Descriptio: Environmental
Inspection Secondary Class Code: AB
Inspection Secondary Class Code Description: Asbestos Both
Results: Pass
Inspection Number Grade: 0

Name: DFWTRIP2016115-116-117 / DFW TERMINAL E (FID#33024) R14,R15,R17
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Not reported
Violation: Not reported
Complaint Date: 2016/07/13
Notification Number: Not reported
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Notified
Inspector Name: RODRIGUEZ, FRANK
Date Report Received: Not reported
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Region 3
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	07/13/2016
Client Code:	1500
Client Name:	Environmental Notification
License Number:	2016004459
File Number:	9434
License Status Description:	Paid
Expiration Date:	08/12/2016
Original Date:	05/27/2016
Rank Effective Date:	05/27/2016
Mod Code:	ANOT
Area:	Area 04
Staff Operator ID:	frodriguez
Inspection Number:	2012
Inspection Status:	Open
Disposition:	I090 - Completed Inspection
Inspection Class Descriptio:	Environmental
Inspection Secondary Class Code:	AB
Inspection Secondary Class Code Description:	Asbestos Both
Results:	Pass
Inspection Number Grade:	0
Name:	DFWTRIP2016123-124-125 / DFW TERMINAL E (FID#33024) M02,M03,M04
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Not reported
Violation:	Not reported
Complaint Date:	2016/07/12
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Notified
Inspector Name:	RODRIGUEZ, FRANK
Date Report Received:	Not reported
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Region 3
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	07/12/2016
Client Code:	1500
Client Name:	Environmental Notification
License Number:	2016004735
File Number:	9727
License Status Description:	Paid
Expiration Date:	07/13/2016
Original Date:	06/06/2016
Rank Effective Date:	06/06/2016
Mod Code:	ANOT
Area:	Area 04
Staff Operator ID:	frodriguez
Inspection Number:	2007
Inspection Status:	Open
Disposition:	I090 - Completed Inspection
Inspection Class Descriptio:	Environmental
Inspection Secondary Class Code:	AB
Inspection Secondary Class Code Description:	Asbestos Both
Results:	Pass
Inspection Number Grade:	0
Name:	DFWTRIP2016129-130 TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Not reported
Violation:	Not reported
Complaint Date:	2016/07/12
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Notified
Inspector Name:	RODRIGUEZ, FRANK
Date Report Received:	Not reported
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Region 3
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	07/12/2016
Client Code:	1500
Client Name:	Environmental Notification
License Number:	2016005083
File Number:	10116
License Status Description:	Paid
Expiration Date:	09/30/2016
Original Date:	06/15/2016
Rank Effective Date:	06/15/2016
Mod Code:	ANOT
Area:	Area 04
Staff Operator ID:	frodriquez
Inspection Number:	2008
Inspection Status:	Open
Disposition:	I090 - Completed Inspection
Inspection Class Descriptio:	Environmental
Inspection Secondary Class Code:	AB
Inspection Secondary Class Code Descriptio:	Asbestos Both

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Results:	Pass
Inspection Number Grade:	0
Name:	DFWTRIP2016137.138.139.161.132.163-TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Not reported
Violation:	Not reported
Complaint Date:	2016/09/14
Notification Number:	Not reported
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Notified
Inspector Name:	RODRIGUEZ, FRANK
Date Report Received:	Not reported
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Region 3
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	09/14/2016
Client Code:	1500
Client Name:	Environmental Notification
License Number:	2016005504
File Number:	10572

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

License Status Description: Paid
Expiration Date: 09/19/2016
Original Date: 07/01/2016
Rank Effective Date: 07/01/2016
Mod Code: ANOT
Area: Area 04
Staff Operator ID: frodriguez
Inspection Number: 3850
Inspection Status: Open
Disposition: I090 - Completed Inspection
Inspection Class Descriptio: Environmental
Inspection Secondary Class Code: AB
Inspection Secondary Class Code Description: Asbestos Both
Results: Pass
Inspection Number Grade: 0

Name: DFWTRIP2016140-141-142 / TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Not reported
Violation: Not reported
Complaint Date: 2016/09/14
Notification Number: Not reported
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Notified
Inspector Name: RODRIGUEZ, FRANK
Date Report Received: Not reported
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported
Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported
Region: Region 3
Priority: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

ARU: Not reported
Is this a phased abatement project?: Not reported
Ordered: Not reported
Is This Project an Emergency?: Not reported
Is Building Occupied?: Not reported
High Profile: Not reported
Ref Method: Not reported
Analytical Method: Not reported
Start Date: 09/14/2016
Client Code: 1500
Client Name: Environmental Notification
License Number: 2016006986
File Number: 12119
License Status Description: Paid
Expiration Date: 11/23/2016
Original Date: 08/16/2016
Rank Effective Date: 08/16/2016
Mod Code: ANOT
Area: Area 04
Staff Operator ID: frodriguez
Inspection Number: 3851
Inspection Status: Open
Disposition: I090 - Completed Inspection
Inspection Class Descriptio: Environmental
Inspection Secondary Class Code: AB
Inspection Secondary Class Code Description: Asbestos Both
Results: Pass
Inspection Number Grade: 0

Name: DFWTRIP2016156 TERMINAL E PARKING GARAGE PHASE 2 (FID 333143)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Not reported
Violation: Not reported
Complaint Date: 2016/06/08
Notification Number: Not reported
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Notified
Inspector Name: RODRIGUEZ, FRANK
Date Report Received: Not reported
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtdn to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtdn to Inspector Corrections2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rcvd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported
Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported
Region: Region 3
Priority: Not reported
ARU: Not reported
Is this a phased abatement project?: Not reported
Ordered: Not reported
Is This Project an Emergency?: Not reported
Is Building Occupied?: Not reported
High Profile: Not reported
Ref Method: Not reported
Analytical Method: Not reported
Start Date: 06/08/2016
Client Code: 1500
Client Name: Environmental Notification
License Number: 2016003794
File Number: 8705
License Status Description: Paid
Expiration Date: 08/22/2016
Original Date: 05/09/2016
Rank Effective Date: 05/09/2016
Mod Code: ANOT
Area: Area 04
Staff Operator ID: frodriguez
Inspection Number: 1554
Inspection Status: Closed
Disposition: 0060 - Completed No Complaint Open
Inspection Class Descriptio: Environmental
Inspection Secondary Class Code: AN
Inspection Secondary Class Code Descriptio: Asbestos NESHP
Results: Pass
Inspection Number Grade: 0

Name: DFWTRIP2016177 - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Not reported
Violation: Not reported
Complaint Date: 2016/12/07
Notification Number: Not reported
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Notified
Inspector Name: RODRIGUEZ, FRANK
Date Report Received: Not reported
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported
Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported
Region: Region 3
Priority: Not reported
ARU: Not reported
Is this a phased abatement project?: Not reported
Ordered: Not reported
Is This Project an Emergency?: Not reported
Is Building Occupied?: Not reported
High Profile: Not reported
Ref Method: Not reported
Analytical Method: Not reported
Start Date: 12/07/2016
Client Code: 1500
Client Name: Environmental Notification
License Number: 2016009306
File Number: 14798
License Status Description: Paid
Expiration Date: 12/22/2016
Original Date: 11/15/2016
Rank Effective Date: 11/15/2016
Mod Code: ANOT
Area: Area 04
Staff Operator ID: frodriguez
Inspection Number: 4685
Inspection Status: Open
Disposition: I090 - Completed Inspection
Inspection Class Descriptio: Environmental
Inspection Secondary Class Code: AB
Inspection Secondary Class Code Description: Asbestos Both
Results: Pass
Inspection Number Grade: 0

Name: TERMINAL E SATELLITE BUILDING (HP# 7003)
Address: 2610 N. INTERNATIONAL PARKWAY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Quinn Johnsen
Violation: Not reported
Complaint Date: 09/08/2018
Notification Number: 2018006476
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/05/2018
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 09/05/2018
Certification Statement Phone: 972-399-0068
Is The Facility a School or K-12?: N
Region: 03
Priority: LOW
ARU: 2
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: N
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 09/04/2018
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: TERMINAL E SATELLITE BUILDING (HP# 7003)
Address: 2610 N. INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Quinn Johnsen
Violation: Not reported
Complaint Date: 09/07/2018
Notification Number: 2018006476
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 08/17/2018
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 08/17/2018
Certification Statement Phone: 972-399-0068
Is The Facility a School or K-12?: N
Region: 03
Priority: LOW
ARU: 1
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 09/04/2018
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFW TERMINAL E RAMP COL. 63-64 ROW B-B.5
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Robert Hines
Violation: Not reported
Complaint Date: 10/20/2015
Notification Number: 2015006165
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/29/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtnd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtnd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtnd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	09/29/2015
Certification Statement Phone:	972-973-2365
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	2
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/12/2015
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFW TERMINAL E RAMP COL. 63-64 ROW B-B.5
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Robert Hines
Violation:	Not reported
Complaint Date:	10/20/2015
Notification Number:	2015006165
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Report Received: 09/28/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 09/28/2015
Certification Statement Phone: 972-973-2365
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 2
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 10/12/2015
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFW TERMINAL E RAMP COL. 59-60 ROW B
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Robert Hines
Violation: Not reported
Complaint Date: 10/16/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Number: 2015006223
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/29/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 09/29/2015
Certification Statement Phone: 972-973-2365
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 10/13/2015
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFW TERMINAL B (43001) RAMP COL. 35-36 ROW B-C
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Robert Hines
Violation: Not reported
Complaint Date: 10/22/2015
Notification Number: 2015006414
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 10/06/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtned to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtned to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtned to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 10/06/2015
Certification Statement Phone: 972-973-2365
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 10/20/2015
Client Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFW TERMINAL E (33024) RAMP COL. 68-70 ROW Y-A
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Robert Hines
Violation: Not reported
Complaint Date: 11/05/2015
Notification Number: 2015006766
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 10/28/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Current
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 10/28/2015
Certification Statement Phone: 972-973-2365

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment with RFCI
Analytical Method:	PLM
Start Date:	11/02/2015
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFW TERMINAL E (33024) RAMP COL. 68-70 ROW Y-A
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Robert Hines
Violation:	Not reported
Complaint Date:	11/03/2015
Notification Number:	2015006766
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/16/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	10/16/2015
Certification Statement Phone:	972-973-2365
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment with RFCI
Analytical Method:	PLM
Start Date:	10/30/2015
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016111 TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	06/17/2016
Notification Number:	2016003242
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	06/13/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	06/13/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	139
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	05/02/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Name: DFWTRIP2016111 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 06/08/2016
Notification Number: 2016003242
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 05/09/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 05/09/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 139
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 05/02/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016111 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 06/17/2016
Notification Number: 2016003242
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 06/06/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtned to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtned to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtned to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 2
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 06/06/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 139
Is this a phased abatement project?: N
Ordered: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 05/02/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP20161111 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 06/08/2016
Notification Number: 2016003242
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 04/18/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	04/18/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	139
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	05/02/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016156 TERMINAL E PARKING GARAGE PHASE 2 (FID 333143)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	06/08/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	08/22/2016
Notification Number:	2016003794
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	05/27/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	05/27/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	05/21/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016156 TERMINAL E PARKING GARAGE PHASE 2 (FID 333143)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	06/08/2016
Reason for Inspection:	Ashley Gonzalez

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Violation: Not reported
Complaint Date: 08/22/2016
Notification Number: 2016003794
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 05/17/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 05/17/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: LOW
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: N
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 05/21/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016156 TERMINAL E PARKING GARAGE PHASE 2 (FID 333143)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 06/08/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/22/2016
Notification Number: 2016003794
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 05/09/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 05/09/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: LOW
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: N
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Start Date: 05/21/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEADTRIP2016157-DFW TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 05/29/2016
Notification Number: 2016003836
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 05/10/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Certification Statement Date: 05/10/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 5
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 05/24/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016156-TERMINAL E PARKING GARAGE PHASE 2(FID# 33313)
Address: 2610 NORTH INTERNATIONAL PKWY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 10/26/2016
Reason for Inspection: ASHLEY GONZALEZ
Violation: Not reported
Complaint Date: 08/22/2016
Notification Number: 2016003875
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 06/24/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Cancelled
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	05/06/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	05/20/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016177 - TERMINAL E (FID#33024)
Address:	2610 N INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	12/07/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	12/20/2016
Notification Number:	2016009306
ASB Priority:	Not reported
PIF State:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/18/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	11/18/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	8
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	11/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016177 - TERMINAL E (FID#33024)
Address:	2610 N INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	12/07/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	12/20/2016
Notification Number:	2016009306
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/15/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	11/15/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	8
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	11/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016177 - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 12/07/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 12/22/2016
Notification Number: 2016009306
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 12/19/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 3
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 12/19/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

ARU: 8
Is this a phased abatement project?: Y
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 11/29/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016177 - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 12/07/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 12/20/2016
Notification Number: 2016009306
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 11/18/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtdn to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtdn to Inspector Corrections2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	11/18/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	8
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	11/29/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	ROBERT A HINES
Violation:	Not reported
Complaint Date:	09/11/2015
Notification Number:	2015005377
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 08/24/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 08/20/2015
Certification Statement Phone: 972-489-8927
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP
ARU: 1
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Not reported
Analytical Method: PLM
Start Date: 09/03/2015
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFW TERMINAL E (33024) CONCOURSE COL.55-57 ROW A-A.5 TRIP
Address: 2610 NORTH INTERNATIONAL PARKWAY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Robert Hines
Violation: Not reported
Complaint Date: 09/19/2015
Notification Number: 2015005620
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/03/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 09/03/2015
Certification Statement Phone: 972-973-2365
Is The Facility a School or K-12?: Y
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment with RFCI
Analytical Method: PLM
Start Date: 09/17/2015
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016145-TERMINAL E PARKING GARAGE C (4EC) (FID # 33313)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	06/11/2016
Notification Number:	2016002325
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	03/11/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Demolition
Notification Type:	Original
Work Type Flag:	D
Certification Statement Date:	03/11/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

High Profile: N
Ref Method: Not reported
Analytical Method: PLM
Start Date: 04/11/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016146 TERMINAL E - TRIP PHASE 4 (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/29/2016
Notification Number: 2016002754
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 03/29/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtnd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtnd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtnd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Work Type:	Demolition
Notification Type:	Amendment
Work Type Flag:	D
Certification Statement Date:	03/29/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	04/12/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016146 TERMINAL E - TRIP PHASE 4 (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	08/29/2016
Notification Number:	2016002754
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Report Received: 03/29/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Demolition
Notification Type: Original
Work Type Flag: D
Certification Statement Date: 03/29/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: LOW
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Not reported
Analytical Method: PLM
Start Date: 04/12/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016128(A) TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 10/07/2016

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Number: 2016007822
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/22/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Current
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 09/22/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 10/03/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016128(A) TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 10/05/2016
Notification Number: 2016007822
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/15/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtned to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtned to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtned to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 09/15/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 10/03/2016
Client Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016119-121(A) - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 10/07/2016
Notification Number: 2016007872
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/16/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Current
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 09/16/2016
Certification Statement Phone: 972-973-2740

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 1
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 10/03/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016174 TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 10/09/2016
Notification Number: 2016007978
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/23/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Current
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 09/23/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 10/06/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016174 TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 10/09/2016
Notification Number: 2016007978
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/22/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	09/22/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/06/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Name: DFWTRIP2016177 - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 11/28/2016
Notification Number: 2016008441
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 11/04/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Cancelled
Amendo: 2
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 10/31/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 4
Is this a phased abatement project?: Y
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 11/07/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016177 - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 11/25/2016
Notification Number: 2016008441
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 10/20/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtned to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtned to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtned to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 10/20/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 4
Is this a phased abatement project?: Y
Ordered: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 10/31/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016177 - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 11/21/2016
Notification Number: 2016008441
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 10/10/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	10/10/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	4
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/24/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFW TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	02/12/2016
Notification Number:	2016000810
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/21/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	01/21/2016
Certification Statement Phone:	972-973-5682
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	02/08/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFW TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Violation: Not reported
Complaint Date: 03/02/2016
Notification Number: 2016001339
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 02/16/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 02/16/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: Y
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 02/22/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFW TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 03/02/2016
Notification Number: 2016001339
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 02/05/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 02/05/2016
Certification Statement Phone: 972-973-5682
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: Y
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Start Date: 02/22/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEADTRIP2015097-DFW TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 04/18/2016
Notification Number: 2016001500
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 04/18/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 7
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Certification Statement Date: 04/18/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP
ARU: 89
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 03/14/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 04/05/2016
Notification Number: 2016001500
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 02/26/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	02/26/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	TOP
ARU:	76
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	03/02/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	04/11/2016
Notification Number:	2016001500
ASB Priority:	Not reported
PIF State:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	03/02/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	03/02/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	TOP
ARU:	76
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	03/08/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	04/15/2016
Notification Number:	2016001500
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	03/07/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	03/07/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	TOP
ARU:	76
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	03/10/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 04/19/2016
Notification Number: 2016001500
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 03/10/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 4
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 03/10/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

ARU: 76
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 03/14/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEADTRIP20150097-DFW TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 05/03/2016
Notification Number: 2016001500
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 03/30/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtdn to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtdn to Inspector Corrections2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	5
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	03/30/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	TOP
ARU:	76
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	03/14/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWEADTRIP2015097-DFW TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	05/03/2016
Notification Number:	2016001500
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 04/12/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 6
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 04/12/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP
ARU: 89
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 03/14/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 04/01/2016
Notification Number: 2016001500
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 02/11/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 02/11/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP
ARU: 76
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 02/29/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016119-121/TRIP AREAS M06/M08- TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	09/09/2016
Notification Number:	2016006355
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/15/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/15/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	6
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 08/09/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016119-121/TRIP AREAS M06/M08- TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: John Lerro
Violation: Not reported
Complaint Date: 08/27/2016
Notification Number: 2016006355
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 08/11/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtnd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtnd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtnd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 08/11/2016
Certification Statement Phone: 972-973-2741
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 6
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 08/09/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016119-121/TRIP AREAS M06/M08- TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/27/2016
Notification Number: 2016006355
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Report Received: 07/26/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 07/26/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 6
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 08/09/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP201611(A) TERMINAL E (FID #33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/18/2016

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Number: 2016006733
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 08/04/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 08/04/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 08/18/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016140-141-142 / TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 09/14/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 11/23/2016
Notification Number: 2016006986
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 10/24/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtned to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtned to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtned to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 4
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 10/24/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 318
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 08/30/2016
Client Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016140-141-142 / TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 09/14/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 11/23/2016
Notification Number: 2016006986
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/16/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 09/16/2016
Certification Statement Phone: 972-973-2740

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 318
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 08/30/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016140-141-142 / TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 09/14/2016
Reason for Inspection: John Lerro
Violation: Not reported
Complaint Date: 11/23/2016
Notification Number: 2016006986
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/23/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	09/23/2016
Certification Statement Phone:	972-973-2741
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	318
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	08/30/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016140-141-142 / TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	09/14/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	11/23/2016
Notification Number:	2016006986
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/14/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	10/14/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	318
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	08/30/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Name: DFWTRIP2016140-141-142 / TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 09/14/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 11/23/2016
Notification Number: 2016006986
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 08/16/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 08/16/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 318
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 08/30/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2015097(B) - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 09/16/2016
Notification Number: 2016007315
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/15/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtn to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtn to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtn to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 2
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 09/15/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 2
Is this a phased abatement project?: N
Ordered: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 09/12/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2015097(B) - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 09/16/2016
Notification Number: 2016007315
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/07/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	09/07/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	2
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	09/12/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2015097(B) - TERMINAL E (FID#33024)
Address:	2610 N INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	09/16/2016
Notification Number:	2016007315
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/29/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	08/29/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	2
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	09/12/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016173 - TERMINAL E (FID#33024)
Address:	2610 N INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Violation: Not reported
Complaint Date: 10/07/2016
Notification Number: 2016007542
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/19/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 09/19/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 6
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 09/27/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016173 - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 09/30/2016
Notification Number: 2016007542
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/06/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 09/06/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 6
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Start Date: 09/20/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DALLAS / FORT WORTH INTERNATIONAL AIRPORT TERMINAL E
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Tom Ewald
Violation: Not reported
Complaint Date: 12/28/2015
Notification Number: 2015009078
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 12/22/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Cancelled
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Certification Statement Date: 12/14/2015
Certification Statement Phone: 214-353-8087
Is The Facility a School or K-12?: N
Region: 03
Priority: LOW
ARU: 0
Is this a phased abatement project?: Y
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Not reported
Analytical Method: PLM
Start Date: 12/28/2015
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 01/11/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 02/11/2016
Notification Number: 2015009596
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 12/23/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	12/23/2015
Certification Statement Phone:	972-973-5682
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	45
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/11/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	01/11/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	02/11/2016
Notification Number:	2015009596
ASB Priority:	Not reported
PIF State:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/04/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	01/04/2016
Certification Statement Phone:	972-973-5682
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	1
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/11/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	01/11/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	02/11/2016
Notification Number:	2015009596
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	12/23/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	12/23/2015
Certification Statement Phone:	972-973-5682
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	45
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/11/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 01/11/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 02/11/2016
Notification Number: 2015009596
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 01/05/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 3
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 01/05/2016
Certification Statement Phone: 972-973-5682
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

ARU:	47
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/11/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	01/27/2016
Notification Number:	2016000072
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/05/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtdn to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtdn to Inspector Corrections2:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	01/05/2016
Certification Statement Phone:	972-973-5682
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	2
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	01/19/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWEADTRIP2015095A-F / TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	02/25/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	06/24/2016
Notification Number:	2016000122
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 05/27/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 5
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 05/27/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 361
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 02/01/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

City,State,Zip: DALLAS, TX 75261
Date of inspection: 02/25/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 04/28/2016
Notification Number: 2016000122
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 01/14/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 01/14/2016
Certification Statement Phone: 972-973-5682
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 339
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 01/25/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	02/25/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	04/28/2016
Notification Number:	2016000122
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	01/20/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	01/20/2016
Certification Statement Phone:	972-973-5682
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	339
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	02/01/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	02/25/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	04/28/2016
Notification Number:	2016000122
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	02/26/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtnd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtnd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtnd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	02/26/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	361
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	02/01/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWEADTRIP2015095A-F / TERMINAL E (FID 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	02/25/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	05/27/2016
Notification Number:	2016000122
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Report Received: 04/25/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 4
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 04/25/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 361
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 02/01/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DALLAS/ FORT WORTH INTERNATIONAL AIRPORT-TERMINAL E (FID 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 02/25/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 04/28/2016

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Number: 2016000122
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 01/06/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 01/06/2016
Certification Statement Phone: 972-973-5682
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 339
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 01/25/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016118-120-122 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/03/2016
Notification Number: 2016005389
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/28/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtned to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtned to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtned to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 2
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 07/28/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 42
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 07/11/2016
Client Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016118-120-122 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalea
Violation: Not reported
Complaint Date: 07/29/2016
Notification Number: 2016005389
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/15/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date RtnD to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date RtnD to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date RtnD to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 07/15/2016
Certification Statement Phone: 972-973-2740

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 42
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 07/11/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016118-120-122 TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 07/29/2016
Notification Number: 2016005389
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 06/27/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 06/27/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 42
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 07/11/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016137.138.139.161.132.163-TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 09/14/2016
Reason for Inspection: John Lerro
Violation: Not reported
Complaint Date: 09/19/2016
Notification Number: 2016005504
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	09/14/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current
Amendo:	6
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	09/14/2016
Certification Statement Phone:	972-973-2741
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	130
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	07/18/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Name: DFWTRIP2016137.138.139.161.432.163-TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 09/14/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/26/2016
Notification Number: 2016005504
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/06/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 07/06/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 122
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 07/18/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016137.138.139.161.432.163-TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 09/14/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/26/2016
Notification Number: 2016005504
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/19/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtned to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtned to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtned to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 2
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 07/19/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 122
Is this a phased abatement project?: N
Ordered: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 07/18/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016137.138.139.161.432.163-TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 09/14/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/26/2016
Notification Number: 2016005504
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 08/19/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Notification Status:	Current/Has Amendment
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/19/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	122
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	07/18/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016137.138.139.161.132.163-TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	09/14/2016
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	08/26/2016
Notification Number:	2016005504
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	08/19/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtned to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtned to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtned to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	4
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/19/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	130
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	07/18/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016137.138.139.161.132.163-TERMINAL E (FID # 33024)
Address:	2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	09/14/2016
Reason for Inspection:	John Lerro

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Violation: Not reported
Complaint Date: 09/14/2016
Notification Number: 2016005504
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 08/24/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 5
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 08/24/2016
Certification Statement Phone: 972-973-2741
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 130
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 07/18/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016137.138.139.161.432.163-TERMINAL E (FID # 33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 09/14/2016
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/26/2016
Notification Number: 2016005504
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/01/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 07/01/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 115
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Start Date: 07/18/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP20162016113 & DFWTRIP2016134 - TERMINAL E (FID#33024)
Address: 2610 N. INTERNATIONAL PKWY.
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 09/06/2016
Notification Number: 2016005911
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/06/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Certification Statement Date: 09/06/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 17
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 07/28/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP20162016113 & DFWTRIP2016134 - TERMINAL E (FID#33024)
Address: 2610 N. INTERNATIONAL PKWY.
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalea
Violation: Not reported
Complaint Date: 09/09/2016
Notification Number: 2016005911
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/14/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	07/14/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	17
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	07/28/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016143 & DFWTRIP2016144 - TERMINAL E (FID#33024)
Address:	2610 N. INTERNATIONAL PKWY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	09/30/2016
Notification Number:	2016005963
ASB Priority:	Not reported
PIF State:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/19/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 5
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 09/19/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP
ARU: 77
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 08/01/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016143 & DFWTRIP2016144 - TERMINAL E (FID#33024)
Address:	2610 N. INTERNATIONAL PKWY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	09/16/2016
Notification Number:	2016005963
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	07/20/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	07/20/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	TOP
ARU:	70
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	08/01/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016143 & DFWTRIP2016144 - TERMINAL E (FID#33024)
Address: 2610 N. INTERNATIONAL PKWY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 09/16/2016
Notification Number: 2016005963
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/21/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 2
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 07/21/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

ARU: 70
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 08/01/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016143 & DFWTRIP2016144 - TERMINAL E (FID#33024)
Address: 2610 N. INTERNATIONAL PKWY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Javier Araya
Violation: Not reported
Complaint Date: 09/30/2016
Notification Number: 2016005963
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 08/26/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtdn to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtdn to Inspector Corrections2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	08/26/2016
Certification Statement Phone:	972-973-5682
Is The Facility a School or K-12?:	N
Region:	03
Priority:	TOP
ARU:	70
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	08/01/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWTRIP2016143 & DFWTRIP2016144 - TERMINAL E (FID#33024)
Address:	2610 N. INTERNATIONAL PKWY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	09/30/2016
Notification Number:	2016005963
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 09/15/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 4
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 09/15/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP
ARU: 77
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 08/01/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2016134 & DFWTRIP2016144 - TERMINAL E (FID#33024)
Address: 2610 N. INTERNATIONAL PKWY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 09/16/2016
Notification Number: 2016005963
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/15/2016
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 07/15/2016
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: TOP
ARU: 70
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 08/01/2016
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWTRIP2017010(A) - TERMINAL E (FID#33024)
Address: 2610 N INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 09/15/2017
Notification Number: 2017006352
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 08/28/2017
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 08/28/2017
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 33024 MEZZANINE COL 58-65.5 ROW Y-B TRIP (Continued)

S121360340

High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	09/11/2017
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

A31

**DFW TERMINAL E GUIDE WAY
 2610 N. INTERNATIONAL PKY
 DFW AIRPORT, TX 75261**

**ASBESTOS S119142943
 N/A**

< 1/8
 1 ft.

Site 24 of 36 in cluster A

**Relative:
 Lower
 Actual:
 561 ft.**

ASBESTOS:	
Name:	DFW TERMINAL E GUIDE WAY
Address:	2610 N. INTERNATIONAL PKY
City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	07/22/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2015002024
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	02
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	08/03/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	08/06/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	08/04/2015
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E GUIDE WAY (Continued)

S119142943

Date Rtn'd to Inspector Corrections2: Not reported
 Date Rcv'd Back 2: Not reported
 Date Rtn'd to Inspector Corrections 3: Not reported
 Date Rcv'd Back 3: Not reported
 Notification Status: Not reported
 Amendo: Not reported
 Notification Work Type: Not reported
 Notification Type: Not reported
 Work Type Flag: Not reported
 Certification Statement Date: Not reported
 Certification Statement Phone: Not reported
 Is The Facility a School or K-12?: Not reported
 Region: Not reported
 Priority: Not reported
 ARU: Not reported
 Is this a phased abatement project?: Not reported
 Ordered: Not reported
 Is This Project an Emergency?: Not reported
 Is Building Occupied?: Not reported
 High Profile: Not reported
 Ref Method: Not reported
 Analytical Method: Not reported
 Start Date: Not reported
 Client Code: Not reported
 Client Name: Not reported
 License Number: Not reported
 File Number: Not reported
 License Status Description: Not reported
 Expiration Date: Not reported
 Original Date: Not reported
 Rank Effective Date: Not reported
 Mod Code: Not reported
 Area: Not reported
 Staff Operator ID: Not reported
 Inspection Number: Not reported
 Inspection Status: Not reported
 Disposition: Not reported
 Inspection Class Descriptio: Not reported
 Inspection Secondary Class Code: Not reported
 Inspection Secondary Class Code Description: Not reported
 Results: Not reported
 Inspection Number Grade: Not reported

A32 DFW AIRPORT - TERMINAL E - DELTA AIRLINES SKY CLUB
2610 N. INTERNATIONAL PARKWAY
DALLAS, TX 75261

ASBESTOS S125391022
N/A

< 1/8
 1 ft.

Site 25 of 36 in cluster A

Relative:
Lower
Actual:
561 ft.

ASBESTOS:
 Name: DFW AIRPORT - TERMINAL E - DELTA AIRLINES SKY CLUB MIRRORS 7184
 Address: 2610 N. INTERNATIONAL PARKWAY
 City,State,Zip: DALLAS, TX 75261
 Date of inspection: Not reported
 Reason for Inspection: Matthew Heidrick
 Violation: Not reported
 Complaint Date: 02/12/2019
 Notification Number: 2019001052

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIRPORT - TERMINAL E - DELTA AIRLINES SKY CLUB MIRRORS 7 (Continued)

S125391022

ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	02/11/2019
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	02/11/2019
Certification Statement Phone:	972-399-0068
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	2
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	02/12/2019
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIRPORT - TERMINAL E - DELTA AIRLINES SKY CLUB MIRRORS 7 (Continued)

S125391022

Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFW AIRPORT - TERMINAL E - DELTA AIRLINES SKY CLUB MIRRORS 7184
Address: 2610 N. INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Matthew Heidrick
Violation: Not reported
Complaint Date: 02/12/2019
Notification Number: 2019001052
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 01/29/2019
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 01/29/2019
Certification Statement Phone: 972-399-0068
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 2
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 02/12/2019
Client Code: Not reported
Client Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIRPORT - TERMINAL E - DELTA AIRLINES SKY CLUB MIRRORS 7 (Continued)

S125391022

License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Description: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

A33

**GAT AIRLINE GROUND SUPPORT
2610 INTERNATIONAL PARKWAY
DALLAS, TX 75261**

**FINDS 1024435298
ECHO N/A**

< 1/8
1 ft.

Site 26 of 36 in cluster A

**Relative:
Lower**

FINDS:
Registry ID: 110070357192

**Actual:
561 ft.**

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1024435298
Registry ID: 110070357192
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110070357192>
Name: GAT AIRLINE GROUND SUPPORT
Address: 2610 INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
 EPA ID Number

A34 **DFW TERMINAL E 69-80**
2610 N. INTERNATIONAL PKWY
 < 1/8 **DFW AIRPORT, TX 75261**
 1 ft.

ASBESTOS **S119142938**
 N/A

Site 27 of 36 in cluster A

Relative:	ASBESTOS:	
Lower	Name:	DFW TERMINAL E 69-80
	Address:	2610 N. INTERNATIONAL PKWY
Actual:	City,State,Zip:	DFW AIRPORT, TX 75261
561 ft.	Date of inspection:	06/08/2015
	Reason for Inspection:	Notified
	Violation:	No
	Complaint Date:	Not reported
	Notification Number:	2015001878
	ASB Priority:	Low
	PIF State:	Not reported
	Detained:	Not reported
	Product Name:	Not reported
	Time Spent:	Not reported
	Travel Time:	Not reported
	Mileage:	Not reported
	Reg:	03
	Init:	JR
	Seq:	01
	Facility Type:	Asbestos
	Inspector Name:	Frank Rodriguez
	Date Report Received:	07/27/2015
	Date Routed by Supervisor:	Not reported
	Date Routed to PSQA:	07/28/2015
	Date Reviewed by PSQA:	Not reported
	Date Routed by Supervisor1:	07/27/2015
	Date Rtn'd to Inspector Corrections:	Not reported
	Date Rcv'd Back:	Not reported
	Date Rtn'd to Inspector Corrections2:	Not reported
	Date Rcv'd Back 2:	Not reported
	Date Rtn'd to Inspector Corrections 3:	Not reported
	Date Rcv'd Back 3:	Not reported
	Notification Status:	Not reported
	Amendo:	Not reported
	Notification Work Type:	Not reported
	Notification Type:	Not reported
	Work Type Flag:	Not reported
	Certification Statement Date:	Not reported
	Certification Statement Phone:	Not reported
	Is The Facility a School or K-12?:	Not reported
	Region:	Not reported
	Priority:	Not reported
	ARU:	Not reported
	Is this a phased abatement project?:	Not reported
	Ordered:	Not reported
	Is This Project an Emergency?:	Not reported
	Is Building Occupied?:	Not reported
	High Profile:	Not reported
	Ref Method:	Not reported
	Analytical Method:	Not reported
	Start Date:	Not reported
	Client Code:	Not reported
	Client Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 69-80 (Continued)

S119142938

License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Description: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFW TERMINAL E 69-80
Address: 2610 N. INTERNATIONAL PKWY
City,State,Zip: DFW AIRPORT, TX 75261
Date of inspection: 06/08/2015
Reason for Inspection: Notified
Violation: No
Complaint Date: Not reported
Notification Number: 2015001878
ASB Priority: Low
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: 03
Init: JR
Seq: 03
Facility Type: Asbestos
Inspector Name: Frank Rodriguez
Date Report Received: 07/27/2015
Date Routed by Supervisor: Not reported
Date Routed to PSQA: 07/28/2015
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: 07/27/2015
Date Rtn'd to Inspector Corrections: Not reported
Date Rcv'd Back: Not reported
Date Rtn'd to Inspector Corrections2: Not reported
Date Rcv'd Back 2: Not reported
Date Rtn'd to Inspector Corrections 3: Not reported
Date Rcv'd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported
Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 69-80 (Continued)

S119142938

Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

A35

**DFW TERMINAL E 64-84
 2610 N. INTERNATIONAL PWY
 DFW AIRPORT, TX 75261**

ASBESTOS

**S119142935
 N/A**

< 1/8
 1 ft.

Site 28 of 36 in cluster A

**Relative:
 Lower**

ASBESTOS:

**Actual:
 561 ft.**

Name:	DFW TERMINAL E 64-84
Address:	2610 N. INTERNATIONAL PWY
City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	04/02/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2015000139
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 64-84 (Continued)

S119142935

Date Report Received:	07/27/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	07/28/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	07/27/2015
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A36 **DFWTRIP2017010 - TERMINAL E (FID#33024)**
2610 NORTH INTERNATIONAL PARKWAY
DALLAS, TX 75261

ASBESTOS **S121360339**
N/A

< 1/8
1 ft.

Site 29 of 36 in cluster A

Relative:
Lower
Actual:
561 ft.

ASBESTOS:
Name: DFWTRIP2017010 - TERMINAL E (FID#33024)
Address: 2610 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 08/18/2017
Notification Number: 2017005426
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 07/27/2017
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Cancelled
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 07/20/2017
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 08/03/2017
Client Code: Not reported
Client Name: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFWTRIP2017010 - TERMINAL E (FID#33024) (Continued)

S121360339

License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

A37

**DFW TERMINAL E B F
 2610 N. INTERNATIONAOL PKWY
 DFW AIRPORT, TX 75261**

**ASBESTOS S119142942
 N/A**

< 1/8
 1 ft.

Site 30 of 36 in cluster A

**Relative:
 Lower**

ASBESTOS:

**Actual:
 561 ft.**

Name:	DFW TERMINAL E B F
Address:	2610 N. INTERNATIONAOL PKWY
City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	02/04/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2015000139
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	02
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	07/27/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	07/28/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	07/27/2015
Date Rtn to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtn to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtn to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E B F (Continued)

S119142942

Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

E38

DFW AIRPORT MS4

PFAS ECHO

1027351599

< 1/8
 1 ft.

DALLAS, TX

N/A

Site 1 of 3 in cluster E

**Relative:
 Lower**

PFAS ECHO:

**Actual:
 569 ft.**

Name:	DFW AIRPORT MS4
Address:	Not reported
City,State,Zip:	DALLAS, TX
Latitude:	32.89
Longitude:	-97.04
Count:	1
County:	DALLAS
Status:	Inactive
Region:	06
Industry:	Airports
ECHO Facility Report:	https://echo.epa.gov/detailed-facility-report?fid=110038335058
Facility Percent Minority:	49.987
Facility Derived Tribes:	-
Facility Population:	835.31

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIRPORT MS4 (Continued)

1027351599

EPA Programs:	CWA
Federal Facility:	No
Federal Agency:	-
Facility FIPS Code:	48439
Facility Indian Country Flag:	N
Facility Collection Method:	-
Facility Derived HUC:	12030103
Facility Derived WBD:	120301020705
Facility Derived CD113:	24
Facility Derived CB2010:	484399800001219
Facility Major Flag:	-
Facility Active Flag:	Y
Facility Inspection Count:	0
Facility Date Last Inspection:	-
Facility Days Last Inspection:	-
Facility Informal Count:	0
Facility Date Last Informal Action:	-
Facility Formal Action Count:	0
Facility Date Last Formal Action:	-
Facility Total Penalties:	0
Facility Penalty Count:	-
Facility Date Last Penalty:	-
Facility Last Penalty AMT:	-
Facility QTRS With NC:	0
Facility Programs With SNC:	0
Facility Compliance Status:	No Violation Identified
Facility SNC Flag:	N
AIR Flag:	N
NPDES Flag:	Y
SDWIS Flag:	N
RCRA Flag:	N
TRI Flag:	N
GHG Flag:	N
AIR IDS:	-
CAA Permit Types:	-
CAA NAICS:	-
CAA SICS:	-
NPDES IDS:	TXR040044
CWA Permit Types:	Minor
CWA NAICS:	-
CWA SICS:	4581
RCRA IDS:	-
RCRA Permit Types:	-
RCRA NAICS:	-
SDWA IDS:	-
SDWA System Types:	-
SDWA Compliance Status:	-
SDWA SNC Flag:	N
TRI IDS:	-
TRI Releases Transfers:	-
TRI On Site Releases:	-
TRI Off Site Transfers:	-
TRI Reporter:	-
Facility IMP Water Flag:	-
EJSCREEN Flag US:	N
EJSCREEN Report:	https://ejscreen.epa.gov/mapper/mobile/EJSCREEN_mobile.aspx?geometry=%7B%22x%22:-97.04,%22y%22:32.89,%22spatialReference%22:%7B%22wkid%22:43

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT MS4 (Continued)

1027351599

26%7D%7D&unit=9035&areatype=&areaid=&basemap=streets&distance=1

A39

 < 1/8
 1 ft.

DFW TERMINAL E STAIRWELL
2610 N. INTERNATIONAL PKWY
DALLAS, TX 76201

ASBESTOS **S121360332**
N/A

Site 31 of 36 in cluster A

Relative:
Lower

Actual:
561 ft.

ASBESTOS:
 Name: DFW TERMINAL E STAIRWELL
 Address: 2610 N. INTERNATIONAL PKWY
 City,State,Zip: DALLAS, TX 76201
 Date of inspection: 10/22/2014
 Reason for Inspection: Complaint
 Violation: No
 Complaint Date: 10/22/2014
 Notification Number: N/A
 ASB Priority: n/a
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: 03
 Init: JR
 Seq: 01
 Facility Type: Asbestos
 Inspector Name: Frank Rodriguez
 Date Report Received: 11/17/2014
 Date Routed by Supervisor: Not reported
 Date Routed to PSQA: 01/08/2015
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: 12/11/2014
 Date Rtn'd to Inspector Corrections: Not reported
 Date Rcv'd Back: Not reported
 Date Rtn'd to Inspector Corrections2: Not reported
 Date Rcv'd Back 2: Not reported
 Date Rtn'd to Inspector Corrections 3: Not reported
 Date Rcv'd Back 3: Not reported
 Notification Status: Not reported
 Amendo: Not reported
 Notification Work Type: Not reported
 Notification Type: Not reported
 Work Type Flag: Not reported
 Certification Statement Date: Not reported
 Certification Statement Phone: Not reported
 Is The Facility a School or K-12?: Not reported
 Region: Not reported
 Priority: Not reported
 ARU: Not reported
 Is this a phased abatement project?: Not reported
 Ordered: Not reported
 Is This Project an Emergency?: Not reported
 Is Building Occupied?: Not reported
 High Profile: Not reported
 Ref Method: Not reported
 Analytical Method: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E STAIRWELL (Continued)

S121360332

Start Date: Not reported
 Client Code: Not reported
 Client Name: Not reported
 License Number: Not reported
 File Number: Not reported
 License Status Description: Not reported
 Expiration Date: Not reported
 Original Date: Not reported
 Rank Effective Date: Not reported
 Mod Code: Not reported
 Area: Not reported
 Staff Operator ID: Not reported
 Inspection Number: Not reported
 Inspection Status: Not reported
 Disposition: Not reported
 Inspection Class Descriptio: Not reported
 Inspection Secondary Class Code: Not reported
 Inspection Secondary Class Code Descriptio: Not reported
 Results: Not reported
 Inspection Number Grade: Not reported

A40

**DFW TERIMINAL E
 2610 NORTH INTERNATIONAL PKWY
 DALLAS, TX 75261**

**ASBESTOS S119142836
 N/A**

< 1/8
 1 ft.

Site 32 of 36 in cluster A

**Relative:
 Lower**

ASBESTOS:

**Actual:
 561 ft.**

Name: DFW TERIMINAL E
 Address: 2610 NORTH INTERNATIONAL PKWY
 City,State,Zip: DALLAS, TX 75261
 Date of inspection: 01/23/2013
 Reason for Inspection: Notified
 Violation: No
 Complaint Date: Not reported
 Notification Number: 2013000346
 ASB Priority: Low
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: 03
 Init: JR
 Seq: 01
 Facility Type: Asbestos
 Inspector Name: Frank Rodriguez
 Date Report Received: 02/01/2013
 Date Routed by Supervisor: 02/19/2013
 Date Routed to PSQA: 02/28/2013
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: Not reported
 Date Rtd to Inspector Corrections: Not reported
 Date Rcvd Back: Not reported
 Date Rtd to Inspector Corrections2: Not reported
 Date Rcvd Back 2: Not reported
 Date Rtd to Inspector Corrections 3: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERIMINAL E (Continued)

S119142836

Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

A41

**DFW TERMINAL E
 2610 N. INTERNATIONAL PKWY
 DFW AIPORT, TX 75261**

**ASBESTOS S119142947
 N/A**

**< 1/8
 1 ft.**

Site 33 of 36 in cluster A

**Relative:
 Lower**

ASBESTOS:

**Actual:
 561 ft.**

Name:	DFW TERMINAL E
Address:	2610 N. INTERNATIONAL PKWY
City,State,Zip:	DFW AIPORT, TX 75261
Date of inspection:	06/30/2015
Reason for Inspection:	Discretionary
Violation:	Yes
Complaint Date:	Not reported
Notification Number:	Not reported
ASB Priority:	n/a
PIF State:	Not reported
Detained:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E (Continued)

S119142947

Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	03
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	08/03/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	2015-08-05 00:00:00
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E (Continued)

S119142947

Inspection Number Grade: Not reported

B42
< 1/8
1 ft.

DALLAS FORT WORTH INTERNATIONAL AIRPORT
3122 E 30TH ST
GRAPEVINE, TX 75261

SPILLS S116566557
AIRS N/A

Site 5 of 6 in cluster B

Relative:
Higher
Actual:
577 ft.

SPILLS:
Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
Address: 3122 E 30TH ST
City,State,Zip: GRAPEVINE, TX 75261-9428
Incident Number: 271354
Facility Id: RN100213990
Date of Spill: Not reported
Seq Num: Not reported
Responsible Party Name: Not reported
Responsible Party Address: Not reported
Responsible Party City: Not reported
Responsible Party State: Not reported
Responsible Party Zip: Not reported
Responsible Party Telephone: Not reported
Substance: Other
Material Code: Not reported
Media Affected: Not reported
Permit Number: Not reported
District: REGION 04 - DFW METROPLEX
Origin: Not reported
Cause: Not reported
Basin Code: Not reported
Notify Date: Not reported
Adequate Clean: Not reported
Classification: 005_HAZMIN
Basin Name: Not reported
Water Affected: Not reported
Amnt Spilled: 8000 GALLONS
Amnt in Water: Not reported
Latitude: 32.891600
Longitude: -97.041600
Inspected By: Not reported
Interim Report: Not reported
Enforce: Not reported
Information Final: Not reported
Coordinator: Not reported
Time Reported: Not reported
Spill Time: Not reported
Incident Type: EMERGRESPN
Near City Name: GRAPEVINE
Importance Level: 8
Received Date: 10/27/2017
Start Date: 10/26/2017
Status Date: 03/06/2018
Media Name: WATER
Customer: DFW INTERNATIONAL AIRPORT
Effect: ENVIRONMEN
Num Complaining: 0
Frequency: PAST
Nature: INDUSTRIAL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH INTERNATIONAL AIRPORT (Continued)

S116566557

Watertext: Bear Creek
Air Text: Terminal C
Incident Status: CLOSED
Disputed Status: NOTAPP
Disputed Date: 10/30/2017
Comments: Not reported
Incident Action: On December 01, 2017, a response action report was received by the TCEQ DFW Region Office. Based on review of the submitted documentation, it appears DFW Airport has properly assessed and managed the incident. No further actions are warranted by TCEQ at this time. For more information see Investigation No. 1473788.
Incident Description: On October 26, 2017, approximately 8,000 gallons of chilled water was spilled from a terminal air conditioning system. The chilled water is a 3% mixture of sodium nitrite and nitrate with a fluorescent dye. The spill impacted a drainage channel and a tributary of Trigg Lake. The cause of the spill was an employee accidentally stepped on and ruptured a chilled water pipe. The responsible party contracted Chaney Trucking to remediate the spill. Vacuum trucks were used to collect the chilled water. Responsible Party: DFW International Airport Date Reported: October 27, 2017 Incident Location: near Terminal C, Gate 12, West Walnut Hill Lane and Texas 161 Frontage Road, Irving (Tarrant County), Texas Texas Oil or Hazardous Substances Discharges or Spill Report Number (No.) 20173556 National Response Center Report No. 1194544
Invest Number: Not reported
Invest Status: Not reported
Customer Number: Not reported

AIRS:

Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
Address: 3122 E 30TH ST
City,State,Zip: GRAPEVINE, TX
Permit Num: 111123
Regulated Id: RN100213990
Permit Type: PBR
Permit Status: EFFECTIVE
Permit Issued Date: 08/30/2001
Expiration Date: 12/31/3000
Customer Id: CN601700610
Company Name: DALLAS/FORT WORTH INTERNATIONAL AIRPORT BOARD
Physical Location Desc: WITHIN THE NE CORNER OF TARRANT COUNTY & NW CORNER OF DALLAS COUNTY JUST SE OF GRAPEVINE LAKE TARRANT & DALLAS COUNTIES 3122 E 30TH ST DFW AIRPORT TX 75261
Rep Official(RO): Not reported
RO Name: Not reported
RO Delivery Address: Not reported
RO City/State/Zip: Not reported
RO Phone: Not reported
RO Ext Num: Not reported
RO EMail Address: Not reported
Lat Dec Coord Num: 32.891600
Long Dec Coord Num: -97.041600

Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
Address: 3122 E 30TH ST
City,State,Zip: GRAPEVINE, TX
Permit Num: 111128
Regulated Id: RN100213990

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH INTERNATIONAL AIRPORT (Continued)

S116566557

Permit Type: PBR
Permit Status: EFFECTIVE
Permit Issued Date: 03/03/1999
Expiration Date: 12/31/3000
Customer Id: CN601700610
Company Name: DALLAS/FORT WORTH INTERNATIONAL AIRPORT BOARD
Physical Location Desc: WITHIN THE NE CORNER OF TARRANT COUNTY & NW CORNER OF DALLAS COUNTY JUST SE OF GRAPEVINE LAKE TARRANT & DALLAS COUNTIES 3122 E 30TH ST DFW AIRPORT TX 75261

Rep Official(RO): Not reported
RO Name: Not reported
RO Delivery Address: Not reported
RO City/State/Zip: Not reported
RO Phone: Not reported
RO Ext Num: Not reported
RO EMail Address: Not reported
Lat Dec Coord Num: 32.891600
Long Dec Coord Num: -97.041600

Name: DFW INTERNATIONAL AIRPORT
Address: 3122 E 30TH ST
City,State,Zip: GRAPEVINE, TX
Permit Num: 1382
Regulated Id: RN100213990
Permit Type: EXEMPT
Permit Status: EFFECTIVE
Permit Issued Date: 01/01/1900
Expiration Date: 12/31/3000
Customer Id: CN601700610
Company Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Physical Location Desc: WITHIN THE NE CORNER OF TARRANT COUNTY & NW CORNER OF DALLAS COUNTY JUST SE OF GRAPEVINE LAKE TARRANT & DALLAS COUNTIES

Rep Official(RO): Not reported
RO Name: Not reported
RO Delivery Address: Not reported
RO City/State/Zip: Not reported
RO Phone: Not reported
RO Ext Num: Not reported
RO EMail Address: Not reported
Lat Dec Coord Num: 32.891600
Long Dec Coord Num: -97.041600

Name: DFW INTERNATIONAL AIRPORT
Address: 3122 E 30TH ST
City,State,Zip: GRAPEVINE, TX
Permit Num: 18257
Regulated Id: RN100213990
Permit Type: CONSTRUCT
Permit Status: EFFECTIVE
Permit Issued Date: 11/25/2014
Expiration Date: 09/12/2024
Customer Id: CN601700610
Company Name: DALLAS/FORT WORTH INTERNATIONAL AIRPORT BOARD
Physical Location Desc: 2375 N INTERNATIONAL PKWY
Rep Official(RO): SENIOR ENVIRONMENTAL ANALYST
RO Name: MR M KRISTOFFER RUSSELL
RO Delivery Address: PO BOX 619428

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH INTERNATIONAL AIRPORT (Continued)

S116566557

RO City/State/Zip: DFW AIRPORT, T 75261-942
RO Phone: Not reported
RO Ext Num: 0
RO EMail Address: KRUSSELL@DFWAIRPORT.COM
Lat Dec Coord Num: 32.891600
Long Dec Coord Num: -97.041600

Name: DFW INTERNATIONAL AIRPORT
Address: 3122 E 30TH ST
City,State,Zip: GRAPEVINE, TX
Permit Num: 37660
Regulated Id: RN100213990
Permit Type: CONSTRUCT
Permit Status: CANCELLED
Permit Issued Date: 09/18/1998
Expiration Date: 12/31/3000
Customer Id: CN601700610
Company Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Physical Location Desc: WITHIN THE NE CORNER OF TARRANT COUNTY & NW CORNER OF DALLAS COUNTY,
JUST SE OF GRAPEVINE LAKE, TARRANT & DALLAS COUNTIES

Rep Official(RO): Not reported
RO Name: Not reported
RO Delivery Address: Not reported
RO City/State/Zip: Not reported
RO Phone: Not reported
RO Ext Num: Not reported
RO EMail Address: Not reported
Lat Dec Coord Num: 32.891600
Long Dec Coord Num: -97.041600

Name: DFW INTERNATIONAL AIRPORT
Address: 3122 E 30TH ST
City,State,Zip: GRAPEVINE, TX
Permit Num: 35765
Regulated Id: RN100213990
Permit Type: PBR
Permit Status: EFFECTIVE
Permit Issued Date: 07/22/1997
Expiration Date: 12/31/3000
Customer Id: CN601700610
Company Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Physical Location Desc: WITHIN THE NE CORNER OF TARRANT COUNTY & NW CORNER OF DALLAS COUNTY,
JUST SE OF GRAPEVINE LAKE, TARRANT & DALLAS COUNTIES

Rep Official(RO): Not reported
RO Name: Not reported
RO Delivery Address: Not reported
RO City/State/Zip: Not reported
RO Phone: Not reported
RO Ext Num: Not reported
RO EMail Address: Not reported
Lat Dec Coord Num: 32.891600
Long Dec Coord Num: -97.041600

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B43 AMERICAN AIRLINES AUTO BODY REFINISHING FACILITY

AIRS S116577220
COMP HIST N/A

< 1/8
1 ft.

DALLAS, TX

Site 6 of 6 in cluster B

**Relative:
Higher**

AIRS:

**Actual:
577 ft.**

Name: AMERICAN AIRLINES AUTO BODY REFINISHING FACILITY
Address: Not reported
City,State,Zip: DALLAS, TX
Permit Num: 52552
Regulated Id: RN103994786
Permit Type: PBR
Permit Status: EFFECTIVE
Permit Issued Date: 11/17/2003
Expiration Date: 12/31/3000
Customer Id: CN602385767
Company Name: AMERICAN AIRLINES INC
Physical Location Desc: 1811 NORTH SERVICE RD DFW AIRPORT DALLAS
Rep Official(RO): SENIOR ENVIRONMENTAL ENGINEER
RO Name: MR RICHARD MCDONALD
RO Delivery Address: PO BOX 619047
RO City/State/Zip: DFW AIRPORT, T 75261-904
RO Phone: Not reported
RO Ext Num: 0
RO EMail Address: Not reported
Lat Dec Coord Num: 32.891600
Long Dec Coord Num: -97.041600

COMP HIST:

RN Number: RN103994786
Name: AMERICAN AIRLINES AUTO BODY REFINISHING FACILITY
Address: Not reported
City,State,Zip: DALLAS, TX
Region: REGION 04 - DFW METROPLEX
CN Number: CN602385767
CN Name: AMERICAN AIRLINES INC
CN Rating: 3.32
Classification: SATISFACTORY
Date Calculated: 09/01/2022
Date Published to Web: 11/15/2022
Rating: 0
Classification 2: UNCLASSIFIED
Date Rated 2: 09/01/2022
Date Published to Web 2: 11/15/2022
NAICS Code: 481111
SIC Code: 7011
Related Number: 52552,52552

E44 SPIRIT AIRLINES

PFAS ECHO 1027422141
N/A

< 1/8
1 ft.

DALLAS, TX

Site 2 of 3 in cluster E

**Relative:
Lower**

PFAS ECHO:

**Actual:
567 ft.**

Name: SPIRIT AIRLINES
Address: Not reported
City,State,Zip: DALLAS, TX

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPIRIT AIRLINES (Continued)

1027422141

Latitude:	32.890094
Longitude:	-97.03941
Count:	1
County:	TARRANT COUNTY
Status:	Active
Region:	06
Industry:	Airports
ECHO Facility Report:	https://echo.epa.gov/detailed-facility-report?fid=110070359944
Facility Percent Minority:	50.93
Facility Derived Tribes:	-
Facility Population:	831.16
EPA Programs:	CWA
Federal Facility:	No
Federal Agency:	-
Facility FIPS Code:	48439
Facility Indian Country Flag:	N
Facility Collection Method:	ADDRESS MATCHING-HOUSE NUMBER
Facility Derived HUC:	12030103
Facility Derived WBD:	120301020705
Facility Derived CD113:	24
Facility Derived CB2010:	484399800001204
Facility Major Flag:	-
Facility Active Flag:	Y
Facility Inspection Count:	0
Facility Date Last Inspection:	-
Facility Days Last Inspection:	-
Facility Informal Count:	0
Facility Date Last Informal Action:	-
Facility Formal Action Count:	0
Facility Date Last Formal Action:	-
Facility Total Penalties:	0
Facility Penalty Count:	-
Facility Date Last Penalty:	-
Facility Last Penalty AMT:	-
Facility QTRS With NC:	0
Facility Programs With SNC:	0
Facility Compliance Status:	No Violation Identified
Facility SNC Flag:	N
AIR Flag:	N
NPDES Flag:	Y
SDWIS Flag:	N
RCRA Flag:	N
TRI Flag:	N
GHG Flag:	N
AIR IDS:	-
CAA Permit Types:	-
CAA NAICS:	-
CAA SICs:	-
NPDES IDS:	TXR05BW70
CWA Permit Types:	Minor
CWA NAICS:	-
CWA SICs:	4512 4581
RCRA IDS:	-
RCRA Permit Types:	-
RCRA NAICS:	-
SDWA IDS:	-
SDWA System Types:	-

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SPIRIT AIRLINES (Continued)

1027422141

SDWA Compliance Status: -
 SDWA SNC Flag: N
 TRI IDS: -
 TRI Releases Transfers: -
 TRI On Site Releases: -
 TRI Off Site Transfers: -
 TRI Reporter: -
 Facility IMP Water Flag: -
 EJSCREEN Flag US: N
 EJSCREEN Report: https://ejscreen.epa.gov/mapper/mobile/EJSCREEN_mobile.aspx?geometry=%7B%22x%22:-97.03941,%22y%22:32.890094,%22spatialReference%22:%7B%22wkid%22:4326%7D%7D&unit=9035&areatype=&areaid=&basemap=streets&distance=1

A45

**DFW TERMINAL E 48-55
 2640 N. INTERNATIONAL PKWY
 DALLAS, TX 75261**

**ASBESTOS S119142924
 N/A**

< 1/8
 1 ft.

Site 34 of 36 in cluster A

**Relative:
 Lower
 Actual:
 560 ft.**

ASBESTOS:
 Name: DFW TERMINAL E 48-55
 Address: 2640 N. INTERNATIONAL PKWY
 City,State,Zip: DALLAS, TX 75261
 Date of inspection: 01/09/2015
 Reason for Inspection: Notified
 Violation: No
 Complaint Date: Not reported
 Notification Number: Unknown
 ASB Priority: Low
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: 03
 Init: JR
 Seq: 06
 Facility Type: Asbestos
 Inspector Name: Frank Rodriguez
 Date Report Received: 02/23/2016
 Date Routed by Supervisor: Not reported
 Date Routed to PSQA: Not reported
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: Not reported
 Date Rtn to Inspector Corrections: Not reported
 Date Rcvd Back: Not reported
 Date Rtn to Inspector Corrections2: Not reported
 Date Rcvd Back 2: Not reported
 Date Rtn to Inspector Corrections 3: Not reported
 Date Rcvd Back 3: Not reported
 Notification Status: Not reported
 Amendo: Not reported
 Notification Work Type: Not reported
 Notification Type: Not reported
 Work Type Flag: Not reported
 Certification Statement Date: Not reported
 Certification Statement Phone: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 48-55 (Continued)

S119142924

Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

A46

DFW TERMINAL E 69-80
2610 N. INTERNATINAL PKWY
DFW AIRPORT, TX 75261

ASBESTOS S119142937
N/A

< 1/8
 1 ft.

Site 35 of 36 in cluster A

Relative:
Lower
Actual:
561 ft.

ASBESTOS:	
Name:	DFW TERMINAL E 69-80
Address:	2610 N. INTERNATINAL PKWY
City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	05/28/2015
Reason for Inspection:	Notified
Violation:	No
Complaint Date:	Not reported
Notification Number:	2015001039
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	01
Facility Type:	Asbestos

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 69-80 (Continued)

S119142937

Inspector Name:	Frank Rodriguez
Date Report Received:	07/27/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	07/28/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	07/27/2015
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFW TERMINAL E 69-80
Address:	2610 N. INTERNATINAL PKWY
City,State,Zip:	DFW AIRPORT, TX 75261
Date of inspection:	05/28/2015
Reason for Inspection:	Notified
Violation:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW TERMINAL E 69-80 (Continued)

S119142937

Complaint Date:	Not reported
Notification Number:	2015001878
ASB Priority:	Low
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	03
Init:	JR
Seq:	03
Facility Type:	Asbestos
Inspector Name:	Frank Rodriguez
Date Report Received:	07/27/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	07/28/2015
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	07/27/2015
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Not reported
Amendo:	Not reported
Notification Work Type:	Not reported
Notification Type:	Not reported
Work Type Flag:	Not reported
Certification Statement Date:	Not reported
Certification Statement Phone:	Not reported
Is The Facility a School or K-12?:	Not reported
Region:	Not reported
Priority:	Not reported
ARU:	Not reported
Is this a phased abatement project?:	Not reported
Ordered:	Not reported
Is This Project an Emergency?:	Not reported
Is Building Occupied?:	Not reported
High Profile:	Not reported
Ref Method:	Not reported
Analytical Method:	Not reported
Start Date:	Not reported
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW TERMINAL E 69-80 (Continued)

S119142937

Disposition: Not reported
 Inspection Class Descriptio: Not reported
 Inspection Secondary Class Code: Not reported
 Inspection Secondary Class Code Description: Not reported
 Results: Not reported
 Inspection Number Grade: Not reported

A47

**AIRPORT OPERATIONS AREA (AOA)-TERMINAL F
 2625 SOUTH INTERNATIONAL PARKWAY
 DALLAS, TX 75261**

ASBESTOS

S125921909

< 1/8
 1 ft.

N/A

Site 36 of 36 in cluster A

**Relative:
 Lower
 Actual:
 560 ft.**

ASBESTOS:
 Name: AIRPORT OPERATIONS AREA (AOA)-TERMINAL F
 Address: 2625 SOUTH INTERNATIONAL PARKWAY
 City,State,Zip: DALLAS, TX 75261
 Date of inspection: Not reported
 Reason for Inspection: Ashley Gonzalez
 Violation: Not reported
 Complaint Date: 11/27/2019
 Notification Number: 2019008150
 ASB Priority: Not reported
 PIF State: Not reported
 Detained: Not reported
 Product Name: Not reported
 Time Spent: Not reported
 Travel Time: Not reported
 Mileage: Not reported
 Reg: Not reported
 Init: Not reported
 Seq: Not reported
 Facility Type: NESHAP
 Inspector Name: Not reported
 Date Report Received: 11/19/2019
 Date Routed by Supervisor: Not reported
 Date Routed to PSQA: Not reported
 Date Reviewed by PSQA: Not reported
 Date Routed by Supervisor1: Not reported
 Date Rtd to Inspector Corrections: Not reported
 Date Rcvd Back: Not reported
 Date Rtd to Inspector Corrections2: Not reported
 Date Rcvd Back 2: Not reported
 Date Rtd to Inspector Corrections 3: Not reported
 Date Rcvd Back 3: Not reported
 Notification Status: Current
 Amendo: 3
 Notification Work Type: Abatement
 Notification Type: Amendment
 Work Type Flag: A
 Certification Statement Date: 11/19/2019
 Certification Statement Phone: 972-973-2740
 Is The Facility a School or K-12?: N
 Region: 03
 Priority: LOW
 ARU: 0
 Is this a phased abatement project?: Y
 Ordered: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AIRPORT OPERATIONS AREA (AOA)-TERMINAL F (Continued)

S125921909

Is This Project an Emergency?: N
Is Building Occupied?: N
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 11/18/2019
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEAD2019214-TERMINAL F
Address: 2625 SOUTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 11/27/2019
Notification Number: 2019008150
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: NESHAP
Inspector Name: Not reported
Date Report Received: 11/18/2019
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AIRPORT OPERATIONS AREA (AOA)-TERMINAL F (Continued)

S125921909

Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	11/18/2019
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	11/18/2019
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	AIRPORT OPERATIONS AREA (AOA)-TERMINAL F
Address:	2625 SOUTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	11/27/2019
Notification Number:	2019008150
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AIRPORT OPERATIONS AREA (AOA)-TERMINAL F (Continued)

S125921909

Facility Type:	NESHAP
Inspector Name:	Not reported
Date Report Received:	11/19/2019
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	2
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	11/19/2019
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	Y
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	11/18/2019
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWEAD2019214-TERMINAL F
Address:	2625 SOUTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AIRPORT OPERATIONS AREA (AOA)-TERMINAL F (Continued)

S125921909

Violation:	Not reported
Complaint Date:	12/06/2019
Notification Number:	2019008150
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	NESHAP
Inspector Name:	Not reported
Date Report Received:	11/04/2019
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	11/04/2019
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	LOW
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	N
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	11/18/2019
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AIRPORT OPERATIONS AREA (AOA)-TERMINAL F (Continued)

S125921909

Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

E48

< 1/8
1 ft.

DFW AIRPORT MS4
WITHIN DFW AIRPORT LIMITS
DALLAS, TX 75261

FINDS 1012082728
ECHO N/A

Site 3 of 3 in cluster E

Relative:
Lower

Actual:
569 ft.

FINDS:
Registry ID: 110038335058

[Click Here for FRS Facility Detail Report:](#)

Environmental Interest/Information System:

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1012082728
Registry ID: 110038335058
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110038335058>
Name: DFW AIRPORT MS4
Address: WITHIN DFW AIRPORT LIMITS
City,State,Zip: DALLAS, TX 75261

D49

< 1/8
1 ft.

RUNWAY 17L ALSF FLQ
DFW AIRPORT RUNWAY 17
DFW AIRPORT, TX

UST U003840055
AST N/A

Site 2 of 2 in cluster D

Relative:
Lower

Actual:
568 ft.

UST:
Name: RUNWAY 17L ALSF FLQ
Address: DFW AIRPORT RUNWAY 17
City,State,Zip: DFW AIRPORT, TX

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 17L ALSF FLQ (Continued)

U003840055

AI Number:	69295
Facility Type:	Not reported
Facility Begin Date:	08/31/1987
Facility Status:	Inactive
Additional ID:	507026522002139
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	DFW AIRPORT RUNWAY 17
Site Location (Nearest City Name):	DFW AIRPORT
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75261
Contact Name/Title:	MARK BENSON, RUNWAY 17L ALSF FLQ
Contact Organization Name:	
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	9726152160
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/15/1996
Signature Name/Title On Earliest Reg Form:	JOHN COCHRAN,ENVIROSERVE
Application Received Date On Earliest Reg Form:	02/05/1997
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	No
Facility Not Inspectable:	No
Operator:	
Princ ID:	137576212003029
Additional ID:	507026522002139
AI Number:	69295
Operator CN:	CN601535156
Operator Name:	DFW AIRPORT ENVIRONMENTAL SSC
Operator Effective Begin Date:	01/01/2007
Operator Type:	FG
Operator Role:	Not reported
Contact Name:	/
Contact Organization Name:	Not reported
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	-
Contact Phone Country Code:	Not reported
Contact Phone Area Code:	Not reported
Contact Phone Number:	Not reported
Contact Phone Extension:	Not reported
Contact Fax Country Code:	Not reported
Contact Fax Area Code:	Not reported
Contact Fax Number:	Not reported
Contact Fax Extension:	Not reported
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported

Owner:

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RUNWAY 17L ALSF FLQ (Continued)

U003840055

Owner CN:	CN600436885
Owner Last Name:	FEDERAL AVIATION ADMINISTRATION
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	FG
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	834384492001318
Additional ID:	507026522002139
AI Number:	69295
Owner Effective Begin Date:	12/31/2006
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported

Tank:

Install Date:	05/09/1996
Tank Registration Date:	02/05/1997
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	182568
Facility ID:	105086
AI Number:	69295
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	05/11/2005
Empty:	N
Tank Regulatory Status:	EXEMPT
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RUNWAY 17L ALSF FLQ (Continued)

U003840055

Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	05/15/1996
Compartment Records:	
Tank ID:	1
Tank Capacity:	2000
UST Comprt ID:	172923
UST ID:	182568
AI Number:	69295
Compartment ID:	A
Substance Stored1:	USED OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 17L ALSF FLQ (Continued)

U003840055

PRDM(Sir(StatInv Recon)/Inv Control): N
PRDM(Exempt System Suction): N
Spill Overfill Prevention Equip(SOPE): N
SOPE(Spill Cont/Bucket/Sump): N
SOPE(DelShut-Off Valve): N
SOPE(FlowRestrictorValue): N
SOPE(Alarm (Set@<=90%) W/3a Or 3b): N
SOPE(N/A Deliveries To Tank<=25G): N
Compartment Release Det Compliance Flag: N
Piping Release Detection Compliance Flag): N
Spill/OverfillPreventionCompliance Flag: N
Compartment Release Detection Variance: N
Piping Release Detection Variance: N
Spill And Overfill Prevention Variance: N
Stage I Vapor Recovery: Not reported
Stage 1 Installation Date: Not reported

Contractor, Consultant and Installer:

Cont/Cons/Installer ID: 33149
UST ID: 182568
NOC ID: Not reported
AI Number: 69295
Type Of Contact: CONTRACTOR
Contractor CRP Number Or Installer ILP Number: CRP001121
Company Name: Not reported
Representative Name: Not reported
Mailing Address (Delivery): Not reported
Mailing Address (Internal Delivery): Not reported
Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Mailing Foreign Postal Code: Not reported
Mailing County Code: Not reported
Phone Number Country Code: Not reported
Phone Number Area Code: Not reported
Phone Number: Not reported
Phone Number Extension: Not reported
Fax Number Country Code: Not reported
Fax Number Area Code: Not reported
Fax Number: Not reported
Email Address: Not reported

Cont/Cons/Installer ID: 48329
UST ID: 182568
NOC ID: Not reported
AI Number: 69295
Type Of Contact: INSTALLER
Contractor CRP Number Or Installer ILP Number: ILP000445
Company Name: Not reported
Representative Name: Not reported
Mailing Address (Delivery): Not reported
Mailing Address (Internal Delivery): Not reported
Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Mailing Foreign Postal Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 17L ALSF FLQ (Continued)

U003840055

Mailing County Code: Not reported
Phone Number Country Code: Not reported
Phone Number Area Code: Not reported
Phone Number: Not reported
Phone Number Extension: Not reported
Fax Number Country Code: Not reported
Fax Number Area Code: Not reported
Fax Number: Not reported
Email Address: Not reported

Facility Billing Contacts:

Contact Organization Name: FEDERAL AVIATION ADMINISTRATION
Contact Mailing Address (Delivery): PO BOX 610368
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City/State/Zip: DALLAS, TX 75261 0368
Phone Number/Ext: /
Contact Fax Number/Ext: /
Contact Email Address: Not reported
Contact Address Deliverable: Y
Facility ID: 105086
Additional ID: 507026522002139
Princ ID: 834384492001318
AI Number: 69295
Facility Name: RUNWAY 17L ALSF FLQ
AR Number: 16511
AR UST Number Suffix: A
AR AST Number Suffix: U
Contact Name/Title: STACY HOWARD/

AST:

Name: RUNWAY 17L ALSF FLQ
Address: DFW AIRPORT RUNWAY 17
City,State,Zip: DFW AIRPORT, TX
Facility ID: 105086
Additional ID: 507026522002139
AI Number: 69295
Facility Type: Not reported
Facility Begin Date: 08/31/1987
Facility Status: Inactive
Facility Exempt Status: N
Records Off-Site: N
UST Financial Assurance Required: N
Number of Active ASTs: 0
Site Location Description: DFW AIRPORT RUNWAY 17
Site Location (nearest city name): DFW AIRPORT
Site Location (county name): DALLAS
Site Location (TCEQ region): 4
Site Location (location zip): 75261
Contact Name/Title: MARK BENSON/
Contact Organization Name: RUNWAY 17L ALSF FLQ
Contact Mailing Address1: Not reported
Contact Mailing Address2: Not reported
Contact CityStateZip: Not reported
Contact Telephone: 9726152160
Contact Address Deliverable: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 17L ALSF FLQ (Continued)

U003840055

Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date on Earliest Reg Form:	05/15/1996
Signature First Name on Earliest Reg Form:	JOHN
Application Received Date on Earliest Reg Form:	02/05/1997
Signature Middle Name on Earliest Reg Form:	Not reported
Signature Last Name on Earliest Reg Form:	COCHRAN
Signature Title on Earliest Reg Form:	ENVIROSERVE
Signature Role on Earliest Reg Form:	Not reported
Signature Company on Earliest Reg Form:	Not reported
Enforcement Action:	N
Facility Not Inspectable:	N
Facility Not Inspectable Reason A:	Not reported
Facility Not Inspectable Reason B:	Not reported
Enforcement Action Date:	Not reported
Facility:	
Facility ID:	105086
Tank ID:	2
AST ID:	182569
AI Number:	69295
Install Date:	02/14/1996
Tank Registration Date:	02/05/1997
Mult Comp:	N
Tank Status:	OUT OF USE
Tank Status Date:	06/11/2021
Tank Reg Status:	FULLY REGULATED
Tank Capacity:	2000
Substance:	DIESEL
Other Substance B:	Not reported
Other Substance C:	Not reported
Steel:	Y
Fiber:	N
Aluminum:	N
Metal:	N
Concrete:	N
Dike:	N
Liner:	N
Contains CO:	Y
Contains NO:	N
Vapor Rec:	Not reported
Inst Stage Date:	Not reported

F50

< 1/8
1 ft.

**SOUTH END, TERMINAL 4E, D/FW INTRNTL AIRPORT
, TX**

Site 1 of 2 in cluster F

**CLI S104731928
N/A**

**Relative:
Lower**

CLI:	
Name:	Not reported
Address:	SOUTH END, TERMINAL 4E, D/FW INTRNTL AIRPORT
City, State, Zip:	TX
Facility ID:	2095
Facility Name2:	Not reported
Site Status:	UNAUTHORIZED/NON-PERMITTED SITE
Date Received:	19871016

**Actual:
562 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104731928

County: Tarrant
Region: Duncanville
Near City: GRAPEVINE
Organic Acres: *****
Area Served: Not reported
Population Srvd: 500
Tons per Day: 5
Yards per Day: 0.00
Permit Status: W
Removal Status: ADMINISTRATIVELY WITHDRAWN
Status Date: 19881114
Engineer: TAO
Source: 5
Source Code: Not reported
Date Opened: Not reported
Date Closed: Not reported
Size - Acres: Not reported
Size - Cubic Yrds: Not reported
Lat Deg: 32
Lat Min: 53.20
Long Deg: 97
Long Min: 2.25
Lat/Long (deg): 32.886667 / -97.037500
Owner: DALLAS/FT WORTH ARPT BOARD
Owner Address: D/FW INTERNATIONAL AIRPORT
Owner C,S,Z: DALLAS, TX 75261
Business Type: BUSINESS
Facility Type: *****
Version of Amendment: Not reported
Extra Territorial Jurisdiction: Not reported
Applicant Name: DELTA AIR LINES INC
Applicant Address: D/FW INTNL AIRPORT
Applicant City,St,Zip: DALLAS, TX 75261
Applicant Phone: 214 5742255
Est Cleanup Date: *****
River Basin Code: 8
Earliest Date in the Records: Not reported
Last Date in Records Site Accepted Waste: *****
Texas Council of Government Code: 4
Texas Water Commision District Code: Not reported
Code for Landfill: 1
Parties: Not reported
Accepts House Hold: Not reported
Accepts Construction Demolition: Not reported
Accepts Industrial Waste: Not reported
Accepts Tires: Not reported
Accepts Agriculture: Not reported
Accepts Brush: Not reported
Accepts Other: Not reported
Accepts Other Description: Not reported
Haz Waste Unlikey: Not reported
Haz Waste Probably: Not reported
Haz Waste Likey: Not reported
Legal: Not reported
Maximum Depth: Not reported
Depth Code: Not reported
Final Cover Has Been Applied: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104731928

Minimum Thickness of Final Cover: Not reported
In Use Inspector: Not reported
Inspc Comments: Not reported
Comments: Not reported
Update: 2
Reviewer: Not reported
Flag: Not reported

F51

DELTA AIR LINES INC

CLI S113425424

< 1/8
1 ft.

GRAPEVINE, TX

N/A

Site 2 of 2 in cluster F

Relative:
Lower
Actual:
561 ft.

NCTCOG LI:
Name: DELTA AIR LINES INC
Address: Not reported
City,State,Zip: GRAPEVINE, TX
Facility Id: 2095
Type: Waste incinerators
Status: Closed
Permitted: -1
Private: 0
Operator: Not reported
Loc Desc TCEQ: Not reported
Location Description: SOUTH END,TERMINAL 4E,D/FW INTRNTL AIRPORT
Lat: 32.88679
Long: -97.03779
Metes Bounds: 0
Accuracy: 3
Acres: Not reported
Land Units: likely Abst. 36
Geo Number: Not reported
Amendments: Not reported
Hazard: Not reported
Affidavit Public: 0
Photo: 0
Date Opened: 12/29/1899
Date Closed: 12/29/1899
Last Updated: 12/29/1899
Open Date Estimated: 0
Close Date Estimated: 0
Tons Per Day: 5
Current Tons: Not reported
Current Rem Yards: Not reported
Current Rate: Not reported
Current Rem Tons: Not reported
Current Rem Years: Not reported
Current As Of: Not reported
Land Use2000: did not visit
Contact Name: Not reported
Contact Address: Not reported
Contact City: Not reported
Contact State: Not reported
Contact Zip: Not reported
Contact Phone: Not reported
Reviewer Comments: Not reported
Inventory Status: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DELTA AIR LINES INC (Continued)

S113425424

Comments: Not reported

**C52
 NE
 < 1/8
 0.013 mi.
 67 ft.**

**UNITED AIRLINES
 TERMIAL E SECTION 1 E2 E4 & E5
 DFW AIRPORT, TX 75261
 Site 3 of 4 in cluster C**

**TIER 2 S110414616
 N/A**

**Relative:
 Lower
 Actual:
 569 ft.**

TIER 2:
 Facility Id/Name: FATR201168ZUVX0021PP/UNITED AIRLINES
 Reporting Year: 2011
 Facility Country: USA
 Facility Department: Not reported
 Facility Date Modified: 5/16/2012
 Date Tier 2 Signed: 2/6/2012
 Mailing Address: P.O. Box 610827
 Mailing City/State/Country: DFW Airport, TX USA
 Dikes/Other Safeguard Meas Emp: Not reported
 All Chemicals Same As Last Year: True
 State Fees Total: 100.00
 Number Of Employess On Site: Not reported
 Site Map: Not reported
 Fire District: Not reported
 Submitted By: Mark LaScola
 Latitude: 32.89363
 Longitude: -97.03819
 Lat/Long Location Desc: CE - Center of Facility
 Lat/Long Method: G0 - GPS (Other)
 Site Coordinate Abbr Submitted: Not reported
 Number Of Emp. Required: Not reported
 Fail Valid: Not reported
 Site Coordinate Abbr Submitted: Not reported
 Mail Address: Not reported
 Mail City: Not reported
 Mail State Req.: Not reported
 Fire District: Not reported
 Additional Mail Addr: Not reported

Facility Id/Name: FATR200968ZUVX0021PP/UNITED AIRLINES
 Reporting Year: 2009
 Facility Country: USA
 Facility Department: Not reported
 Facility Date Modified: 5/24/2010
 Date Tier 2 Signed: 2/4/2010
 Mailing Address: P.O. Box 610827
 Mailing City/State/Country: DFW Airport, TX USA
 Dikes/Other Safeguard Meas Emp: Not reported
 All Chemicals Same As Last Year: True
 State Fees Total: 50.00
 Number Of Employess On Site: Not reported
 Site Map: Not reported
 Fire District: Not reported
 Submitted By: Dana Larson
 Latitude: 32.89363
 Longitude: -97.03819
 Lat/Long Location Desc: CE - Center of Facility
 Lat/Long Method: G0 - GPS (Other)
 Site Coordinate Abbr Submitted: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNITED AIRLINES (Continued)

S110414616

Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Info:

Id: 00-693-3030
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/4/2009
Id: 481111
Id Type: NAICS
Description: Scheduled Passenger Air Transportation
Last Modified: 2/4/2009
Id: Not reported
Id Type: Not reported
Description: Not reported
Last Modified: 2/4/2009

Contact:

Contact Email: Not reported
Contact Mail Address: Termial E Section 1 Gates E2 E4 & E5
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Type 2: Emergency Contact
Contact Name: Brent Cancienne
Title: Manager
Modification Date: 2/5/2010

Contact:

Contact Email: Not reported
Contact Mail Address: Termial b Section 3 Gates B28-B30
Contact City/State/Zip: DFW Aiipport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Type 2: Emergency Contact
Contact Name: Dana Larson
Title: Environmental Coordinator
Modification Date: 2/5/2010

Chemical Inventory:

Facility Id: FATR200968ZUVX0021PP
Chemical Name: Lead
Chemical Inv Record Id: CVTR200968ZUW60059SY
CAS Number: 7439-92-1
Chemical Same As Last Year: Not reported
Acute Health Risks: Not reported
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNITED AIRLINES (Continued)

S110414616

Max Amount In Largest Container: 2626
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/5/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20096ATH9G001GN0
Chemical Inventory Record Id: CVTR200968ZUW60059SY
Amt Of Sub Stored Or Transported: 10504
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 7
Desc of Loc(Or Transported) Subs: In Electric Tractors
Last Modified: 2/5/2010

Mixture:

Record Key: CMTR20096ATHBN002CTJ
Chemical Inv Record Id: CVTR200968ZUW60059SY
Mix Chemical: LEAD
Percentage: 55
Facility Id: FATR200968ZUVX0021PP
Mixture Cas: 7439-92-1
Weight/Volume: Wt
Mixture Ehs: Not reported
Mixture Last Modified: 2/5/2010

Record Key: CMTR20096ATHED003R2V
Chemical Inv Record Id: CVTR200968ZUW60059SY
Mix Chemical: LEAD DIOXIDE
Percentage: 5
Facility Id: FATR200968ZUVX0021PP
Mixture Cas: 1309-60-0
Weight/Volume: Wt
Mixture Ehs: Not reported
Mixture Last Modified: 2/5/2010

Record Key: CMTR20096ATHFS004X8N
Chemical Inv Record Id: CVTR200968ZUW60059SY
Mix Chemical: LEAD(II) SULFATE
Percentage: 5
Facility Id: FATR200968ZUVX0021PP
Mixture Cas: 7446-14-2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNITED AIRLINES (Continued)

S110414616

Weight/Volume: Wt
Mixture Ehs: Not reported
Mixture Last Modified: 2/5/2010

Facility Id: FATR200968ZUVX0021PP
Chemical Name: sulfuric Acid
Chemical Inv Record Id: CVTR20096ATCFB001GUB
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100 - 999 pounds
Max Daily Amount: 100 - 999 pounds
Max Amount In Largest Container: 224
Chronic Health Risks: Not reported
EHS Substance: T
Last Modified: 2/5/2010
Days On Site: 365
Fire Hazard: T
Gas: T
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20096ATGC7001EZM
Chemical Inventory Record Id: CVTR20096ATCFB001GUB
Amt Of Sub Stored Or Transported: 896
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 3
Number Code/Storage Temperature: 7
Desc of Loc(Or Transported) Subs: In Electric Tractors
Last Modified: 2/5/2010

Mixture:

Record Key: CMTR20096ATGJC002R9P
Chemical Inv Record Id: CVTR20096ATCFB001GUB
Mix Chemical: SULFURIC ACID
Percentage: 10
Facility Id: FATR200968ZUVX0021PP
Mixture Cas: 7664-93-9
Weight/Volume: Wt
Mixture Ehs: T
Mixture Last Modified: 2/5/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNITED AIRLINES (Continued)

S110414616

Facility Info:

Id: 481111
Id Type: NAICS
Description: Scheduled Passenger Air Transportation
Last Modified: 2/4/2009
Id: 00-693-3030
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/4/2009
Id: Not reported
Id Type: Not reported
Description: Not reported
Last Modified: 2/4/2009

Contact:

Contact Email: dana.larson@united.com
Contact Mail Address: Terminal b Section 3 Gates B28-B30
Contact City/State/Zip: DFW Aiiport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Type 2: Emergency Contact
Contact Name: Dana Larson
Title: Environmental Coordinator
Modification Date: 2/9/2012

Contact:

Contact Email: mark.lascola@united.com
Contact Mail Address: Terminal E Section 1 Gates E4,E5, &E6
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Type 2: Owner / Operator
Contact Name: Mark LaScola
Title: Manger
Modification Date: 2/9/2012

Chemical Inventory:

Facility Id: FATR201168ZUVX0021PP
Chemical Name: Lead
Chemical Inv Record Id: CVTR201168ZUW60059SY
CAS Number: 7439-92-1
Chemical Same As Last Year: T
Acute Health Risks: Not reported
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 2626
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/9/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported
Mixture Form: T

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNITED AIRLINES (Continued)

S110414616

Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20116ATH9G001GN0
Chemical Inventory Record Id: CVTR201168ZUW60059SY
Amt Of Sub Stored Or Transported: 10504
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 7
Desc of Loc(Or Transported) Subs: In Electric Tractors
Last Modified: 2/9/2012

Mixture:

Record Key: CMTR20116ATHBN002CTJ
Chemical Inv Record Id: CVTR201168ZUW60059SY
Mix Chemical: LEAD
Percentage: 55
Facility Id: FATR201168ZUVX0021PP
Mixture Cas: 7439-92-1
Weight/Volume: Wt
Mixture Ehs: Not reported
Mixture Last Modified: 2/9/2012

Record Key: CMTR20116ATHED003R2V
Chemical Inv Record Id: CVTR201168ZUW60059SY
Mix Chemical: LEAD DIOXIDE
Percentage: 5
Facility Id: FATR201168ZUVX0021PP
Mixture Cas: 1309-60-0
Weight/Volume: Wt
Mixture Ehs: Not reported
Mixture Last Modified: 2/9/2012

Record Key: CMTR20116ATHFS004X8N
Chemical Inv Record Id: CVTR201168ZUW60059SY
Mix Chemical: LEAD(II) SULFATE
Percentage: 5
Facility Id: FATR201168ZUVX0021PP
Mixture Cas: 7446-14-2
Weight/Volume: Wt
Mixture Ehs: Not reported
Mixture Last Modified: 2/9/2012

Facility Id: FATR201168ZUVX0021PP
Chemical Name: sulfuric Acid
Chemical Inv Record Id: CVTR20116ATCFB001GUB
CAS Number: 7664-93-9
Chemical Same As Last Year: T

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNITED AIRLINES (Continued)

S110414616

Acute Health Risks: T
Average Daily Amount: 100 - 999 pounds
Max Daily Amount: 100 - 999 pounds
Max Amount In Largest Container: 224
Chronic Health Risks: Not reported
EHS Substance: T
Last Modified: 2/9/2012
Days On Site: 365
Fire Hazard: T
Gas: T
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20116ATGC7001EZM
Chemical Inventory Record Id: CVTR20116ATCFB001GUB
Amt Of Sub Stored Or Transported: 896
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 3
Number Code/Storage Temperature: 7
Desc of Loc(Or Transported) Subs: In Electric Tractors
Last Modified: 2/9/2012

Mixture:

Record Key: CMTR20116ATGJC002R9P
Chemical Inv Record Id: CVTR20116ATCFB001GUB
Mix Chemical: SULFURIC ACID
Percentage: 10
Facility Id: FATR201168ZUVX0021PP
Mixture Cas: 7664-93-9
Weight/Volume: Wt
Mixture Ehs: T
Mixture Last Modified: 2/9/2012

Notes: Not reported
Validation: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

C53
NE
< 1/8
0.013 mi.
67 ft.

UNITED AIRLINES
TERMIAL E SECTION 1 E4 E5 E6 E7 E8 & E9
DFW AIRPORT, TX 75261

TIER 2 **S113680469**
N/A

Site 4 of 4 in cluster C

Relative:
Lower
Actual:
569 ft.

TIER 2:
Facility Id/Name: FATR201268ZUVX0021PP/UNITED AIRLINES
Reporting Year: 2012
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 5/8/2013
Date Tier 2 Signed: 2/08/2013
Mailing Address: P.O. Box 610827
Mailing City/State/Country: DFW Airport, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: True
State Fees Total: 100.00
Number Of Emploeyss On Site: 145
Site Map: Not reported
Fire District: Not reported
Submitted By: Dana Larson
Latitude: 32.89363
Longitude: -97.03819
Lat/Long Location Desc: CE - Center of Facility
Lat/Long Method: G0 - GPS (Other)
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Info:
Id: 00-693-3030
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/4/2009
Id: Not reported
Id Type: Not reported
Description: Not reported
Last Modified: 2/4/2009
Id: 481111
Id Type: NAICS
Description: Scheduled Passenger Air Transportation
Last Modified: 2/4/2009

Contact:
Contact Email: dana.larson@united.com
Contact Mail Address: Termial b Section 3 Gates B28-B30
Contact City/State/Zip: DFW Aiipport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Type 2: Emergency Contact
Contact Name: Dana Larson

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNITED AIRLINES (Continued)

S113680469

Title: Environmental Coordinator
Modification Date: 2/24/2013

Contact:

Contact Email: mark.lascola@united.com
Contact Mail Address: Terminal E Section 1 Gates E4,E5, &E6
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Type 2: Owner / Operator
Contact Name: Mark LaScola
Title: Manger
Modification Date: 2/24/2013

Chemical Inventory:

Facility Id: FATR201268ZUVX0021PP
Chemical Name: Lead
Chemical Inv Record Id: CVTR201268ZUW60059SY
CAS Number: 7439-92-1
Chemical Same As Last Year: T
Acute Health Risks: Not reported
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 2626
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/24/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20126ATH9G001GN0
Chemical Inventory Record Id: CVTR201268ZUW60059SY
Amt Of Sub Stored Or Transported: 10504
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 7
Desc of Loc(Or Transported) Subs: In Electric Tractors
Last Modified: 2/24/2013

Mixture:

Record Key: CMTR20126ATHBN002CTJ

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNITED AIRLINES (Continued)

S113680469

Chemical Inv Record Id: CVTR201268ZUW60059SY
Mix Chemical: LEAD
Percentage: 55
Facility Id: FATR201268ZUVX0021PP
Mixture Cas: 7439-92-1
Weight/Volume: Wt
Mixture Ehs: Not reported
Mixture Last Modified: 2/24/2013

Record Key: CMTR20126ATHED003R2V
Chemical Inv Record Id: CVTR201268ZUW60059SY
Mix Chemical: LEAD DIOXIDE
Percentage: 5
Facility Id: FATR201268ZUVX0021PP
Mixture Cas: 1309-60-0
Weight/Volume: Wt
Mixture Ehs: Not reported
Mixture Last Modified: 2/24/2013

Record Key: CMTR20126ATHFS004X8N
Chemical Inv Record Id: CVTR201268ZUW60059SY
Mix Chemical: LEAD(II) SULFATE
Percentage: 5
Facility Id: FATR201268ZUVX0021PP
Mixture Cas: 7446-14-2
Weight/Volume: Wt
Mixture Ehs: Not reported
Mixture Last Modified: 2/24/2013

Facility Id: FATR201268ZUVX0021PP
Chemical Name: sulfuric Acid
Chemical Inv Record Id: CVTR20126ATCFB001GUB
CAS Number: 7664-93-9
Chemical Same As Last Year: T
Acute Health Risks: T
Average Daily Amount: 100 - 999 pounds
Max Daily Amount: 100 - 999 pounds
Max Amount In Largest Container: 224
Chronic Health Risks: Not reported
EHS Substance: T
Last Modified: 2/24/2013
Days On Site: 365
Fire Hazard: T
Gas: T
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20126ATGC7001EZM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNITED AIRLINES (Continued)

S113680469

Chemical Inventory Record Id: CVTR20126ATCFB001GUB
Amt Of Sub Stored Or Transported: 896
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 3
Number Code/Storage Temperature: 7
Desc of Loc(Or Transported) Subs: In Electric Tractors
Last Modified: 2/24/2013

Mixture:

Record Key: CMTR20126ATGJC002R9P
Chemical Inv Record Id: CVTR20126ATCFB001GUB
Mix Chemical: SULFURIC ACID
Percentage: 10
Facility Id: FATR201268ZUVX0021PP
Mixture Cas: 7664-93-9
Weight/Volume: Wt
Mixture Ehs: T
Mixture Last Modified: 2/24/2013

Notes: Not reported
Validation: Not reported

G54
NNE
< 1/8
0.027 mi.
141 ft.

2505 SOUTH SERVICE RD
DFW AIRPORT, TX
Site 1 of 3 in cluster G

ERNS 2003640112
N/A

Relative:
Higher

Actual:
581 ft.

Incident Commons:
NRC Report #: 640112
Description of Incident: MATERIALS RELEASED FROM A PUMP, DUE TO AN EQUIPMENT FAILURE.
Type of Incident: FIXED
Incident Cause: EQUIPMENT FAILURE
Incident Date Time: 2003-03-20 12:00:00
Incident DTG: OCCURRED
Incident Location: Not reported
Location Address: 2505 SOUTH SERVICE RD
Location Street 1: Not reported
Location Street 2: Not reported
Location Nearest City: DFW AIRPORT
Location State: TX
Location County: TARRANT
Location Zip: Not reported
Distance From City: Not reported
Distance Units: Not reported
Direction From City: Not reported
Lat Deg: Not reported
Lat Min: Not reported
Lat Sec: Not reported
Lat Quad: Not reported
Long Deg: Not reported
Long Min: Not reported
Long Sec: Not reported
Long Quad: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2003640112

Location Section: Not reported
Location Township: Not reported
Location range: Not reported
Potential Range: Not reported

Incidents:

Year: 2003
NRC Report #: 640112
Aircraft Type: Not reported
Aircraft Model: Not reported
Aircraft ID: Not reported
Aircraft Fuel Capacity: Not reported
Aircraft Fuel Capacity Units: Not reported
Aircraft Fuel on Board: Not reported
Aircraft Fuel on Board Units: Not reported
Aircraft Spot Number: Not reported
Aircraft Hanger: Not reported
Aircraft Runway Number: Not reported
Road Mile Marker: Not reported
Building ID: Not reported
Type of Fixed Object: OTHER
Power Generating Facility: N
Generating Capacity: Not reported
Type of Fuel: Not reported
NPDES: Not reported
NPDES Compliance: U
Pipeline Type: Not reported
DOT Regulated: U
Pipeline Above Ground: ABOVE
Exposed Underwater: N
Pipeline Covered: U
Railroad Hotline: Not reported
Grade Crossing: N
Location Subdivision: Not reported
Railroad Milepost: Not reported
Type Vehicle Involved: Not reported
Crossing Device Type: Not reported
Device Operational: Y
DOT Crossing Number: Not reported
Brake Failure: N
Description of Tank: Not reported
Tank Above Ground: ABOVE
Transportable Container: U
Tank Regulated: U
Tank Regulated By: Not reported
Tank ID: Not reported
Capacity of Tank: Not reported
Capacity of Tank Units: Not reported
Actual Amount: Not reported
Actual Amount Units: Not reported
Platform Rig Name: Not reported
Platform Letter: Not reported
Location Area ID: Not reported
Location Block ID: Not reported
OCSG Number: Not reported
OCSP Number: Not reported
State Lease Number: Not reported
Pier Dock Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2003640112

Berth Slip Number: Not reported
Continuous Release Type: Not reported
Initial Continuous Release No: Not reported
Continuous Release Permit: Not reported
Allision: N
Type of Structure: Not reported
Structure Name: Not reported
Structure Operational: U
Airbag Deployed: Not reported
Date Tiem Normal Service: Not reported
Service Disruption Time: Not reported
Service Disruption Units: Not reported
Transit Bus Flag: Not reported
CR Begin Date: Not reported
CR End Date: Not reported
CR Change Date: Not reported
FBI Contact: Not reported
FBI Contact Date Time: Not reported
Sub Part C Testing Req: XXX
Conductor Testing: Not reported
Engineer Testing: Not reported
Trainman Testing: Not reported
Yard Foreman Testing: Not reported
RCL Operator Testing: Not reported
Brakeman Testing: Not reported
Train Dispatcher Testing: Not reported
Signalman Testing: Not reported
Other Employee Testing: Not reported
Unknown Testing: Not reported
Passenger Handling: Not reported
Passenger Route: XXX
Passenger Delay: XXX

Incident Details:

Year: 2003
NRC Report #: 640112
Fire Involved: N
Fire Extinguished: U
Any Evacuations: N
Number Evacuated: Not reported
Who Evacuated: Not reported
Radius of Evacuation: Not reported
Any Injuries: N
Number Injured: Not reported
Number Hospitalized: Not reported
Any Fatalities: N
Number Fatalities: Not reported
Any Damages: N
Damage Amount: Not reported
Air Corridor Closed: N
Air Corridor Desc: Not reported
Air Closure Time: Not reported
Waterway Closed: N
Waterway Desc: Not reported
Waterway Closure Time: Not reported
Road Closed: N
Road Desc: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2003640112

Road Closure Time:	Not reported
Closure Direction:	Not reported
Major Artery:	N
Track Closed:	N
Track Desc:	Not reported
Track Closure Time:	Not reported
Media Interest:	NONE
Medium Desc:	WATER
Additional Medium Info:	DRAINAGE DITCH
Body of Water:	DRAINAGE DITCH
Tributary of:	Not reported
Release Secured:	Y
Estimated Duration of Release:	Not reported
Release rate:	Not reported
Desc Remedial Action:	BOOMS APPLIED, VAC TRUCK USED.
State Agency on Scene:	Not reported
State Agency Report Number:	Not reported
Other Agency Notified:	Not reported
Weather Conditions:	PARTLY CLOUDY
Air Temperature:	Not reported
Wind Speed:	Not reported
Wind Direction:	Not reported
Water Supply Contaminated:	N
Sheen Size:	Not reported
Sheen Color:	UNKNOWN
Direction of Sheen Travel:	Not reported
Sheen Odor Description:	Not reported
Wave Condition:	Not reported
Current Speed:	Not reported
Current Direction:	Not reported
Water Temperature:	Not reported
Track Close Dir:	Not reported
Empl Fatality:	Not reported
Pass Fatality:	Not reported
Community Impact:	N
Wind Speed Unit:	Not reported
Employee Injuries:	Not reported
Passenger Injuries:	Not reported
Occupant Fatality:	Not reported
Current Speed Unit:	Not reported
Road Closure Units:	Not reported
Track CLOSure Units:	Not reported
Sheen Size Units:	Not reported
Additional Info:	NO SHEEN INFORMATION.
State Agency Notified:	Not reported
Federal Agency Notified:	Not reported
nearest River Mile Marker:	Not reported
Sheen Size Length:	Not reported
Sheen Size Length Units:	Not reported
Sheen Size Width:	Not reported
Sheen Size Width Units:	Not reported
Offshore:	N
Duration Unit:	Not reported
Release Rate Unit:	Not reported
Release Rate Rate:	Not reported
Passengers Transferred:	UNK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2003640112

Calls:

Year: 2003
NRC Report #: 640112
Site ID: 2003640112
Date Time Received: 2003-03-21 10:56:43
Date Time Complete: 2003-03-21 11:02:15
Call Type: INC
Responsible Company: AUSTIN COMMERCIAL
Responsible Org Type: PRIVATE ENTERPRISE
Responsible City: DFW AIRPORT
Responsible State: TX
Responsible Zip: Not reported
On Behalf: Y
Source: TELEPHONE

Material Involved:

Year: 2003
NRC Report #: 640112
Chris Code: OHY
Case Number: 000000-00-0
UN Number: Not reported
Amount of Material: 0
Unit of Measure: UNKNOWN AMOUNT
Name of Material: HYDRAULIC OIL
If Reached Water: YES
Amount in Water: 0
Unit of Measure Reach Water: UNKNOWN AMOUNT

G55
NNE
< 1/8
0.027 mi.
141 ft.

2505 S. SERVICE RD.
DFW AIRPORT, TX

Site 2 of 3 in cluster G

ERNS 2003640496
N/A

Relative:
Higher
Actual:
581 ft.

Incident Commons:
NRC Report #: 640496
Description of Incident: CALLER IS REPORTING MATERIAL RELEASED FROM A OIL/WATER SEPARATOR DUE TO AN EQUIPMENT FAILURE.
Type of Incident: FIXED
Incident Cause: EQUIPMENT FAILURE
Incident Date Time: 2003-03-25 07:45:00
Incident DTG: DISCOVERED
Incident Location: SOUTH END OF DFW AIRPORT, SOUTH OF THE RUNWAY
Loaction Address: 2505 S. SERVICE RD.
Location Street 1: Not reported
Location Street 2: Not reported
Location Nearest City: DFW AIRPORT
Location State: TX
Location County: TARRANT
Location Zip: Not reported
Distance From City: Not reported
Distance Units: Not reported
Direction From City: Not reported
Lat Deg: Not reported
Lat Min: Not reported
Lat Sec: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2003640496

Lat Quad: Not reported
Long Deg: Not reported
Long Min: Not reported
Long Sec: Not reported
Long Quad: Not reported
Location Section: Not reported
Location Township: Not reported
Location range: Not reported
Potential Range: Not reported

Incidents:

Year: 2003
NRC Report #: 640496
Aircraft Type: Not reported
Aircraft Model: Not reported
Aircraft ID: Not reported
Aircraft Fuel Capacity: Not reported
Aircraft Fuel Capacity Units: Not reported
Aircraft Fuel on Board: Not reported
Aircraft Fuel on Board Units: Not reported
Aircraft Spot Number: Not reported
Aircraft Hanger: Not reported
Aircraft Runway Number: Not reported
Road Mile Marker: Not reported
Building ID: Not reported
Type of Fixed Object: OTHER
Power Generating Facility: N
Generating Capacity: Not reported
Type of Fuel: Not reported
NPDES: Not reported
NPDES Compliance: U
Pipeline Type: Not reported
DOT Regulated: U
Pipeline Above Ground: ABOVE
Exposed Underwater: N
Pipeline Covered: U
Railroad Hotline: Not reported
Grade Crossing: N
Location Subdivision: Not reported
Railroad Milepost: Not reported
Type Vehicle Involved: Not reported
Crossing Device Type: Not reported
Device Operational: Y
DOT Crossing Number: Not reported
Brake Failure: N
Description of Tank: Not reported
Tank Above Ground: ABOVE
Transportable Container: U
Tank Regulated: U
Tank Regulated By: Not reported
Tank ID: Not reported
Capacity of Tank: Not reported
Capacity of Tank Units: Not reported
Actual Amount: Not reported
Actual Amount Units: Not reported
Platform Rig Name: Not reported
Platform Letter: Not reported
Location Area ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2003640496

Location Block ID: Not reported
OCSG Number: Not reported
OCSP Number: Not reported
State Lease Number: Not reported
Pier Dock Number: Not reported
Berth Slip Number: Not reported
Continuous Release Type: Not reported
Initial Continuous Release No: Not reported
Continuous Release Permit: Not reported
Allision: N
Type of Structure: Not reported
Structure Name: Not reported
Structure Operational: U
Airbag Deployed: Not reported
Date Tiem Normal Service: Not reported
Service Disruption Time: Not reported
Service Disruption Units: Not reported
Transit Bus Flag: Not reported
CR Begin Date: Not reported
CR End Date: Not reported
CR Change Date: Not reported
FBI Contact: Not reported
FBI Contact Date Time: Not reported
Sub Part C Testing Req: XXX
Conductor Testing: Not reported
Engineer Testing: Not reported
Trainman Testing: Not reported
Yard Foreman Testing: Not reported
RCL Operator Testing: Not reported
Brakeman Testing: Not reported
Train Dispatcher Testing: Not reported
Signalman Testing: Not reported
Other Employee Testing: Not reported
Unknown Testing: Not reported
Passenger Handling: Not reported
Passenger Route: XXX
Passenger Delay: XXX

Incident Details:

Year: 2003
NRC Report #: 640496
Fire Involved: N
Fire Extinguished: U
Any Evacuations: N
Number Evacuated: Not reported
Who Evacuated: Not reported
Radius of Evacuation: Not reported
Any Injuries: N
Number Injured: Not reported
Number Hospitalized: Not reported
Any Fatalities: N
Number Fatalities: Not reported
Any Damages: N
Damage Amount: Not reported
Air Corridor Closed: N
Air Corridor Desc: Not reported
Air Closure Time: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2003640496

Waterway Closed:	N
Waterway Desc:	Not reported
Waterway Closure Time:	Not reported
Road Closed:	N
Road Desc:	Not reported
Road Closure Time:	Not reported
Closure Direction:	Not reported
Major Artery:	N
Track Closed:	N
Track Desc:	Not reported
Track Closure Time:	Not reported
Media Interest:	NONE
Medium Desc:	WATER
Additional Medium Info:	SOIL
Body of Water:	LAND (SOIL)
Tributary of:	Not reported
Release Secured:	Y
Estimated Duration of Release:	Not reported
Release rate:	Not reported
Desc Remedial Action:	MATERIAL CONTAINED, VAC TRUCK USED, CLEAN UP UNDERWAY
State Agency on Scene:	Not reported
State Agency Report Number:	NO REPORT #
Other Agency Notified:	Not reported
Weather Conditions:	CLEAR
Air Temperature:	68
Wind Speed:	Not reported
Wind Direction:	Not reported
Water Supply Contaminated:	N
Sheen Size:	Not reported
Sheen Color:	Not reported
Direction of Sheen Travel:	Not reported
Sheen Odor Description:	Not reported
Wave Condition:	Not reported
Current Speed:	Not reported
Current Direction:	Not reported
Water Temperature:	Not reported
Track Close Dir:	Not reported
Empl Fatality:	Not reported
Pass Fatality:	Not reported
Community Impact:	N
Wind Speed Unit:	Not reported
Employee Injuries:	Not reported
Passenger Injuries:	Not reported
Occupant Fatality:	Not reported
Current Speed Unit:	Not reported
Road Closure Units:	Not reported
Track Closure Units:	Not reported
Sheen Size Units:	Not reported
Additional Info:	CALLER HAD NO ADDITIONAL INFORMATION.
State Agency Notified:	TCEQ
Federal Agency Notified:	Not reported
nearest River Mile Marker:	Not reported
Sheen Size Length:	Not reported
Sheen Size Length Units:	Not reported
Sheen Size Width:	Not reported
Sheen Size Width Units:	Not reported
Offshore:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2003640496

Duration Unit: Not reported
Release Rate Unit: Not reported
Release Rate Rate: Not reported
Passengers Transferred: UNK

Calls:

Year: 2003
NRC Report #: 640496
Site ID: 2003640496
Date Time Received: 2003-03-25 15:53:38
Date Time Complete: 2003-03-25 15:58:36
Call Type: INC
Responsible Company: AFFHOLDER INC.
Responsible Org Type: PRIVATE ENTERPRISE
Responsible City: Not reported
Responsible State: XX
Responsible Zip: Not reported
On Behalf: N
Source: TELEPHONE

Material Involved:

Year: 2003
NRC Report #: 640496
Chris Code: OHY
Case Number: 000000-00-0
UN Number: Not reported
Amount of Material: 1
Unit of Measure: GALLON(S)
Name of Material: HYDRAULIC OIL
If Reached Water: NO
Amount in Water: Not reported
Unit of Measure Reach Water: Not reported

G56
NNE
< 1/8
0.027 mi.
141 ft.

SOUTHERN STAR MATERIALS, INC.
2505 S. SERVICE RD
DFW AIRPORT, TX 75261

FINDS 1012152768
ECHO N/A

Site 3 of 3 in cluster G

Relative:
Higher
Actual:
581 ft.

FINDS:
Registry ID: 110039193770

[Click Here for FRS Facility Detail Report:](#)

Environmental Interest/Information System:

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTHERN STAR MATERIALS, INC. (Continued)

1012152768

ECHO:

Envid: 1012152768
Registry ID: 110039193770
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110039193770>
Name: SOUTHERN STAR MATERIALS, INC.
Address: 2505 S. SERVICE RD
City,State,Zip: DFW AIRPORT, TX 75261

H57
SSE
< 1/8
0.049 mi.
260 ft.

DTG OPERATIONS INC., D/B/A THRIFTY RENT A CAR
3839 SOUTH 62TH AVENUE
DALLAS, TX 75261

TIER 2 **S109180564**
N/A

Site 1 of 2 in cluster H

Relative:
Lower
Actual:
559 ft.

TIER 2:
Facility Id: FATR20075MDW1X00ST9R
Facility Name: DTG OPERATIONS INC., D/B/A THRIFTY RENT A CAR
Reporting Year: 2007
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 8/5/2008
Date Tier 2 Signed: 2/8/2008
Mailing Address: P.O. Box 612728
Mailing City/State/Country: Dallas, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: Not reported
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Jason Voskuhl/Apex/DTG Authorized Rep.
Latitude: 32.8855
Longitude: 97.0407
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Notes: Not reported
Validation: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

H58
SSE
< 1/8
0.049 mi.
260 ft.

"DTG OPERATIONS, INC., D/B/A THRIFTY RENT A CAR"
"3839 SOUTH 26TH AVENUE, P. O. BOX 612728"
DALLAS, TX 75261

TIER 2 **S108451057**
N/A

Site 2 of 2 in cluster H

Relative:
Lower
Actual:
559 ft.

TIER 2:
Facility Id: FATR20053JZWSA00P5VB
Facility Name: "DTG OPERATIONS, INC., D/B/A THRIFTY RENT A CAR"
Reporting Year: 2005
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 2/27/2007
Date Tier 2 Signed: Not reported
Mailing Address: Not reported
Mailing City/State/Country: Not reported
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50
Number Of Emploeyss On Site: Not reported
Site Map: T
Fire District: Not reported
Submitted By: "Brad Springer, City Manager"
Latitude: 32.885500
Longitude: 97.040700
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Notes: Not reported
Validation: Not reported

I59
NE
1/8-1/4
0.143 mi.
754 ft.

DFW TERMINAL C HIGH GATES
2400 N INTERNATIONAL PKWY
DFW AIRPORT, TX 75261

ECHO **1026673050**
N/A

Site 1 of 7 in cluster I

Relative:
Lower
Actual:
571 ft.

ECHO:
Envid: 1026673050
Registry ID: 110070882214
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110070882214>
Name: DFW TERMINAL C HIGH GATES
Address: 2400 N INTERNATIONAL PKWY
City,State,Zip: DFW AIRPORT, TX 75261

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

I60 NE 1/8-1/4 0.143 mi. 754 ft.	DFW AIRPORT 2400 INTERNATIONAL PKWY DALLAS, TX 75261 Site 2 of 7 in cluster I	FINDS	1023440276 N/A
---	--	--------------	---------------------------------

Relative: Lower FINDS:
Registry ID: 110068160858

Actual: 571 ft. Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

I61 NE 1/8-1/4 0.143 mi. 754 ft.	DFW TERMINAL C HIGH GATES 2400 N INTERNATIONAL PKWY DFW AIRPORT, TX 75261 Site 3 of 7 in cluster I	FINDS	1026702124 N/A
---	---	--------------	---------------------------------

Relative: Lower FINDS:
Registry ID: 110070882214

Actual: 571 ft. Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

62 NNE 1/8-1/4 0.157 mi. 830 ft.	D10 TERMINAL RADAR APPROACH CONTROL 2401 N INTERNATIONAL PKWY DFW AIRPORT, TX 75261	FINDS	1024173700 N/A
---	--	--------------	---------------------------------

Relative: Higher FINDS:
Registry ID: 110034319333

Actual: 578 ft. Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

1024173700

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

I63
NNE
1/8-1/4
0.195 mi.
1031 ft.

DFW AIR TRAFFIC CONTROL TOWER/TRACON
2401 INTERNATIONAL PARKWAY
DFW AIRPORT, TX 75261

TIER 2 **S109706495**
N/A

Site 4 of 7 in cluster I

Relative:
Higher
Actual:
577 ft.

TIER 2:

Facility Id:	FATR201247EQ3301G33R
Facility Name:	DFW AIR TRAFFIC CONTROL TOWER/TRACON
Reporting Year:	2012
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	5/10/2013
Date Tier 2 Signed:	1-20-2013
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	Not reported
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Stacy Howard
Latitude:	32.8963
Longitude:	97.0407
Lat/Long Location Desc:	ST - Storage Tank
Lat/Long Method:	G0 - GPS (Other)
Site Coordinate Abbr Submitted:	Not reported
Number Of Emp. Required:	Not reported
Fail Valid:	Not reported
Site Coordinate Abbr Submitted:	Not reported
Mail Address:	Not reported
Mail City:	Not reported
Mail State Req.:	Not reported
Fire District:	Not reported
Additional Mail Addr:	Not reported

Facility Id:	FATR201147EQ3301G33R
Facility Name:	DFW AIR TRAFFIC CONTROL TOWER/TRACON
Reporting Year:	2011
Facility Country:	USA
Facility Department:	Not reported
Facility Date Modified:	5/16/2012
Date Tier 2 Signed:	1/25/2012
Mailing Address:	Not reported
Mailing City/State/Country:	Not reported
Dikes/Other Safeguard Meas Emp:	Not reported
All Chemicals Same As Last Year:	True
State Fees Total:	Not reported
Number Of Employess On Site:	Not reported
Site Map:	Not reported
Fire District:	Not reported
Submitted By:	Stacy Howard
Latitude:	32.8963
Longitude:	97.0407

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S109706495

Lat/Long Location Desc: ST - Storage Tank
Lat/Long Method: G0 - GPS (Other)
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR200847EQ3301G33R
Facility Name: DFW AIR TRAFFIC CONTROL TOWER/TRACON
Reporting Year: 2008
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 6/30/2009
Date Tier 2 Signed: 2/20/2009
Mailing Address: Not reported
Mailing City/State/Country: Not reported
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: True
State Fees Total: 7.14
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Charles Smith
Latitude: 32.8963
Longitude: 97.0407
Lat/Long Location Desc: ST - Storage Tank
Lat/Long Method: G0 - GPS (Other)
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Info:

Id: 9621
Id Type: SIC
Description: Not reported
Last Modified: 1/27/2006
Id: Not reported
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 1/27/2006
Id: 92612
Id Type: NAICS
Description: Regulation and Administration of Transportation Programs
Last Modified: 2/22/2010

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S109706495

Contact:

Contact Email: stacy.howard@faa.gov
Contact Mail Address: 2401 International Parkway
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Regulatory Point of Contact
Contact Type 2: Emergency Contact
Contact Name: Stacy Howard
Title: SECM
Modification Date: 2/14/2012

Contact Email: stacy.howard@faa.gov
Contact Mail Address: 2401 International Parkway
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Regulatory Point of Contact
Contact Type 2: Emergency Contact
Contact Name: Stacy Howard
Title: SECM
Modification Date: 2/14/2012

Contact:

Contact Email: doug.keeffe@faa.gov
Contact Mail Address: 2401 N. International Parkway
Contact City/State/Zip: Dallas/Ft. Worth Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: Doug Keeffe
Title: Manager
Modification Date: 2/14/2012

Contact Email: doug.keeffe@faa.gov
Contact Mail Address: 2401 N. International Parkway
Contact City/State/Zip: Dallas/Ft. Worth Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: Doug Keeffe
Title: Manager
Modification Date: 2/14/2012

Contact:

Contact Email: doug.keeffe@faa.gov
Contact Mail Address: 2401 N. International Parkway
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Doug Keeffe
Title: Manager
Modification Date: 2/14/2012

Contact Email: doug.keeffe@faa.gov
Contact Mail Address: 2401 N. International Parkway
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S109706495

Contact Type 1: Emergency Contact
Contact Name: Doug Keeffe
Title: Manager
Modification Date: 2/14/2012

Chemical Inventory:

Facility Id: FATR201147EQ3301G33R
Chemical Name: DIESEL FUEL
Chemical Inv Record Id: CVTR201147EQ7301MJJJ
CAS Number: 68476-34-6
Chemical Same As Last Year: T
Acute Health Risks: Not reported
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: Not reported
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/6/2012
Days On Site: 365
Fire Hazard: T
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201147EQ9401NAVF
Chemical Inventory Record Id: CVTR201147EQ7301MJJJ
Amt Of Sub Stored Or Transported: 20000
Amount Units: gallons
Type Of Storage: Below ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Underground storage tanks west
Last Modified: 2/6/2012

Facility Id: FATR201147EQ3301G33R
Chemical Name: SULFURIC ACID
Chemical Inv Record Id: CVTR201147EQA801P9SD
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000 - 9,999 pounds
Max Daily Amount: 1,000 - 9,999 pounds
Max Amount In Largest Container: Not reported
Chronic Health Risks: T
EHS Substance: T
Last Modified: 2/6/2012
Days On Site: 365

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S109706495

Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201147EQD101QPXJ
Chemical Inventory Record Id: CVTR201147EQA801P9SD
Amt Of Sub Stored Or Transported: Not reported
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: UPS Room
Last Modified: 2/6/2012

Mixture:

Record Key: CMTR201147EVVEE003Y3C
Chemical Inv Record Id: CVTR201147EQA801P9SD
Mix Chemical: Sulfuric Acid
Percentage: 50
Facility Id: FATR201147EQ3301G33R
Mixture Cas: 7664-93-9
Weight/Volume: Vol
Mixture Ehs: T
Mixture Last Modified: 2/6/2012

Record Key: CMTR201147EVF6004LSF
Chemical Inv Record Id: CVTR201147EQA801P9SD
Mix Chemical: Water
Percentage: 50
Facility Id: FATR201147EQ3301G33R
Mixture Cas: Not reported
Weight/Volume: Vol
Mixture Ehs: Not reported
Mixture Last Modified: 2/6/2012

Notes: Not reported
Validation: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:

Id: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S109706495

Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 1/27/2006
Id: 9621
Id Type: SIC
Description: Not reported
Last Modified: 1/27/2006
Id: 92612
Id Type: NAICS
Description: Regulation and Administration of Transportation Programs
Last Modified: 2/22/2010

Contact:

Contact Email: stacy.howard@faa.gov
Contact Mail Address: 2401 International Parkway
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Regulatory Point of Contact
Contact Type 2: Emergency Contact
Contact Name: Stacy Howard
Title: SECM
Modification Date: 2/24/2013

Contact Email: stacy.howard@faa.gov
Contact Mail Address: 2401 International Parkway
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Regulatory Point of Contact
Contact Type 2: Emergency Contact
Contact Name: Stacy Howard
Title: SECM
Modification Date: 2/24/2013

Contact:

Contact Email: doug.keeffe@faa.gov
Contact Mail Address: 2401 N. International Parkway
Contact City/State/Zip: Dallas/Ft. Worth Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: Doug Keeffe
Title: Manager
Modification Date: 2/24/2013

Contact Email: doug.keeffe@faa.gov
Contact Mail Address: 2401 N. International Parkway
Contact City/State/Zip: Dallas/Ft. Worth Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: Doug Keeffe
Title: Manager
Modification Date: 2/24/2013

Contact:

Contact Email: doug.keeffe@faa.gov

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S109706495

Contact Mail Address: 2401 N. International Parkway
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Doug Keeffe
Title: Manager
Modification Date: 2/24/2013

Contact Email: doug.keeffe@faa.gov
Contact Mail Address: 2401 N. International Parkway
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Doug Keeffe
Title: Manager
Modification Date: 2/24/2013

Chemical Inventory:

Facility Id: FATR201247EQ3301G33R
Chemical Name: DIESEL FUEL
Chemical Inv Record Id: CVTR201247EQ7301MJJJ
CAS Number: 68476-34-6
Chemical Same As Last Year: T
Acute Health Risks: Not reported
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: Not reported
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: T
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201247EQ9401NAVF
Chemical Inventory Record Id: CVTR201247EQ7301MJJJ
Amt Of Sub Stored Or Transported: 20000
Amount Units: gallons
Type Of Storage: Below ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Underground storage tanks west
Last Modified: 2/23/2013

Facility Id: FATR201247EQ3301G33R

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S109706495

Chemical Name: SULFURIC ACID
Chemical Inv Record Id: CVTR201247EQA801P9SD
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000 - 9,999 pounds
Max Daily Amount: 1,000 - 9,999 pounds
Max Amount In Largest Container: Not reported
Chronic Health Risks: T
EHS Substance: T
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201247EQD101QPXJ
Chemical Inventory Record Id: CVTR201247EQA801P9SD
Amt Of Sub Stored Or Transported: Not reported
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: UPS Room
Last Modified: 2/23/2013

Mixture:

Record Key: CMTR201247EVVEE003Y3C
Chemical Inv Record Id: CVTR201247EQA801P9SD
Mix Chemical: Sulfuric Acid
Percentage: 50
Facility Id: FATR201247EQ3301G33R
Mixture Cas: 7664-93-9
Weight/Volume: Vol
Mixture Ehs: T
Mixture Last Modified: 2/23/2013

Record Key: CMTR201247EVF6004LSF
Chemical Inv Record Id: CVTR201247EQA801P9SD
Mix Chemical: Water
Percentage: 50
Facility Id: FATR201247EQ3301G33R
Mixture Cas: Not reported
Weight/Volume: Vol
Mixture Ehs: Not reported
Mixture Last Modified: 2/23/2013

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S109706495

Notes: Not reported
 Validation: Not reported

I64
NNE
1/8-1/4
0.195 mi.
1031 ft.

DFW AIR TRAFFIC CONTROL TOWER/TRACON
2400 INTERNATIONAL PARKWAY
DFW AIRPORT, TX 75261
Site 5 of 7 in cluster I

TIER 2 S108440366
N/A

Relative:
Higher
Actual:
577 ft.

TIER 2:
 Facility Id: FATR201047EQ3301G33R
 Facility Name: DFW AIR TRAFFIC CONTROL TOWER/TRACON
 Reporting Year: 2010
 Facility Country: USA
 Facility Department: Not reported
 Facility Date Modified: 6/1/2011
 Date Tier 2 Signed: 1/31/2011
 Mailing Address: Not reported
 Mailing City/State/Country: Not reported
 Dikes/Other Safeguard Meas Emp: Not reported
 All Chemicals Same As Last Year: True
 State Fees Total: Not reported
 Number Of Employess On Site: Not reported
 Site Map: Not reported
 Fire District: Not reported
 Submitted By: Stacy Howard, SECM
 Latitude: 32.8963
 Longitude: 97.0407
 Lat/Long Location Desc: ST - Storage Tank
 Lat/Long Method: G0 - GPS (Other)
 Site Coordinate Abbr Submitted: Not reported
 Number Of Emp. Required: Not reported
 Fail Valid: Not reported
 Site Coordinate Abbr Submitted: Not reported
 Mail Address: Not reported
 Mail City: Not reported
 Mail State Req.: Not reported
 Fire District: Not reported
 Additional Mail Addr: Not reported

Facility Id: FATR200947EQ3301G33R
 Facility Name: DFW AIR TRAFFIC CONTROL TOWER/TRACON
 Reporting Year: 2009
 Facility Country: USA
 Facility Department: Not reported
 Facility Date Modified: 5/24/2010
 Date Tier 2 Signed: 2/23/2010
 Mailing Address: Not reported
 Mailing City/State/Country: Not reported
 Dikes/Other Safeguard Meas Emp: Not reported
 All Chemicals Same As Last Year: True
 State Fees Total: Not reported
 Number Of Employess On Site: Not reported
 Site Map: Not reported
 Fire District: Not reported
 Submitted By: Jeff Planty
 Latitude: 32.8963

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S108440366

Longitude: 97.0407
Lat/Long Location Desc: ST - Storage Tank
Lat/Long Method: G0 - GPS (Other)
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR200747EQ3301G33R
Facility Name: DFW AIR TRAFFIC CONTROL TOWER/TRACON
Reporting Year: 2007
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 8/5/2008
Date Tier 2 Signed: 2/25/2008
Mailing Address: Not reported
Mailing City/State/Country: Not reported
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: True
State Fees Total: Not reported
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Charles Smith
Latitude: 32.8963
Longitude: 97.0407
Lat/Long Location Desc: ST - Storage Tank
Lat/Long Method: G0 - GPS (Other)
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR200647EQ3301G33R
Facility Name: DFW AIR TRAFFIC CONTROL TOWER/TRACON
Reporting Year: 2006
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 10/10/2007
Date Tier 2 Signed: 2/13/2007
Mailing Address: Not reported
Mailing City/State/Country: Not reported
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: True
State Fees Total: Not reported
Number Of Employess On Site: Not reported
Site Map: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S108440366

Fire District: Not reported
Submitted By: Stacy Howard
Latitude: 32.8963
Longitude: 97.0407
Lat/Long Location Desc: ST - Storage Tank
Lat/Long Method: G0 - GPS (Other)
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR200547EQ3301G33R
Facility Name: DFW AIR TRAFFIC CONTROL TOWER/TRACON
Reporting Year: 2005
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 2/27/2007
Date Tier 2 Signed: 2/21/2006
Mailing Address: Not reported
Mailing City/State/Country: Not reported
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: True
State Fees Total: Not reported
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: "Doug Keeffe, Manager, Lone Star SMO"
Latitude: 32.896300
Longitude: 97.040700
Lat/Long Location Desc: ST - Storage Tank
Lat/Long Method: G0 - GPS (Other)
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Info:

Id: Not reported
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 1/27/2006
Id: 9621
Id Type: SIC
Description: Not reported
Last Modified: 1/27/2006
Id: 92612
Id Type: NAICS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S108440366

Description: Regulation and Administration of Transportation Programs
Last Modified: 2/22/2010

Contact:

Contact Email: stacy.howard@faa.gov
Contact Mail Address: 2401 International Parkway
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Regulatory Point of Contact
Contact Type 2: Emergency Contact
Contact Name: Stacy Howard
Title: SECM
Modification Date: 4/1/2011

Contact:

Contact Email: jeffery.planty@faa.gov
Contact Mail Address: 2401 N. International Parkway
Contact City/State/Zip: Dallas/Ft. Worth Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: Jeff Planty
Title: Manager
Modification Date: 4/1/2011

Contact:

Contact Email: jeffery.planty@faa.gov
Contact Mail Address: 2401 N. International Parkway
Contact City/State/Zip: Dallas/Ft. Worth Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Jeff Planty
Title: Manager
Modification Date: 4/1/2011

Chemical Inventory:

Facility Id: FATR201047EQ3301G33R
Chemical Name: DIESEL FUEL
Chemical Inv Record Id: CVTR201047EQ7301MJJJ
CAS Number: 68476-34-6
Chemical Same As Last Year: T
Acute Health Risks: Not reported
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: Not reported
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/16/2011
Days On Site: 365
Fire Hazard: T
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S108440366

Pure Form: T
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201047EQ9401NAVF
Chemical Inventory Record Id: CVTR201047EQ7301MJJJ
Amt Of Sub Stored Or Transported: 20000
Amount Units: gallons
Type Of Storage: Below ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Underground storage tanks west
Last Modified: 2/16/2011

Facility Id: FATR201047EQ3301G33R
Chemical Name: SULFURIC ACID
Chemical Inv Record Id: CVTR201047EQA801P9SD
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000 - 9,999 pounds
Max Daily Amount: 1,000 - 9,999 pounds
Max Amount In Largest Container: Not reported
Chronic Health Risks: T
EHS Substance: T
Last Modified: 2/16/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201047EQD101QPXJ
Chemical Inventory Record Id: CVTR201047EQA801P9SD
Amt Of Sub Stored Or Transported: Not reported
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: UPS Room
Last Modified: 2/16/2011

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S108440366

Mixture:

Record Key: CMTR201047EVVEE003Y3C
Chemical Inv Record Id: CVTR201047EQA801P9SD
Mix Chemical: Sulfuric Acid
Percentage: 50
Facility Id: FATR201047EQ3301G33R
Mixture Cas: 7664-93-9
Weight/Volume: Vol
Mixture Ehs: T
Mixture Last Modified: 2/16/2011

Record Key: CMTR201047EVF6004LSF
Chemical Inv Record Id: CVTR201047EQA801P9SD
Mix Chemical: Water
Percentage: 50
Facility Id: FATR201047EQ3301G33R
Mixture Cas: Not reported
Weight/Volume: Vol
Mixture Ehs: Not reported
Mixture Last Modified: 2/16/2011

Notes: Not reported
Validation: Not reported

Facility Info:

Id: Not reported
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 1/27/2006
Id: 9621
Id Type: SIC
Description: Not reported
Last Modified: 1/27/2006
Id: 92612
Id Type: NAICS
Description: Regulation and Administration of Transportation Programs
Last Modified: 2/22/2010

Contact:

Contact Email: Not reported
Contact Mail Address: 2401 N. International Parkway
Contact City/State/Zip: Dallas/Ft. Worth Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: Jeff Planty
Title: Manager
Modification Date: 3/13/2010

Contact:

Contact Email: Not reported
Contact Mail Address: 2401 N. International Parkway
Contact City/State/Zip: Dallas/Ft. Worth Airport, TX 75261
Contact Mail Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S108440366

Contact Type 1: Emergency Contact
Contact Name: Jeff Planty
Title: Manager
Modification Date: 3/13/2010

Contact:
Contact Email: Not reported
Contact Mail Address: 2401 International Parkway
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Regulatory Point of Contact
Contact Type 2: Emergency Contact
Contact Name: Stacy Howard
Title: SECM
Modification Date: 3/13/2010

Chemical Inventory:
Facility Id: FATR200947EQ3301G33R
Chemical Name: DIESEL FUEL
Chemical Inv Record Id: CVTR200947EQ7301MJJJ
CAS Number: 68476-34-6
Chemical Same As Last Year: T
Acute Health Risks: Not reported
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: Not reported
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 3/1/2010
Days On Site: 365
Fire Hazard: T
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:
Record Key: CLTR200947EQ9401NAVF
Chemical Inventory Record Id: CVTR200947EQ7301MJJJ
Amt Of Sub Stored Or Transported: 20000
Amount Units: gallons
Type Of Storage: Below ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Underground storage tanks west
Last Modified: 3/1/2010

Facility Id: FATR200947EQ3301G33R

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S108440366

Chemical Name: SULFURIC ACID
Chemical Inv Record Id: CVTR200947EQA801P9SD
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000 - 9,999 pounds
Max Daily Amount: 1,000 - 9,999 pounds
Max Amount In Largest Container: Not reported
Chronic Health Risks: T
EHS Substance: T
Last Modified: 3/1/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200947EQD101QPXJ
Chemical Inventory Record Id: CVTR200947EQA801P9SD
Amt Of Sub Stored Or Transported: Not reported
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: UPS Room
Last Modified: 3/1/2010

Mixture:

Record Key: CMTR200947EVVEE003Y3C
Chemical Inv Record Id: CVTR200947EQA801P9SD
Mix Chemical: Sulfuric Acid
Percentage: 50
Facility Id: FATR200947EQ3301G33R
Mixture Cas: 7664-93-9
Weight/Volume: Vol
Mixture Ehs: T
Mixture Last Modified: 3/1/2010

Record Key: CMTR200947EVF6004LSF
Chemical Inv Record Id: CVTR200947EQA801P9SD
Mix Chemical: Water
Percentage: 50
Facility Id: FATR200947EQ3301G33R
Mixture Cas: Not reported
Weight/Volume: Vol
Mixture Ehs: Not reported
Mixture Last Modified: 3/1/2010

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIR TRAFFIC CONTROL TOWER/TRACON (Continued)

S108440366

Notes: Not reported
 Validation: This facility passed all validation checks.
 Notes: Not reported
 Validation: Not reported
 Notes: Not reported
 Validation: Not reported
 Notes: Not reported
 Validation: Not reported

J65
North
1/8-1/4
0.196 mi.
1034 ft.

DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLIN
DFW INTERNATIONAL AIRPORT TERMINAL A, RM A11L204
DALLAS/FT. WORTH, TX 75261

TIER 2 **S109180149**
N/A

Site 1 of 9 in cluster J

Relative:
Higher
Actual:
588 ft.

TIER 2:
 Facility Id: FATR20123K4JQG0026TN
 Facility Name: DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES
 Reporting Year: 2012
 Facility Country: USA
 Facility Department: Not reported
 Facility Date Modified: 5/10/2013
 Date Tier 2 Signed: 1-30-2013
 Mailing Address: 4333 Amon Carter Blvd., MD 5285
 Mailing City/State/Country: Ft. Worth, TX USA
 Dikes/Other Safeguard Meas Emp: Not reported
 All Chemicals Same As Last Year: Not reported
 State Fees Total: 50.00
 Number Of Employess On Site: Not reported
 Site Map: Not reported
 Fire District: Not reported
 Submitted By: Stephanie Woods Samuels, Environmental Specialist
 Latitude: 32.8963311
 Longitude: -97.0442533
 Lat/Long Location Desc: CE - Center of Facility
 Lat/Long Method: A0 - Address Matching (Other)
 Site Coordinate Abbr Submitted: Not reported
 Number Of Emp. Required: Not reported
 Fail Valid: Not reported
 Site Coordinate Abbr Submitted: Not reported
 Mail Address: Not reported
 Mail City: Not reported
 Mail State Req.: Not reported
 Fire District: Not reported
 Additional Mail Addr: Not reported
 Facility Id: FATR20113K4JQG0026TN
 Facility Name: DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES
 Reporting Year: 2011
 Facility Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES (Continued)

S109180149

Facility Department: Not reported
Facility Date Modified: 5/16/2012
Date Tier 2 Signed: 01/30/2012
Mailing Address: 4333 Amon Carter Blvd., MD 5285
Mailing City/State/Country: Ft. Worth, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Bruce Campbell, Manager Corp. Envir.
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR20103K4JQG0026TN
Facility Name: DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES
Reporting Year: 2010
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 6/1/2011
Date Tier 2 Signed: 1/19/2011
Mailing Address: 4333 Amon Carter Blvd., MD 5285
Mailing City/State/Country: Ft. Worth, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Bruce Campbell, Manager Corp. Envir.
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR20083K4JQG0026TN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES (Continued)

S109180149

Facility Name: DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES
Reporting Year: 2008
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 6/30/2009
Date Tier 2 Signed: 1/19/2009
Mailing Address: 4333 Amon Carter Blvd., MD 5285
Mailing City/State/Country: Ft. Worth, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 8.33
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Bruce Campbell, Manager Corp. Envir.
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR20073K4JQG0026TN
Facility Name: DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES
Reporting Year: 2007
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 8/5/2008
Date Tier 2 Signed: 1/7/2008
Mailing Address: 4333 Amon Carter Blvd., MD 5285
Mailing City/State/Country: Ft. Worth, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Bruce Campbell, Manager Corp. Envir.
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES (Continued)

S109180149

Additional Mail Addr: Not reported

Facility Info:

Id: 4512
Id Type: SIC
Description: Not reported
Last Modified: 2/16/2005
Id: 481111
Id Type: NAICS
Description: Not reported
Last Modified: 1/19/2009
Id: 006979801
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/16/2005

Contact:

Contact Email: Stephanie.Woods@aa.com
Contact Mail Address: 4333 Amon Carter Blvd. MD 5285
Contact City/State/Zip: Ft. Worth, TX 76155
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: AE American Eagle Airlines, Inc.
Title: Not reported
Modification Date: 2/24/2013

Contact Email: Stephanie.Woods@aa.com
Contact Mail Address: 4333 Amon Carter Blvd. MD 5285
Contact City/State/Zip: Ft. Worth, TX 76155
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: AE American Eagle Airlines, Inc.
Title: Not reported
Modification Date: 2/24/2013

Contact:

Contact Email: Mike.Hodes@aa.com
Contact Mail Address: Dallas Fort Worth Airport, Terminal A
Contact City/State/Zip: Dallas/Ft. Worth, TX 75261-2527
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Brian Minick
Title: LEC
Modification Date: 2/23/2013

Contact:

Contact Email: Not reported
Contact Mail Address: Dallas Fort Worth Airport, Terminal A
Contact City/State/Zip: Dallas/Ft. Worth, TX 75261-2527
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Ann Dudley
Title: Hub VP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES (Continued)

S109180149

Modification Date: 2/23/2013

Chemical Inventory:

Facility Id: FATR20123K4JQG0026TN
Chemical Name: Sulfuric Acid (Lead Acid Battery Component)
Chemical Inv Record Id: CVTR20123K4KZT00LNG6
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 30767
Chronic Health Risks: T
EHS Substance: T
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: T
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20123K4L2M00M49X
Chemical Inventory Record Id: CVTR20123K4KZT00LNG6
Amt Of Sub Stored Or Transported: 30767
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 2/23/2013

Facility Id: FATR20123K4JQG0026TN
Chemical Name: Lead (Lead Acid Battery Component)
Chemical Inv Record Id: CVTR20123K4L8K00N8JZ
CAS Number: 7439-92-1
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 294732
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES (Continued)

S109180149

Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20123K4LAW00P9AN
Chemical Inventory Record Id: CVTR20123K4L8K00N8JZ
Amt Of Sub Stored Or Transported: 294732
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 2/23/2013

Notes: Not reported
Validation: Not reported

Facility Info:

Id: 006979801
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/16/2005
Id: 4512
Id Type: SIC
Description: Not reported
Last Modified: 2/16/2005
Id: 481111
Id Type: NAICS
Description: Not reported
Last Modified: 1/19/2009

Contact:

Contact Email: Gary.Gann@aa.com
Contact Mail Address: 4333 Amon Carter Blvd. MD 5285
Contact City/State/Zip: Ft. Worth, TX 76155
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: AE American Eagle Airlines, Inc.
Title: Not reported
Modification Date: 4/1/2011

Contact:

Contact Email: Mike.Hodes@aa.com
Contact Mail Address: Dallas Fort Worth Airport, Terminal A
Contact City/State/Zip: Dallas/Ft. Worth, TX 75261-2527
Contact Mail Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES (Continued)

S109180149

Contact Type 1: Emergency Contact
Contact Name: Brian Minick
Title: LEC
Modification Date: 1/19/2011

Contact:

Contact Email: Not reported
Contact Mail Address: Dallas Fort Worth Airport, Terminal A
Contact City/State/Zip: Dallas/Ft. Worth, TX 75261-2527
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Ann Dudley
Title: Hub VP
Modification Date: 1/19/2011

Chemical Inventory:

Facility Id: FATR20103K4JQG0026TN
Chemical Name: Sulfuric Acid (Lead Acid Battery Component)
Chemical Inv Record Id: CVTR20103K4KZT00LNG6
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 37033
Chronic Health Risks: T
EHS Substance: T
Last Modified: 1/19/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: T
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20103K4L2M00M49X
Chemical Inventory Record Id: CVTR20103K4KZT00LNG6
Amt Of Sub Stored Or Transported: 37033
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 1/19/2011

Facility Id: FATR20103K4JQG0026TN
Chemical Name: Lead (Lead Acid Battery Component)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES (Continued)

S109180149

Chemical Inv Record Id: CVTR20103K4L8K00N8JZ
CAS Number: 7439-92-1
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 354257
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 1/19/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20103K4LAW00P9AN
Chemical Inventory Record Id: CVTR20103K4L8K00N8JZ
Amt Of Sub Stored Or Transported: 354257
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 1/19/2011

Notes: Not reported
Validation: Not reported

Notes: Not reported
Validation: Not reported

Facility Info:

Id: 4512
Id Type: SIC
Description: Not reported
Last Modified: 2/16/2005
Id: 481111
Id Type: NAICS
Description: Not reported
Last Modified: 1/19/2009
Id: 006979801
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/16/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES (Continued)

S109180149

Contact:

Contact Email: Michelle.Schneider@aa.com
Contact Mail Address: 4333 Amon Carter Blvd. MD 5285
Contact City/State/Zip: Ft. Worth, TX 76155
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: AE American Eagle Airlines, Inc.
Title: Not reported
Modification Date: 2/23/2012

Contact Email: Michelle.Schneider@aa.com
Contact Mail Address: 4333 Amon Carter Blvd. MD 5285
Contact City/State/Zip: Ft. Worth, TX 76155
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: AE American Eagle Airlines, Inc.
Title: Not reported
Modification Date: 2/23/2012

Contact:

Contact Email: Mike.Hodes@aa.com
Contact Mail Address: Dallas Fort Worth Airport, Terminal A
Contact City/State/Zip: Dallas/Ft. Worth, TX 75261-2527
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Brian Minick
Title: LEC
Modification Date: 2/23/2012

Contact:

Contact Email: Not reported
Contact Mail Address: Dallas Fort Worth Airport, Terminal A
Contact City/State/Zip: Dallas/Ft. Worth, TX 75261-2527
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Ann Dudley
Title: Hub VP
Modification Date: 2/23/2012

Chemical Inventory:

Facility Id: FATR20113K4JQG0026TN
Chemical Name: Sulfuric Acid (Lead Acid Battery Component)
Chemical Inv Record Id: CVTR20113K4KZT00LNG6
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 27282
Chronic Health Risks: T
EHS Substance: T
Last Modified: 2/23/2012
Days On Site: 365

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES (Continued)

S109180149

Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: T
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20113K4L2M00M49X
Chemical Inventory Record Id: CVTR20113K4KZT00LNG6
Amt Of Sub Stored Or Transported: 27282
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 2/23/2012

Facility Id: FATR20113K4JQG0026TN
Chemical Name: Lead (Lead Acid Battery Component)
Chemical Inv Record Id: CVTR20113K4L8K00N8JZ
CAS Number: 7439-92-1
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 261281
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20113K4LAW00P9AN
Chemical Inventory Record Id: CVTR20113K4L8K00N8JZ
Amt Of Sub Stored Or Transported: 261281
Amount Units: pounds
Type Of Storage: Other

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN EAGLE AIRLINES (Continued)

S109180149

Number Code/Storage Pressure: 1
 Number Code/Storage Temperature: 4
 Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
 Last Modified: 2/23/2012

Notes: Not reported
 Validation: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

J66
North
1/8-1/4
0.196 mi.
1034 ft.

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, IN
DFW INTERNATIONAL AIRPORT TERMINAL C GATE 2 ROOM 02 A201
DFW AIRPORT, TX 75261

TIER 2 **S109180148**
N/A

Site 2 of 9 in cluster J

Relative:
Higher
Actual:
588 ft.

TIER 2:
 Facility Id: FATR20123K6EBD0025N9
 Facility Name: DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC.
 Reporting Year: 2012
 Facility Country: USA
 Facility Department: Not reported
 Facility Date Modified: 5/10/2013
 Date Tier 2 Signed: 1-30-2013
 Mailing Address: 4333 Amon Carter Blvd., MD 5285
 Mailing City/State/Country: Ft. Worth, TX USA
 Dikes/Other Safeguard Meas Emp: Not reported
 All Chemicals Same As Last Year: Not reported
 State Fees Total: 50.00
 Number Of Employess On Site: Not reported
 Site Map: Not reported
 Fire District: Not reported
 Submitted By: Stephanie Woods Samuels, Environmental Specialist
 Latitude: 32.8963311
 Longitude: -97.0442533
 Lat/Long Location Desc: CE - Center of Facility
 Lat/Long Method: A0 - Address Matching (Other)
 Site Coordinate Abbr Submitted: Not reported
 Number Of Emp. Required: Not reported
 Fail Valid: Not reported
 Site Coordinate Abbr Submitted: Not reported
 Mail Address: Not reported
 Mail City: Not reported
 Mail State Req.: Not reported
 Fire District: Not reported
 Additional Mail Addr: Not reported

Facility Id: FATR20113K6EBD0025N9
 Facility Name: DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC.
 Reporting Year: 2011
 Facility Country: USA
 Facility Department: Not reported
 Facility Date Modified: 5/16/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Date Tier 2 Signed: 01/30/2012
Mailing Address: 4333 Amon Carter Blvd., MD 5285
Mailing City/State/Country: Ft. Worth, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Bruce Campbell, Manager Corp. Envir.
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR20103K6EBD0025N9
Facility Name: DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC.
Reporting Year: 2010
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 6/1/2011
Date Tier 2 Signed: 1/19/2011
Mailing Address: 4333 Amon Carter Blvd., MD 5285
Mailing City/State/Country: Ft. Worth, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Bruce Campbell, Manager Corp. Envir.
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id: FATR20073K6EBD0025N9
Facility Name: DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC.
Reporting Year: 2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 8/5/2008
Date Tier 2 Signed: 1/4/2008
Mailing Address: 4333 Amon Carter Blvd., MD 5285
Mailing City/State/Country: Ft. Worth, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Bruce Campbell, Manager Corp. Envir.
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Info:

Id: 006979801
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/17/2005
Id: 4512
Id Type: SIC
Description: Not reported
Last Modified: 2/17/2005
Id: 481111
Id Type: NAICS
Description: Not reported
Last Modified: 1/19/2009

Contact:

Contact Email: Michelle.Schneider@aa.com
Contact Mail Address: 4333 Amon Carter Blvd. MD 5285
Contact City/State/Zip: Ft. Worth, TX 76155
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: . American Airlines, Inc.
Title: Not reported
Modification Date: 2/23/2012

Contact Email: Michelle.Schneider@aa.com
Contact Mail Address: 4333 Amon Carter Blvd. MD 5285
Contact City/State/Zip: Ft. Worth, TX 76155
Contact Mail Country: USA
Contact Type 1: Owner / Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Contact Name: . American Airlines, Inc.
Title: Not reported
Modification Date: 2/23/2012

Contact:

Contact Email: Not reported
Contact Mail Address: Dallas Ft. Worth International Airport
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: C. J. Juneau
Title: VP-DFW
Modification Date: 2/23/2012

Contact:

Contact Email: Not reported
Contact Mail Address: Dallas Ft. Worth International Airport
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Charles Fisher
Title: LEC
Modification Date: 2/23/2012

Chemical Inventory:

Facility Id: FATR20113K6EBD0025N9
Chemical Name: Sulfuric Acid (Lead Acid Batteries)
Chemical Inv Record Id: CVTR20113K6F9200HK2S
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 114181
Chronic Health Risks: T
EHS Substance: T
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: T
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20113K6FDV00JQLP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Chemical Inventory Record Id: CVTR20113K6F9200HK2S
Amt Of Sub Stored Or Transported: 114181
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 2/23/2012

Facility Id: FATR20113K6EBD0025N9
Chemical Name: Regular Unleaded Gasoline
Chemical Inv Record Id: CVTR20113K6G2U00PL8S
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 312437
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: T
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20113K6G5M00Q05B
Chemical Inventory Record Id: CVTR20113K6G2U00PL8S
Amt Of Sub Stored Or Transported: 72101
Amount Units: pounds
Type Of Storage: Below ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: A/C Mtx Hangars
Last Modified: 2/23/2012

Record Key: CLTR201146V7GL007Z27
Chemical Inventory Record Id: CVTR20113K6G2U00PL8S
Amt Of Sub Stored Or Transported: 240336
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: A/C Mtx Hangars
Last Modified: 2/23/2012

Facility Id: FATR20113K6EBD0025N9

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Chemical Name: Lead (Lead Acid Batteries)
Chemical Inv Record Id: CVTR20113K6GAN00TCJ6
CAS Number: 7439-92-1
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000,000 - 9,999,999 pounds
Max Daily Amount: 1,000,000 - 9,999,999 pounds
Max Amount In Largest Container: 1091094
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20113K6GD900UM4F
Chemical Inventory Record Id: CVTR20113K6GAN00TCJ6
Amt Of Sub Stored Or Transported: 1091094
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 2/23/2012

Facility Id: FATR20113K6EBD0025N9
Chemical Name: Ansulite 3% AFFF (Fire Fighting Foam)
Chemical Inv Record Id: CVTR20113K6GKU00XA75
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 442619
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20113K6GP400Y4R7
Chemical Inventory Record Id: CVTR20113K6GKU00XA75
Amt Of Sub Stored Or Transported: 221309
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 2/23/2012

Record Key: CLTR20116YJ77J00AJ5M
Chemical Inventory Record Id: CVTR20113K6GKU00XA75
Amt Of Sub Stored Or Transported: 102143
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-1
Last Modified: 2/23/2012

Record Key: CLTR20116YJ78C00B89X
Chemical Inventory Record Id: CVTR20113K6GKU00XA75
Amt Of Sub Stored Or Transported: 119167
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 2/23/2012

Facility Id: FATR20113K6EBD0025N9
Chemical Name: Low Sulfur Diesel Fuel Oil No. 2
Chemical Inv Record Id: CVTR20113K6GQ500Z0X3
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 86120
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: T
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20113K6GS5010S5C
Chemical Inventory Record Id: CVTR20113K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 10014
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 2/23/2012

Record Key: CLTR201146V72J005TTJ
Chemical Inventory Record Id: CVTR20113K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 53408
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 2/23/2012

Record Key: CLTR20116YJ7FY00CTNL
Chemical Inventory Record Id: CVTR20113K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 22698
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-1
Last Modified: 2/23/2012

Facility Id: FATR20113K6EBD0025N9
Chemical Name: Ucar Aircraft Deicing Fluid Concentrate Type I
Chemical Inv Record Id: CVTR201169SEBM004PTU
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000,000 - 9,999,999 pounds
Max Daily Amount: 1,000,000 - 9,999,999 pounds
Max Amount In Largest Container: 1744105
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201169SEDZ005R3J
Chemical Inventory Record Id: CVTR201169SEBM004PTU
Amt Of Sub Stored Or Transported: 1744105
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 2/23/2012

Facility Id: FATR20113K6EBD0025N9
Chemical Name: BP Turbo Oil 2380
Chemical Inv Record Id: CVTR201169SFS100FLQJ
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 16356
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201169SFTX00G7SA
Chemical Inventory Record Id: CVTR201169SFS100FLQJ
Amt Of Sub Stored Or Transported: 16356
Amount Units: pounds
Type Of Storage: Steel drum
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Warehouse
Last Modified: 2/23/2012

Facility Id: FATR20113K6EBD0025N9
Chemical Name: 15W-40 Motor Oil
Chemical Inv Record Id: CVTR201169SFWD00HCKY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 11189
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201169SFYF00J59U
Chemical Inventory Record Id: CVTR201169SFWD00HCKY
Amt Of Sub Stored Or Transported: 11189
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Warehouse
Last Modified: 2/23/2012

Facility Id: FATR20113K6EBD0025N9
Chemical Name: Sani-Pak Liquid SP 97000
Chemical Inv Record Id: CVTR20117M174A00230V
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 13769
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20117M17A2003309
Chemical Inventory Record Id: CVTR20117M174A00230V
Amt Of Sub Stored Or Transported: 13769
Amount Units: pounds
Type Of Storage: Tote bin
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: CBN-SRVC
Last Modified: 2/23/2012

Facility Id: FATR20113K6EBD0025N9
Chemical Name: Cryotech NAAC Commercial Deicer
Chemical Inv Record Id: CVTR20118D9MCU0026ER
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 13200
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20118D9MPJ003FRP
Chemical Inventory Record Id: CVTR20118D9MCU0026ER
Amt Of Sub Stored Or Transported: 13200
Amount Units: pounds
Type Of Storage: Bag
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 2/23/2012

Facility Id: FATR20113K6EBD0025N9
Chemical Name: Cryotech E36 Liquid Runway Deicer
Chemical Inv Record Id: CVTR20118D9MSZ004EYE
CAS Number: Not reported
Chemical Same As Last Year: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 74771
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20118D9MUN005W0Q
Chemical Inventory Record Id: CVTR20118D9MSZ004EYE
Amt Of Sub Stored Or Transported: 74771
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 2/23/2012

Facility Id: FATR20113K6EBD0025N9
Chemical Name: Antifreeze
Chemical Inv Record Id: CVTR20118D9N220069V3
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 15055
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/23/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Chemical Inventory Location:

Record Key: CLTR20118D9N360078WS
Chemical Inventory Record Id: CVTR20118D9N220069V3
Amt Of Sub Stored Or Transported: 15055
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: GSE-1
Last Modified: 2/23/2012

Notes: Not reported
Validation: Not reported

Facility Info:

Id: 481111
Id Type: NAICS
Description: Not reported
Last Modified: 1/19/2009
Id: 006979801
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/17/2005
Id: 4512
Id Type: SIC
Description: Not reported
Last Modified: 2/17/2005

Contact:

Contact Email: Stephanie.Woods@aa.com
Contact Mail Address: 4333 Amon Carter Blvd. MD 5285
Contact City/State/Zip: Ft. Worth, TX 76155
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: American Airlines, Inc.
Title: Not reported
Modification Date: 2/23/2013

Contact Email: Stephanie.Woods@aa.com
Contact Mail Address: 4333 Amon Carter Blvd. MD 5285
Contact City/State/Zip: Ft. Worth, TX 76155
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: American Airlines, Inc.
Title: Not reported
Modification Date: 2/23/2013

Contact:

Contact Email: Not reported
Contact Mail Address: Dallas Ft. Worth International Airport
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Contact Name: Art Pappas
Title: VP-DFW
Modification Date: 2/23/2013

Contact:

Contact Email: Not reported
Contact Mail Address: Dallas Ft. Worth International Airport
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Charles Fisher
Title: LEC
Modification Date: 2/23/2013

Chemical Inventory:

Facility Id: FATR20123K6EBD0025N9
Chemical Name: Sulfuric Acid (Lead Acid Batteries)
Chemical Inv Record Id: CVTR20123K6F9200HK2S
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 114134
Chronic Health Risks: T
EHS Substance: T
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: T
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20123K6FDV00JQLP
Chemical Inventory Record Id: CVTR20123K6F9200HK2S
Amt Of Sub Stored Or Transported: 114134
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 2/23/2013

Facility Id: FATR20123K6EBD0025N9
Chemical Name: Regular Unleaded Gasoline
Chemical Inv Record Id: CVTR20123K6G2U00PL8S

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 312437
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: T
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20123K6G5M00Q05B
Chemical Inventory Record Id: CVTR20123K6G2U00PL8S
Amt Of Sub Stored Or Transported: 72101
Amount Units: pounds
Type Of Storage: Below ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 2/23/2013

Record Key: CLTR201246V7GL007Z27
Chemical Inventory Record Id: CVTR20123K6G2U00PL8S
Amt Of Sub Stored Or Transported: 240336
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: A/C Mtx Hangar
Last Modified: 2/23/2013

Facility Id: FATR20123K6EBD0025N9
Chemical Name: Lead (Lead Acid Batteries)
Chemical Inv Record Id: CVTR20123K6GAN00TCJ6
CAS Number: 7439-92-1
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000,000 - 9,999,999 pounds
Max Daily Amount: 1,000,000 - 9,999,999 pounds
Max Amount In Largest Container: 1091273
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20123K6GD900UM4F
Chemical Inventory Record Id: CVTR20123K6GAN00TCJ6
Amt Of Sub Stored Or Transported: 1091273
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 2/23/2013

Facility Id: FATR20123K6EBD0025N9
Chemical Name: UCAR Endurance EG106 ADF/Anti-Icing Fluid SAE Type IV
Chemical Inv Record Id: CVTR20123K6GEU00VZ6G
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 642899
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20123K6GJG00W42F
Chemical Inventory Record Id: CVTR20123K6GEU00VZ6G
Amt Of Sub Stored Or Transported: 642899
Amount Units: pounds
Type Of Storage: Above ground tank

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 2/23/2013

Facility Id: FATR20123K6EBD0025N9
Chemical Name: Ansulite 3% AFFF (Fire Fighting Foam) (AFC-3-A)
Chemical Inv Record Id: CVTR20123K6GKU00XA75
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 442619
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20123K6GP400Y4R7
Chemical Inventory Record Id: CVTR20123K6GKU00XA75
Amt Of Sub Stored Or Transported: 221309
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 2/23/2013

Record Key: CLTR20126YJ77J00AJ5M
Chemical Inventory Record Id: CVTR20123K6GKU00XA75
Amt Of Sub Stored Or Transported: 102143
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-1
Last Modified: 2/23/2013

Record Key: CLTR20126YJ78C00B89X
Chemical Inventory Record Id: CVTR20123K6GKU00XA75
Amt Of Sub Stored Or Transported: 119167
Amount Units: pounds
Type Of Storage: Tank inside building

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 2/23/2013

Facility Id: FATR20123K6EBD0025N9
Chemical Name: Low Sulfur Diesel Fuel Oil No. 2
Chemical Inv Record Id: CVTR20123K6GQ500Z0X3
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 132852
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: T
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20123K6GS5010S5C
Chemical Inventory Record Id: CVTR20123K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 10014
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 2/23/2013

Record Key: CLTR201246V72J005TTJ
Chemical Inventory Record Id: CVTR20123K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 20028
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 2/23/2013

Record Key: CLTR20126YJ7FY00CTNL
Chemical Inventory Record Id: CVTR20123K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 22698
Amount Units: pounds
Type Of Storage: Tank inside building

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-1
Last Modified: 2/23/2013

Record Key: CLTR20128ZWRLJ00FAED
Chemical Inventory Record Id: CVTR20123K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 80112
Amount Units: pounds
Type Of Storage: Below ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-1
Last Modified: 2/23/2013

Facility Id: FATR20123K6EBD0025N9
Chemical Name: UCAR ADF Concentrate Type I - PG
Chemical Inv Record Id: CVTR201269SEBM004PTU
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000,000 - 9,999,999 pounds
Max Daily Amount: 1,000,000 - 9,999,999 pounds
Max Amount In Largest Container: 1569695
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201269SEDZ005R3J
Chemical Inventory Record Id: CVTR201269SEBM004PTU
Amt Of Sub Stored Or Transported: 1569695
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 2/23/2013

Facility Id: FATR20123K6EBD0025N9
Chemical Name: BP Turbo Oil 2380 (55gal)
Chemical Inv Record Id: CVTR201269SFS100FLQJ
CAS Number: Not reported
Chemical Same As Last Year: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 16356
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201269SFTX00G7SA
Chemical Inventory Record Id: CVTR201269SFS100FLQJ
Amt Of Sub Stored Or Transported: 16356
Amount Units: pounds
Type Of Storage: Steel drum
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Warehouse
Last Modified: 2/23/2013

Facility Id: FATR20123K6EBD0025N9
Chemical Name: 15W-40 Motor Oil
Chemical Inv Record Id: CVTR201269SFWD00HCKY
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 11189
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Chemical Inventory Location:

Record Key: CLTR201269SFYF00J59U
Chemical Inventory Record Id: CVTR201269SFWD00HCKY
Amt Of Sub Stored Or Transported: 11189
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Warehouse
Last Modified: 2/23/2013

Facility Id: FATR20123K6EBD0025N9
Chemical Name: Sani-Pak Liquid SP 97000
Chemical Inv Record Id: CVTR20127M174A00230V
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 13769
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20127M17A2003309
Chemical Inventory Record Id: CVTR20127M174A00230V
Amt Of Sub Stored Or Transported: 13769
Amount Units: pounds
Type Of Storage: Tote bin
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: CBN-SRVC
Last Modified: 2/23/2013

Facility Id: FATR20123K6EBD0025N9
Chemical Name: Cryotech NAAC Commercial Deicer
Chemical Inv Record Id: CVTR20128ZWS4R00G23H
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Max Amount In Largest Container: 13200
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20128ZWS6K00HMZ4
Chemical Inventory Record Id: CVTR20128ZWS4R00G23H
Amt Of Sub Stored Or Transported: 13200
Amount Units: pounds
Type Of Storage: Bag
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Fac-MTX
Last Modified: 2/23/2013

Facility Id: FATR20123K6EBD0025N9
Chemical Name: Cryotech E36 Liquid Runway Deicer
Chemical Inv Record Id: CVTR20128ZWSC000JBG0
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 74771
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Record Key: CLTR20128ZWSDQ00KTPR
Chemical Inventory Record Id: CVTR20128ZWSC000JBG0
Amt Of Sub Stored Or Transported: 74771
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 2/23/2013

Facility Id: FATR20123K6EBD0025N9
Chemical Name: Antifreeze
Chemical Inv Record Id: CVTR20128ZWSES00LQZS
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: Not reported
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 15055
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 2/23/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20128ZWSJ000MHZX
Chemical Inventory Record Id: CVTR20128ZWSES00LQZS
Amt Of Sub Stored Or Transported: 15055
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: GSE-1
Last Modified: 2/23/2013

Notes: Not reported
Validation: Not reported

Facility Info:

Id: 006979801
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/17/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Id: 4512
Id Type: SIC
Description: Not reported
Last Modified: 2/17/2005
Id: 481111
Id Type: NAICS
Description: Not reported
Last Modified: 1/19/2009

Contact:

Contact Email: Not reported
Contact Mail Address: Dallas Ft. Worth International Airport
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Charles Fisher
Title: LEC
Modification Date: 3/10/2011

Contact:

Contact Email: Not reported
Contact Mail Address: 4333 Amon Carter Blvd. MD 5285
Contact City/State/Zip: Ft. Worth, TX 76155
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: . American Airlines, Inc.
Title: Not reported
Modification Date: 4/2/2011

Contact:

Contact Email: Not reported
Contact Mail Address: Dallas Ft. Worth International Airport
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Marilyn DeVoe
Title: VP-DFW
Modification Date: 3/10/2011

Chemical Inventory:

Facility Id: FATR20103K6EBD0025N9
Chemical Name: Sulfuric Acid (Lead Acid Batteries)
Chemical Inv Record Id: CVTR20103K6F9200HK2S
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 113861
Chronic Health Risks: T
EHS Substance: T
Last Modified: 3/10/2011
Days On Site: 365

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: T
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20103K6FDV00JQLP
Chemical Inventory Record Id: CVTR20103K6F9200HK2S
Amt Of Sub Stored Or Transported: 113861
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 3/10/2011

Facility Id: FATR20103K6EBD0025N9
Chemical Name: Regular Unleaded Gasoline
Chemical Inv Record Id: CVTR20103K6G2U00PL8S
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 312437
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 3/10/2011
Days On Site: 365
Fire Hazard: T
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20103K6G5M00Q05B
Chemical Inventory Record Id: CVTR20103K6G2U00PL8S
Amt Of Sub Stored Or Transported: 72101
Amount Units: pounds
Type Of Storage: Below ground tank

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: A/C Mtx Hangars
Last Modified: 3/10/2011

Record Key: CLTR201046V7GL007Z27
Chemical Inventory Record Id: CVTR20103K6G2U00PL8S
Amt Of Sub Stored Or Transported: 240336
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: A/C Mtx Hangars
Last Modified: 3/10/2011

Facility Id: FATR20103K6EBD0025N9
Chemical Name: Lead (Lead Acid Batteries)
Chemical Inv Record Id: CVTR20103K6GAN00TCJ6
CAS Number: 7439-92-1
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000,000 - 9,999,999 pounds
Max Daily Amount: 1,000,000 - 9,999,999 pounds
Max Amount In Largest Container: 1086765
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 3/10/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20103K6GD900UM4F
Chemical Inventory Record Id: CVTR20103K6GAN00TCJ6
Amt Of Sub Stored Or Transported: 1086765
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 3/10/2011

Facility Id: FATR20103K6EBD0025N9
Chemical Name: Ucar Endurance EG106 Aircraft Deicing/Anti-Icing Fluid Type IV
Chemical Inv Record Id: CVTR20103K6GEU00VZ6G
CAS Number: Not reported
Chemical Same As Last Year: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 732190
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 3/10/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20103K6GJG00W42F
Chemical Inventory Record Id: CVTR20103K6GEU00VZ6G
Amt Of Sub Stored Or Transported: 732190
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 3/10/2011

Facility Id: FATR20103K6EBD0025N9
Chemical Name: Ansulite 3% AFFF (Fire Fighting Foam)
Chemical Inv Record Id: CVTR20103K6GKU00XA75
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 280893
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 3/10/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Chemical Inventory Location:

Record Key: CLTR20103K6GP400Y4R7
Chemical Inventory Record Id: CVTR20103K6GKU00XA75
Amt Of Sub Stored Or Transported: 59583
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 3/10/2011

Record Key: CLTR20106YJ77J00AJ5M
Chemical Inventory Record Id: CVTR20103K6GKU00XA75
Amt Of Sub Stored Or Transported: 102143
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-1
Last Modified: 3/10/2011

Record Key: CLTR20106YJ78C00B89X
Chemical Inventory Record Id: CVTR20103K6GKU00XA75
Amt Of Sub Stored Or Transported: 119167
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 3/10/2011

Facility Id: FATR20103K6EBD0025N9
Chemical Name: Low Sulfur Diesel Fuel Oil No. 2
Chemical Inv Record Id: CVTR20103K6GQ500Z0X3
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 52740
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 3/10/2011
Days On Site: 365
Fire Hazard: T
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Chemical Inventory Location:

Record Key: CLTR201046V72J005TTJ
Chemical Inventory Record Id: CVTR20103K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 20028
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 3/10/2011

Record Key: CLTR20106YJ7FY00CTNL
Chemical Inventory Record Id: CVTR20103K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 22698
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-1
Last Modified: 3/10/2011

Record Key: CLTR20103K6GS5010S5C
Chemical Inventory Record Id: CVTR20103K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 10014
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 3/10/2011

Facility Id: FATR20103K6EBD0025N9
Chemical Name: Ucar Aircraft Deicing Fluid Concentrate Type I
Chemical Inv Record Id: CVTR201069SEBM004PTU
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000,000 - 9,999,999 pounds
Max Daily Amount: 1,000,000 - 9,999,999 pounds
Max Amount In Largest Container: 2019490
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 3/10/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Chemical Inventory Location:

Record Key: CLTR201069SEDZ005R3J
Chemical Inventory Record Id: CVTR201069SEBM004PTU
Amt Of Sub Stored Or Transported: 2019490
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 3/10/2011

Facility Id: FATR20103K6EBD0025N9
Chemical Name: BP Turbo Oil 2380
Chemical Inv Record Id: CVTR201069SFS100FLQJ
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 16356
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 3/10/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201069SFTX00G7SA
Chemical Inventory Record Id: CVTR201069SFS100FLQJ
Amt Of Sub Stored Or Transported: 16356
Amount Units: pounds
Type Of Storage: Steel drum
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Warehouse
Last Modified: 3/10/2011

Facility Id: FATR20103K6EBD0025N9
Chemical Name: 15W-40 Motor Oil
Chemical Inv Record Id: CVTR201069SFWD00HCKY
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Max Amount In Largest Container: 11189
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 3/10/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201069SFYF00J59U
Chemical Inventory Record Id: CVTR201069SFWD00HCKY
Amt Of Sub Stored Or Transported: 11189
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Warehouse
Last Modified: 3/10/2011

Facility Id: FATR20103K6EBD0025N9
Chemical Name: Sani-Pak Liquid SP 97000
Chemical Inv Record Id: CVTR20107M174A00230V
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 13769
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 3/10/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC. (Continued)

S109180148

Record Key: CLTR20107M17A2003309
Chemical Inventory Record Id: CVTR20107M174A00230V
Amt Of Sub Stored Or Transported: 13769
Amount Units: pounds
Type Of Storage: Tote bin
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: CBN-SRVC
Last Modified: 3/10/2011

Notes: Not reported
Validation: Not reported

Notes: Not reported
Validation: Not reported

**167
NNE
1/8-1/4
0.196 mi.
1035 ft.**

**AMERICAN AIRLINES DFW MAINTENANCE FACILITY
DALLAS, TX
Site 6 of 7 in cluster I**

**AIRS S109316797
N/A**

**Relative:
Higher
Actual:
574 ft.**

AIRS:
Name: AMERICAN AIRLINES DFW MAINTENANCE FACILITY
Address: Not reported
City,State,Zip: DALLAS, TX
Permit Num: 79110
Regulated Id: RN100213461
Permit Type: PBR
Permit Status: EFFECTIVE
Permit Issued Date: 07/05/2006
Expiration Date: 12/31/3000
Customer Id: CN602385767
Company Name: AMERICAN AIRLINES INC
Physical Location Desc: 2122 W 16TH AVE DALLAS TX 75261
Rep Official(RO): AIRCRAFT MAINTENANCE MANAGER
RO Name: MR JONATHAN POWERS
RO Delivery Address: PO BOX 619047
RO City/State/Zip: DALLAS, T 75261-904
RO Phone: 972-425-6810
RO Ext Num: 0
RO EMail Address: Not reported
Lat Dec Coord Num: 32.896300
Long Dec Coord Num: -97.039400

Name: AMERICAN AIRLINES DFW MAINTENANCE FACILITY
Address: Not reported
City,State,Zip: DALLAS, TX
Permit Num: 46093
Regulated Id: RN100213461
Permit Type: PBR
Permit Status: EFFECTIVE
Permit Issued Date: 11/29/2000
Expiration Date: 12/31/3000
Customer Id: CN602385767

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES DFW MAINTENANCE FACILITY (Continued)

S109316797

Company Name: AMERICAN AIRLINES INC
Physical Location Desc: 2122 W 16TH AVE DALLAS TX 75261
Rep Official(RO): SENIOR ENVIRONMENTAL ENGINEER
RO Name: MR RICHARD MCDONALD
RO Delivery Address: PO BOX 619616
RO City/State/Zip: DFW AIRPORT, T 75261-961
RO Phone: Not reported
RO Ext Num: 0
RO EMail Address: Not reported
Lat Dec Coord Num: 32.896300
Long Dec Coord Num: -97.039400

Name: AMERICAN AIRLINES DFW MAINTENANCE FACILITY
Address: Not reported
City,State,Zip: DALLAS, TX
Permit Num: 46094
Regulated Id: RN100213461
Permit Type: PBR
Permit Status: EFFECTIVE
Permit Issued Date: 12/18/2000
Expiration Date: 12/31/3000
Customer Id: CN602385767
Company Name: AMERICAN AIRLINES INC
Physical Location Desc: 2122 W 16TH AVE DALLAS TX 75261
Rep Official(RO): SENIOR ENVIRONMENTAL ENGINEER
RO Name: MR RICHARD MCDONALD
RO Delivery Address: PO BOX 619616
RO City/State/Zip: DFW AIRPORT, T 75261-961
RO Phone: Not reported
RO Ext Num: 0
RO EMail Address: Not reported
Lat Dec Coord Num: 32.896300
Long Dec Coord Num: -97.039400

Name: AMERICAN AIRLINES DFW MAINTENANCE FACILITY
Address: Not reported
City,State,Zip: DALLAS, TX
Permit Num: 46500
Regulated Id: RN100213461
Permit Type: PBR
Permit Status: EFFECTIVE
Permit Issued Date: 01/08/2001
Expiration Date: 12/31/3000
Customer Id: CN602385767
Company Name: AMERICAN AIRLINES INC
Physical Location Desc: 2122 W 16TH AVE DALLAS TX 75261
Rep Official(RO): SENIOR ENVIRONMENTAL ENGINEER
RO Name: MR RICHARD MCDONALD
RO Delivery Address: PO BOX 619616
RO City/State/Zip: DFW AIRPORT, T 75261-961
RO Phone: Not reported
RO Ext Num: 0
RO EMail Address: Not reported
Lat Dec Coord Num: 32.896300
Long Dec Coord Num: -97.039400

Name: AMERICAN AIRLINES DFW MAINTENANCE FACILITY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES DFW MAINTENANCE FACILITY (Continued)

S109316797

Address: Not reported
City,State,Zip: DALLAS, TX
Permit Num: 46501
Regulated Id: RN100213461
Permit Type: PBR
Permit Status: EFFECTIVE
Permit Issued Date: 01/12/2001
Expiration Date: 12/31/3000
Customer Id: CN602385767
Company Name: AMERICAN AIRLINES INC
Physical Location Desc: 2122 W 16TH AVE DALLAS TX 75261
Rep Official(RO): SENIOR ENVIRONMENTAL ENGINEER
RO Name: MR RICHARD MCDONALD
RO Delivery Address: PO BOX 619616
RO City/State/Zip: DFW AIRPORT, T 75261-961
RO Phone: Not reported
RO Ext Num: 0
RO EMail Address: Not reported
Lat Dec Coord Num: 32.896300
Long Dec Coord Num: -97.039400

J68
NNW
1/8-1/4
0.210 mi.
1109 ft.

AMERICAN AIRLINES
HANGAR II
DFW AIRPORT, TX
Site 3 of 9 in cluster J

LPST U003565382
UST N/A
Financial Assurance

Relative:
Higher
Actual:
594 ft.

LPST:
Name: AMERICAN AIRLINES
Address: HANGER I
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0058393
LPST Id: 104871
Facility Location: HANGER @ DFW AIRPORT VCP 1461
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 10/06/1992
Entered Date: 11/12/1992
Reported Date: 10/06/1992
Closure Date: 10/20/1995
Priority: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1/2
Coordinators RPR: RPR
Responsible Party Name: Not reported
Responsible Party Contact: CHARLES BEAM
Responsible Party Address: PO BOX 619616
Responsible Party City,St,Zip: DFW INTL AIRPORT, TX 75261 9616
Responsible Party Telephone: 214/574-5593
Reported Date: 10/06/1992
Case Start Date: 10/20/1995
Reference Number: RN104072525
Project Manager: HWELCH

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U003565382

UST:

Name: AMERICAN AIRLINES
Address: HANGAR II
City,State,Zip: DFW AIRPORT, TX
AI Number: 58394
Facility Type: AIRCRAFT REFUELING
Facility Begin Date: 01/01/1989
Facility Status: INACTIVE
Additional ID: 134281642002294
Facility Exempt Status: N
Records Off-Site: No
UST Financial Assurance Required: No
Number Of Active UST: 0
Site Location Description: HANGAR II
Site Location (Nearest City Name): DFW AIRPORT
Site Location (County Name): TARRANT
Site Location (Tceq Region): 4
Site Location (Location Zip): 75261
Contact Name/Title: RICK ROSALES,ENVIRO TECH
Contact Organization Name: AMERICAN AIRLINES
Contact Mailing Address1: Not reported
Contact Mailing Address2: Not reported
Contact Mailing City/State/Zip: Not reported
Contact Telephone: 9729735576
Facility Contact Address Deliverable: Not reported
Contact Fax Number: Not reported
Contact Email Address: Not reported
Signature Date On Earliest Reg Form: 05/17/2019
Signature Name/Title On Earliest Reg Form: RICK ROSALES,ENV OPS ANALYST
Application Received Date On Earliest Reg Form: 05/13/2019
Signature Role On Earliest Reg Form: LEGAL AUTH REP OWNER
Signature Company On Earliest Reg Form: Not reported
Enforcement Action: No
Facility Not Inspectable: No

Operator:

Princ ID: 448448802003162
Additional ID: 134281642002294
Ai Number: 58394
Operator CN: CN601700610
Operator Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Operator Effective Begin Date: 09/28/2012
Operator Type: OG
Operator Role: OPRCON
Contact Name: ROBERT HORTON/VICE PRESIDENT, ENVIRONMENTAL AFFAIRS DEPARTMENT
Contact Organization Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Contact Mailing Address (Delivery): PO BOX 619428
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City/State/Zip: DFW AIRPORT TX 75261-9428
Contact Phone Country Code: 1
Contact Phone Area Code: 972
Contact Phone Number: 9735560
Contact Phone Extension: 0
Contact Fax Country Code: Not reported
Contact Fax Area Code: Not reported
Contact Fax Number: Not reported
Contact Fax Extension: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U003565382

Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Owner:	
Owner CN:	CN601700610
Owner Last Name:	DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OG
Contact Mailing Address (Delivery):	PO BOX 619428
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	DFW AIRPORT
Contact Mailing State:	TX
Contact Mailing Zip:	75261
Contact Mailing Zip5:	9428
Contact Phone Number/Ext:	1 972 9735576/0
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	448448802003162
Additional ID:	134281642002294
AI Number:	58394
Owner Effective Begin Date:	09/28/2012
State Tax ID:	Not reported
Contact Role:	OWNCON
Contact Name/Title:	RICK ROSALES/ENV TECH
Contact Organization Name:	DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Self Certification:	
Self Cert ID:	58463
Cert ID:	59775
AI Number:	58394
Self Certification Date:	06/24/2005
Signature Name/Title:	SHANNON L DYER ENV. OPS ANALYST
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58463
Cert ID:	59774
AI Number:	58394
Self Certification Date:	06/30/2004
Signature Name/Title:	SHANNON L DYER ENV. OPS. ANALYST
Signature Type Role:	OWNER
Filing Status:	RENEWAL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U003565382

Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58463
Cert ID:	59773
AI Number:	58394
Self Certification Date:	06/26/2003
Signature Name/Title:	SHANNON DYER ENVIR OPER ANALYST
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2004
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58463
Cert ID:	59772
AI Number:	58394
Self Certification Date:	06/25/2002
Signature Name/Title:	SHANNON DYER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2003
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58463
Cert ID:	59771
AI Number:	58394
Self Certification Date:	01/22/2001
Signature Name/Title:	SHANNON DYER ENVIRO ANALYST
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AMERICAN AIRLINES (Continued)

U003565382

Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2002
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Tank:	
Install Date:	01/01/1989
Tank Registration Date:	05/28/1991
Number of Compartments:	1
Tank Capacity:	6000
Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	G
UST ID:	139427
Facility ID:	58463
Ai Number:	58394
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	05/02/2019
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AMERICAN AIRLINES (Continued)

U003565382

TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	Y
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible):	N
PCPMeth(Isolated Open Area/2nd Containment):	Y
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	Y
Tank Tested Flag:	Y
Installation Signature Date:	10/31/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	54117
UST ID:	139427
AI Number:	58394
Compartment ID:	A
Substance Stored1:	Not reported
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	Y
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	Y
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	Y
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U003565382

Spill And Overfill Prevention Variance: N
Stage I Vapor Recovery: Not reported
Stage 1 Installation Date: Not reported

Construction Notification:

NOC ID: 34473
Facility ID: 58463
AI Number: 58394
Application Received Date: 04/02/2019
Scheduled Construction Date: 05/06/2019
UST Improvement: N
UST Installation: N
UST Removal: N
UST Repair: N
UST Return To Service: N
UST Replacement: N
UST Abandonment: Y
UST Stage I: N
AST Installation: N
AST Stage I: N
Historical Tracking Number: Not reported
Waiver Flag: Not reported
Late Filing Flag: N
Form Received Date: 08/09/2019
Signature Date On Form: 08/06/2019
Signature Name On Form: RICK ROSALES
Signature Company On Form: Not reported
Signature Title On Form: Not reported
Signature Role: Not reported
Owner Name At Time Of Construction: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD;DALLAS-FT W
Owner CN At Time Of Construction: CN601700610,CN601700610
Owner AR At Time Of Construction: 10457A,10457U
General Desc Of Prop Construct: UST #1 (139) CURRENTLY TOS AND WILL BE ABANDONED IN PLACE TENTATIVELY
MAY 6 2019

Contractor, Consultant and Installer:

Cont/Cons/Installer ID: 81839
UST ID: Not reported
NOC ID: 34473
AI Number: 58394
Type Of Contact: CONTRACTOR
Contractor CRP Number Or Installer ILP Number: CRP000337
Company Name: SUNBELT INDUSTRIAL SERVICES
Representative Name: Not reported
Mailing Address (Delivery): 2415 CULLEN ST
Mailing Address (Internal Delivery): Not reported
Mailing City: FORT WORTH
Mailing State: TX
Mailing Zip: 76107
Mailing Foreign Postal Code: Not reported
Mailing County Code: Not reported
Phone Number Country Code: 1
Phone Number Area Code: 817
Phone Number: 8770867
Phone Number Extension: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U003565382

Fax Number Country Code: Not reported
Fax Number Area Code: Not reported
Fax Number: Not reported
Email Address: Not reported

Facility Billing Contacts:

Contact Organization Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Contact Mailing Address (Delivery): PO BOX 619428
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City/State/Zip: DFW AIRPORT, TX 75261 9428
Phone Number/Ext: /
Contact Fax Number/Ext: /
Contact Email Address: Not reported
Contact Address Deliverable: Y
Facility ID: 58463
Additional ID: 134281642002294
Princ ID: 448448802003162
AI Number: 58394
Facility Name: AMERICAN AIRLINES
AR Number: 10457
AR UST Number Suffix: A
AR AST Number Suffix: U
Contact Name/Title: RICK REETER/

TX Financial Assurance 2:

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58463
Finass ID: 199439
AI: 58394
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: OVER 2,000,000
Meets Financial Assurance Req Flag: Y
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 10/15/2017
Date Financial Assurance Form Rec: 05/13/2019
Issuer Name: INDIAN HARBOR INS CO
Issuer Phone: Not reported
Policy Number: PEC0050773
Coverage Amount: OVER 2,000,000
Coverage Expiration Date: 10/15/2018
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58463
Finass ID: 145156

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U003565382

Al: 58394
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: 1,000,000
Meets Financial Assurance Req Flag: Y
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/16/2015
Date Financial Assurance Form Rec: 05/13/2019
Issuer Name: CRUM & FORSTER SPECIALTY INS
Issuer Phone: Not reported
Policy Number: PLL-101586
Coverage Amount: 1,000,000
Coverage Expiration Date: 03/16/2017
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58463
Finass ID: 125664
Al: 58394
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: 2,000,000
Meets Financial Assurance Req Flag: Y
Financial Responsibility Type: FINANCIAL TEST
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/25/2014
Date Financial Assurance Form Rec: 05/13/2019
Issuer Name: SELF(FIN TEST OR LOCAL GOV FT)
Issuer Phone: Not reported
Policy Number: Not reported
Coverage Amount: 2,000,000
Coverage Expiration Date: 07/25/2015
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58463
Finass ID: 42974
Al: 58394
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/16/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U003565382

Date Financial Assurance Form Rec: 05/13/2019
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: Not reported
Policy Number: EIL008799-12-05
Coverage Amount: 1000000
Coverage Expiration Date: 03/16/2015
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58463
Finass ID: 4088
Al: 58394
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/16/2012
Date Financial Assurance Form Rec: 05/13/2019
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: 1 972 9735567
Policy Number: EIL008799-12-05
Coverage Amount: 1,000,000
Coverage Expiration Date: 03/16/2015
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58463
Finass ID: 110259
Al: 58394
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: 1,000,000
Meets Financial Assurance Req Flag: Y
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/16/2013
Date Financial Assurance Form Rec: 05/13/2019
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: Not reported
Policy Number: EIL008799-12-05
Coverage Amount: 1,000,000
Coverage Expiration Date: 03/16/2014
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U003565382

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58463
Finass ID: 42975
Al: 58394
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 01/31/2011
Date Financial Assurance Form Rec: 05/13/2019
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: Not reported
Policy Number: EIL008799-09-04
Coverage Amount: 1000000
Coverage Expiration Date: 03/16/2012
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58463
Finass ID: 42976
Al: 58394
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/16/2010
Date Financial Assurance Form Rec: 05/13/2019
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: 1 856 4828788
Policy Number: EIL 008799-09-04
Coverage Amount: 1000000
Coverage Expiration Date: 03/16/2011
Ins Premium Pre-Paid For Entire Yr: Yes
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58463
Finass ID: 42977
Al: 58394
Mechanism Type Other: Not reported
Multiple Mechanism Types: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U003565382

Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 02/16/2009
Date Financial Assurance Form Rec: 05/13/2019
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: 1 856 4828788
Policy Number: EIL 008799-09-04
Coverage Amount: 1000000
Coverage Expiration Date: 02/16/2010
Ins Premium Pre-Paid For Entire Yr: Yes
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58463
Finass ID: 42978
Al: 58394
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 02/16/2009
Date Financial Assurance Form Rec: 05/13/2019
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: 1 856 4828788
Policy Number: EIL008799-09-04
Coverage Amount: 1000000
Coverage Expiration Date: 02/16/2010
Ins Premium Pre-Paid For Entire Yr: Yes
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58463
Finass ID: 42979
Al: 58394
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 02/16/2008
Date Financial Assurance Form Rec: 05/13/2019
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: 1 856 4828788

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U003565382

Policy Number: EIL008799-05-02
Coverage Amount: 1000000
Coverage Expiration Date: 02/16/2009
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: No

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58463
Finass ID: 42980
Al: 58394
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 09/30/1993
Date Financial Assurance Form Rec: 05/13/2019
Issuer Name: Not reported
Issuer Phone: Not reported
Policy Number: Unknown
Coverage Amount: 0
Coverage Expiration Date: 01/01/1901
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: No

K69
SSE
1/8-1/4
0.215 mi.
1137 ft.

INSTALL PRE-MANUFACTURED TRUCK BODIES
2323 N SUPPORT RD DALLAS TX 75261
DALLAS, TX 75261

CENTRAL REGISTRY **S124236509**
N/A

Site 1 of 13 in cluster K

Relative:
Lower
Actual:
562 ft.

CENTRAL REGISTRY:
Regulated Entity Number: RN106435290
Name: INSTALL PRE-MANUFACTURED TRUCK BODIES
Address: 2323 N SUPPORT RD DALLAS TX 75261
Address 2: Not reported
City,State,Zip: DALLAS, TX 75261
Status: ACTIVE
Status Date: 6/13/2012
Customer Number: CN600472682
Customer Name: A G VAN & TRUCK EQUIPMENT INC
Customer Legal Name: A. G. Van & Truck Equipment, Inc.
Customer Ownership Type: ORGANIZATION
Affiliation Begin Date: 6/13/2012
Affiliation End Date: 12/31/3000
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 33612
Primary NAICS Industry Type Description: Heavy Duty Truck Manufacturing
Physical Location Description: 2323 N SUPPORT RD DALLAS TX 75261

Regulated Entity Number: RN106435290
Name: INSTALL PRE-MANUFACTURED TRUCK BODIES
Address: 2323 N SUPPORT RD DALLAS TX 75261

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

INSTALL PRE-MANUFACTURED TRUCK BODIES (Continued)

S124236509

Address 2: Not reported
City,State,Zip: DALLAS, TX 75261
Status: ACTIVE
Status Date: 6/13/2012
Customer Number: CN600472682
Customer Name: A G VAN & TRUCK EQUIPMENT INC
Customer Legal Name: A. G. Van & Truck Equipment, Inc.
Customer Ownership Type: ORGANIZATION
Affiliation Begin Date: 6/13/2012
Affiliation End Date: 12/31/3000
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 33612
Primary NAICS Industry Type Description: Heavy Duty Truck Manufacturing
Physical Location Description: 2323 N SUPPORT RD DALLAS TX 75261

170
NNE
1/8-1/4
0.237 mi.
1252 ft.

**DFW INTERNATIONAL AIRPORT
LOCATED WITHIN THE NE CORNER OF TARRANT CNTY & THE NW CORNER
ARLINGTON, TX**

**NPDES S117273724
N/A**

Site 7 of 7 in cluster I

**Relative:
Higher**
**Actual:
578 ft.**

NPDES:
Name: DFW INTERNATIONAL AIRPORT
Address: LOCATED WITHIN THE NE CORNER OF TARRANT CNTY & THE NW CORNER OF DALLAS
CNTY JUST SE OF LAKE GRAPEVINE
City,State,Zip: ARLINGTON, TX
Al: WQ0001441000
Facility Id: 14528
Facility Operational Status: ACTIVE
Facility Disposal Method: DISCHARGE
EPA Id: TX0025101
EPA Fac Class: MINOR
Auth Type: IND WW
Approval Date: 03/18/2019
Original Approval Date: 03/26/1971
Expiration Date: 03/18/2024
Auth Status: ACTIVE
Tpdes State: TPDES
Permittee Name: Dallas-Ft. Worth International Airport Board
Permittee Address: PO BOX 619428 DFW AIRPORT, TX 75261-9428
Region: REGION 04 - DFW METROPLEX
Secondary Region/County: Not reported
Site Location: LOCATED WITHIN THE NE CORNER OF TARRANT CNTY & THE NW CORNER OF DALLAS
CNTY JUST SE OF LAKE GRAPEVINE, ARLINGTON, TX
Permit Authority: STATE
Compliance Authority: STATE
Pretreatment Facility Design: Not reported
Facility Toxic Rating: 2
Facility Average Design Flow: Not reported
Loc In Coast Zone: N
Instit Of High Learn: N
Bio Energy Facility: N
Primary Sic Code: 4581
Secondary Sic Code: Not reported
Primary Naics Code: Not reported
Secondary Naics Code: Not reported
Segment: 0822,0841
Basin: 08

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW INTERNATIONAL AIRPORT (Continued)

S117273724

Animal Type/Count: Not reported
Latitude: 32.896903
Longitude: -97.040370

Detail:

NPDES Number: 0025101
Permit Number: 01441-000
Letter: Not reported
Status: Current Permit
DTYPE: S
Initials: KJC
Latitude: 32.85026105
Longitude: -97.052675679999993
Segment: 0841
Basin: 08
Region: 04
Horizontal Method: DRG
Horizontal Accuracy: 12
Horizontal Reference: other
Horizontal Date: 20180514
Horizontal Organization: TCEQ
Horizontal Datum: NAD83
Horizontal Description: End of pipe as indicated on paper map
UTM Zone: 14

NPDES Number: 0025101
Permit Number: 01441-000
Letter: Not reported
Status: Current Permit
DTYPE: S
Initials: KJC
Latitude: 32.872004230000002
Longitude: -97.057289979999993
Segment: 0841
Basin: 08
Region: 04
Horizontal Method: DRG
Horizontal Accuracy: 12
Horizontal Reference: other
Horizontal Date: 20180514
Horizontal Organization: TCEQ
Horizontal Datum: NAD83
Horizontal Description: End of pipe as indicated on paper map
UTM Zone: 14

NPDES Number: 0025101
Permit Number: 01441-000
Letter: Not reported
Status: Current Permit
DTYPE: S
Initials: KJC
Latitude: 32.896092350000004
Longitude: -97.012651320000003
Segment: 0822
Basin: 08
Region: 04
Horizontal Method: DRG
Horizontal Accuracy: 12

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW INTERNATIONAL AIRPORT (Continued)

S117273724

Horizontal Reference: other
Horizontal Date: 20180514
Horizontal Organization: TCEQ
Horizontal Datum: NAD83
Horizontal Description: End of pipe as indicated on paper map
UTM Zone: 14

NPDES Number: 0025101
Permit Number: 01441-000
Letter: Not reported
Status: Current Permit
DTYPE: S
Initials: KJC
Latitude: 32.867421020000002
Longitude: -97.038951940000004
Segment: 0841
Basin: 08
Region: 04
Horizontal Method: DRG
Horizontal Accuracy: 12
Horizontal Reference: other
Horizontal Date: 20180514
Horizontal Organization: TCEQ
Horizontal Datum: NAD83
Horizontal Description: End of pipe as indicated on paper map
UTM Zone: 14

NPDES Number: 0025101
Permit Number: 01441-000
Letter: Not reported
Status: Current Permit
DTYPE: S
Initials: KJC
Latitude: 32.920281690000003
Longitude: -97.033658979999998
Segment: 0822
Basin: 08
Region: 04
Horizontal Method: DRG
Horizontal Accuracy: 12
Horizontal Reference: other
Horizontal Date: 20180514
Horizontal Organization: TCEQ
Horizontal Datum: NAD83
Horizontal Description: End of pipe as indicated on paper map
UTM Zone: 14

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

K71 **BP PRODUCTS NORTH AMERICA INC** **EDR Hist Auto** **1020481356**
SE **2405 N SUPPORT** **N/A**
1/8-1/4 **DALLAS, TX 75261**
0.242 mi.
1280 ft. **Site 2 of 13 in cluster K**
Relative: EDR Hist Auto
Lower
Actual: Year: Name: Type:
567 ft. 2005 B P EXPLORATION & OIL INC Gasoline Service Stations, NEC
 2006 BP PRODUCTS NORTH AMERICA INC Gasoline Service Stations, NEC
 2007 BP PRODUCTS NORTH AMERICA INC Gasoline Service Stations, NEC
 2008 BP PRODUCTS NORTH AMERICA INC Gasoline Service Stations, NEC
 2009 BP PRODUCTS NORTH AMERICA INC Gasoline Service Stations, NEC

K72 **DALLAS FORT WORTH INTERNATIONAL AIRPORT** **CENTRAL REGISTRY** **S126761543**
SE **2417 N SUPPORT RD** **N/A**
1/8-1/4 **DFW AIRPORT, TX 75261**
0.249 mi.
1316 ft. **Site 3 of 13 in cluster K**
Relative: CENTRAL REGISTRY:
Lower Regulated Entity Number: RN105189625
Actual: Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
568 ft. Address: 2417 N SUPPORT RD
 Address 2: Not reported
 City,State,Zip: DFW AIRPORT, TX 75261-5001
 Status: ACTIVE
 Status Date: 2007-03-27
 Customer Number: CN600127815
 Customer Name: DELTA AIR LINES INC
 Customer Legal Name: Delta Air Lines, Inc
 Customer Ownership Type: CORPORATION
 Affiliation Begin Date: 2006-11-14
 Affiliation End Date: 3000-12-31
 Customer Status: ACTIVE
 Primary NAICS Industry Type Code: 481111
 Primary NAICS Industry Type Description: Scheduled Passenger Air Transportation
 Physical Location Description: Not reported

 Regulated Entity Number: RN105189625
 Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
 Address: 2417 N SUPPORT RD
 Address 2: Not reported
 City,State,Zip: DFW AIRPORT, TX 75261-5001
 Status: ACTIVE
 Status Date: 2007-03-27
 Customer Number: CN600127815
 Customer Name: DELTA AIR LINES INC
 Customer Legal Name: Delta Air Lines, Inc
 Customer Ownership Type: CORPORATION
 Affiliation Begin Date: 2006-11-14
 Affiliation End Date: 3000-12-31
 Customer Status: ACTIVE
 Primary NAICS Industry Type Code: 481111
 Primary NAICS Industry Type Description: Scheduled Passenger Air Transportation
 Physical Location Description: Not reported

 Regulated Entity Number: RN105189625
 Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH INTERNATIONAL AIRPORT (Continued)

S126761543

Address: 2417 N SUPPORT RD
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261-5001
Status: ACTIVE
Status Date: 2007-03-27
Customer Number: CN600127815
Customer Name: DELTA AIR LINES INC
Customer Legal Name: Delta Air Lines, Inc
Customer Ownership Type: CORPORATION
Affiliation Begin Date: 2006-11-14
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 481111
Primary NAICS Industry Type Description: Scheduled Passenger Air Transportation
Physical Location Description: Not reported

Regulated Entity Number: RN105189625
Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
Address: 2417 N SUPPORT RD
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261-5001
Status: ACTIVE
Status Date: 2007-03-27
Customer Number: CN600127815
Customer Name: DELTA AIR LINES INC
Customer Legal Name: Delta Air Lines, Inc
Customer Ownership Type: CORPORATION
Affiliation Begin Date: 2006-11-14
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 481111
Primary NAICS Industry Type Description: Scheduled Passenger Air Transportation
Physical Location Description: Not reported

Regulated Entity Number: RN105189625
Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
Address: 2417 N SUPPORT RD
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261-5001
Status: ACTIVE
Status Date: 2007-03-27
Customer Number: CN600127815
Customer Name: DELTA AIR LINES INC
Customer Legal Name: Delta Air Lines, Inc
Customer Ownership Type: CORPORATION
Affiliation Begin Date: 2006-11-14
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 481111
Primary NAICS Industry Type Description: Scheduled Passenger Air Transportation
Physical Location Description: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

K73 SE 1/8-1/4 0.249 mi. 1316 ft.	DALLAS FORT WORTH INTERNATIONAL AIRPORT 2417 N SUPPORT RD DFW AIRPORT, TX 75261 Site 4 of 13 in cluster K	FINDS ECHO	1011265224 N/A
--	--	-----------------------------	---------------------------------

Relative: FINDS:
Lower Registry ID: 110034215481

Actual: Click Here for FRS Facility Detail Report:
568 ft.

Environmental Interest/Information System:
 US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.
 Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
 Envid: 1011265224
 Registry ID: 110034215481
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110034215481>
 Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
 Address: 2417 N SUPPORT RD
 City,State,Zip: DFW AIRPORT, TX 75261

K74 SE 1/8-1/4 0.249 mi. 1316 ft.	ERMC AVIATION 2417 N SUPPORT RD STE 110 DFW AIRPORT, TX 75261 Site 5 of 13 in cluster K	ECHO	1026940102 N/A
--	--	-------------	---------------------------------

Relative: ECHO:
Lower Envid: 1026940102
 Registry ID: 110071156776
Actual: DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110071156776>
568 ft. Name: ERMC AVIATION
 Address: 2417 N SUPPORT RD STE 110
 City,State,Zip: DFW AIRPORT, TX 75261

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

K75 **AIRPORT TERMINAL SERVICES**
SE **2417 N SUPPORT RD**
1/8-1/4 **DALLAS, TX 75261**
0.249 mi.
1316 ft.

CENTRAL REGISTRY **S126872767**
N/A

Relative: CENTRAL REGISTRY:
Lower Regulated Entity Number: RN107645343
 Name: AIRPORT TERMINAL SERVICES
Actual: Address: 2417 N SUPPORT RD
568 ft. Address 2: Not reported
 City,State,Zip: DALLAS, TX 75261-5001
 Status: ACTIVE
 Status Date: 2014-08-11
 Customer Number: CN602621591
 Customer Name: AIRPORT TERMINAL SERVICES INC
 Customer Legal Name: Airport Terminal Services, Inc.
 Customer Ownership Type: CORPORATION
 Affiliation Begin Date: 2014-08-11
 Affiliation End Date: 3000-12-31
 Customer Status: ACTIVE
 Primary NAICS Industry Type Code: 488119
 Primary NAICS Industry Type Description: Other Airport Operations
 Physical Location Description: Not reported

K76 **ERMC AVIATION**
SE **DFW AIRPORT, TX**
1/8-1/4 **DFW AIRPORT, TX**
0.249 mi.
1316 ft.

FINDS **1027121577**
PFAS ECHO **N/A**

Relative: FINDS:
Lower Registry ID: 110071156776

Actual: [Click Here for FRS Facility Detail Report:](#)
568 ft.

Environmental Interest/Information System:
US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

PFAS ECHO:
Name: ERMC AVIATION
Address: Not reported
City,State,Zip: DFW AIRPORT, TX
Latitude: 32.882334
Longitude: -97.036597
Count: 1
County: TARRANT COUNTY
Status: Active
Region: 06
Industry: Airports
ECHO Facility Report: <https://echo.epa.gov/detailed-facility-report?fid=110071156776>

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ERMC AVIATION (Continued)

1027121577

Facility Percent Minority:	59.894
Facility Derived Tribes:	-
Facility Population:	1234.85
EPA Programs:	CWA
Federal Facility:	No
Federal Agency:	-
Facility FIPS Code:	48439
Facility Indian Country Flag:	N
Facility Collection Method:	ADDRESS MATCHING-HOUSE NUMBER
Facility Derived HUC:	12030102
Facility Derived WBD:	120301020705
Facility Derived CD113:	24
Facility Derived CB2010:	484399800001173
Facility Major Flag:	-
Facility Active Flag:	Y
Facility Inspection Count:	0
Facility Date Last Inspection:	-
Facility Days Last Inspection:	-
Facility Informal Count:	0
Facility Date Last Informal Action:	-
Facility Formal Action Count:	0
Facility Date Last Formal Action:	-
Facility Total Penalties:	0
Facility Penalty Count:	-
Facility Date Last Penalty:	-
Facility Last Penalty AMT:	-
Facility QTRS With NC:	0
Facility Programs With SNC:	0
Facility Compliance Status:	No Violation Identified
Facility SNC Flag:	N
AIR Flag:	N
NPDES Flag:	Y
SDWIS Flag:	N
RCRA Flag:	N
TRI Flag:	N
GHG Flag:	N
AIR IDS:	-
CAA Permit Types:	-
CAA NAICS:	-
CAA SICS:	-
NPDES IDS:	TXR05FD36
CWA Permit Types:	Minor
CWA NAICS:	-
CWA SICS:	4581
RCRA IDS:	-
RCRA Permit Types:	-
RCRA NAICS:	-
SDWA IDS:	-
SDWA System Types:	-
SDWA Compliance Status:	-
SDWA SNC Flag:	N
TRI IDS:	-
TRI Releases Transfers:	-
TRI On Site Releases:	-
TRI Off Site Transfers:	-
TRI Reporter:	-
Facility IMP Water Flag:	-

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site _____ Database(s) _____ EDR ID Number
 EPA ID Number _____

ERMC AVIATION (Continued)

1027121577

EJSCREEN Flag US: N
 EJSCREEN Report: https://ejscreen.epa.gov/mapper/mobile/EJSCREEN_mobile.aspx?geometry=%7B%22x%22:-97.036597,%22y%22:32.882334,%22spatialReference%22:%7B%22wkid%22:4326%7D%7D&unit=9035&areatype=&areaid=&basemap=streets&distance=1

K77
SE
1/8-1/4
0.249 mi.
1316 ft.

FINE AMERICAS, INC. (IMPORTER) US AIR (WAREHOUSE L
2417 N SUPPORT RD
DFW AIRPORT, TX 75261

FINDS 1023536565
N/A

Site 8 of 13 in cluster K

Relative:
Lower
Actual:
568 ft.

FINDS:
 Registry ID: 110069435757

[Click Here for FRS Facility Detail Report:](#)

Environmental Interest/Information System:

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

K78
SE
1/8-1/4
0.249 mi.
1316 ft.

ERMC AVIATION
2417 N SUPPORT RD STE 110
DFW AIRPORT, TX 75261

CENTRAL REGISTRY S128255584
N/A

Site 9 of 13 in cluster K

Relative:
Lower
Actual:
568 ft.

CENTRAL REGISTRY:
 Regulated Entity Number: RN111363537
 Name: ERMC AVIATION
 Address: 2417 N SUPPORT RD STE 110
 Address 2: Not reported
 City,State,Zip: DFW AIRPORT, TX 75261-5001
 Status: ACTIVE
 Status Date: 2021-11-02
 Customer Number: CN605949460
 Customer Name: ERMC AVIATION LLC
 Customer Legal Name: Ermc Aviation LLC
 Customer Ownership Type: CORPORATION
 Affiliation Begin Date: 2021-11-02
 Affiliation End Date: 3000-12-31
 Customer Status: ACTIVE
 Primary NAICS Industry Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ERMC AVIATION (Continued)

S128255584

Primary NAICS Industry Type Description: Not reported
Physical Location Description: Not reported

Regulated Entity Number: RN111363537
Name: ERMC AVIATION
Address: 2417 N SUPPORT RD STE 110
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261-5001
Status: ACTIVE
Status Date: 2021-11-02
Customer Number: CN605949460
Customer Name: ERMC AVIATION LLC
Customer Legal Name: Ermc Aviation LLC
Customer Ownership Type: CORPORATION
Affiliation Begin Date: 2021-11-02
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: Not reported
Primary NAICS Industry Type Description: Not reported
Physical Location Description: Not reported

K79
SE
1/8-1/4
0.249 mi.
1316 ft.

DALLAS FT WORTH INTERNATIONAL AIRPORT
2417 N SUPPORT RD # GATE 8/9
DALLAS, TX 75261

CENTRAL REGISTRY **S126760126**
N/A

Site 10 of 13 in cluster K

Relative:
Lower
Actual:
568 ft.

CENTRAL REGISTRY:

Regulated Entity Number: RN105168801
Name: DALLAS FT WORTH INTERNATIONAL AIRPORT
Address: 2417 N SUPPORT RD # GATE 8/9
Address 2: Not reported
City,State,Zip: DALLAS, TX 75261-5001
Status: ACTIVE
Status Date: 2001-01-01
Customer Number: CN600124846
Customer Name: UNITED AIRLINES INC
Customer Legal Name: UNITED AIRLINES, INC.
Customer Ownership Type: CORPORATION
Affiliation Begin Date: 2006-11-08
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 481111
Primary NAICS Industry Type Description: Scheduled Passenger Air Transportation
Physical Location Description: Not reported

Regulated Entity Number: RN105168801
Name: DALLAS FT WORTH INTERNATIONAL AIRPORT
Address: 2417 N SUPPORT RD # GATE 8/9
Address 2: Not reported
City,State,Zip: DALLAS, TX 75261-5001
Status: ACTIVE
Status Date: 2001-01-01
Customer Number: CN600124846
Customer Name: UNITED AIRLINES INC
Customer Legal Name: UNITED AIRLINES, INC.
Customer Ownership Type: CORPORATION
Affiliation Begin Date: 2006-11-08

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FT WORTH INTERNATIONAL AIRPORT (Continued)

S126760126

Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 481111
Primary NAICS Industry Type Description: Scheduled Passenger Air Transportation
Physical Location Description: Not reported

Regulated Entity Number: RN105168801
Name: DALLAS FT WORTH INTERNATIONAL AIRPORT
Address: 2417 N SUPPORT RD # GATE 8/9
Address 2: Not reported
City,State,Zip: DALLAS, TX 75261-5001
Status: ACTIVE
Status Date: 2001-01-01
Customer Number: CN600124846
Customer Name: UNITED AIRLINES INC
Customer Legal Name: UNITED AIRLINES, INC.
Customer Ownership Type: CORPORATION
Affiliation Begin Date: 2006-11-08
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 481111
Primary NAICS Industry Type Description: Scheduled Passenger Air Transportation
Physical Location Description: Not reported

K80
SE
1/8-1/4
0.249 mi.
1316 ft.

2417 NORTH SUPPORT ROAD
GRAPEVINE, TX 75261

Site 11 of 13 in cluster K

ERNS 2000538231
N/A

Relative:
Lower
Actual:
568 ft.

Incident Commons:
NRC Report #: 538231
Description of Incident: AN ABOVEGROUND GREASE TRAP BECAME PLUGGED DUE TO UNKNOWN CAUSES THAT CAUSED SEWAGE TO OVERFLOW

Type of Incident: FIXED
Incident Cause: UNKNOWN
Incident Date Time: 2000-08-10 01:30:00
Incident DTG: OCCURRED
Incident Location: DFW AIRPORT
Loaction Address: 2417 NORTH SUPPORT ROAD
Location Street 1: Not reported
Location Street 2: Not reported
Location Nearest City: GRAPEVINE
Location State: TX
Location County: TARRANT
Location Zip: 75261
Distance From City: Not reported
Distance Units: Not reported
Direction From City: Not reported
Lat Deg: Not reported
Lat Min: Not reported
Lat Sec: Not reported
Lat Quad: Not reported
Long Deg: Not reported
Long Min: Not reported
Long Sec: Not reported
Long Quad: Not reported
Location Section: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2000538231

Location Township: Not reported
Location range: Not reported
Potential Range: Not reported

Incidents:

Year: 2000
NRC Report #: 538231
Aircraft Type: UNKNOWN
Aircraft Model: Not reported
Aircraft ID: Not reported
Aircraft Fuel Capacity: Not reported
Aircraft Fuel Capacity Units: Not reported
Aircraft Fuel on Board: Not reported
Aircraft Fuel on Board Units: Not reported
Aircraft Spot Number: Not reported
Aircraft Hanger: Not reported
Aircraft Runway Number: Not reported
Road Mile Marker: Not reported
Building ID: Not reported
Type of Fixed Object: UNKNOWN
Power Generating Facility: Not reported
Generating Capacity: Not reported
Type of Fuel: Not reported
NPDES: Not reported
NPDES Compliance: Not reported
Pipeline Type: Not reported
DOT Regulated: Not reported
Pipeline Above Ground: Not reported
Exposed Underwater: Not reported
Pipeline Covered: Not reported
Railroad Hotline: Not reported
Grade Crossing: Not reported
Location Subdivision: Not reported
Railroad Milepost: Not reported
Type Vehicle Involved: Not reported
Crossing Device Type: Not reported
Device Operational: Not reported
DOT Crossing Number: Not reported
Brake Failure: Not reported
Description of Tank: Not reported
Tank Above Ground: Not reported
Transportable Container: Not reported
Tank Regulated: Not reported
Tank Regulated By: Not reported
Tank ID: Not reported
Capacity of Tank: Not reported
Capacity of Tank Units: Not reported
Actual Amount: Not reported
Actual Amount Units: Not reported
Platform Rig Name: Not reported
Platform Letter: Not reported
Location Area ID: Not reported
Location Block ID: Not reported
OCSG Number: Not reported
OCSP Number: Not reported
State Lease Number: Not reported
Pier Dock Number: Not reported
Berth Slip Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2000538231

Continuous Release Type: Not reported
Initial Continuous Release No: Not reported
Continuous Release Permit: Not reported
Allision: Not reported
Type of Structure: Not reported
Structure Name: Not reported
Structure Operational: Not reported
Airbag Deployed: Not reported
Date Tiem Normal Service: Not reported
Service Disruption Time: Not reported
Service Disruption Units: Not reported
Transit Bus Flag: Not reported
CR Begin Date: Not reported
CR End Date: Not reported
CR Change Date: Not reported
FBI Contact: Not reported
FBI Contact Date Time: Not reported
Sub Part C Testing Req: XXX
Conductor Testing: Not reported
Engineer Testing: Not reported
Trainman Testing: Not reported
Yard Foreman Testing: Not reported
RCL Operator Testing: Not reported
Brakeman Testing: Not reported
Train Dispatcher Testing: Not reported
Signalman Testing: Not reported
Other Employee Testing: Not reported
Unknown Testing: Not reported
Passenger Handling: Not reported
Passenger Route: XXX
Passenger Delay: XXX

Incident Details:

Year: 2000
NRC Report #: 538231
Fire Involved: N
Fire Extinguished: U
Any Evacuations: N
Number Evacuated: Not reported
Who Evacuated: Not reported
Radius of Evacuation: Not reported
Any Injuries: N
Number Injured: Not reported
Number Hospitalized: Not reported
Any Fatalities: N
Number Fatalities: Not reported
Any Damages: N
Damage Amount: Not reported
Air Corridor Closed: N
Air Corridor Desc: Not reported
Air Closure Time: Not reported
Waterway Closed: N
Waterway Desc: Not reported
Waterway Closure Time: Not reported
Road Closed: N
Road Desc: Not reported
Road Closure Time: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2000538231

Closure Direction:	Not reported
Major Artery:	N
Track Closed:	N
Track Desc:	Not reported
Track Closure Time:	Not reported
Media Interest:	NONE
Medium Desc:	WATER
Additional Medium Info:	Not reported
Body of Water:	STORM DRAIN
Tributary of:	Not reported
Release Secured:	U
Estimated Duration of Release:	Not reported
Release rate:	Not reported
Desc Remedial Action:	INTERNATIONAL TECH. HAS BEEN HIRED FOR CLEAN UP
State Agency on Scene:	Not reported
State Agency Report Number:	Not reported
Other Agency Notified:	Not reported
Weather Conditions:	OVERCAST
Air Temperature:	85
Wind Speed:	Not reported
Wind Direction:	Not reported
Water Supply Contaminated:	U
Sheen Size:	Not reported
Sheen Color:	Not reported
Direction of Sheen Travel:	Not reported
Sheen Odor Description:	Not reported
Wave Condition:	Not reported
Current Speed:	Not reported
Current Direction:	Not reported
Water Temperature:	Not reported
Track Close Dir:	Not reported
Empl Fatality:	Not reported
Pass Fatality:	Not reported
Community Impact:	N
Wind Speed Unit:	Not reported
Employee Injuries:	Not reported
Passenger Injuries:	Not reported
Occupant Fatality:	Not reported
Current Speed Unit:	MPH
Road Closure Units:	Not reported
Track Closure Units:	Not reported
Sheen Size Units:	Not reported
Additional Info:	CALLER HAD NO ADDITIONAL INFORMATION
State Agency Notified:	TNRCC
Federal Agency Notified:	Not reported
nearest River Mile Marker:	Not reported
Sheen Size Length:	Not reported
Sheen Size Length Units:	Not reported
Sheen Size Width:	Not reported
Sheen Size Width Units:	Not reported
Offshore:	N
Duration Unit:	Not reported
Release Rate Unit:	Not reported
Release Rate Rate:	Not reported
Passengers Transferred:	UNK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2000538231

Calls:

Year: 2000
NRC Report #: 538231
Site ID: 2000538231
Date Time Received: 2000-08-10 09:18:16
Date Time Complete: 2000-08-10 09:24:35
Call Type: INC
Responsible Company: AIRPORT AUTHORITY
Responsible Org Type: PRIVATE ENTERPRISE
Responsible City: GRAPEVINE
Responsible State: TX
Responsible Zip: 75261
On Behalf: Y
Source: UNAVAILABLE

Material Involved:

Year: 2000
NRC Report #: 538231
Chris Code: NCC
Case Number: 000000-00-0
UN Number: Not reported
Amount of Material: 60
Unit of Measure: GALLON(S)
Name of Material: SEWAGE
If Reached Water: YES
Amount in Water: 15
Unit of Measure Reach Water: GALLON(S)

K81
SE
1/8-1/4
0.249 mi.
1316 ft.

DELTA AIR LINES, INC. DFW
2417 N. SUPPORT ROAD
DALLAS, TX 75261

TIER 2 S108444376
N/A

Site 12 of 13 in cluster K

Relative:
Lower
Actual:
568 ft.

TIER 2:

Facility Id/Name: FATR20125MC4MH030C66/DELTA AIR LINES, INC. DFW
Reporting Year: 2012
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 5/8/2013
Date Tier 2 Signed: 01/12/2013
Mailing Address: Not reported
Mailing City/State/Country: Not reported
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Hal Hayes, Station Manager
Latitude: 32.8808
Longitude: 97.0594
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id/Name: FATR20115MC4MH030C66/DELTA AIR LINES, INC. DFW
Reporting Year: 2011
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 5/16/2012
Date Tier 2 Signed: 1/29/2012
Mailing Address: Not reported
Mailing City/State/Country: Not reported
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Emploess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Hal Hayes, Station Manager
Latitude: 32.8808
Longitude: 97.0594
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id/Name: FATR20105MC4MH030C66/DELTA AIR LINES, INC. DFW
Reporting Year: 2010
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 6/1/2011
Date Tier 2 Signed: 2/24/2011
Mailing Address: Not reported
Mailing City/State/Country: Not reported
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Emploess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Andy Gies, Station Manager
Latitude: 32.8808
Longitude: 97.0594
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id/Name: FATR20095MC4MH030C66/DELTA AIR LINES, INC. DFW
Reporting Year: 2009
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 5/24/2010
Date Tier 2 Signed: 2/14/2010
Mailing Address: Not reported
Mailing City/State/Country: Not reported
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Emploeyess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Andy Gies, Station Manager
Latitude: 32.8808
Longitude: 97.0594
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id/Name: FATR20085MC4MH030C66/DELTA AIR LINES, INC. DFW
Reporting Year: 2008
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 6/30/2009
Date Tier 2 Signed: 2/17/2009
Mailing Address: Not reported
Mailing City/State/Country: Not reported
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Emploeyess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Andy Gies, Station Manager
Latitude: 32.8808
Longitude: 97.0594
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id/Name: FATR20075MC4MH030C66/DELTA AIR LINES, INC. DFW
Reporting Year: 2007
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 8/5/2008
Date Tier 2 Signed: 2/13/2008
Mailing Address: Not reported
Mailing City/State/Country: Not reported
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Anthony Vaughn, Station Manager
Latitude: 32.8808
Longitude: 97.0594
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Id/Name: FATR200547MFXT002A3K/"DELTA AIR LINES, INC."
Reporting Year: 2005
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 2/27/2007
Date Tier 2 Signed: 2/1/2006
Mailing Address: P.O. Box 610348
Mailing City/State/Country: Dallas, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: Not reported
Number Of Employess On Site: 235
Site Map: Not reported
Fire District: Not reported
Submitted By: Anthony D. Vaughn
Latitude: 32.880800
Longitude: 97.059400
Lat/Long Location Desc: UN - Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Lat/Long Method: UN - Unknown
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Info:

Id: 4512
Id Type: SIC
Description: AIR TRANSPORTATION, SCHEDULED
Last Modified: 2/7/2008
Id: 48111
Id Type: NAICS
Description: Scheduled Air Transportation
Last Modified: 1/26/2009
Id: 006-92-4872
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/7/2008

Contact:

Contact Email: joshua.a.smith@delta.com
Contact Mail Address: Delta Airlines 1020 Delta Blvd, Dept 885, P.O. Box 20706
Contact City/State/Zip: Atlanta, GA 30354
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Type 2: Regulatory Point of Contact
Contact Type 3: Submitter
Contact Name: Joshua Smith
Title: Not reported
Modification Date: 2/6/2012

Contact Email: joshua.a.smith@delta.com
Contact Mail Address: Delta Airlines 1020 Delta Blvd, Dept 885, P.O. Box 20706
Contact City/State/Zip: Atlanta, GA 30354
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Type 2: Regulatory Point of Contact
Contact Type 3: Submitter
Contact Name: Joshua Smith
Title: Not reported
Modification Date: 2/6/2012

Contact:

Contact Email: Not reported
Contact Mail Address: 2417 N. Support Road
Contact City/State/Zip: Dallas, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Type 2: Regulatory Point of Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Contact Name: Cecil Edmiston
Title: Environmental Coordinator
Modification Date: 2/6/2012

Contact:

Contact Email: hal.hayes@delta.com
Contact Mail Address: 2417 N. Support Road
Contact City/State/Zip: Dallas, TX 75261
Contact Mail Country: USA
Contact Type 1: Station Manager
Contact Type 2: Emergency Contact
Contact Name: Hal Hayes
Title: Station Manager
Modification Date: 2/6/2012

Chemical Inventory:

Facility Id: FATR20115MC4MH030C66
Chemical Name: Propylene Glycol Type I
Chemical Inv Record Id: CVTR20115MC5UG03UQGE
CAS Number: 57-55-6
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 43350
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/6/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20116Z01FE002T2C
Chemical Inventory Record Id: CVTR20115MC5UG03UQGE
Amt Of Sub Stored Or Transported: 1100
Amount Units: gallons
Type Of Storage: Tote bin
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (4) 275 GAL TOTES - 5E CARGO
Last Modified: 2/6/2012

Record Key: CLTR20117NJ86D00BPHF
Chemical Inventory Record Id: CVTR20115MC5UG03UQGE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Amt Of Sub Stored Or Transported: 5000
Amount Units: gallons
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 5000 GAL. SE Decie Pad
Last Modified: 2/6/2012

Facility Id: FATR20115MC4MH030C66
Chemical Name: Propylene Glycol Type IV
Chemical Inv Record Id: CVTR201171326N00URJX
CAS Number: 57-55-6
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 21675
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/6/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201171328K00VD5R
Chemical Inventory Record Id: CVTR201171326N00URJX
Amt Of Sub Stored Or Transported: 275
Amount Units: gallons
Type Of Storage: Tote bin
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (1)-275 GAL. Totes-5E Cargo
Last Modified: 2/6/2012

Record Key: CLTR20117NJ88W00CVTR
Chemical Inventory Record Id: CVTR201171326N00URJX
Amt Of Sub Stored Or Transported: 2500
Amount Units: gallons
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 2500 Gal. SE Deice Pad
Last Modified: 2/6/2012

Record Key: CLTR20117QNA340021PR
Chemical Inventory Record Id: CVTR201171326N00URJX

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Amt Of Sub Stored Or Transported: 1200
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (2) 600 Gal. Deice Trucks
Last Modified: 2/6/2012

Record Key: CLTR20117QNA390035PK
Chemical Inventory Record Id: CVTR201171326N00URJX
Amt Of Sub Stored Or Transported: 1000
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (2) 500 Gal. Deice Trucks
Last Modified: 2/6/2012

Record Key: CLTR20117QNA3F004ATF
Chemical Inventory Record Id: CVTR201171326N00URJX
Amt Of Sub Stored Or Transported: 600
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 600 Gal. Deice Truck
Last Modified: 2/6/2012

Facility Id: FATR20115MC4MH030C66
Chemical Name: Propylene Glycol Type I Mix
Chemical Inv Record Id: CVTR20117QNA4W005KKG
CAS Number: 57-55-6
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 12138
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/6/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:
Record Key: CLTR20117QNA6J006ZU8
Chemical Inventory Record Id: CVTR20117QNA4W005KKG

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Amt Of Sub Stored Or Transported: 2400
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (2) 1,200 Gal. Deice Trucks
Last Modified: 2/6/2012

Record Key: CLTR20117QNA6N00738S
Chemical Inventory Record Id: CVTR20117QNA4W005KKG
Amt Of Sub Stored Or Transported: 2400
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (2) 1,200 Gal. Deice Trucks
Last Modified: 2/6/2012

Record Key: CLTR20117QNA6R008679
Chemical Inventory Record Id: CVTR20117QNA4W005KKG
Amt Of Sub Stored Or Transported: 1400
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 1,400 Gal. Deice Truck
Last Modified: 2/6/2012

Mixture:

Record Key: CMTR20117QNA810099T3
Chemical Inv Record Id: CVTR20117QNA4W005KKG
Mix Chemical: Propylene Glycol
Percentage: 50
Facility Id: FATR20115MC4MH030C66
Mixture Cas: 57-55-6
Weight/Volume: Vol
Mixture Ehs: Not reported
Mixture Last Modified: 2/6/2012

Record Key: CMTR20117QNA8H00AQ1M
Chemical Inv Record Id: CVTR20117QNA4W005KKG
Mix Chemical: Water
Percentage: 50
Facility Id: FATR20115MC4MH030C66
Mixture Cas: 7732-18-5
Weight/Volume: Vol
Mixture Ehs: Not reported
Mixture Last Modified: 2/6/2012

Facility Id: FATR20115MC4MH030C66
Chemical Name: Lead-Acid Battery
Chemical Inv Record Id: CVTR20117QNAAA00B902
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000 - 9,999 pounds
Max Daily Amount: 1,000 - 9,999 pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Max Amount In Largest Container: 4935
Chronic Health Risks: T
EHS Substance: T
Last Modified: 2/6/2012
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2011
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20117QNABC00C5XP
Chemical Inventory Record Id: CVTR20117QNAAA00B902
Amt Of Sub Stored Or Transported: 4935
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 4,935 lb battery
Last Modified: 2/6/2012

Mixture:

Record Key: CMTR20117QNABZ00DQER
Chemical Inv Record Id: CVTR20117QNAAA00B902
Mix Chemical: SULFURIC ACID
Percentage: 25
Facility Id: FATR20115MC4MH030C66
Mixture Cas: 7664-93-9
Weight/Volume: Wt
Mixture Ehs: T
Mixture Last Modified: 2/6/2012

Record Key: CMTR20117QNACD00E242
Chemical Inv Record Id: CVTR20117QNAAA00B902
Mix Chemical: LEAD
Percentage: 65
Facility Id: FATR20115MC4MH030C66
Mixture Cas: 7439-92-1
Weight/Volume: Wt
Mixture Ehs: Not reported
Mixture Last Modified: 2/6/2012

Notes: Not reported
Validation: Not reported

Notes: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Validation: Not reported

Notes: Not reported

Validation: This facility passed all validation checks.

Facility Info:

Id: 006-92-4872
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/7/2008
Id: 48111
Id Type: NAICS
Description: Scheduled Air Transportation
Last Modified: 1/26/2009
Id: 4512
Id Type: SIC
Description: AIR TRANSPORTATION, SCHEDULED
Last Modified: 2/7/2008

Contact:

Contact Email: joshua.a.smith@delta.com
Contact Mail Address: Delta Airlines 1020 Delta Blvd, Dept 885, P.O. Box 20706
Contact City/State/Zip: Atlanta, GA 30354
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Type 2: Regulatory Point of Contact
Contact Type 3: Submitter
Contact Name: Joshua Smith
Title: Not reported
Modification Date: 2/22/2013

Contact:

Contact Email: Not reported
Contact Mail Address: 2417 N. Support Road
Contact City/State/Zip: Dallas, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Type 2: Regulatory Point of Contact
Contact Name: Cecil Edmiston
Title: Environmental Coordinator
Modification Date: 2/22/2013

Contact:

Contact Email: hal.hayes@delta.com
Contact Mail Address: 2417 N. Support Road
Contact City/State/Zip: Dallas, TX 75261
Contact Mail Country: USA
Contact Type 1: Station Manager
Contact Type 2: Emergency Contact
Contact Name: Hal Hayes
Title: Station Manager

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Modification Date: 2/22/2013

Chemical Inventory:

Facility Id: FATR20125MC4MH030C66
Chemical Name: Propylene Glycol Type I
Chemical Inv Record Id: CVTR20125MC5UG03UQGE
CAS Number: 57-55-6
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 43350
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/22/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20126Z01FE002T2C
Chemical Inventory Record Id: CVTR20125MC5UG03UQGE
Amt Of Sub Stored Or Transported: 1100
Amount Units: gallons
Type Of Storage: Tote bin
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (4) 275 GAL TOTES - 5E CARGO
Last Modified: 2/22/2013

Record Key: CLTR20127NJ86D00BPHF
Chemical Inventory Record Id: CVTR20125MC5UG03UQGE
Amt Of Sub Stored Or Transported: 5000
Amount Units: gallons
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 5000 GAL. SE Decie Pad
Last Modified: 2/22/2013

Facility Id: FATR20125MC4MH030C66
Chemical Name: Propylene Glycol Type IV
Chemical Inv Record Id: CVTR201271326N00URJX
CAS Number: 57-55-6
Chemical Same As Last Year: Not reported
Acute Health Risks: T

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 21675
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/22/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR201271328K00VD5R
Chemical Inventory Record Id: CVTR201271326N00URJX
Amt Of Sub Stored Or Transported: 275
Amount Units: gallons
Type Of Storage: Tote bin
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (1)-275 GAL. Totes-5E Cargo
Last Modified: 2/22/2013

Record Key: CLTR20127NJ88W00CVTR
Chemical Inventory Record Id: CVTR201271326N00URJX
Amt Of Sub Stored Or Transported: 2500
Amount Units: gallons
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 2500 Gal. SE Deice Pad
Last Modified: 2/22/2013

Record Key: CLTR20127QNA340021PR
Chemical Inventory Record Id: CVTR201271326N00URJX
Amt Of Sub Stored Or Transported: 1200
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (2) 600 Gal. Deice Trucks
Last Modified: 2/22/2013

Record Key: CLTR20127QNA390035PK
Chemical Inventory Record Id: CVTR201271326N00URJX
Amt Of Sub Stored Or Transported: 1000
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (2) 500 Gal. Deice Trucks
Last Modified: 2/22/2013

Record Key: CLTR20127QNA3F004ATF
Chemical Inventory Record Id: CVTR201271326N00URJX
Amt Of Sub Stored Or Transported: 600
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 600 Gal. Deice Truck
Last Modified: 2/22/2013

Facility Id: FATR20125MC4MH030C66
Chemical Name: Propylene Glycol Type I Mix
Chemical Inv Record Id: CVTR20127QNA4W005KKG
CAS Number: 57-55-6
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 12138
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/22/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20127QNA6J006ZU8
Chemical Inventory Record Id: CVTR20127QNA4W005KKG
Amt Of Sub Stored Or Transported: 2400
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (2) 1,200 Gal. Deice Trucks
Last Modified: 2/22/2013

Record Key: CLTR20127QNA6N00738S
Chemical Inventory Record Id: CVTR20127QNA4W005KKG
Amt Of Sub Stored Or Transported: 2400
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (2) 1,200 Gal. Deice Trucks
Last Modified: 2/22/2013

Record Key: CLTR20127QNA6R008679
Chemical Inventory Record Id: CVTR20127QNA4W005KKG
Amt Of Sub Stored Or Transported: 1400
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 1,400 Gal. Deice Truck
Last Modified: 2/22/2013

Mixture:

Record Key: CMTR20127QNA810099T3
Chemical Inv Record Id: CVTR20127QNA4W005KKG
Mix Chemical: Propylene Glycol
Percentage: 50
Facility Id: FATR20125MC4MH030C66
Mixture Cas: 57-55-6
Weight/Volume: Vol
Mixture Ehs: Not reported
Mixture Last Modified: 2/22/2013

Record Key: CMTR20127QNA8H00AQ1M
Chemical Inv Record Id: CVTR20127QNA4W005KKG
Mix Chemical: Water
Percentage: 50
Facility Id: FATR20125MC4MH030C66
Mixture Cas: 7732-18-5
Weight/Volume: Vol
Mixture Ehs: Not reported
Mixture Last Modified: 2/22/2013

Facility Id: FATR20125MC4MH030C66
Chemical Name: Lead-Acid Battery
Chemical Inv Record Id: CVTR20127QNAAA00B902
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000 - 9,999 pounds
Max Daily Amount: 1,000 - 9,999 pounds
Max Amount In Largest Container: 4935
Chronic Health Risks: T
EHS Substance: T
Last Modified: 2/22/2013
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: Not reported
Trade Secret: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Contact Label: Not reported
Label Code: TX2012
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20127QNABC00C5XP
Chemical Inventory Record Id: CVTR20127QNAAA00B902
Amt Of Sub Stored Or Transported: 4935
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 4,935 lb battery
Last Modified: 2/22/2013

Mixture:

Record Key: CMTR20127QNABZ00DQER
Chemical Inv Record Id: CVTR20127QNAAA00B902
Mix Chemical: SULFURIC ACID
Percentage: 25
Facility Id: FATR20125MC4MH030C66
Mixture Cas: 7664-93-9
Weight/Volume: Wt
Mixture Ehs: T
Mixture Last Modified: 2/22/2013

Record Key: CMTR20127QNACD00E242
Chemical Inv Record Id: CVTR20127QNAAA00B902
Mix Chemical: LEAD
Percentage: 65
Facility Id: FATR20125MC4MH030C66
Mixture Cas: 7439-92-1
Weight/Volume: Wt
Mixture Ehs: Not reported
Mixture Last Modified: 2/22/2013

Notes: Not reported
Validation: Not reported

Facility Info:

Id: 48111
Id Type: NAICS
Description: Scheduled Air Transportation
Last Modified: 1/26/2009
Id: 006-92-4872
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/7/2008
Id: 4512
Id Type: SIC
Description: AIR TRANSPORTATION, SCHEDULED
Last Modified: 2/7/2008

Contact:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Contact Email: Not reported
Contact Mail Address: 2417 N. Support Road
Contact City/State/Zip: Dallas, TX 75261
Contact Mail Country: USA
Contact Type 1: Station Manager
Contact Type 2: Emergency Contact
Contact Name: Andy Gies
Title: Station Manager
Modification Date: 2/25/2010

Contact:

Contact Email: Not reported
Contact Mail Address: Delta Airlines 1020 Delta Blvd, Dept 885, P.O. Box 20706
Contact City/State/Zip: Atlanta, GA 30354
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Type 2: Regulatory Point of Contact
Contact Type 3: Submitter
Contact Name: Joshua Smith
Title: Not reported
Modification Date: 2/25/2010

Contact:

Contact Email: Not reported
Contact Mail Address: 2417 N. Support Road
Contact City/State/Zip: Dallas, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Type 2: Regulatory Point of Contact
Contact Name: Cecil Edmiston
Title: Environmental Coordinator
Modification Date: 2/25/2010

Chemical Inventory:

Facility Id: FATR20095MC4MH030C66
Chemical Name: Propylene Glycol Type I
Chemical Inv Record Id: CVTR20095MC5UG03UQGE
CAS Number: 57-55-6
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 2384
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/25/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20096Z01FE002T2C
Chemical Inventory Record Id: CVTR20095MC5UG03UQGE
Amt Of Sub Stored Or Transported: 5500
Amount Units: gallons
Type Of Storage: Tote bin
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (20) 275 GALLON TOTES - 5E CARGO
Last Modified: 2/25/2010

Facility Id: FATR20095MC4MH030C66
Chemical Name: Propylene Glycol, Type IV
Chemical Inv Record Id: CVTR200971326N00URJX
CAS Number: 57-55-6
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 2384
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 2/25/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200971328K00VD5R
Chemical Inventory Record Id: CVTR200971326N00URJX
Amt Of Sub Stored Or Transported: 2750
Amount Units: gallons
Type Of Storage: Tote bin
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (20)-275 gal Totes-5E Cargo
Last Modified: 2/25/2010

Notes: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Validation: This facility passed all validation checks.

Notes: Not reported
Validation: Not reported

Facility Info:

Id: 006-92-4872
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/7/2008
Id: 48111
Id Type: NAICS
Description: Scheduled Air Transportation
Last Modified: 1/26/2009
Id: 4512
Id Type: SIC
Description: AIR TRANSPORTATION, SCHEDULED
Last Modified: 2/7/2008

Contact:

Contact Email: joshua.a.smith@delta.com
Contact Mail Address: Delta Airlines 1020 Delta Blvd, Dept 885, P.O. Box 20706
Contact City/State/Zip: Atlanta, GA 30354
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Type 2: Regulatory Point of Contact
Contact Type 3: Submitter
Contact Name: Joshua Smith
Title: Not reported
Modification Date: 4/4/2011

Contact:

Contact Email: andy.gies@delta.com
Contact Mail Address: 2417 N. Support Road
Contact City/State/Zip: Dallas, TX 75261
Contact Mail Country: USA
Contact Type 1: Station Manager
Contact Type 2: Emergency Contact
Contact Name: Andy Gies
Title: Station Manager
Modification Date: 4/4/2011

Contact:

Contact Email: Not reported
Contact Mail Address: 2417 N. Support Road
Contact City/State/Zip: Dallas, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Type 2: Regulatory Point of Contact
Contact Name: Cecil Edmiston
Title: Environmental Coordinator
Modification Date: 4/4/2011

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Chemical Inventory:

Facility Id: FATR20105MC4MH030C66
Chemical Name: Propylene Glycol Type I
Chemical Inv Record Id: CVTR20105MC5UG03UQGE
CAS Number: 57-55-6
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 43350
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 4/4/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20106Z01FE002T2C
Chemical Inventory Record Id: CVTR20105MC5UG03UQGE
Amt Of Sub Stored Or Transported: 5500
Amount Units: gallons
Type Of Storage: Tote bin
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (20) 275 GAL TOTES - 5E CARGO
Last Modified: 4/4/2011

Record Key: CLTR20107NJ86D00BPHF
Chemical Inventory Record Id: CVTR20105MC5UG03UQGE
Amt Of Sub Stored Or Transported: 5000
Amount Units: gallons
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 5000 GAL. SE Decie Pad
Last Modified: 4/4/2011

Facility Id: FATR20105MC4MH030C66
Chemical Name: Propylene Glycol Type IV
Chemical Inv Record Id: CVTR201071326N00URJX
CAS Number: 57-55-6
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Max Amount In Largest Container: 21675
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 4/4/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20107NJ88W00CVTR
Chemical Inventory Record Id: CVTR201071326N00URJX
Amt Of Sub Stored Or Transported: 2500
Amount Units: gallons
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 2500 Gal. SE Deice Pad
Last Modified: 4/4/2011

Record Key: CLTR20107QNA340021PR
Chemical Inventory Record Id: CVTR201071326N00URJX
Amt Of Sub Stored Or Transported: 1200
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (2) 600 Gal. Deice Trucks
Last Modified: 4/4/2011

Record Key: CLTR201071328K00VD5R
Chemical Inventory Record Id: CVTR201071326N00URJX
Amt Of Sub Stored Or Transported: 2750
Amount Units: gallons
Type Of Storage: Tote bin
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (10)-275 GAL. Totes-5E Cargo
Last Modified: 4/4/2011

Record Key: CLTR20107QNA390035PK
Chemical Inventory Record Id: CVTR201071326N00URJX
Amt Of Sub Stored Or Transported: 1000
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (2) 500 Gal. Deice Trucks

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Last Modified: 4/4/2011

Record Key: CLTR20107QNA3F004ATF
Chemical Inventory Record Id: CVTR201071326N00URJX
Amt Of Sub Stored Or Transported: 600
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 600 Gal. Deice Truck
Last Modified: 4/4/2011

Facility Id: FATR20105MC4MH030C66
Chemical Name: Propylene Glycol Type I Mix
Chemical Inv Record Id: CVTR20107QNA4W005KKG
CAS Number: 57-55-6
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 12138
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 4/4/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20107QNA6J006ZU8
Chemical Inventory Record Id: CVTR20107QNA4W005KKG
Amt Of Sub Stored Or Transported: 2400
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (2) 1,200 Gal. Deice Trucks
Last Modified: 4/4/2011

Record Key: CLTR20107QNA6N00738S
Chemical Inventory Record Id: CVTR20107QNA4W005KKG
Amt Of Sub Stored Or Transported: 2400
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: (2) 1,200 Gal. Deice Trucks

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Last Modified: 4/4/2011

Record Key: CLTR20107QNA6R008679
Chemical Inventory Record Id: CVTR20107QNA4W005KKG
Amt Of Sub Stored Or Transported: 1400
Amount Units: gallons
Type Of Storage: Tank wagon
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 1,400 Gal. Deice Truck
Last Modified: 4/4/2011

Mixture:

Record Key: CMTR20107QNA810099T3
Chemical Inv Record Id: CVTR20107QNA4W005KKG
Mix Chemical: Propylene Glycol
Percentage: 50
Facility Id: FATR20105MC4MH030C66
Mixture Cas: 57-55-6
Weight/Volume: Vol
Mixture Ehs: Not reported
Mixture Last Modified: 4/4/2011

Record Key: CMTR20107QNA8H00AQ1M
Chemical Inv Record Id: CVTR20107QNA4W005KKG
Mix Chemical: Water
Percentage: 50
Facility Id: FATR20105MC4MH030C66
Mixture Cas: 7732-18-5
Weight/Volume: Vol
Mixture Ehs: Not reported
Mixture Last Modified: 4/4/2011

Facility Id: FATR20105MC4MH030C66
Chemical Name: Lead-Acid Battery
Chemical Inv Record Id: CVTR20107QNAAA00B902
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000 - 9,999 pounds
Max Daily Amount: 1,000 - 9,999 pounds
Max Amount In Largest Container: 4935
Chronic Health Risks: T
EHS Substance: T
Last Modified: 4/4/2011
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: T
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2010

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES, INC. DFW (Continued)

S108444376

Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20107QNABC00C5XP
Chemical Inventory Record Id: CVTR20107QNAAA00B902
Amt Of Sub Stored Or Transported: 4935
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: 4,935 lb battery
Last Modified: 4/4/2011

Mixture:

Record Key: CMTR20107QNABZ00DQER
Chemical Inv Record Id: CVTR20107QNAAA00B902
Mix Chemical: SULFURIC ACID
Percentage: 25
Facility Id: FATR20105MC4MH030C66
Mixture Cas: 7664-93-9
Weight/Volume: Wt
Mixture Ehs: T
Mixture Last Modified: 4/4/2011

Record Key: CMTR20107QNACD00E242
Chemical Inv Record Id: CVTR20107QNAAA00B902
Mix Chemical: LEAD
Percentage: 65
Facility Id: FATR20105MC4MH030C66
Mixture Cas: 7439-92-1
Weight/Volume: Wt
Mixture Ehs: Not reported
Mixture Last Modified: 4/4/2011

Notes: Not reported
Validation: Not reported

J82
North
1/4-1/2
0.258 mi.
1363 ft.

CENTRAL UTILITIES PLANT (CUP) / ENERGY PLAZA (FID
2375 NORTH INTERNATIONAL PARKWAY
DALLAS, TX 75261
Site 4 of 9 in cluster J

ASBESTOS S129328645
N/A

Relative:
Higher
Actual:
591 ft.

ASBESTOS:
Name: CENTRAL UTILITIES PLANT (CUP) / ENERGY PLAZA (FID # 33072)
Address: 2375 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 10/26/2016
Notification Number: 2016008345
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL UTILITIES PLANT (CUP) / ENERGY PLAZA (FID # 33072) (Continued)

S129328645

Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/06/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	10/06/2016
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	10/24/2016
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL UTILITIES PLANT (CUP) / ENERGY PLAZA (FID # 33072) (Continued)

S129328645

Inspection Number Grade: Not reported

L83 **DFW - DALLAS-FORT WORTH INTL** **PFAS PART 139 AIRPORT** **1027442936**
NE **DALLAS-FORT WORTH, TX** **N/A**
1/4-1/2
0.261 mi.
1379 ft. **Site 1 of 20 in cluster L**

Relative: PFAS PART 139 AIRPORT:
Higher Name: DFW - DALLAS-FORT WORTH INTL
City,State,Zip: DALLAS-FORT WORTH, TX
Actual: Region: 06
579 ft. Count: 1
Status: Active
Industry: Airports (Part 139)
EJSCREEN Report: https://ejscreen.epa.gov/mapper/mobile/EJSCREEN_mobile.aspx?geometry=%7B%22x%22:-97.037694444444,%22y%22:32.897233333333,%22spatialReference%22:%7B%22wkid%22:4326%7D%7D&unit=9035&areatype=&areaid=&basemap=streets&distance=1
Latitude: 32.897233333
Longitude: -97.037694444

L84 **DALLAS FORT WORTH INTERNATIONAL AIRPORT CHANNEL MA** **CENTRAL REGISTRY** **S126711036**
NNE **ON RECONSTRUCTION OF CONCRET FLUMES & CHANNELS AT10 DIFFEREN** **N/A**
1/4-1/2 **DFW AIRPORT, TX 75261**
0.271 mi.
1433 ft. **Site 2 of 20 in cluster L**

Relative: CENTRAL REGISTRY:
Higher Regulated Entity Number: RN104450689
Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT CHANNEL MAINTENANCE FY04
Actual: Address: ON RECONSTRUCTION OF CONCRET FLUMES & CHANNELS AT10 DIFFERENT
578 ft. LOCATIONS AROUND DFW AIRPORT
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2004-11-09
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: 2004-06-30
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 237990
Primary NAICS Industry Type Description: Other Heavy and Civil Engineering Construction
Physical Location Description: ON RECONSTRUCTION OF CONCRET FLUMES & CHANNELS AT10 DIFFERENT LOCATIONS AROUND DFW AIRPORT
Regulated Entity Number: RN104450689
Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT CHANNEL MAINTENANCE FY04
Address: ON RECONSTRUCTION OF CONCRET FLUMES & CHANNELS AT10 DIFFERENT LOCATIONS AROUND DFW AIRPORT
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DALLAS FORT WORTH INTERNATIONAL AIRPORT CHANNEL MAINTENANCE (Continued)

S126711036

Status Date: 2004-11-09
 Customer Number: CN601700610
 Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
 Customer Legal Name: Dallas-Ft. Worth International Airport Board
 Customer Ownership Type: OTHER GOVERNMENT
 Affiliation Begin Date: 2004-06-30
 Affiliation End Date: 3000-12-31
 Customer Status: ACTIVE
 Primary NAICS Industry Type Code: 237990
 Primary NAICS Industry Type Description: Other Heavy and Civil Engineering Construction
 Physical Location Description: ON RECONSTRUCTION OF CONCRET FLUMES & CHANNELS AT10 DIFFERENT LOCATIONS AROUND DFW AIRPORT

L85
NNE
 1/4-1/2
 0.271 mi.
 1433 ft.

DFW DALLAS/FT. WORTH, TX AMERICAN AIRLINES, INC.
DFW INTERNATIONAL AIRPORT TERMINAL C GATE 2 ROOM 02 A201
DFW AIRPORT, TX 75261

TIER 2 S110390358
N/A

Site 3 of 20 in cluster L

Relative:
Higher

TIER 2:

Actual:
578 ft.

Facility Id: FATR20093K6EBD0025N9
 Facility Name: DFW DALLAS/FT. WORTH, TX AMERICAN AIRLINES, INC.
 Reporting Year: 2009
 Facility Country: USA
 Facility Department: Not reported
 Facility Date Modified: 5/24/2010
 Date Tier 2 Signed: 1/6/2010
 Mailing Address: 4333 Amon Carter Blvd., MD 5285
 Mailing City/State/Country: Ft. Worth, TX USA
 Dikes/Other Safeguard Meas Emp: Not reported
 All Chemicals Same As Last Year: Not reported
 State Fees Total: 50.00
 Number Of Employess On Site: Not reported
 Site Map: Not reported
 Fire District: Not reported
 Submitted By: Bruce Campbell, Manager Corp. Envir.
 Latitude: Not reported
 Longitude: Not reported
 Lat/Long Location Desc: Not reported
 Lat/Long Method: Not reported
 Site Coordinate Abbr Submitted: Not reported
 Number Of Emp. Required: Not reported
 Fail Valid: Not reported
 Site Coordinate Abbr Submitted: Not reported
 Mail Address: Not reported
 Mail City: Not reported
 Mail State Req.: Not reported
 Fire District: Not reported
 Additional Mail Addr: Not reported

Facility Info:

Id: 4512
 Id Type: SIC
 Description: Not reported
 Last Modified: 2/17/2005
 Id: 481111
 Id Type: NAICS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW DALLAS/FT. WORTH, TX AMERICAN AIRLINES, INC. (Continued)

S110390358

Description: Not reported
Last Modified: 1/19/2009
Id: 006979801
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/17/2005

Contact:

Contact Email: Not reported
Contact Mail Address: 4333 Amon Carter Blvd. MD 5285
Contact City/State/Zip: Ft. Worth, TX 76155
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: American Airlines, Inc.
Title: Not reported
Modification Date: 3/13/2010

Contact:

Contact Email: Not reported
Contact Mail Address: Dallas Ft. Worth International Airport
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Marilyn DeVoe
Title: VP-DFW
Modification Date: 1/20/2010

Contact:

Contact Email: Not reported
Contact Mail Address: Dallas Ft. Worth International Airport
Contact City/State/Zip: DFW Airport, TX 75261
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Charles Fisher
Title: LEC
Modification Date: 1/20/2010

Chemical Inventory:

Facility Id: FATR20093K6EBD0025N9
Chemical Name: Sulfuric Acid (Lead Acid Batteries)
Chemical Inv Record Id: CVTR20093K6F9200HK2S
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 118613
Chronic Health Risks: T
EHS Substance: T
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW DALLAS/FT. WORTH, TX AMERICAN AIRLINES, INC. (Continued)

S110390358

Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: T
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20093K6FDV00JQLP
Chemical Inventory Record Id: CVTR20093K6F9200HK2S
Amt Of Sub Stored Or Transported: 118613
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 1/20/2010

Facility Id: FATR20093K6EBD0025N9
Chemical Name: Regular Unleaded Gasoline
Chemical Inv Record Id: CVTR20093K6G2U00PL8S
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 324454
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: T
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20093K6G5M00Q05B
Chemical Inventory Record Id: CVTR20093K6G2U00PL8S
Amt Of Sub Stored Or Transported: 72101
Amount Units: pounds
Type Of Storage: Below ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW DALLAS/FT. WORTH, TX AMERICAN AIRLINES, INC. (Continued)

S110390358

Desc of Loc(Or Transported) Subs: A/C Mtx Hangars
Last Modified: 1/20/2010

Record Key: CLTR200946V7GL007Z27
Chemical Inventory Record Id: CVTR20093K6G2U00PL8S
Amt Of Sub Stored Or Transported: 240336
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: A/C Mtx Hangars
Last Modified: 1/20/2010

Record Key: CLTR20095K4NS9004ZG6
Chemical Inventory Record Id: CVTR20093K6G2U00PL8S
Amt Of Sub Stored Or Transported: 12017
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR 5
Last Modified: 1/20/2010

Facility Id: FATR20093K6EBD0025N9
Chemical Name: Lead (Lead Acid Batteries)
Chemical Inv Record Id: CVTR20093K6GAN00TCJ6
CAS Number: 7439-92-1
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000,000 - 9,999,999 pounds
Max Daily Amount: 1,000,000 - 9,999,999 pounds
Max Amount In Largest Container: 1132385
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20093K6GD900UM4F
Chemical Inventory Record Id: CVTR20093K6GAN00TCJ6
Amt Of Sub Stored Or Transported: 1132385
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW DALLAS/FT. WORTH, TX AMERICAN AIRLINES, INC. (Continued)

S110390358

Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 1/20/2010

Facility Id: FATR20093K6EBD0025N9
Chemical Name: Ucar Aircraft Deicing/Anti-Icing Fluid Ultra Type IV
Chemical Inv Record Id: CVTR20093K6GEU00VZ6G
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 936309
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20093K6GJG00W42F
Chemical Inventory Record Id: CVTR20093K6GEU00VZ6G
Amt Of Sub Stored Or Transported: 936309
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 1/20/2010

Facility Id: FATR20093K6EBD0025N9
Chemical Name: Ansulite 3% AFFF (Fire Fighting Foam)
Chemical Inv Record Id: CVTR20093K6GKU00XA75
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 527738
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW DALLAS/FT. WORTH, TX AMERICAN AIRLINES, INC. (Continued)

S110390358

Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20093K6GP400Y4R7
Chemical Inventory Record Id: CVTR20093K6GKU00XA75
Amt Of Sub Stored Or Transported: 221309
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 1/20/2010

Record Key: CLTR200969SENS006BNF
Chemical Inventory Record Id: CVTR20093K6GKU00XA75
Amt Of Sub Stored Or Transported: 85119
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Hangar 5
Last Modified: 1/20/2010

Record Key: CLTR20096YJ77J00AJ5M
Chemical Inventory Record Id: CVTR20093K6GKU00XA75
Amt Of Sub Stored Or Transported: 102143
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-1
Last Modified: 1/20/2010

Record Key: CLTR20096YJ78C00B89X
Chemical Inventory Record Id: CVTR20093K6GKU00XA75
Amt Of Sub Stored Or Transported: 119167
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 1/20/2010

Facility Id: FATR20093K6EBD0025N9
Chemical Name: Low Sulfur Diesel Fuel Oil No. 2
Chemical Inv Record Id: CVTR20093K6GQ500Z0X3
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW DALLAS/FT. WORTH, TX AMERICAN AIRLINES, INC. (Continued)

S110390358

Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 95284
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: T
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20096YJ7FY00CTNL
Chemical Inventory Record Id: CVTR20093K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 22698
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-1
Last Modified: 1/20/2010

Record Key: CLTR20096YJ7KF00DUL5
Chemical Inventory Record Id: CVTR20093K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 28024
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-5
Last Modified: 1/20/2010

Record Key: CLTR20093K6GS5010S5C
Chemical Inventory Record Id: CVTR20093K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 10014
Amount Units: pounds
Type Of Storage: Tank inside building
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 1/20/2010

Record Key: CLTR200946V72J005TTJ
Chemical Inventory Record Id: CVTR20093K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 20028
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW DALLAS/FT. WORTH, TX AMERICAN AIRLINES, INC. (Continued)

S110390358

Desc of Loc(Or Transported) Subs: HGR-3
Last Modified: 1/20/2010

Record Key: CLTR200969SEYP008X8Y
Chemical Inventory Record Id: CVTR20093K6GQ500Z0X3
Amt Of Sub Stored Or Transported: 14520
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Hangar 5
Last Modified: 1/20/2010

Facility Id: FATR20093K6EBD0025N9
Chemical Name: Ucar Aircraft Deicing Fluid Concentrate Type I
Chemical Inv Record Id: CVTR200969SEBM004PTU
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 1,000,000 - 9,999,999 pounds
Max Daily Amount: 1,000,000 - 9,999,999 pounds
Max Amount In Largest Container: 1835900
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200969SEDZ005R3J
Chemical Inventory Record Id: CVTR200969SEBM004PTU
Amt Of Sub Stored Or Transported: 1835900
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: FAC-MTX
Last Modified: 1/20/2010

Facility Id: FATR20093K6EBD0025N9
Chemical Name: Cee Bee Buper Bee 212 Gel
Chemical Inv Record Id: CVTR200969SFE100B7EK
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW DALLAS/FT. WORTH, TX AMERICAN AIRLINES, INC. (Continued)

S110390358

Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 20863
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200969SFFY00CV5T
Chemical Inventory Record Id: CVTR200969SFE100B7EK
Amt Of Sub Stored Or Transported: 20863
Amount Units: pounds
Type Of Storage: Tote bin
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: CBN-SRVC
Last Modified: 1/20/2010

Facility Id: FATR20093K6EBD0025N9
Chemical Name: Cryotech E36 Liquid Runway Deicer
Chemical Inv Record Id: CVTR200969SFJA00DWGE
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 74771
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW DALLAS/FT. WORTH, TX AMERICAN AIRLINES, INC. (Continued)

S110390358

Chemical Inventory Location:

Record Key: CLTR200969SFMF00EMJY
Chemical Inventory Record Id: CVTR200969SFJA00DWGE
Amt Of Sub Stored Or Transported: 74771
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Ramp
Last Modified: 1/20/2010

Facility Id: FATR20093K6EBD0025N9
Chemical Name: BP Turbo Oil 2380
Chemical Inv Record Id: CVTR200969SFS100FLQJ
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 16356
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200969SFTX00G7SA
Chemical Inventory Record Id: CVTR200969SFS100FLQJ
Amt Of Sub Stored Or Transported: 16356
Amount Units: pounds
Type Of Storage: Steel drum
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Warehouse
Last Modified: 1/20/2010

Facility Id: FATR20093K6EBD0025N9
Chemical Name: 15W-40 Motor Oil
Chemical Inv Record Id: CVTR200969SFWD00HCKY
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW DALLAS/FT. WORTH, TX AMERICAN AIRLINES, INC. (Continued)

S110390358

Max Amount In Largest Container: 11189
Chronic Health Risks: Not reported
EHS Substance: Not reported
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: Not reported
Pure Form: Not reported
Reactive Hazard: Not reported
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR200969SFYF00J59U
Chemical Inventory Record Id: CVTR200969SFWD00HCKY
Amt Of Sub Stored Or Transported: 11189
Amount Units: pounds
Type Of Storage: Above ground tank
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Warehouse
Last Modified: 1/20/2010

Notes: Not reported

Validation: This facility passed all validation checks.

L86
NNE
1/4-1/2
0.271 mi.
1433 ft.

AIRWAYS SUPPORT BUILING
2300 SOUTH INTERNATIONAL PKWY
DALLAS, TX 75261

ASBESTOS S119137768
N/A

Site 4 of 20 in cluster L

Relative:
Higher
Actual:
578 ft.

ASBESTOS:
Name: AIRWAYS SUPPORT BUILING
Address: 2300 SOUTH INTERNATIONAL PKWY
City,State,Zip: DALLAS, TX 75261
Date of inspection: 08/28/2013
Reason for Inspection: Notified
Violation: No
Complaint Date: Not reported
Notification Number: Unknown
ASB Priority: Low
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AIRWAYS SUPPORT BUILING (Continued)

S119137768

Reg: 03
Init: JR
Seq: 06
Facility Type: Asbestos
Inspector Name: Frank Rodriguez
Date Report Received: Not reported
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Not reported
Amendo: Not reported
Notification Work Type: Not reported
Notification Type: Not reported
Work Type Flag: Not reported
Certification Statement Date: Not reported
Certification Statement Phone: Not reported
Is The Facility a School or K-12?: Not reported
Region: Not reported
Priority: Not reported
ARU: Not reported
Is this a phased abatement project?: Not reported
Ordered: Not reported
Is This Project an Emergency?: Not reported
Is Building Occupied?: Not reported
High Profile: Not reported
Ref Method: Not reported
Analytical Method: Not reported
Start Date: Not reported
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Ind. Haz Waste:

Ind. Haz Waste:

Operator Name: DELTA AIR LINES INC
Operator Address: PO BOX 613138
Operator Address 2: Not reported
Operator Address 3: Not reported
Operator City,State,Zip: DALLAS, TX 75261
Operator Country: UNITED STA
Operator Telephone: 1-972-5745656
Operator Fax Number: Not reported
Operator Email: Not reported
Operator Business Type: Corporation
Operator Tax ID: 15802185486
Operator Bankruptcy Code: Not reported

Ind. Haz Waste:

Owner Name: DELTA AIR LINES INC
Owner Mailing Address: PO BOX 613138
Owner Mailing Address 2: Not reported
Owner Mailing Address 3: Not reported
Owner Mailing City,State,Zip: DALLAS, TX 75261
Owner Country: UNITED STA
Owner Telephone: 1-972-5745656
Owner Fax: Not reported
Owner Email Address: Not reported
Owner Business Type: Corporation
Owner Tax ID: 15802185486
Owner Bankruptcy Code: Not reported

Ind. Haz Waste:

Unit Number: 001
Unit Type Code: 23
Unit Status: CLOSED
Unit Regulatory Status: 13
UIC Permit Number: Not reported
Capacity: Not reported
Capacity Measurement: Not reported
Off Site Hazardous Waste: Not reported
Off Site Class 1 Waste: Not reported
Off Site Class 2 Waste: Not reported
Off Site Class 3 Waste: Not reported
Off Site Non Industrial Solid Waste: Not reported
System Type Code 1: 141
System Type Code 2: Not reported
System Type Code 3: Not reported
System Type Code 4: Not reported
System Type Code: Not reported
Permit Sequence Number: Not reported
Unit Description: Containment Building located at the Hangar. Unit is designated for

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Unit Description 2:	closure as f Not reported
Unit Description 3:	Not reported
Last Changed Date:	20060602
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Number:	002
Unit Type Code:	23
Unit Status:	CLOSED
Unit Regulatory Status:	03
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	Not reported
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Industrial Solid Waste:	Not reported
System Type Code 1:	141
System Type Code 2:	Not reported
System Type Code 3:	Not reported
System Type Code 4:	Not reported
System Type Code:	Not reported
Permit Sequence Number:	Not reported
Unit Description:	Storage Room located at the 5E Complex. Unit is designated for closure as f aci
Unit Description 2:	Not reported
Unit Description 3:	Not reported
Last Changed Date:	20060602
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Number:	003
Unit Type Code:	22
Unit Status:	CLOSED
Unit Regulatory Status:	13
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	Not reported
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Industrial Solid Waste:	Not reported
System Type Code 1:	141
System Type Code 2:	Not reported
System Type Code 3:	Not reported
System Type Code 4:	Not reported
System Type Code:	Not reported
Permit Sequence Number:	Not reported
Unit Description:	Caged Storage Area located at gate 38 at Concourse E. Unit is designated fo r c
Unit Description 2:	Not reported
Unit Description 3:	Not reported
Last Changed Date:	20060602
Deed Record Needed:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Deed Recording Date:	Not reported
Unit Number:	004
Unit Type Code:	19
Unit Status:	CLOSED
Unit Regulatory Status:	05
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	Not reported
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Industrial Solid Waste:	Not reported
System Type Code 1:	141
System Type Code 2:	Not reported
System Type Code 3:	Not reported
System Type Code 4:	Not reported
System Type Code:	Not reported
Permit Sequence Number:	Not reported
Unit Description:	Oil/water separator located at Hangar. Unit is designated for closure as fa cil
Unit Description 2:	Not reported
Unit Description 3:	Not reported
Last Changed Date:	20060602
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Number:	005
Unit Type Code:	18
Unit Status:	INACTIVE
Unit Regulatory Status:	03
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	Not reported
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Industrial Solid Waste:	Not reported
System Type Code 1:	141
System Type Code 2:	Not reported
System Type Code 3:	Not reported
System Type Code 4:	Not reported
System Type Code:	Not reported
Permit Sequence Number:	Not reported
Unit Description:	Aircraft wheel washer res. Received Closure approval letter on 6/2/06.
Unit Description 2:	Not reported
Unit Description 3:	Not reported
Last Changed Date:	20030714
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Unit Number:	006
Unit Type Code:	14
Unit Status:	ACTIVE
Unit Regulatory Status:	13

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	Not reported
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Industrial Solid Waste:	Not reported
System Type Code 1:	141
System Type Code 2:	Not reported
System Type Code 3:	Not reported
System Type Code 4:	Not reported
System Type Code:	Not reported
Permit Sequence Number:	Not reported
Unit Description:	Storage Area Located At Gate 12 on Concourse E. The area is designated for stora
Unit Description 2:	Not reported
Unit Description 3:	Not reported
Last Changed Date:	20050324
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Ind. Haz Waste:	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCN
Contact Address:	PO BOX 613138
Contact Address 2:	Not reported
Contact Address 3:	Not reported
Contact City,State,Zip:	DALLAS, TX 75261
Contact Phone:	1-972-5745656
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	PO BOX 613138
Contact Address 2:	Not reported
Contact Address 3:	Not reported
Contact City,State,Zip:	DALLAS, TX 75261
Contact Phone:	1-972-5745656
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Name:	TONY VAUGHAN
Contact Title:	STATION MANAGER
Contact Role:	PRICONT
Contact Address:	PO BOX 610348
Contact Address 2:	Not reported
Contact Address 3:	Not reported
Contact City,State,Zip:	DALLAS, TX 75261
Contact Phone:	1-972-6154642
Contact Fax:	Not reported
Contact Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Ind. Haz Waste:

Waste ID: 120064
Texas Waste Code: Not reported
Texas Waste Code 2: 0001211H
Waste Code Status: INACTIVE
Waste Form: 211
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Flammable waste liquid which includes used solvents.; Solid waste registration n
Standard Industrial Code: 45120
Primary Source: G09
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W211
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 120067
Texas Waste Code: Not reported
Texas Waste Code 2: 0002310H
Waste Code Status: INACTIVE
Waste Form: 310
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Absorbent Saturated With Gasoline. Received Closure approval letter on 6/2/06.
Standard Industrial Code: 45120
Primary Source: G32
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W310
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Ind. Haz Waste:

Waste ID: 175449
Texas Waste Code: Not reported
Texas Waste Code 2: 0003211H
Waste Code Status: INACTIVE
Waste Form: 211
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Contaminated gasoline Waste inactivated due to source reduction.
Received Clos
Standard Industrial Code: 45120
Primary Source: G16
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W211
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 175450
Texas Waste Code: Not reported
Texas Waste Code 2: 0004206H
Waste Code Status: INACTIVE
Waste Form: 206
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Contaminated jet fuel.; A new hazardous waste determination has been performed o
Standard Industrial Code: 45120
Primary Source: G16
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W206
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Waste ID: 120065
Texas Waste Code: Not reported
Texas Waste Code 2: 0005319H
Waste Code Status: INACTIVE
Waste Form: 319
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Contaminated bead blast media.; Solid waste registration number and facility hav

Standard Industrial Code: 45120
Primary Source: G09
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W319
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178595
Texas Waste Code: Not reported
Texas Waste Code 2: 0006204H
Waste Code Status: INACTIVE
Waste Form: 204
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Methlene chloride cleaning solvent; Solid waste registration number and facility

Standard Industrial Code: 45120
Primary Source: G09
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W204
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Waste ID: 178596
Texas Waste Code: Not reported
Texas Waste Code 2: 0007105H
Waste Code Status: INACTIVE
Waste Form: 105
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Water contaminated with acid waste Waste inactivated due to source reduction. R

Standard Industrial Code: 45120
Primary Source: G02
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W105
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 120066
Texas Waste Code: Not reported
Texas Waste Code 2: 0008204H
Waste Code Status: INACTIVE
Waste Form: 204
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Oil contaminated with chlorinated material Waste inactivated due to errorin sub

Standard Industrial Code: 45120
Primary Source: G16
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W204
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Waste ID: 178597
Texas Waste Code: Not reported
Texas Waste Code 2: 0009304H
Waste Code Status: INACTIVE
Waste Form: 304
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Spent oxygen generators. Received Closure approval letter on 6/2/06.
Standard Industrial Code: 45120
Primary Source: G11
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W304
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178598
Texas Waste Code: Not reported
Texas Waste Code 2: 0010409H
Waste Code Status: INACTIVE
Waste Form: 409
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste flammable solids including sealants and contaminated solids.
Standard Industrial Code: 45120
Primary Source: G09
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W409
Reason Waste Form No Longer Gen: Not reported

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178599
Texas Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Texas Waste Code 2: 0011105H
Waste Code Status: INACTIVE
Waste Form: 105
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Corrosive liquids Waste inactivated due to source reduction.; Solid waste regist
Standard Industrial Code: 45120
Primary Source: G02
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W105
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178600
Texas Waste Code: Not reported
Texas Waste Code 2: 0012310H
Waste Code Status: INACTIVE
Waste Form: 310
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Absorbent contaminated with hazardous waste other than fuel. Waste inactivatedd
Standard Industrial Code: 45120
Primary Source: G32
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W310
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178601
Texas Waste Code: Not reported
Texas Waste Code 2: 0013003H
Waste Code Status: INACTIVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Waste Form:	003
Waste Classification:	H
Waste is Radioactive:	0
Waste Treated Off Site:	Not reported
Generators Waste Description:	Lab-pack of misc out of date or unusable hazardous chemicals. Received Closurea
Standard Industrial Code:	45120
Primary Source:	G11
Primary Measurement Point:	Not reported
Primary Origin:	1
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	0
Company Waste ID:	Not reported
Primary NAICS Code:	481111
EPA Waste Form Code:	W001
Reason Waste Form No Longer Gen:	NOR INACTIVATED

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Ind. Haz Waste:

Waste ID: 178602
Texas Waste Code: Not reported
Texas Waste Code 2: 00140031
Waste Code Status: INACTIVE
Waste Form: 003
Waste Classification: 1
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Misc out of date used non haz chemicals Waste inactivated due to error
insubmis
Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 3
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: Not reported
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178603
Texas Waste Code: Not reported
Texas Waste Code 2: 0015003H
Waste Code Status: INACTIVE
Waste Form: 003
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Hazardous out of date and unusable emergency flares; Solid waste
registration nu
Standard Industrial Code: 45120
Primary Source: G11
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W001
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Waste ID: 178604
Texas Waste Code: Not reported
Texas Waste Code 2: 0016117H
Waste Code Status: INACTIVE
Waste Form: 117
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Mercury contaminated material Waste inactivated due to rule change.
Received C
Standard Industrial Code: 45120
Primary Source: G11
Primary Measurement Point: Not reported
Primary Origin: 2
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W117
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178605
Texas Waste Code: Not reported
Texas Waste Code 2: 0017489H
Waste Code Status: INACTIVE
Waste Form: 489
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Material contaminated with jet fuel Waste inactivated due to source reduction.R
Standard Industrial Code: 45120
Primary Source: G32
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178606
Texas Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Texas Waste Code 2: 00183101
Waste Code Status: INACTIVE
Waste Form: 310
Waste Classification: 1
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: used non hazardous oil filters Waste inactivated due to error in submission. R
Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: Not reported
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178607
Texas Waste Code: Not reported
Texas Waste Code 2: 00193101
Waste Code Status: INACTIVE
Waste Form: 310
Waste Classification: 1
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Non haz absorbent saturated with oil Waste inactivated due to error in submissi
Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: Not reported
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178608
Texas Waste Code: Not reported
Texas Waste Code 2: 00203011
Waste Code Status: INACTIVE
Waste Form: 301

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Waste Classification: 1
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Soil contaminated with deice fluid Waste inactivated due to error in submission
Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 2
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: Not reported
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178609
Texas Waste Code: Not reported
Texas Waste Code 2: 00212051
Waste Code Status: INACTIVE
Waste Form: 205
Waste Classification: 1
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Oil/Water separator waste Waste inactivated due to error in submission. Receiv
Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 3
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: Not reported
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178610
Texas Waste Code: Not reported
Texas Waste Code 2: 00225151
Waste Code Status: INACTIVE
Waste Form: 515
Waste Classification: 1
Waste is Radioactive: 0
Waste Treated Off Site: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Generators Waste Description: GSE brake wash Waste inactivated due to error in submission. Received
Closures
Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 3
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: Not reported
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178611
Texas Waste Code: Not reported
Texas Waste Code 2: 00233961
Waste Code Status: INACTIVE
Waste Form: 396
Waste Classification: 1
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Light ballasts contaminated with PCBs Waste inactivated due to error
in submiss
Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 3
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: Not reported
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178612
Texas Waste Code: Not reported
Texas Waste Code 2: 0024211H
Waste Code Status: INACTIVE
Waste Form: 211
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Contaminated gasoline and diesel fuel; A new hazardous waste
determinationhas be
Standard Industrial Code: 45120

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Primary Source: G11
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W211
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178613
Texas Waste Code: Not reported
Texas Waste Code 2: 00252071
Waste Code Status: INACTIVE
Waste Form: 207
Waste Classification: 1
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Used soap/water solution Waste inactivated due to error in submission.
Receive
Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 3
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: Not reported
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178614
Texas Waste Code: Not reported
Texas Waste Code 2: 0026205H
Waste Code Status: INACTIVE
Waste Form: 205
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Aircraft wheel Washer waste contaminated with cadmium; Solid waste registrationn
Standard Industrial Code: 45120
Primary Source: G09
Primary Measurement Point: Not reported
Primary Origin: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W205
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178615
Texas Waste Code: Not reported
Texas Waste Code 2: 00272061
Waste Code Status: INACTIVE
Waste Form: 206
Waste Classification: 1
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Used non hazardous oil Waste inactivated due to error in submission.
ReceivedC
Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 3
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: Not reported
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 186296
Texas Waste Code: Not reported
Texas Waste Code 2: 0028119H
Waste Code Status: INACTIVE
Waste Form: 119
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste Photo Fixer; Solid waste registration number and facility have temporarily
Standard Industrial Code: 45120
Primary Source: G08
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W119
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178616
Texas Waste Code: Not reported
Texas Waste Code 2: 00293101
Waste Code Status: INACTIVE
Waste Form: 310
Waste Classification: 1
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Colder cleaner solvent-varsol Waste inactivated due to error in submission. Re
Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 3
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: Not reported
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178617
Texas Waste Code: Not reported
Texas Waste Code 2: 00303111
Waste Code Status: INACTIVE
Waste Form: 311
Waste Classification: 1
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Asbestos and asbestos contaminated ppe Waste inactivated due to error in submis
Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 3
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: Not reported
EPA Waste Form Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Reason Waste Form No Longer Gen: NOR INACTIVATED
Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 178618
Texas Waste Code: Not reported
Texas Waste Code 2: 00313191
Waste Code Status: INACTIVE
Waste Form: 319
Waste Classification: 1
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Dry acid/soda waste Waste inactivated due to error in submission.
Received Clo
Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 3
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: Not reported
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 179997
Texas Waste Code: Not reported
Texas Waste Code 2: 0032110H
Waste Code Status: INACTIVE
Waste Form: 110
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Sodium Hydroxide-one time waste for cleaning cement. Waste inactivated due to o
Standard Industrial Code: 45120
Primary Source: G19
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W110
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Ind. Haz Waste:

Waste ID: 183485
Texas Waste Code: Not reported
Texas Waste Code 2: 0033114H
Waste Code Status: INACTIVE
Waste Form: 114
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste Jet Engine Wash Water Containing Cadmium.; Solid waste registration number
Standard Industrial Code: 45120
Primary Source: G09
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W101
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 183584
Texas Waste Code: Not reported
Texas Waste Code 2: 0034103H
Waste Code Status: INACTIVE
Waste Form: 103
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Corrosive waste acid wipe rags and other solids Waste inactivated due to error
Standard Industrial Code: 45120
Primary Source: G02
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W103
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Waste ID: 189132
Texas Waste Code: Not reported
Texas Waste Code 2: 0035310H
Waste Code Status: INACTIVE
Waste Form: 310
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste Turco Waste inactivated due to error in submission. Received Closure app
Standard Industrial Code: 45120
Primary Source: G02
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W310
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 189671
Texas Waste Code: Not reported
Texas Waste Code 2: 0036211H
Waste Code Status: INACTIVE
Waste Form: 211
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste Flammable Liquids containing paints and petroleum distillates from punctur
Standard Industrial Code: 45120
Primary Source: G11
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1002
Primary NAICS Code: 481111
EPA Waste Form Code: W211
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Ind. Haz Waste:

Waste ID: 189672
Texas Waste Code: Not reported
Texas Waste Code 2: 0037490H
Waste Code Status: INACTIVE
Waste Form: 490
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste sanding booth media and filters.; Solid waste registration number and faci
Standard Industrial Code: 45120
Primary Source: G09
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1030
Primary NAICS Code: 481111
EPA Waste Form Code: W319
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 189673
Texas Waste Code: Not reported
Texas Waste Code 2: 0038104H
Waste Code Status: INACTIVE
Waste Form: 104
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste corrosive liquid containing alodine.; Solid waste registration number andf
Standard Industrial Code: 45120
Primary Source: G02
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1015
Primary NAICS Code: 481111
EPA Waste Form Code: W103
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Ind. Haz Waste:

Waste ID:	189674
Texas Waste Code:	Not reported
Texas Waste Code 2:	0039319H
Waste Code Status:	INACTIVE
Waste Form:	319
Waste Classification:	H
Waste is Radioactive:	0
Waste Treated Off Site:	Not reported
Generators Waste Description:	Waste corrosive solids containing alodine (rags and wipes).; Solid waste registr
Standard Industrial Code:	45120
Primary Source:	G09
Primary Measurement Point:	Not reported
Primary Origin:	1
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	0
Company Waste ID:	1014
Primary NAICS Code:	481111
EPA Waste Form Code:	W319
Reason Waste Form No Longer Gen:	NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID:	189675
Texas Waste Code:	Not reported
Texas Waste Code 2:	0040104H
Waste Code Status:	INACTIVE
Waste Form:	104
Waste Classification:	H
Waste is Radioactive:	0
Waste Treated Off Site:	Not reported
Generators Waste Description:	Waste corrosive liquid containing phosphoric acid used to prep composites.; Soli
Standard Industrial Code:	45120
Primary Source:	G09
Primary Measurement Point:	Not reported
Primary Origin:	1
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	0
Company Waste ID:	1034
Primary NAICS Code:	481111
EPA Waste Form Code:	W103
Reason Waste Form No Longer Gen:	NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Waste ID: 189676
Texas Waste Code: Not reported
Texas Waste Code 2: 0041319H
Waste Code Status: INACTIVE
Waste Form: 319
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste corrosive solid containing phosphoric acid (contaminated rags and wipes). R

Standard Industrial Code: 45120
Primary Source: G09
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1035
Primary NAICS Code: 481111
EPA Waste Form Code: W319
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 189677
Texas Waste Code: Not reported
Texas Waste Code 2: 0042104H
Waste Code Status: INACTIVE
Waste Form: 104
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste corrosive liquid containing nitric acid used in anti-corrosion process for

Standard Industrial Code: 45120
Primary Source: G02
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1036
Primary NAICS Code: 481111
EPA Waste Form Code: W103
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 189678
Texas Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Texas Waste Code 2: 0043104H
Waste Code Status: INACTIVE
Waste Form: 104
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste corrosive liquid containing ferric sulfate used in treating aluminum.; Ini
Standard Industrial Code: 45120
Primary Source: G02
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1037
Primary NAICS Code: 481111
EPA Waste Form Code: W103
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 189679
Texas Waste Code: Not reported
Texas Waste Code 2: 0044109H
Waste Code Status: INACTIVE
Waste Form: 109
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste corrosive liquid containing cadmium used in plating process.; Solid waster
Standard Industrial Code: 45120
Primary Source: G03
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1038
Primary NAICS Code: 481111
EPA Waste Form Code: W110
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 189680
Texas Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Texas Waste Code 2: 0045310H
Waste Code Status: INACTIVE
Waste Form: 310
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste absorbent contaminated with chlorinated solvents.; Solid waste registratio
Standard Industrial Code: 45120
Primary Source: G32
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1039
Primary NAICS Code: 481111
EPA Waste Form Code: W310
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 192961
Texas Waste Code: Not reported
Texas Waste Code 2: 0046603H
Waste Code Status: INACTIVE
Waste Form: 603
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Oily waste sludge from System 1 Parts washers. Received Closure approval letter
Standard Industrial Code: 45120
Primary Source: G09
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1026
Primary NAICS Code: 481111
EPA Waste Form Code: W603
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Waste ID: 192962
Texas Waste Code: Not reported
Texas Waste Code 2: 0047409H
Waste Code Status: INACTIVE
Waste Form: 409
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste solvent contaminated rags or solids. Received Closure approval letter on 6
Standard Industrial Code: 45120
Primary Source: G09
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1016
Primary NAICS Code: 481111
EPA Waste Form Code: W409
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 194879
Texas Waste Code: Not reported
Texas Waste Code 2: 0048409H
Waste Code Status: INACTIVE
Waste Form: 409
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste Solids contaminated with Adhesives and Solvents; Solid waste registrationn
Standard Industrial Code: 45120
Primary Source: G09
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1042
Primary NAICS Code: 481111
EPA Waste Form Code: W409
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Waste ID: 199508
Texas Waste Code: Not reported
Texas Waste Code 2: 0049104H
Waste Code Status: INACTIVE
Waste Form: 104
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Corrosive Liquid from Labratory Waste process.; Solid waste registration numbera

Standard Industrial Code: Not reported
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1045
Primary NAICS Code: 481111
EPA Waste Form Code: W103
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 204609
Texas Waste Code: Not reported
Texas Waste Code 2: 0050105H
Waste Code Status: INACTIVE
Waste Form: 105
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste corrosive Liquid containing ferric sulfete used in treating aluminum.; Sol

Standard Industrial Code: Not reported
Primary Source: G02
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 1037
Primary NAICS Code: 481111
EPA Waste Form Code: W103
Reason Waste Form No Longer Gen: NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 207922

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S103605985

Texas Waste Code:	Not reported
Texas Waste Code 2:	0051319H
Waste Code Status:	INACTIVE
Waste Form:	319
Waste Classification:	H
Waste is Radioactive:	0
Waste Treated Off Site:	Not reported
Generators Waste Description:	Waste Corrosive Solid containing phosphoric acid (Contaminated rags & wipes).; S
Standard Industrial Code:	Not reported
Primary Source:	G09
Primary Measurement Point:	Not reported
Primary Origin:	1
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	0
Company Waste ID:	1035
Primary NAICS Code:	481111
EPA Waste Form Code:	W319
Reason Waste Form No Longer Gen:	NOR INACTIVATED

Ind. Haz Waste:

Ind. Haz Waste:

Ind. Haz Waste:

Contact Name:	Not reported
Contact Title:	Not reported
Contact Telephone:	Not reported
Mailing Address:	PO BOX 610348
Mailing Address 2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 75261
AR Number:	0000301723
Principal Name:	DELTA AIR LINES INC
Attention Name:	Not reported
Attention Suffix:	NWG

Contact Name:	Not reported
Contact Title:	Not reported
Contact Telephone:	Not reported
Mailing Address:	PO BOX 610348
Mailing Address 2:	Not reported
Mailing City,St,Zip:	DALLAS, TX 75261
AR Number:	0000301723
Principal Name:	DELTA AIR LINES INC
Attention Name:	Not reported
Attention Suffix:	HWG

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

L88 **DALLAS FORT WORTH AIRPORT** **LPST** **S112009819**
NNE **3122 E 30TH ST** **Ind. Haz Waste**
1/4-1/2 **DFW AIRPORT, TX 75261** **IHW CORR ACTION**
0.271 mi.
1433 ft. **Site 6 of 20 in cluster L**

Relative:
Higher
Actual:
578 ft.

LPST:
 Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
 Address: 3122 E 30TH ST
 City,State,Zip: DFW AIRPORT, TX
 Facility ID: Not reported
 LPST Id: 119969
 Facility Location: Not reported
 TCEQ Region# and City: REGION 04 - DFW METROPLEX
 Region City: Not reported
 Discovered Date: 05/11/2015
 Entered Date: 07/21/2016
 Reported Date: 05/13/2015
 Closure Date: 12/20/2016
 Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
 Program: 1 - RPR
 CA Status: 6A - FINAL CONCURRENCE ISSUED
 Priority Description: Not reported
Status: Not reported
 Coordinators Primary: Not reported
 Coordinators RPR: Not reported
 Responsible Party Name: Not reported
 Responsible Party Contact: Not reported
 Responsible Party Address: Not reported
 Responsible Party City,St,Zip: Not reported
 Responsible Party Telephone: Not reported
 Reported Date: 05/13/2015
 Case Start Date: 12/20/2016
 Reference Number: RN100213990
 Project Manager: EEKPO

Ind. Haz Waste:
 Name: DALLAS FORT WORTH AIRPORT
 Address: 3122 E 30TH ST
 City,State,Zip: DFW AIRPORT, TX 75261
 Permit Number: Not reported
 Registration Number: 79113
 Registration Initial Notification Date: 04/30/1992
 Registration Last Amendment Date: 10/19/2018
 EPA Identification: TXD988056651
 Primary NAICS Code: 481111
 Status Change Date: 19920430
 Land Type: PRIVATE
 Description of Facility Site Location: Not reported
 Site Primary Standard Industrial Code: Not reported
 Registration is Generator of Waste: 1
 TNRCC Region Number: 4
 Registration is Receivers of Waste: 1
 Registration is Transporter of Waste: 1
 Registration is Transfer Facility: 1
 Facility is STEERS Reporter: 1
 Required to Submit Annual Waste Summary: 1
 Facility Involved In Recycling: 1
 Revcr Has Monthly Reporting Requirement: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S112009819

Mexican Facility: Not reported
Type of Generator HW: CESQG
Type of Generator: NON INDUS
Company Name: UNITED AIRLINES INC
Contact Name: JULIE M DICKSON
Contact Telephone Number: 713-3242261
Mailing Address: 1600 SMITH ST
Mailing Address2: MAIL STOP HQSEN
Mailing City,State,Zip: HOUSTON, TX 770027362
Mailing County: UNITED STATES
Facility Country: UNITED STATES
TNRCC Facility ID: 32667
Site Owner Tax ID: 742099724
Site Location Latitude: -00.000
Site Location Longitude: -000.000
Last Update to NOR Data: 20190318
Ind. Waste Permit Number: Not reported
Mun Waste Permit Number: Not reported
Non Notifier: 1
MSW: Not reported
Medical Waste: Not reported
Other: Not reported
Sludge: Not reported
Used Oil: Not reported
Used Tires: Not reported
Permit Status: Not reported
Receiver Type: Not reported
Transporter for Hire: 0
Transport Own Waste: 0

Ind. Haz Waste:

Ind. Haz Waste:

Operator Name: UNITED AIRLINES INC
Operator Address: 1600 SMITH ST
Operator Address 2: Not reported
Operator Address 3: Not reported
Operator City,State,Zip: HOUSTON, TX 77002
Operator Country: UNITED STA
Operator Telephone: 1-713-3242261
Operator Fax Number: Not reported
Operator Email: Not reported
Operator Business Type: Corporation
Operator Tax ID: 17420997243
Operator Bankruptcy Code: Not reported

Ind. Haz Waste:

Owner Name: UNITED AIRLINES INC
Owner Mailing Address: 1600 SMITH ST
Owner Mailing Address 2: Not reported
Owner Mailing Address 3: Not reported
Owner Mailing City,State,Zip: HOUSTON, TX 77002
Owner Country: UNITED STA
Owner Telephone: 1-713-3242261
Owner Fax: Not reported
Owner Email Address: Not reported
Owner Business Type: Corporation

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S112009819

Owner Tax ID:	17420997243
Owner Bankruptcy Code:	Not reported
Ind. Haz Waste:	
Unit Number:	001
Unit Type Code:	22
Unit Status:	ACTIVE
Unit Regulatory Status:	Not reported
UIC Permit Number:	Not reported
Capacity:	Not reported
Capacity Measurement:	Not reported
Off Site Hazardous Waste:	Not reported
Off Site Class 1 Waste:	Not reported
Off Site Class 2 Waste:	Not reported
Off Site Class 3 Waste:	Not reported
Off Site Non Industrial Solid Waste:	Not reported
System Type Code 1:	Not reported
System Type Code 2:	Not reported
System Type Code 3:	Not reported
System Type Code 4:	Not reported
System Type Code:	Not reported
Permit Sequence Number:	Not reported
Unit Description:	Not reported
Unit Description 2:	Not reported
Unit Description 3:	Not reported
Last Changed Date:	Not reported
Deed Record Needed:	Not reported
Deed Recording Date:	Not reported
Ind. Haz Waste:	
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OPRCON
Contact Address:	1600 SMITH ST
Contact Address 2:	Not reported
Contact Address 3:	Not reported
Contact City,State,Zip:	HOUSTON, TX 77002
Contact Phone:	1-713-3242261
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Name:	Not reported
Contact Title:	Not reported
Contact Role:	OWNCON
Contact Address:	1600 SMITH ST
Contact Address 2:	Not reported
Contact Address 3:	Not reported
Contact City,State,Zip:	HOUSTON, TX 77002
Contact Phone:	1-713-3242261
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Name:	JULIE DICKSON
Contact Title:	CONTACT
Contact Role:	PRICONT
Contact Address:	1600 SMITH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S112009819

Contact Address 2: MAIL STOP HQSEN
Contact Address 3: Not reported
Contact City,State,Zip: HOUSTON, TX 77002
Contact Phone: 1-713-3242261
Contact Fax: Not reported
Contact Email: Not reported

Ind. Haz Waste:

Waste ID: 62624
Texas Waste Code: Not reported
Texas Waste Code 2: 0001211H
Waste Code Status: INACTIVE
Waste Form: 211
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste Jet-A Fuel (kerosene) from aircraft maintenance & ground support equipment
Standard Industrial Code: 45120
Primary Source: G11
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 11-0256
Primary NAICS Code: 481111
EPA Waste Form Code: W211
Reason Waste Form No Longer Gen: UNKNOWN

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 62625
Texas Waste Code: Not reported
Texas Waste Code 2: 0002308H
Waste Code Status: INACTIVE
Waste Form: 308
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Flammable aerosol cans from aircraft maintenance & ground support equipment serv
Standard Industrial Code: 45120
Primary Source: Not reported
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 11-0257
Primary NAICS Code: 481111
EPA Waste Form Code: W307
Reason Waste Form No Longer Gen: UNKNOWN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S112009819

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 62626
Texas Waste Code: Not reported
Texas Waste Code 2: 0003206H
Waste Code Status: INACTIVE
Waste Form: 206
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste oil from aircraft maintenance & ground support equipment servicing
Standard Industrial Code: 45120
Primary Source: G16
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 11-0258
Primary NAICS Code: 481111
EPA Waste Form Code: W206
Reason Waste Form No Longer Gen: UNKNOWN

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 62627
Texas Waste Code: Not reported
Texas Waste Code 2: 0004489H
Waste Code Status: INACTIVE
Waste Form: 489
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Debris containing oil, grease, paint, fuel, & solvents, etc. from aircraft maint
Standard Industrial Code: 45120
Primary Source: G19
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 11-0259
Primary NAICS Code: 481111
EPA Waste Form Code: Not reported
Reason Waste Form No Longer Gen: UNKNOWN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S112009819

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 62628
Texas Waste Code: Not reported
Texas Waste Code 2: 0005206H
Waste Code Status: INACTIVE
Waste Form: 206
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Waste Skydrol (hydraulic fluid) from aircraft maintenance & ground support equip
Standard Industrial Code: 45120
Primary Source: G19
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 11-0260
Primary NAICS Code: 481111
EPA Waste Form Code: W206
Reason Waste Form No Longer Gen: UNKNOWN

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 70112
Texas Waste Code: Not reported
Texas Waste Code 2: 0006206H
Waste Code Status: INACTIVE
Waste Form: 206
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Aircraft support servicing and maintenance activities for air carrier aircraft a
Standard Industrial Code: 45120
Primary Source: G19
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: 11-0261
Primary NAICS Code: 481111
EPA Waste Form Code: W206
Reason Waste Form No Longer Gen: UNKNOWN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S112009819

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID:	70113
Texas Waste Code:	Not reported
Texas Waste Code 2:	0007310H
Waste Code Status:	INACTIVE
Waste Form:	310
Waste Classification:	H
Waste is Radioactive:	0
Waste Treated Off Site:	Not reported
Generators Waste Description:	Aircraft support servicing and maintenance activities for air carrier aircrafta
Standard Industrial Code:	45120
Primary Source:	G16
Primary Measurement Point:	Not reported
Primary Origin:	1
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	0
Company Waste ID:	11-0262
Primary NAICS Code:	481111
EPA Waste Form Code:	W310
Reason Waste Form No Longer Gen:	UNKNOWN

Ind. Haz Waste:

Waste ID:	70114
Texas Waste Code:	Not reported
Texas Waste Code 2:	0008211H
Waste Code Status:	INACTIVE
Waste Form:	211
Waste Classification:	H
Waste is Radioactive:	0
Waste Treated Off Site:	Not reported
Generators Waste Description:	Aircraft support servicing and maintenance activities for air carrier aircraft a
Standard Industrial Code:	45120
Primary Source:	G09
Primary Measurement Point:	Not reported
Primary Origin:	1
Primary System Type:	Not reported
New Chemical Substance:	0
Audit Performed:	0
Company Waste ID:	Not reported
Primary NAICS Code:	481111
EPA Waste Form Code:	W211
Reason Waste Form No Longer Gen:	UNKNOWN

Ind. Haz Waste:

Ind. Haz Waste:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S112009819

Waste ID: 194503
Texas Waste Code: Not reported
Texas Waste Code 2: 0009310H
Waste Code Status: INACTIVE
Waste Form: 310
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Fuel Filters. Generating process: Vehicle and equipment maintenance.
Date of g
Standard Industrial Code: 45120
Primary Source: G16
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: Not reported
Primary NAICS Code: 481111
EPA Waste Form Code: W310
Reason Waste Form No Longer Gen: Not reported

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 396096
Texas Waste Code: Not reported
Texas Waste Code 2: 0012319H
Waste Code Status: INACTIVE
Waste Form: 319
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Spent Oxygen Generators
Standard Industrial Code: Not reported
Primary Source: G19
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: SPENTO2GENERATOR
Primary NAICS Code: 48111
EPA Waste Form Code: W319
Reason Waste Form No Longer Gen: Not reported

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 396094
Texas Waste Code: Not reported
Texas Waste Code 2: 0020409H

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S112009819

Waste Code Status: INACTIVE
Waste Form: 409
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Absorbent Material from clean-up of gasoline leaks and spills
Standard Industrial Code: Not reported
Primary Source: G31
Primary Measurement Point: Not reported
Primary Origin: 2
Primary System Type: Not reported
New Chemical Substance: Not reported
Audit Performed: 0
Company Waste ID: SPENT ABSORBENT MATE
Primary NAICS Code: 48111
EPA Waste Form Code: W310
Reason Waste Form No Longer Gen: Not reported

Ind. Haz Waste:

Ind. Haz Waste:

Waste ID: 206943
Texas Waste Code: Not reported
Texas Waste Code 2: 0401219H
Waste Code Status: INACTIVE
Waste Form: 219
Waste Classification: H
Waste is Radioactive: 0
Waste Treated Off Site: Not reported
Generators Waste Description: Puncturing of aerosol cans - drained aerosol liquids.
Standard Industrial Code: Not reported
Primary Source: G06
Primary Measurement Point: Not reported
Primary Origin: 1
Primary System Type: Not reported
New Chemical Substance: 0
Audit Performed: 0
Company Waste ID: DRAINED AEROSOL LIQU
Primary NAICS Code: 481111
EPA Waste Form Code: W219
Reason Waste Form No Longer Gen: Not reported

Ind. Haz Waste:

Ind. Haz Waste:

Ind. Haz Waste:
Contact Name: Not reported
Contact Title: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S112009819

Contact Telephone: Not reported
Mailing Address: TERMINAL 2W SECTION B
Mailing Address 2: Not reported
Mailing City,St,Zip: DFW AIRPORT, TX 75261
AR Number: 0000311172
Principal Name: UNITED AIRLINES INC
Attention Name: Not reported
Attention Suffix: HWF

Contact Name: Not reported
Contact Title: Not reported
Contact Telephone: Not reported
Mailing Address: TERMINAL 2W SECTION B
Mailing Address 2: Not reported
Mailing City,St,Zip: DFW AIRPORT, TX 75261
AR Number: 0000311172
Principal Name: UNITED AIRLINES INC
Attention Name: Not reported
Attention Suffix: NWF

Contact Name: Not reported
Contact Title: Not reported
Contact Telephone: Not reported
Mailing Address: TERMINAL 2W SECTION B
Mailing Address 2: Not reported
Mailing City,St,Zip: DFW AIRPORT, TX 75261
AR Number: 0000311172
Principal Name: UNITED AIRLINES INC
Attention Name: Not reported
Attention Suffix: NWG

Contact Name: Not reported
Contact Title: Not reported
Contact Telephone: Not reported
Mailing Address: TERMINAL 2W SECTION B
Mailing Address 2: Not reported
Mailing City,St,Zip: DFW AIRPORT, TX 75261
AR Number: 0000311172
Principal Name: UNITED AIRLINES INC
Attention Name: Not reported
Attention Suffix: HWG

IHW CORR ACTION:

Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
Address: 3122 E 30TH ST
City,State,Zip: DFW AIRPORT, TX 75261
Program Id: 79113
Location Desc: WITHIN THE NE CORNER OF TARRANT COUNTY & NW CORNER OF DALLAS COUNTY,
JUST SE OF GRAPEVINE LAKE, TARRANT & DALLAS COUNTIES
RN NUM: RN100213990
Status: INACTIVE
Status Date: 04/23/2008
EDR Link ID: 79113
Project Phase: COMPLETED WORKLOAD
Phase Status Date: 04/23/2008
Soil COC Class: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DALLAS FORT WORTH AIRPORT (Continued)

S112009819

Soil Remediation: Not reported
 GW COC Class: Not reported
 GW Remediation: Not reported

L89
NNE
1/4-1/2
0.271 mi.
1433 ft.

DFW DALLAS/FT. WORTH, TX AMERICAN EAGLE AIRLINES
DFW INTERNATIONAL AIRPORT TERMINAL A, RM A11L204
DALLAS/FT. WORTH, TX 75261

TIER 2 **S110390359**
N/A

Site 7 of 20 in cluster L

Relative:
Higher
Actual:
578 ft.

TIER 2:
 Facility Id: FATR20093K4JQG0026TN
 Facility Name: DFW DALLAS/FT. WORTH, TX AMERICAN EAGLE AIRLINES
 Reporting Year: 2009
 Facility Country: USA
 Facility Department: Not reported
 Facility Date Modified: 5/24/2010
 Date Tier 2 Signed: 1/6/2010
 Mailing Address: 4333 Amon Carter Blvd., MD 5285
 Mailing City/State/Country: Ft. Worth, TX USA
 Dikes/Other Safeguard Meas Emp: Not reported
 All Chemicals Same As Last Year: Not reported
 State Fees Total: 50.00
 Number Of Employess On Site: Not reported
 Site Map: Not reported
 Fire District: Not reported
 Submitted By: Bruce Campbell, Manager Corp. Envir.
 Latitude: Not reported
 Longitude: Not reported
 Lat/Long Location Desc: Not reported
 Lat/Long Method: Not reported
 Site Coordinate Abbr Submitted: Not reported
 Number Of Emp. Required: Not reported
 Fail Valid: Not reported
 Site Coordinate Abbr Submitted: Not reported
 Mail Address: Not reported
 Mail City: Not reported
 Mail State Req.: Not reported
 Fire District: Not reported
 Additional Mail Addr: Not reported

Facility Info:
 Id: 4512
 Id Type: SIC
 Description: Not reported
 Last Modified: 2/16/2005
 Id: 006979801
 Id Type: Dun & Bradstreet
 Description: Not reported
 Last Modified: 2/16/2005
 Id: 481111
 Id Type: NAICS
 Description: Not reported
 Last Modified: 1/19/2009

Contact:
 Contact Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW DALLAS/FT. WORTH, TX AMERICAN EAGLE AIRLINES (Continued)

S110390359

Contact Mail Address: Dallas Fort Worth Airport, Terminal A
Contact City/State/Zip: Dallas/Ft. Worth, TX 75261-2527
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Ann Dudley
Title: Hub VP
Modification Date: 1/20/2010

Contact:

Contact Email: Not reported
Contact Mail Address: Dallas Fort Worth Airport, Terminal A
Contact City/State/Zip: Dallas/Ft. Worth, TX 75261-2527
Contact Mail Country: USA
Contact Type 1: Emergency Contact
Contact Name: Brian Minick
Title: LEC
Modification Date: 1/20/2010

Contact:

Contact Email: Not reported
Contact Mail Address: 4333 Amon Carter Blvd. MD 5285
Contact City/State/Zip: Ft. Worth, TX 76155
Contact Mail Country: USA
Contact Type 1: Owner / Operator
Contact Name: AE American Eagle Airlines, Inc.
Title: Not reported
Modification Date: 3/13/2010

Chemical Inventory:

Facility Id: FATR20093K4JQG0026TN
Chemical Name: Sulfuric Acid (Lead Acid Battery Component)
Chemical Inv Record Id: CVTR20093K4KZT00LNG6
CAS Number: 7664-93-9
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 10,000 - 99,999 pounds
Max Daily Amount: 10,000 - 99,999 pounds
Max Amount In Largest Container: 33301
Chronic Health Risks: T
EHS Substance: T
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: T
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: T
Solid: Not reported
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW DALLAS/FT. WORTH, TX AMERICAN EAGLE AIRLINES (Continued)

S110390359

Chemical Inventory Location:

Record Key: CLTR20093K4L2M00M49X
Chemical Inventory Record Id: CVTR20093K4KZT00LNG6
Amt Of Sub Stored Or Transported: 33301
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 1/20/2010

Facility Id: FATR20093K4JQG0026TN
Chemical Name: Lead (Lead Acid Battery Component)
Chemical Inv Record Id: CVTR20093K4L8K00N8JZ
CAS Number: 7439-92-1
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: 318430
Chronic Health Risks: T
EHS Substance: Not reported
Last Modified: 1/20/2010
Days On Site: 365
Fire Hazard: Not reported
Gas: Not reported
Liquid: Not reported
Mixture Form: Not reported
Sudden Release Of Pressure Haz: Not reported
Pure Form: T
Reactive Hazard: Not reported
Solid: T
Trade Secret: Not reported
Contact Label: Not reported
Label Code: TX2009
Trade Secret: Not reported

Chemical Inventory Location:

Record Key: CLTR20093K4LAW00P9AN
Chemical Inventory Record Id: CVTR20093K4L8K00N8JZ
Amt Of Sub Stored Or Transported: 318430
Amount Units: pounds
Type Of Storage: Other
Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Electric Powered Vehicle Batteries - Ramp
Last Modified: 1/20/2010

Notes: Not reported

Validation: This facility passed all validation checks.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD (Continued)

S126715011

Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: #####
Affiliation End Date: 12/31/3000
Customer Status: ACTIVE
Primary NAICS Industry Type Code: Not reported
Primary NAICS Industry Type Description: Not reported
Physical Location Description: DALLAS COUNTY

Regulated Entity Number: RN104518030
Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Address: DALLAS COUNTY
Address 2: Not reported
City,State,Zip: DALLAS, TX 75261
Status: ACTIVE
Status Date: 2/8/2005
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: #####
Affiliation End Date: 12/31/3000
Customer Status: ACTIVE
Primary NAICS Industry Type Code: Not reported
Primary NAICS Industry Type Description: Not reported
Physical Location Description: DALLAS COUNTY

Regulated Entity Number: RN104518030
Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Address: DALLAS COUNTY
Address 2: Not reported
City,State,Zip: DALLAS, TX 75261
Status: ACTIVE
Status Date: 2/8/2005
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: #####
Affiliation End Date: 12/31/3000
Customer Status: ACTIVE
Primary NAICS Industry Type Code: Not reported
Primary NAICS Industry Type Description: Not reported
Physical Location Description: DALLAS COUNTY

Regulated Entity Number: RN104518030
Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Address: DALLAS COUNTY
Address 2: Not reported
City,State,Zip: DALLAS, TX 75261
Status: ACTIVE
Status Date: 2/8/2005
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: #####
Affiliation End Date: 12/31/3000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD (Continued)

S126715011

Customer Status: ACTIVE
Primary NAICS Industry Type Code: Not reported
Primary NAICS Industry Type Description: Not reported
Physical Location Description: DALLAS COUNTY

Regulated Entity Number: RN104518030
Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Address: DALLAS COUNTY
Address 2: Not reported
City,State,Zip: DALLAS, TX 75261
Status: ACTIVE
Status Date: 2/8/2005
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: #####
Affiliation End Date: 12/31/3000
Customer Status: ACTIVE
Primary NAICS Industry Type Code: Not reported
Primary NAICS Industry Type Description: Not reported
Physical Location Description: DALLAS COUNTY

L92
NNE
1/4-1/2
0.271 mi.
1433 ft.

**"DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, I
DFW INTERNATIONAL AIRPORT TERMINAL C GATE 2 ROOM 02 A201
DFW AIRPORT, TX 75261**
Site 10 of 20 in cluster L

**TIER 2 S108457584
N/A**

**Relative:
Higher
Actual:
578 ft.**

TIER 2:
Facility Id: FATR20053K6EBD0025N9
Facility Name: "DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC."
Reporting Year: 2005
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 2/27/2007
Date Tier 2 Signed: Not reported
Mailing Address: "4333 Amon Carter Blvd., MD 5285"
Mailing City/State/Country: Ft. Worth, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50
Number Of Emploeyss On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: "Bruce Campbell, Manager Corp. Envir."
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

"DFW - DALLAS/FT. WORTH, TX - AMERICAN AIRLINES, INC." (Continued)

S108457584

Additional Mail Addr: Not reported

Notes: Not reported
Validation: Not reported

L93
NNE
1/4-1/2
0.271 mi.
1433 ft.

DALLASFORT WORTH INTERNATIONAL AIRPORT RUNWAYS AND
CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AI
DFW AIRPORT, TX 75261

CENTRAL REGISTRY

S126889125
N/A

Site 11 of 20 in cluster L

Relative:
Higher
Actual:
578 ft.

CENTRAL REGISTRY:

Regulated Entity Number: RN108767815
Name: DALLASFORT WORTH INTERNATIONAL AIRPORT RUNWAYS AND TAXIWAYS
Address: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT
ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT
ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2015-09-18
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: 2015-09-18
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 237310
Primary NAICS Industry Type Description: Highway, Street, and Bridge Construction
Physical Location Description: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT
ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT
ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Regulated Entity Number: RN108767815
Name: DALLASFORT WORTH INTERNATIONAL AIRPORT RUNWAYS AND TAXIWAYS
Address: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT
ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT
ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2015-09-18
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: 2015-09-18
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 237310
Primary NAICS Industry Type Description: Highway, Street, and Bridge Construction
Physical Location Description: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT
ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT
ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLASFORT WORTH INTERNATIONAL AIRPORT RUNWAYS AND TAXIWAYS (Continued)

S126889125

Regulated Entity Number: RN108767815
Name: DALLASFORT WORTH INTERNATIONAL AIRPORT RUNWAYS AND TAXIWAYS
Address: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT
ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT
ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2015-09-18
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: 2015-09-18
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 237310
Primary NAICS Industry Type Description: Highway, Street, and Bridge Construction
Physical Location Description: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT
ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT
ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Regulated Entity Number: RN108767815
Name: DALLASFORT WORTH INTERNATIONAL AIRPORT RUNWAYS AND TAXIWAYS
Address: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT
ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT
ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2015-09-18
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: 2015-09-18
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 237310
Primary NAICS Industry Type Description: Highway, Street, and Bridge Construction
Physical Location Description: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT
ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT
ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Regulated Entity Number: RN108767815
Name: DALLASFORT WORTH INTERNATIONAL AIRPORT RUNWAYS AND TAXIWAYS
Address: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT
ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT
ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2015-09-18
Customer Number: CN602908436
Customer Name: EAS CONTRACTING LP
Customer Legal Name: EAS Contracting, L.P.
Customer Ownership Type: PARTNERSHIP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLASFORT WORTH INTERNATIONAL AIRPORT RUNWAYS AND TAXIWAYS (Continued)

S126889125

Affiliation Begin Date: 2015-09-30
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 237310
Primary NAICS Industry Type Description: Highway, Street, and Bridge Construction
Physical Location Description: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Regulated Entity Number: RN108767815
Name: DALLASFORT WORTH INTERNATIONAL AIRPORT RUNWAYS AND TAXIWAYS
Address: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2015-09-18
Customer Number: CN602908436
Customer Name: EAS CONTRACTING LP
Customer Legal Name: EAS Contracting, L.P.
Customer Ownership Type: PARTNERSHIP
Affiliation Begin Date: 2015-09-30
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 237310
Primary NAICS Industry Type Description: Highway, Street, and Bridge Construction
Physical Location Description: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Regulated Entity Number: RN108767815
Name: DALLASFORT WORTH INTERNATIONAL AIRPORT RUNWAYS AND TAXIWAYS
Address: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2015-09-18
Customer Number: CN602908436
Customer Name: EAS CONTRACTING LP
Customer Legal Name: EAS Contracting, L.P.
Customer Ownership Type: PARTNERSHIP
Affiliation Begin Date: 2015-09-30
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 237310
Primary NAICS Industry Type Description: Highway, Street, and Bridge Construction
Physical Location Description: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

Regulated Entity Number: RN108767815
Name: DALLASFORT WORTH INTERNATIONAL AIRPORT RUNWAYS AND TAXIWAYS
Address: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLASFORT WORTH INTERNATIONAL AIRPORT RUNWAYS AND TAXIWAYS (Continued)

S126889125

ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2015-09-18
Customer Number: CN602908436
Customer Name: EAS CONTRACTING LP
Customer Legal Name: EAS Contracting, L.P.
Customer Ownership Type: PARTNERSHIP
Affiliation Begin Date: 2015-09-30
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 237310
Primary NAICS Industry Type Description: Highway, Street, and Bridge Construction
Physical Location Description: CONSTRUCTION SITES ON VARIOUS RUNWAYS AND TAXIWAYS ON DFW AIRPORT
ACCESS POINT WOULD BE AT 3003 S SERVICE RD DFW AIRPORT CONTACT
ENVIRONMENTAL AFFAIRS FOR ESCORT INTO FAA RESTRICTED AREAS

L94
NNE
1/4-1/2
0.271 mi.
1433 ft.

DALLAS FORT WORTH INTERNATIONAL COMMERCE PARK 24 W
ON N OF ESTERS RD S OF REGENT BLVD W OF CORPORATE DR & E OF
DFW AIRPORT, TX 75261

CENTRAL REGISTRY S126775995
N/A

Site 12 of 20 in cluster L

Relative:
Higher
Actual:
578 ft.

CENTRAL REGISTRY:
Regulated Entity Number: RN105394696
Name: DALLAS FORT WORTH INTERNATIONAL COMMERCE PARK 24 WATER LINE EXTENSION
Address: ON N OF ESTERS RD S OF REGENT BLVD W OF CORPORATE DR & E OF TRADE AVE
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2008-01-17
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: 2007-08-08
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 237110
Primary NAICS Industry Type Description: Water and Sewer Line and Related Structures Construction
Physical Location Description: ON N OF ESTERS RD S OF REGENT BLVD W OF CORPORATE DR & E OF TRADE AVE

Regulated Entity Number: RN105394696
Name: DALLAS FORT WORTH INTERNATIONAL COMMERCE PARK 24 WATER LINE EXTENSION
Address: ON N OF ESTERS RD S OF REGENT BLVD W OF CORPORATE DR & E OF TRADE AVE
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2008-01-17
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: 2007-08-08
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 237110

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH INTERNATIONAL COMMERCE PARK 24 WATER LINE (Continued)

S126775995

Primary NAICS Industry Type Description: Water and Sewer Line and Related Structures Construction
Physical Location Description: ON N OF ESTERS RD S OF REGENT BLVD W OF CORPORATE DR & E OF TRADE AVE

L95
NNE
1/4-1/2
0.271 mi.
1433 ft.

DALLAS FORT WORTH INTERNATIONAL AIRPORT
ON GATES E-4 AND E-6 AT DFW AIRPORT
DALLAS, TX 75261

CENTRAL REGISTRY **S126768012**
N/A

Site 13 of 20 in cluster L

Relative:
Higher

CENTRAL REGISTRY:

Actual:
578 ft.

Regulated Entity Number: RN105275242
Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
Address: ON GATES E-4 AND E-6 AT DFW AIRPORT
Address 2: Not reported
City,State,Zip: DALLAS, TX 75261
Status: ACTIVE
Status Date: 2007-07-17
Customer Number: CN602414633
Customer Name: NORTHWEST AIRLINES INC
Customer Legal Name: Northwest Airlines, Inc.
Customer Ownership Type: CORPORATION
Affiliation Begin Date: 2006-11-17
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 481111
Primary NAICS Industry Type Description: Scheduled Passenger Air Transportation
Physical Location Description: ON GATES E-4 AND E-6 AT DFW AIRPORT

Regulated Entity Number: RN105275242
Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
Address: ON GATES E-4 AND E-6 AT DFW AIRPORT
Address 2: Not reported
City,State,Zip: DALLAS, TX 75261
Status: ACTIVE
Status Date: 2007-07-17
Customer Number: CN602414633
Customer Name: NORTHWEST AIRLINES INC
Customer Legal Name: Northwest Airlines, Inc.
Customer Ownership Type: CORPORATION
Affiliation Begin Date: 2006-11-17
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 481111
Primary NAICS Industry Type Description: Scheduled Passenger Air Transportation
Physical Location Description: ON GATES E-4 AND E-6 AT DFW AIRPORT

L96
NNE
1/4-1/2
0.271 mi.
1433 ft.

DALLAS FORT WORTH INTERNATIONAL AIRPORT
BRANIFF INTERNATIONAL AIRLINES TERMINAL 2 MILES W NEAR GATE
DALLAS, TX 75261

SPILLS **S110730515**
N/A

Site 14 of 20 in cluster L

Relative:
Higher

SPILLS:

Actual:
578 ft.

Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT
Address: BRANIFF INTERNATIONAL AIRLINES TERMINAL 2 MILES W NEAR GATE NUMBER 18
City,State,Zip: DALLAS, TX 75261

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH INTERNATIONAL AIRPORT (Continued)

S110730515

Incident Number: 135873
Facility Id: RN100214907
Date of Spill: Not reported
Seq Num: Not reported
Responsible Party Name: Not reported
Responsible Party Address: Not reported
Responsible Party City: Not reported
Responsible Party State: Not reported
Responsible Party Zip: Not reported
Responsible Party Telephone: Not reported
Substance: Ethylene glycol
Material Code: Not reported
Media Affected: Not reported
Permit Number: Not reported
District: Not reported
Origin: Not reported
Cause: Not reported
Basin Code: Not reported
Notify Date: Not reported
Adequate Clean: Not reported
Classification: 004 Hazardous Material Major
Basin Name: Not reported
Water Affected: Not reported
Amnt Spilled: 10,000.00 GALLONS
Amnt in Water: Not reported
Latitude: Not reported
Longitude: Not reported
Inspected By: Not reported
Interim Report: Not reported
Enforce: Not reported
Information Final: Not reported
Coordinator: Not reported
Time Reported: Not reported
Spill Time: Not reported
Incident Type: Emergency Response
Near City Name: DALLAS
Importance Level: 0
Received Date: 02/12/2010
Start Date: 02/12/2010
Status Date: 09/22/2010
Media Name: WATER
Customer: DFW AIRPORT ENVIRONMENTAL SSC
Effect: ENVIRONMEN
Num Complaining: 0
Frequency: PAST
Nature: INDUSTRIAL
Watertext: Bear Creek
Air Text: DE-icing fluid retention pond
Incident Status: Closed
Disputed Status: Not reported
Disputed Date: 02/16/2010
Comments: A level gauge failed in a de-icing fluid retention pond. This instrument failure resulted in a release of de-icing fluid and storm water. The material accumulated on the ground and traveled to Bear Creek.
Incident Action: Not reported
Incident Description: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH INTERNATIONAL AIRPORT (Continued)

S110730515

Invest Number: Not reported
Invest Status: Not reported
Customer Number: Not reported

L97
NNE
1/4-1/2
0.271 mi.
1433 ft.

DALLAS FORT WORTH INTERNATIONAL AIRPORT CHANNEL MA
ON RECONSTRUCTION OF CONCRET FLUMES & CHANNELS AT1
DFW AIRPORT, TX 75261

FINDS 1024187572
N/A

Site 15 of 20 in cluster L

Relative:
Higher
Actual:
578 ft.

FINDS:
Registry ID: 110070173015

[Click Here for FRS Facility Detail Report:](#)

Environmental Interest/Information System:

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

L98
NNE
1/4-1/2
0.271 mi.
1433 ft.

DALLAS FORT WORTH DFW INTERNATIONAL COMMERCE PARK
ON NW SIDE OF CORPORATE DR & REGENT BLVD
DFW AIRPORT, TX 75261

CENTRAL REGISTRY S126772795
N/A

Site 16 of 20 in cluster L

Relative:
Higher
Actual:
578 ft.

CENTRAL REGISTRY:
Regulated Entity Number: RN105345474
Name: DALLAS FORT WORTH DFW INTERNATIONAL COMMERCE PARK PHASE 3 DFW ICP
Address: ON NW SIDE OF CORPORATE DR & REGENT BLVD
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2007-09-26
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: 2007-07-25
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 238910
Primary NAICS Industry Type Description: Site Preparation Contractors
Physical Location Description: ON NW SIDE OF CORPORATE DR & REGENT BLVD

Regulated Entity Number: RN105345474
Name: DALLAS FORT WORTH DFW INTERNATIONAL COMMERCE PARK PHASE 3 DFW ICP
Address: ON NW SIDE OF CORPORATE DR & REGENT BLVD
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DALLAS FORT WORTH DFW INTERNATIONAL COMMERCE PARK PHASE 3 DF (Continued)

S126772795

Status Date: 2007-09-26
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: 2007-07-25
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: 238910
Primary NAICS Industry Type Description: Site Preparation Contractors
Physical Location Description: ON NW SIDE OF CORPORATE DR & REGENT BLVD

L99
NNE
1/4-1/2
0.271 mi.
1433 ft.

**DALLAS FT WORTH INTNS AIRPORT
TERMINAL B NORTH
DFW AIRPORT, TX 75261**

CENTRAL REGISTRY

S126758808
N/A

Site 17 of 20 in cluster L

Relative:
Higher

CENTRAL REGISTRY:

Actual:
578 ft.

Regulated Entity Number: RN105148936
Name: DALLAS FT WORTH INTNS AIRPORT
Address: TERMINAL B NORTH
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 1/24/2007
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: 2/3/1994
Affiliation End Date: 12/31/3000
Customer Status: ACTIVE
Primary NAICS Industry Type Code: Not reported
Primary NAICS Industry Type Description: Not reported
Physical Location Description: TERMINAL B NORTH

Regulated Entity Number: RN105148936
Name: DALLAS FT WORTH INTNS AIRPORT
Address: TERMINAL B NORTH
Address 2: Not reported
City,State,Zip: DFW AIRPORT, TX 75261
Status: ACTIVE
Status Date: 2007-01-24
Customer Number: CN601700610
Customer Name: DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Customer Legal Name: Dallas-Ft. Worth International Airport Board
Customer Ownership Type: OTHER GOVERNMENT
Affiliation Begin Date: 1994-02-03
Affiliation End Date: 3000-12-31
Customer Status: ACTIVE
Primary NAICS Industry Type Code: Not reported
Primary NAICS Industry Type Description: Not reported
Physical Location Description: TERMINAL B NORTH

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

L100 **DFW - DALLAS/FT. WORTH TX - AMERICAN AIRLINES INC.** **TIER 2** **S108867674**
NNE **DFW INTERNATIONAL AIRPORT TERMINAL C GATE 2 ROOM 02 A201**
1/4-1/2 **DFW AIRPORT, TX 75261**
0.271 mi.
1433 ft. **Site 18 of 20 in cluster L**

**Relative:
Higher**

TIER 2:

**Actual:
578 ft.**

Facility Id: FATR20063K6EBD0025N9
Facility Name: DFW - DALLAS/FT. WORTH TX - AMERICAN AIRLINES INC.
Reporting Year: 2006
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 10/10/2007
Date Tier 2 Signed: 2/8/2007
Mailing Address: 4333 Amon Carter Blvd. MD 5285
Mailing City/State/Country: Ft. Worth, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported
State Fees Total: 50.00
Number Of Employess On Site: Not reported
Site Map: Not reported
Fire District: Not reported
Submitted By: Bruce Campbell Manager Corp. Environmental
Latitude: Not reported
Longitude: Not reported
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: Not reported
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: Not reported
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Notes: Not reported
Validation: Not reported

L101 **DFW - DALLAS/FT. WORTH TX - AMERICAN EAGLE AIRLINE** **TIER 2** **S108867675**
NNE **DFW INTERNATIONAL AIRPORT TERMINAL A RM A11L204**
1/4-1/2 **DALLAS/FT. WORTH, TX 75261**
0.271 mi.
1433 ft. **Site 19 of 20 in cluster L**

**Relative:
Higher**

TIER 2:

**Actual:
578 ft.**

Facility Id: FATR20063K4JQG0026TN
Facility Name: DFW - DALLAS/FT. WORTH TX - AMERICAN EAGLE AIRLINES
Reporting Year: 2006
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 10/10/2007
Date Tier 2 Signed: 2/8/2007
Mailing Address: 4333 Amon Carter Blvd. MD 5285
Mailing City/State/Country: Ft. Worth, TX USA
Dikes/Other Safeguard Meas Emp: Not reported
All Chemicals Same As Last Year: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW - DALLAS/FT. WORTH TX - AMERICAN EAGLE AIRLINES (Continued)

S108867675

State Fees Total: 50.00
 Number Of Emploeyss On Site: Not reported
 Site Map: Not reported
 Fire District: Not reported
 Submitted By: Bruce Campbell Manager Corp. Environmental
 Latitude: Not reported
 Longitude: Not reported
 Lat/Long Location Desc: Not reported
 Lat/Long Method: Not reported
 Site Coordinate Abbr Submitted: Not reported
 Number Of Emp. Required: Not reported
 Fail Valid: Not reported
 Site Coordinate Abbr Submitted: Not reported
 Mail Address: Not reported
 Mail City: Not reported
 Mail State Req.: Not reported
 Fire District: Not reported
 Additional Mail Addr: Not reported

Notes: Not reported
 Validation: Not reported

**102
 NNW
 1/4-1/2
 0.275 mi.
 1451 ft.**

**DAVIS 3H TB
 WEATHERFORD, TX 76086**

**TIER 2 S112008729
 N/A**

**Relative:
 Higher
 Actual:
 603 ft.**

TIER 2:
 Facility Id/Name: FATR2012E01328896267/DAVIS 3H TB
 Reporting Year: 2012
 Facility Country: USA
 Facility Department: Not reported
 Facility Date Modified: 5/8/2013
 Date Tier 2 Signed: 2/22/2013
 Mailing Address: 5205 N. O'Connor Blvd., Suite 1400
 Mailing City/State/Country: Irving, TX USA
 Dikes/Other Safeguard Meas Emp: F
 All Chemicals Same As Last Year: False
 State Fees Total: Not reported
 Number Of Emploeyss On Site: Not reported
 Site Map: F
 Fire District: Not reported
 Submitted By: Jennifer Lofland Environmental Analyst
 Latitude: 32.8975
 Longitude: -97.0475
 Lat/Long Location Desc: Not reported
 Lat/Long Method: Not reported
 Site Coordinate Abbr Submitted: F
 Number Of Emp. Required: Not reported
 Fail Valid: Not reported
 Site Coordinate Abbr Submitted: F
 Mail Address: Not reported
 Mail City: Not reported
 Mail State Req.: Not reported
 Fire District: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DAVIS 3H TB (Continued)

S112008729

Additional Mail Addr: Not reported

Facility Id/Name: FATR2011E01328896267/DAVIS 3H TB
Reporting Year: 2011
Facility Country: USA
Facility Department: Not reported
Facility Date Modified: 5/16/2012
Date Tier 2 Signed: 2/24/2012
Mailing Address: 5205 N. O'Connor Blvd., Suite 1400
Mailing City/State/Country: Irving, TX USA
Dikes/Other Safeguard Meas Emp: F
All Chemicals Same As Last Year: False
State Fees Total: Not reported
Number Of Emploess On Site: Not reported
Site Map: F
Fire District: Not reported
Submitted By: Jim Sherrard Environmental Director
Latitude: 32.8975
Longitude: -97.0475
Lat/Long Location Desc: Not reported
Lat/Long Method: Not reported
Site Coordinate Abbr Submitted: F
Number Of Emp. Required: Not reported
Fail Valid: Not reported
Site Coordinate Abbr Submitted: F
Mail Address: Not reported
Mail City: Not reported
Mail State Req.: Not reported
Fire District: Not reported
Additional Mail Addr: Not reported

Facility Info:

Id: 211111
Id Type: NAICS
Description: Not reported
Last Modified: 2/20/2012
Id: 15-467-9435
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/20/2012
Id: 1311
Id Type: SIC
Description: Not reported
Last Modified: 2/20/2012

Contact:

Contact Email: Not reported
Contact Mail Address: P.O. Box 1330
Contact City/State/Zip: Houston, TX 77251-1330
Contact Mail Country: USA
Contact Type 1: Submitter
Contact Name: Jamie McCranie
Title: EHS Representative
Modification Date: 2/20/2012

Contact Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DAVIS 3H TB (Continued)

S112008729

Contact Mail Address: P.O. Box 1330
Contact City/State/Zip: Houston, TX 77251-1330
Contact Mail Country: USA
Contact Type 1: Submitter
Contact Name: Jamie McCranie
Title: EHS Representative
Modification Date: 2/20/2012

Contact:

Contact Email: Not reported
Contact Mail Address: 5205 N. O'Connor Blvd., Suite 1400
Contact City/State/Zip: Irving, TX 75039
Contact Mail Country: USA
Contact Type 1: Owner/Operator
Contact Name: Pioneer Natural Resources USA, Inc. BS
Title: Not reported
Modification Date: 2/23/2012

Contact:

Contact Email: Not reported
Contact Mail Address: Not reported
Contact City/State/Zip: Not reported
Contact Mail Country: Not reported
Contact Type 1: Emergency Contact
Contact Name: Larry Barr
Title: Sr. Foreman
Modification Date: 2/23/2012

Notes: Not reported
Validation: Not reported

Facility Info:

Id: 15-467-9435
Id Type: Dun & Bradstreet
Description: Not reported
Last Modified: 2/26/2013
Id: 1311
Id Type: SIC
Description: Not reported
Last Modified: 2/26/2013
Id: 211111
Id Type: NAICS
Description: Not reported
Last Modified: 2/26/2013

Contact:

Contact Email: Not reported
Contact Mail Address: 5205 N. O'Connor Blvd., Suite 1400
Contact City/State/Zip: Irving, TX 75039
Contact Mail Country: USA
Contact Type 1: Owner/Operator
Contact Name: Pioneer Natural Resources USA, Inc

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DAVIS 3H TB (Continued)

S112008729

Title: Not reported
Modification Date: 3/9/2013

Contact Email: Not reported
Contact Mail Address: 5205 N. O'Connor Blvd., Suite 1400
Contact City/State/Zip: Irving, TX 75039
Contact Mail Country: USA
Contact Type 1: Owner/Operator
Contact Name: Pioneer Natural Resources USA, Inc
Title: Not reported
Modification Date: 3/9/2013

Contact:
Contact Email: Not reported
Contact Mail Address: Not reported
Contact City/State/Zip: Not reported
Contact Mail Country: Not reported
Contact Type 1: Emergency Contact
Contact Name: Larry Barr
Title: Sr. Foreman
Modification Date: 3/9/2013

Chemical Inventory:
Facility Id: FATR2012E01328896267
Chemical Name: PRODUCED HYDROCARBONS
Chemical Inv Record Id: CVTR2012E00422761795
CAS Number: Not reported
Chemical Same As Last Year: Not reported
Acute Health Risks: T
Average Daily Amount: 100,000 - 999,999 pounds
Max Daily Amount: 100,000 - 999,999 pounds
Max Amount In Largest Container: Not reported
Chronic Health Risks: T
EHS Substance: F
Last Modified: 3/7/2013
Days On Site: 365
Fire Hazard: T
Gas: T
Liquid: T
Mixture Form: T
Sudden Release Of Pressure Haz: T
Pure Form: F
Reactive Hazard: F
Solid: F
Trade Secret: F
Contact Label: Not reported
Label Code: TX2012
Trade Secret: F

Chemical Inventory Location:
Record Key: CLTR2012E01751658062
Chemical Inventory Record Id: CVTR2012E00422761795
Amt Of Sub Stored Or Transported: Not reported
Amount Units: Not reported
Type Of Storage: Above ground tank

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DAVIS 3H TB (Continued)

S112008729

Number Code/Storage Pressure: 1
Number Code/Storage Temperature: 4
Desc of Loc(Or Transported) Subs: Lat 32.8975 Lon -97.0475
Last Modified: 3/7/2013

Notes: Not reported
Validation: Not reported

L103
NNE
1/4-1/2
0.275 mi.
1452 ft.

D10 TERMINAL RADAR APPROACH CONTROL
2401 N INTERNATIONAL PKWY
DFW AIRPORT, TX 75261
Site 20 of 20 in cluster L

UST U004177836
N/A

Relative:
Higher
Actual:
578 ft.

UST:
Name: D10 TERMINAL RADAR APPROACH CONTROL
Address: 2401 N INTERNATIONAL PKWY
City,State,Zip: DFW AIRPORT, TX 75261
AI Number: 35804
Facility Type: Not reported
Facility Begin Date: 12/10/1986
Facility Status: ACTIVE
Additional ID: 781128322002139
Facility Exempt Status: N
Records Off-Site: No
UST Financial Assurance Required: No
Number Of Active UST: 2
Site Location Description: Not reported
Site Location (Nearest City Name): DFW AIRPORT
Site Location (County Name): TARRANT
Site Location (Tceq Region): 4
Site Location (Location Zip): Not reported
Contact Name/Title: KAREN TAYLOR,SSC MGR
Contact Organization Name: D10 TERMINAL RADAR APPROACH CONTROL
Contact Mailing Address1: Not reported
Contact Mailing Address2: Not reported
Contact Mailing City/State/Zip: Not reported
Contact Telephone: 9726152120
Facility Contact Address Deliverable: Not reported
Contact Fax Number: Not reported
Contact Email Address: KAREN.L.TAYLOR@FAA.GOV
Signature Date On Earliest Reg Form: 01/18/2022
Signature Name/Title On Earliest Reg Form: KAREN TAYLOR,ENV SSC MGR
Application Received Date On Earliest Reg Form: 01/31/2022
Signature Role On Earliest Reg Form: LEGAL AUTH REP OWNER
Signature Company On Earliest Reg Form: Not reported
Enforcement Action: No
Facility Not Inspectable: No
Operator:
Princ ID: 834384492001318
Additional ID: 781128322002139
Ai Number: 35804
Operator CN: CN600436885
Operator Name: FEDERAL AVIATION ADMINISTRATION
Operator Effective Begin Date: 12/30/2015

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Operator Type: FG
Operator Role: OWNOPRCON
Contact Name: SHEILA GRIFFITH/190 DISTRICT MGR
Contact Organization Name: FAA HOUSTON TRACON DISTRICT 190
Contact Mailing Address (Delivery): 4005 GREENS RD
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City/State/Zip: HOUSTON TX 77032-2333
Contact Phone Country Code: 1
Contact Phone Area Code: 281
Contact Phone Number: 2308475
Contact Phone Extension: 0
Contact Fax Country Code: Not reported
Contact Fax Area Code: Not reported
Contact Fax Number: Not reported
Contact Fax Extension: Not reported
Contact Email Address: Not reported
Contact Address Deliverable: Not reported

Owner:
Owner CN: CN600436885
Owner Last Name: FEDERAL AVIATION ADMINISTRATION
Owner First Name: Not reported
Owner Middle Name: Not reported
Owner Type: FG
Contact Mailing Address (Delivery): PO BOX 610368
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City: DALLAS
Contact Mailing State: TX
Contact Mailing Zip: 75261
Contact Mailing Zip5: 0368
Contact Phone Number/Ext: 1 972 6152347/0
Contact Fax Country Code: Not reported
Contact Fax Number/Ext: /
Contact Email Address: Not reported
Contact Address Deliverable: Not reported
Princ ID: 834384492001318
Additional ID: 781128322002139
AI Number: 35804
Owner Effective Begin Date: 12/30/2015
State Tax ID: Not reported
Contact Role: OWNCON
Contact Name/Title: STACY HOWARD/SECM
Contact Organization Name: FEDERAL AVIATION ADMINISTRATION

Self Certification:
Self Cert ID: 67615
Cert ID: 366376
AI Number: 35804
Self Certification Date: 01/18/2022
Signature Name/Title: KAREN TAYLOR ENV SSC MGR
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Delivery Certificate Expiration Date:	01/31/2023
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	N
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	67615
Cert ID:	349014
AI Number:	35804
Self Certification Date:	01/27/2021
Signature Name/Title:	KAREN TAYLOR D10 TRACON ENV SSC MNGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2022
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	N
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	67615
Cert ID:	333818
AI Number:	35804
Self Certification Date:	01/17/2020
Signature Name/Title:	AMY POZYCKI TECH OPS MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2021
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	N
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	67615
Cert ID:	316899
AI Number:	35804
Self Certification Date:	02/17/2019
Signature Name/Title:	MICHAEL HICKS SSC MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Delivery Certificate Expiration Date:	01/31/2020
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	N
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	67615
Cert ID:	298613
AI Number:	35804
Self Certification Date:	01/05/2018
Signature Name/Title:	KEITH ROGERS SECM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2019
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	N
Self Cert ID:	67615
Cert ID:	279976
AI Number:	35804
Self Certification Date:	12/28/2016
Signature Name/Title:	LENNY RAMOS SECM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2018
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	N
Self Cert ID:	67615
Cert ID:	265527
AI Number:	35804
Self Certification Date:	12/30/2015
Signature Name/Title:	STACY HOWARD SECM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Delivery Certificate Expiration Date:	01/31/2017
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	N
Self Cert ID:	67615
Cert ID:	246614
AI Number:	35804
Self Certification Date:	12/12/2014
Signature Name/Title:	STACY E HOWARD SECM
Signature Type Role:	LEGAL AUTH REP OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2016
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	N
Self Cert ID:	67615
Cert ID:	231196
AI Number:	35804
Self Certification Date:	01/06/2014
Signature Name/Title:	STACY HOWARD SEC
Signature Type Role:	LEGAL AUTH REP OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2015
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	N
Self Cert ID:	67615
Cert ID:	85372
AI Number:	35804
Self Certification Date:	01/03/2013
Signature Name/Title:	STACY HOWARD SECM
Signature Type Role:	LEGAL AUTH REP OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Delivery Certificate Expiration Date:	01/31/2014
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	67615
Cert ID:	85371
AI Number:	35804
Self Certification Date:	01/17/2012
Signature Name/Title:	STACY E HOWARD SECM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2013
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	67615
Cert ID:	85370
AI Number:	35804
Self Certification Date:	01/24/2011
Signature Name/Title:	STACY E HOWARD SAFETY & ENV MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2012
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	67615
Cert ID:	85369
AI Number:	35804
Self Certification Date:	01/15/2010
Signature Name/Title:	STACY E HOWARD SFTY & ENV MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Delivery Certificate Expiration Date:	01/31/2011
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	67615
Cert ID:	85368
AI Number:	35804
Self Certification Date:	01/26/2009
Signature Name/Title:	CHARLES SMITH MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2010
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	67615
Cert ID:	85367
AI Number:	35804
Self Certification Date:	12/31/2007
Signature Name/Title:	CHARLES W SMITH D10 DISTRICT MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2009
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	67615
Cert ID:	85366
AI Number:	35804
Self Certification Date:	01/25/2007
Signature Name/Title:	STACY E HOWARD DFW TECH SUPPORT CTR
Signature Type Role:	LEGAL AUTH REP OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Delivery Certificate Expiration Date:	01/31/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	67615
Cert ID:	85365
AI Number:	35804
Self Certification Date:	12/20/2005
Signature Name/Title:	CHARLES W SMITH MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2007
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	67615
Cert ID:	85364
AI Number:	35804
Self Certification Date:	02/01/2005
Signature Name/Title:	CHARLES W SMITH ASM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	67615
Cert ID:	85363
AI Number:	35804
Self Certification Date:	01/05/2004
Signature Name/Title:	DOUGLAS L KEEFFE MGR LONE STAR SMO
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Delivery Certificate Expiration Date:	01/31/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	67615
Cert ID:	85362
AI Number:	35804
Self Certification Date:	02/04/2003
Signature Name/Title:	CHARLES W SMITH ACTING MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2004
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Tank:	
Install Date:	01/01/1972
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	94740
Facility ID:	67615
AI Number:	35804
Tank Id:	1A
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	08/28/1997
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1A
Tank Capacity:	8000
UST Comprt ID:	93294
UST ID:	94740
AI Number:	35804
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	06/21/1994
Tank Registration Date:	02/11/2003
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	S
UST ID:	201378
Facility ID:	67615
Ai Number:	35804
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/01/2018
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	Y
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	Y
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	10000
UST Comprt ID:	93295
UST ID:	201378
AI Number:	35804
Compartment ID:	A
Substance Stored1:	Not reported
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	Y
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	Y
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve)):	N
SOPE(FlowRestrictorValue:	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

SOPE(Alarm (Set@<=90%) W/3a Or 3b):	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	Y
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	06/21/1994
Tank Registration Date:	02/11/2003
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	S
UST ID:	201379
Facility ID:	67615
Ai Number:	35804
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/01/2018
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	Y
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	Y
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMMethod (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	10000
UST Comprt ID:	93296
UST ID:	201379
AI Number:	35804
Compartment ID:	A
Substance Stored1:	Not reported
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	Y
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	Y
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	Y
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	06/21/1994
Tank Registration Date:	02/11/2003
Number of Compartments:	1
Tank Capacity:	560
Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	S
UST ID:	201380
Facility ID:	67615
Ai Number:	35804
Tank Id:	3
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	11/01/2018
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	Y
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	Y
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	3
Tank Capacity:	560
UST Comprt ID:	93297
UST ID:	201380
AI Number:	35804
Compartment ID:	A
Substance Stored1:	Not reported
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	Y
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	Y
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve)):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	Y
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	11/06/2018
Tank Registration Date:	02/20/2019
Number of Compartments:	1
Tank Capacity:	5089

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	S
UST ID:	223674
Facility ID:	67615
Ai Number:	35804
Tank Id:	5
Tank Status (Current):	IN USE
Tank Status Date:	11/06/2018
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	Y
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	Y
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Installation Signature Date:	02/06/2019
Compartment Records:	
Tank ID:	5
Tank Capacity:	5089
UST Comprt ID:	194020
UST ID:	223674
AI Number:	35804
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve)):	Y
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	EXEMPT BY TCEQ RULE
Stage 1 Installation Date:	Not reported
Install Date:	11/06/2018
Tank Registration Date:	02/20/2019
Number of Compartments:	1
Tank Capacity:	5089
Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	S
UST ID:	223673
Facility ID:	67615
AI Number:	35804
Tank Id:	4
Tank Status (Current):	IN USE

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Tank Status Date:	11/06/2018
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	Y
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	Y
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	02/06/2019
Compartment Records:	
Tank ID:	4
Tank Capacity:	5089
UST Comprt ID:	194019
UST ID:	223673
AI Number:	35804
Compartment ID:	A

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve)):	Y
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	Y
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	EXEMPT BY TCEQ RULE
Stage 1 Installation Date:	Not reported
Construction Notification:	
NOC ID:	33257
Facility ID:	67615
AI Number:	35804
Application Received Date:	07/12/2018
Scheduled Construction Date:	08/21/2018
UST Improvement:	N
UST Installation:	N
UST Removal:	N
UST Repair:	N
UST Return To Service:	N
UST Replacement:	Y
UST Abandonment:	N
UST Stage I:	N
AST Installation:	N
AST Stage I:	N
Historical Tracking Number:	Not reported
Waiver Flag:	Not reported
Late Filing Flag:	N
Form Received Date:	07/12/2018

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Signature Date On Form: 07/12/2018
Signature Name On Form: CHRIS MAYS
Signature Company On Form: Not reported
Signature Title On Form: Not reported
Signature Role: Not reported
Owner Name At Time Of Construction: FEDERAL AVIATION ADMINISTRATION;FEDERAL AVIATION ADMINIST
Owner CN At Time Of Construction: CN600436885,CN600436885
Owner AR At Time Of Construction: 16511A,16511U
General Desc Of Prop Construct: REMOVE (2) 10,000 GALLON DIESEL USTs, PIPING & CONTROLS; INSTALL (2)
NEW 5000 GALLON USTs IN SAME AREA; REMOVE (1) 500 GALLON USED OIL UST
AND REPLACE WITH UL142 280 GALLON AST.

Contractor, Consultant and Installer:

Cont/Cons/Installer ID: 78778
UST ID: Not reported
NOC ID: 33257
AI Number: 35804
Type Of Contact: CONSULTANT
Contractor CRP Number Or Installer ILP Number: Not reported
Company Name: DOHERTY SPRAGUE
Representative Name: JOHN DOUGHERTY
Mailing Address (Delivery): 3902 INDUSTRIAL ST
Mailing Address (Internal Delivery): Not reported
Mailing City: ROWLETT
Mailing State: TX
Mailing Zip: 75088
Mailing Foreign Postal Code: Not reported
Mailing County Code: Not reported
Phone Number Country Code: 1
Phone Number Area Code: 972
Phone Number: 4128666
Phone Number Extension: Not reported
Fax Number Country Code: Not reported
Fax Number Area Code: Not reported
Fax Number: Not reported
Email Address: Not reported

Cont/Cons/Installer ID: 81131
UST ID: 223673
NOC ID: Not reported
AI Number: 35804
Type Of Contact: CONTRACTOR
Contractor CRP Number Or Installer ILP Number: CRP001073
Company Name: EXCELL ENVIRONMENTAL INC
Representative Name: Not reported
Mailing Address (Delivery): PO BOX 1675
Mailing Address (Internal Delivery): Not reported
Mailing City: BUDA
Mailing State: TX
Mailing Zip: 78610
Mailing Foreign Postal Code: Not reported
Mailing County Code: Not reported
Phone Number Country Code: 1
Phone Number Area Code: 512
Phone Number: 2805231
Phone Number Extension: 0
Fax Number Country Code: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Fax Number Area Code: 512
Fax Number: 2803580
Email Address: INFO@EXCELLFUELINGSYSTEMS.COM

Cont/Cons/Installer ID: 81133
UST ID: 223674
NOC ID: Not reported
AI Number: 35804
Type Of Contact: CONTRACTOR
Contractor CRP Number Or Installer ILP Number: CRP001073
Company Name: EXCELL ENVIRONMENTAL INC
Representative Name: Not reported
Mailing Address (Delivery): PO BOX 1675
Mailing Address (Internal Delivery): Not reported
Mailing City: BUDA
Mailing State: TX
Mailing Zip: 78610
Mailing Foreign Postal Code: Not reported
Mailing County Code: Not reported
Phone Number Country Code: 1
Phone Number Area Code: 512
Phone Number: 2805231
Phone Number Extension: 0
Fax Number Country Code: 1
Fax Number Area Code: 512
Fax Number: 2803580
Email Address: INFO@EXCELLFUELINGSYSTEMS.COM

Cont/Cons/Installer ID: 78779
UST ID: Not reported
NOC ID: 33257
AI Number: 35804
Type Of Contact: CONTRACTOR
Contractor CRP Number Or Installer ILP Number: CRP001073
Company Name: EXCELL ENVIRONMENTAL INC
Representative Name: Not reported
Mailing Address (Delivery): PO BOX 1675
Mailing Address (Internal Delivery): Not reported
Mailing City: BUDA
Mailing State: TX
Mailing Zip: 78610
Mailing Foreign Postal Code: Not reported
Mailing County Code: Not reported
Phone Number Country Code: 1
Phone Number Area Code: 512
Phone Number: 2805231
Phone Number Extension: 0
Fax Number Country Code: 1
Fax Number Area Code: 512
Fax Number: 2803580
Email Address: INFO@EXCELLFUELINGSYSTEMS.COM

Cont/Cons/Installer ID: 81132
UST ID: 223673
NOC ID: Not reported
AI Number: 35804
Type Of Contact: INSTALLER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Contractor CRP Number Or Installer ILP Number:	Not reported
Company Name:	Not reported
Representative Name:	ROBERT COX
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	78780
UST ID:	Not reported
NOC ID:	33257
AI Number:	35804
Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	ILP001166
Company Name:	ROLLINS RICHARD C
Representative Name:	Not reported
Mailing Address (Delivery):	120 MONTGOMERY CT
Mailing Address (Internal Delivery):	Not reported
Mailing City:	BUDA
Mailing State:	TX
Mailing Zip:	78610
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	512
Phone Number:	2805230
Phone Number Extension:	0
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	RICK.ROLLINS@EXCELLFUELINGSYSTEMS.COM
Cont/Cons/Installer ID:	81134
UST ID:	223674
NOC ID:	Not reported
AI Number:	35804
Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	Not reported
Company Name:	Not reported
Representative Name:	ROBERT COX
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D10 TERMINAL RADAR APPROACH CONTROL (Continued)

U004177836

Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported

Facility Billing Contacts:

Contact Organization Name:	FEDERAL AVIATION ADMINISTRATION
Contact Mailing Address (Delivery):	PO BOX 610368
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75261 0368
Phone Number/Ext:	972 6152347/0
Contact Fax Number/Ext:	/
Contact Email Address:	STACY.HOWARD@FAA.GOV
Contact Address Deliverable:	Y
Facility ID:	67615
Additional ID:	781128322002139
Princ ID:	834384492001318
AI Number:	35804
Facility Name:	D10 TERMINAL RADAR APPROACH CONTROL
AR Number:	16511
AR UST Number Suffix:	A
AR AST Number Suffix:	U
Contact Name/Title:	KEITH ROGERS/

M104
NNE
 1/4-1/2
 0.277 mi.
 1460 ft.

DFW
DALLAS, TX
Site 1 of 2 in cluster M

PFAS ECHO 1027351605
N/A

Relative:
Higher
Actual:
582 ft.

PFAS ECHO:	
Name:	DFW
Address:	Not reported
City,State,Zip:	DALLAS, TX
Latitude:	32.897485
Longitude:	-97.04143
Count:	1
County:	Not reported
Status:	Inactive
Region:	06
Industry:	Airports
ECHO Facility Report:	https://echo.epa.gov/detailed-facility-report?fid=110070366812
Facility Percent Minority:	40.33
Facility Derived Tribes:	-
Facility Population:	460.54
EPA Programs:	CWA
Federal Facility:	No
Federal Agency:	-
Facility FIPS Code:	48439
Facility Indian Country Flag:	N
Facility Collection Method:	ADDRESS MATCHING-HOUSE NUMBER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW (Continued)

1027351605

Facility Derived HUC:	12030103
Facility Derived WBD:	120301020705
Facility Derived CD113:	24
Facility Derived CB2010:	484399800001076
Facility Major Flag:	-
Facility Active Flag:	Y
Facility Inspection Count:	0
Facility Date Last Inspection:	-
Facility Days Last Inspection:	-
Facility Informal Count:	0
Facility Date Last Informal Action:	-
Facility Formal Action Count:	0
Facility Date Last Formal Action:	-
Facility Total Penalties:	0
Facility Penalty Count:	-
Facility Date Last Penalty:	-
Facility Last Penalty AMT:	-
Facility QTRS With NC:	0
Facility Programs With SNC:	0
Facility Compliance Status:	No Violation Identified
Facility SNC Flag:	N
AIR Flag:	N
NPDES Flag:	Y
SDWIS Flag:	N
RCRA Flag:	N
TRI Flag:	N
GHG Flag:	N
AIR IDS:	-
CAA Permit Types:	-
CAA NAICS:	-
CAA SICS:	-
NPDES IDS:	TXR05AU78
CWA Permit Types:	Minor
CWA NAICS:	-
CWA SICS:	4522 4512 4581 4513
RCRA IDS:	-
RCRA Permit Types:	-
RCRA NAICS:	-
SDWA IDS:	-
SDWA System Types:	-
SDWA Compliance Status:	-
SDWA SNC Flag:	N
TRI IDS:	-
TRI Releases Transfers:	-
TRI On Site Releases:	-
TRI Off Site Transfers:	-
TRI Reporter:	-
Facility IMP Water Flag:	-
EJSCREEN Flag US:	N
EJSCREEN Report:	https://ejscreen.epa.gov/mapper/mobile/EJSCREEN_mobile.aspx?geometry=%7B%22x%22:-97.04143,%22y%22:32.897485,%22spatialReference%22:%7B%22wkid%22:4326%7D%7D&unit=9035&areatype=&areaid=&basemap=streets&distance=1

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

K105 **AEX STATION**
SSE **3122 E 30TH ST**
1/4-1/2 **DFW AIRPORT, TX 75261**
0.283 mi.
1496 ft. **Site 13 of 13 in cluster K**

LPST **S116696328**
N/A

Relative:
Lower
Actual:
561 ft.

LPST:
Name: AEX STATION
Address: 3122 E 30TH ST
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0021747
LPST Id: 103554
Facility Location: 2922 SERVICE RD
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 09/23/1991
Entered Date: 07/15/1992
Reported Date: 09/24/1991
Closure Date: 07/13/1995
Priority: 6 - MINOR SOIL CONTAMINATION - NO REMEDIAL ACTION REQUIRED
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: SOIL CONTAMINATION - NO REMEDIAL ACTION REQUIRED
Status: **FINAL CONCURRENCE ISSUED, CASE CLOSED**
Coordinators Primary: 1/2
Coordinators RPR: RONNIE EASON
Responsible Party Name: Not reported
Responsible Party Contact: RICHARD REETER
Responsible Party Address: PO BOX 619428
Responsible Party City,St,Zip: DFW AIRPORT, TX 75261
Responsible Party Telephone: 214/574-8185
Reported Date: 09/24/1991
Case Start Date: 07/13/1995
Reference Number: RN100213990
Project Manager: REASON

M106 **DALLAS/FORT WORTH INTER**
NNE **UNKNOWN**
1/4-1/2 **DALLAS-FORT WORTH, TX 00000**
0.284 mi.
1501 ft. **Site 2 of 2 in cluster M**

FINDS **1011991489**
N/A

Relative:
Higher
Actual:
579 ft.

FINDS:
Registry ID: 110038025794
Click Here for FRS Facility Detail Report:
Environmental Interest/Information System:
AIR EMISSIONS CLASSIFICATION UNKNOWN

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

J107
North
1/4-1/2
0.287 mi.
1513 ft.

DFW INT. AIRPORT - TERMINAL D
33260 / 2333 SOUTH INTERNATIONAL PARKWAY
DALLAS, TX 75261

ASBESTOS **S129329567**
N/A

Site 5 of 9 in cluster J

Relative:
Higher
Actual:
592 ft.

ASBESTOS:

Name:	DFW INT. AIRPORT - TERMINAL D
Address:	33260 / 2333 SOUTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	TOM PALET
Violation:	Not reported
Complaint Date:	10/23/2015
Notification Number:	2015006673
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	10/15/2015
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	10/09/2015
Certification Statement Phone:	972-399-0068
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Not reported
Analytical Method:	PLM
Start Date:	10/23/2015
Client Code:	Not reported
Client Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW INT. AIRPORT - TERMINAL D (Continued)

S129329567

License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Descriptio: Not reported
Results: Not reported
Inspection Number Grade: Not reported

J108
North
1/4-1/2
0.287 mi.
1513 ft.

DFW
2333 INTERNATIONAL PKWY RM D08A222 DALLAS TX 75261
DALLAS, TX 75261

FINDS 1024442799
ECHO N/A

Site 6 of 9 in cluster J

Relative:
Higher
Actual:
592 ft.

FINDS:
Registry ID: 110070366812

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1024442799
Registry ID: 110070366812
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110070366812>
Name: DFW
Address: 2333 INTERNATIONAL PKWY RM D08A222 DALLAS TX 75261
City,State,Zip: DALLAS, TX 75261

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFWEAD2017036 TERMINAL C (FID # 33054) (Continued)

S121360333

Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	04/13/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current
Amendo:	3
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	04/13/2017
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	5
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	04/17/2017
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFWEAD2017036 TERMINAL C (FID # 33054) (Continued)

S121360333

Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWEAD2017036 TERMINAL C (FID # 33054)
Address:	2333 NORTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	John Lerro
Violation:	Not reported
Complaint Date:	04/15/2017
Notification Number:	2017002420
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	03/31/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported
Date Rtd to Inspector Corrections2:	Not reported
Date Rcvd Back 2:	Not reported
Date Rtd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	1
Notification Work Type:	Abatement
Notification Type:	Amendment
Work Type Flag:	A
Certification Statement Date:	03/31/2017
Certification Statement Phone:	972-973-2741
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	6
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	04/10/2017
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFWEAD2017036 TERMINAL C (FID # 33054) (Continued)

S121360333

License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEAD2017036 TERMINAL C (FID # 33054)
Address: 2333 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 04/22/2017
Notification Number: 2017002420
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 04/04/2017
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current/Has Amendment
Amendo: 2
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 04/04/2017
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFWEAD2017036 TERMINAL C (FID # 33054) (Continued)

S121360333

ARU: 6
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 04/17/2017
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported
Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEAD2017036 TERMINAL C (FID # 33054)
Address: 2333 NORTH INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 04/15/2017
Notification Number: 2017002420
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 03/27/2017
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFWEAD2017036 TERMINAL C (FID # 33054) (Continued)

S121360333

Date Rcvd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcvd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	03/27/2017
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03
Priority:	HIGH
ARU:	6
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	04/10/2017
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Descriptio:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported

J111
 North
 1/4-1/2
 0.287 mi.
 1513 ft.

DFWEAD2018052 - TERMINAL D (FID NO. 33260)
2333 SOUTH INTERNATIONAL PARKWAY
DALLAS, TX 75261

ASBESTOS S121360335
N/A

Site 9 of 9 in cluster J

Relative:
Higher
Actual:
592 ft.

ASBESTOS:	
Name:	DFWEAD2018052 - TERMINAL D (FID NO. 33260)
Address:	2333 SOUTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	05/07/2018
Notification Number:	2018003318
ASB Priority:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFWEAD2018052 - TERMINAL D (FID NO. 33260) (Continued)

S121360335

PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 04/23/2018
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 0
Notification Work Type: Abatement
Notification Type: Original
Work Type Flag: A
Certification Statement Date: 04/23/2018
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 05/07/2018
Client Code: Not reported
Client Name: Not reported
License Number: Not reported
File Number: Not reported
License Status Description: Not reported
Expiration Date: Not reported
Original Date: Not reported
Rank Effective Date: Not reported
Mod Code: Not reported
Area: Not reported
Staff Operator ID: Not reported
Inspection Number: Not reported
Inspection Status: Not reported
Disposition: Not reported
Inspection Class Descriptio: Not reported
Inspection Secondary Class Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFWEAD2018052 - TERMINAL D (FID NO. 33260) (Continued)

S121360335

Inspection Secondary Class Code Description: Not reported
Results: Not reported
Inspection Number Grade: Not reported

Name: DFWEAD2017146 TERMINAL D (FID#33260)
Address: 2333 S INTERNATIONAL PARKWAY
City,State,Zip: DALLAS, TX 75261
Date of inspection: Not reported
Reason for Inspection: Ashley Gonzalez
Violation: Not reported
Complaint Date: 11/28/2017
Notification Number: 2017008360
ASB Priority: Not reported
PIF State: Not reported
Detained: Not reported
Product Name: Not reported
Time Spent: Not reported
Travel Time: Not reported
Mileage: Not reported
Reg: Not reported
Init: Not reported
Seq: Not reported
Facility Type: Public
Inspector Name: Not reported
Date Report Received: 11/13/2017
Date Routed by Supervisor: Not reported
Date Routed to PSQA: Not reported
Date Reviewed by PSQA: Not reported
Date Routed by Supervisor1: Not reported
Date Rtd to Inspector Corrections: Not reported
Date Rcvd Back: Not reported
Date Rtd to Inspector Corrections2: Not reported
Date Rcvd Back 2: Not reported
Date Rtd to Inspector Corrections 3: Not reported
Date Rcvd Back 3: Not reported
Notification Status: Current
Amendo: 1
Notification Work Type: Abatement
Notification Type: Amendment
Work Type Flag: A
Certification Statement Date: 11/13/2017
Certification Statement Phone: 972-973-2740
Is The Facility a School or K-12?: N
Region: 03
Priority: HIGH
ARU: 0
Is this a phased abatement project?: N
Ordered: N
Is This Project an Emergency?: N
Is Building Occupied?: Y
High Profile: N
Ref Method: Full Containment
Analytical Method: PLM
Start Date: 11/27/2017
Client Code: Not reported
Client Name: Not reported
License Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFWEAD2018052 - TERMINAL D (FID NO. 33260) (Continued)

S121360335

File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWEAD2017146 TERMINAL D (FID#33260)
Address:	2333 S INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	11/28/2017
Notification Number:	2017008360
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	11/10/2017
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtn'd to Inspector Corrections:	Not reported
Date Rcv'd Back:	Not reported
Date Rtn'd to Inspector Corrections2:	Not reported
Date Rcv'd Back 2:	Not reported
Date Rtn'd to Inspector Corrections 3:	Not reported
Date Rcv'd Back 3:	Not reported
Notification Status:	Current/Has Amendment
Amendo:	0
Notification Work Type:	Abatement
Notification Type:	Original
Work Type Flag:	A
Certification Statement Date:	11/10/2017
Certification Statement Phone:	972-973-2740
Is The Facility a School or K-12?:	N
Region:	03

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFWEAD2018052 - TERMINAL D (FID NO. 33260) (Continued)

S121360335

Priority:	HIGH
ARU:	0
Is this a phased abatement project?:	N
Ordered:	N
Is This Project an Emergency?:	N
Is Building Occupied?:	Y
High Profile:	N
Ref Method:	Full Containment
Analytical Method:	PLM
Start Date:	11/27/2017
Client Code:	Not reported
Client Name:	Not reported
License Number:	Not reported
File Number:	Not reported
License Status Description:	Not reported
Expiration Date:	Not reported
Original Date:	Not reported
Rank Effective Date:	Not reported
Mod Code:	Not reported
Area:	Not reported
Staff Operator ID:	Not reported
Inspection Number:	Not reported
Inspection Status:	Not reported
Disposition:	Not reported
Inspection Class Descriptio:	Not reported
Inspection Secondary Class Code:	Not reported
Inspection Secondary Class Code Description:	Not reported
Results:	Not reported
Inspection Number Grade:	Not reported
Name:	DFWEAD2016224 - TERMINAL D (FID # 33260)
Address:	2333 SOUTH INTERNATIONAL PARKWAY
City,State,Zip:	DALLAS, TX 75261
Date of inspection:	Not reported
Reason for Inspection:	Ashley Gonzalez
Violation:	Not reported
Complaint Date:	07/26/2016
Notification Number:	2016005706
ASB Priority:	Not reported
PIF State:	Not reported
Detained:	Not reported
Product Name:	Not reported
Time Spent:	Not reported
Travel Time:	Not reported
Mileage:	Not reported
Reg:	Not reported
Init:	Not reported
Seq:	Not reported
Facility Type:	Public
Inspector Name:	Not reported
Date Report Received:	07/08/2016
Date Routed by Supervisor:	Not reported
Date Routed to PSQA:	Not reported
Date Reviewed by PSQA:	Not reported
Date Routed by Supervisor1:	Not reported
Date Rtd to Inspector Corrections:	Not reported
Date Rcvd Back:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFWEAD2018052 - TERMINAL D (FID NO. 33260) (Continued)

S121360335

Date Rtn'd to Inspector Corrections2: Not reported
 Date Rcv'd Back 2: Not reported
 Date Rtn'd to Inspector Corrections 3: Not reported
 Date Rcv'd Back 3: Not reported
 Notification Status: Current
 Amendo: 0
 Notification Work Type: Abatement
 Notification Type: Original
 Work Type Flag: A
 Certification Statement Date: 07/08/2016
 Certification Statement Phone: 972-973-2740
 Is The Facility a School or K-12?: N
 Region: 03
 Priority: HIGH
 ARU: 0
 Is this a phased abatement project?: N
 Ordered: N
 Is This Project an Emergency?: N
 Is Building Occupied?: Y
 High Profile: N
 Ref Method: Full Containment
 Analytical Method: PLM
 Start Date: 07/25/2016
 Client Code: Not reported
 Client Name: Not reported
 License Number: Not reported
 File Number: Not reported
 License Status Description: Not reported
 Expiration Date: Not reported
 Original Date: Not reported
 Rank Effective Date: Not reported
 Mod Code: Not reported
 Area: Not reported
 Staff Operator ID: Not reported
 Inspection Number: Not reported
 Inspection Status: Not reported
 Disposition: Not reported
 Inspection Class Descriptio: Not reported
 Inspection Secondary Class Code: Not reported
 Inspection Secondary Class Code Description: Not reported
 Results: Not reported
 Inspection Number Grade: Not reported

N112
SE
1/4-1/2
0.289 mi.
1528 ft.

2413 5E NORTH SUPPORT RD
DFW AIRPORT, TX 75261

ERNS 96343619
N/A

Site 1 of 4 in cluster N

Relative:
Lower
Actual:
568 ft.

Incident Commons:
 NRC Report #: 343619
 Description of Incident: HYDRAULIC LINE ON A LIFT / LINE LEAKED RELEASING THE MATERIAL
 Type of Incident: FIXED
 Incident Cause: EQUIPMENT FAILURE
 Incident Date Time: 1996-05-24 06:00:00
 Incident DTG: DISCOVERED
 Incident Location: Not reported
 Location Address: 2413 5E NORTH SUPPORT RD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

96343619

Location Street 1: Not reported
Location Street 2: Not reported
Location Nearest City: DFW AIRPORT
Location State: TX
Location County: TARRANT
Location Zip: 752610262
Distance From City: Not reported
Distance Units: Not reported
Direction From City: Not reported
Lat Deg: Not reported
Lat Min: Not reported
Lat Sec: Not reported
Lat Quad: Not reported
Long Deg: Not reported
Long Min: Not reported
Long Sec: Not reported
Long Quad: Not reported
Location Section: Not reported
Location Township: Not reported
Location range: Not reported
Potential Range: Not reported

Incidents:

Year: 1996
NRC Report #: 343619
Aircraft Type: UNKNOWN
Aircraft Model: Not reported
Aircraft ID: Not reported
Aircraft Fuel Capacity: Not reported
Aircraft Fuel Capacity Units: Not reported
Aircraft Fuel on Board: Not reported
Aircraft Fuel on Board Units: Not reported
Aircraft Spot Number: Not reported
Aircraft Hanger: Not reported
Aircraft Runway Number: Not reported
Road Mile Marker: Not reported
Building ID: Not reported
Type of Fixed Object: UNKNOWN
Power Generating Facility: U
Generating Capacity: Not reported
Type of Fuel: Not reported
NPDES: Not reported
NPDES Compliance: U
Pipeline Type: UNKNOWN
DOT Regulated: U
Pipeline Above Ground: ABOVE
Exposed Underwater: U
Pipeline Covered: U
Railroad Hotline: N
Grade Crossing: N
Location Subdivision: Not reported
Railroad Milepost: UNKNOWN
Type Vehicle Involved: UNKNOWN
Crossing Device Type: Not reported
Device Operational: Y
DOT Crossing Number: Not reported
Brake Failure: N
Description of Tank: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

96343619

Tank Above Ground:	ABOVE
Transportable Container:	U
Tank Regulated:	U
Tank Regulated By:	Not reported
Tank ID:	Not reported
Capacity of Tank:	Not reported
Capacity of Tank Units:	Not reported
Actual Amount:	Not reported
Actual Amount Units:	Not reported
Platform Rig Name:	Not reported
Platform Letter:	Not reported
Location Area ID:	Not reported
Location Block ID:	Not reported
OCSG Number:	Not reported
OCSF Number:	Not reported
State Lease Number:	Not reported
Pier Dock Number:	Not reported
Berth Slip Number:	Not reported
Continuous Release Type:	Not reported
Initial Continuous Release No:	Not reported
Continuous Release Permit:	Not reported
Allision:	N
Type of Structure:	Not reported
Structure Name:	Not reported
Structure Operational:	Y
Airbag Deployed:	Not reported
Date Tiem Normal Service:	Not reported
Service Disruption Time:	Not reported
Service Disruption Units:	Not reported
Transit Bus Flag:	Not reported
CR Begin Date:	Not reported
CR End Date:	Not reported
CR Change Date:	Not reported
FBI Contact:	Not reported
FBI Contact Date Time:	Not reported
Sub Part C Testing Req:	XXX
Conductor Testing:	Not reported
Engineer Testing:	Not reported
Trainman Testing:	Not reported
Yard Foreman Testing:	Not reported
RCL Operator Testing:	Not reported
Brakeman Testing:	Not reported
Train Dispatcher Testing:	Not reported
Signalman Testing:	Not reported
Other Employee Testing:	Not reported
Unknown Testing:	Not reported
Passenger Handling:	Not reported
Passenger Route:	XXX
Passenger Delay:	XXX

Incident Details:

Year:	1996
NRC Report #:	343619
Fire Involved:	N
Fire Extinguished:	U
Any Evacuations:	N
Number Evacuated:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

96343619

Who Evacuated:	Not reported
Radius of Evacuation:	Not reported
Any Injuries:	U
Number Injured:	Not reported
Number Hospitalized:	Not reported
Any Fatalities:	U
Number Fatalities:	Not reported
Any Damages:	N
Damage Amount:	Not reported
Air Corridor Closed:	N
Air Corridor Desc:	Not reported
Air Closure Time:	Not reported
Waterway Closed:	N
Waterway Desc:	Not reported
Waterway Closure Time:	Not reported
Road Closed:	N
Road Desc:	Not reported
Road Closure Time:	Not reported
Closure Direction:	Not reported
Major Artery:	N
Track Closed:	N
Track Desc:	Not reported
Track Closure Time:	Not reported
Media Interest:	Not reported
Medium Desc:	LAND
Additional Medium Info:	SOIL
Body of Water:	Not reported
Tributary of:	Not reported
Release Secured:	U
Estimated Duration of Release:	Not reported
Release rate:	Not reported
Desc Remedial Action:	THE MATERIAL IS SOAKED WITHIN THE SOIL AND IS UNDERNEATH THE BUILDING'S FOUNDATION / UNKNOWN WHAT ACTIONS WILL BE TAKEN
State Agency on Scene:	Not reported
State Agency Report Number:	Not reported
Other Agency Notified:	Not reported
Weather Conditions:	Not reported
Air Temperature:	Not reported
Wind Speed:	Not reported
Wind Direction:	Not reported
Water Supply Contaminated:	U
Sheen Size:	Not reported
Sheen Color:	Not reported
Direction of Sheen Travel:	Not reported
Sheen Odor Description:	Not reported
Wave Condition:	Not reported
Current Speed:	Not reported
Current Direction:	Not reported
Water Temperature:	Not reported
Track Close Dir:	Not reported
Empl Fatality:	Not reported
Pass Fatality:	Not reported
Community Impact:	N
Wind Speed Unit:	Not reported
Employee Injuries:	Not reported
Passenger Injuries:	Not reported
Occupant Fatality:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

96343619

Current Speed Unit: Not reported
Road Closure Units: Not reported
Track Closure Units: Not reported
Sheen Size Units: Not reported
Additional Info: WILL NOTIFY THE TNRCC AND LEPC
State Agency Notified: Not reported
Federal Agency Notified: Not reported
nearest River Mile Marker: Not reported
Sheen Size Length: Not reported
Sheen Size Length Units: Not reported
Sheen Size Width: Not reported
Sheen Size Width Units: Not reported
Offshore: N
Duration Unit: Not reported
Release Rate Unit: Not reported
Release Rate Rate: Not reported
Passengers Transferred: UNK

Calls:

Year: 1996
NRC Report #: 343619
Site ID: 96343619
Date Time Received: 1996-05-24 09:17:49
Date Time Complete: 1996-05-24 09:21:55
Call Type: INC
Responsible Company: DELTA AIRLINES
Responsible Org Type: PRIVATE ENTERPRISE
Responsible City: DFW AIRPORT
Responsible State: TX
Responsible Zip: 752610262
On Behalf: Not reported
Source: UNAVAILABLE

Material Involved:

Year: 1996
NRC Report #: 343619
Chris Code: OHY
Case Number: Not reported
UN Number: Not reported
Amount of Material: 500
Unit of Measure: GALLON(S)
Name of Material: HYDRAULIC OIL
If Reached Water: YES
Amount in Water: 0
Unit of Measure Reach Water: NONE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

N113
SE
1/4-1/2
0.289 mi.
1528 ft.

2413 5E NORTH SUPPORT RD
DFW AIRPORT, TX 75261

ERNS 96339516
N/A

Site 2 of 4 in cluster N

Relative:
Lower

Incident Commons:

Actual:
568 ft.

NRC Report #: 339516
Description of Incident: HYDRAULIC LINE / LINE LEAKED DUE TO UNKNOWN CAUSES
Type of Incident: FIXED
Incident Cause: UNKNOWN
Incident Date Time: 1996-05-03 11:00:00
Incident DTG: DISCOVERED
Incident Location: Not reported
Loaction Address: 2413 5E NORTH SUPPORT RD
Location Street 1: Not reported
Location Street 2: Not reported
Location Nearest City: DFW AIRPORT
Location State: TX
Location County: TARRANT
Location Zip: 752610262
Distance From City: Not reported
Distance Units: Not reported
Direction From City: Not reported
Lat Deg: Not reported
Lat Min: Not reported
Lat Sec: Not reported
Lat Quad: Not reported
Long Deg: Not reported
Long Min: Not reported
Long Sec: Not reported
Long Quad: Not reported
Location Section: Not reported
Location Township: Not reported
Location range: Not reported
Potential Range: Not reported

Incidents:

Year: 1996
NRC Report #: 339516
Aircraft Type: UNKNOWN
Aircraft Model: Not reported
Aircraft ID: Not reported
Aircraft Fuel Capacity: Not reported
Aircraft Fuel Capacity Units: Not reported
Aircraft Fuel on Board: Not reported
Aircraft Fuel on Board Units: Not reported
Aircraft Spot Number: Not reported
Aircraft Hanger: Not reported
Aircraft Runway Number: Not reported
Road Mile Marker: Not reported
Building ID: Not reported
Type of Fixed Object: UNKNOWN
Power Generating Facility: U
Generating Capacity: Not reported
Type of Fuel: Not reported
NPDES: Not reported
NPDES Compliance: U
Pipeline Type: UNKNOWN
DOT Regulated: U

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

96339516

Pipeline Above Ground: ABOVE
Exposed Underwater: U
Pipeline Covered: U
Railroad Hotline: N
Grade Crossing: N
Location Subdivision: Not reported
Railroad Milepost: UNKNOWN
Type Vehicle Involved: UNKNOWN
Crossing Device Type: Not reported
Device Operational: Y
DOT Crossing Number: Not reported
Brake Failure: N
Description of Tank: Not reported
Tank Above Ground: ABOVE
Transportable Container: U
Tank Regulated: U
Tank Regulated By: Not reported
Tank ID: Not reported
Capacity of Tank: Not reported
Capacity of Tank Units: Not reported
Actual Amount: Not reported
Actual Amount Units: Not reported
Platform Rig Name: Not reported
Platform Letter: Not reported
Location Area ID: Not reported
Location Block ID: Not reported
OCSG Number: Not reported
OCSP Number: Not reported
State Lease Number: Not reported
Pier Dock Number: Not reported
Berth Slip Number: Not reported
Continuous Release Type: Not reported
Initial Continuous Release No: Not reported
Continuous Release Permit: Not reported
Allision: N
Type of Structure: Not reported
Structure Name: Not reported
Structure Operational: Y
Airbag Deployed: Not reported
Date Tiem Normal Service: Not reported
Service Disruption Time: Not reported
Service Disruption Units: Not reported
Transit Bus Flag: Not reported
CR Begin Date: Not reported
CR End Date: Not reported
CR Change Date: Not reported
FBI Contact: Not reported
FBI Contact Date Time: Not reported
Sub Part C Testing Req: XXX
Conductor Testing: Not reported
Engineer Testing: Not reported
Trainman Testing: Not reported
Yard Foreman Testing: Not reported
RCL Operator Testing: Not reported
Brakeman Testing: Not reported
Train Dispatcher Testing: Not reported
Signalman Testing: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

96339516

Other Employee Testing: Not reported
Unknown Testing: Not reported
Passenger Handling: Not reported
Passenger Route: XXX
Passenger Delay: XXX

Incident Details:

Year: 1996
NRC Report #: 339516
Fire Involved: N
Fire Extinguished: U
Any Evacuations: N
Number Evacuated: Not reported
Who Evacuated: Not reported
Radius of Evacuation: Not reported
Any Injuries: U
Number Injured: Not reported
Number Hospitalized: Not reported
Any Fatalities: U
Number Fatalities: Not reported
Any Damages: N
Damage Amount: Not reported
Air Corridor Closed: N
Air Corridor Desc: Not reported
Air Closure Time: Not reported
Waterway Closed: N
Waterway Desc: Not reported
Waterway Closure Time: Not reported
Road Closed: N
Road Desc: Not reported
Road Closure Time: Not reported
Closure Direction: Not reported
Major Artery: N
Track Closed: N
Track Desc: Not reported
Track Closure Time: Not reported
Media Interest: Not reported
Medium Desc: LAND
Additional Medium Info: SOIL
Body of Water: Not reported
Tributary of: Not reported
Release Secured: U
Estimated Duration of Release: Not reported
Release rate: Not reported
Desc Remedial Action: SECURED THE RELEASE / WILL HAVE CONTRACTOR CLEAN UP
State Agency on Scene: Not reported
State Agency Report Number: Not reported
Other Agency Notified: Not reported
Weather Conditions: Not reported
Air Temperature: Not reported
Wind Speed: Not reported
Wind Direction: Not reported
Water Supply Contaminated: U
Sheen Size: Not reported
Sheen Color: Not reported
Direction of Sheen Travel: Not reported
Sheen Odor Description: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

96339516

Wave Condition: Not reported
Current Speed: Not reported
Current Direction: Not reported
Water Temperature: Not reported
Track Close Dir: Not reported
Empl Fatality: Not reported
Pass Fatality: Not reported
Community Impact: N
Wind Speed Unit: Not reported
Employee Injuries: Not reported
Passenger Injuries: Not reported
Occupant Fatality: Not reported
Current Speed Unit: Not reported
Road Closure Units: Not reported
Track Closure Units: Not reported
Sheen Size Units: Not reported
Additional Info: WILL NOTIFY THE TNRCC AND LEPC
State Agency Notified: Not reported
Federal Agency Notified: Not reported
nearest River Mile Marker: Not reported
Sheen Size Length: Not reported
Sheen Size Length Units: Not reported
Sheen Size Width: Not reported
Sheen Size Width Units: Not reported
Offshore: N
Duration Unit: Not reported
Release Rate Unit: Not reported
Release Rate Rate: Not reported
Passengers Transferred: UNK

Calls:

Year: 1996
NRC Report #: 339516
Site ID: 96339516
Date Time Received: 1996-05-03 12:24:50
Date Time Complete: 1996-05-03 12:28:13
Call Type: INC
Responsible Company: DELTA AIRLINES
Responsible Org Type: PRIVATE ENTERPRISE
Responsible City: DFW AIRPORT
Responsible State: TX
Responsible Zip: 752610262
On Behalf: Not reported
Source: UNAVAILABLE

Material Involved:

Year: 1996
NRC Report #: 339516
Chris Code: OHY
Case Number: Not reported
UN Number: Not reported
Amount of Material: 20
Unit of Measure: GALLON(S)
Name of Material: HYDRAULIC OIL
If Reached Water: YES
Amount in Water: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

96339516

Unit of Measure Reach Water: NONE

N114
SE
1/4-1/2
0.295 mi.
1560 ft.

DFW AIRPORT
2471 N SUPPORT RD DALLAS TX 75261
DALLAS, TX
Site 3 of 4 in cluster N

CENTRAL REGISTRY **S127058569**
N/A

Relative:
Lower

CENTRAL REGISTRY:

Actual:
568 ft.

Regulated Entity Number: RN111153458
Name: DFW AIRPORT
Address: 2471 N SUPPORT RD DALLAS TX 75261
Address 2: Not reported
City,State,Zip: DALLAS, TX
Status: ACTIVE
Status Date: 1/1/2001
Customer Number: CN601623978
Customer Name: UNIFIED SERVICES OF TEXAS INCORPORATED
Customer Legal Name: Unified Services of Texas, Incorporated
Customer Ownership Type: CORPORATION
Affiliation Begin Date: 12/21/2020
Affiliation End Date: 12/31/3000
Customer Status: ACTIVE
Primary NAICS Industry Type Code: Not reported
Primary NAICS Industry Type Description: Not reported
Physical Location Description: 2471 N SUPPORT RD DALLAS TX 75261

Regulated Entity Number: RN111153458
Name: DFW AIRPORT
Address: 2471 N SUPPORT RD DALLAS TX 75261
Address 2: Not reported
City,State,Zip: DALLAS, TX
Status: ACTIVE
Status Date: 1/1/2001
Customer Number: CN601623978
Customer Name: UNIFIED SERVICES OF TEXAS INCORPORATED
Customer Legal Name: Unified Services of Texas, Incorporated
Customer Ownership Type: CORPORATION
Affiliation Begin Date: 12/21/2020
Affiliation End Date: 12/31/3000
Customer Status: ACTIVE
Primary NAICS Industry Type Code: Not reported
Primary NAICS Industry Type Description: Not reported
Physical Location Description: 2471 N SUPPORT RD DALLAS TX 75261

N115
SE
1/4-1/2
0.307 mi.
1620 ft.

DELTA AIR LINES INC DFW
5E SUPPORT AREA
DALLAS, TX 75261
Site 4 of 4 in cluster N

FINDS **1011319047**
N/A

Relative:
Lower

FINDS:
Registry ID: 110037919107

Actual:
568 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIR LINES INC DFW (Continued)

1011319047

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

116
NNE
1/4-1/2
0.336 mi.
1772 ft.

**AMERICAN AIRLINES
2E 3E CONNECTOR BLDG
DFW AIRPORT, TX**

**UST U001291967
Financial Assurance N/A**

**Relative:
Higher**

UST:

**Actual:
580 ft.**

Name: AMERICAN AIRLINES
Address: 2E 3E CONNECTOR BLDG
City,State,Zip: DFW AIRPORT, TX
AI Number: 12472
Facility Type: AIRCRAFT REFUELING
Facility Begin Date: 01/01/1985
Facility Status: INACTIVE
Additional ID: 764456382003093
Facility Exempt Status: N
Records Off-Site: No
UST Financial Assurance Required: No
Number Of Active UST: 0
Site Location Description: 2E 3E CONNECTOR BLDG
Site Location (Nearest City Name): DFW AIRPORT
Site Location (County Name): TARRANT
Site Location (Tceq Region): 4
Site Location (Location Zip): 75261
Contact Name/Title: CHUCK FISHER,ENVIR MGR
Contact Organization Name: AMERICAN AIRLINES
Contact Mailing Address1: Not reported
Contact Mailing Address2: Not reported
Contact Mailing City/State/Zip: Not reported
Contact Telephone: 9724256810
Facility Contact Address Deliverable: Not reported
Contact Fax Number: Not reported
Contact Email Address: Not reported
Signature Date On Earliest Reg Form: 07/08/2014
Signature Name/Title On Earliest Reg Form: RICK ROSALES,
Application Received Date On Earliest Reg Form: 07/08/2014
Signature Role On Earliest Reg Form: Not reported
Signature Company On Earliest Reg Form: Not reported
Enforcement Action: No
Facility Not Inspectable: No

Operator:

Princ ID: 163503962003231
Additional ID: 764456382003093
Ai Number: 12472

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Operator CN:	CN602385767
Operator Name:	AMERICAN AIRLINES INC
Operator Effective Begin Date:	03/23/2001
Operator Type:	CO
Operator Role:	Not reported
Contact Name:	/
Contact Organization Name:	Not reported
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	-
Contact Phone Country Code:	Not reported
Contact Phone Area Code:	Not reported
Contact Phone Number:	Not reported
Contact Phone Extension:	Not reported
Contact Fax Country Code:	Not reported
Contact Fax Area Code:	Not reported
Contact Fax Number:	Not reported
Contact Fax Extension:	Not reported
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Owner:	
Owner CN:	CN601700610
Owner Last Name:	DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OG
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	448448802003162
Additional ID:	764456382003093
AI Number:	12472
Owner Effective Begin Date:	04/21/1992
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Self Certification:	
Self Cert ID:	58438
Cert ID:	237565
AI Number:	12472
Self Certification Date:	06/11/2014
Signature Name/Title:	Rick A Rosales Env. Ops. Technician
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2015
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	58438
Cert ID:	221489
AI Number:	12472
Self Certification Date:	07/02/2013
Signature Name/Title:	Shannon L Dyer Env. Ops. Analyst
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2014
Reporting Method:	S
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	58438
Cert ID:	59419
AI Number:	12472
Self Certification Date:	06/13/2012
Signature Name/Title:	SHANNON L DYER ENVIRON OPS ANALYST
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2013
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58438
Cert ID:	59418
AI Number:	12472
Self Certification Date:	07/11/2011
Signature Name/Title:	SHANNON L DYER ENVIRON OPS ANALYST
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2012
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58438
Cert ID:	59417
AI Number:	12472
Self Certification Date:	06/25/2010
Signature Name/Title:	SHANNON L DYER ENVIR. OPS. ANALYST
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2011
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58438
Cert ID:	59416
AI Number:	12472
Self Certification Date:	07/07/2009
Signature Name/Title:	SHANNON L DYER ENVIRON OPS ANALYST
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2010
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58438
Cert ID:	59415
AI Number:	12472
Self Certification Date:	07/15/2008
Signature Name/Title:	SHANNON L DYER ENV OPS ANALYST
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2009
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58438
Cert ID:	59414
AI Number:	12472
Self Certification Date:	06/29/2007
Signature Name/Title:	SHANNON L DYER ENV. OPS. ANALYST
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58438
Cert ID:	59413
AI Number:	12472
Self Certification Date:	06/09/2006
Signature Name/Title:	SHANNON L DYER ENV. OPS. ANALYST
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2007
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58438
Cert ID:	59412
AI Number:	12472
Self Certification Date:	06/24/2005
Signature Name/Title:	SHANNON L DYER ENV. OPS ANALYST
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58438
Cert ID:	59411
AI Number:	12472
Self Certification Date:	06/30/2004
Signature Name/Title:	SHANNON L DYER ENV. OPS. ANALYST
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58438
Cert ID:	59410
AI Number:	12472
Self Certification Date:	06/26/2003
Signature Name/Title:	SHANNON DYER ENVIRO OPER ANALYST
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2004
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58438
Cert ID:	59409
AI Number:	12472
Self Certification Date:	06/25/2002
Signature Name/Title:	SHANNON DYER
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2003
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	58438
Cert ID:	59408
AI Number:	12472
Self Certification Date:	01/22/2001
Signature Name/Title:	SHANNON DYER ENVIRO ANALYST
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	07/31/2002
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported

Tank:

Install Date:	01/01/1985
Tank Registration Date:	04/09/1992
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	S
UST ID:	32534
Facility ID:	58438
AI Number:	12472
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	12/07/2015
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	Y
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	Y
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	Y
Tank Tested Flag:	Y
Installation Signature Date:	09/08/1993
Compartment Records:	
Tank ID:	1
Tank Capacity:	550
UST Comprt ID:	67209
UST ID:	32534
AI Number:	12472
Compartment ID:	A
Substance Stored1:	Not reported
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	Y
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	Y
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve):	Y
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
 More Self Certification:	
Self Cert ID:	5124
Cert ID:	18042
UST Comprt ID:	66181
UST ID:	19654
AI Number:	12472
Tank ID:	1
Compartment ID:	A
Self Cert ID:	5124
Cert ID:	18043
UST Comprt ID:	66182
UST ID:	19654
AI Number:	12472
Tank ID:	1
Compartment ID:	A
Self Cert ID:	5124
Cert ID:	18045
UST Comprt ID:	66180
UST ID:	19654
AI Number:	12472
Tank ID:	1
Compartment ID:	A
Self Cert ID:	5124
Cert ID:	18044
UST Comprt ID:	66183
UST ID:	19654
AI Number:	12472
Tank ID:	1
Compartment ID:	A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Construction Notification:

NOC ID:	28481
Facility ID:	58438
AI Number:	12472
Application Received Date:	11/09/2015
Scheduled Construction Date:	11/23/2015
UST Improvement:	N
UST Installation:	N
UST Removal:	N
UST Repair:	N
UST Return To Service:	N
UST Replacement:	N
UST Abandonment:	Y
UST Stage I:	N
AST Installation:	N
AST Stage I:	N
Historical Tracking Number:	Not reported
Waiver Flag:	Not reported
Late Filing Flag:	Y
Form Received Date:	11/09/2015
Signature Date On Form:	10/22/2015
Signature Name On Form:	SHANNON DYER
Signature Company On Form:	Not reported
Signature Title On Form:	ENV OPS ANALYST
Signature Role:	Not reported
Owner Name At Time Of Construction:	DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD;DALLAS FC
Owner CN At Time Of Construction:	CN601700610,CN601700610
Owner AR At Time Of Construction:	10457A,10457U
General Desc Of Prop Construct:	UST #1 (161) WILL BE PERMANENTLY FILLED IN PLACE WITH AN INERT MATERIAL. LINES WILL BE CAPPED & PROPERLY ABANDONED IN PLACE.

Contractor, Consultant and Installer:

Cont/Cons/Installer ID:	67006
UST ID:	Not reported
NOC ID:	28481
AI Number:	12472
Type Of Contact:	CONSULTANT
Contractor CRP Number Or Installer ILP Number:	Not reported
Company Name:	APEX TITAN INC
Representative Name:	BART GASKILL
Mailing Address (Delivery):	2801 NETWORK BLVD STE 200
Mailing Address (Internal Delivery):	Not reported
Mailing City:	FRISCO
Mailing State:	TX
Mailing Zip:	75034
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	469
Phone Number:	3651170
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Cont/Cons/Installer ID: 67005
UST ID: Not reported
NOC ID: 28481
AI Number: 12472
Type Of Contact: CONTRACTOR
Contractor CRP Number Or Installer ILP Number: CRP000337
Company Name: SUNBELT INDUSTRIAL SERVICES
Representative Name: Not reported
Mailing Address (Delivery): 2415 CULLEN ST
Mailing Address (Internal Delivery): Not reported
Mailing City: FORT WORTH
Mailing State: TX
Mailing Zip: 76107
Mailing Foreign Postal Code: Not reported
Mailing County Code: Not reported
Phone Number Country Code: 1
Phone Number Area Code: 817
Phone Number: 8770867
Phone Number Extension: 0
Fax Number Country Code: Not reported
Fax Number Area Code: Not reported
Fax Number: Not reported
Email Address: Not reported

Facility Billing Contacts:

Contact Organization Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Contact Mailing Address (Delivery): PO BOX 619428
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City/State/Zip: DFW AIRPORT, TX 75261 9428
Phone Number/Ext: /
Contact Fax Number/Ext: /
Contact Email Address: Not reported
Contact Address Deliverable: Y
Facility ID: 58438
Additional ID: 764456382003093
Princ ID: 448448802003162
AI Number: 12472
Facility Name: AMERICAN AIRLINES
AR Number: 10457
AR UST Number Suffix: A
AR AST Number Suffix: U
Contact Name/Title: RICK REETER/

TX Financial Assurance 2:

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58438
Finass ID: 145149
AI: 12472
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: 1,000,000
Meets Financial Assurance Req Flag: Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/16/2015
Date Financial Assurance Form Rec: 07/08/2014
Issuer Name: CRUM & FORSTER SPECIALTY INS
Issuer Phone: Not reported
Policy Number: PLL-101586
Coverage Amount: 1,000,000
Coverage Expiration Date: 03/16/2017
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58438
Finass ID: 125651
AI: 12472
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: 2,000,000
Meets Financial Assurance Req Flag: Y
Financial Responsibility Type: FINANCIAL TEST
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/25/2014
Date Financial Assurance Form Rec: 07/08/2014
Issuer Name: SELF(FIN TEST OR LOCAL GOV FT)
Issuer Phone: Not reported
Policy Number: Not reported
Coverage Amount: 2,000,000
Coverage Expiration Date: 07/25/2015
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58438
Finass ID: 42684
AI: 12472
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/16/2012
Date Financial Assurance Form Rec: 07/08/2014
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: Not reported
Policy Number: EIL008799-12-05
Coverage Amount: 1000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Coverage Expiration Date: 03/16/2015
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58438
Finass ID: 4080
AI: 12472
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/16/2012
Date Financial Assurance Form Rec: 07/08/2014
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: 1 972 9735567
Policy Number: EIL008799-12-05
Coverage Amount: 1,000,000
Coverage Expiration Date: 03/16/2015
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58438
Finass ID: 110246
AI: 12472
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: 1,000,000
Meets Financial Assurance Req Flag: Y
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/16/2013
Date Financial Assurance Form Rec: 07/08/2014
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: Not reported
Policy Number: EIL008799-12-05
Coverage Amount: 1,000,000
Coverage Expiration Date: 03/16/2014
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58438

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Finass ID: 42685
AI: 12472
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 01/31/2011
Date Financial Assurance Form Rec: 07/08/2014
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: Not reported
Policy Number: EIL008799-09-04
Coverage Amount: 1000000
Coverage Expiration Date: 03/16/2012
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58438
Finass ID: 42686
AI: 12472
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/16/2010
Date Financial Assurance Form Rec: 07/08/2014
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: 1 856 4828788
Policy Number: EIL008799-09-04
Coverage Amount: 1000000
Coverage Expiration Date: 03/16/2011
Ins Premium Pre-Paid For Entire Yr: Yes
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58438
Finass ID: 42687
AI: 12472
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN AIRLINES (Continued)

U001291967

Financial Assurance Begin Date: 02/16/2008
Date Financial Assurance Form Rec: 07/08/2014
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: 1 856 4828788
Policy Number: eil008799-05-02
Coverage Amount: 1000000
Coverage Expiration Date: 02/16/2009
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: AMERICAN AIRLINES
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58438
Finass ID: 42688
AI: 12472
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 09/30/1993
Date Financial Assurance Form Rec: 07/08/2014
Issuer Name: Not reported
Issuer Phone: Not reported
Policy Number: Unknown
Coverage Amount: 0
Coverage Expiration Date: 01/01/1901
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: No

117
NNE
1/4-1/2
0.451 mi.
2380 ft.

**DFW REGIONAL AIRPORT AMERICAN AIRLINE INCINERATION
AMERICAN AIRLINES TERMINAL 3E NEAR GATE NO 1
GRAPEVINE, TX**

**SWF/LF S109515195
N/A**

**Relative:
Higher
Actual:
587 ft.**

SWF/LF:
Name: DFW REGIONAL AIRPORT AMERICAN AIRLINE INCINERATION FACILITY
Address: AMERICAN AIRLINES TERMINAL 3E NEAR GATE NO 1
City,State,Zip: GRAPEVINE, TX
Region: 4
Permit Number: 113
Facility Status: CLOSED
Facility Type: 5WI
Permit Status: WITHDRAWN
Status Date: 06/20/1991
Mailing Address: Not reported
Client Name: CN601700610, Dallas-Ft. Worth International Airport Board
Client Address: PO BOX 619428 DALLAS, TX 75261-9428
Client Telephone: N/A
Business Type: 03
Area Served: DFW AIRPORT
Estimated Closure Date: 6/1/1995
Permit Acreage: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW REGIONAL AIRPORT AMERICAN AIRLINE INCINERATION FACILITY (Continued)

S109515195

Permit Start: Not reported
Permit End: Not reported
Pollution Served: Not reported
Tons per Day: Not reported
Yards per Day: Not reported
Application: Not reported
Lat/Long: 32.90000 / -97.04000

O118 DELTA AIRLINES
South 3003 S SERVICE RD
1/4-1/2 DFW AIRPORT, TX 75261
0.457 mi.
2413 ft. Site 1 of 11 in cluster O

LPST S116698961
N/A

Relative:
Lower
Actual:
555 ft.

LPST:
Name: DELTA AIRLINES
Address: 3003 S SERVICE RD
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0013043
LPST Id: 111410
Facility Location: 2413 N SUPPORT RD SE
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: Arlington
Discovered Date: 05/30/1996
Entered Date: 07/25/1996
Reported Date: 05/31/1996
Closure Date: 12/22/2005
Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program: 1P - PRIVATIZATION CONTRACTOR
CA Status: 6P - FINAL PENDING WELL PLUG
Priority Description: Groundwater is affected.
Status: FINAL CONCURRENCE PENDING DOCUMENTATION OF WELL PLUGGING
Coordinators Primary: 1P/1
Coordinators RPR: ML2
Responsible Party Name: Not reported
Responsible Party Contact: GREG CORBETT
Responsible Party Address: PO BOX 20706
Responsible Party City,St,Zip: ATLANTA, GA 20706
Responsible Party Telephone: 404/714-3977
Reported Date: 05/31/1996
Case Start Date: 12/22/2005
Reference Number: RN102647302
Project Manager: ML2

O119 DELTA AIRLINES
South 3003 S SERVICE RD
1/4-1/2 DFW AIRPORT, TX 75261
0.457 mi.
2413 ft. Site 2 of 11 in cluster O

LPST S116697704
N/A

Relative:
Lower
Actual:
555 ft.

LPST:
Name: DELTA AIRLINES
Address: 3003 S SERVICE RD
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0013043
LPST Id: 107452

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DELTA AIRLINES (Continued)

S116697704

Facility Location: TERMINAL 4E INTERNATIONAL PKWY
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 09/16/1993
Entered Date: 12/13/1993
Reported Date: 09/16/1993
Closure Date: 02/02/1999
Priority: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: SOIL CONTAMINATION ONLY, REQUIRES FULL SITE ASSESSMENT & RAP
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1/2
Coordinators RPR: RPR
Responsible Party Name: Not reported
Responsible Party Contact: CATHLEEN MCMILLIN
Responsible Party Address: PO BOX DFW
Responsible Party City,St,Zip: DFW AIRPORT, TX 75261
Responsible Party Telephone: 214/574-8185
Reported Date: 09/16/1993
Case Start Date: 02/02/1999
Reference Number: RN102647302
Project Manager: HWELCH

O120
South
1/4-1/2
0.464 mi.
2451 ft.

RIG #26 (CHESAPEAKE ENERGY CORP.)
3003 S. SERVICE ROAD., TRAILER F1
DALLAS, TX 75261

FINDS 1010680304
N/A

Site 3 of 11 in cluster O

Relative:
Lower

FINDS:
Registry ID: 110033187646

Actual:
553 ft.

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

O121
South
1/4-1/2
0.464 mi.
2451 ft.

3003 SOUTH SERVICE ROAD
DFW AIRPORT, TX

ERNS 2010952807
N/A

Site 4 of 11 in cluster O

Relative:
Lower
Actual:
553 ft.

Incident Commons:
 NRC Report #: 952807
 Description of Incident: CALLER IS REPORTING A DISCHARGE OF GLYCOL FROM A GLYCOL PIPE ON AN AC UNIT TO A JET BRIDGE. CALLER STATED WHILE MOVING EQUIPMENT THE LINE BROKE.
 Type of Incident: FIXED
 Incident Cause: EQUIPMENT FAILURE
 Incident Date Time: 2010-09-01 15:05:00
 Incident DTG: OCCURRED
 Incident Location: GATE A-19 DFW AIRPORT
 Location Address: 3003 SOUTH SERVICE ROAD
 Location Street 1: TRAILER A1
 Location Street 2: Not reported
 Location Nearest City: DFW AIRPORT
 Location State: TX
 Location County: TARRANT
 Location Zip: Not reported
 Distance From City: Not reported
 Distance Units: Not reported
 Direction From City: Not reported
 Lat Deg: Not reported
 Lat Min: Not reported
 Lat Sec: Not reported
 Lat Quad: Not reported
 Long Deg: Not reported
 Long Min: Not reported
 Long Sec: Not reported
 Long Quad: Not reported
 Location Section: Not reported
 Location Township: Not reported
 Location range: Not reported
 Potential Range: N

Incidents:
 Year: 2010
 NRC Report #: 952807
 Aircraft Type: Not reported
 Aircraft Model: Not reported
 Aircraft ID: Not reported
 Aircraft Fuel Capacity: Not reported
 Aircraft Fuel Capacity Units: Not reported
 Aircraft Fuel on Board: Not reported
 Aircraft Fuel on Board Units: Not reported
 Aircraft Spot Number: Not reported
 Aircraft Hanger: Not reported
 Aircraft Runway Number: Not reported
 Road Mile Marker: Not reported
 Building ID: Not reported
 Type of Fixed Object: AVIATION FACILITY
 Power Generating Facility: N
 Generating Capacity: Not reported
 Type of Fuel: Not reported
 NPDES: Not reported
 NPDES Compliance: U

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2010952807

Pipeline Type:	Not reported
DOT Regulated:	U
Pipeline Above Ground:	ABOVE
Exposed Underwater:	N
Pipeline Covered:	U
Railroad Hotline:	Not reported
Grade Crossing:	U
Location Subdivision:	Not reported
Railroad Milepost:	Not reported
Type Vehicle Involved:	Not reported
Crossing Device Type:	Not reported
Device Operational:	U
DOT Crossing Number:	Not reported
Brake Failure:	U
Description of Tank:	Not reported
Tank Above Ground:	ABOVE
Transportable Container:	U
Tank Regulated:	U
Tank Regulated By:	Not reported
Tank ID:	Not reported
Capacity of Tank:	Not reported
Capacity of Tank Units:	Not reported
Actual Amount:	Not reported
Actual Amount Units:	Not reported
Platform Rig Name:	Not reported
Platform Letter:	Not reported
Location Area ID:	Not reported
Location Block ID:	Not reported
OCSG Number:	Not reported
OCSP Number:	Not reported
State Lease Number:	Not reported
Pier Dock Number:	Not reported
Berth Slip Number:	Not reported
Continuous Release Type:	Not reported
Initial Continuous Release No:	Not reported
Continuous Release Permit:	Not reported
Allision:	U
Type of Structure:	Not reported
Structure Name:	Not reported
Structure Operational:	U
Airbag Deployed:	U
Date Tiem Normal Service:	Not reported
Service Disruption Time:	Not reported
Service Disruption Units:	Not reported
Transit Bus Flag:	Not reported
CR Begin Date:	Not reported
CR End Date:	Not reported
CR Change Date:	Not reported
FBI Contact:	Not reported
FBI Contact Date Time:	Not reported
Sub Part C Testing Req:	XXX
Conductor Testing:	Not reported
Engineer Testing:	Not reported
Trainman Testing:	Not reported
Yard Foreman Testing:	Not reported
RCL Operator Testing:	Not reported
Brakeman Testing:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2010952807

Train Dispatcher Testing: Not reported
Signalman Testing: Not reported
Other Employee Testing: Not reported
Unknown Testing: Not reported
Passenger Handling: Not reported
Passenger Route: XXX
Passenger Delay: XXX

Incident Details:

Year: 2010
NRC Report #: 952807
Fire Involved: N
Fire Extinguished: U
Any Evacuations: N
Number Evacuated: Not reported
Who Evacuated: Not reported
Radius of Evacuation: Not reported
Any Injuries: N
Number Injured: Not reported
Number Hospitalized: Not reported
Any Fatalities: N
Number Fatalities: Not reported
Any Damages: N
Damage Amount: Not reported
Air Corridor Closed: N
Air Corridor Desc: Not reported
Air Closure Time: Not reported
Waterway Closed: N
Waterway Desc: Not reported
Waterway Closure Time: Not reported
Road Closed: N
Road Desc: Not reported
Road Closure Time: Not reported
Closure Direction: Not reported
Major Artery: N
Track Closed: N
Track Desc: Not reported
Track Closure Time: Not reported
Media Interest: NONE
Medium Desc: WATER
Additional Medium Info: / STORM DRAIN / CONCRETE AIR FIELD
Body of Water: STORM DRAIN
Tributary of: Not reported
Release Secured: Y
Estimated Duration of Release: Not reported
Release rate: Not reported
Desc Remedial Action: CONTAINED MATERIAL WITH A SPILL KIT AND KITTY LITTER, DAMMED UP THE MATERIAL ABSORBENTS
State Agency on Scene: NONE
State Agency Report Number: 20102857
Other Agency Notified: Not reported
Weather Conditions: PARTLY CLOUDY
Air Temperature: Not reported
Wind Speed: Not reported
Wind Direction: Not reported
Water Supply Contaminated: U
Sheen Size: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2010952807

Sheen Color: Not reported
Direction of Sheen Travel: Not reported
Sheen Odor Description: Not reported
Wave Condition: Not reported
Current Speed: Not reported
Current Direction: Not reported
Water Temperature: Not reported
Track Close Dir: Not reported
Empl Fatality: Not reported
Pass Fatality: Not reported
Community Impact: Not reported
Wind Speed Unit: Not reported
Employee Injuries: Not reported
Passenger Injuries: Not reported
Occupant Fatality: Not reported
Current Speed Unit: Not reported
Road Closure Units: Not reported
Track Closure Units: Not reported
Sheen Size Units: Not reported
Additional Info: CALLER HAD NO ADDITIONAL INFORMATION.
State Agency Notified: TCEQ
Federal Agency Notified: NONE
nearest River Mile Marker: Not reported
Sheen Size Length: Not reported
Sheen Size Length Units: Not reported
Sheen Size Width: Not reported
Sheen Size Width Units: Not reported
Offshore: N
Duration Unit: Not reported
Release Rate Unit: Not reported
Release Rate Rate: Not reported
Passengers Transferred: NO

Calls:

Year: 2010
NRC Report #: 952807
Site ID: 2010952807
Date Time Received: 2010-09-01 17:50:31
Date Time Complete: 2010-09-01 17:58:31
Call Type: INC
Responsible Company: BARC
Responsible Org Type: PRIVATE ENTERPRISE
Responsible City: DFW AIRPORT
Responsible State: TX
Responsible Zip: Not reported
On Behalf: Not reported
Source: TELEPHONE

Material Involved:

Year: 2010
NRC Report #: 952807
Chris Code: NCC
Case Number: 000000-00-0
UN Number: Not reported
Amount of Material: 300
Unit of Measure: GALLON(S)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

2010952807

Name of Material: GLYCOL
If Reached Water: YES
Amount in Water: 5
Unit of Measure Reach Water: GALLON(S)

O122
South
1/4-1/2
0.464 mi.
2451 ft.

RIG #5
3003 S. SERVICE ROAD TRAILER F1
DALLAS, TX 75261

FINDS 1010683745
N/A

Site 5 of 11 in cluster O

Relative:
Lower

FINDS:
Registry ID: 110033189591

Actual:
553 ft.

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and its Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

O123
South
1/4-1/2
0.468 mi.
2471 ft.

HENSEL PHELPS YARD
3003 S SERVICE RD
DALLAS, TX 75261

FINDS 1024188927
N/A

Site 6 of 11 in cluster O

Relative:
Lower

FINDS:
Registry ID: 110070174484

Actual:
553 ft.

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID Direction Distance Elevation		Database(s)	EDR ID Number EPA ID Number
--	--	-------------	--------------------------------

O124 South 1/4-1/2 0.468 mi. 2471 ft.	HPCC AUTOMATED PEOPLE MOVER ON DFW AIRPORT 3003 SOUTH SERVICE ROAD DFW AIRPORT, TX 75261 Site 7 of 11 in cluster O	FINDS	1024186508 N/A
--	---	--------------	--

Relative: FINDS:
Lower Registry ID: 110070171875

Actual:
553 ft. [Click Here for FRS Facility Detail Report:](#)

Environmental Interest/Information System:
 Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

O125 South 1/4-1/2 0.468 mi. 2471 ft.	SPOILS STORAGE SITE FOR ELEVATED STORAGE ROADS AND ON 3003 S SERVICE ROAD TRAILER D4 DFW AIRPORT, TX 75261 Site 8 of 11 in cluster O	FINDS	1024187027 N/A
--	---	--------------	--

Relative: FINDS:
Lower Registry ID: 110070172428

Actual:
553 ft. [Click Here for FRS Facility Detail Report:](#)

Environmental Interest/Information System:
 Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

O126 South 1/4-1/2 0.468 mi. 2471 ft.	DFW AIRPORT - SOUTH CELL PHONE LOT 3003 SOUTH SERVICE ROAD DFW AIRPORT, TX 75261 Site 9 of 11 in cluster O	ECHO	1024734324 N/A
--	---	-------------	--

Relative: ECHO:
Lower Envid: 1024734324
 Registry ID: 110070529353
Actual: DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110070529353>
553 ft. Name: DFW AIRPORT - SOUTH CELL PHONE LOT
 Address: 3003 SOUTH SERVICE ROAD
 City,State,Zip: DFW AIRPORT, TX 75261

MAP FINDINGS

Map ID Direction Distance Elevation		Database(s)	EDR ID Number EPA ID Number
--	--	-------------	--------------------------------

O127 South 1/4-1/2 0.468 mi. 2471 ft.	TRIP PARKING ENHANCEMENTS 3003 S SERVICE ROAD DFW AIRPORT, TX 75261 Site 10 of 11 in cluster O	FINDS	1024194204 N/A
--	--	--------------	--------------------------

Relative: Lower FINDS: Registry ID: 110070180121

Actual: 553 ft. [Click Here for FRS Facility Detail Report:](#)

Environmental Interest/Information System:
 Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

O128 South 1/4-1/2 0.468 mi. 2471 ft.	DFW INTERNATIONAL AIRPORT 3003 S SERVICE RD DFW AIRPORT, TX 75261 Site 11 of 11 in cluster O	FINDS	1024173729 N/A
--	--	--------------	--------------------------

Relative: Lower FINDS: Registry ID: 110034697996

Actual: 553 ft. [Click Here for FRS Facility Detail Report:](#)

Environmental Interest/Information System:
 Texas Commission on Environmental Quality - Agency Central Registry (TX-TCEQ ACR) is a computer application that allows the Texas Commission on Environmental Quality (TCEQ) to use a single, centralized area to record common information, such as the company names, addresses, and telephone numbers of those the TCEQ regulates. It also contains additional IDs (permits, registrations, authorizations, etc) and their status.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

129 SSE 1/4-1/2 0.471 mi. 2489 ft.	DELTA AIRLINES INC DEPT. 587, P.O.BOX 610262 DALLAS, TX 75261	ECHO	1017823349 N/A
---	--	-------------	--------------------------

Relative: Lower ECHO: Envid: 1017823349
 Registry ID: 110006529104
 Actual: 563 ft. DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110006529104>
 Name: DELTA AIRLINES INC
 Address: DEPT. 587, P.O.BOX 610262
 City,State,Zip: DALLAS, TX 75261

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

130
SE
1/2-1
0.532 mi.
2811 ft.

RUNWAY 35C ALSF 2 PKQ
DFW AIRPORT RUNWAY 35
DFW AIRPORT, TX

UST U003876478
N/A

Relative:
Lower
Actual:
560 ft.

UST:
Name: RUNWAY 35C ALSF 2 PKQ
Address: DFW AIRPORT RUNWAY 35
City,State,Zip: DFW AIRPORT, TX
AI Number: 75355
Facility Type: Not reported
Facility Begin Date: 03/08/2002
Facility Status: INACTIVE
Additional ID: 100734142002275
Facility Exempt Status: N
Records Off-Site: No
UST Financial Assurance Required: No
Number Of Active UST: 0
Site Location Description: DFW AIRPORT RUNWAY 35
Site Location (Nearest City Name): DFW AIRPORT
Site Location (County Name): DALLAS
Site Location (Tceq Region): 4
Site Location (Location Zip): 75261
Contact Name/Title: DAVID BARRINGTON,
Contact Organization Name: RUNWAY 35C ALSF 2 PKQ
Contact Mailing Address1: Not reported
Contact Mailing Address2: Not reported
Contact Mailing City/State/Zip: Not reported
Contact Telephone: 9726152626
Facility Contact Address Deliverable: Not reported
Contact Fax Number: Not reported
Contact Email Address: DAVID.BARRINGTON@FAA.GOV
Signature Date On Earliest Reg Form: 02/01/2021
Signature Name/Title On Earliest Reg Form: DAVID BARRINGTON,DFW ESU MNGR
Application Received Date On Earliest Reg Form: 02/01/2021
Signature Role On Earliest Reg Form: LEGAL AUTH REP OWNER
Signature Company On Earliest Reg Form: Not reported
Enforcement Action: No
Facility Not Inspectable: No

Operator:
Princ ID: 834384492001318
Additional ID: 100734142002275
AI Number: 75355
Operator CN: CN600436885
Operator Name: FEDERAL AVIATION ADMINISTRATION
Operator Effective Begin Date: 08/01/2014
Operator Type: FG
Operator Role: OWNOPRCON
Contact Name: SHEILA GRIFFITH/190 DISTRICT MGR
Contact Organization Name: FAA HOUSTON TRACON DISTRICT 190
Contact Mailing Address (Delivery): 4005 GREENS RD
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City/State/Zip: HOUSTON TX 77032-2333
Contact Phone Country Code: 1
Contact Phone Area Code: 281
Contact Phone Number: 2308475
Contact Phone Extension: 0
Contact Fax Country Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

Contact Fax Area Code:	Not reported
Contact Fax Number:	Not reported
Contact Fax Extension:	Not reported
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Owner:	
Owner CN:	CN600436885
Owner Last Name:	FEDERAL AVIATION ADMINISTRATION
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	FG
Contact Mailing Address (Delivery):	PO BOX 610368
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	DALLAS
Contact Mailing State:	TX
Contact Mailing Zip:	75261
Contact Mailing Zip5:	0368
Contact Phone Number/Ext:	1 972 6152347/0
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	834384492001318
Additional ID:	100734142002275
AI Number:	75355
Owner Effective Begin Date:	08/01/2014
State Tax ID:	Not reported
Contact Role:	OWNCON
Contact Name/Title:	STACY HOWARD/SECM
Contact Organization Name:	FEDERAL AVIATION ADMINISTRATION
Self Certification:	
Self Cert ID:	115393
Cert ID:	349148
AI Number:	75355
Self Certification Date:	02/01/2021
Signature Name/Title:	DAVID BARRINGTON DFW ESU MNGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2022
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	N
Self Cert ID:	115393
Cert ID:	313408
AI Number:	75355
Self Certification Date:	12/20/2018

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

Signature Name/Title: ANTHONY BRYANT DFW ESU MGR
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2020
Reporting Method: P
Tank Corrosion Protection Compliance: Y
Piping Corrosion Protection Compliance: Y
Compartment Release Detection Compliance: Y
Piping Release Detection Compliance: Y
Spill Prevention/Overfill Compliance: N

Self Cert ID: 115393
Cert ID: 303042
AI Number: 75355
Self Certification Date: 04/25/2018
Signature Name/Title: KEITH ROGERS SECM
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2019
Reporting Method: P
Tank Corrosion Protection Compliance: Y
Piping Corrosion Protection Compliance: Y
Compartment Release Detection Compliance: Y
Piping Release Detection Compliance: Y
Spill Prevention/Overfill Compliance: N

Self Cert ID: 115393
Cert ID: 282469
AI Number: 75355
Self Certification Date: 12/28/2016
Signature Name/Title: LENNY RAMOS SECM
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2018
Reporting Method: P
Tank Corrosion Protection Compliance: Y
Piping Corrosion Protection Compliance: Y
Compartment Release Detection Compliance: Y
Piping Release Detection Compliance: Y
Spill Prevention/Overfill Compliance: N

Self Cert ID: 115393
Cert ID: 246615
AI Number: 75355
Self Certification Date: 12/12/2014

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

Signature Name/Title: STACY E HOWARD SECM
Signature Type Role: LEGAL AUTH REP OPERATOR
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2016
Reporting Method: P
Tank Corrosion Protection Compliance: Y
Piping Corrosion Protection Compliance: Y
Compartment Release Detection Compliance: Y
Piping Release Detection Compliance: Y
Spill Prevention/Overfill Compliance: N

Self Cert ID: 115393
Cert ID: 231195
AI Number: 75355
Self Certification Date: 01/31/2014
Signature Name/Title: STACY HOWARD SEC
Signature Type Role: LEGAL AUTH REP OPERATOR
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2015
Reporting Method: P
Tank Corrosion Protection Compliance: Y
Piping Corrosion Protection Compliance: Y
Compartment Release Detection Compliance: Y
Piping Release Detection Compliance: Y
Spill Prevention/Overfill Compliance: N

Self Cert ID: 115393
Cert ID: 207377
AI Number: 75355
Self Certification Date: 01/03/2013
Signature Name/Title: STACY HOWARD SECM
Signature Type Role: LEGAL AUTH REP OPERATOR
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2014
Reporting Method: Not reported
Tank Corrosion Protection Compliance: Not reported
Piping Corrosion Protection Compliance: Not reported
Compartment Release Detection Compliance: Not reported
Piping Release Detection Compliance: Not reported
Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 115393
Cert ID: 207376
AI Number: 75355
Self Certification Date: 01/17/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

Signature Name/Title:	STACY HOWARD SECM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2013
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	115393
Cert ID:	207375
AI Number:	75355
Self Certification Date:	01/24/2011
Signature Name/Title:	STACY E HOWARD SAFETY & ENV MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2012
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	115393
Cert ID:	207374
AI Number:	75355
Self Certification Date:	01/15/2010
Signature Name/Title:	STACY E HOWARD SFTY & ENV MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2011
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	115393
Cert ID:	207373
AI Number:	75355
Self Certification Date:	01/26/2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

Signature Name/Title:	CHARLES SMITH MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2010
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	115393
Cert ID:	207372
AI Number:	75355
Self Certification Date:	12/31/2007
Signature Name/Title:	CHARLES W SMITH D10 DISTRICT MGR
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2009
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	115393
Cert ID:	207371
AI Number:	75355
Self Certification Date:	01/25/2007
Signature Name/Title:	STACY E HOWARD DFW TECH SUPPORT CTR
Signature Type Role:	LEGAL AUTH REP OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	115393
Cert ID:	207370
AI Number:	75355
Self Certification Date:	12/20/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

Signature Name/Title: CHARLES W SMITH MANAGER
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2007
Reporting Method: Not reported
Tank Corrosion Protection Compliance: Not reported
Piping Corrosion Protection Compliance: Not reported
Compartment Release Detection Compliance: Not reported
Piping Release Detection Compliance: Not reported
Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 115393
Cert ID: 207369
AI Number: 75355
Self Certification Date: 01/20/2005
Signature Name/Title: CHARLES W SMITH ASM
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2006
Reporting Method: Not reported
Tank Corrosion Protection Compliance: Not reported
Piping Corrosion Protection Compliance: Not reported
Compartment Release Detection Compliance: Not reported
Piping Release Detection Compliance: Not reported
Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 115393
Cert ID: 207368
AI Number: 75355
Self Certification Date: 01/05/2004
Signature Name/Title: DOUGLAS L KEEFFE MANGER
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2005
Reporting Method: Not reported
Tank Corrosion Protection Compliance: Not reported
Piping Corrosion Protection Compliance: Not reported
Compartment Release Detection Compliance: Not reported
Piping Release Detection Compliance: Not reported
Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 115393
Cert ID: 207367
AI Number: 75355
Self Certification Date: 12/20/2002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

Signature Name/Title: JAMES MCCAIN MANAGER
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2004
Reporting Method: Not reported
Tank Corrosion Protection Compliance: Not reported
Piping Corrosion Protection Compliance: Not reported
Compartment Release Detection Compliance: Not reported
Piping Release Detection Compliance: Not reported
Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 115393
Cert ID: 207366
AI Number: 75355
Self Certification Date: 09/03/2002
Signature Name/Title: JAMES MCCAIN MGR
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: INITIAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2003
Reporting Method: Not reported
Tank Corrosion Protection Compliance: Not reported
Piping Corrosion Protection Compliance: Not reported
Compartment Release Detection Compliance: Not reported
Piping Release Detection Compliance: Not reported
Spill Prevention/Overfill Compliance: Not reported

Tank:

Install Date: 03/08/2002
Tank Registration Date: 09/06/2002
Number of Compartments: 1
Tank Capacity: 2000
Tank Singlewall: N
Tank Doublewall: Y
Pipe Type: S
UST ID: 200465
Facility ID: 115393
AI Number: 75355
Tank Id: 1
Tank Status (Current): REMOVED FROM GROUND
Tank Status Date: 04/22/2021
Empty: N
Tank Regulatory Status: EMERG POWER GENERATOR
Tank Int Prot (Internal Tank Lining Date): Not reported
Piping Design (Single Wall): N
Piping Design (Double Wall): Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket): N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N
Tank Ext Cont(Tank Vault/Rigid Trench Liner): N
Piping Ext Cont(Fac-Built Nonmetallic Jacket): N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	Y
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	Y
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	Y
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	Y
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	Y
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	Y
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	04/19/2002
Compartment Records:	
Tank ID:	1
Tank Capacity:	2000
UST Comprt ID:	171824
UST ID:	200465
AI Number:	75355
Compartment ID:	A
Substance Stored1:	Not reported
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	Y
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	Y
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

More Self Certification:

Self Cert ID:	28681
Cert ID:	72225
UST Comprt ID:	218963
UST ID:	75416
AI Number:	75355
Tank ID:	3
Compartment ID:	A
Self Cert ID:	28681
Cert ID:	72222
UST Comprt ID:	218966
UST ID:	75416
AI Number:	75355
Tank ID:	3
Compartment ID:	A
Self Cert ID:	28681
Cert ID:	72224
UST Comprt ID:	218964
UST ID:	75416
AI Number:	75355
Tank ID:	3
Compartment ID:	A
Self Cert ID:	28681
Cert ID:	72219
UST Comprt ID:	218968
UST ID:	75416
AI Number:	75355
Tank ID:	3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

Compartment ID:	A
Self Cert ID:	28681
Cert ID:	72221
UST Comprt ID:	218970
UST ID:	75416
AI Number:	75355
Tank ID:	3
Compartment ID:	A
Self Cert ID:	28681
Cert ID:	72218
UST Comprt ID:	218967
UST ID:	75416
AI Number:	75355
Tank ID:	3
Compartment ID:	A
Self Cert ID:	28681
Cert ID:	72223
UST Comprt ID:	218965
UST ID:	75416
AI Number:	75355
Tank ID:	3
Compartment ID:	A
Self Cert ID:	28681
Cert ID:	72220
UST Comprt ID:	218969
UST ID:	75416
AI Number:	75355
Tank ID:	3
Compartment ID:	A
Construction Notification:	
NOC ID:	37599
Facility ID:	115393
AI Number:	75355
Application Received Date:	01/20/2021
Scheduled Construction Date:	02/22/2021
UST Improvement:	N
UST Installation:	N
UST Removal:	Y
UST Repair:	N
UST Return To Service:	N
UST Replacement:	N
UST Abandonment:	N
UST Stage I:	N
AST Installation:	Y
AST Stage I:	N
Historical Tracking Number:	Not reported
Waiver Flag:	N
Late Filing Flag:	N
Form Received Date:	Not reported
Signature Date On Form:	Not reported
Signature Name On Form:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

Signature Company On Form: Not reported
Signature Title On Form: Not reported
Signature Role: Not reported
Owner Name At Time Of Construction: FEDERAL AVIATION ADMINISTRATION
Owner CN At Time Of Construction: CN600436885
Owner AR At Time Of Construction: 16511
General Desc Of Prop Construct: AST Inst: ; UST Remove: TANK 1 - CAPACITY 2000 ; UST Repaired: null ;
UST Imprv: null

Contractor, Consultant and Installer:

Cont/Cons/Installer ID: 89309
UST ID: Not reported
NOC ID: 37599
AI Number: 75355
Type Of Contact: CONSULTANT
Contractor CRP Number Or Installer ILP Number: Not reported
Company Name: DOUGHERTY SPRAGUE
Representative Name: JOHN DOUGHERTY
Mailing Address (Delivery): 3902 INDUSTRIAL ST
Mailing Address (Internal Delivery): Not reported
Mailing City: ROWLETT
Mailing State: TX
Mailing Zip: 75088
Mailing Foreign Postal Code: Not reported
Mailing County Code: Not reported
Phone Number Country Code: 1
Phone Number Area Code: 972
Phone Number: 4128666
Phone Number Extension: 0
Fax Number Country Code: 0
Fax Number Area Code: 0
Fax Number: 0
Email Address: JDOUGHERTY@DSEI.COM

Cont/Cons/Installer ID: 36286
UST ID: 200465
NOC ID: Not reported
AI Number: 75355
Type Of Contact: CONTRACTOR
Contractor CRP Number Or Installer ILP Number: CRP000970
Company Name: Unified Services of TX
Representative Name: Not reported
Mailing Address (Delivery): Not reported
Mailing Address (Internal Delivery): Not reported
Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Mailing Foreign Postal Code: Not reported
Mailing County Code: Not reported
Phone Number Country Code: Not reported
Phone Number Area Code: Not reported
Phone Number: Not reported
Phone Number Extension: Not reported
Fax Number Country Code: Not reported
Fax Number Area Code: Not reported
Fax Number: Not reported
Email Address: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

Cont/Cons/Installer ID: 89308
UST ID: Not reported
NOC ID: 37599
AI Number: 75355
Type Of Contact: CONTRACTOR
Contractor CRP Number Or Installer ILP Number: CRP001073
Company Name: EXCELL ENVIRONMENTAL INC
Representative Name: CHRIS MAYS
Mailing Address (Delivery): PO BOX 1675
Mailing Address (Internal Delivery): Not reported
Mailing City: BUDA
Mailing State: TX
Mailing Zip: 78610
Mailing Foreign Postal Code: Not reported
Mailing County Code: Not reported
Phone Number Country Code: 1
Phone Number Area Code: 512
Phone Number: 2805231
Phone Number Extension: 0
Fax Number Country Code: 1
Fax Number Area Code: 512
Fax Number: 2803580
Email Address: INFO@EXCELLFUELINGSYSTEMS.COM

Cont/Cons/Installer ID: 51452
UST ID: 200465
NOC ID: Not reported
AI Number: 75355
Type Of Contact: INSTALLER
Contractor CRP Number Or Installer ILP Number: Not reported
Company Name: Not reported
Representative Name: RANDY RITTER
Mailing Address (Delivery): Not reported
Mailing Address (Internal Delivery): Not reported
Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Mailing Foreign Postal Code: Not reported
Mailing County Code: Not reported
Phone Number Country Code: Not reported
Phone Number Area Code: Not reported
Phone Number: Not reported
Phone Number Extension: Not reported
Fax Number Country Code: Not reported
Fax Number Area Code: Not reported
Fax Number: Not reported
Email Address: Not reported

Facility Billing Contacts:

Contact Organization Name: FEDERAL AVIATION ADMINISTRATION
Contact Mailing Address (Delivery): PO BOX 610368
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City/State/Zip: DALLAS, TX 75261 0368
Phone Number/Ext: /
Contact Fax Number/Ext: /
Contact Email Address: LENNY.RAMOS@FAA.GOV
Contact Address Deliverable: Y

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RUNWAY 35C ALSF 2 PKQ (Continued)

U003876478

Facility ID: 115393
 Additional ID: 100734142002275
 Princ ID: 834384492001318
 AI Number: 75355
 Facility Name: RUNWAY 35C ALSF 2 PKQ
 AR Number: 16511
 AR UST Number Suffix: A
 AR AST Number Suffix: U
 Contact Name/Title: LENNY RAMOS/

P131
NNE
1/2-1
0.630 mi.
3325 ft.

DFW AIRPORT JHZ LOC 17R
DFW AIRPORT
DFW AIRPORT, TX

UST U001268754
N/A

Site 1 of 9 in cluster P

Relative:
Higher
Actual:
589 ft.

UST:
 Name: DFW AIRPORT JHZ LOC 17R
 Address: DFW AIRPORT
 City,State,Zip: DFW AIRPORT, TX
 AI Number: 35831
 Facility Type: Not reported
 Facility Begin Date: 12/18/1986
 Facility Status: INACTIVE
 Additional ID: 757619442002247
 Facility Exempt Status: N
 Records Off-Site: No
 UST Financial Assurance Required: No
 Number Of Active UST: 0
 Site Location Description: DFW AIRPORT
 Site Location (Nearest City Name): DFW AIRPORT
 Site Location (County Name): TARRANT
 Site Location (Tceq Region): 4
 Site Location (Location Zip): 75261
 Contact Name/Title: J W CLARK,MGR
 Contact Organization Name: DFW AIRPORT JHZ LOC 17R
 Contact Mailing Address1: Not reported
 Contact Mailing Address2: Not reported
 Contact Mailing City/State/Zip: Not reported
 Contact Telephone: 2145744378
 Facility Contact Address Deliverable: Not reported
 Contact Fax Number: Not reported
 Contact Email Address: Not reported
 Signature Date On Earliest Reg Form: 05/01/1986
 Signature Name/Title On Earliest Reg Form: J W CLARK,MGR
 Application Received Date On Earliest Reg Form: 05/08/1986
 Signature Role On Earliest Reg Form: Not reported
 Signature Company On Earliest Reg Form: Not reported
 Enforcement Action: Not reported
 Facility Not Inspectable: No

Owner:
 Owner CN: CN600436885
 Owner Last Name: FEDERAL AVIATION ADMINISTRATION
 Owner First Name: Not reported
 Owner Middle Name: Not reported
 Owner Type: FG

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT JHZ LOC 17R (Continued)

U001268754

Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	834384492001318
Additional ID:	757619442002247
AI Number:	35831
Owner Effective Begin Date:	12/18/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported

Tank:

Install Date:	01/01/1972
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	94767
Facility ID:	67640
AI Number:	35831
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	02/01/1989
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT JHZ LOC 17R (Continued)

U001268754

Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	550
UST Comprt ID:	93322
UST ID:	94767
AI Number:	35831
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT JHZ LOC 17R (Continued)

U001268754

SOPE(FlowRestrictorValue):	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b):	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	FEDERAL AVIATION ADMINISTRATION
Contact Mailing Address (Delivery):	PO BOX 610368
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75261 0368
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	67640
Additional ID:	757619442002247
Princ ID:	834384492001318
AI Number:	35831
Facility Name:	DFW AIRPORT JHZ LOC 17R
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	STACY HOWARD/

P132
NNE
1/2-1
0.630 mi.
3325 ft.

DFW AIRPORT FLQ LOC 17L
DFW AIRPORT
DFW AIRPORT, TX

UST U001268757
N/A

Site 2 of 9 in cluster P

Relative:
Higher
Actual:
589 ft.

UST:	
Name:	DFW AIRPORT FLQ LOC 17L
Address:	DFW AIRPORT
City,State,Zip:	DFW AIRPORT, TX
AI Number:	35834
Facility Type:	Not reported
Facility Begin Date:	12/18/1986
Facility Status:	INACTIVE
Additional ID:	800639552002247
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	DFW AIRPORT
Site Location (Nearest City Name):	DFW AIRPORT
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75261

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIRPORT FLQ LOC 17L (Continued)

U001268757

Contact Name/Title:	J W CLARK,MGR
Contact Organization Name:	DFW AIRPORT FLQ LOC 17L
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2145744378
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/01/1986
Signature Name/Title On Earliest Reg Form:	J W CLARK,MGR.
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
Owner:	
Owner CN:	CN600436885
Owner Last Name:	FEDERAL AVIATION ADMINISTRATION
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	FG
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	834384492001318
Additional ID:	800639552002247
AI Number:	35834
Owner Effective Begin Date:	12/18/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1984
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	250
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	94770
Facility ID:	67643
AI Number:	35834
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/12/1997

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT FLQ LOC 17L (Continued)

U001268757

Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	250
UST Comprt ID:	93324
UST ID:	94770
AI Number:	35834
Compartment ID:	A
Substance Stored1:	DIESEL

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT FLQ LOC 17L (Continued)

U001268757

Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	FEDERAL AVIATION ADMINISTRATION
Contact Mailing Address (Delivery):	PO BOX 610368
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75261 0368
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	67643
Additional ID:	800639552002247
Princ ID:	834384492001318
AI Number:	35834
Facility Name:	DFW AIRPORT FLQ LOC 17L
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	STACY HOWARD/

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

P133
NNE
1/2-1
0.630 mi.
3325 ft.

DFW AIRPORT
DFW AIRPORT
DFW AIRPORT, TX
Site 3 of 9 in cluster P

UST **U003565379**
N/A

Relative:
Higher
Actual:
589 ft.

UST:
 Name: DFW AIRPORT
 Address: DFW AIRPORT
 City,State,Zip: DFW AIRPORT, TX
 AI Number: 35836
 Facility Type: Not reported
 Facility Begin Date: 12/18/1986
 Facility Status: INACTIVE
 Additional ID: 440827752002138
 Facility Exempt Status: N
 Records Off-Site: No
 UST Financial Assurance Required: No
 Number Of Active UST: 0
 Site Location Description: DFW AIRPORT
 Site Location (Nearest City Name): DFW AIRPORT
 Site Location (County Name): TARRANT
 Site Location (Tceq Region): 4
 Site Location (Location Zip): 75261
 Contact Name/Title: J W CLARK,MGR
 Contact Organization Name: DFW AIRPORT
 Contact Mailing Address1: Not reported
 Contact Mailing Address2: Not reported
 Contact Mailing City/State/Zip: Not reported
 Contact Telephone: 2145744378
 Facility Contact Address Deliverable: Not reported
 Contact Fax Number: Not reported
 Contact Email Address: Not reported
 Signature Date On Earliest Reg Form: 05/01/1986
 Signature Name/Title On Earliest Reg Form: J W CLARK,MGR.
 Application Received Date On Earliest Reg Form: 05/08/1986
 Signature Role On Earliest Reg Form: Not reported
 Signature Company On Earliest Reg Form: Not reported
 Enforcement Action: Not reported
 Facility Not Inspectable: No

Owner:
 Owner CN: CN600436885
 Owner Last Name: FEDERAL AVIATION ADMINISTRATION
 Owner First Name: Not reported
 Owner Middle Name: Not reported
 Owner Type: FG
 Contact Mailing Address (Delivery): Not reported
 Contact Mailing Address (Internal Delivery): Not reported
 Contact Mailing City: Not reported
 Contact Mailing State: Not reported
 Contact Mailing Zip: Not reported
 Contact Mailing Zip5: Not reported
 Contact Phone Number/Ext: /
 Contact Fax Country Code: Not reported
 Contact Fax Number/Ext: /
 Contact Email Address: Not reported
 Contact Address Deliverable: Not reported
 Princ ID: 834384492001318
 Additional ID: 440827752002138

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT (Continued)

U003565379

AI Number: 35836
 Owner Effective Begin Date: 12/18/1986
 State Tax ID: Not reported
 Contact Role: Not reported
 Contact Name/Title: /
 Contact Organization Name: Not reported

Tank:

Install Date: 01/01/1972
 Tank Registration Date: 05/08/1986
 Number of Compartments: 1
 Tank Capacity: 550
 Tank Singlewall: N
 Tank Doublewall: N
 Pipe Type: Not reported
 UST ID: 94772
 Facility ID: 67645
 Ai Number: 35836
 Tank Id: 1
 Tank Status (Current): PERM FILLED IN PLACE
 Tank Status Date: 02/08/1986
 Empty: N
 Tank Regulatory Status: FULLY REGULATED
 Tank Int Prot (Internal Tank Lining Date): Not reported
 Piping Design (Single Wall): N
 Piping Design (Double Wall): N
 Tank Ext Cont(Fac-Built Nonmetallic Jacket): N
 Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N
 Tank Ext Cont(Tank Vault/Rigid Trench Liner): N
 Piping Ext Cont(Fac-Built Nonmetallic Jacket): N
 Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner): N
 Piping Ext Cont(Tank Vault/Rigid Trench Liner): N
 Tank Material (Steel): Y
 Tank Material(Frp(Fiberglass-Reinforced Plastic): N
 Tank Mat(Composite (Steel W/Ext Frp Cladding)): N
 Tank Mat(Concrete): N
 Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)): N
 Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)): N
 Piping Material (Steel): Y
 Piping Mat(Frp(Fiberglass Reinforced Plastic): N
 Piping Mat(Concrete): N
 Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)): N
 Piping Mat(Nonmetallic Flex Piping): N
 PipingConnect/Valves(Shear/Impact Valves(Under Disp)): N
 Piping Connect/Valves(Steel Swing-Joints(End Of Piping)): N
 Piping Connect/Valves (Flex Connectors(Ends Of Piping)): N
 Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation): N
 TCPM (ExtDielectricCoat/Laminate/Tape/Wrap): N
 TCPM(Cathodic Prot-FacInstallation): N
 TCPM(Composite Tank(Steel W/Frp Ext Laminate): N
 TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate): N
 TCPM(FRP Tank Or Piping(Noncorrodible)): N
 TCPM(Ext Nonmetallic Jacket): N
 TCPMeth(Unnecessary Per Corrosion Prot Spec): N
 Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap): N
 Piping Corr Prot Method(PCPM) (Cathodic Factory Install): N
 PCPM(Cathodic Prot-Field Install): N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT (Continued)

U003565379

PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	93326
UST ID:	94772
AI Number:	35836
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT (Continued)

U003565379

Facility Billing Contacts:
 Contact Organization Name: FEDERAL AVIATION ADMINISTRATION
 Contact Mailing Address (Delivery): PO BOX 610368
 Contact Mailing Address (Internal Delivery): Not reported
 Contact Mailing City/State/Zip: DALLAS, TX 75261 0368
 Phone Number/Ext: /
 Contact Fax Number/Ext: /
 Contact Email Address: Not reported
 Contact Address Deliverable: Y
 Facility ID: 67645
 Additional ID: 440827752002138
 Princ ID: 834384492001318
 AI Number: 35836
 Facility Name: DFW AIRPORT
 AR Number: Not reported
 AR UST Number Suffix: Not reported
 AR AST Number Suffix: Not reported
 Contact Name/Title: STACY HOWARD/

P134
NNE
1/2-1
0.630 mi.
3325 ft.

DFW AIRPORT CIX SSALR 18L
DFW AIRPORT
DFW AIRPORT, TX
Site 4 of 9 in cluster P

UST U001268761
N/A

Relative:
Higher
Actual:
589 ft.

UST:
 Name: DFW AIRPORT CIX SSALR 18L
 Address: DFW AIRPORT
 City,State,Zip: DFW AIRPORT, TX
 AI Number: 35838
 Facility Type: Not reported
 Facility Begin Date: 12/19/1986
 Facility Status: INACTIVE
 Additional ID: 652816212002138
 Facility Exempt Status: N
 Records Off-Site: No
 UST Financial Assurance Required: No
 Number Of Active UST: 0
 Site Location Description: DFW AIRPORT
 Site Location (Nearest City Name): DFW AIRPORT
 Site Location (County Name): TARRANT
 Site Location (Tceq Region): 4
 Site Location (Location Zip): 75261
 Contact Name/Title: J W CLARK,MGR
 Contact Organization Name: DFW AIRPORT CIX SSALR 18L
 Contact Mailing Address1: Not reported
 Contact Mailing Address2: Not reported
 Contact Mailing City/State/Zip: Not reported
 Contact Telephone: 2145744378
 Facility Contact Address Deliverable: Not reported
 Contact Fax Number: Not reported
 Contact Email Address: Not reported
 Signature Date On Earliest Reg Form: 05/01/1986
 Signature Name/Title On Earliest Reg Form: J W CLARK,MGR.
 Application Received Date On Earliest Reg Form: 05/08/1986
 Signature Role On Earliest Reg Form: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIRPORT CIX SSALR 18L (Continued)

U001268761

Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
Owner:	
Owner CN:	CN600436885
Owner Last Name:	FEDERAL AVIATION ADMINISTRATION
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	FG
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	834384492001318
Additional ID:	652816212002138
AI Number:	35838
Owner Effective Begin Date:	12/19/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1972
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	94774
Facility ID:	67647
Ai Number:	35838
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	12/30/1983
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT CIX SSALR 18L (Continued)

U001268761

Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	93328
UST ID:	94774
AI Number:	35838
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT CIX SSALR 18L (Continued)

U001268761

PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	FEDERAL AVIATION ADMINISTRATION
Contact Mailing Address (Delivery):	PO BOX 610368
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75261 0368
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	67647
Additional ID:	652816212002138
Princ ID:	834384492001318
AI Number:	35838
Facility Name:	DFW AIRPORT CIX SSALR 18L
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	STACY HOWARD/

P135
NNE
1/2-1
0.630 mi.
3325 ft.

DFW AIRPORT FLQ GS 17L
DFW AIRPORT
DFW AIRPORT, TX
Site 5 of 9 in cluster P

UST U001268758
N/A

Relative:
Higher
Actual:
589 ft.

UST:	
Name:	DFW AIRPORT FLQ GS 17L
Address:	DFW AIRPORT
City,State,Zip:	DFW AIRPORT, TX
AI Number:	35835
Facility Type:	Not reported
Facility Begin Date:	12/18/1986
Facility Status:	INACTIVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIRPORT FLQ GS 17L (Continued)

U001268758

Additional ID:	453833172002138
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	DFW AIRPORT
Site Location (Nearest City Name):	DFW AIRPORT
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75261
Contact Name/Title:	J W CLARK,MGR
Contact Organization Name:	DFW AIRPORT FLQ GS 17L
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2145744378
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/01/1986
Signature Name/Title On Earliest Reg Form:	J W CLARK,MGR.
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
Owner:	
Owner CN:	CN600436885
Owner Last Name:	FEDERAL AVIATION ADMINISTRATION
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	FG
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	834384492001318
Additional ID:	453833172002138
AI Number:	35835
Owner Effective Begin Date:	12/18/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1984
Tank Registration Date:	05/08/1986
Number of Compartments:	1

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT FLQ GS 17L (Continued)

U001268758

Tank Capacity:	250
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	94771
Facility ID:	67644
Ai Number:	35835
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	01/12/1997
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIRPORT FLQ GS 17L (Continued)

U001268758

Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	250
UST Comprt ID:	93325
UST ID:	94771
AI Number:	35835
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Facility Billing Contacts:	
Contact Organization Name:	FEDERAL AVIATION ADMINISTRATION
Contact Mailing Address (Delivery):	PO BOX 610368
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75261 0368
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	67644

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIRPORT FLQ GS 17L (Continued)

U001268758

Additional ID: 453833172002138
Princ ID: 834384492001318
AI Number: 35835
Facility Name: DFW AIRPORT FLQ GS 17L
AR Number: Not reported
AR UST Number Suffix: Not reported
AR AST Number Suffix: Not reported
Contact Name/Title: STACY HOWARD/

P136
NNE
1/2-1
0.630 mi.
3325 ft.

RUNWAY 35R ALSF 2
DFW AIRPORT
DALLAS, TX
Site 6 of 9 in cluster P

AST A100189257
N/A

Relative:
Higher
Actual:
589 ft.

AST:
Name: RUNWAY 35R ALSF 2
Address: DFW AIRPORT
City,State,Zip: DALLAS, TX
Facility ID: 105705
Additional ID: 72856642002138
AI Number: 69644
Facility Type: Not reported
Facility Begin Date: 09/01/1996
Facility Status: ACTIVE
Facility Exempt Status: N
Records Off-Site: N
UST Financial Assurance Required: N
Number of Active ASTs: 1
Site Location Description: DFW AIRPORT
Site Location (nearest city name): DALLAS
Site Location (county name): DALLAS
Site Location (TCEQ region): 4
Site Location (location zip): 75261
Contact Name/Title: HENRY SUGGS/
Contact Organization Name: RUNWAY 35R ALSF 2
Contact Mailing Address1: Not reported
Contact Mailing Address2: Not reported
Contact CityStateZip: Not reported
Contact Telephone: 8173582636
Contact Address Deliverable: Not reported
Contact Fax Number: Not reported
Contact Email Address: Not reported
Signature Date on Earliest Reg Form: 05/28/1997
Signature First Name on Earliest Reg Form: JEFF
Application Received Date on Earliest Reg Form: 05/30/1997
Signature Middle Name on Earliest Reg Form: Not reported
Signature Last Name on Earliest Reg Form: WEST
Signature Title on Earliest Reg Form: PROJ. MGR.
Signature Role on Earliest Reg Form: Not reported
Signature Company on Earliest Reg Form: Not reported
Enforcement Action: Not reported
Facility Not Inspectable: N
Facility Not Inspectable Reason A: Not reported
Facility Not Inspectable Reason B: Not reported
Enforcement Action Date: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RUNWAY 35R ALSF 2 (Continued)

A100189257

Facility:
 Facility ID: 105705
 Tank ID: 1
 AST ID: 183522
 AI Number: 69644
 Install Date: 09/01/1996
 Tank Registration Date: 05/30/1997
 Mult Comp: N
 Tank Status: IN USE
 Tank Status Date: 09/01/1996
 Tank Reg Status: FULLY REGULATED
 Tank Capacity: 2000
 Substance: DIESEL
 Other Substance B: Not reported
 Other Substance C: Not reported
 Steel: Y
 Fiber: N
 Aluminum: N
 Metal: N
 Concrete: N
 Dike: N
 Liner: N
 Contains CO: Y
 Contains NO: N
 Vapor Rec: Not reported
 Inst Stage Date: Not reported

P137 NATIONAL CAR RENTAL SYSTEM
NNE DFW AIRPORT NORTH
1/2-1 DALLAS, TX
0.630 mi.
3325 ft. Site 7 of 9 in cluster P

UST U003583165
Financial Assurance N/A

Relative: UST:
Higher Name: NATIONAL CAR RENTAL SYSTEM
Actual: Address: DFW AIRPORT NORTH
589 ft. City,State,Zip: DALLAS, TX
 AI Number: 45751
 Facility Type: FLEET REFUELING
 Facility Begin Date: 08/31/1987
 Facility Status: INACTIVE
 Additional ID: 128612422002207
 Facility Exempt Status: N
 Records Off-Site: No
 UST Financial Assurance Required: No
 Number Of Active UST: 0
 Site Location Description: DFW AIRPORT NORTH
 Site Location (Nearest City Name): DALLAS
 Site Location (County Name): TARRANT
 Site Location (Tceq Region): 4
 Site Location (Location Zip): 75261
 Contact Name/Title: SHANNON DYER,ENVIR OPS ANALYST
 Contact Organization Name: NATIONAL CAR RENTAL SYSTEM
 Contact Mailing Address1: Not reported
 Contact Mailing Address2: Not reported
 Contact Mailing City/State/Zip: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

Contact Telephone:	9725745593
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	02/09/1988
Signature Name/Title On Earliest Reg Form:	JOHN MAYALL,CITY MGR.
Application Received Date On Earliest Reg Form:	02/12/1988
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
Operator:	
Princ ID:	448448802003162
Additional ID:	128612422002207
AI Number:	45751
Operator CN:	CN601700610
Operator Name:	DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Operator Effective Begin Date:	08/31/1988
Operator Type:	OG
Operator Role:	OPRCON
Contact Name:	ROBERT HORTON/VICE PRESIDENT, ENVIRONMENTAL AFFAIRS DEPARTMENT
Contact Organization Name:	DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Contact Mailing Address (Delivery):	PO BOX 619428
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DFW AIRPORT TX 75261-9428
Contact Phone Country Code:	1
Contact Phone Area Code:	972
Contact Phone Number:	9735560
Contact Phone Extension:	0
Contact Fax Country Code:	Not reported
Contact Fax Area Code:	Not reported
Contact Fax Number:	Not reported
Contact Fax Extension:	Not reported
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Owner:	
Owner CN:	CN601700610
Owner Last Name:	DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OG
Contact Mailing Address (Delivery):	PO BOX 619428
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	DFW AIRPORT
Contact Mailing State:	TX
Contact Mailing Zip:	75261
Contact Mailing Zip5:	9428
Contact Phone Number/Ext:	1 972 9735576/0
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	448448802003162
Additional ID:	128612422002207
AI Number:	45751

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

Owner Effective Begin Date: 08/31/1988
State Tax ID: Not reported
Contact Role: OWNCON
Contact Name/Title: RICK ROSALES/ENV TECH
Contact Organization Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD

Self Certification:

Self Cert ID: 58455
Cert ID: 59743
AI Number: 45751
Self Certification Date: 06/26/2002
Signature Name/Title: SHANNON DYER ENVIR OPS ANALYST
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 07/31/2003
Reporting Method: Not reported
Tank Corrosion Protection Compliance: Not reported
Piping Corrosion Protection Compliance: Not reported
Compartment Release Detection Compliance: Not reported
Piping Release Detection Compliance: Not reported
Spill Prevention/Overfill Compliance: Not reported

Self Cert ID: 58455
Cert ID: 59742
AI Number: 45751
Self Certification Date: 06/25/2002
Signature Name/Title: SHANNON DYER ENVIR OPER ANALYST
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: INITIAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 07/31/2002
Reporting Method: Not reported
Tank Corrosion Protection Compliance: Not reported
Piping Corrosion Protection Compliance: Not reported
Compartment Release Detection Compliance: Not reported
Piping Release Detection Compliance: Not reported
Spill Prevention/Overfill Compliance: Not reported

Tank:

Install Date: 05/01/1987
Tank Registration Date: 02/12/1988
Number of Compartments: 1
Tank Capacity: 12000
Tank Singlewall: Y
Tank Doublewall: N
Pipe Type: P
UST ID: 119745
Facility ID: 58455
Ai Number: 45751

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	05/13/2003
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	12000
UST Comprt ID:	54098
UST ID:	119745

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

AI Number:	45751
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	Y
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	Y
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	06/01/1975
Tank Registration Date:	02/12/1988
Number of Compartments:	1
Tank Capacity:	550
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	P
UST ID:	119746
Facility ID:	58455
AI Number:	45751
Tank Id:	2
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	05/15/2003
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	2
Tank Capacity:	550
UST Comprt ID:	54099
UST ID:	119746
AI Number:	45751
Compartment ID:	A
Substance Stored1:	USED OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	Y
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1976
Tank Registration Date:	02/12/1988
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	119747
Facility ID:	58455
Ai Number:	45751
Tank Id:	70
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/01/1987
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	70
Tank Capacity:	8000
UST Comprt ID:	54100
UST ID:	119747
AI Number:	45751
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1976
Tank Registration Date:	02/12/1988
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	119748
Facility ID:	58455
Ai Number:	45751
Tank Id:	72
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/01/1987
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	72
Tank Capacity:	8000
UST Comprt ID:	54101
UST ID:	119748
AI Number:	45751
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1976
Tank Registration Date:	02/12/1988
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	119749
Facility ID:	58455
Ai Number:	45751
Tank Id:	71
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/01/1987
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	71
Tank Capacity:	8000
UST Comprt ID:	54102
UST ID:	119749
AI Number:	45751
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Construction Notification:	
NOC ID:	5510
Facility ID:	58455
AI Number:	45751
Application Received Date:	12/16/2002
Scheduled Construction Date:	01/15/2003
UST Improvement:	N
UST Installation:	N
UST Removal:	Y
UST Repair:	N
UST Return To Service:	N
UST Replacement:	N
UST Abandonment:	N
UST Stage I:	N
AST Installation:	N
AST Stage I:	N
Historical Tracking Number:	M21216008
Waiver Flag:	N
Late Filing Flag:	N
Form Received Date:	Not reported
Signature Date On Form:	Not reported
Signature Name On Form:	Not reported
Signature Company On Form:	Not reported
Signature Title On Form:	Not reported
Signature Role:	Not reported
Owner Name At Time Of Construction:	Not reported
Owner CN At Time Of Construction:	Not reported
Owner AR At Time Of Construction:	10457
General Desc Of Prop Construct:	Not reported
Contractor, Consultant and Installer:	
Cont/Cons/Installer ID:	6039
UST ID:	Not reported
NOC ID:	5510
AI Number:	45751
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP000209
Company Name:	Not reported
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	Not reported
Phone Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NATIONAL CAR RENTAL SYSTEM (Continued)

U003583165

Phone Number Extension: Not reported
Fax Number Country Code: Not reported
Fax Number Area Code: Not reported
Fax Number: Not reported
Email Address: Not reported

Facility Billing Contacts:

Contact Organization Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Contact Mailing Address (Delivery): PO BOX 619428
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City/State/Zip: DFW AIRPORT, TX 75261 9428
Phone Number/Ext: /
Contact Fax Number/Ext: /
Contact Email Address: Not reported
Contact Address Deliverable: Y
Facility ID: 58455
Additional ID: 128612422002207
Princ ID: 448448802003162
AI Number: 45751
Facility Name: NATIONAL CAR RENTAL SYSTEM
AR Number: Not reported
AR UST Number Suffix: Not reported
AR AST Number Suffix: Not reported
Contact Name/Title: RICK REETER/

TX Financial Assurance 2:

Name: NATIONAL CAR RENTAL SYSTEM
Address: Not reported
City,State,Zip: TX
Region: 2
Facility ID: 58455
Finass ID: 42959
AI: 45751
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 09/30/1993
Date Financial Assurance Form Rec: Not reported
Issuer Name: Not reported
Issuer Phone: Not reported
Policy Number: Unknown
Coverage Amount: 0
Coverage Expiration Date: 01/01/1901
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

P138 **DFW AIRPORT JHZ SSALR 17R**
NNE **DFW AIRPORT**
1/2-1 **DFW AIRPORT, TX**
0.630 mi.
3325 ft. **Site 8 of 9 in cluster P**

UST **U001268760**
N/A

Relative:
Higher

Actual:
589 ft.

UST:

Name:	DFW AIRPORT JHZ SSALR 17R
Address:	DFW AIRPORT
City,State,Zip:	DFW AIRPORT, TX
AI Number:	35837
Facility Type:	Not reported
Facility Begin Date:	12/18/1986
Facility Status:	INACTIVE
Additional ID:	554821832002138
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	DFW AIRPORT
Site Location (Nearest City Name):	DFW AIRPORT
Site Location (County Name):	TARRANT
Site Location (Tceq Region):	4
Site Location (Location Zip):	75261
Contact Name/Title:	J W CLARK,MGR
Contact Organization Name:	DFW AIRPORT JHZ SSALR 17R
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	2145744378
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	05/01/1986
Signature Name/Title On Earliest Reg Form:	J W CLARK,MGR.
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No

Owner:

Owner CN:	CN600436885
Owner Last Name:	FEDERAL AVIATION ADMINISTRATION
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	FG
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	834384492001318
Additional ID:	554821832002138

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT JHZ SSALR 17R (Continued)

U001268760

AI Number:	35837
Owner Effective Begin Date:	12/18/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported

Tank:

Install Date:	01/01/1972
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	94773
Facility ID:	67646
AI Number:	35837
Tank Id:	1
Tank Status (Current):	PERM FILLED IN PLACE
Tank Status Date:	12/30/1983
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT JHZ SSALR 17R (Continued)

U001268760

PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	Not reported
UST Comprt ID:	93327
UST ID:	94773
AI Number:	35837
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW AIRPORT JHZ SSALR 17R (Continued)

U001268760

Facility Billing Contacts:
Contact Organization Name: FEDERAL AVIATION ADMINISTRATION
Contact Mailing Address (Delivery): PO BOX 610368
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City/State/Zip: DALLAS, TX 75261 0368
Phone Number/Ext: /
Contact Fax Number/Ext: /
Contact Email Address: Not reported
Contact Address Deliverable: Y
Facility ID: 67646
Additional ID: 554821832002138
Princ ID: 834384492001318
AI Number: 35837
Facility Name: DFW AIRPORT JHZ SSALR 17R
AR Number: Not reported
AR UST Number Suffix: Not reported
AR AST Number Suffix: Not reported
Contact Name/Title: STACY HOWARD/

P139
NNE
1/2-1
0.630 mi.
3325 ft.

DFW AIRPORT VORTAC
DFW AIRPORT
DFW AIRPORT, TX
Site 9 of 9 in cluster P

UST **U001268775**
N/A

Relative:
Higher
Actual:
589 ft.

UST:
Name: DFW AIRPORT VORTAC
Address: DFW AIRPORT
City,State,Zip: DFW AIRPORT, TX
AI Number: 35852
Facility Type: Not reported
Facility Begin Date: 12/19/1986
Facility Status: INACTIVE
Additional ID: 602729612002138
Facility Exempt Status: N
Records Off-Site: No
UST Financial Assurance Required: No
Number Of Active UST: 0
Site Location Description: DFW AIRPORT
Site Location (Nearest City Name): DFW AIRPORT
Site Location (County Name): DALLAS
Site Location (Tceq Region): 4
Site Location (Location Zip): 75261
Contact Name/Title: J W CLARK,MGR
Contact Organization Name: DFW AIRPORT VORTAC
Contact Mailing Address1: Not reported
Contact Mailing Address2: Not reported
Contact Mailing City/State/Zip: Not reported
Contact Telephone: 2145744378
Facility Contact Address Deliverable: Not reported
Contact Fax Number: Not reported
Contact Email Address: Not reported
Signature Date On Earliest Reg Form: 05/01/1986
Signature Name/Title On Earliest Reg Form: J W CLARK,MGR.
Application Received Date On Earliest Reg Form: 05/08/1986
Signature Role On Earliest Reg Form: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT VORTAC (Continued)

U001268775

Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
Owner:	
Owner CN:	CN600436885
Owner Last Name:	FEDERAL AVIATION ADMINISTRATION
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	FG
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	834384492001318
Additional ID:	602729612002138
AI Number:	35852
Owner Effective Begin Date:	12/19/1986
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1974
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	1000
Tank Singlewall:	N
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	94788
Facility ID:	67654
Ai Number:	35852
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	09/06/1996
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT VORTAC (Continued)

U001268775

Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMethod (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	Not reported
Compartment Records:	
Tank ID:	1
Tank Capacity:	1000
UST Comprt ID:	93335
UST ID:	94788
AI Number:	35852
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW AIRPORT VORTAC (Continued)

U001268775

PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Facility Billing Contacts:

Contact Organization Name:	FEDERAL AVIATION ADMINISTRATION
Contact Mailing Address (Delivery):	PO BOX 610368
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DALLAS, TX 75261 0368
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	67654
Additional ID:	602729612002138
Princ ID:	834384492001318
AI Number:	35852
Facility Name:	DFW AIRPORT VORTAC
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	STACY HOWARD/

140
SW
1/2-1
0.651 mi.
3436 ft.

RUNWAY 36L ALSF 2 BXN
DFW AIRPORT RUNWAY 36
DFW AIRPORT, TX

UST U003974597
N/A

Relative:
Lower
Actual:
563 ft.

UST:	
Name:	RUNWAY 36L ALSF 2 BXN
Address:	DFW AIRPORT RUNWAY 36
City,State,Zip:	DFW AIRPORT, TX
AI Number:	76565
Facility Type:	Not reported
Facility Begin Date:	08/31/1987
Facility Status:	ACTIVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 36L ALSF 2 BXN (Continued)

U003974597

Additional ID:	767431672005053
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	1
Site Location Description:	DFW AIRPORT RUNWAY 36
Site Location (Nearest City Name):	DFW AIRPORT
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75261
Contact Name/Title:	DAVID BARRINGTON,
Contact Organization Name:	RUNWAY 36L ALSF 2 BXN
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	9726152626
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	DAVID.BARRINGTON@FAA.GOV
Signature Date On Earliest Reg Form:	11/28/2022
Signature Name/Title On Earliest Reg Form:	DAVID BARRINGTON,DFW ESU MANAGER
Application Received Date On Earliest Reg Form:	12/05/2022
Signature Role On Earliest Reg Form:	LEGAL AUTH REP OWNER
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	No
Facility Not Inspectable:	No
Operator:	
Princ ID:	834384492001318
Additional ID:	767431672005053
Ai Number:	76565
Operator CN:	CN600436885
Operator Name:	FEDERAL AVIATION ADMINISTRATION
Operator Effective Begin Date:	08/01/2014
Operator Type:	FG
Operator Role:	OWNOPRCON
Contact Name:	SHEILA GRIFFITH/190 DISTRICT MGR
Contact Organization Name:	FAA HOUSTON TRACON DISTRICT 190
Contact Mailing Address (Delivery):	4005 GREENS RD
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	HOUSTON TX 77032-2333
Contact Phone Country Code:	1
Contact Phone Area Code:	281
Contact Phone Number:	2308475
Contact Phone Extension:	0
Contact Fax Country Code:	Not reported
Contact Fax Area Code:	Not reported
Contact Fax Number:	Not reported
Contact Fax Extension:	Not reported
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Owner:	
Owner CN:	CN600436885
Owner Last Name:	FEDERAL AVIATION ADMINISTRATION
Owner First Name:	Not reported
Owner Middle Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 36L ALSF 2 BXN (Continued)

U003974597

Owner Type: FG
Contact Mailing Address (Delivery): PO BOX 610368
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City: DALLAS
Contact Mailing State: TX
Contact Mailing Zip: 75261
Contact Mailing Zip5: 0368
Contact Phone Number/Ext: 1 972 6152347/0
Contact Fax Country Code: Not reported
Contact Fax Number/Ext: /
Contact Email Address: Not reported
Contact Address Deliverable: Not reported
Princ ID: 834384492001318
Additional ID: 767431672005053
AI Number: 76565
Owner Effective Begin Date: 08/01/2014
State Tax ID: Not reported
Contact Role: OWNCON
Contact Name/Title: STACY HOWARD/SECM
Contact Organization Name: FEDERAL AVIATION ADMINISTRATION

Self Certification:

Self Cert ID: 117554
Cert ID: 380188
AI Number: 76565
Self Certification Date: 11/28/2022
Signature Name/Title: DAVID BARRINGTON DFW ESU MANAGER
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2024
Reporting Method: P
Tank Corrosion Protection Compliance: Y
Piping Corrosion Protection Compliance: Y
Compartment Release Detection Compliance: Y
Piping Release Detection Compliance: Y
Spill Prevention/Overfill Compliance: Y

Self Cert ID: 117554
Cert ID: 366390
AI Number: 76565
Self Certification Date: 01/26/2022
Signature Name/Title: DAVID BARRINGTON DFW ESU MANAGER
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: RENEWAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 01/31/2023
Reporting Method: P
Tank Corrosion Protection Compliance: Y
Piping Corrosion Protection Compliance: Y
Compartment Release Detection Compliance: Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 36L ALSF 2 BXN (Continued)

U003974597

Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	117554
Cert ID:	349147
AI Number:	76565
Self Certification Date:	02/01/2021
Signature Name/Title:	DAVID BARRINGTON DFW ESU MNGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2022
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	117554
Cert ID:	313406
AI Number:	76565
Self Certification Date:	12/20/2018
Signature Name/Title:	ANTHONY BRYANT DFW ESU MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2020
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	117554
Cert ID:	298615
AI Number:	76565
Self Certification Date:	01/05/2018
Signature Name/Title:	KEITH ROGERS SECM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2019
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 36L ALSF 2 BXN (Continued)

U003974597

Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	117554
Cert ID:	282468
AI Number:	76565
Self Certification Date:	12/28/2016
Signature Name/Title:	LENNY RAMOS SECM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2018
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	117554
Cert ID:	265524
AI Number:	76565
Self Certification Date:	12/30/2015
Signature Name/Title:	STACY HOWARD SECM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2017
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y
Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	117554
Cert ID:	246612
AI Number:	76565
Self Certification Date:	12/12/2014
Signature Name/Title:	STACY E HOWARD SECM
Signature Type Role:	LEGAL AUTH REP OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2016
Reporting Method:	P
Tank Corrosion Protection Compliance:	Y
Piping Corrosion Protection Compliance:	Y
Compartment Release Detection Compliance:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 36L ALSF 2 BXN (Continued)

U003974597

Piping Release Detection Compliance:	Y
Spill Prevention/Overfill Compliance:	Y
Self Cert ID:	117554
Cert ID:	205102
AI Number:	76565
Self Certification Date:	01/03/2013
Signature Name/Title:	STACY HOWARD SECM
Signature Type Role:	OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2014
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	117554
Cert ID:	205101
AI Number:	76565
Self Certification Date:	01/17/2012
Signature Name/Title:	STACY E HOWARD SECM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2013
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	117554
Cert ID:	205100
AI Number:	76565
Self Certification Date:	01/24/2011
Signature Name/Title:	STACY E HOWARD SAFETY & ENV MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2012
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 36L ALSF 2 BXN (Continued)

U003974597

Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	117554
Cert ID:	205099
AI Number:	76565
Self Certification Date:	01/15/2010
Signature Name/Title:	STACY E HOWARD SFTY & ENV MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2011
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	117554
Cert ID:	205098
AI Number:	76565
Self Certification Date:	01/26/2009
Signature Name/Title:	CHARLES SMITH MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2010
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	117554
Cert ID:	205097
AI Number:	76565
Self Certification Date:	12/31/2007
Signature Name/Title:	CHARLES W SMITH D10 DISTRICT MGR
Signature Type Role:	OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2009
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 36L ALSF 2 BXN (Continued)

U003974597

Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	117554
Cert ID:	205096
AI Number:	76565
Self Certification Date:	01/25/2007
Signature Name/Title:	STACY E HOWARD DFW TECH SUPPORT CTR
Signature Type Role:	LEGAL AUTH REP OPERATOR
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2008
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	117554
Cert ID:	205095
AI Number:	76565
Self Certification Date:	12/20/2005
Signature Name/Title:	CHARLES W SMITH MGR
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2007
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	117554
Cert ID:	205094
AI Number:	76565
Self Certification Date:	01/20/2005
Signature Name/Title:	CHARLES W SMITH ASM
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	RENEWAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2006
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RUNWAY 36L ALSF 2 BXN (Continued)

U003974597

Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Self Cert ID:	117554
Cert ID:	205093
AI Number:	76565
Self Certification Date:	06/08/2004
Signature Name/Title:	ED PATTERSON MGR LONE STAR SMO
Signature Type Role:	LEGAL AUTH REP OWNER
Filing Status:	INITIAL
Registration Self Certification Flag:	Y
Facility Fees Self Certification Flag:	Y
Financial Assurance Self Certification Flag:	Y
Technical Standards Self Certification Flag:	Y
Delivery Certificate Expiration Date:	01/31/2005
Reporting Method:	Not reported
Tank Corrosion Protection Compliance:	Not reported
Piping Corrosion Protection Compliance:	Not reported
Compartment Release Detection Compliance:	Not reported
Piping Release Detection Compliance:	Not reported
Spill Prevention/Overfill Compliance:	Not reported
Tank:	
Install Date:	01/04/2004
Tank Registration Date:	06/14/2004
Number of Compartments:	1
Tank Capacity:	2000
Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	S
UST ID:	203291
Facility ID:	117554
AI Number:	76565
Tank Id:	1
Tank Status (Current):	IN USE
Tank Status Date:	01/04/2004
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RUNWAY 36L ALSF 2 BXN (Continued)

U003974597

Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	Y
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	Y
PCPMeth(Isolated Open Area/2nd Containment):	Y
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	04/28/2004

Compartment Records:

Tank ID:	1
Tank Capacity:	2000
UST Comprt ID:	184392
UST ID:	203291
AI Number:	76565
Compartment ID:	A
Substance Stored1:	DIESEL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	Y
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	Y
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	Y
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	Y
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	Y
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 36L ALSF 2 BXN (Continued)

U003974597

SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve):	Y
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	Y
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Construction Notification:

NOC ID:	21166
Facility ID:	117554
AI Number:	76565
Application Received Date:	06/25/2008
Scheduled Construction Date:	06/30/2008
UST Improvement:	N
UST Installation:	Y
UST Removal:	N
UST Repair:	N
UST Return To Service:	N
UST Replacement:	N
UST Abandonment:	N
UST Stage I:	N
AST Installation:	N
AST Stage I:	N
Historical Tracking Number:	M80625001
Waiver Flag:	N
Late Filing Flag:	N
Form Received Date:	Not reported
Signature Date On Form:	Not reported
Signature Name On Form:	Not reported
Signature Company On Form:	Not reported
Signature Title On Form:	Not reported
Signature Role:	Not reported
Owner Name At Time Of Construction:	Not reported
Owner CN At Time Of Construction:	Not reported
Owner AR At Time Of Construction:	Not reported
General Desc Of Prop Construct:	Not reported

Contractor, Consultant and Installer:

Cont/Cons/Installer ID:	22248
UST ID:	Not reported
NOC ID:	21166
AI Number:	76565
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP001695
Company Name:	Not reported
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RUNWAY 36L ALSF 2 BXN (Continued)

U003974597

Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	35008
UST ID:	203291
NOC ID:	Not reported
AI Number:	76565
Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP001123
Company Name:	FUEL SYSTEMS UNLIMITED
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported
Cont/Cons/Installer ID:	50166
UST ID:	203291
NOC ID:	Not reported
AI Number:	76565
Type Of Contact:	INSTALLER
Contractor CRP Number Or Installer ILP Number:	ILP000370
Company Name:	Not reported
Representative Name:	MARK TENNISON
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	Not reported
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RUNWAY 36L ALSF 2 BXN (Continued)

U003974597

Fax Number Country Code: Not reported
 Fax Number Area Code: Not reported
 Fax Number: Not reported
 Email Address: Not reported

Facility Billing Contacts:

Contact Organization Name: FEDERAL AVIATION ADMINISTRATION
 Contact Mailing Address (Delivery): PO BOX 610368
 Contact Mailing Address (Internal Delivery): Not reported
 Contact Mailing City/State/Zip: DALLAS, TX 75261 0368
 Phone Number/Ext: 817 8587450/0
 Contact Fax Number/Ext: /
 Contact Email Address: LENNY.RAMOS@FAA.GOV
 Contact Address Deliverable: Y
 Facility ID: 117554
 Additional ID: 767431672005053
 Princ ID: 834384492001318
 AI Number: 76565
 Facility Name: RUNWAY 36L ALSF 2 BXN
 AR Number: 16511
 AR UST Number Suffix: A
 AR AST Number Suffix: U
 Contact Name/Title: LENNY RAMOS/

141
 NE
 1/2-1
 0.676 mi.
 3567 ft.

STAR ENTERPRISE TEXACO STATION
3500 S SERVICE RD
DALLAS, TX 75261

UST **U001249221**
Financial Assurance **N/A**

Relative:
Higher
Actual:
574 ft.

UST:
 Name: STAR ENTERPRISE TEXACO STATION
 Address: 3500 S SERVICE RD
 City,State,Zip: DALLAS, TX 75261
 AI Number: 13602
 Facility Type: RETAIL
 Facility Begin Date: 09/01/1988
 Facility Status: INACTIVE
 Additional ID: 497582342002172
 Facility Exempt Status: N
 Records Off-Site: No
 UST Financial Assurance Required: No
 Number Of Active UST: 0
 Site Location Description: Not reported
 Site Location (Nearest City Name): Not reported
 Site Location (County Name): DALLAS
 Site Location (Tceq Region): 4
 Site Location (Location Zip): 75261
 Contact Name/Title: SCOTT HAGGERTON,
 Contact Organization Name: STAR ENTERPRISE TEXACO STATION
 Contact Mailing Address1: Not reported
 Contact Mailing Address2: Not reported
 Contact Mailing City/State/Zip: Not reported
 Contact Telephone: 2149053441
 Facility Contact Address Deliverable: Not reported
 Contact Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	03/07/1986
Signature Name/Title On Earliest Reg Form:	F H VAN DYKE,DIV MGR
Application Received Date On Earliest Reg Form:	05/08/1986
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
Owner:	
Owner CN:	CN601700610
Owner Last Name:	DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Owner First Name:	Not reported
Owner Middle Name:	Not reported
Owner Type:	OG
Contact Mailing Address (Delivery):	Not reported
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City:	Not reported
Contact Mailing State:	Not reported
Contact Mailing Zip:	Not reported
Contact Mailing Zip5:	Not reported
Contact Phone Number/Ext:	/
Contact Fax Country Code:	Not reported
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Princ ID:	448448802003162
Additional ID:	497582342002172
AI Number:	13602
Owner Effective Begin Date:	09/01/1988
State Tax ID:	Not reported
Contact Role:	Not reported
Contact Name/Title:	/
Contact Organization Name:	Not reported
Tank:	
Install Date:	01/01/1974
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	35329
Facility ID:	58441
AI Number:	13602
Tank Id:	97
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/06/1999
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	12/18/1990
Compartment Records:	
Tank ID:	97
Tank Capacity:	8000
UST Comprt ID:	67232
UST ID:	35329
AI Number:	13602
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	Y
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

More Self Certification:

Self Cert ID:	5449
Cert ID:	103317
UST Comprt ID:	299803
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A

Self Cert ID:	5449
Cert ID:	103318
UST Comprt ID:	299804
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A

Self Cert ID:	5449
Cert ID:	103319
UST Comprt ID:	299800
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A

Self Cert ID:	5449
Cert ID:	226458
UST Comprt ID:	649920
UST ID:	105099
AI Number:	13602

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	241425
UST Comprt ID:	693601
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	259408
UST Comprt ID:	746701
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	277053
UST Comprt ID:	798697
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	293925
UST Comprt ID:	848877
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	311372
UST Comprt ID:	901080
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	326728
UST Comprt ID:	947097
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	342577
UST Comprt ID:	995029
UST ID:	105099
AI Number:	13602
Tank ID:	2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

Compartment ID:	A
Self Cert ID:	5449
Cert ID:	360303
UST Comprt ID:	1048395
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	377231
UST Comprt ID:	1099651
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103536
UST Comprt ID:	299799
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103537
UST Comprt ID:	299798
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103538
UST Comprt ID:	299797
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103539
UST Comprt ID:	299796
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103540
UST Comprt ID:	299795
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

Self Cert ID:	5449
Cert ID:	103541
UST Compr ID:	299794
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103542
UST Compr ID:	299793
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103543
UST Compr ID:	299792
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103315
UST Compr ID:	299801
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103316
UST Compr ID:	299802
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Install Date:	01/01/1974
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	35331
Facility ID:	58441
AI Number:	13602
Tank Id:	95
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/06/1999
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	12/18/1990
Compartment Records:	
Tank ID:	95
Tank Capacity:	8000
UST Comprt ID:	67234
UST ID:	35331
AI Number:	13602
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

CRDM(GW Monitoring):	Y
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

More Self Certification:

Self Cert ID:	5449
Cert ID:	103317
UST Comprt ID:	299803
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103318
UST Comprt ID:	299804
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103319
UST Comprt ID:	299800
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

Self Cert ID:	5449
Cert ID:	226458
UST Comprt ID:	649920
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	241425
UST Comprt ID:	693601
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	259408
UST Comprt ID:	746701
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	277053
UST Comprt ID:	798697
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	293925
UST Comprt ID:	848877
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	311372
UST Comprt ID:	901080
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	326728
UST Comprt ID:	947097
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

Cert ID:	342577
UST Compr ID:	995029
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	360303
UST Compr ID:	1048395
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	377231
UST Compr ID:	1099651
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103536
UST Compr ID:	299799
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103537
UST Compr ID:	299798
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103538
UST Compr ID:	299797
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103539
UST Compr ID:	299796
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103540

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

UST Comprt ID:	299795
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103541
UST Comprt ID:	299794
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103542
UST Comprt ID:	299793
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103543
UST Comprt ID:	299792
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103315
UST Comprt ID:	299801
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103316
UST Comprt ID:	299802
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Install Date:	01/01/1974
Tank Registration Date:	05/08/1986
Number of Compartments:	1
Tank Capacity:	8000
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	Not reported
UST ID:	35330
Facility ID:	58441
AI Number:	13602

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

Tank Id:	96
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	12/06/1999
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	N
Installation Signature Date:	12/18/1990
 Compartment Records:	
Tank ID:	96
Tank Capacity:	8000
UST Comprt ID:	67233
UST ID:	35330

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

AI Number:	13602
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	Y
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control)):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	Y
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
More Self Certification:	
Self Cert ID:	5449
Cert ID:	103317
UST Comprt ID:	299803
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103318
UST Comprt ID:	299804
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103319

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

UST Compr ID:	299800
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	226458
UST Compr ID:	649920
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	241425
UST Compr ID:	693601
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	259408
UST Compr ID:	746701
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	277053
UST Compr ID:	798697
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	293925
UST Compr ID:	848877
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	311372
UST Compr ID:	901080
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	326728
UST Compr ID:	947097

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	342577
UST Compr ID:	995029
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	360303
UST Compr ID:	1048395
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	377231
UST Compr ID:	1099651
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103536
UST Compr ID:	299799
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103537
UST Compr ID:	299798
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103538
UST Compr ID:	299797
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103539
UST Compr ID:	299796
UST ID:	105099

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103540
UST Comprt ID:	299795
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103541
UST Comprt ID:	299794
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103542
UST Comprt ID:	299793
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103543
UST Comprt ID:	299792
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103315
UST Comprt ID:	299801
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Self Cert ID:	5449
Cert ID:	103316
UST Comprt ID:	299802
UST ID:	105099
AI Number:	13602
Tank ID:	2
Compartment ID:	A
Construction Notification:	
NOC ID:	5497
Facility ID:	58441
AI Number:	13602

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

Application Received Date: 12/06/1999
Scheduled Construction Date: 12/15/2000
UST Improvement: N
UST Installation: N
UST Removal: Y
UST Repair: N
UST Return To Service: N
UST Replacement: N
UST Abandonment: N
UST Stage I: N
AST Installation: N
AST Stage I: N
Historical Tracking Number: NL0000017
Waiver Flag: N
Late Filing Flag: Y
Form Received Date: Not reported
Signature Date On Form: Not reported
Signature Name On Form: Not reported
Signature Company On Form: Not reported
Signature Title On Form: Not reported
Signature Role: Not reported
Owner Name At Time Of Construction: Not reported
Owner CN At Time Of Construction: Not reported
Owner AR At Time Of Construction: 10457
General Desc Of Prop Construct: Not reported

Facility Billing Contacts:

Contact Organization Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Contact Mailing Address (Delivery): PO BOX 619428
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City/State/Zip: DFW AIRPORT, TX 75261 9428
Phone Number/Ext: /
Contact Fax Number/Ext: /
Contact Email Address: Not reported
Contact Address Deliverable: Y
Facility ID: 58441
Additional ID: 497582342002172
Princ ID: 448448802003162
AI Number: 13602
Facility Name: STAR ENTERPRISE TEXACO STATION
AR Number: Not reported
AR UST Number Suffix: Not reported
AR AST Number Suffix: Not reported
Contact Name/Title: RICK REETER/

TX Financial Assurance 2:

Name: STAR ENTERPRISE TEXACO STATION
Address: 3500 S SERVICE RD
City,State,Zip: DALLAS, TX 75261
Region: 2
Facility ID: 58441
Finass ID: 42690
AI: 13602
Mechanism Type Other: Not reported
Multiple Mechanism Types: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STAR ENTERPRISE TEXACO STATION (Continued)

U001249221

Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: FINANCIAL TEST
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 09/30/1993
Date Financial Assurance Form Rec: Not reported
Issuer Name: Not reported
Issuer Phone: Not reported
Policy Number: Unknown
Coverage Amount: 0
Coverage Expiration Date: 01/01/1901
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: No

142
NNE
1/2-1
0.779 mi.
4114 ft.

**BUDGET 5305 DFW APO N
NORTH FACILITY
DFW AIRPORT, TX**

**LPST
UST
Financial Assurance**

**U001278858
N/A**

**Relative:
Higher**

LPST:

Name: BUDGET RENT A CAR N SERVICE
Address: NORTH FACILITY
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0047588
LPST Id: 105844
Facility Location: TERMINAL 1W INTERNATIONAL PARKWAY
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 01/08/1993
Entered Date: 02/12/1993
Reported Date: 01/08/1993
Closure Date: 10/25/1995
Priority: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1
Coordinators RPR: RPR
Responsible Party Name: Not reported
Responsible Party Contact: CATHLEEN MCMILLIN
Responsible Party Address: PO BOX DFW
Responsible Party City,St,Zip: DFW AIRPORT, TX 75261
Responsible Party Telephone: 214/574-8185
Reported Date: 01/08/1993
Case Start Date: 10/25/1995
Reference Number: RN102785672
Project Manager: HWELCH

UST:

Name: BUDGET 5305 DFW APO N
Address: NORTH FACILITY
City,State,Zip: DFW AIRPORT, TX
Al Number: 47588
Facility Type: FLEET REFUELING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUDGET 5305 DFW APO N (Continued)

U001278858

Facility Begin Date:	01/01/1975
Facility Status:	INACTIVE
Additional ID:	745017072002205
Facility Exempt Status:	N
Records Off-Site:	No
UST Financial Assurance Required:	No
Number Of Active UST:	0
Site Location Description:	NORTH FACILITY
Site Location (Nearest City Name):	DFW AIRPORT
Site Location (County Name):	DALLAS
Site Location (Tceq Region):	4
Site Location (Location Zip):	75261
Contact Name/Title:	,
Contact Organization Name:	BUDGET 5305 DFW APO N
Contact Mailing Address1:	Not reported
Contact Mailing Address2:	Not reported
Contact Mailing City/State/Zip:	Not reported
Contact Telephone:	9725745593
Facility Contact Address Deliverable:	Not reported
Contact Fax Number:	Not reported
Contact Email Address:	Not reported
Signature Date On Earliest Reg Form:	01/18/1989
Signature Name/Title On Earliest Reg Form:	GEORGE DEARMENT,PURCHASING
Application Received Date On Earliest Reg Form:	01/20/1989
Signature Role On Earliest Reg Form:	Not reported
Signature Company On Earliest Reg Form:	Not reported
Enforcement Action:	Not reported
Facility Not Inspectable:	No
Operator:	
Princ ID:	448448802003162
Additional ID:	745017072002205
Ai Number:	47588
Operator CN:	CN601700610
Operator Name:	DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Operator Effective Begin Date:	06/25/2002
Operator Type:	OG
Operator Role:	OPRCON
Contact Name:	ROBERT HORTON/VICE PRESIDENT, ENVIRONMENTAL AFFAIRS DEPARTMENT
Contact Organization Name:	DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD
Contact Mailing Address (Delivery):	PO BOX 619428
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DFW AIRPORT TX 75261-9428
Contact Phone Country Code:	1
Contact Phone Area Code:	972
Contact Phone Number:	9735560
Contact Phone Extension:	0
Contact Fax Country Code:	Not reported
Contact Fax Area Code:	Not reported
Contact Fax Number:	Not reported
Contact Fax Extension:	Not reported
Contact Email Address:	Not reported
Contact Address Deliverable:	Not reported
Owner:	
Owner CN:	CN601700610
Owner Last Name:	DALLAS-FT WORTH INTERNATIONAL AIRPORT BOARD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUDGET 5305 DFW APO N (Continued)

U001278858

Owner First Name: Not reported
Owner Middle Name: Not reported
Owner Type: OG
Contact Mailing Address (Delivery): PO BOX 619428
Contact Mailing Address (Internal Delivery): Not reported
Contact Mailing City: DFW AIRPORT
Contact Mailing State: TX
Contact Mailing Zip: 75261
Contact Mailing Zip5: 9428
Contact Phone Number/Ext: 1 972 9735576/0
Contact Fax Country Code: Not reported
Contact Fax Number/Ext: /
Contact Email Address: Not reported
Contact Address Deliverable: Not reported
Princ ID: 448448802003162
Additional ID: 745017072002205
AI Number: 47588
Owner Effective Begin Date: 06/25/2002
State Tax ID: Not reported
Contact Role: OWNCON
Contact Name/Title: RICK ROSALES/ENV TECH
Contact Organization Name: DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD

Self Certification:

Self Cert ID: 58457
Cert ID: 59757
AI Number: 47588
Self Certification Date: 04/27/2001
Signature Name/Title: JANE KEITH
Signature Type Role: LEGAL AUTH REP OWNER
Filing Status: INITIAL
Registration Self Certification Flag: Y
Facility Fees Self Certification Flag: Y
Financial Assurance Self Certification Flag: Y
Technical Standards Self Certification Flag: Y
Delivery Certificate Expiration Date: 09/30/2002
Reporting Method: Not reported
Tank Corrosion Protection Compliance: Not reported
Piping Corrosion Protection Compliance: Not reported
Compartment Release Detection Compliance: Not reported
Piping Release Detection Compliance: Not reported
Spill Prevention/Overfill Compliance: Not reported

Tank:

Install Date: 01/01/1974
Tank Registration Date: 01/20/1989
Number of Compartments: 1
Tank Capacity: 10000
Tank Singlewall: Y
Tank Doublewall: N
Pipe Type: P
UST ID: 124071
Facility ID: 58457
AI Number: 47588
Tank Id: 87
Tank Status (Current): REMOVED FROM GROUND

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

BUDGET 5305 DFW APO N (Continued)

U001278858

Tank Status Date:	03/10/1991
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	03/28/1990
Compartment Records:	
Tank ID:	87
Tank Capacity:	10000
UST Comprt ID:	54105
UST ID:	124071
AI Number:	47588
Compartment ID:	A

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

BUDGET 5305 DFW APO N (Continued)

U001278858

Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve)):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage 1 Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported
Install Date:	01/01/1974
Tank Registration Date:	01/20/1989
Number of Compartments:	1
Tank Capacity:	500
Tank Singlewall:	Y
Tank Doublewall:	N
Pipe Type:	G
UST ID:	124072
Facility ID:	58457
Ai Number:	47588
Tank Id:	88
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	03/19/1991
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	Y
Piping Design (Double Wall):	N
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

BUDGET 5305 DFW APO N (Continued)

U001278858

Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	Y
Tank Material(Frp(Fiberglass-Reinforced Plastic):	N
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N
Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	Y
Piping Mat(Frp(Fiberglass Reinforced Plastic):	N
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FaInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible)):	N
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	N
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	N
Piping Corr Prot Compliance Flag:	N
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	03/28/1990
Compartment Records:	
Tank ID:	88
Tank Capacity:	500
UST Comprt ID:	54106
UST ID:	124072
AI Number:	47588
Compartment ID:	A
Substance Stored1:	USED OIL
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	N
CRDM(Interstitial Monitoring SecWall/Jacket):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

BUDGET 5305 DFW APO N (Continued)

U001278858

CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N
PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	N
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction):	N
Spill Overfill Prevention Equip(SOPE):	N
SOPE(Spill Cont/Bucket/Sump):	N
SOPE(DelShut-Off Valve):	N
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	N
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	N
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	Not reported
Stage 1 Installation Date:	Not reported

Install Date:	03/01/1991
Tank Registration Date:	01/20/1989
Number of Compartments:	1
Tank Capacity:	10000
Tank Singlewall:	N
Tank Doublewall:	Y
Pipe Type:	P
UST ID:	124073
Facility ID:	58457
Ai Number:	47588
Tank Id:	1
Tank Status (Current):	REMOVED FROM GROUND
Tank Status Date:	07/01/2003
Empty:	N
Tank Regulatory Status:	FULLY REGULATED
Tank Int Prot (Internal Tank Lining Date):	Not reported
Piping Design (Single Wall):	N
Piping Design (Double Wall):	Y
Tank Ext Cont(Fac-Built Nonmetallic Jacket):	N
Tank Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Tank Ext Cont(Tank Vault/Rigid Trench Liner):	N
Piping Ext Cont(Fac-Built Nonmetallic Jacket):	N
Piping Ext Cont(Syn Tank-Pit/Piping-Trench Liner):	N
Piping Ext Cont(Tank Vault/Rigid Trench Liner):	N
Tank Material (Steel):	N
Tank Material(Frp(Fiberglass-Reinforced Plastic):	Y
Tank Mat(Composite (Steel W/Ext Frp Cladding)):	N
Tank Mat(Concrete):	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

BUDGET 5305 DFW APO N (Continued)

U001278858

Tank Mat(Jacketed (Steel W/Ext Nonmetallic Jck)):	N
Tank Mat(Coated(Steel W/ExtPolyurethane Cladding)):	N
Piping Material (Steel):	N
Piping Mat(Frp(Fiberglass Reinforced Plastic):	Y
Piping Mat(Concrete):	N
Piping Mat(Jacketed(Steel W/Ext Nonmetallic Jacket)):	N
Piping Mat(Nonmetallic Flex Piping):	N
PipingConnect/Valves(Shear/Impact Valves(Under Disp)):	N
Piping Connect/Valves(Steel Swing-Joints(End Of Piping)):	N
Piping Connect/Valves (Flex Connectors(Ends Of Piping)):	N
Tank Corr Prot Meth(TCPM)(Cathodic-Field Installation):	N
TCPM (ExtDielectricCoat/Laminate/Tape/Wrap):	N
TCPM(Cathodic Prot-FacInstallation):	N
TCPM(Composite Tank(Steel W/Frp Ext Laminate):	N
TCPMeth(Coated Tank(Steel W/ExtPolyurethaneLaminate):	N
TCPM(FRP Tank Or Piping(Noncorrodible):	Y
TCPM(Ext Nonmetallic Jacket):	N
TCPMeth(Unnecessary Per Corrosion Prot Spec):	N
Piping Corr Prot Meth(Dielectric Coat/Laminate/Tape/Wrap):	N
Piping Corr Prot Method(PCPM) (Cathodic Factory Install):	N
PCPM(Cathodic Prot-Field Install):	N
PCPMeth (FRP Tank Or Piping(Noncorrodible):	Y
PCPM(Nonmetallic FlexPiping (Noncorrodible)):	N
PCPMeth(Isolated Open Area/2nd Containment):	N
PCPM (Dual Protected):	N
PCPM(Unnec Per Corrosion Prot Specialist):	N
Tank Corr Prot Compliance Flag:	Y
Piping Corr Prot Compliance Flag:	Y
Tank Corrosion Prot Variance:	N
Piping Corrosion Prot Variance:	N
Temp Out Of Service Compliance:	N
Technical Compliance Flag:	N
Tank Tested Flag:	Y
Installation Signature Date:	03/28/1990
Compartment Records:	
Tank ID:	1
Tank Capacity:	10000
UST Comprt ID:	54107
UST ID:	124073
AI Number:	47588
Compartment ID:	A
Substance Stored1:	GASOLINE
Substance Stored2:	Not reported
Substance Stored3:	Not reported
CompartmentReleaseDetectionMethod(Vapor):	N
CRDM(GW Monitoring):	N
CRDM(Monitoring Of Secondary Cont Barrier):	N
CRDM(Auto Tank Gauge Test/Inv Control):	Y
CRDM(Interstitial Monitoring SecWall/Jacket):	N
CRDM(Wkly Manual Gauging(Tanks<=1000 G):	N
CRDM(Mthly Tank Gauging(Emer Gen Tanks):	N
CRDM(Sir (Stat Inv Reconciliation)/Inv Control):	N
PipingReleaseDetectionMethod(PRDM)(Vapor):	N
PRDM(Groundwater Monitoring):	N
PRDM(Monitoring Sec Containment Barrier):	N
PRDM(InterstitialMonitoring w/in SecWall/Jacket):	N
PRDM(Mthly Piping Tightness Test)@.2Gph:	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

BUDGET 5305 DFW APO N (Continued)

U001278858

PRDM(AnnualPipingTightTest/ElecMon@.1Gph:	N
PRDM(TriennialTightTest(Suction/GravityPiping):	N
PRDM AutoLineLeakDet(3.0 Gph PressPiping):	Y
PRDM(Sir(StatInv Recon)/Inv Control):	N
PRDM(Exempt System Suction:	N
Spill Overfill Prevention Equip(SOPE):	Y
SOPE(Spill Cont/Bucket/Sump):	Y
SOPE(DelShut-Off Valve):	Y
SOPE(FlowRestrictorValue:	N
SOPE(Alarm (Set@<=90%) W/3a Or 3b:	N
SOPE(N/A Deliveries To Tank<=25G):	N
Compartment Release Det Compliance Flag:	Y
Piping Release Detection Compliance Flag):	N
Spill/OverfillPreventionCompliance Flag:	Y
Compartment Release Detection Variance:	N
Piping Release Detection Variance:	N
Spill And Overfill Prevention Variance:	N
Stage I Vapor Recovery:	TWO POINT SYSTEM
Stage 1 Installation Date:	Not reported

Construction Notification:

NOC ID:	5512
Facility ID:	58457
AI Number:	47588
Application Received Date:	12/16/2002
Scheduled Construction Date:	01/15/2003
UST Improvement:	N
UST Installation:	N
UST Removal:	Y
UST Repair:	N
UST Return To Service:	N
UST Replacement:	N
UST Abandonment:	N
UST Stage I:	N
AST Installation:	N
AST Stage I:	N
Historical Tracking Number:	M21216007
Waiver Flag:	N
Late Filing Flag:	N
Form Received Date:	Not reported
Signature Date On Form:	Not reported
Signature Name On Form:	Not reported
Signature Company On Form:	Not reported
Signature Title On Form:	Not reported
Signature Role:	Not reported
Owner Name At Time Of Construction:	Not reported
Owner CN At Time Of Construction:	Not reported
Owner AR At Time Of Construction:	10457
General Desc Of Prop Construct:	Not reported

Contractor, Consultant and Installer:

Cont/Cons/Installer ID:	6040
UST ID:	Not reported
NOC ID:	5512
AI Number:	47588

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUDGET 5305 DFW APO N (Continued)

U001278858

Type Of Contact:	CONTRACTOR
Contractor CRP Number Or Installer ILP Number:	CRP000209
Company Name:	Not reported
Representative Name:	Not reported
Mailing Address (Delivery):	Not reported
Mailing Address (Internal Delivery):	Not reported
Mailing City:	Not reported
Mailing State:	Not reported
Mailing Zip:	Not reported
Mailing Foreign Postal Code:	Not reported
Mailing County Code:	Not reported
Phone Number Country Code:	1
Phone Number Area Code:	Not reported
Phone Number:	Not reported
Phone Number Extension:	Not reported
Fax Number Country Code:	Not reported
Fax Number Area Code:	Not reported
Fax Number:	Not reported
Email Address:	Not reported

Facility Billing Contacts:

Contact Organization Name:	DALLAS FORT WORTH INTERNATIONAL AIRPORT BOARD
Contact Mailing Address (Delivery):	PO BOX 619428
Contact Mailing Address (Internal Delivery):	Not reported
Contact Mailing City/State/Zip:	DFW AIRPORT, TX 75261 9428
Phone Number/Ext:	/
Contact Fax Number/Ext:	/
Contact Email Address:	Not reported
Contact Address Deliverable:	Y
Facility ID:	58457
Additional ID:	745017072002205
Princ ID:	448448802003162
AI Number:	47588
Facility Name:	BUDGET 5305 DFW APO N
AR Number:	Not reported
AR UST Number Suffix:	Not reported
AR AST Number Suffix:	Not reported
Contact Name/Title:	RICK REETER/

TX Financial Assurance 2:

Name:	BUDGET 5305 DFW APO N
Address:	Not reported
City,State,Zip:	TX
Region:	2
Facility ID:	58457
Finass ID:	42966
AI:	47588
Mechanism Type Other:	Not reported
Multiple Mechanism Types:	N
Coverage Amt per Annual Aggregate:	Not reported
Meets Financial Assurance Req Flag:	Not reported
Financial Responsibility Type:	TRUST FUND
Corrective Action MET Flag:	Y
3rd Party MET Flag:	Y
Financial Assurance Begin Date:	09/30/1993

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUDGET 5305 DFW APO N (Continued)

U001278858

Date Financial Assurance Form Rec: Not reported
Issuer Name: Not reported
Issuer Phone: Not reported
Policy Number: Unknown
Coverage Amount: 0
Coverage Expiration Date: 01/01/1901
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: No

143
ESE
1/2-1
0.822 mi.
4341 ft.

DELTA AIRLINES
2901 E 28TH ST
DFW AIRPORT, TX 75261

LPST S116703378
N/A

Relative:
Lower
Actual:
543 ft.

LPST:
Name: DELTA AIRLINES
Address: 2901 E 28TH ST
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0013043
LPST Id: 096138
Facility Location: 2901 E 28TH ST
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 06/30/1990
Entered Date: 07/12/1990
Reported Date: 07/02/1990
Closure Date: 01/14/1993
Priority: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
Program: 2 - REGION
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: SOIL CONTAMINATION ONLY, REQUIRES FULL SITE ASSESSMENT & RAP
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 2
Coordinators RPR: HELEN WELCH
Responsible Party Name: Not reported
Responsible Party Contact: LEE GOGGINS
Responsible Party Address: PO BOX 610348
Responsible Party City,St,Zip: DFW AIRPORT, TX 75261
Responsible Party Telephone: 214/574-2700
Reported Date: 07/02/1990
Case Start Date: 01/14/1993
Reference Number: RN102647302
Project Manager: HWELCH

144
South
1/2-1
0.943 mi.
4979 ft.

DOBBS HOUSE
3301 S 22ND AVE
DFW AIRPORT, TX 75261

LPST S122367930
N/A

Relative:
Lower
Actual:
556 ft.

LPST:
Name: DOBBS HOUSE
Address: 3301 S 22ND AVE
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0000853

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DOBBS HOUSE (Continued)

S122367930

LPST Id: 101518
Facility Location: 3301 S 22ND AVE
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 11/15/1991
Entered Date: 01/20/1992
Reported Date: 01/15/1992
Closure Date: 05/10/2000
Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: Groundwater is affected.
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1
Coordinators RPR: DRR
Responsible Party Name: Not reported
Responsible Party Contact: ROBERT TENTSCHE
Responsible Party Address: 5100 POPLAR AVE
Responsible Party City,St,Zip: MEMPHIS, TN 38137
Responsible Party Telephone: 901/766-3850
Reported Date: 01/15/1992
Case Start Date: 05/10/2000
Reference Number: RN102649035
Project Manager: DROGERS

Q145
SE
1/2-1
0.970 mi.
5119 ft.

AVIS RENT A CAR SYSTEM
3122 E 30TH ST
DFW AIRPORT, TX 75261
Site 1 of 18 in cluster Q

LPST S116701896
N/A

Relative:
Lower
Actual:
572 ft.

LPST:
Name: AVIS RENT A CAR SYSTEM
Address: 3122 E 30TH ST
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0023813
LPST Id: 091877
Facility Location: DFW AIRPORT
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 04/26/1988
Entered Date: 05/17/1988
Reported Date: 05/17/1988
Closure Date: 10/31/1997
Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: Groundwater is affected.
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1
Coordinators RPR: DRR
Responsible Party Name: Not reported
Responsible Party Contact: LINDA CHILDS
Responsible Party Address: PO BOX 569650
Responsible Party City,St,Zip: DALLAS, TX 75356
Responsible Party Telephone: 214/869-2400
Reported Date: 05/17/1988
Case Start Date: 10/31/1997

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AVIS RENT A CAR SYSTEM (Continued)

S116701896

Reference Number: RN100213990
Project Manager: DROGERS

Q146
SE
1/2-1
0.970 mi.
5119 ft.

DPS STATION 4 TANK 29
3122 E 30TH ST
DFW AIRPORT, TX 75261
Site 2 of 18 in cluster Q

LPST S116697839
N/A

Relative:
Lower
Actual:
572 ft.

LPST:
Name: DPS STATION 4 TANK 29
Address: 3122 E 30TH ST
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0021747
LPST Id: 107909
Facility Location: E AIRFIELD DR
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 02/23/1993
Entered Date: 02/06/1995
Reported Date: 03/01/1993
Closure Date: 06/30/1995
Priority: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: The vertical extent of contamination has been defined and the assessment results document that groundwater is not affected.
Status:
FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1/1/2
Coordinators RPR: RONNIE EASON
Responsible Party Name: Not reported
Responsible Party Contact: RICHARD REETER
Responsible Party Address: PO BOX 619428 DFW
Responsible Party City,St,Zip: DFW AIRPORT, TX 75261 9428
Responsible Party Telephone: 214/574-9910
Reported Date: 03/01/1993
Case Start Date: 06/30/1995
Reference Number: RN100213990
Project Manager: REASON

Q147
SE
1/2-1
0.970 mi.
5119 ft.

DFW INTERNATIONAL AIRPORT
3122 E 30TH ST
DFW AIRPORT, TX 75261
Site 3 of 18 in cluster Q

LPST S116703907
N/A

Relative:
Lower
Actual:
572 ft.

LPST:
Name: DFW INTERNATIONAL AIRPORT
Address: 3122 E 30TH ST
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0021747
LPST Id: 097550
Facility Location: 3010 E AIRPORT DR
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 12/12/1990

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW INTERNATIONAL AIRPORT (Continued)

S116703907

Entered Date: 12/18/1990
Reported Date: 12/12/1990
Closure Date: 03/01/1999
Priority: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: SOIL CONTAMINATION ONLY, REQUIRES FULL SITE ASSESSMENT & RAP
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1/2
Coordinators RPR: DRR
Responsible Party Name: Not reported
Responsible Party Contact: JIM LEE
Responsible Party Address: PO BOX DFW
Responsible Party City,St,Zip: DFW AIRPORT, TX 75261
Responsible Party Telephone: 214/574-5593
Reported Date: 12/12/1990
Case Start Date: 03/01/1999
Reference Number: RN100213990
Project Manager: DROGERS

Q148 AVIS RENT A CAR SYSTEM
SE 3122 E 30TH ST
1/2-1 DFW AIRPORT, TX 75261
0.970 mi.
5119 ft. Site 4 of 18 in cluster Q

LPST S116701725
N/A

Relative:
Lower
Actual:
572 ft.

LPST:
Name: AVIS RENT A CAR SYSTEM
Address: 3122 E 30TH ST
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0023814
LPST Id: 091282
Facility Location: AVIS FACILITY N
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 03/26/1987
Entered Date: 04/16/1987
Reported Date: 03/26/1987
Closure Date: 09/14/2000
Priority: 2.2 - FORMER VAPOR IMPACT/NAPL NEAR UTILITY POTENTL VAPOR PTHWY
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: A former vapor impact is associated with this site, or NAPL is present in close proximity to subsurface utilities or other natural or man-made conduit and there is potential for the accumulation of explosive vapors or vapors that could cause acute effects in a building or other structure.
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1/1P/1/1P/1
Coordinators RPR: SDC
Responsible Party Name: Not reported
Responsible Party Contact: ROSE PELINO
Responsible Party Address: 900 OLD COUNTRY RD
Responsible Party City,St,Zip: GARDEN, TX
Responsible Party Telephone: 516/222-4735
Reported Date: 03/26/1987
Case Start Date: 09/14/2000
Reference Number: RN100213990

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AVIS RENT A CAR SYSTEM (Continued)

S116701725

Project Manager: DCRAWFOR

Q149
SE
1/2-1
0.970 mi.
5119 ft.

DPS FIRE TRAINING PIT
3122 E 30TH ST
DFW AIRPORT, TX 75261
Site 5 of 18 in cluster Q

LPST **S116695505**
N/A

Relative:
Lower
Actual:
572 ft.

LPST:
Name: DPS FIRE TRAINING PIT
Address: 3122 E 30TH ST
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0021747
LPST Id: 101346
Facility Location: E AIRFIELD DR
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 12/30/1991
Entered Date: 01/23/1992
Reported Date: 12/30/1991
Closure Date: 08/25/1995
Priority: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1/2
Coordinators RPR: RONNIE EASON
Responsible Party Name: Not reported
Responsible Party Contact: JIM LEE
Responsible Party Address: PO BOX DFW
Responsible Party City,St,Zip: DFW AIRPORT, TX 75261
Responsible Party Telephone: 214/574-5593
Reported Date: 12/30/1991
Case Start Date: 08/25/1995
Reference Number: RN100213990
Project Manager: REASON

Q150
SE
1/2-1
0.970 mi.
5119 ft.

DFW PAVING GROUNDS BLDG
3122 E 30TH ST
DFW AIRPORT, TX 75261
Site 6 of 18 in cluster Q

LPST **S116697036**
N/A

Relative:
Lower
Actual:
572 ft.

LPST:
Name: DFW PAVING GROUNDS BLDG
Address: 3122 E 30TH ST
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0021747
LPST Id: 105552
Facility Location: 30TH ST
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 12/11/1992
Entered Date: 01/24/1994
Reported Date: 12/15/1992

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW PAVING GROUNDS BLDG (Continued)

S116697036

Closure Date: 02/02/1999
Priority: 5 - MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: MINOR SOIL CONTAMINATION - DOES NOT REQUIRE A RAP
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1
Coordinators RPR: DRR
Responsible Party Name: Not reported
Responsible Party Contact: CATHLEEN MCMILLIN
Responsible Party Address: PO BOX DFW
Responsible Party City,St,Zip: DFW AIRPORT, TX 75261
Responsible Party Telephone: 214/574-8185
Reported Date: 12/15/1992
Case Start Date: 02/02/1999
Reference Number: RN100213990
Project Manager: DROGERS

Q151
SE
1/2-1
0.970 mi.
5119 ft.

VEHICLE MAINTENANCE TANK 11
3122 E 30TH ST
DFW AIRPORT, TX 75261

LPST S116697787
N/A

Site 7 of 18 in cluster Q

Relative:
Lower
Actual:
572 ft.

LPST:
Name: VEHICLE MAINTENANCE TANK 11
Address: 3122 E 30TH ST
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0021747
LPST Id: 107750
Facility Location: E AIRFIELD DR
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 01/21/1994
Entered Date: 02/23/1994
Reported Date: 01/25/1994
Closure Date: 12/12/2001
Priority: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program: 1P - PRIVATIZATION CONTRACTOR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: The vertical extent of contamination has been defined and the assessment results document that groundwater is not affected.
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1P/1/2
Coordinators RPR: IMP
Responsible Party Name: Not reported
Responsible Party Contact: CATHLEEN MCMILLIN
Responsible Party Address: PO BOX DFW
Responsible Party City,St,Zip: DFW AIRPORT, TX 75261
Responsible Party Telephone: 214/574-8185
Reported Date: 01/25/1994
Case Start Date: 12/12/2001
Reference Number: RN100213990
Project Manager: IMP

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

Q152 **DPS STATION 3**
SE **3122 E 30TH ST**
1/2-1 **DFW AIRPORT, TX 75261**
0.970 mi.
5119 ft. **Site 8 of 18 in cluster Q**

LPST **S116703760**
N/A

Relative:
Lower

LPST:

Actual:
572 ft.

Name: DPS STATION 3
 Address: 3122 E 30TH ST
 City,State,Zip: DFW AIRPORT, TX 75261
 Facility ID: 0021747
 LPST Id: 097174
 Facility Location: 3131 N AIRFIELD DR
 TCEQ Region# and City: REGION 04 - DFW METROPLEX
 Region City: ARLINGTON
 Discovered Date: 10/19/1990
 Entered Date: 11/08/1990
 Reported Date: 10/19/1990
 Closure Date: 02/24/1992
 Priority: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
 Program: 2 - REGION
 CA Status: 6A - FINAL CONCURRENCE ISSUED
 Priority Description: SOIL CONTAMINATION ONLY, REQUIRES FULL SITE ASSESSMENT & RAP
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
 Coordinators Primary: 2
 Coordinators RPR: KLP
 Responsible Party Name: Not reported
 Responsible Party Contact: JAMES LEE
 Responsible Party Address: PO BOX DFW
 Responsible Party City,St,Zip: DFW, TX 75261
 Responsible Party Telephone: 214/574-5593
 Reported Date: 10/19/1990
 Case Start Date: 02/24/1992
 Reference Number: RN100213990
 Project Manager: KLP

Q153 **DALLAS/FORT WORTH INTL AIRPORT**
SE **3122 E 30TH ST 1W AREA**
1/2-1 **DFW AIRPORT, TX**
0.970 mi.
5119 ft. **Site 9 of 18 in cluster Q**

RDR **S127527744**
N/A

Relative:
Lower

RDR:

Actual:
572 ft.

RDR ID: 19066
 Facility ID: 23814
 RN: Not reported
 CN: Not reported
 Name: DALLAS/FORT WORTH INTL AIRPORT
 Address: 3122 E 30TH ST 1W AREA
 City,State,Zip: DFW AIRPORT, TX
 Date Report Received: 7/30/2010
 Due Date: 9/28/2010
 Tank Owner: DALLAS/FORT WORTH INT AIR
 Contact Person: SHANNON DYER
 Report: RDR
 Latest TCEQ Letter: No Leaker
 Date of Latest TCEQ Letter: 9/27/2010
 Project Manager: PST Privatization Contract
 Team: #N/A
 New LPST Number: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DALLAS/FORT WORTH INTL AIRPORT (Continued)

S127527744

Pre-Existing LPST Number:	Not reported
Comments:	Not reported
Review Coordinator:	PPC
Date Release Reported:	Not reported
Suspected:	Not reported
Confirmed:	Not reported
NOLPST Letter Date:	9/27/2010
Date Report Returned:	Not reported
Region:	Not reported
DKC RDR (misfiled):	Not reported

Q154
SE
1/2-1
0.970 mi.
5119 ft.

FACILITIES MAINTENANCE N
3122 E 30TH ST
DFW AIRPORT, TX 75261
Site 10 of 18 in cluster Q

LPST S116695506
N/A

Relative:
Lower
Actual:
572 ft.

LPST:

Name:	FACILITIES MAINTENANCE N
Address:	3122 E 30TH ST
City,State,Zip:	DFW AIRPORT, TX 75261
Facility ID:	0021747
LPST Id:	101347
Facility Location:	DFW AIRPORT
TCEQ Region# and City:	REGION 04 - DFW METROPLEX
Region City:	ARLINGTON
Discovered Date:	12/30/1991
Entered Date:	01/23/1992
Reported Date:	12/30/1991
Closure Date:	11/30/2007
Priority:	4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program:	1P - PRIVATIZATION CONTRACTOR
CA Status:	6P - FINAL PENDING WELL PLUG
Priority Description:	The vertical extent of contamination has been defined and the assessment results document that groundwater is not affected.
Status:	FINAL CONCURRENCE PENDING DOCUMENTATION OF WELL PLUGGING
Coordinators Primary:	1P/1/1P/1/2
Coordinators RPR:	MWB
Responsible Party Name:	Not reported
Responsible Party Contact:	CATHLEEN MCMILLIN
Responsible Party Address:	PO BOX DFW
Responsible Party City,St,Zip:	DFW AIRPORT, TX 75261
Responsible Party Telephone:	214/574-8185
Reported Date:	12/30/1991
Case Start Date:	11/30/2007
Reference Number:	RN100213990
Project Manager:	MBRATBER

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

Q155 **D FW WORTH INTL AIRPORT BOARD** **LPST** **S116703393**
SE **3122 E 30TH ST** **N/A**
1/2-1 **DFW AIRPORT, TX 75261**
0.970 mi.
5119 ft. **Site 11 of 18 in cluster Q**

Relative: LPST:
Lower Name: D FW WORTH INTL AIRPORT BOARD
 Address: 3122 E 30TH ST
Actual: City,State,Zip: DFW AIRPORT, TX 75261
572 ft. Facility ID: 0021747
 LPST Id: 096180
 Facility Location: W 18TH DPS FIRESTATION 2
 TCEQ Region# and City: REGION 04 - DFW METROPLEX
 Region City: ARLINGTON
 Discovered Date: 06/21/1990
 Entered Date: 07/18/1990
 Reported Date: 07/18/1990
 Closure Date: 12/10/1992
 Priority: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
 Program: 1 - RPR
 CA Status: 6A - FINAL CONCURRENCE ISSUED
 Priority Description: SOIL CONTAMINATION ONLY, REQUIRES FULL SITE ASSESSMENT & RAP
 Status: **FINAL CONCURRENCE ISSUED, CASE CLOSED**
 Coordinators Primary: 1/2
 Coordinators RPR: RPR
 Responsible Party Name: Not reported
 Responsible Party Contact: CATHLEEN MCMILLIN
 Responsible Party Address: PO BOX DFW
 Responsible Party City,St,Zip: DFW AIRPORT, TX 75261
 Responsible Party Telephone: 214/574-8185
 Reported Date: 07/18/1990
 Case Start Date: 12/10/1992
 Reference Number: RN100213990
 Project Manager: HWELCH

Q156 **DFW INTERNATIONAL AIRPORT** **RDR** **S127533789**
ESE **3100 E 30TH ST** **N/A**
1/2-1 **DFW AIRPORT, TX**
0.975 mi.
5149 ft. **Site 12 of 18 in cluster Q**

Relative: RDR:
Lower RDR ID: 15348
Actual: Facility ID: 45751
572 ft. RN: Not reported
 CN: Not reported
 Name: DFW INTERNATIONAL AIRPORT
 Address: 3100 E 30TH ST
 City,State,Zip: DFW AIRPORT, TX
 Date Report Received: 6/26/2006
 Due Date: 8/25/2006
 Tank Owner: DFW INTERNATIONAL AIRPORT
 Contact Person: SHANNON DYER
 Report: RDR
 Latest TCEQ Letter: No Leaker
 Date of Latest TCEQ Letter: 7/25/2006
 Project Manager: PST Privatization Contract
 Team: #N/A
 New LPST Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW INTERNATIONAL AIRPORT (Continued)

S127533789

Pre-Existing LPST Number: 91398
Comments: ORIG REC 12/27/2005; LTR SENT 3/1/2006
Review Coordinator: PPC
Date Release Reported: Not reported
Suspected: Not reported
Confirmed: Not reported
NOLPST Letter Date: 7/25/2006
Date Report Returned: Not reported
Region: Not reported
DKC RDR (misfiled): Not reported

Q157
ESE
1/2-1
0.990 mi.
5227 ft.

HERTZ RENT A CAR N SERVICE FACILITY
3080 E 30TH
DALLAS, TX 75261

LPST S116704412
N/A

Site 13 of 18 in cluster Q

Relative:
Lower
Actual:
571 ft.

LPST:
Name: HERTZ RENT A CAR N SERVICE FACILITY
Address: 3080 E 30TH
City,State,Zip: DALLAS, TX 75261
Facility ID: 0031385
LPST Id: 099015
Facility Location: BLDG 1 W N SERVICE FACILITY
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 05/15/1991
Entered Date: 05/20/1991
Reported Date: 05/16/1991
Closure Date: 08/11/1997
Priority: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program: 1P - PRIVATIZATION CONTRACTOR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: The vertical extent of contamination has been defined and the assessment results document that groundwater is not affected.
Status:
Coordinators Primary: 1P/1/2
Coordinators RPR: SAH
Responsible Party Name: Not reported
Responsible Party Contact: SUSAN PINERA
Responsible Party Address: 225 BRAE BLVD
Responsible Party City,St,Zip: PARK RIDGE, NJ 07656
Responsible Party Telephone: 201/307-2547
Reported Date: 05/16/1991
Case Start Date: 08/11/1997
Reference Number: RN102660081
Project Manager: SAH

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

Q158 **HERTZ RENTAL CAR**
ESE **3080 E 30TH**
1/2-1 **DALLAS, TX 75261**
0.990 mi.
5227 ft. **Site 14 of 18 in cluster Q**

LPST **S116704300**
N/A

Relative:
Lower
Actual:
571 ft.

LPST:
Name: HERTZ RENTAL CAR
Address: 3080 E 30TH
City,State,Zip: DALLAS, TX 75261
Facility ID: 0031385
LPST Id: 098686
Facility Location: BLDG 5 S SERVICE CENTER
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 04/17/1991
Entered Date: 04/19/1991
Reported Date: 04/18/1991
Closure Date: 06/08/1999
Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: Groundwater is affected.
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1/1P/1/2
Coordinators RPR: TOI
Responsible Party Name: Not reported
Responsible Party Contact: SUSAN PINERA
Responsible Party Address: 225 BRAE BLVD
Responsible Party City,St,Zip: PARK RIDGE, NJ 07656
Responsible Party Telephone: 201/307-2547
Reported Date: 04/18/1991
Case Start Date: 06/08/1999
Reference Number: RN102660081
Project Manager: TISIAHIL

Q159 **DFW INTERNATIONAL AIRPORT**
ESE **3080 CARBON RD**
1/2-1 **DFW AIRPORT, TX 75261**
0.990 mi.
5227 ft. **Site 15 of 18 in cluster Q**

LPST **U001258108**
Financial Assurance **N/A**
GCC

Relative:
Lower
Actual:
571 ft.

LPST:
Name: FORMER BUDGET RENT A CAR SOUTH FACILITY
Address: 3080 CARBON RD
City,State,Zip: DFW AIRPORT, TX
Facility ID: Not reported
LPST Id: 120545
Facility Location: Not reported
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: Not reported
Discovered Date: 04/12/2018
Entered Date: 07/27/2018
Reported Date: 04/12/2018
Closure Date: 11/14/2018
Priority: 3.5 - A DESIGNATED MAJOR OR MINOR AQUIFER IS IMPACTED
Program: 1 - RPR
CA Status: 6P - FINAL PENDING WELL PLUG
Priority Description: Not reported
Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW INTERNATIONAL AIRPORT (Continued)

U001258108

Coordinators Primary: Not reported
Coordinators RPR: Not reported
Responsible Party Name: Not reported
Responsible Party Contact: Not reported
Responsible Party Address: Not reported
Responsible Party City,St,Zip: Not reported
Responsible Party Telephone: Not reported
Reported Date: 04/12/2018
Case Start Date: 11/14/2018
Reference Number: RN102660396
Project Manager: RMONK

TX Financial Assurance 2:

Name: DFW INTERNATIONAL AIRPORT
Address: 3080 CARBON RD
City,State,Zip: DFW AIRPORT, TX 75261
Region: 2
Facility ID: 58447
Finass ID: 199434
AI: 31044
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: OVER 2,000,000
Meets Financial Assurance Req Flag: Y
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 10/15/2017
Date Financial Assurance Form Rec: Not reported
Issuer Name: INDIAN HARBOR INS CO
Issuer Phone: Not reported
Policy Number: PEC0050773
Coverage Amount: OVER 2,000,000
Coverage Expiration Date: 10/15/2018
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: DFW INTERNATIONAL AIRPORT
Address: 3080 CARBON RD
City,State,Zip: DFW AIRPORT, TX 75261
Region: 2
Facility ID: 58447
Finass ID: 125655
AI: 31044
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: 2,000,000
Meets Financial Assurance Req Flag: Y
Financial Responsibility Type: FINANCIAL TEST
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/25/2014
Date Financial Assurance Form Rec: Not reported
Issuer Name: SELF(FIN TEST OR LOCAL GOV FT)
Issuer Phone: Not reported
Policy Number: Not reported
Coverage Amount: 2,000,000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW INTERNATIONAL AIRPORT (Continued)

U001258108

Coverage Expiration Date: 07/25/2015
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: DFW INTERNATIONAL AIRPORT
Address: 3080 CARBON RD
City,State,Zip: DFW AIRPORT, TX 75261
Region: 2
Facility ID: 58447
Finass ID: 110250
AI: 31044
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: 1,000,000
Meets Financial Assurance Req Flag: Y
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/16/2013
Date Financial Assurance Form Rec: Not reported
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: Not reported
Policy Number: EIL008799-12-05
Coverage Amount: 1,000,000
Coverage Expiration Date: 03/16/2014
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: DFW INTERNATIONAL AIRPORT
Address: 3080 CARBON RD
City,State,Zip: DFW AIRPORT, TX 75261
Region: 2
Facility ID: 58447
Finass ID: 42701
AI: 31044
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 09/30/1993
Date Financial Assurance Form Rec: Not reported
Issuer Name: Not reported
Issuer Phone: Not reported
Policy Number: Unknown
Coverage Amount: 0
Coverage Expiration Date: 01/01/1901
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: No

Name: DFW INTERNATIONAL AIRPORT
Address: 3080 CARBON RD
City,State,Zip: DFW AIRPORT, TX 75261
Region: 2
Facility ID: 58444

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DFW INTERNATIONAL AIRPORT (Continued)

U001258108

Finass ID: 125654
AI: 23813
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: 2,000,000
Meets Financial Assurance Req Flag: Y
Financial Responsibility Type: FINANCIAL TEST
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/25/2014
Date Financial Assurance Form Rec: Not reported
Issuer Name: SELF(FIN TEST OR LOCAL GOV FT)
Issuer Phone: Not reported
Policy Number: Not reported
Coverage Amount: 2,000,000
Coverage Expiration Date: 07/25/2015
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: DFW INTERNATIONAL AIRPORT
Address: 3080 CARBON RD
City,State,Zip: DFW AIRPORT, TX 75261
Region: 2
Facility ID: 58444
Finass ID: 110249
AI: 23813
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: 1,000,000
Meets Financial Assurance Req Flag: Y
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y
Financial Assurance Begin Date: 03/16/2013
Date Financial Assurance Form Rec: Not reported
Issuer Name: AMERICAN SAFETY INDEM CO
Issuer Phone: Not reported
Policy Number: EIL008799-12-05
Coverage Amount: 1,000,000
Coverage Expiration Date: 03/16/2014
Ins Premium Pre-Paid For Entire Yr: No
Proof of Financial Assurance: Yes

Name: DFW INTERNATIONAL AIRPORT
Address: 3080 CARBON RD
City,State,Zip: DFW AIRPORT, TX 75261
Region: 2
Facility ID: 58444
Finass ID: 42699
AI: 23813
Mechanism Type Other: Not reported
Multiple Mechanism Types: N
Coverage Amt per Annual Aggregate: Not reported
Meets Financial Assurance Req Flag: Not reported
Financial Responsibility Type: INSURANCE OR RISK RETENTION
Corrective Action MET Flag: Y
3rd Party MET Flag: Y

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DFW INTERNATIONAL AIRPORT (Continued)

U001258108

Financial Assurance Begin Date: 09/30/1993
 Date Financial Assurance Form Rec: Not reported
 Issuer Name: Not reported
 Issuer Phone: Not reported
 Policy Number: Unknown
 Coverage Amount: 0
 Coverage Expiration Date: 01/01/1901
 Ins Premium Pre-Paid For Entire Yr: No
 Proof of Financial Assurance: No

GCC:

Name: FORMER BUDGET RENT A CAR SOUTH FACILITY
 Address: 3080 CARBON RD
 City,State,Zip: DFW AIRPORT, TX
 Division: REM/PST
 New Cases: *
 File Number: 120545
 Contamination Description: UNKNOWN
 Date Of Earliest Known Contamination Confirmation: 4/12/2018
 Enforcement Status - Level Of Agency Response: -
 Enforcement Status - Site Activity Status: 2/L2 -
 Data Quality 1: E,Q
 Section 5236: Not reported
 Type: GROUNDWATER CONTAMINATION CASE DESCRIPTION BY COUNTY TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
 Agency: Not reported
 Section: Not reported
 Year Deleted: Not reported
 Location: Not reported
 Data Quality 2: Not reported

Q160
ESE
1/2-1
0.990 mi.
5227 ft.

BUDGET RENT A CAR SOUTH FACILITY
3080 CARBON RD
DFW AIRPORT, TX 75261
Site 16 of 18 in cluster Q

LPST S116697206
N/A

Relative:
Lower
Actual:
571 ft.

LPST:
 Name: BUDGET RENT A CAR SOUTH FACILITY
 Address: 3080 CARBON RD
 City,State,Zip: DFW AIRPORT, TX 75261
 Facility ID: 0031044
 LPST Id: 105997
 Facility Location: DFW AIRPORT S
 TCEQ Region# and City: REGION 04 - DFW METROPLEX
 Region City: ARLINGTON
 Discovered Date: 02/02/1993
 Entered Date: 02/19/1993
 Reported Date: 02/02/1993
 Closure Date: 12/10/2001
 Priority: 4.2 - NO GW IMPACT NO APPARENT THREATS OR IMPACTS TO RECEPTORS
 Program: 1P - PRIVATIZATION CONTRACTOR
 CA Status: 6A - FINAL CONCURRENCE ISSUED
 Priority Description: The vertical extent of contamination has been defined and the assessment results document that groundwater is not affected.
Status: **FINAL CONCURRENCE ISSUED, CASE CLOSED**
 Coordinators Primary: 1P/1/2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUDGET RENT A CAR SOUTH FACILITY (Continued)

S116697206

Coordinators RPR: LEM
Responsible Party Name: Not reported
Responsible Party Contact: DYER
Responsible Party Address: PO BOX 619428
Responsible Party City,St,Zip: DFW AIRPORT, TX 75261
Responsible Party Telephone: 972/574-5593
Reported Date: 02/02/1993
Case Start Date: 12/10/2001
Reference Number: RN102660396
Project Manager: LEM

Name: BUDGET RENT A CAR SOUTH FACILITY
Address: 3080 CARBON RD
City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0031044
LPST Id: 091770
Facility Location: DFW AIRPORT
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 03/11/1988
Entered Date: 03/25/1988
Reported Date: 03/25/1988
Closure Date: 12/31/3000
Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program: 7 - CAS
CA Status: 3 - MONITORING
Priority Description: Groundwater is affected.
Status: MONITORING
Coordinators Primary: 7/1/7/1P/7/1P/
Coordinators RPR: CAS
Responsible Party Name: Not reported
Responsible Party Contact: JIM LEE
Responsible Party Address: PO BOX DFW
Responsible Party City,St,Zip: DFW AIRPORT, TX 75261
Responsible Party Telephone: 214/574-5593
Reported Date: 03/25/1988
Case Start Date: 12/31/3000
Reference Number: RN104518030
Project Manager: CAS

Q161 BUDGET RENT A CAR
ESE 3080 CARBON RD
1/2-1 DFW AIRPORT, TX 75261
0.990 mi.
5227 ft. Site 17 of 18 in cluster Q

LPST S116703641
N/A

Relative: LPST:
Lower Name: BUDGET RENT A CAR
Actual: Address: 3080 CARBON RD
571 ft. City,State,Zip: DFW AIRPORT, TX 75261
Facility ID: 0031044
LPST Id: 096862
Facility Location: DFW AIRPORT NORTH END
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 09/27/1990
Entered Date: 10/04/1990
Reported Date: 09/27/1990

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUDGET RENT A CAR (Continued)

S116703641

Closure Date: 12/20/1991
Priority: 4A - SOIL CONTAMINATION ONLY REQUIRES FULL SITE ASSESSMENT RAP
Program: 1 - RPR
CA Status: 6A - FINAL CONCURRENCE ISSUED
Priority Description: SOIL CONTAMINATION ONLY, REQUIRES FULL SITE ASSESSMENT & RAP
Status: FINAL CONCURRENCE ISSUED, CASE CLOSED
Coordinators Primary: 1/2
Coordinators RPR: RONNIE EASON
Responsible Party Name: Not reported
Responsible Party Contact: JOE DELVCA
Responsible Party Address: 802 PORT AMERICA PL
Responsible Party City,St,Zip: GRAPEVINE, TX 76051
Responsible Party Telephone: 817/329-8700
Reported Date: 09/27/1990
Case Start Date: 12/20/1991
Reference Number: RN102660396
Project Manager: REASON

Q162
ESE
1/2-1
0.990 mi.
5227 ft.

AMERICAN AIRLINES
3080 E 30TH
DALLAS, TX 75261
Site 18 of 18 in cluster Q

LPST S116699435
N/A

Relative:
Lower
Actual:
571 ft.

LPST:
Name: AMERICAN AIRLINES
Address: 3080 E 30TH
City,State,Zip: DALLAS, TX 75261
Facility ID: 0066041
LPST Id: 112724
Facility Location: TERMAINL 2 E S G S E
TCEQ Region# and City: REGION 04 - DFW METROPLEX
Region City: ARLINGTON
Discovered Date: 06/03/1997
Entered Date: 10/21/1997
Reported Date: 07/22/1997
Closure Date: 11/09/2005
Priority: 4.1 - GW IMPACTED NO APPARENT THREATS OR IMPACTS TO RECEPTORS
Program: 1 - RPR
CA Status: 6P - FINAL PENDING WELL PLUG
Priority Description: Groundwater is affected.
Status: FINAL CONCURRENCE PENDING DOCUMENTATION OF WELL PLUGGING
Coordinators Primary: 1
Coordinators RPR: ELM
Responsible Party Name: Not reported
Responsible Party Contact: RICK REETER
Responsible Party Address: PO BOX 619428
Responsible Party City,St,Zip: DFW AIPIORT, TX 75261 9428
Responsible Party Telephone: 972/574-9910
Reported Date: 07/22/1997
Case Start Date: 11/09/2005
Reference Number: RN102832227
Project Manager: EMURRELL

Count: 7 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
DALLAS	S116696800	AMERICAN AIRLINES OLD AIR FREIGHT	DFW AIRPORT	75261	LPST
DALLAS	S116702448	GENERAL TELEPHONE SOUTHWEST	1000 INTERNATIONAL PKWY	75261	LPST
DFW AIRPORT	S116698467	DFW AIRPORT	3200 E AIRFIELD DR	75261	LPST, AIRS
DFW AIRPORT	S116701757	NATIONAL CAR RENTAL FACILITY	DFW AIRPORT	75261	LPST
DFW AIRPORT	U003039125	TEXACO SERVICE STATION	1500 N INTERNATIONAL PKWY	75261	LPST, UST, Financial Assurance
DFW AIRPORT	S116703640	NATIONAL CAR RENTAL SYSTEM	S SERVICE AREA	75261	LPST
TARRANT COUNTY	S126730204	DELTA AIRLINES INCINERATION FACILI	SOUTH END TERMINAL 4 E DALLAS		SWF/LF, CENTRAL REGISTRY

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 06/22/2023	Source: EPA
Date Data Arrived at EDR: 07/06/2023	Telephone: N/A
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 18	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 06/22/2023	Source: EPA
Date Data Arrived at EDR: 07/06/2023	Telephone: N/A
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 18	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 06/22/2023
Date Data Arrived at EDR: 07/06/2023
Date Made Active in Reports: 07/24/2023
Number of Days to Update: 18

Source: EPA
Telephone: N/A
Last EDR Contact: 08/02/2023
Next Scheduled EDR Contact: 10/09/2023
Data Release Frequency: Quarterly

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 03/26/2023
Date Data Arrived at EDR: 03/28/2023
Date Made Active in Reports: 05/30/2023
Number of Days to Update: 63

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 06/23/2023
Next Scheduled EDR Contact: 10/09/2023
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly known as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 06/22/2023
Date Data Arrived at EDR: 07/06/2023
Date Made Active in Reports: 07/24/2023
Number of Days to Update: 18

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 08/02/2023
Next Scheduled EDR Contact: 10/23/2023
Data Release Frequency: Quarterly

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 06/22/2023	Source: EPA
Date Data Arrived at EDR: 07/06/2023	Telephone: 800-424-9346
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 18	Next Scheduled EDR Contact: 10/23/2023
	Data Release Frequency: Quarterly

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/06/2023	Source: EPA
Date Data Arrived at EDR: 03/09/2023	Telephone: 800-424-9346
Date Made Active in Reports: 03/20/2023	Last EDR Contact: 07/31/2023
Number of Days to Update: 11	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 03/06/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2023	Telephone: 214-665-6444
Date Made Active in Reports: 03/20/2023	Last EDR Contact: 07/31/2023
Number of Days to Update: 11	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/06/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2023	Telephone: 214-665-6444
Date Made Active in Reports: 03/20/2023	Last EDR Contact: 07/31/2023
Number of Days to Update: 11	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 03/06/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2023	Telephone: 214-665-6444
Date Made Active in Reports: 03/20/2023	Last EDR Contact: 07/31/2023
Number of Days to Update: 11	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/06/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2023	Telephone: 214-665-6444
Date Made Active in Reports: 03/20/2023	Last EDR Contact: 07/31/2023
Number of Days to Update: 11	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 05/25/2023	Source: Department of the Navy
Date Data Arrived at EDR: 05/31/2023	Telephone: 843-820-7326
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 54	Next Scheduled EDR Contact: 11/20/2023
	Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 05/22/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/23/2023	Telephone: 703-603-0695
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 05/23/2023
Number of Days to Update: 62	Next Scheduled EDR Contact: 09/04/2023
	Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 05/22/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/23/2023	Telephone: 703-603-0695
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 05/23/2023
Number of Days to Update: 62	Next Scheduled EDR Contact: 09/04/2023
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 03/20/2023

Source: National Response Center, United States Coast Guard

Date Data Arrived at EDR: 03/21/2023

Telephone: 202-267-2180

Date Made Active in Reports: 05/30/2023

Last EDR Contact: 06/20/2023

Number of Days to Update: 70

Next Scheduled EDR Contact: 10/02/2023

Data Release Frequency: Quarterly

Lists of state- and tribal (Superfund) equivalent sites

SHWS: State Superfund Registry

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 03/23/2023

Source: Texas Commission on Environmental Quality

Date Data Arrived at EDR: 03/29/2023

Telephone: 512-239-5680

Date Made Active in Reports: 06/20/2023

Last EDR Contact: 06/14/2023

Number of Days to Update: 83

Next Scheduled EDR Contact: 10/02/2023

Data Release Frequency: Semi-Annually

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF: Permitted Solid Waste Facilities

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 04/19/2023

Source: Texas Commission on Environmental Quality

Date Data Arrived at EDR: 04/20/2023

Telephone: 512-239-6706

Date Made Active in Reports: 07/12/2023

Last EDR Contact: 07/12/2023

Number of Days to Update: 83

Next Scheduled EDR Contact: 10/30/2023

Data Release Frequency: Quarterly

DEBRIS: Approved Debris Management Sites Locations

A listing of temporary debris management sites and MSW landfills for debris resulting from Hurricane Harvey.

Date of Government Version: 03/27/2018

Source: Texas Commission on Environmental Quality

Date Data Arrived at EDR: 04/04/2018

Telephone: 512-239-6840

Date Made Active in Reports: 06/08/2018

Last EDR Contact: 06/01/2023

Number of Days to Update: 65

Next Scheduled EDR Contact: 09/18/2023

Data Release Frequency: Varies

CLI: Closed Landfill Inventory

Closed and abandoned landfills (permitted as well as unauthorized) across the state of Texas. For current information regarding any of the sites included in this database, contact the appropriate Council of Governments agency.

Date of Government Version: 08/30/1999

Source: Texas Commission on Environmental Quality

Date Data Arrived at EDR: 09/28/2000

Telephone: N/A

Date Made Active in Reports: 10/30/2000

Last EDR Contact: 06/26/2023

Number of Days to Update: 32

Next Scheduled EDR Contact: 10/09/2023

Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

H-GAC CLI: Houston-Galveston Closed Landfill Inventory

Closed Landfill Inventory for the Houston-Galveston Area Council Region. In 1993, the Texas Legislature passed House Bill (HB) 2537, which required Councils of Governments (COGs) to develop an inventory of closed municipal solid waste landfills for their regional solid waste management plans.

Date of Government Version: 03/27/2023	Source: Houston-Galveston Area Council
Date Data Arrived at EDR: 03/29/2023	Telephone: 832-681-2518
Date Made Active in Reports: 06/13/2023	Last EDR Contact: 06/27/2023
Number of Days to Update: 76	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

WASTE MGMT: Commercial Hazardous & Solid Waste Management Facilities

This list contains commercial recycling facilities and facilities permitted or authorized (interim status) by the Texas Natural Resource Conservation Commission.

Date of Government Version: 10/16/2019	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 01/10/2020	Telephone: 512-239-2920
Date Made Active in Reports: 03/18/2020	Last EDR Contact: 06/29/2023
Number of Days to Update: 68	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

Lists of state and tribal leaking storage tanks

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 04/20/2023	Source: EPA Region 4
Date Data Arrived at EDR: 05/09/2023	Telephone: 404-562-8677
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 05/09/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/14/2023	Source: EPA, Region 5
Date Data Arrived at EDR: 05/09/2023	Telephone: 312-886-7439
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/26/2023	Source: EPA Region 6
Date Data Arrived at EDR: 05/09/2023	Telephone: 214-665-6597
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/20/2023	Source: EPA Region 10
Date Data Arrived at EDR: 05/09/2023	Telephone: 206-553-2857
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/20/2023	Source: EPA Region 1
Date Data Arrived at EDR: 05/09/2023	Telephone: 617-918-1313
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 04/19/2023	Source: EPA Region 8
Date Data Arrived at EDR: 05/09/2023	Telephone: 303-312-6271
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/25/2023	Source: EPA Region 7
Date Data Arrived at EDR: 05/09/2023	Telephone: 913-551-7003
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/19/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/09/2023	Telephone: 415-972-3372
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

LPST: Leaking Petroleum Storage Tank Database

An inventory of reported leaking petroleum storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 03/28/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/29/2023	Telephone: 512-239-2200
Date Made Active in Reports: 04/04/2023	Last EDR Contact: 06/14/2023
Number of Days to Update: 6	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

RDR: Release Determination Report Listing

An owner-operator permanently removing an underground storage tank system from service must determine whether a release of a stored regulated substance has occurred. Assemble and submit documentation of tank removal and release determination including the details of all excavation, removal, and sampling activities to the TCEQ using the PST Program's Release Determination Report form (TCEQ-00621).

Date of Government Version: 03/29/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/30/2023	Telephone: 512-239-2081
Date Made Active in Reports: 04/04/2023	Last EDR Contact: 06/14/2023
Number of Days to Update: 5	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Varies

Lists of state and tribal registered storage tanks

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 03/08/2023	Source: FEMA
Date Data Arrived at EDR: 03/09/2023	Telephone: 202-646-5797
Date Made Active in Reports: 05/30/2023	Last EDR Contact: 06/27/2023
Number of Days to Update: 82	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

UST: Petroleum Storage Tank Database

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 03/02/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/22/2023	Telephone: 512-239-2160
Date Made Active in Reports: 06/07/2023	Last EDR Contact: 06/20/2023
Number of Days to Update: 77	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

AST: Petroleum Storage Tank Database

Registered Aboveground Storage Tanks.

Date of Government Version: 03/02/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/22/2023	Telephone: 512-239-2160
Date Made Active in Reports: 06/07/2023	Last EDR Contact: 06/20/2023
Number of Days to Update: 77	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 04/20/2023	Source: EPA Region 4
Date Data Arrived at EDR: 05/09/2023	Telephone: 404-562-9424
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/19/2023	Source: EPA Region 9
Date Data Arrived at EDR: 05/09/2023	Telephone: 415-972-3368
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 04/20/2023	Source: EPA Region 8
Date Data Arrived at EDR: 05/09/2023	Telephone: 303-312-6137
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/25/2023	Source: EPA Region 7
Date Data Arrived at EDR: 05/09/2023	Telephone: 913-551-7003
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/20/2023	Source: EPA, Region 1
Date Data Arrived at EDR: 05/09/2023	Telephone: 617-918-1313
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/14/2023	Source: EPA Region 5
Date Data Arrived at EDR: 05/09/2023	Telephone: 312-886-6136
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/26/2023	Source: EPA Region 6
Date Data Arrived at EDR: 05/09/2023	Telephone: 214-665-7591
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 04/20/2023	Source: EPA Region 10
Date Data Arrived at EDR: 05/09/2023	Telephone: 206-553-2857
Date Made Active in Reports: 07/14/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Varies

TANKS: Petroleum Storage Tanks Listing

A list of facilities included on the Petroleum Storage Tank database that have no association as either underground or aboveground tanks.

Date of Government Version: 03/02/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/22/2023	Telephone: 512-239-0985
Date Made Active in Reports: 06/07/2023	Last EDR Contact: 06/20/2023
Number of Days to Update: 77	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

State and tribal institutional control / engineering control registries

AUL: Sites with Controls

Activity and use limitations include both engineering controls and institutional controls.

Date of Government Version: 04/06/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 04/06/2023	Telephone: 512-239-5891
Date Made Active in Reports: 06/21/2023	Last EDR Contact: 06/22/2023
Number of Days to Update: 76	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

Lists of state and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 07/08/2021
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015	Source: EPA, Region 1
Date Data Arrived at EDR: 09/29/2015	Telephone: 617-918-1102
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 06/13/2023
Number of Days to Update: 142	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Varies

VCP RRC: Voluntary Cleanup Program Sites

The Voluntary Cleanup Program (RRC-VCP) provides an incentive to remediate Oil & Gas related pollution by participants as long as they did not cause or contribute to the contamination. Applicants to the program receive a release of liability to the state in exchange for a successful cleanup.

Date of Government Version: 04/01/2023	Source: Railroad Commission of Texas
Date Data Arrived at EDR: 04/12/2023	Telephone: 512-463-6969
Date Made Active in Reports: 06/29/2023	Last EDR Contact: 07/11/2023
Number of Days to Update: 78	Next Scheduled EDR Contact: 10/23/2023
	Data Release Frequency: Varies

VCP TCEQ: Voluntary Cleanup Program Database

The Texas Voluntary Cleanup Program was established to provide administrative, technical, and legal incentives to encourage the cleanup of contaminated sites in Texas.

Date of Government Version: 06/23/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 06/27/2023	Telephone: 512-239-5891
Date Made Active in Reports: 07/11/2023	Last EDR Contact: 06/22/2023
Number of Days to Update: 14	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Quarterly

Lists of state and tribal brownfield sites

BROWNFIELDS: Brownfields Site Assessments

Brownfield site assessments that are being cleaned under EPA grant monies.

Date of Government Version: 03/27/2023	Source: TCEQ
Date Data Arrived at EDR: 03/29/2023	Telephone: 512-239-5872
Date Made Active in Reports: 04/03/2023	Last EDR Contact: 06/22/2023
Number of Days to Update: 5	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 04/06/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/13/2023	Telephone: 202-566-2777
Date Made Active in Reports: 04/19/2023	Last EDR Contact: 06/08/2023
Number of Days to Update: 6	Next Scheduled EDR Contact: 09/25/2023
	Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

CAPCOG LI: Capitol Area Landfill Inventory

Permitted and unpermitted landfills for the CAPCOG region. Serving Bastrop, Blanco, Burnet, Caldwell, Fayette, Hays, Lee, Llano, Travis, and Williamson Counties.

Date of Government Version: 11/11/2022	Source: Capital Area Council of Governments
Date Data Arrived at EDR: 05/23/2023	Telephone: 512-916-6000
Date Made Active in Reports: 06/05/2023	Last EDR Contact: 06/29/2023
Number of Days to Update: 13	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

NCTCOG LI: North Central Landfill Inventory

North Central Texas Council of Governments landfill database.

Date of Government Version: 03/27/2023	Source: North Central Texas Council of Governments
Date Data Arrived at EDR: 03/29/2023	Telephone: 817-695-9223
Date Made Active in Reports: 06/14/2023	Last EDR Contact: 06/27/2023
Number of Days to Update: 77	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

SWRCY: Recycling Facility Listing

A listing of recycling facilities in the state.

Date of Government Version: 05/08/2023	Source: TCEQ
Date Data Arrived at EDR: 05/10/2023	Telephone: 512-239-6700
Date Made Active in Reports: 08/03/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 85	Next Scheduled EDR Contact: 11/20/2023
	Data Release Frequency: Varies

HIST LF: Historical Information About Municipal Solid Waste Facilities

An historical information listing old, closed unnumbered MSW landfills that were operated before permits were required, as well as unauthorized landfills and miscellaneous illegal dumps and disposal sites.

Date of Government Version: 02/01/2022	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 09/28/2022	Telephone: 512-239-2335
Date Made Active in Reports: 05/24/2023	Last EDR Contact: 07/17/2023
Number of Days to Update: 238	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 07/19/2023
Next Scheduled EDR Contact: 11/06/2023
Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 07/11/2023
Next Scheduled EDR Contact: 10/30/2023
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176

Source: Department of Health & Human Services, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 07/27/2023
Next Scheduled EDR Contact: 11/13/2023
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 05/22/2023
Date Data Arrived at EDR: 05/23/2023
Date Made Active in Reports: 07/10/2023
Number of Days to Update: 48

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 05/23/2023
Next Scheduled EDR Contact: 09/04/2023
Data Release Frequency: No Update Planned

CDL: Clandestine Drug Site Locations Listing

A listing of former clandestine drug site locations

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 12/09/2021
Date Made Active in Reports: 03/01/2022
Number of Days to Update: 82

Source: Department of Public Safety
Telephone: 512-424-2144
Last EDR Contact: 07/19/2023
Next Scheduled EDR Contact: 11/06/2023
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PRIORITY CLEANERS: Dry Cleaner Remediation Program Prioritization List

A listing of dry cleaner related contaminated sites.

Date of Government Version: 09/01/2022	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 11/30/2022	Telephone: 512-239-5658
Date Made Active in Reports: 02/13/2023	Last EDR Contact: 05/30/2023
Number of Days to Update: 75	Next Scheduled EDR Contact: 09/11/2023
	Data Release Frequency: Varies

DEL SHWS: Deleted Superfund Registry Sites

Sites have been deleted from the state Superfund registry in accordance with the Act, 361.189

Date of Government Version: 03/23/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/29/2023	Telephone: 512-239-0666
Date Made Active in Reports: 06/20/2023	Last EDR Contact: 06/14/2023
Number of Days to Update: 83	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Quarterly

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 05/22/2023	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 05/23/2023	Telephone: 202-307-1000
Date Made Active in Reports: 07/10/2023	Last EDR Contact: 05/23/2023
Number of Days to Update: 48	Next Scheduled EDR Contact: 09/04/2023
	Data Release Frequency: Quarterly

CENTRAL REGISTRY: The Central Registry

The Central Registry, a common record area of the TCEQ, maintains information about TCEQ customers and regulated activities, such as company names, addresses, and telephone numbers. This information is commonly referred to as "core data". The Central Registry provides the regulated community with a central access point within the agency to check core data and make changes when necessary.

Date of Government Version: 09/30/2022	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 10/04/2022	Telephone: 512-239-5175
Date Made Active in Reports: 12/27/2022	Last EDR Contact: 06/22/2023
Number of Days to Update: 84	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

Local Lists of Registered Storage Tanks

NON REGIST PST: Petroleum Storage Tank Non Registered

A listing of non-registered petroleum storage tank site locations.

Date of Government Version: 03/31/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 04/04/2023	Telephone: 512-239-2081
Date Made Active in Reports: 06/22/2023	Last EDR Contact: 07/27/2023
Number of Days to Update: 79	Next Scheduled EDR Contact: 11/13/2023
	Data Release Frequency: Quarterly

Local Land Records

HIST LIENS: Environmental Liens Listing

This listing contains information fields that are no longer tracked in the LIENS database.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/23/2007
Date Data Arrived at EDR: 03/23/2007
Date Made Active in Reports: 05/02/2007
Number of Days to Update: 40

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2209
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

LIENS: Environmental Liens Listing

The listing covers TCEQ liens placed against either State Superfund sites or Federal Superfund sites to recover cost incurred by TCEQ.

Date of Government Version: 03/27/2023
Date Data Arrived at EDR: 03/29/2023
Date Made Active in Reports: 04/03/2023
Number of Days to Update: 5

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2209
Last EDR Contact: 06/22/2023
Next Scheduled EDR Contact: 10/09/2023
Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 06/22/2023
Date Data Arrived at EDR: 07/06/2023
Date Made Active in Reports: 07/24/2023
Number of Days to Update: 18

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 08/02/2023
Next Scheduled EDR Contact: 10/09/2023
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 03/19/2023
Date Data Arrived at EDR: 03/21/2023
Date Made Active in Reports: 05/30/2023
Number of Days to Update: 70

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 06/20/2023
Next Scheduled EDR Contact: 10/02/2023
Data Release Frequency: Quarterly

SPILLS: Spills Database

Spills reported to the Emergency Response Division.

Date of Government Version: 04/10/2023
Date Data Arrived at EDR: 04/12/2023
Date Made Active in Reports: 06/29/2023
Number of Days to Update: 78

Source: Texas Commission on Environmental Quality
Telephone: 512-239-5100
Last EDR Contact: 07/12/2023
Next Scheduled EDR Contact: 10/23/2023
Data Release Frequency: Quarterly

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 10/23/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/07/2013
Number of Days to Update: 63

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/15/2005
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/07/2013
Number of Days to Update: 63

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 03/06/2023
Date Data Arrived at EDR: 03/09/2023
Date Made Active in Reports: 03/20/2023
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: 214-665-6444
Last EDR Contact: 07/31/2023
Next Scheduled EDR Contact: 10/02/2023
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 05/08/2023
Date Data Arrived at EDR: 05/16/2023
Date Made Active in Reports: 07/10/2023
Number of Days to Update: 55

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 05/16/2023
Next Scheduled EDR Contact: 08/28/2023
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021
Date Data Arrived at EDR: 07/13/2021
Date Made Active in Reports: 03/09/2022
Number of Days to Update: 239

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 07/10/2023
Next Scheduled EDR Contact: 10/23/2023
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 07/05/2023
Next Scheduled EDR Contact: 10/16/2023
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/30/2021
Date Data Arrived at EDR: 02/03/2023
Date Made Active in Reports: 02/10/2023
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 08/01/2023
Next Scheduled EDR Contact: 11/20/2023
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 03/13/2023
Date Data Arrived at EDR: 03/21/2023
Date Made Active in Reports: 05/30/2023
Number of Days to Update: 70

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 06/20/2023
Next Scheduled EDR Contact: 10/02/2023
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 07/31/2023
Next Scheduled EDR Contact: 11/13/2023
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 08/03/2023
Next Scheduled EDR Contact: 11/13/2023
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 06/14/2022
Date Made Active in Reports: 03/24/2023
Number of Days to Update: 283

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 06/16/2023
Next Scheduled EDR Contact: 09/25/2023
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2021
Date Data Arrived at EDR: 02/16/2023
Date Made Active in Reports: 05/02/2023
Number of Days to Update: 75

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 05/19/2023
Next Scheduled EDR Contact: 08/28/2023
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 04/17/2023
Date Data Arrived at EDR: 04/18/2023
Date Made Active in Reports: 07/10/2023
Number of Days to Update: 83

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 07/18/2023
Next Scheduled EDR Contact: 10/30/2023
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 06/22/2023
Date Data Arrived at EDR: 07/06/2023
Date Made Active in Reports: 07/24/2023
Number of Days to Update: 18

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 08/02/2023
Next Scheduled EDR Contact: 09/11/2023
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 04/27/2022
Date Data Arrived at EDR: 05/04/2022
Date Made Active in Reports: 05/10/2022
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 06/12/2023
Next Scheduled EDR Contact: 10/30/2023
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 06/22/2023	Source: EPA
Date Data Arrived at EDR: 07/06/2023	Telephone: 202-564-6023
Date Made Active in Reports: 07/24/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 18	Next Scheduled EDR Contact: 11/13/2023
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 03/20/2023	Source: EPA
Date Data Arrived at EDR: 04/04/2023	Telephone: 202-566-0500
Date Made Active in Reports: 06/09/2023	Last EDR Contact: 07/07/2023
Number of Days to Update: 66	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/23/2016	Telephone: 202-564-2501
Date Made Active in Reports: 02/10/2017	Last EDR Contact: 06/27/2023
Number of Days to Update: 79	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/15/2023	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 03/21/2023	Telephone: 301-415-7169
Date Made Active in Reports: 05/30/2023	Last EDR Contact: 07/12/2023
Number of Days to Update: 70	Next Scheduled EDR Contact: 10/30/2023
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2021	Source: Department of Energy
Date Data Arrived at EDR: 04/14/2023	Telephone: 202-586-8719
Date Made Active in Reports: 07/10/2023	Last EDR Contact: 05/25/2023
Number of Days to Update: 87	Next Scheduled EDR Contact: 09/11/2023
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/05/2019	Telephone: N/A
Date Made Active in Reports: 11/11/2019	Last EDR Contact: 05/25/2023
Number of Days to Update: 251	Next Scheduled EDR Contact: 09/11/2023
	Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/06/2019	Telephone: 202-566-0517
Date Made Active in Reports: 02/10/2020	Last EDR Contact: 08/03/2023
Number of Days to Update: 96	Next Scheduled EDR Contact: 11/13/2023
	Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/01/2019	Telephone: 202-343-9775
Date Made Active in Reports: 09/23/2019	Last EDR Contact: 06/22/2023
Number of Days to Update: 84	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020
Date Data Arrived at EDR: 01/28/2020
Date Made Active in Reports: 04/17/2020
Number of Days to Update: 80

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 07/25/2023
Next Scheduled EDR Contact: 11/06/2023
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 03/31/2023
Date Data Arrived at EDR: 04/20/2023
Date Made Active in Reports: 07/10/2023
Number of Days to Update: 81

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 06/27/2023
Next Scheduled EDR Contact: 10/16/2023
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2021
Date Data Arrived at EDR: 03/09/2023
Date Made Active in Reports: 03/20/2023
Number of Days to Update: 11

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 07/31/2023
Next Scheduled EDR Contact: 10/02/2023
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 07/05/2023
Next Scheduled EDR Contact: 10/16/2023
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 03/03/2023
Date Data Arrived at EDR: 03/03/2023
Date Made Active in Reports: 06/09/2023
Number of Days to Update: 98

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 07/26/2023
Next Scheduled EDR Contact: 11/13/2023
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/30/2019
Date Data Arrived at EDR: 11/15/2019
Date Made Active in Reports: 01/28/2020
Number of Days to Update: 74

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 05/24/2023
Next Scheduled EDR Contact: 08/28/2023
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 06/22/2023
Date Data Arrived at EDR: 07/06/2023
Date Made Active in Reports: 07/24/2023
Number of Days to Update: 18

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 08/02/2023
Next Scheduled EDR Contact: 10/09/2023
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 04/03/2023
Date Data Arrived at EDR: 04/04/2023
Date Made Active in Reports: 06/09/2023
Number of Days to Update: 66

Source: DOL, Mine Safety & Health Administration
Telephone: 202-693-9424
Last EDR Contact: 07/05/2023
Next Scheduled EDR Contact: 09/11/2023
Data Release Frequency: Quarterly

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/01/2023
Date Data Arrived at EDR: 05/24/2023
Date Made Active in Reports: 07/24/2023
Number of Days to Update: 61

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 05/24/2023
Next Scheduled EDR Contact: 09/04/2023
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 01/07/2022
Date Data Arrived at EDR: 02/24/2023
Date Made Active in Reports: 05/17/2023
Number of Days to Update: 82

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 05/25/2023
Next Scheduled EDR Contact: 09/04/2023
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 05/25/2023
Next Scheduled EDR Contact: 09/04/2023
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 03/17/2023
Date Data Arrived at EDR: 03/17/2023
Date Made Active in Reports: 05/30/2023
Number of Days to Update: 74

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 06/13/2023
Next Scheduled EDR Contact: 09/18/2023
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 05/04/2023
Date Data Arrived at EDR: 05/25/2023
Date Made Active in Reports: 07/24/2023
Number of Days to Update: 60

Source: EPA
Telephone: (214) 665-2200
Last EDR Contact: 05/25/2023
Next Scheduled EDR Contact: 09/11/2023
Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 03/25/2023
Date Data Arrived at EDR: 03/31/2023
Date Made Active in Reports: 06/09/2023
Number of Days to Update: 70

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 06/29/2023
Next Scheduled EDR Contact: 10/16/2023
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/21/2021	Telephone: 202-564-0527
Date Made Active in Reports: 08/11/2021	Last EDR Contact: 05/17/2023
Number of Days to Update: 82	Next Scheduled EDR Contact: 09/04/2023
	Data Release Frequency: Varies

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 11/09/2021	Source: Department of Defense
Date Data Arrived at EDR: 10/20/2022	Telephone: 703-704-1564
Date Made Active in Reports: 01/10/2023	Last EDR Contact: 07/06/2023
Number of Days to Update: 82	Next Scheduled EDR Contact: 10/23/2023
	Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 05/15/2023	Source: EPA
Date Data Arrived at EDR: 05/17/2023	Telephone: 800-385-6164
Date Made Active in Reports: 07/10/2023	Last EDR Contact: 05/17/2023
Number of Days to Update: 54	Next Scheduled EDR Contact: 08/28/2023
	Data Release Frequency: Quarterly

PFAS NPL: Superfund Sites with PFAS Detections Information

EPA's Office of Land and Emergency Management and EPA Regional Offices maintain data describing what is known about site investigations, contamination, and remedial actions under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) where PFAS is present in the environment.

Date of Government Version: 06/07/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/08/2023	Telephone: 703-603-8895
Date Made Active in Reports: 06/09/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 1	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

PFAS FEDERAL SITES: Federal Sites PFAS Information

Several federal entities, such as the federal Superfund program, Department of Defense, National Aeronautics and Space Administration, Department of Transportation, and Department of Energy provided information for sites with known or suspected detections at federal facilities.

Date of Government Version: 03/30/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/30/2023	Telephone: 202-272-0167
Date Made Active in Reports: 04/07/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 8	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

PFAS TSCA: PFAS Manufacture and Imports Information

EPA issued the Chemical Data Reporting (CDR) Rule under the Toxic Substances Control Act (TSCA) and requires chemical manufacturers and facilities that manufacture or import chemical substances to report data to EPA. EPA publishes non-confidential business information (non-CBI) and includes descriptive information about each site, corporate parent, production volume, other manufacturing information, and processing and use information.

Date of Government Version: 03/30/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/30/2023	Telephone: 202-272-0167
Date Made Active in Reports: 06/09/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 71	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PFAS RCRA MANIFEST: PFAS Transfers Identified In the RCRA Database Listing

To work around the lack of PFAS waste codes in the RCRA database, EPA developed the PFAS Transfers dataset by mining e-Manifest records containing at least one of these common PFAS keywords: PFAS, PFOA, PFOS, PERFL, AFFF, GENX, GEN-X (plus the VT waste codes). These keywords were searched for in the following text fields: Manifest handling instructions (MANIFEST_HANDLING_INSTR), Non-hazardous waste description (NON_HAZ_WASTE_DESCRIPTION), DOT printed information (DOT_PRINTED_INFORMATION), Waste line handling instructions (WASTE_LINE_HANDLING_INSTR), Waste residue comments (WASTE_RESIDUE_COMMENTS).

Date of Government Version: 03/30/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/30/2023	Telephone: 202-272-0167
Date Made Active in Reports: 05/02/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 33	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

PFAS ATSDR: PFAS Contamination Site Location Listing

PFAS contamination site locations from the Department of Health & Human Services, Center for Disease Control & Prevention. ATSDR is involved at a number of PFAS-related sites, either directly or through assisting state and federal partners. As of now, most sites are related to drinking water contamination connected with PFAS production facilities or fire training areas where aqueous film-forming firefighting foam (AFFF) was regularly used.

Date of Government Version: 06/24/2020	Source: Department of Health & Human Services
Date Data Arrived at EDR: 03/17/2021	Telephone: 202-741-5770
Date Made Active in Reports: 11/08/2022	Last EDR Contact: 07/19/2023
Number of Days to Update: 601	Next Scheduled EDR Contact: 11/06/2023
	Data Release Frequency: Varies

PFAS WQP: Ambient Environmental Sampling for PFAS

The Water Quality Portal (WQP) is a part of a modernized repository storing ambient sampling data for all environmental media and tissue samples. A wide range of federal, state, tribal and local governments, academic and non-governmental organizations and individuals submit project details and sampling results to this public repository. The information is commonly used for research and assessments of environmental quality.

Date of Government Version: 03/30/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/30/2023	Telephone: 202-272-0167
Date Made Active in Reports: 05/02/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 33	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

PFAS NPDES: Clean Water Act Discharge Monitoring Information

Any discharger of pollutants to waters of the United States from a point source must have a National Pollutant Discharge Elimination System (NPDES) permit. The process for obtaining limits involves the regulated entity (permittee) disclosing releases in a NPDES permit application and the permitting authority (typically the state but sometimes EPA) deciding whether to require monitoring or monitoring with limits. Caveats and Limitations: Less than half of states have required PFAS monitoring for at least one of their permittees and fewer states have established PFAS effluent limits for permittees. New rulemakings have been initiated that may increase the number of facilities monitoring for PFAS in the future.

Date of Government Version: 03/30/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/30/2023	Telephone: 202-272-0167
Date Made Active in Reports: 04/07/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 8	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

PFAS ECHO: Facilities in Industries that May Be Handling PFAS Listing

Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/30/2023
Date Data Arrived at EDR: 03/30/2023
Date Made Active in Reports: 04/03/2023
Number of Days to Update: 4

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 07/05/2023
Next Scheduled EDR Contact: 10/16/2023
Data Release Frequency: Varies

PFAS ECHO FIRE TRAINING: Facilities in Industries that May Be Handling PFAS Listing

A list of fire training sites was added to the Industry Sectors dataset using a keyword search on the permitted facility's name to identify sites where fire-fighting foam may have been used in training exercises. Additionally, you may view an example spreadsheet of the subset of fire training facility data, as well as the keywords used in selecting or deselecting a facility for the subset. as well as the keywords used in selecting or deselecting a facility for the subset. These keywords were tested to maximize accuracy in selecting facilities that may use fire-fighting foam in training exercises, however, due to the lack of a required reporting field in the data systems for designating fire training sites, this methodology may not identify all fire training sites or may potentially misidentify them.

Date of Government Version: 03/30/2023
Date Data Arrived at EDR: 03/30/2023
Date Made Active in Reports: 04/03/2023
Number of Days to Update: 4

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 07/05/2023
Next Scheduled EDR Contact: 10/16/2023
Data Release Frequency: Varies

PFAS PART 139 AIRPORT: All Certified Part 139 Airports PFAS Information Listing

Since July 1, 2006, all certified part 139 airports are required to have fire-fighting foam onsite that meet military specifications (MIL-F-24385) (14 CFR 139.317). To date, these military specification fire-fighting foams are fluorinated and have been historically used for training and extinguishing. The 2018 FAA Reauthorization Act has a provision stating that no later than October 2021, FAA shall not require the use of fluorinated AFFF. This provision does not prohibit the use of fluorinated AFFF at Part 139 civilian airports; it only prohibits FAA from mandating its use. The Federal Aviation Administration's document AC 150/5210-6D - Aircraft Fire Extinguishing Agents provides guidance on Aircraft Fire Extinguishing Agents, which includes Aqueous Film Forming Foam (AFFF).

Date of Government Version: 03/30/2023
Date Data Arrived at EDR: 03/30/2023
Date Made Active in Reports: 04/03/2023
Number of Days to Update: 4

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 07/05/2023
Next Scheduled EDR Contact: 10/16/2023
Data Release Frequency: Varies

AQUEOUS FOAM NRC: Aqueous Foam Related Incidents Listing

The National Response Center (NRC) serves as an emergency call center that fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. The spreadsheets posted to the NRC website contain initial incident data that has not been validated or investigated by a federal/state response agency. Response center calls from 1990 to the most recent complete calendar year where there was indication of Aqueous Film Forming Foam (AFFF) usage are included in this dataset. NRC calls may reference AFFF usage in the ?Material Involved? or ?Incident Description? fields.

Date of Government Version: 04/27/2023
Date Data Arrived at EDR: 04/27/2023
Date Made Active in Reports: 05/02/2023
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 07/06/2023
Next Scheduled EDR Contact: 10/16/2023
Data Release Frequency: Varies

PFAS: PFAS Contamination Site Location Listing

PFOS and PFOA stand for perfluorooctane sulfonate and perfluorooctanoic acid, respectively. Both are fluorinated organic chemicals, part of a larger family of compounds referred to as perfluoroalkyl substances (PFASs).

Date of Government Version: 03/01/2023
Date Data Arrived at EDR: 03/08/2023
Date Made Active in Reports: 05/31/2023
Number of Days to Update: 84

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2341
Last EDR Contact: 05/24/2023
Next Scheduled EDR Contact: 09/11/2023
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

AQUEOUS FOAM: AFFF Sites Listing

A list of Aqueous Film Forming Foam (AFFF) sites.

Date of Government Version: 03/06/2023
Date Data Arrived at EDR: 03/15/2023
Date Made Active in Reports: 06/05/2023
Number of Days to Update: 82

Source: Texas Commission on Environmental Quality
Telephone: 512-239-1913
Last EDR Contact: 05/24/2023
Next Scheduled EDR Contact: 09/11/2023
Data Release Frequency: Varies

AIRS: Current Emission Inventory Data

The database lists by company, along with their actual emissions, the TNRCC air accounts that emit EPA criteria pollutants.

Date of Government Version: 03/09/2023
Date Data Arrived at EDR: 03/15/2023
Date Made Active in Reports: 05/31/2023
Number of Days to Update: 77

Source: Texas Commission on Environmental Quality
Telephone: N/A
Last EDR Contact: 06/01/2023
Next Scheduled EDR Contact: 09/18/2023
Data Release Frequency: Semi-Annually

APAR: Affected Property Assessment Report Site Listing

Listing of Sites That Have Received an APAR (Affected Property Assessment Report)

Date of Government Version: 04/03/2023
Date Data Arrived at EDR: 04/06/2023
Date Made Active in Reports: 06/21/2023
Number of Days to Update: 76

Source: Texas Commission on Environmental Quality
Telephone: 512-239-5872
Last EDR Contact: 06/27/2023
Next Scheduled EDR Contact: 10/16/2023
Data Release Frequency: Varies

ASBESTOS: Asbestos Notification Listing

A listing of asbestos notification site locations.

Date of Government Version: 02/23/2023
Date Data Arrived at EDR: 02/28/2023
Date Made Active in Reports: 05/18/2023
Number of Days to Update: 79

Source: Department of State Health Services
Telephone: 512-834-6787
Last EDR Contact: 05/10/2023
Next Scheduled EDR Contact: 08/28/2023
Data Release Frequency: Varies

COAL ASH: Coal Ash Disposal Sites

A listing of facilities that use surface impoundments or landfills to dispose of coal ash.

Date of Government Version: 04/25/2023
Date Data Arrived at EDR: 04/26/2023
Date Made Active in Reports: 07/17/2023
Number of Days to Update: 82

Source: Texas Commission on Environmental Quality
Telephone: 512-239-6624
Last EDR Contact: 07/19/2023
Next Scheduled EDR Contact: 11/06/2023
Data Release Frequency: Varies

DRYCLEANERS: Drycleaner Registration Database Listing

A listing of drycleaning facilities.

Date of Government Version: 01/11/2023
Date Data Arrived at EDR: 02/22/2023
Date Made Active in Reports: 05/16/2023
Number of Days to Update: 83

Source: Texas Commission on Environmental Quality
Telephone: 512-239-2160
Last EDR Contact: 05/24/2023
Next Scheduled EDR Contact: 09/04/2023
Data Release Frequency: Varies

ED AQUIF: Edwards Aquifer Permits

A listing of permits in the Edwards Aquifer Protection Program database. The information provided is for the counties located in the Austin Region (Hays, Travis, and Williamson counties).

Date of Government Version: 03/31/2023
Date Data Arrived at EDR: 03/31/2023
Date Made Active in Reports: 04/03/2023
Number of Days to Update: 3

Source: Texas Commission on Environmental Quality, Austin Region
Telephone: 512-339-2929
Last EDR Contact: 06/14/2023
Next Scheduled EDR Contact: 10/02/2023
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ENFORCEMENT: Notice of Violations Listing A listing of permit violations.

Date of Government Version: 03/17/2023
Date Data Arrived at EDR: 03/29/2023
Date Made Active in Reports: 06/23/2023
Number of Days to Update: 86

Source: Texas Commission on Environmental Quality
Telephone: 512-239-6012
Last EDR Contact: 06/27/2023
Next Scheduled EDR Contact: 10/09/2023
Data Release Frequency: Semi-Annually

Financial Assurance 1: Financial Assurance Information Listing Financial assurance information.

Date of Government Version: 03/21/2023
Date Data Arrived at EDR: 03/23/2023
Date Made Active in Reports: 04/03/2023
Number of Days to Update: 11

Source: Texas Commission on Environmental Quality
Telephone: 512-239-6239
Last EDR Contact: 06/14/2023
Next Scheduled EDR Contact: 10/02/2023
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

Financial Assurance information for underground storage tank facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay

Date of Government Version: 03/02/2023
Date Data Arrived at EDR: 03/22/2023
Date Made Active in Reports: 06/07/2023
Number of Days to Update: 77

Source: Texas Commission on Environmental Quality
Telephone: 512-239-0986
Last EDR Contact: 06/20/2023
Next Scheduled EDR Contact: 10/02/2023
Data Release Frequency: Quarterly

GCC: Groundwater Contamination Cases

Texas Water Code, Section 26.406 requires the annual report to describe the current status of groundwater monitoring activities conducted or required by each agency at regulated facilities or associated with regulated activities. The report is required to contain a description of each case of groundwater contamination documented during the previous calendar year. Also to be included, is a description of each case of contamination documented during previous periods for which voluntary clean up action was incomplete at the time the preceding report was issued. The report is also required to indicate the status of enforcement action for each listed case.

Date of Government Version: 12/31/2021
Date Data Arrived at EDR: 08/29/2022
Date Made Active in Reports: 11/16/2022
Number of Days to Update: 79

Source: Texas Commission on Environmental Quality
Telephone: 512-239-5690
Last EDR Contact: 05/25/2023
Next Scheduled EDR Contact: 09/04/2023
Data Release Frequency: Annually

IOP: Innocent Owner/Operator Program

Contains information on all sites that are in the IOP. An IOP is an innocent owner or operator whose property is contaminated as a result of a release or migration of contaminants from a source or sources not located on the property, and they did not cause or contribute to the source or sources of contamination.

Date of Government Version: 03/24/2023
Date Data Arrived at EDR: 03/29/2023
Date Made Active in Reports: 04/03/2023
Number of Days to Update: 5

Source: Texas Commission on Environmental Quality
Telephone: 512-239-5894
Last EDR Contact: 06/22/2023
Next Scheduled EDR Contact: 10/09/2023
Data Release Frequency: Quarterly

LEAD: Lead Inspection Listing Lead inspection sites

Date of Government Version: 11/28/2022
Date Data Arrived at EDR: 11/30/2022
Date Made Active in Reports: 02/13/2023
Number of Days to Update: 75

Source: Department of State Health Services
Telephone: 512-834-6600
Last EDR Contact: 06/01/2023
Next Scheduled EDR Contact: 08/28/2023
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Ind. Haz Waste: Industrial & Hazardous Waste Database

Summary reports reported by waste handlers, generators and shippers in Texas.

Date of Government Version: 03/14/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 04/12/2023	Telephone: 512-239-0985
Date Made Active in Reports: 07/11/2023	Last EDR Contact: 07/12/2023
Number of Days to Update: 90	Next Scheduled EDR Contact: 10/23/2023
	Data Release Frequency: Annually

MSD: Municipal Settings Designations Database

An MSD is an official state designation given to property within a municipality or its extraterritorial jurisdiction that certifies that designated groundwater at the property is not use as potable water, and is prohibited from future use as potatable water because that groundwater is contaminated in excess of the applicable potable-water protective concentration level.

Date of Government Version: 05/11/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 05/11/2023	Telephone: 512-239-4982
Date Made Active in Reports: 05/15/2023	Last EDR Contact: 07/19/2023
Number of Days to Update: 4	Next Scheduled EDR Contact: 11/06/2023
	Data Release Frequency: Varies

NPDES: NPDES Facility List

Permitted wastewater outfalls.

Date of Government Version: 08/02/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 08/02/2023	Telephone: 512-239-4591
Date Made Active in Reports: 08/03/2023	Last EDR Contact: 08/02/2023
Number of Days to Update: 1	Next Scheduled EDR Contact: 11/20/2023
	Data Release Frequency: Varies

RWS: Radioactive Waste Sites

Sites in the State of Texas that have been designated as Radioactive Waste sites.

Date of Government Version: 07/24/2006	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 12/14/2006	Telephone: 512-239-0859
Date Made Active in Reports: 01/23/2007	Last EDR Contact: 08/02/2023
Number of Days to Update: 40	Next Scheduled EDR Contact: 11/20/2023
	Data Release Frequency: Semi-Annually

TIER 2: Tier 2 Chemical Inventory Reports

A listing of facilities which store or manufacture hazardous materials and submit a chemical inventory report.

Date of Government Version: 12/31/2012	Source: Department of State Health Services
Date Data Arrived at EDR: 06/07/2013	Telephone: 512-834-6603
Date Made Active in Reports: 07/22/2013	Last EDR Contact: 05/10/2023
Number of Days to Update: 45	Next Scheduled EDR Contact: 08/28/2023
	Data Release Frequency: Annually

UIC: Underground Injection Wells Database Listing

Class V injection wells regulated by the TCEQ. Class V wells are used to inject non-hazardous fluids underground. Most Class V wells are used to dispose of wastes into or above underground sources of drinking water and can pose a threat to ground water quality, if not managed properly.

Date of Government Version: 08/09/2022	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 08/10/2022	Telephone: 512-239-6627
Date Made Active in Reports: 11/01/2022	Last EDR Contact: 07/06/2023
Number of Days to Update: 83	Next Scheduled EDR Contact: 10/23/2023
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

IHW CORR ACTION: Industrial and Hazardous Waste Corrective Action Information
Industrial hazardous waste facilities with corrective actions.

Date of Government Version: 03/24/2023	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 03/29/2023	Telephone: 512-239-5872
Date Made Active in Reports: 04/04/2023	Last EDR Contact: 06/22/2023
Number of Days to Update: 6	Next Scheduled EDR Contact: 10/09/2023
	Data Release Frequency: Varies

PST STAGE 2: PST Stage 2

State II Vapor Recovery. Decommissioning of Stage II Rule - Gasoline dispensing facilities (GDFs) may begin the process of removing Stage II equipment on May 16, 2014 providing that all other requirements for decommissioning have been met, including appropriate notification.

Date of Government Version: 07/17/2019	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 07/18/2019	Telephone: 512-239-2160
Date Made Active in Reports: 09/24/2019	Last EDR Contact: 06/14/2023
Number of Days to Update: 68	Next Scheduled EDR Contact: 10/02/2023
	Data Release Frequency: Varies

COMP HIST: Compliance History Listing

A listing of compliance histories of regulated entities

Date of Government Version: 11/21/2022	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 11/22/2022	Telephone: 512-239-3282
Date Made Active in Reports: 02/14/2023	Last EDR Contact: 05/25/2023
Number of Days to Update: 84	Next Scheduled EDR Contact: 09/04/2023
	Data Release Frequency: Varies

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014	Source: EPA
Date Data Arrived at EDR: 02/05/2015	Telephone: 202-564-2497
Date Made Active in Reports: 03/06/2015	Last EDR Contact: 06/27/2023
Number of Days to Update: 29	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

PFAS TRIS: List of PFAS Added to the TRI

Section 7321 of the National Defense Authorization Act for Fiscal Year 2020 (NDAA) immediately added certain per- and polyfluoroalkyl substances (PFAS) to the list of chemicals covered by the Toxics Release Inventory (TRI) under Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) and provided a framework for additional PFAS to be added to TRI on an annual basis.

Date of Government Version: 06/07/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/08/2023	Telephone: 202-566-0250
Date Made Active in Reports: 06/09/2023	Last EDR Contact: 07/05/2023
Number of Days to Update: 1	Next Scheduled EDR Contact: 10/16/2023
	Data Release Frequency: Varies

MINES MRDS: Mineral Resources Data System

Mineral Resources Data System

Date of Government Version: 08/23/2022	Source: USGS
Date Data Arrived at EDR: 11/22/2022	Telephone: 703-648-6533
Date Made Active in Reports: 02/28/2023	Last EDR Contact: 05/25/2023
Number of Days to Update: 98	Next Scheduled EDR Contact: 09/04/2023
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011
Date Data Arrived at EDR: 08/05/2011
Date Made Active in Reports: 09/29/2011
Number of Days to Update: 55

Source: EPA, Office of Water
Telephone: 202-564-2496
Last EDR Contact: 06/27/2023
Next Scheduled EDR Contact: 10/16/2023
Data Release Frequency: No Update Planned

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Texas Commission of Environmental Quality in Texas formerly known as Texas Natural Resources Conservation Commission which changed in 2002.

Date of Government Version: N/A	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 12/26/2013	Last EDR Contact: 06/01/2012
Number of Days to Update: 178	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Texas Commission of Environmental Quality in Texas formerly known as Texas Natural Resources Conservation Commission which changed in 2002.

Date of Government Version: N/A	Source: Texas Commission on Environmental Quality
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/13/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 196	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

COUNTY RECORDS

TRAVIS COUNTY:

HIST UST AUSTIN: Historic Tank Records

A listing of historic records from the City of Austin.

Date of Government Version: 02/27/2023	Source: Department of Planning & Development Review
Date Data Arrived at EDR: 03/01/2023	Telephone: 512-974-2715
Date Made Active in Reports: 05/16/2023	Last EDR Contact: 05/30/2023
Number of Days to Update: 76	Next Scheduled EDR Contact: 09/11/2023
	Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 11/16/2022	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 11/16/2022	Telephone: 860-424-3375
Date Made Active in Reports: 02/06/2023	Last EDR Contact: 05/11/2023
Number of Days to Update: 82	Next Scheduled EDR Contact: 08/21/2023
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 06/27/2023
Next Scheduled EDR Contact: 10/16/2023
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 10/29/2021
Date Made Active in Reports: 01/19/2022
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 07/27/2023
Next Scheduled EDR Contact: 11/06/2023
Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 07/06/2023
Next Scheduled EDR Contact: 10/23/2023
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 11/30/2021
Date Made Active in Reports: 02/18/2022
Number of Days to Update: 80

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 05/10/2022
Next Scheduled EDR Contact: 08/28/2023
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 10/28/2019
Date Data Arrived at EDR: 10/29/2019
Date Made Active in Reports: 01/09/2020
Number of Days to Update: 72

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 07/06/2023
Next Scheduled EDR Contact: 10/23/2023
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 06/01/2023
Next Scheduled EDR Contact: 09/18/2023
Data Release Frequency: Annually

Oil/Gas Pipelines

Source: Endeavor Business Media

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data

Source: Endeavor Business Media

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Child Care Facility List

Source: Department of Protective & Regulatory Services

Telephone: 512-438-3269

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Texas General Land Office

Telephone: 512-463-0745

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

SITE #1 PROJECT 2025
EXPRESS SOUTH PARKING LOT
DALLAS, TX 75261

TARGET PROPERTY COORDINATES

Latitude (North):	32.890375 - 32° 53' 25.35"
Longitude (West):	97.043747 - 97° 2' 37.49"
Universal Transverse Mercator:	Zone 14
UTM X (Meters):	682989.4
UTM Y (Meters):	3640640.0
Elevation:	574 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	12969224 GRAPEVINE, TX
Version Date:	2019
Northeast Map:	12797323 CARROLLTON, TX
Version Date:	2019
Southeast Map:	12797367 IRVING, TX
Version Date:	2019
South Map:	12969218 EULESS, TX
Version Date:	2019

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General ESE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
48113C0145K	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
Not Reported	

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
NOT AVAILABLE	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
289	1/2 - 1 Mile SSE	Not Reported
1G	1/2 - 1 Mile SSE	Not Reported

For additional site information, refer to Physical Setting Source Map Findings.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era: Mesozoic
System: Cretaceous
Series: Austin and Eagle Ford Groups
Code: uK2 (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION


Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 7411289.2s



- ★ Target Property
- ∩ SSURGO Soil
- ∩ Water



SITE NAME: Site #1 Project 2025
ADDRESS: Express South Parking Lot
Dallas TX 75261
LAT/LONG: 32.890375 / 97.043747

CLIENT: Integrated Env. Solutions, Inc.
CONTACT: Rae Lynn Schneider
INQUIRY #: 7411289.2s
DATE: August 08, 2023 12:06 pm

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Urban land

Soil Surface Texture: variable

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	40 inches	variable	Not reported	Not reported	Max: 141 Min: 0.42	Max: Min:

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	TXPLU6000198297	1/8 - 1/4 Mile West
A2	TXMON6000290037	1/4 - 1/2 Mile NE
A3	TXMON6000290038	1/4 - 1/2 Mile NE
A4	TXMON6000290035	1/4 - 1/2 Mile NE
A5	TXMON6000290036	1/4 - 1/2 Mile NE
A6	TXMON6000290039	1/4 - 1/2 Mile NE
A7	TXMON6000290042	1/4 - 1/2 Mile NE
A8	TXMON6000290041	1/4 - 1/2 Mile NE
A9	TXMON6000290040	1/4 - 1/2 Mile NE
A10	TXPLU6000188966	1/4 - 1/2 Mile NE
A11	TXPLU6000188968	1/4 - 1/2 Mile NE
A12	TXPLU6000188964	1/4 - 1/2 Mile NE
A13	TXPLU6000188965	1/4 - 1/2 Mile NE
A14	TXPLU6000188979	1/4 - 1/2 Mile NE
A15	TXPLU6000188982	1/4 - 1/2 Mile NE
A16	TXPLU6000188973	1/4 - 1/2 Mile NE
A17	TXPLU6000188976	1/4 - 1/2 Mile NE
A18	TXMON6000273671	1/4 - 1/2 Mile NE
A19	TXMON6000273673	1/4 - 1/2 Mile NE
A20	TXPLU6000050412	1/4 - 1/2 Mile NE
A21	TXPLU6000050411	1/4 - 1/2 Mile NE
A22	TXMON6000059778	1/4 - 1/2 Mile NE
A23	TXMON6000059777	1/4 - 1/2 Mile NE
A24	TXMON6000059770	1/4 - 1/2 Mile NE
A25	TXMON6000059768	1/4 - 1/2 Mile NE
A26	TXMON6000059775	1/4 - 1/2 Mile NE
A27	TXMON6000059771	1/4 - 1/2 Mile NE
A28	TXMON6000059767	1/4 - 1/2 Mile NE
A29	TXMON6000059774	1/4 - 1/2 Mile NE
A30	TXMON6000059772	1/4 - 1/2 Mile NE
A31	TXDOL2000040663	1/4 - 1/2 Mile NE
A32	TXDOL2000040664	1/4 - 1/2 Mile NE
A33	TXDOL2000040659	1/4 - 1/2 Mile NE
A34	TXDOL2000040662	1/4 - 1/2 Mile NE
A35	TXDOL2000040665	1/4 - 1/2 Mile NE
A36	TXDOL2000040667	1/4 - 1/2 Mile NE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A37	TXDOL2000040661	1/4 - 1/2 Mile NE
A38	TXDOL2000040666	1/4 - 1/2 Mile NE
A39	TXDOL2000040660	1/4 - 1/2 Mile NE
B40	TXMON6000048781	1/4 - 1/2 Mile ENE
B41	TXMON6000048780	1/4 - 1/2 Mile ENE
B42	TXMON6000048779	1/4 - 1/2 Mile ENE
B43	TXMON6000048782	1/4 - 1/2 Mile ENE
B44	TXMON6000048785	1/4 - 1/2 Mile ENE
B45	TXMON6000048784	1/4 - 1/2 Mile ENE
B46	TXMON6000048783	1/4 - 1/2 Mile ENE
B47	TXDOL2000145421	1/4 - 1/2 Mile ENE
B48	TXDOL2000145431	1/4 - 1/2 Mile ENE
B49	TXDOL2000145432	1/4 - 1/2 Mile ENE
B50	TXDOL2000145418	1/4 - 1/2 Mile ENE
B51	TXDOL2000145417	1/4 - 1/2 Mile ENE
B52	TXDOL2000145420	1/4 - 1/2 Mile ENE
B53	TXDOL2000145419	1/4 - 1/2 Mile ENE
C54	TXMON6000048796	1/4 - 1/2 Mile NE
C55	TXMON6000048795	1/4 - 1/2 Mile NE
C56	TXMON6000017112	1/4 - 1/2 Mile NE
C57	TXPLU6000036061	1/4 - 1/2 Mile NE
C58	TXPLU6000036060	1/4 - 1/2 Mile NE
C59	TXDOL2000042863	1/4 - 1/2 Mile NE
C60	TXDOL2000145410	1/4 - 1/2 Mile NE
C61	TXDOL2000145411	1/4 - 1/2 Mile NE
B62	TXDOL2000145412	1/4 - 1/2 Mile NE
B63	TXDOL2000145228	1/4 - 1/2 Mile NE
B64	TXDOL2000145414	1/4 - 1/2 Mile NE
B65	TXDOL2000145413	1/4 - 1/2 Mile NE
B66	TXDOL2000145227	1/4 - 1/2 Mile NE
B67	TXDOL2000043132	1/4 - 1/2 Mile NE
B68	TXDOL2000043131	1/4 - 1/2 Mile NE
B69	TXDOL2000043138	1/4 - 1/2 Mile NE
B70	TXDOL2000043133	1/4 - 1/2 Mile NE
B71	TXDOL2000145415	1/4 - 1/2 Mile NE
B72	TXMON6000048789	1/4 - 1/2 Mile NE
B73	TXMON6000048790	1/4 - 1/2 Mile NE
B74	TXMON6000014965	1/4 - 1/2 Mile NE
B75	TXMON6000014966	1/4 - 1/2 Mile NE
B76	TXMON6000048793	1/4 - 1/2 Mile NE
B77	TXMON6000048794	1/4 - 1/2 Mile NE
B78	TXMON6000048791	1/4 - 1/2 Mile NE
B79	TXMON6000048792	1/4 - 1/2 Mile NE
B80	TXMON6000014964	1/4 - 1/2 Mile NE
B81	TXMON6000014963	1/4 - 1/2 Mile NE
C82	TXPLU6000036059	1/4 - 1/2 Mile NE
C83	TXPLU6000036058	1/4 - 1/2 Mile NE
B84	TXDOL2000145440	1/4 - 1/2 Mile NE
B85	TXDOL2000145441	1/4 - 1/2 Mile NE
B86	TXDOL2000145438	1/4 - 1/2 Mile NE
B87	TXDOL2000145439	1/4 - 1/2 Mile NE
B88	TXDOL2000145442	1/4 - 1/2 Mile NE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
B89	TXDOL2000145444	1/4 - 1/2 Mile NE
B90	TXDOL2000145443	1/4 - 1/2 Mile NE
B91	TXMON6000048771	1/4 - 1/2 Mile NE
B92	TXMON6000048770	1/4 - 1/2 Mile NE
B93	TXMON6000048773	1/4 - 1/2 Mile NE
B94	TXMON6000048772	1/4 - 1/2 Mile NE
B95	TXMON6000048769	1/4 - 1/2 Mile NE
B96	TXMON6000048767	1/4 - 1/2 Mile NE
B97	TXMON6000048768	1/4 - 1/2 Mile NE
B98	TXPLU6000036057	1/4 - 1/2 Mile NE
B99	TXPLU6000036056	1/4 - 1/2 Mile NE
B100	TXPLU6000036055	1/4 - 1/2 Mile NE
B101	TXMON6000014967	1/4 - 1/2 Mile NE
B102	TXMON6000014954	1/4 - 1/2 Mile NE
B103	TXMON6000014953	1/4 - 1/2 Mile NE
B104	TXDOL2000043147	1/4 - 1/2 Mile NE
B105	TXDOL2000043146	1/4 - 1/2 Mile NE
B106	TXDOL2000043130	1/4 - 1/2 Mile NE
B107	TXPLU6000036048	1/4 - 1/2 Mile NE
B108	TXPLU6000036047	1/4 - 1/2 Mile NE
B109	TXPLU6000036050	1/4 - 1/2 Mile NE
B110	TXPLU6000036049	1/4 - 1/2 Mile NE
D111	TXDOL2000042292	1/4 - 1/2 Mile ENE
D112	TXMON6000027915	1/4 - 1/2 Mile ENE
B113	TXPLU6000036051	1/4 - 1/2 Mile NE
B114	TXPLU6000036035	1/4 - 1/2 Mile NE
B115	TXPLU6000036034	1/4 - 1/2 Mile NE
B116	TXPLU6000036052	1/4 - 1/2 Mile NE
B117	TXPLU6000036062	1/4 - 1/2 Mile NE
B118	TXPLU6000036054	1/4 - 1/2 Mile NE
B119	TXPLU6000036053	1/4 - 1/2 Mile NE
B120	TXPLU6000036044	1/4 - 1/2 Mile NE
B121	TXPLU6000036037	1/4 - 1/2 Mile NE
B122	TXPLU6000036046	1/4 - 1/2 Mile NE
B123	TXPLU6000036045	1/4 - 1/2 Mile NE
D124	TXMON6000027913	1/4 - 1/2 Mile ENE
D125	TXDOL2000042125	1/4 - 1/2 Mile ENE
C126	TXDOL2000043145	1/4 - 1/2 Mile NE
C127	TXDOL2000043144	1/4 - 1/2 Mile NE
C128	TXMON6000014957	1/4 - 1/2 Mile NE
C129	TXMON6000014956	1/4 - 1/2 Mile NE
B130	TXDOL2000145434	1/4 - 1/2 Mile NE
B131	TXDOL2000145433	1/4 - 1/2 Mile NE
B132	TXDOL2000043143	1/4 - 1/2 Mile NE
B133	TXDOL2000145436	1/4 - 1/2 Mile NE
B134	TXDOL2000145437	1/4 - 1/2 Mile NE
B135	TXDOL2000145435	1/4 - 1/2 Mile NE
B136	TXDOL2000043140	1/4 - 1/2 Mile NE
B137	TXDOL2000043139	1/4 - 1/2 Mile NE
B138	TXDOL2000043142	1/4 - 1/2 Mile NE
B139	TXDOL2000043141	1/4 - 1/2 Mile NE
B140	TXPLU6000036038	1/4 - 1/2 Mile NE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
B141	TXPLU6000036036	1/4 - 1/2 Mile NE
B142	TXPLU6000036033	1/4 - 1/2 Mile NE
B143	TXPLU6000036042	1/4 - 1/2 Mile NE
B144	TXPLU6000025018	1/4 - 1/2 Mile NE
B145	TXPLU6000025019	1/4 - 1/2 Mile NE
B146	TXPLU6000036030	1/4 - 1/2 Mile NE
B147	TXMON6000014961	1/4 - 1/2 Mile NE
B148	TXMON6000014962	1/4 - 1/2 Mile NE
B149	TXMON6000014960	1/4 - 1/2 Mile NE
B150	TXMON6000014958	1/4 - 1/2 Mile NE
B151	TXMON6000014959	1/4 - 1/2 Mile NE
B152	TXMON6000048777	1/4 - 1/2 Mile NE
B153	TXMON6000048778	1/4 - 1/2 Mile NE
B154	TXMON6000048776	1/4 - 1/2 Mile NE
B155	TXMON6000048774	1/4 - 1/2 Mile NE
B156	TXMON6000048775	1/4 - 1/2 Mile NE
D157	TXPLU6000025017	1/4 - 1/2 Mile ENE
E158	TXMON6000048788	1/2 - 1 Mile SE
E159	TXDOL2000145229	1/2 - 1 Mile SE
E160	TXPLU6000075367	1/2 - 1 Mile SE
E161	TXPLU6000074393	1/2 - 1 Mile SE
E162	TXPLU6000075366	1/2 - 1 Mile SE
E163	TXPLU6000075368	1/2 - 1 Mile SE
164	TXPLU6000007080	1/2 - 1 Mile NNE
F165	TXMON6000037183	1/2 - 1 Mile NNE
F166	TXMON6000037181	1/2 - 1 Mile NNE
F167	TXMON6000037182	1/2 - 1 Mile NNE
F168	TXMON6000037184	1/2 - 1 Mile NNE
F169	TXMON6000042306	1/2 - 1 Mile NNE
F170	TXMON6000042304	1/2 - 1 Mile NNE
F171	TXMON6000042303	1/2 - 1 Mile NNE
F172	TXMON6000037174	1/2 - 1 Mile NNE
F173	TXMON6000037171	1/2 - 1 Mile NNE
F174	TXMON6000037175	1/2 - 1 Mile NNE
F175	TXMON6000037178	1/2 - 1 Mile NNE
F176	TXMON6000037177	1/2 - 1 Mile NNE
F177	TXPLU6000198347	1/2 - 1 Mile NNE
F178	TXPLU6000198346	1/2 - 1 Mile NNE
F179	TXPLU6000198291	1/2 - 1 Mile NNE
F180	TXPLU6000198348	1/2 - 1 Mile NNE
F181	TXPLU6000198353	1/2 - 1 Mile NNE
F182	TXPLU6000198351	1/2 - 1 Mile NNE
F183	TXPLU6000198349	1/2 - 1 Mile NNE
F184	TXPLU6000008243	1/2 - 1 Mile NNE
F185	TXPLU6000008244	1/2 - 1 Mile NNE
G186	TXMON6000299110	1/2 - 1 Mile NE
G187	TXPLU6000029973	1/2 - 1 Mile NE
F188	TXPLU6000006846	1/2 - 1 Mile NNE
F189	TXPLU6000006848	1/2 - 1 Mile NNE
F190	TXPLU6000006847	1/2 - 1 Mile NNE
G191	TXMON6000260895	1/2 - 1 Mile NE
G192	TXPLU6000198816	1/2 - 1 Mile NE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
G193	TXDOL2000042286	1/2 - 1 Mile NE
G194	TXMON6000027921	1/2 - 1 Mile NE
195	TXMON6000508098	1/2 - 1 Mile NNE
H196	TXPLU6000198813	1/2 - 1 Mile NE
H197	TXMON6000260893	1/2 - 1 Mile NE
H198	TXMON6000027920	1/2 - 1 Mile NE
H199	TXDOL2000042287	1/2 - 1 Mile NE
H200	TXMON6000260898	1/2 - 1 Mile NE
H201	TXPLU6000198817	1/2 - 1 Mile NE
H202	TXMON6000346736	1/2 - 1 Mile NE
H203	TXMON6000260902	1/2 - 1 Mile NE
H204	TXPLU6000198819	1/2 - 1 Mile NE
H205	TXPLU6000198820	1/2 - 1 Mile NE
I206	TXMON6000181299	1/2 - 1 Mile South
I207	TXDOL2000140355	1/2 - 1 Mile South
J208	TXPLU6000021627	1/2 - 1 Mile North
K209	TXPLU6000200508	1/2 - 1 Mile North
L210	TXDOL2000042291	1/2 - 1 Mile NNW
L211	TXMON6000027916	1/2 - 1 Mile NNW
K212	TXDOL2000042889	1/2 - 1 Mile North
K213	TXDOL2000145445	1/2 - 1 Mile North
K214	TXDOL2000145446	1/2 - 1 Mile North
K215	TXDOL2000042885	1/2 - 1 Mile North
K216	TXDOL2000042795	1/2 - 1 Mile North
K217	TXDOL2000042796	1/2 - 1 Mile North
K218	TXDOL2000042797	1/2 - 1 Mile North
K219	TXDOL2000145451	1/2 - 1 Mile North
K220	TXDOL2000145452	1/2 - 1 Mile North
K221	TXDOL2000145453	1/2 - 1 Mile North
K222	TXDOL2000145450	1/2 - 1 Mile North
K223	TXDOL2000145447	1/2 - 1 Mile North
K224	TXDOL2000145448	1/2 - 1 Mile North
K225	TXDOL2000145449	1/2 - 1 Mile North
K226	TXMON6000019593	1/2 - 1 Mile North
K227	TXMON6000019594	1/2 - 1 Mile North
K228	TXMON6000019592	1/2 - 1 Mile North
K229	TXMON6000018276	1/2 - 1 Mile North
K230	TXMON6000018282	1/2 - 1 Mile North
K231	TXMON6000048764	1/2 - 1 Mile North
K232	TXMON6000048763	1/2 - 1 Mile North
K233	TXMON6000048766	1/2 - 1 Mile North
K234	TXMON6000048765	1/2 - 1 Mile North
K235	TXMON6000048762	1/2 - 1 Mile North
K236	TXMON6000048759	1/2 - 1 Mile North
K237	TXMON6000048758	1/2 - 1 Mile North
K238	TXMON6000048761	1/2 - 1 Mile North
K239	TXMON6000048760	1/2 - 1 Mile North
K240	TXPLU6000036020	1/2 - 1 Mile North
K241	TXDOL2000042883	1/2 - 1 Mile North
K242	TXDOL2000042886	1/2 - 1 Mile North
K243	TXMON6000018285	1/2 - 1 Mile North
K244	TXMON6000018280	1/2 - 1 Mile North

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
K245	TXPLU6000036028	1/2 - 1 Mile North
K246	TXPLU6000036444	1/2 - 1 Mile North
K247	TXPLU6000036445	1/2 - 1 Mile North
K248	TXPLU6000036017	1/2 - 1 Mile North
K249	TXPLU6000036025	1/2 - 1 Mile North
K250	TXPLU6000200505	1/2 - 1 Mile North
K251	TXPLU6000200504	1/2 - 1 Mile North
K252	TXPLU6000200502	1/2 - 1 Mile North
M253	TXDOL2000042288	1/2 - 1 Mile NNE
M254	TXMON6000027919	1/2 - 1 Mile NNE
J255	TXDOL2000145409	1/2 - 1 Mile North
J256	TXDOL2000145408	1/2 - 1 Mile North
J257	TXMON6000048797	1/2 - 1 Mile North
J258	TXMON6000048798	1/2 - 1 Mile North
J259	TXPLU6000036023	1/2 - 1 Mile North
J260	TXPLU6000020476	1/2 - 1 Mile North
J261	TXPLU6000022272	1/2 - 1 Mile North
J262	TXPLU6000036018	1/2 - 1 Mile North
J263	TXDOL2000145416	1/2 - 1 Mile North
J264	TXDOL2000145230	1/2 - 1 Mile North
J265	TXMON6000048787	1/2 - 1 Mile North
J266	TXMON6000048786	1/2 - 1 Mile North
J267	TXPLU6000036019	1/2 - 1 Mile North
K268	TXPLU6000200506	1/2 - 1 Mile North
K269	TXPLU6000200499	1/2 - 1 Mile North
J270	TXDOL2000042884	1/2 - 1 Mile North
J271	TXMON6000018283	1/2 - 1 Mile North
J272	TXPLU6000036022	1/2 - 1 Mile North
J273	TXPLU6000036446	1/2 - 1 Mile North
K274	TXDOL2000042888	1/2 - 1 Mile North
K275	TXMON6000018278	1/2 - 1 Mile North
K276	TXPLU6000036026	1/2 - 1 Mile North
K277	TXPLU6000036021	1/2 - 1 Mile North
K278	TXPLU6000200501	1/2 - 1 Mile North
K279	TXPLU6000200500	1/2 - 1 Mile North
K280	TXPLU6000200503	1/2 - 1 Mile North
K281	TXDOL2000042887	1/2 - 1 Mile North
K282	TXMON6000018279	1/2 - 1 Mile North
K283	TXPLU6000036027	1/2 - 1 Mile North
K284	TXPLU6000036029	1/2 - 1 Mile North
K285	TXPLU6000200507	1/2 - 1 Mile North
K286	TXPLU6000200497	1/2 - 1 Mile North
K287	TXPLU6000200509	1/2 - 1 Mile North
288	TXPLU6000200498	1/2 - 1 Mile NNE
N290	TXDOL2000146886	1/2 - 1 Mile NE
N291	TXDOL2000146887	1/2 - 1 Mile NE
N292	TXDOL2000146888	1/2 - 1 Mile NE
N293	TXDOL2000146882	1/2 - 1 Mile NE
N294	TXDOL2000146881	1/2 - 1 Mile NE
N295	TXDOL2000146880	1/2 - 1 Mile NE
N296	TXDOL2000146885	1/2 - 1 Mile NE
N297	TXDOL2000146884	1/2 - 1 Mile NE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
N298	TXDOL2000146883	1/2 - 1 Mile NE
N299	TXPLU6000105540	1/2 - 1 Mile NE
N300	TXPLU6000105539	1/2 - 1 Mile NE
N301	TXPLU6000105542	1/2 - 1 Mile NE
N302	TXPLU6000105541	1/2 - 1 Mile NE
N303	TXPLU6000105538	1/2 - 1 Mile NE
N304	TXPLU6000105533	1/2 - 1 Mile NE
N305	TXPLU6000105530	1/2 - 1 Mile NE
N306	TXPLU6000105537	1/2 - 1 Mile NE
N307	TXPLU6000105536	1/2 - 1 Mile NE
N308	TXMON6000019129	1/2 - 1 Mile NE
N309	TXMON6000019128	1/2 - 1 Mile NE
N310	TXMON6000019127	1/2 - 1 Mile NE
N311	TXMON6000019124	1/2 - 1 Mile NE
N312	TXMON6000019122	1/2 - 1 Mile NE
N313	TXMON6000019126	1/2 - 1 Mile NE
N314	TXMON6000019125	1/2 - 1 Mile NE
N315	TXMON6000019119	1/2 - 1 Mile NE
N316	TXMON6000019115	1/2 - 1 Mile NE
O317	TXDOL2000042289	1/2 - 1 Mile North
O318	TXMON6000027918	1/2 - 1 Mile North
P319	TXPLU6000181326	1/2 - 1 Mile SSE
P320	TXMON6000477107	1/2 - 1 Mile SSE
Q321	TXMON6000365110	1/2 - 1 Mile WNW
Q322	TXPLU6000145090	1/2 - 1 Mile WNW
R323	TXPLU6000198311	1/2 - 1 Mile NNE
R324	TXMON6000251471	1/2 - 1 Mile NNE
Q325	TXPLU6000145091	1/2 - 1 Mile WNW
Q326	TXPLU6000145092	1/2 - 1 Mile WNW
Q327	TXPLU6000145093	1/2 - 1 Mile WNW
Q328	TXMON6000365113	1/2 - 1 Mile WNW
Q329	TXMON6000365111	1/2 - 1 Mile WNW
Q330	TXMON6000365112	1/2 - 1 Mile WNW
Q331	TXPLU6000145094	1/2 - 1 Mile WNW
Q332	TXMON6000365114	1/2 - 1 Mile WNW
R333	TXMON6000251475	1/2 - 1 Mile NNE
R334	TXPLU6000198310	1/2 - 1 Mile NNE
Q335	TXMON6000426017	1/2 - 1 Mile WNW
Q336	TXMON6000426018	1/2 - 1 Mile WNW
Q337	TXMON6000426019	1/2 - 1 Mile WNW
Q338	TXMON6000426009	1/2 - 1 Mile WNW
Q339	TXMON6000426015	1/2 - 1 Mile WNW
Q340	TXMON6000426016	1/2 - 1 Mile WNW
Q341	TXMON6000426020	1/2 - 1 Mile WNW
Q342	TXMON6000426063	1/2 - 1 Mile WNW
Q343	TXMON6000426064	1/2 - 1 Mile WNW
Q344	TXMON6000426065	1/2 - 1 Mile WNW
Q345	TXMON6000426022	1/2 - 1 Mile WNW
Q346	TXMON6000426057	1/2 - 1 Mile WNW
Q347	TXMON6000426062	1/2 - 1 Mile WNW
Q348	TXMON6000365116	1/2 - 1 Mile WNW
Q349	TXMON6000365115	1/2 - 1 Mile WNW

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
Q350	TXMON6000365120	1/2 - 1 Mile WNW
Q351	TXMON6000365117	1/2 - 1 Mile WNW
Q352	TXMON6000364985	1/2 - 1 Mile WNW
Q353	TXMON6000364959	1/2 - 1 Mile WNW
Q354	TXMON6000364958	1/2 - 1 Mile WNW
Q355	TXMON6000364984	1/2 - 1 Mile WNW
Q356	TXMON6000364982	1/2 - 1 Mile WNW
Q357	TXPLU6000145095	1/2 - 1 Mile WNW
Q358	TXPLU6000145071	1/2 - 1 Mile WNW
Q359	TXPLU6000145096	1/2 - 1 Mile WNW
Q360	TXPLU6000145098	1/2 - 1 Mile WNW
Q361	TXPLU6000145097	1/2 - 1 Mile WNW
Q362	TXPLU6000145070	1/2 - 1 Mile WNW
Q363	TXPLU6000145066	1/2 - 1 Mile WNW
Q364	TXPLU6000145067	1/2 - 1 Mile WNW
Q365	TXPLU6000145069	1/2 - 1 Mile WNW
R366	TXPLU6000072803	1/2 - 1 Mile NNE
S367	TXDOL2000140985	1/2 - 1 Mile NE
S368	TXDOL2000140986	1/2 - 1 Mile NE
S369	TXDOL2000140984	1/2 - 1 Mile NE
S370	TXMON6000152355	1/2 - 1 Mile NE
S371	TXMON6000152356	1/2 - 1 Mile NE
S372	TXMON6000152357	1/2 - 1 Mile NE
S373	TXPLU6000119934	1/2 - 1 Mile NE
S374	TXPLU6000119935	1/2 - 1 Mile NE
S375	TXPLU6000119933	1/2 - 1 Mile NE
Q376	TXPLU6000145183	1/2 - 1 Mile WNW
Q377	TXPLU6000145182	1/2 - 1 Mile WNW
Q378	TXPLU6000145185	1/2 - 1 Mile WNW
Q379	TXPLU6000145184	1/2 - 1 Mile WNW
Q380	TXMON6000365548	1/2 - 1 Mile WNW
Q381	TXMON6000365552	1/2 - 1 Mile WNW
Q382	TXMON6000365551	1/2 - 1 Mile WNW
Q383	TXMON6000365549	1/2 - 1 Mile WNW
Q384	TXPLU6000145186	1/2 - 1 Mile WNW
Q385	TXMON6000365553	1/2 - 1 Mile WNW
R386	TXMON6000187039	1/2 - 1 Mile NNE
R387	TXPLU6000198308	1/2 - 1 Mile NNE
R388	TXMON6000226444	1/2 - 1 Mile NNE
R389	TXMON6000251472	1/2 - 1 Mile NNE
R390	TXMON6000226442	1/2 - 1 Mile NNE
R391	TXMON6000251474	1/2 - 1 Mile NNE
R392	TXMON6000226439	1/2 - 1 Mile NNE
R393	TXPLU6000198775	1/2 - 1 Mile NNE
R394	TXPLU6000198309	1/2 - 1 Mile NNE
R395	TXPLU6000198776	1/2 - 1 Mile NNE
R396	TXPLU6000198777	1/2 - 1 Mile NNE
R397	TXPLU6000198779	1/2 - 1 Mile NNE
Q398	TXMON6000365127	1/2 - 1 Mile WNW
Q399	TXMON6000365126	1/2 - 1 Mile WNW
Q400	TXMON6000364980	1/2 - 1 Mile WNW
Q401	TXMON6000365128	1/2 - 1 Mile WNW

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
Q402	TXMON6000366703	1/2 - 1 Mile WNW
Q403	TXMON6000365396	1/2 - 1 Mile WNW
Q404	TXMON6000365129	1/2 - 1 Mile WNW
Q405	TXMON6000364948	1/2 - 1 Mile WNW
Q406	TXMON6000364947	1/2 - 1 Mile WNW
Q407	TXMON6000364946	1/2 - 1 Mile WNW
Q408	TXMON6000364949	1/2 - 1 Mile WNW
Q409	TXMON6000364957	1/2 - 1 Mile WNW
Q410	TXMON6000364956	1/2 - 1 Mile WNW
Q411	TXMON6000364955	1/2 - 1 Mile WNW
Q412	TXPLU6000145103	1/2 - 1 Mile WNW
Q413	TXPLU6000145102	1/2 - 1 Mile WNW
Q414	TXPLU6000145068	1/2 - 1 Mile WNW
Q415	TXPLU6000145144	1/2 - 1 Mile WNW
Q416	TXPLU6000145105	1/2 - 1 Mile WNW
Q417	TXPLU6000145104	1/2 - 1 Mile WNW
Q418	TXPLU6000145065	1/2 - 1 Mile WNW
Q419	TXPLU6000145061	1/2 - 1 Mile WNW
Q420	TXPLU6000145060	1/2 - 1 Mile WNW
Q421	TXPLU6000145059	1/2 - 1 Mile WNW
Q422	TXPLU6000145064	1/2 - 1 Mile WNW
Q423	TXPLU6000145063	1/2 - 1 Mile WNW
Q424	TXPLU6000145062	1/2 - 1 Mile WNW
Q425	TXPLU6000145354	1/2 - 1 Mile WNW
R426	TXPLU6000198312	1/2 - 1 Mile NNE
R427	TXMON6000287303	1/2 - 1 Mile NNE
R428	TXMON6000287302	1/2 - 1 Mile NNE
Q429	TXMON6000420210	1/2 - 1 Mile WNW
Q430	TXMON6000426243	1/2 - 1 Mile WNW
Q431	TXMON6000426240	1/2 - 1 Mile WNW
Q432	TXMON6000426241	1/2 - 1 Mile WNW
Q433	TXMON6000426242	1/2 - 1 Mile WNW
Q434	TXMON6000503303	1/2 - 1 Mile WNW
Q435	TXMON6000426244	1/2 - 1 Mile WNW
Q436	TXMON6000420209	1/2 - 1 Mile WNW
Q437	TXMON6000420207	1/2 - 1 Mile WNW
Q438	TXMON6000426245	1/2 - 1 Mile WNW
Q439	TXMON6000503301	1/2 - 1 Mile WNW
Q440	TXMON6000426247	1/2 - 1 Mile WNW
Q441	TXMON6000426246	1/2 - 1 Mile WNW
Q442	TXMON6000503305	1/2 - 1 Mile WNW
Q443	TXPLU6000157690	1/2 - 1 Mile WNW
Q444	TXPLU6000160341	1/2 - 1 Mile WNW
Q445	TXPLU6000160343	1/2 - 1 Mile WNW
Q446	TXPLU6000160342	1/2 - 1 Mile WNW
Q447	TXPLU6000160340	1/2 - 1 Mile WNW
Q448	TXPLU6000160338	1/2 - 1 Mile WNW
Q449	TXPLU6000160337	1/2 - 1 Mile WNW
Q450	TXPLU6000157691	1/2 - 1 Mile WNW
Q451	TXPLU6000157693	1/2 - 1 Mile WNW
Q452	TXPLU6000160345	1/2 - 1 Mile WNW
Q453	TXPLU6000160344	1/2 - 1 Mile WNW

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
Q454	TXMON6000420203	1/2 - 1 Mile WNW
Q455	TXMON6000420202	1/2 - 1 Mile WNW
Q456	TXMON6000420201	1/2 - 1 Mile WNW
Q457	TXMON6000420206	1/2 - 1 Mile WNW
Q458	TXMON6000420205	1/2 - 1 Mile WNW
Q459	TXMON6000420204	1/2 - 1 Mile WNW
Q460	TXMON6000419625	1/2 - 1 Mile WNW
Q461	TXMON6000419624	1/2 - 1 Mile WNW
Q462	TXMON6000419621	1/2 - 1 Mile WNW
Q463	TXMON6000420104	1/2 - 1 Mile WNW
Q464	TXMON6000420103	1/2 - 1 Mile WNW
Q465	TXMON6000419626	1/2 - 1 Mile WNW
Q466	TXPLU6000158897	1/2 - 1 Mile WNW
Q467	TXPLU6000157692	1/2 - 1 Mile WNW
Q468	TXPLU6000158899	1/2 - 1 Mile WNW
Q469	TXPLU6000158898	1/2 - 1 Mile WNW
Q470	TXPLU6000160346	1/2 - 1 Mile WNW
Q471	TXPLU6000165425	1/2 - 1 Mile WNW
Q472	TXPLU6000158900	1/2 - 1 Mile WNW
Q473	TXPLU6000158901	1/2 - 1 Mile WNW
Q474	TXPLU6000165428	1/2 - 1 Mile WNW
Q475	TXPLU6000165429	1/2 - 1 Mile WNW
Q476	TXPLU6000165426	1/2 - 1 Mile WNW
Q477	TXPLU6000165427	1/2 - 1 Mile WNW
R478	TXMON6000187036	1/2 - 1 Mile NNE
R479	TXMON6000187034	1/2 - 1 Mile NNE
R480	TXMON6000226445	1/2 - 1 Mile NNE
R481	TXMON6000187037	1/2 - 1 Mile NNE
R482	TXPLU6000198305	1/2 - 1 Mile NNE
R483	TXPLU6000198306	1/2 - 1 Mile NNE
R484	TXPLU6000198307	1/2 - 1 Mile NNE
R485	TXPLU6000074466	1/2 - 1 Mile NNE
R486	TXPLU6000126444	1/2 - 1 Mile NNE

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	TXOG90001300851	1/2 - 1 Mile West
A2	TXOG90001300850	1/2 - 1 Mile West
A3	TXOG90001305694	1/2 - 1 Mile West

PHYSICAL SETTING SOURCE MAP - 7411289.2s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil or gas wells



SITE NAME: Site #1 Project 2025
 ADDRESS: Express South Parking Lot
 Dallas TX 75261
 LAT/LONG: 32.890375 / 97.043747

CLIENT: Integrated Env. Solutions, Inc.
 CONTACT: Rae Lynn Schneider
 INQUIRY #: 7411289.2s
 DATE: August 08, 2023 12:06 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

1
West
1/8 - 1/4 Mile
Higher **TX WELLS** **TXPLU6000198297**

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	38175	Plugging Rpt #:	203222
Well Type:	Monitor	Borehole Depth (ft):	23

A2
NE
1/4 - 1/2 Mile
Higher **TX WELLS** **TXMON6000290037**

Database:	Submitted Drillers Reports Database		
Well Report #:	294491	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	33
Injurious Water Quality:	no	Plugging Rpt #:	192246

A3
NE
1/4 - 1/2 Mile
Higher **TX WELLS** **TXMON6000290038**

Database:	Submitted Drillers Reports Database		
Well Report #:	294492	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	33
Injurious Water Quality:	no	Plugging Rpt #:	192229

A4
NE
1/4 - 1/2 Mile
Higher **TX WELLS** **TXMON6000290035**

Database:	Submitted Drillers Reports Database		
Well Report #:	294489	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	33
Injurious Water Quality:	no	Plugging Rpt #:	192231

A5
NE
1/4 - 1/2 Mile
Higher **TX WELLS** **TXMON6000290036**

Database:	Submitted Drillers Reports Database		
Well Report #:	294490	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	33
Injurious Water Quality:	no	Plugging Rpt #:	192243

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

A6
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXMON6000290039

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	294493	Borehole Depth (ft):	33
Proposed Use:	Monitor	Plugging Rpt #:	192237
Injurious Water Quality:	no		

A7
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXMON6000290042

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	294496	Borehole Depth (ft):	33
Proposed Use:	Monitor	Plugging Rpt #:	192240
Injurious Water Quality:	no		

A8
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXMON6000290041

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	294495	Borehole Depth (ft):	33
Proposed Use:	Monitor	Plugging Rpt #:	192233
Injurious Water Quality:	no		

A9
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXMON6000290040

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	294494	Borehole Depth (ft):	33
Proposed Use:	Monitor	Plugging Rpt #:	192249
Injurious Water Quality:	no		

A10
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXPLU6000188966

Database:	Submitted Drillers Reports Database (Plugged)	Well Type:	
Well Report #:	294495	Plugging Rpt #:	192233
Well Type:	Monitor	Borehole Depth (ft):	33

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

A11
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXPLU6000188968

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	294493	Plugging Rpt #:	192237
Well Type:	Monitor	Borehole Depth (ft):	33

A12
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXPLU6000188964

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	294492	Plugging Rpt #:	192229
Well Type:	Monitor	Borehole Depth (ft):	33

A13
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXPLU6000188965

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	294489	Plugging Rpt #:	192231
Well Type:	Monitor	Borehole Depth (ft):	33

A14
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXPLU6000188979

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	294491	Plugging Rpt #:	192246
Well Type:	Monitor	Borehole Depth (ft):	33

A15
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXPLU6000188982

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	294494	Plugging Rpt #:	192249
Well Type:	Monitor	Borehole Depth (ft):	33

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

A16
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXPLU6000188973

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	294496	Plugging Rpt #:	192240
Well Type:	Monitor	Borehole Depth (ft):	33

A17
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXPLU6000188976

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	294490	Plugging Rpt #:	192243
Well Type:	Monitor	Borehole Depth (ft):	33

A18
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000273671

Database:	Submitted Drillers Reports Database		
Well Report #:	277856	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	26
Injurious Water Quality:	Not Reported	Plugging Rpt #:	81390

A19
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000273673

Database:	Submitted Drillers Reports Database		
Well Report #:	277858	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	22
Injurious Water Quality:	Not Reported	Plugging Rpt #:	81389

A20
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000050412

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	277856	Plugging Rpt #:	81390
Well Type:	Monitor	Borehole Depth (ft):	26

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

A21
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000050411

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	277858	Plugging Rpt #:	81389
Well Type:	Monitor	Borehole Depth (ft):	26

A22
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXMON6000059778

Database:	Submitted Drillers Reports Database		
Well Report #:	60957	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	10
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

A23
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXMON6000059777

Database:	Submitted Drillers Reports Database		
Well Report #:	60956	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	22.5
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

A24
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXMON6000059770

Database:	Submitted Drillers Reports Database		
Well Report #:	60949	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	27.5
Injurious Water Quality:	no	Plugging Rpt #:	203311

A25
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXMON6000059768

Database:	Submitted Drillers Reports Database		
Well Report #:	60947	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	30
Injurious Water Quality:	no	Plugging Rpt #:	203312

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

A26
NE
 1/4 - 1/2 Mile
 Higher

TX WELLS TXMON6000059775

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	60954	Borehole Depth (ft):	3.5
Proposed Use:	Monitor	Plugging Rpt #:	203348
Injurious Water Quality:	no		

A27
NE
 1/4 - 1/2 Mile
 Higher

TX WELLS TXMON6000059771

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	60950	Borehole Depth (ft):	25
Proposed Use:	Monitor	Plugging Rpt #:	203314
Injurious Water Quality:	no		

A28
NE
 1/4 - 1/2 Mile
 Higher

TX WELLS TXMON6000059767

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	60946	Borehole Depth (ft):	25
Proposed Use:	Monitor	Plugging Rpt #:	203315
Injurious Water Quality:	no		

A29
NE
 1/4 - 1/2 Mile
 Higher

TX WELLS TXMON6000059774

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	60953	Borehole Depth (ft):	23
Proposed Use:	Monitor	Plugging Rpt #:	203351
Injurious Water Quality:	no		

A30
NE
 1/4 - 1/2 Mile
 Higher

TX WELLS TXMON6000059772

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	60951	Borehole Depth (ft):	10
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

A31
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXDOL2000040663

Database:	Well Report Database	Fid:	40662
Rec id:	40658	Edr site i:	60951
Owner:	DFW Airport	Ownerwell:	AMW 127
Address:	3200 East Airfield Drive, DFW Airport , TX 75261		
Grid:	32-08-9	Waddress:	Same, TX
Lat:	32 53 38 N	County:	Dallas
Long:	097 02 25 W	Elevation:	No Data
Gpsused:	Magelan	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 10 ft
Dmethod:	Not Reported	Bcompleto:	Not Reported
Packedfrom:	Not Reported	Packsiz:	Not Reported
Finterval:	From 10 ft to 3 ft with 3 Sand (#sacks and material)		
Sinterval:	From 3 ft to 2 ft with 2 Bentonite (#sacks and material)		
Tinterval:	From 2 ft to 0 ft with 2 Cement (#sacks and material)		
Usedmethod:	Mix	Cementedby:	SCI
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	SCI
Companyadd:	5524 Midway Road, Suite 3	Ccitystate:	Ft. Worth , TX 76117
Licensenum:	54834	Wsignature:	Michael Bridges
Dsignature:	Allen Atamanczuk	Regnum:	3054
Comments:	no data	Site id:	TXDOL2000040663

A32
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXDOL2000040664

Database:	Well Report Database	Fid:	40663
Rec id:	40659	Edr site i:	60950
Owner:	DFW Airport	Ownerwell:	AMW 130
Address:	3200 East Airfield Drive, DFW Airport , TX 75261		
Grid:	32-08-9	Waddress:	Same, TX
Lat:	32 53 38 N	County:	Dallas
Long:	097 02 25 W	Elevation:	No Data
Gpsused:	Magelan	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 25 ft
Dmethod:	Not Reported	Bcompleto:	Not Reported
Packedfrom:	Not Reported	Packsiz:	Not Reported
Finterval:	From 25 ft to 3 ft with 8 Sand (#sacks and material)		
Sinterval:	From 3 ft to 2 ft with 2 Bentonite (#sacks and material)		
Tinterval:	From 2 ft to 0 ft with 2 Cement (#sacks and material)		
Usedmethod:	Mix	Cementedby:	SCI
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	SCI
Companyadd:	5524 Midway Road, Suite 3	Ccitystate:	Ft. Worth , TX 76117
Licensenum:	54834	Wsignature:	Michael Bridges
Dsignature:	Allen Atamanczuk	Regnum:	3054
Comments:	no data	Site id:	TXDOL2000040664

**A33
NE
1/4 - 1/2 Mile
Higher**

TX WELLS TXDOL2000040659

Database:	Well Report Database	Fid:	40658
Rec id:	40654	Edr site i:	60957
Owner:	DFW Airport	Ownerwell:	CMW 149
Address:	3200 East Airfield Drive, DFW Airport , TX 75261		
Grid:	32-08-9	Waddress:	Same, TX
Lat:	32 53 38 N	County:	Dallas
Long:	097 02 25 W	Elevation:	No Data
Gpsused:	Magelan	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 10 ft
Dmethod:	Not Reported	Bcompleteio:	Not Reported
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	From 10 ft to 3 ft with 4 Sand (#sacks and material)		
Sinterval:	From 3 ft to 2 ft with 1 Bentonite (#sacks and material)		
Tinterval:	From 2 ft to 0 ft with 2 Cement (#sacks and material)		
Usedmethod:	Mix	Cementedby:	SCI
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	SCI
Companyadd:	5524 Midway Road, Suite 3	Ccitystate:	Ft. Worth , TX 76117
Licensenum:	54834	Wsignature:	Michael Bridges
Dsignature:	Allen Atamanczuk	Regnum:	3054
Comments:	no data	Site id:	TXDOL2000040659

**A34
NE
1/4 - 1/2 Mile
Higher**

TX WELLS TXDOL2000040662

Database:	Well Report Database	Fid:	40661
Rec id:	40657	Edr site i:	60953
Owner:	DFW Airport	Ownerwell:	CMW 147
Address:	3200 East Airfield Drive, DFW Airport , TX 75261		
Grid:	32-08-9	Waddress:	Same, TX
Lat:	32 53 38 N	County:	Dallas

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Long:	097 02 25 W	Elevation:	No Data
Gpsused:	Magelan	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 23 ft
Dmethod:	Not Reported	Bcompleteio:	Not Reported
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	From 23 ft to 3 ft with 7 Sand (#sacks and material)		
Sinterval:	From 3 ft to 2 ft with 2 Bentonite (#sacks and material)		
Tinterval:	From 2 ft to 0 ft with 2 Cement (#sacks and material)		
Usedmethod:	Mix	Cementedby:	SCI
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	SCI
Companyadd:	5524 Midway Road, Suite 3	Ccitystate:	Ft. Worth , TX 76117
Licensenum:	54834	Wsignature:	Michael Bridges
Dsignature:	Allen Atamanczuk	Regnum:	3054
Comments:	no data	Site id:	TXDOL2000040662

**A35
NE
1/4 - 1/2 Mile
Higher**

TX WELLS TXDOL2000040665

Database:	Well Report Database	Fid:	40664
Rec id:	40660	Edr site i:	60949
Owner:	DFW Airport	Ownerwell:	AMW 128
Address:	3200 East Airfield Drive, DFW Airport , TX 75261		
Grid:	32-08-9	Waddress:	Same, TX
Lat:	32 53 38 N	County:	Dallas
Long:	097 02 25 W	Elevation:	No Data
Gpsused:	Magelan	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 27.5 ft
Dmethod:	Not Reported	Bcompleteio:	Not Reported
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	From 27.5 ft to 3 ft with 8 Sand (#sacks and material)		
Sinterval:	From 3 ft to 2 ft with 2 Bentonite (#sacks and material)		
Tinterval:	From 2 ft to 0 ft with 2 Cement (#sacks and material)		
Usedmethod:	Mix	Cementedby:	SCI
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	SCI
Companyadd:	5524 Midway Road, Suite 3	Ccitystate:	Ft. Worth , TX 76117
Licensenum:	54834	Wsignature:	Michael Bridges
Dsignature:	Allen Atamanczuk	Regnum:	3054
Comments:	no data	Site id:	TXDOL2000040665

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

A36
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXDOL2000040667

Database:	Well Report Database	Fid:	40666
Rec id:	40662	Edr site i:	60946
Owner:	DFW Airport	Ownerwell:	AMW 131
Address:	3200 East Airfield Drive, DFW Airport , TX 75261		
Grid:	32-08-9	Waddress:	Same, TX
Lat:	32 53 38 N	County:	Dallas
Long:	097 02 25 W	Elevation:	No Data
Gpsused:	Magelan	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 25 ft
Dmethod:	Not Reported	Bcompletio:	Not Reported
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	From 25 ft to 3 ft with 8 Sand (#sacks and material)		
Sinterval:	From 3 ft to 2 ft with 2 Bentonite (#sacks and material)		
Tinterval:	From 2 ft to 0 ft with 2 Cement (#sacks and material)		
Usedmethod:	Mix	Cementedby:	SCI
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	SCI
Companyadd:	5524 Midway Road, Suite 3	Ccitystate:	Ft. Worth , TX 76117
Licensenum:	54834	Wsignature:	Michael Bridges
Dsignature:	Allen Atamanczuk	Regnum:	3054
Comments:	no data	Site id:	TXDOL2000040667

A37
NE
1/4 - 1/2 Mile
Higher

TX WELLS TXDOL2000040661

Database:	Well Report Database	Fid:	40660
Rec id:	40656	Edr site i:	60954
Owner:	DFW Airport	Ownerwell:	CMW 146&148
Address:	3200 East Airfield Drive, DFW Airport , TX 75261		
Grid:	32-08-9	Waddress:	Same, TX
Lat:	32 53 38 N	County:	Dallas
Long:	097 02 25 W	Elevation:	No Data
Gpsused:	Magelan	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 3.5 ft
Dmethod:	Not Reported	Bcompletio:	Not Reported
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	From 3.5 ft to 1 ft with 1 Sand (#sacks and material)		
Sinterval:	From 1 ft to .5 ft with .5 Bentonite (#sacks and material)		
Tinterval:	From .5 ft to 0 ft with 2 Cement (#sacks and material)		
Usedmethod:	Mix	Cementedby:	SCI
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	SCI
Companyadd:	5524 Midway Road, Suite 3	Ccitystate:	Ft. Worth , TX 76117
Licensenum:	54834	Wsignature:	Michael Bridges
Dsignature:	Allen Atamanczuk	Regnum:	3054
Comments:	no data	Site id:	TXDOL2000040661

**A38
NE
1/4 - 1/2 Mile
Higher**

TX WELLS TXDOL2000040666

Database:	Well Report Database	Fid:	40665
Rec id:	40661	Edr site i:	60947
Owner:	DFW Airport	Ownerwell:	AMW 129
Address:	3200 East Airfield Drive, DFW Airport , TX 75261		
Grid:	32-08-9	Waddress:	Same, TX
Lat:	32 53 38 N	County:	Dallas
Long:	097 02 25 W	Elevation:	No Data
Gpsused:	Magelan	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 30 ft
Dmethod:	Not Reported	Bcompleteio:	Not Reported
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	From 30 ft to 3 ft with 10 Sand (#sacks and material)		
Sinterval:	From 3 ft to 2 ft with 2 Bentonite (#sacks and material)		
Tinterval:	From 2 ft to 0 ft with 2 Cement (#sacks and material)		
Usedmethod:	Mix	Cementedby:	SCI
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	SCI
Companyadd:	5524 Midway Road, Suite 3	Ccitystate:	Ft. Worth , TX 76117
Licensenum:	54834	Wsignature:	Michael Bridges
Dsignature:	Allen Atamanczuk	Regnum:	3054
Comments:	no data	Site id:	TXDOL2000040666

**A39
NE
1/4 - 1/2 Mile
Higher**

TX WELLS TXDOL2000040660

Database:	Well Report Database	Fid:	40659
Rec id:	40655	Edr site i:	60956
Owner:	DFW Airport	Ownerwell:	BMW 129&130
Address:	3200 East Airfield Drive, DFW Airport , TX 75261		
Grid:	32-08-9	Waddress:	Same, TX
Lat:	32 53 38 N	County:	Dallas

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Long:	097 02 25 W	Elevation:	No Data
Gpsused:	Magelan	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 22.5 ft
Dmethod:	Not Reported	Bcompleteio:	Not Reported
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	From 22.5 ft to 3 ft with 12 Sand (#sacks and material)		
Sinterval:	From 3 ft to 2 ft with 2 Bentonite (#sacks and material)		
Tinterval:	From 2 ft to 0 ft with 4 Cement (#sacks and material)		
Usedmethod:	Mix	Cementedby:	SCI
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	SCI
Companyadd:	5524 Midway Road, Suite 3	Ccitystate:	Ft. Worth , TX 76117
Licensenum:	54834	Wsignature:	Michael Bridges
Dsignature:	Allen Atamanczuk	Regnum:	3054
Comments:	no data	Site id:	TXDOL2000040660

B40
ENE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048781

Database:	Submitted Drillers Reports Database		
Well Report #:	49853	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	21.4
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97093

B41
ENE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048780

Database:	Submitted Drillers Reports Database		
Well Report #:	49852	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	19.9
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97089

B42
ENE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048779

Database:	Submitted Drillers Reports Database		
Well Report #:	49851	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	20.2
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97097

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B43
ENE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048782

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49854	Borehole Depth (ft):	20.8
Proposed Use:	Monitor	Plugging Rpt #:	97091
Injurious Water Quality:	Not Reported		

B44
ENE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048785

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49857	Borehole Depth (ft):	5.3
Proposed Use:	Monitor	Plugging Rpt #:	97087
Injurious Water Quality:	Not Reported		

B45
ENE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048784

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49856	Borehole Depth (ft):	16.6
Proposed Use:	Monitor	Plugging Rpt #:	97108
Injurious Water Quality:	Not Reported		

B46
ENE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048783

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49855	Borehole Depth (ft):	23
Proposed Use:	Monitor	Plugging Rpt #:	97088
Injurious Water Quality:	Not Reported		

B47
ENE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145421

Database:	Well Report Database	Fid:	145420
Rec id:	145423	Edr site i:	49853
Owner:	DFW Airport	Ownerwell:	CRW12
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 37 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 21.4 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	by hand	Cementedby:	crew
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadep:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Total Support Services
Companyadd:	P.O. Box 81621	Ccitystate:	Austin , TX 78708
Licensenum:	54611	Wsignature:	Brian Kern
Dsignature:	No Data	Regnum:	No Data
Comments:	2004-405	Site id:	TXDOL2000145421

**B48
ENE
1/4 - 1/2 Mile
Lower**

TX WELLS TXDOL2000145431

Database:	Well Report Database	Fid:	145430
Rec id:	145424	Edr site i:	49852
Owner:	DFW Airport	Ownerwell:	CRW8
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 37 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 19.9 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	by hand	Cementedby:	crew
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadep:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Total Support Services
Companyadd:	P.O. Box 81621	Ccitystate:	Austin , TX 78708
Licensenum:	54611	Wsignature:	Brian Kern
Dsignature:	No Data	Regnum:	No Data
Comments:	2004-405	Site id:	TXDOL2000145431

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B49
ENE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145432

Database:	Well Report Database	Fid:	145431
Rec id:	145425	Edr site i:	49851
Owner:	DFW Airport	Ownerwell:	CRW16
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 37 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 20.2 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	by hand	Cementedby:	crew
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Total Support Services
Companyadd:	P.O. Box 81621	Ccitystate:	Austin , TX 78708
Licensenum:	54611	Wsignature:	Brian Kern
Dsignature:	No Data	Regnum:	No Data
Comments:	2004-405	Site id:	TXDOL2000145432

B50
ENE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145418

Database:	Well Report Database	Fid:	145417
Rec id:	145420	Edr site i:	49856
Owner:	DFW Airport	Ownerwell:	CRW27
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 37 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 16.6 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	by hand	Cementedby:	crew
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadep:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Total Support Services
Companyadd:	P.O. Box 81621	Ccystate:	Austin , TX 78708
Licensenum:	54611	Wsignature:	Brian Kern
Dsignature:	No Data	Regnum:	No Data
Comments:	2004-405	Site id:	TXDOL2000145418

**B51
ENE
1/4 - 1/2 Mile
Lower**

TX WELLS TXDOL2000145417

Database:	Well Report Database	Fid:	145416
Rec id:	145419	Edr site i:	49857
Owner:	DFW Airport	Ownerwell:	CRW6
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 37 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 5.3 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	by hand	Cementedby:	crew
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadep:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Total Support Services
Companyadd:	P.O. Box 81621	Ccystate:	Austin , TX 78708
Licensenum:	54611	Wsignature:	Brian Kern
Dsignature:	No Data	Regnum:	No Data
Comments:	2004-405	Site id:	TXDOL2000145417

**B52
ENE
1/4 - 1/2 Mile
Lower**

TX WELLS TXDOL2000145420

Database:	Well Report Database	Fid:	145419
Rec id:	145422	Edr site i:	49854
Owner:	DFW Airport	Ownerwell:	CRW10
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 37 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Diameter:	14 in From Surface To 20.8 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	by hand	Cementedby:	crew
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Total Support Services
Companyadd:	P.O. Box 81621	Ccitystate:	Austin , TX 78708
Licensenum:	54611	Wsignature:	Brian Kern
Dsignature:	No Data	Regnum:	No Data
Comments:	2004-405	Site id:	TXDOL2000145420

B53
ENE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145419

Database:	Well Report Database	Fid:	145418
Rec id:	145421	Edr site i:	49855
Owner:	DFW Airport	Ownerwell:	CRW7
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 37 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 23 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	by hand	Cementedby:	crew
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Total Support Services
Companyadd:	P.O. Box 81621	Ccitystate:	Austin , TX 78708
Licensenum:	54611	Wsignature:	Brian Kern
Dsignature:	No Data	Regnum:	No Data
Comments:	2004-405	Site id:	TXDOL2000145419

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

C54
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048796

Database:	Submitted Drillers Reports Database		
Well Report #:	49868	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	22.1
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97106

C55
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048795

Database:	Submitted Drillers Reports Database		
Well Report #:	49867	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	15.3
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97105

C56
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000017112

Database:	Submitted Drillers Reports Database		
Well Report #:	17809	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	10
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

C57
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXPLU6000036061

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	97107
Well Type:	Monitor	Borehole Depth (ft):	10

C58
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXPLU6000036060

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49868	Plugging Rpt #:	97106
Well Type:	Monitor	Borehole Depth (ft):	22.1

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

C59
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXDOL2000042863

Database:	Well Report Database	Fid:	42862
Rec id:	42997	Edr site i:	17809
Owner:	DFW AIRPORT	Ownerwell:	MW # 131
Address:	P.O. BOX 619428, DALLAS , TX 75261	Grid:	32-08-9
Waddress:	CENTRAL TERMINAL AREA, DALLAS , TX 75261		
Lat:	32 53 41 N	County:	Dallas
Long:	097 02 18 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 10 ft
Dmethod:	Not Reported	Bcompletio:	Not Reported
Packedfrom:	1 ft to 10 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS .5 - 1
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042863

C60
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXDOL2000145410

Database:	Well Report Database	Fid:	145409
Rec id:	145408	Edr site i:	49868
Owner:	DFW Airport	Ownerwell:	CRW25
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 41 N
County:	Tarrant	Long:	097 02 18 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 22.1 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145410		

C61
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145411

Database:	Well Report Database	Fid:	145410
Rec id:	145409	Edr site i:	49867
Owner:	DFW Airport	Ownerwell:	CRW24
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 41 N
County:	Tarrant	Long:	097 02 18 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 15.3 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsize:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145411		

B62
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145412

Database:	Well Report Database	Fid:	145411
Rec id:	145410	Edr site i:	49866
Owner:	DFW Airport	Ownerwell:	CRW21
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 40 N
County:	Tarrant	Long:	097 02 16 W
Elevation:	No Data	Gpsused:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 10.8 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Variance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145412		

B63
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145228

Database:	Well Report Database	Fid:	145227
Rec id:	145415	Edr site i:	49861
Owner:	DFW Airport	Ownerdwl:	CRW22
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 40 N
County:	Tarrant	Long:	097 02 16 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 20.7 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Variance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145228		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B64
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145414

Database:	Well Report Database	Fid:	145413
Rec id:	145412	Edr site i:	49864
Owner:	DFW Airport	Ownerwell:	BRW7
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 40 N
County:	Tarrant	Long:	097 02 16 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 16 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowll:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145414		

B65
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145413

Database:	Well Report Database	Fid:	145412
Rec id:	145411	Edr site i:	49865
Owner:	DFW Airport	Ownerwell:	BRW10
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 40 N
County:	Tarrant	Long:	097 02 16 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 16.1 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145413		

B66
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145227

Database:	Well Report Database	Fid:	145226
Rec id:	145414	Edr site i:	49862
Owner:	DFW Airport	Ownerwell:	CRW23
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 40 N
County:	Tarrant	Long:	097 02 16 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 15.9 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsize:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145227		

B67
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000043132

Database:	Well Report Database	Fid:	43131
Rec id:	43133	Edr site i:	15627
Owner:	DFW AIRPORT	Ownerwell:	CMW 130
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-9	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 53 40 N	County:	Dallas

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Long:	097 02 16 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 21 ft
Dmethod:	Hollow Stem Auger	Bcompleteio:	Not Reported
Packedfrom:	3 ft to 21 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	DIXIE DRILLING
Usedmethod:	HAND MIX	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Slab Installed	Packers:	BENTONITE CHIPS 1-3
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No Data
Stratadept:	No Data	Companynam:	DIXIE DRILLING
Undesirabl:	No	Ccitystate:	ALVARADO , TX 76009
Companyadd:	9120 MARIANNA WAY	Wsignature:	T. SHAUN OBANNON
Licensenum:	4707	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000043132
Comments:	no data		

**B68
NE
1/4 - 1/2 Mile
Lower**

TX WELLS TXDOL2000043131

Database:	Well Report Database	Fid:	43130
Rec id:	43132	Edr site i:	15628
Owner:	DFW AIRPORT	Ownerwell:	CMW 130
Address:	P.O. BOX 619428, DFW , TX 75261-9428	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Grid:	32-08-9	County:	Dallas
Lat:	32 53 40 N	Elevation:	No Data
Long:	097 02 16 W	Typeofwork:	New Well
Gpsused:	GARMIN	Sdate:	Not Reported
Propuse:	Monitor	Diameter:	8 in From Surface To 21 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Hollow Stem Auger	Packsizes:	Not Reported
Packedfrom:	3 ft to 21 ft	Tinterval:	No Data
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)	Cementedby:	DIXIE DRILLING
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	HAND MIX	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	BENTONITE CHIPS 1-3
Surface:	Surface Slab Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No Data
Yield:	Not Reported	Companynam:	DIXIE DRILLING
Stratadept:	No Data	Ccitystate:	ALVARADO , TX 76009
Undesirabl:	No	Wsignature:	T. SHAUN OBANNON
Companyadd:	9120 MARIANNA WAY	Regnum:	No Data
Licensenum:	4707	Site id:	TXDOL2000043131
Dsignature:	No Data		
Comments:	no data		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

B69
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXDOL2000043138

Database:	Well Report Database	Fid:	43137
Rec id:	43135	Edr site i:	15625
Owner:	DFW AIRPORT	Ownerwell:	CMW 129
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-9	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 53 40 N	County:	Dallas
Long:	097 02 16 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 5 ft
Dmethod:	Hollow Stem Auger	Bcompleteio:	Not Reported
Packedfrom:	1.5 ft to 5 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS .5-1.5
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000043138

B70
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXDOL2000043133

Database:	Well Report Database	Fid:	43132
Rec id:	43134	Edr site i:	15626
Owner:	DFW AIRPORT	Ownerwell:	CMW 129
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-9	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 53 40 N	County:	Dallas
Long:	097 02 16 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 5 ft
Dmethod:	Hollow Stem Auger	Bcompleteio:	Not Reported
Packedfrom:	1.5 ft to 5 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS .5-1.5

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000043133

B71
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145415

Database:	Well Report Database	Fid:	145414
Rec id:	145413	Edr site i:	49863
Owner:	DFW Airport	Ownerwell:	CRW20
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 40 N
County:	Tarrant	Long:	097 02 16 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 16 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145415		

B72
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048789

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49861	Borehole Depth (ft):	20.7
Proposed Use:	Monitor	Plugging Rpt #:	97103
Injurious Water Quality:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B73
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048790

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49862	Borehole Depth (ft):	15.9
Proposed Use:	Monitor	Plugging Rpt #:	97104
Injurious Water Quality:	Not Reported		

B74
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000014965

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	15627	Borehole Depth (ft):	21
Proposed Use:	Monitor	Plugging Rpt #:	203343
Injurious Water Quality:	no		

B75
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000014966

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	15628	Borehole Depth (ft):	21
Proposed Use:	Monitor	Plugging Rpt #:	203344
Injurious Water Quality:	no		

B76
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048793

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49865	Borehole Depth (ft):	16.1
Proposed Use:	Monitor	Plugging Rpt #:	97069
Injurious Water Quality:	Not Reported		

B77
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048794

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49866	Borehole Depth (ft):	10.8
Proposed Use:	Monitor	Plugging Rpt #:	97102
Injurious Water Quality:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B78
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048791

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49863	Borehole Depth (ft):	16
Proposed Use:	Monitor	Plugging Rpt #:	97101
Injurious Water Quality:	Not Reported		

B79
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048792

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49864	Borehole Depth (ft):	16
Proposed Use:	Monitor	Plugging Rpt #:	97066
Injurious Water Quality:	Not Reported		

B80
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000014964

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	15626	Borehole Depth (ft):	5
Proposed Use:	Monitor	Plugging Rpt #:	203342
Injurious Water Quality:	no		

B81
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000014963

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	15625	Borehole Depth (ft):	5
Proposed Use:	Monitor	Plugging Rpt #:	203341
Injurious Water Quality:	no		

C82
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036059

Database:	Submitted Drillers Reports Database (Plugged)	Well Type:	
Well Report #:	49867	Plugging Rpt #:	97105
Well Type:	Monitor	Borehole Depth (ft):	15.3

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C83
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036058

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49862	Plugging Rpt #:	97104
Well Type:	Monitor	Borehole Depth (ft):	15.9

B84
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145440

Database:	Well Report Database	Fid:	145439
Rec id:	145433	Edr site i:	49843
Owner:	DFW Airport	Ownerwell:	CRW14
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 39 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 20.6 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsize:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145440		

B85
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145441

Database:	Well Report Database	Fid:	145440
Rec id:	145434	Edr site i:	49842
Owner:	DFW Airport	Ownerwell:	CRW19
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 39 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 20.8 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145441		

B86
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145438

Database:	Well Report Database	Fid:	145437
Rec id:	145431	Edr site i:	49845
Owner:	DFW Airport	Ownerwell:	CRW17
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 39 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 5 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	by hand	Cementedby:	crew
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Total Support Services
Companyadd:	P.O. Box 81621	Ccitystate:	Austin , TX 78708
Licensenum:	54611	Wsignature:	Brian Kern
Dsignature:	No Data	Regnum:	No Data
Comments:	2004-405	Site id:	TXDOL2000145438

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B87
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145439

Database:	Well Report Database	Fid:	145438
Rec id:	145432	Edr site i:	49844
Owner:	DFW Airport	Ownerwell:	CRW18
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 39 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 19.8 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145439		

B88
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145442

Database:	Well Report Database	Fid:	145441
Rec id:	145435	Edr site i:	49841
Owner:	DFW Airport	Ownerwell:	CRW15
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 39 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 21.3 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145442		

B89
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145444

Database:	Well Report Database	Fid:	145443
Rec id:	145437	Edr site i:	49839
Owner:	DFW Airport	Ownerwell:	CRW9
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 39 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 22.4 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsize:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145444		

B90
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145443

Database:	Well Report Database	Fid:	145442
Rec id:	145436	Edr site i:	49840
Owner:	DFW Airport	Ownerwell:	CRW13
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 39 N
County:	Tarrant	Long:	097 02 15 W

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 19.8 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsize:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Variance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145443		

B91
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048771

Database:	Submitted Drillers Reports Database		
Well Report #:	49843	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	20.6
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97095

B92
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048770

Database:	Submitted Drillers Reports Database		
Well Report #:	49842	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	20.8
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97100

B93
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000048773

Database:	Submitted Drillers Reports Database		
Well Report #:	49845	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	5
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97098

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

B94
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048772

Database:	Submitted Drillers Reports Database		
Well Report #:	49844	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	19.8
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97099

B95
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048769

Database:	Submitted Drillers Reports Database		
Well Report #:	49841	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	21.3
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97096

B96
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048767

Database:	Submitted Drillers Reports Database		
Well Report #:	49839	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	22.4
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97090

B97
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048768

Database:	Submitted Drillers Reports Database		
Well Report #:	49840	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	19.8
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97094

B98
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXPLU6000036057

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49861	Plugging Rpt #:	97103
Well Type:	Monitor	Borehole Depth (ft):	20.7

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B99
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036056

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49866	Plugging Rpt #:	97102
Well Type:	Monitor	Borehole Depth (ft):	10.8

B100
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036055

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49863	Plugging Rpt #:	97101
Well Type:	Monitor	Borehole Depth (ft):	16

B101
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000014967

Database:	Submitted Drillers Reports Database		
Well Report #:	15629	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	21
Injurious Water Quality:	no	Plugging Rpt #:	92198

B102
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000014954

Database:	Submitted Drillers Reports Database		
Well Report #:	15616	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	5
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

B103
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000014953

Database:	Submitted Drillers Reports Database		
Well Report #:	15615	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	5
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

B104
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXDOL2000043147

Database:	Well Report Database	Fid:	43146
Rec id:	43144	Edr site i:	15615
Owner:	DFW AIRPORT	Ownerwell:	CMW 124
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-9	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 53 41 N	County:	Dallas
Long:	097 02 16 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 5 ft
Dmethod:	Hollow Stem Auger	Bcompleteio:	Not Reported
Packedfrom:	1.5 ft to 5 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS .5-1.5
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000043147

B105
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXDOL2000043146

Database:	Well Report Database	Fid:	43145
Rec id:	43143	Edr site i:	15616
Owner:	DFW AIRPORT	Ownerwell:	CMW 124
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-9	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 53 41 N	County:	Dallas
Long:	097 02 16 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 5 ft
Dmethod:	Hollow Stem Auger	Bcompleteio:	Not Reported
Packedfrom:	1.5 ft to 5 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS .5-1.5

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000043146

B106
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000043130

Database:	Well Report Database	Fid:	43129
Rec id:	43131	Edr site i:	15629
Owner:	DFW AIRPORT	Ownerwell:	CMW 132
Address:	P.O. BOX 619428, DFW , TX 75261-9428	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Grid:	32-08-9	County:	Dallas
Lat:	32 53 41 N	Elevation:	No Data
Long:	097 02 16 W	Typeofwork:	New Well
Gpsused:	GARMIN	Sdate:	Not Reported
Propuse:	Monitor	Diameter:	8 in From Surface To 21 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Hollow Stem Auger	Packsiz:	Not Reported
Packedfrom:	3 ft to 21 ft	Tinterval:	No Data
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)	Cementedby:	DIXIE DRILLING
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	HAND MIX	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	BENTONITE CHIPS 1-3
Surface:	Surface Slab Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No Data
Yield:	Not Reported	Companynam:	DIXIE DRILLING
Stratadept:	No Data	Ccystate:	ALVARADO , TX 76009
Undesirabl:	No	Wsignature:	T. SHAUN OBANNON
Companyadd:	9120 MARIANNA WAY	Regnum:	No Data
Licensenum:	4707	Site id:	TXDOL2000043130
Dsignature:	No Data		
Comments:	no data		

B107
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036048

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	97094
Well Report #:	49840	Borehole Depth (ft):	19.9
Well Type:	Monitor		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B108
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036047

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49853	Plugging Rpt #:	97093
Well Type:	Monitor	Borehole Depth (ft):	21.4

B109
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036050

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49841	Plugging Rpt #:	97096
Well Type:	Monitor	Borehole Depth (ft):	21.3

B110
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036049

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49843	Plugging Rpt #:	97095
Well Type:	Monitor	Borehole Depth (ft):	20.6

D111
ENE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000042292

Database:	Well Report Database	Fid:	42291
Rec id:	42291	Edr site i:	28823
Owner:	DFW AIRPORT	Ownerwell:	EMW 111
Address:	2001 W. AIRFIELD DR., DFW , TX 75261		
Grid:	32-08-9	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 53 33 N	County:	Dallas
Long:	097 02 10 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 10 ft
Dmethod:	Not Reported	Bcompletio:	Not Reported
Packedfrom:	3 ft to 10 ft	Packsizes:	16/30
Finterval:	From 0 ft to 1 ft with 2/CONCRETE (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042292

D112
ENE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000027915

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	28823	Borehole Depth (ft):	10
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

B113
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036051

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	97097
Well Report #:	49851	Borehole Depth (ft):	20.2
Well Type:	Monitor		

B114
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036035

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	97087
Well Report #:	49857	Borehole Depth (ft):	5.3
Well Type:	Monitor		

B115
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036034

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	97086
Well Report #:	49848	Borehole Depth (ft):	21.3
Well Type:	Monitor		

B116
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036052

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	97098
Well Report #:	49845	Borehole Depth (ft):	5
Well Type:	Monitor		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B117
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036062

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49856	Plugging Rpt #:	97108
Well Type:	Monitor	Borehole Depth (ft):	16.6

B118
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036054

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49842	Plugging Rpt #:	97100
Well Type:	Monitor	Borehole Depth (ft):	20.8

B119
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036053

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49844	Plugging Rpt #:	97099
Well Type:	Monitor	Borehole Depth (ft):	19.8

B120
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036044

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49839	Plugging Rpt #:	97090
Well Type:	Monitor	Borehole Depth (ft):	22.7

B121
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036037

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49852	Plugging Rpt #:	97089
Well Type:	Monitor	Borehole Depth (ft):	19.9

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

B122
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXPLU6000036046

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49850	Plugging Rpt #:	97092
Well Type:	Monitor	Borehole Depth (ft):	20.1

B123
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXPLU6000036045

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49854	Plugging Rpt #:	97091
Well Type:	Monitor	Borehole Depth (ft):	20.8

D124
ENE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000027913

Database:	Submitted Drillers Reports Database		
Well Report #:	28821	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	10
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

D125
ENE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXDOL2000042125

Database:	Well Report Database	Fid:	42124
Rec id:	42292	Edr site i:	28821
Owner:	DFW AIRPORT	Ownerwell:	EMW 112
Address:	2001 W. AIRFIELD DR., DFW , TX 75261		
Grid:	32-08-9	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 53 31 N	County:	Dallas
Long:	097 02 09 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 10 ft
Dmethod:	Not Reported	Bcompletio:	Not Reported
Packedfrom:	3 ft to 10 ft	Packsizes:	16/30
Finterval:	From 0 ft to 1 ft with 2/CONCRETE (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042125

**C126
NE
1/4 - 1/2 Mile
Lower**

TX WELLS TXDOL2000043145

Database:	Well Report Database	Fid:	43144
Rec id:	43142	Edr site i:	15618
Owner:	DFW AIRPORT	Ownerwell:	CMW 125
Address:	P.O. BOX 619428, DFW , TX 75261-9428	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Grid:	32-08-9	County:	Dallas
Lat:	32 53 42 N	Elevation:	No Data
Long:	097 02 15 W	Typeofwork:	New Well
Gpsused:	GARMIN	Sdate:	Not Reported
Propuse:	Monitor	Diameter:	8 in From Surface To 5 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Hollow Stem Auger	Packsiz:	Not Reported
Packedfrom:	1.5 ft to 5 ft	Tinterval:	No Data
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)	Cementedby:	DIXIE DRILLING
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	HAND MIX	Variance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	BENTONITE CHIPS .5-1.5
Surface:	Surface Slab Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No Data
Yield:	Not Reported	Companynam:	DIXIE DRILLING
Stratadept:	No Data	Ccitystate:	ALVARADO , TX 76009
Undesirabl:	No	Wsignature:	T. SHAUN OBANNON
Companyadd:	9120 MARIANNA WAY	Regnum:	No Data
Licensenum:	4707	Site id:	TXDOL2000043145
Dsignature:	No Data		
Comments:	no data		

**C127
NE
1/4 - 1/2 Mile
Lower**

TX WELLS TXDOL2000043144

Database:	Well Report Database	Fid:	43143
Rec id:	43141	Edr site i:	15619
Owner:	DFW AIRPORT	Ownerwell:	CMW 125
Address:	P.O. BOX 619428, DFW , TX 75261-9428	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Grid:	32-08-9	County:	Dallas
Lat:	32 53 42 N	Elevation:	No Data
Long:	097 02 15 W	Typeofwork:	New Well
Gpsused:	GARMIN	Sdate:	Not Reported
Propuse:	Monitor	Diameter:	8 in From Surface To 5 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Hollow Stem Auger		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Packedfrom:	1.5 ft to 5 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	DIXIE DRILLING
Usedmethod:	HAND MIX	Propertyli:	No Data
Contaminat:	No Data	Varriance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Slab Installed	Packers:	BENTONITE CHIPS .5-1.5
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No Data
Stratadept:	No Data	Companynam:	DIXIE DRILLING
Undesirabl:	No	Ccitystate:	ALVARADO , TX 76009
Companyadd:	9120 MARIANNA WAY	Wsignature:	T. SHAUN OBANNON
Licensenum:	4707	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000043144
Comments:	no data		

C128
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000014957

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	15619	Borehole Depth (ft):	5
Proposed Use:	Monitor	Plugging Rpt #:	203335
Injurious Water Quality:	no		

C129
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXMON6000014956

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	15618	Borehole Depth (ft):	5
Proposed Use:	Monitor	Plugging Rpt #:	203336
Injurious Water Quality:	no		

B130
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145434

Database:	Well Report Database	Fid:	145433
Rec id:	145427	Edr site i:	49849
Owner:	DFW Airport	Ownerwell:	CRW3
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 41 N
County:	Tarrant	Long:	097 02 14 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 21.9 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	by hand	Cementedby:	crew
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Total Support Services
Companyadd:	P.O. Box 81621	Ccitystate:	Austin , TX 78708
Licensenum:	54611	Wsignature:	Brian Kern
Dsignature:	No Data	Regnum:	No Data
Comments:	2004-405	Site id:	TXDOL2000145434

B131
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145433

Database:	Well Report Database	Fid:	145432
Rec id:	145426	Edr site i:	49850
Owner:	DFW Airport	Ownerwell:	CRW11
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 41 N
County:	Tarrant	Long:	097 02 14 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 20.1 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	by hand	Cementedby:	crew
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Total Support Services
Companyadd:	P.O. Box 81621	Ccitystate:	Austin , TX 78708
Licensenum:	54611	Wsignature:	Brian Kern
Dsignature:	No Data	Regnum:	No Data
Comments:	2004-405	Site id:	TXDOL2000145433

B132
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000043143

Database:	Well Report Database	Fid:	43142
Rec id:	43140	Edr site i:	15620
Owner:	DFW AIRPORT	Ownerwell:	CMW 126

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Address:	P.O. BOX 619428, DFW , TX 75261-9428	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Grid:	32-08-9	County:	Dallas
Lat:	32 53 41 N	Elevation:	No Data
Long:	097 02 14 W	Typeofwork:	New Well
Gpsused:	GARMIN	Sdate:	Not Reported
Propuse:	Monitor	Diameter:	8 in From Surface To 5 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Hollow Stem Auger	Packsiz:	Not Reported
Packedfrom:	1.5 ft to 5 ft		
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	DIXIE DRILLING
Usedmethod:	HAND MIX	Propertyli:	No Data
Contaminat:	No Data	Variance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Slab Installed	Packers:	BENTONITE CHIPS .5-1.5
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No Data
Stratadept:	No Data	Companynam:	DIXIE DRILLING
Undesirabl:	No	Ccitystate:	ALVARADO , TX 76009
Companyadd:	9120 MARIANNA WAY	Wsignature:	T. SHAUN OBANNON
Licensenum:	4707	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000043143
Comments:	no data		

**B133
NE
1/4 - 1/2 Mile
Lower**

TX WELLS TXDOL2000145436

Database:	Well Report Database	Fid:	145435
Rec id:	145429	Edr site i:	49847
Owner:	DFW Airport	Ownerwell:	CRW2
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 41 N
County:	Tarrant	Long:	097 02 14 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 15.3 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)	Tinterval:	No Data
Sinterval:	No Data	Cementedby:	crew
Usedmethod:	by hand	Propertyli:	No Data
Contaminat:	No Data	Variance:	No Data
Verrimetho:	No Data	Staticleve:	No Data
Surface:	Surface Slab Installed	Packers:	No Data
Flow:	No Data	Typepump:	No Data
Cementinwe:	No Data	Welltests:	No Data
Pumpbowl:	Not Reported	Watertype:	No Data
Yield:	Not Reported	Chemicalma:	No Data
Stratadept:	No Data	Companynam:	Total Support Services
Undesirabl:	No Data	Ccitystate:	Austin , TX 78708
Companyadd:	P.O. Box 81621	Wsignature:	Brian Kern
Licensenum:	54611	Regnum:	No Data
Dsignature:	No Data	Site id:	TXDOL2000145436
Comments:	2004-405		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B134
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145437

Database:	Well Report Database	Fid:	145436
Rec id:	145430	Edr site i:	49846
Owner:	DFW Airport	Ownerwell:	CRW1
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 41 N
County:	Tarrant	Long:	097 02 14 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 21.3 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	by hand	Cementedby:	crew
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Total Support Services
Companyadd:	P.O. Box 81621	Ccitystate:	Austin , TX 78708
Licensenum:	54611	Wsignature:	Brian Kern
Dsignature:	No Data	Regnum:	No Data
Comments:	2004-405	Site id:	TXDOL2000145437

B135
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000145435

Database:	Well Report Database	Fid:	145434
Rec id:	145428	Edr site i:	49848
Owner:	DFW Airport	Ownerwell:	CRW5
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 41 N
County:	Tarrant	Long:	097 02 14 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 21.3 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	by hand	Cementedby:	crew
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Total Support Services
Companyadd:	P.O. Box 81621	Ccystate:	Austin , TX 78708
Licensenum:	54611	Wsignature:	Brian Kern
Dsignature:	No Data	Regnum:	No Data
Comments:	2004-405	Site id:	TXDOL2000145435

B136
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000043140

Database:	Well Report Database	Fid:	43139
Rec id:	43137	Edr site i:	15623
Owner:	DFW AIRPORT	Ownerwell:	CMW 128
Address:	P.O. BOX 619428, DFW , TX 75261-9428	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Grid:	32-08-9	County:	Dallas
Lat:	32 53 41 N	Elevation:	No Data
Long:	097 02 14 W	Typeofwork:	New Well
Gpsused:	GARMIN	Sdate:	Not Reported
Propuse:	Monitor	Diameter:	8 in From Surface To 25 ft
Completedd:	Not Reported	Bcompletio:	Not Reported
Dmethod:	Hollow Stem Auger	Packsiz:	Not Reported
Packedfrom:	3 ft to 25 ft	Tinterval:	No Data
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)	Cementedby:	DIXIE DRILLING
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	HAND MIX	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	BENTONITE CHIPS 1-3
Surface:	Surface Slab Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No Data
Yield:	Not Reported	Companynam:	DIXIE DRILLING
Stratadept:	No Data	Ccystate:	ALVARADO , TX 76009
Undesirabl:	No	Wsignature:	T. SHAUN OBANNON
Companyadd:	9120 MARIANNA WAY	Regnum:	No Data
Licensenum:	4707	Site id:	TXDOL2000043140
Dsignature:	No Data		
Comments:	no data		

B137
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000043139

Database:	Well Report Database	Fid:	43138
Rec id:	43136	Edr site i:	15624
Owner:	DFW AIRPORT	Ownerwell:	CMW 128
Address:	P.O. BOX 619428, DFW , TX 75261-9428	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Grid:	32-08-9	County:	Dallas
Lat:	32 53 41 N	Elevation:	No Data
Long:	097 02 14 W	Typeofwork:	New Well
Gpsused:	GARMIN	Sdate:	Not Reported
Propuse:	Monitor		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Completedd:	Not Reported	Diameter:	8 in From Surface To 25 ft
Dmethod:	Hollow Stem Auger	Bcompletio:	Not Reported
Packedfrom:	3 ft to 25 ft	Packsiz:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000043139

**B138
NE
1/4 - 1/2 Mile
Lower**

TX WELLS TXDOL2000043142

Database:	Well Report Database	Fid:	43141
Rec id:	43139	Edr site i:	15621
Owner:	DFW AIRPORT	Ownerwell:	CMW 126
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-9	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 53 41 N	County:	Dallas
Long:	097 02 14 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 5 ft
Dmethod:	Hollow Stem Auger	Bcompletio:	Not Reported
Packedfrom:	1.5 ft to 5 ft	Packsiz:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS .5-1.5
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000043142

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

B139
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXDOL2000043141

Database:	Well Report Database	Fid:	43140
Rec id:	43138	Edr site i:	15622
Owner:	DFW AIRPORT	Ownerwell:	CMW 127
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-9	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 53 41 N	County:	Dallas
Long:	097 02 14 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	8 in From Surface To 5 ft
Dmethod:	Hollow Stem Auger	Bcompleteio:	Not Reported
Packedfrom:	1.5 ft to 5 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS .5-1.5
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000043141

B140
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036038

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49849	Plugging Rpt #:	97080
Well Type:	Monitor	Borehole Depth (ft):	21.9

B141
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036036

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49855	Plugging Rpt #:	97088
Well Type:	Monitor	Borehole Depth (ft):	23

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B142
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036033

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49847	Plugging Rpt #:	97078
Well Type:	Monitor	Borehole Depth (ft):	15.3

B143
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036042

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49860	Plugging Rpt #:	97084
Well Type:	Monitor	Borehole Depth (ft):	16.2

B144
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000025018

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	92197
Well Type:	Monitor	Borehole Depth (ft):	0

B145
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000025019

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	15629	Plugging Rpt #:	92198
Well Type:	Monitor	Borehole Depth (ft):	21

B146
NE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000036030

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49846	Plugging Rpt #:	97076
Well Type:	Monitor	Borehole Depth (ft):	21.3

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

B147
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000014961

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	15623	Borehole Depth (ft):	25
Proposed Use:	Monitor	Plugging Rpt #:	203340
Injurious Water Quality:	no		

B148
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000014962

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	15624	Borehole Depth (ft):	25
Proposed Use:	Monitor	Plugging Rpt #:	203339
Injurious Water Quality:	no		

B149
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000014960

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	15622	Borehole Depth (ft):	5
Proposed Use:	Monitor	Plugging Rpt #:	203337
Injurious Water Quality:	no		

B150
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000014958

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	15620	Borehole Depth (ft):	5
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

B151
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000014959

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	15621	Borehole Depth (ft):	5
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

B152
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048777

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49849	Borehole Depth (ft):	21.9
Proposed Use:	Monitor	Plugging Rpt #:	97080
Injurious Water Quality:	Not Reported		

B153
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048778

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49850	Borehole Depth (ft):	20.1
Proposed Use:	Monitor	Plugging Rpt #:	97092
Injurious Water Quality:	Not Reported		

B154
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048776

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49848	Borehole Depth (ft):	21.3
Proposed Use:	Monitor	Plugging Rpt #:	97086
Injurious Water Quality:	Not Reported		

B155
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048774

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49846	Borehole Depth (ft):	21.3
Proposed Use:	Monitor	Plugging Rpt #:	97076
Injurious Water Quality:	Not Reported		

B156
NE
 1/4 - 1/2 Mile
 Lower

TX WELLS TXMON6000048775

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49847	Borehole Depth (ft):	15.3
Proposed Use:	Monitor	Plugging Rpt #:	97078
Injurious Water Quality:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

D157
ENE
1/4 - 1/2 Mile
Lower

TX WELLS TXPLU6000025017

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	92196
Well Type:	Monitor	Borehole Depth (ft):	0

E158
SE
1/2 - 1 Mile
Lower

TX WELLS TXMON6000048788

Database:	Submitted Drillers Reports Database		
Well Report #:	49860	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	16.2
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97084

E159
SE
1/2 - 1 Mile
Lower

TX WELLS TXDOL2000145229

Database:	Well Report Database	Fid:	145228
Rec id:	145416	Edr site i:	49860
Owner:	DFW Airport	Ownerwell:	CRW4
Address:	TX75261	Grid:	32-08-9
Waddress:	TX75261	Lat:	32 53 07 N
County:	Tarrant	Long:	097 02 15 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 16.2 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145229		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

E160
SE
1/2 - 1 Mile
Lower

TX WELLS TXPLU6000075367

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	32200
Well Type:	Monitor	Borehole Depth (ft):	25

E161
SE
1/2 - 1 Mile
Lower

TX WELLS TXPLU6000074393

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	32201
Well Type:	Monitor	Borehole Depth (ft):	25

E162
SE
1/2 - 1 Mile
Lower

TX WELLS TXPLU6000075366

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	32199
Well Type:	Monitor	Borehole Depth (ft):	25

E163
SE
1/2 - 1 Mile
Lower

TX WELLS TXPLU6000075368

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	32202
Well Type:	Monitor	Borehole Depth (ft):	10

164
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU600007080

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	18718
Well Type:	Monitor	Borehole Depth (ft):	0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

F165
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000037183

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	38180	Borehole Depth (ft):	10
Proposed Use:	Monitor	Plugging Rpt #:	203290
Injurious Water Quality:	no		

F166
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000037181

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	38178	Borehole Depth (ft):	20.5
Proposed Use:	Monitor	Plugging Rpt #:	203288
Injurious Water Quality:	no		

F167
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000037182

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	38179	Borehole Depth (ft):	20
Proposed Use:	Monitor	Plugging Rpt #:	203289
Injurious Water Quality:	no		

F168
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000037184

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	38181	Borehole Depth (ft):	20
Proposed Use:	Monitor	Plugging Rpt #:	203291
Injurious Water Quality:	no		

F169
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000042306

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	43340	Borehole Depth (ft):	22
Proposed Use:	Monitor	Plugging Rpt #:	203287
Injurious Water Quality:	no		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

F170
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000042304

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	43338	Borehole Depth (ft):	22
Proposed Use:	Monitor	Plugging Rpt #:	203219
Injurious Water Quality:	no		

F171
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000042303

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	43337	Borehole Depth (ft):	22
Proposed Use:	Monitor	Plugging Rpt #:	203248
Injurious Water Quality:	no		

F172
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000037174

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	38171	Borehole Depth (ft):	25
Proposed Use:	Monitor	Plugging Rpt #:	203218
Injurious Water Quality:	no		

F173
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000037171

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	38168	Borehole Depth (ft):	10
Proposed Use:	Monitor	Plugging Rpt #:	203215
Injurious Water Quality:	no		

F174
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000037175

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	38172	Borehole Depth (ft):	23
Proposed Use:	Monitor	Plugging Rpt #:	203220
Injurious Water Quality:	no		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

F175
NNE
 1/2 - 1 Mile
 Higher

TX WELLS TXMON6000037178

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	38175	Borehole Depth (ft):	23
Proposed Use:	Monitor	Plugging Rpt #:	203222
Injurious Water Quality:	no		

F176
NNE
 1/2 - 1 Mile
 Higher

TX WELLS TXMON6000037177

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	38174	Borehole Depth (ft):	22
Proposed Use:	Monitor	Plugging Rpt #:	203221
Injurious Water Quality:	no		

F177
NNE
 1/2 - 1 Mile
 Higher

TX WELLS TXPLU6000198347

Database:	Submitted Drillers Reports Database (Plugged)	Well Type:	
Well Report #:	Not Reported	Plugging Rpt #:	203244
Well Type:	Monitor	Borehole Depth (ft):	22.5

F178
NNE
 1/2 - 1 Mile
 Higher

TX WELLS TXPLU6000198346

Database:	Submitted Drillers Reports Database (Plugged)	Well Type:	
Well Report #:	Not Reported	Plugging Rpt #:	203236
Well Type:	Monitor	Borehole Depth (ft):	20

F179
NNE
 1/2 - 1 Mile
 Higher

TX WELLS TXPLU6000198291

Database:	Submitted Drillers Reports Database (Plugged)	Well Type:	
Well Report #:	38168	Plugging Rpt #:	203215
Well Type:	Monitor	Borehole Depth (ft):	10

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

F180
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198348

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	203245
Well Type:	Monitor	Borehole Depth (ft):	17

F181
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198353

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	43337	Plugging Rpt #:	203248
Well Type:	Monitor	Borehole Depth (ft):	22

F182
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198351

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	203247
Well Type:	Monitor	Borehole Depth (ft):	20

F183
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198349

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	203246
Well Type:	Monitor	Borehole Depth (ft):	9

F184
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000008243

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	19908
Well Type:	Monitor	Borehole Depth (ft):	0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

F185
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000008244

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	19909
Well Type:	Monitor	Borehole Depth (ft):	0

G186
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000299110

Database:	Submitted Drillers Reports Database		
Well Report #:	303686	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	9.7
Injurious Water Quality:	Not Reported	Plugging Rpt #:	90832

G187
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000029973

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	303686	Plugging Rpt #:	90832
Well Type:	Monitor	Borehole Depth (ft):	9.7

F188
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000006846

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	18481
Well Type:	Monitor	Borehole Depth (ft):	0

F189
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000006848

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	18483
Well Type:	Monitor	Borehole Depth (ft):	0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

F190
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU600006847

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	18482
Well Type:	Monitor	Borehole Depth (ft):	0

G191
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000260895

Database:	Submitted Drillers Reports Database		
Well Report #:	264927	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	20
Injurious Water Quality:	Not Reported	Plugging Rpt #:	203352

G192
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198816

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	264927	Plugging Rpt #:	203352
Well Type:	Monitor	Borehole Depth (ft):	20

G193
NE
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042286

Database:	Well Report Database	Fid:	42285
Rec id:	42285	Edr site i:	28829
Owner:	DFW AIRPORT	Ownerwell:	CMW 138
Address:	2001 W. AIRFIELD DR., DFW , TX 75261		
Grid:	32-08-9	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 53 48 N	County:	Dallas
Long:	097 02 06 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 10 ft
Dmethod:	Not Reported	Bcompletio:	Not Reported
Packedfrom:	3 ft to 10 ft	Packsizes:	16/30
Finterval:	From 0 ft to 1 ft with 2/CONCRETE (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Yield:	Not Reported	Watertype:	No Data
Stratadepth:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companyname:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042286

G194
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000027921

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	28829	Borehole Depth (ft):	10
Proposed Use:	Monitor	Plugging Rpt #:	203345
Injurious Water Quality:	no		

195
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000508098

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	523723	Borehole Depth (ft):	25
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

H196
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198813

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	203350
Well Report #:	264925	Borehole Depth (ft):	20
Well Type:	Monitor		

H197
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000260893

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	264925	Borehole Depth (ft):	20
Proposed Use:	Monitor	Plugging Rpt #:	203350
Injurious Water Quality:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

H198
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000027920

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	28828	Borehole Depth (ft):	10
Proposed Use:	Monitor	Plugging Rpt #:	203346
Injurious Water Quality:	no		

H199
NE
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042287

Database:	Well Report Database	Fid:	42286
Rec id:	42286	Edr site i:	28828
Owner:	DFW AIRPORT	Ownerwell:	CMW 139
Address:	2001 W. AIRFIELD DR., DFW , TX 75261	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Grid:	32-08-9	County:	Dallas
Lat:	32 53 50 N	Elevation:	No Data
Long:	097 02 05 W	Typeofwork:	New Well
Gpsused:	GARMIN	Sdate:	Not Reported
Propuse:	Monitor	Diameter:	5 in From Surface To 10 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Not Reported	Packsiz:	16/30
Packedfrom:	3 ft to 10 ft	Tinterval:	No Data
Finterval:	From 0 ft to 1 ft with 2/CONCRETE (#sacks and material)	Cementedby:	DIXIE DRILLING
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	HAND MIX	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	BENTONITE CHIPS 1-3
Surface:	Surface Slab Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No Data
Yield:	Not Reported	Companynam:	DIXIE DRILLING
Stratadept:	No Data	Ccitystate:	ALVARADO , TX 76009
Undesirabl:	No	Wsignature:	T. SHAUN OBANNON
Companyadd:	9120 MARIANNA WAY	Regnum:	No Data
Licensenum:	4707	Site id:	TXDOL2000042287
Dsignature:	No Data		
Comments:	no data		

H200
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000260898

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	264930	Borehole Depth (ft):	20
Proposed Use:	Monitor	Plugging Rpt #:	203353
Injurious Water Quality:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

H201
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198817

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	264930	Plugging Rpt #:	203353
Well Type:	Monitor	Borehole Depth (ft):	20

H202
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000346736

Database:	Submitted Drillers Reports Database		
Well Report #:	351927	Well Type:	Reconditioning
Proposed Use:	Monitor	Borehole Depth (ft):	0
Injurious Water Quality:	Not Reported	Plugging Rpt #:	203355

H203
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000260902

Database:	Submitted Drillers Reports Database		
Well Report #:	264934	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	20
Injurious Water Quality:	yes	Plugging Rpt #:	203354

H204
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198819

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	264934	Plugging Rpt #:	203354
Well Type:	Monitor	Borehole Depth (ft):	20

H205
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198820

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	351927	Plugging Rpt #:	203355
Well Type:	Monitor	Borehole Depth (ft):	0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

I206
South
1/2 - 1 Mile
Lower

TX WELLS TXMON6000181299

Database:	Submitted Drillers Reports Database		
Well Report #:	184283	Well Type:	New Well
Proposed Use:	Closed-Loop Geothermal	Borehole Depth (ft):	250
Injurious Water Quality:	Not Reported	Plugging Rpt #:	Not Reported

I207
South
1/2 - 1 Mile
Lower

TX WELLS TXDOL2000140355

Database:	Well Report Database	Fid:	140354
Rec id:	140346	Edr site i:	184283
Owner:	EAD Annex Building	Ownerwell:	No Data
Address:	3003 South Service Road, DFW Airport , TX 75261		
Grid:	32-08-8		
Waddress:	3003 South Service Road, DFW Airport , TX 75261		
Lat:	32 52 45 N	County:	Tarrant
Long:	097 02 32 W	Elevation:	No Data
Gpsused:	Magellan	Typeofwork:	New Well
Propuse:	Geothermal Heat Loop	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	4 in From Surface To 250 ft
Dmethod:	Air Rotary	Bcompletion:	Straight Wall
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	From 0 ft to 250 ft with 288 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	Pressured Grout Benseal EZ Mud	Cementedby:	William McPike
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	No Data	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No Data	Companynam:	Geothermal Drilling, Inc.
Companyadd:	8840 Highway 75 South	Ccitystate:	Huntsville , TX 77340
Licensenum:	3166	Wsignature:	William McPike
Dsignature:	James D. McPike, Jr.	Regnum:	57721
Comments:	no data	Site id:	TXDOL2000140355

J208
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000021627

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	86058
Well Type:	Monitor	Borehole Depth (ft):	20

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

K209
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200508

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204779
Well Type:	Monitor	Borehole Depth (ft):	0

L210
NNW
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042291

Database:	Well Report Database	Fid:	42290
Rec id:	42290	Edr site i:	28824
Owner:	DFW AIRPORT	Ownerwell:	BMW 126
Address:	2001 W. AIRFIELD DR., DFW , TX 75261	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Grid:	32-08-8	County:	Dallas
Lat:	32 54 05 N	Elevation:	No Data
Long:	097 02 49 W	Typeofwork:	New Well
Gpsused:	GARMIN	Sdate:	Not Reported
Propuse:	Monitor	Diameter:	5 in From Surface To 10 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Not Reported	Packsio:	16/30
Packedfrom:	3 ft to 10 ft	Finterval:	From 0 ft to 1 ft with 2/CONCRETE (#sacks and material)
Finterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042291

L211
NNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000027916

Database:	Submitted Drillers Reports Database		
Well Report #:	28824	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	10
Injurious Water Quality:	no	Plugging Rpt #:	203332

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

K212
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042889

Database:	Well Report Database	Fid:	42888
Rec id:	42883	Edr site i:	18984
Owner:	DFW AIRPORT	Ownerwell:	BMW # 112
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-8	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 54 06 N	County:	Dallas
Long:	097 02 33 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 22 ft
Dmethod:	Not Reported	Bcompletio:	Not Reported
Packedfrom:	3 ft to 22 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042889

K213
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000145445

Database:	Well Report Database	Fid:	145444
Rec id:	145438	Edr site i:	49838
Owner:	DFW Airport	Ownerwell:	BRW11
Address:	TX75261	Grid:	32-08-8
Waddress:	DFW Airport , TX 75261	Lat:	32 54 06 N
County:	Tarrant	Long:	097 02 33 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 22.9 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 3 ft with concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-309
Site id:	TXDOL2000145445		

**K214
North
1/2 - 1 Mile
Higher**

TX WELLS TXDOL2000145446

Database:	Well Report Database	Fid:	145445
Rec id:	145439	Edr site i:	49837
Owner:	DFW Airport	Ownerwell:	BRW13
Address:	TX75261	Grid:	32-08-8
Waddress:	DFW Airport , TX 75261	Lat:	32 54 06 N
County:	Tarrant	Long:	097 02 33 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 24.4 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsize:	Not Reported		
Finterval:	From 0 ft to 3 ft with concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-309
Site id:	TXDOL2000145446		

**K215
North
1/2 - 1 Mile
Higher**

TX WELLS TXDOL2000042885

Database:	Well Report Database	Fid:	42884
Rec id:	42879	Edr site i:	18990
Owner:	DFW AIRPORT	Ownerwell:	BMW # 110
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-8	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 54 06 N	County:	Dallas
Long:	097 02 33 W	Elevation:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 10 ft
Dmethod:	Not Reported	Bcompletio:	Not Reported
Packedfrom:	3 ft to 10 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadep:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042885

**K216
North
1/2 - 1 Mile
Higher**

TX WELLS TXDOL2000042795

Database:	Well Report Database	Fid:	42794
Rec id:	42790	Edr site i:	20318
Owner:	DFW AIRPORT	Ownerwell:	DMW # 117
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-8	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261-9428
Lat:	32 54 06 N	County:	Dallas
Long:	097 02 33 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 10 ft
Dmethod:	Not Reported	Bcompletio:	Not Reported
Packedfrom:	3 ft to 10 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadep:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042795

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

K217
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042796

Database:	Well Report Database	Fid:	42795
Rec id:	42791	Edr site i:	20317
Owner:	DFW AIRPORT	Ownerwell:	DMW # 116
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-8	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261-9428
Lat:	32 54 06 N	County:	Dallas
Long:	097 02 33 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 10 ft
Dmethod:	Not Reported	Bcompleto:	Not Reported
Packedfrom:	3 ft to 10 ft	Packsiz:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042796

K218
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042797

Database:	Well Report Database	Fid:	42796
Rec id:	42792	Edr site i:	20316
Owner:	DFW AIRPORT	Ownerwell:	DMW # 116
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-8	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261-9428
Lat:	32 54 06 N	County:	Dallas
Long:	097 02 33 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 10 ft
Dmethod:	Not Reported	Bcompleto:	Not Reported
Packedfrom:	3 ft to 10 ft	Packsiz:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042797

K219
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000145451

Database:	Well Report Database	Fid:	145450
Rec id:	145444	Edr site i:	49832
Owner:	DFW Airport	Ownerwell:	BRW2
Address:	TX75261	Grid:	32-08-8
Waddress:	DFW Airport , TX 75261	Lat:	32 54 06 N
County:	Tarrant	Long:	097 02 33 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 21.7 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 3 ft with concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-309
Site id:	TXDOL2000145451		

K220
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000145452

Database:	Well Report Database	Fid:	145451
Rec id:	145445	Edr site i:	49831
Owner:	DFW Airport	Ownerwell:	BRW3
Address:	TX75261	Grid:	32-08-8
Waddress:	DFW Airport , TX 75261	Lat:	32 54 06 N
County:	Tarrant	Long:	097 02 33 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 22.2 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 3 ft with concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-309
Site id:	TXDOL2000145452		

**K221
North
1/2 - 1 Mile
Higher**

TX WELLS TXDOL2000145453

Database:	Well Report Database	Fid:	145452
Rec id:	145446	Edr site i:	49830
Owner:	DFW Airport	Ownerwell:	BRW4
Address:	TX75261	Grid:	32-08-8
Waddress:	DFW Airport , TX 75261	Lat:	32 54 06 N
County:	Tarrant	Long:	097 02 33 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 24.4 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 3 ft with concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-309
Site id:	TXDOL2000145453		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

K222
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000145450

Database:	Well Report Database	Fid:	145449
Rec id:	145443	Edr site i:	49833
Owner:	DFW Airport	Ownerwell:	BRW12
Address:	TX75261	Grid:	32-08-8
Waddress:	DFW Airport , TX 75261	Lat:	32 54 06 N
County:	Tarrant	Long:	097 02 33 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 21.2 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 3 ft with concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadep:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-309
Site id:	TXDOL2000145450		

K223
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000145447

Database:	Well Report Database	Fid:	145446
Rec id:	145440	Edr site i:	49836
Owner:	DFW Airport	Ownerwell:	BRW14
Address:	TX75261	Grid:	32-08-8
Waddress:	DFW Airport , TX 75261	Lat:	32 54 06 N
County:	Tarrant	Long:	097 02 33 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 24.1 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 3 ft with concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Staticlevel:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-309
Site id:	TXDOL2000145447		

**K224
North
1/2 - 1 Mile
Higher**

TX WELLS TXDOL2000145448

Database:	Well Report Database	Fid:	145447
Rec id:	145441	Edr site i:	49835
Owner:	DFW Airport	Ownerwell:	BRW1
Address:	TX75261	Grid:	32-08-8
Waddress:	DFW Airport , TX 75261	Lat:	32 54 06 N
County:	Tarrant	Long:	097 02 33 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 22.5 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsize:	Not Reported		
Finterval:	From 0 ft to 3 ft with concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticlevel:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-309
Site id:	TXDOL2000145448		

**K225
North
1/2 - 1 Mile
Higher**

TX WELLS TXDOL2000145449

Database:	Well Report Database	Fid:	145448
Rec id:	145442	Edr site i:	49834
Owner:	DFW Airport	Ownerwell:	BRW15
Address:	TX75261	Grid:	32-08-8
Waddress:	DFW Airport , TX 75261	Lat:	32 54 06 N
County:	Tarrant	Long:	097 02 33 W

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 22.4 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsize:	Not Reported		
Finterval:	From 0 ft to 3 ft with concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Variance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-309
Site id:	TXDOL2000145449		

K226
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000019593

Database:	Submitted Drillers Reports Database		
Well Report #:	20317	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	10
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

K227
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000019594

Database:	Submitted Drillers Reports Database		
Well Report #:	20318	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	10
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

K228
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000019592

Database:	Submitted Drillers Reports Database		
Well Report #:	20316	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	10
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

K229
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000018276

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	18984	Borehole Depth (ft):	22
Proposed Use:	Monitor	Plugging Rpt #:	203326
Injurious Water Quality:	no		

K230
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000018282

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	18990	Borehole Depth (ft):	10
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

K231
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048764

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49836	Borehole Depth (ft):	24.1
Proposed Use:	Monitor	Plugging Rpt #:	97073
Injurious Water Quality:	Not Reported		

K232
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048763

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49835	Borehole Depth (ft):	22.5
Proposed Use:	Monitor	Plugging Rpt #:	97060
Injurious Water Quality:	Not Reported		

K233
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048766

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49838	Borehole Depth (ft):	22.9
Proposed Use:	Monitor	Plugging Rpt #:	97070
Injurious Water Quality:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

K234
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048765

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49837	Borehole Depth (ft):	24.4
Proposed Use:	Monitor	Plugging Rpt #:	97072
Injurious Water Quality:	Not Reported		

K235
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048762

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49834	Borehole Depth (ft):	22.4
Proposed Use:	Monitor	Plugging Rpt #:	97075
Injurious Water Quality:	Not Reported		

K236
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048759

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49831	Borehole Depth (ft):	22.2
Proposed Use:	Monitor	Plugging Rpt #:	97062
Injurious Water Quality:	Not Reported		

K237
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048758

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49830	Borehole Depth (ft):	24.4
Proposed Use:	Monitor	Plugging Rpt #:	97063
Injurious Water Quality:	Not Reported		

K238
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048761

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49833	Borehole Depth (ft):	21.2
Proposed Use:	Monitor	Plugging Rpt #:	97071
Injurious Water Quality:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

K239
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048760

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	49832	Borehole Depth (ft):	21.7
Proposed Use:	Monitor	Plugging Rpt #:	97061
Injurious Water Quality:	Not Reported		

K240
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036020

Database:	Submitted Drillers Reports Database (Plugged)	Plugging Rpt #:	97063
Well Report #:	49830	Borehole Depth (ft):	24.4
Well Type:	Monitor		

K241
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042883

Database:	Well Report Database	Fid:	42882
Rec id:	42877	Edr site i:	18993
Owner:	DFW AIRPORT	Ownerwell:	BMW # 114
Address:	P.O. BOX 619428, DFW , TX 75261-9428	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Grid:	32-08-8	County:	Dallas
Lat:	32 54 06 N	Elevation:	No Data
Long:	097 02 32 W	Typeofwork:	New Well
Gpsused:	GARMIN	Sdate:	Not Reported
Propuse:	Monitor	Diameter:	5 in From Surface To 10 ft
Completedd:	Not Reported	Bcompleteio:	Not Reported
Dmethod:	Not Reported	Packsiz:	Not Reported
Packedfrom:	3 ft to 10 ft	Tinterval:	No Data
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)	Cementedby:	DIXIE DRILLING
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	HAND MIX	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	BENTONITE CHIPS 1-3
Surface:	Surface Slab Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No Data
Yield:	Not Reported	Companynam:	DIXIE DRILLING
Stratadept:	No Data	Ccitystate:	ALVARADO , TX 76009
Undesirabl:	No	Wsignature:	T. SHAUN OBANNON
Companyadd:	9120 MARIANNA WAY	Regnum:	No Data
Licensenum:	4707	Site id:	TXDOL2000042883
Dsignature:	No Data		
Comments:	no data		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

K242
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042886

Database:	Well Report Database	Fid:	42885
Rec id:	42880	Edr site i:	18988
Owner:	DFW AIRPORT	Ownerwell:	BMW # 115
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-8	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 54 06 N	County:	Dallas
Long:	097 02 32 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 22 ft
Dmethod:	Not Reported	Bcompleto:	Not Reported
Packedfrom:	3 ft to 22 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042886

K243
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000018285

Database:	Submitted Drillers Reports Database		
Well Report #:	18993	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	10
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

K244
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000018280

Database:	Submitted Drillers Reports Database		
Well Report #:	18988	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	22
Injurious Water Quality:	no	Plugging Rpt #:	203327

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

K245
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036028

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49837	Plugging Rpt #:	97072
Well Type:	Monitor	Borehole Depth (ft):	24.4

K246
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036444

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49835	Plugging Rpt #:	97060
Well Type:	Monitor	Borehole Depth (ft):	22.5

K247
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036445

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49831	Plugging Rpt #:	97062
Well Type:	Monitor	Borehole Depth (ft):	22.2

K248
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036017

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49832	Plugging Rpt #:	97061
Well Type:	Monitor	Borehole Depth (ft):	21.7

K249
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036025

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49834	Plugging Rpt #:	97075
Well Type:	Monitor	Borehole Depth (ft):	22.4

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

K250
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200505

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204776
Well Type:	Monitor	Borehole Depth (ft):	0

K251
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200504

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204775
Well Type:	Monitor	Borehole Depth (ft):	0

K252
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200502

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204773
Well Type:	Monitor	Borehole Depth (ft):	0

M253
NNE
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042288

Database:	Well Report Database	Fid:	42287
Rec id:	42287	Edr site i:	28827
Owner:	DFW AIRPORT	Ownerwell:	CMW 144
Address:	2001 W. AIRFIELD DR., DFW , TX 75261		
Grid:	32-08-9	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 54 03 N	County:	Dallas
Long:	097 02 17 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 10 ft
Dmethod:	Not Reported	Bcompletio:	Not Reported
Packedfrom:	3 ft to 10 ft	Packsiz:	16/30
Finterval:	From 0 ft to 1 ft with 2/CONCRETE (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Stratadep:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042288

**M254
NNE
1/2 - 1 Mile
Higher**

TX WELLS TXMON6000027919

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	28827	Borehole Depth (ft):	10
Proposed Use:	Monitor	Plugging Rpt #:	203347
Injurious Water Quality:	no		

**J255
North
1/2 - 1 Mile
Higher**

TX WELLS TXDOL2000145409

Database:	Well Report Database	Fid:	145408
Rec id:	145407	Edr site i:	49869
Owner:	DFW Airport	Ownerwell:	BRW9
Address:	TX75261	Grid:	32-08-8
Waddress:	TX75261	Lat:	32 54 07 N
County:	Tarrant	Long:	097 02 37 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 15.8 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported
Packsiz:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadep:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccystate:	Austin , TX 78708	Licensenum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145409		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

J256
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000145408

Database:	Well Report Database	Fid:	145407
Rec id:	145406	Edr site i:	49870
Owner:	DFW Airport	Ownerwell:	BRW8
Address:	TX75261	Grid:	32-08-8
Waddress:	TX75261	Lat:	32 54 07 N
County:	Tarrant	Long:	097 02 37 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 15.9 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsize:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)		
Tinterval:	No Data	Usedmethod:	by hand
Cementedby:	crew	Contaminat:	No Data
Propertyli:	No Data	Verrimetho:	No Data
Varriance:	No Data	Surface:	Surface Slab Installed
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	No Data
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	No Data	Stratadept:	No Data
Chemicalma:	No Data	Undesirabl:	No Data
Companynam:	Total Support Services	Companyadd:	P.O. Box 81621
Ccitystate:	Austin , TX 78708	Licenseum:	54611
Wsignature:	Brian Kern	Dsignature:	No Data
Regnum:	No Data	Comments:	2004-405
Site id:	TXDOL2000145408		

J257
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048797

Database:	Submitted Drillers Reports Database		
Well Report #:	49869	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	15.8
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97068

J258
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048798

Database:	Submitted Drillers Reports Database		
Well Report #:	49870	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	15.9
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97067

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

J259
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036023

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49870	Plugging Rpt #:	97067
Well Type:	Monitor	Borehole Depth (ft):	15.9

J260
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000020476

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	93448
Well Type:	Monitor	Borehole Depth (ft):	0

J261
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000022272

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	93449
Well Type:	Monitor	Borehole Depth (ft):	0

J262
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036018

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49869	Plugging Rpt #:	97068
Well Type:	Monitor	Borehole Depth (ft):	15.8

J263
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000145416

Database:	Well Report Database	Fid:	145415
Rec id:	145418	Edr site i:	49858
Owner:	DFW Airport	Ownerwell:	BRW6
Address:	TX75261	Grid:	32-08-8
Waddress:	TX75261	Lat:	32 54 07 N
County:	Tarrant	Long:	097 02 35 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 15 ft	Dmethod:	Hollow Stem Auger
Bcompletio:	Not Reported	Packedfrom:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Packsizes:	Not Reported	Tinterval:	No Data
Finterval:	From 0 ft to 2.5 ft with Concrete (#sacks and material)	Cementedby:	crew
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	by hand	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	No Data
Surface:	Surface Slab Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No Data
Yield:	Not Reported	Companynam:	Total Support Services
Stratadept:	No Data	Ccitystate:	Austin , TX 78708
Undesirabl:	No Data	Wsignature:	Brian Kern
Companyadd:	P.O. Box 81621	Regnum:	No Data
Licensenum:	54611	Site id:	TXDOL2000145416
Dsignature:	No Data		
Comments:	2004-405		

**J264
North
1/2 - 1 Mile
Higher**

TX WELLS TXDOL2000145230

Database:	Well Report Database	Fid:	145229
Rec id:	145417	Edr site i:	49859
Owner:	DFW Airport	Ownerwell:	BRW5
Address:	TX75261	Grid:	32-08-8
Waddress:	TX75261	Lat:	32 54 07 N
County:	Tarrant	Long:	097 02 35 W
Elevation:	No Data	Gpsused:	No Data
Typeofwork:	New Well	Propuse:	Monitor
Sdate:	Not Reported	Completedd:	Not Reported
Diameter:	14 in From Surface To 16.7 ft	Dmethod:	Hollow Stem Auger
Bcompleteio:	Not Reported	Packedfrom:	Not Reported
Packsizes:	Not Reported		
Finterval:	From 0 ft to 3 ft with Concrete (#sacks and material)		
Sinterval:	From 3 ft to 4.4 ft with 2 Bentonite (#sacks and material)	Usedmethod:	by hand
Tinterval:	No Data	Contaminat:	No Data
Cementedby:	crew	Verrimetho:	No Data
Propertyli:	No Data	Surface:	Surface Slab Installed
Varriance:	No Data	Flow:	No Data
Staticleve:	No Data	Cementinwe:	No Data
Packers:	No Data	Pumpbowl:	Not Reported
Typepump:	No Data	Yield:	Not Reported
Welltests:	No Data	Stratadept:	No Data
Watertype:	No Data	Undesirabl:	No Data
Chemicalma:	No Data	Companyadd:	P.O. Box 81621
Companynam:	Total Support Services	Licensenum:	54611
Ccitystate:	Austin , TX 78708	Dsignature:	No Data
Wsignature:	Brian Kern	Comments:	2004-405
Regnum:	No Data		
Site id:	TXDOL2000145230		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

J265
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048787

Database:	Submitted Drillers Reports Database		
Well Report #:	49859	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	16.7
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97064

J266
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000048786

Database:	Submitted Drillers Reports Database		
Well Report #:	49858	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	15
Injurious Water Quality:	Not Reported	Plugging Rpt #:	97065

J267
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036019

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49865	Plugging Rpt #:	97069
Well Type:	Monitor	Borehole Depth (ft):	16.1

K268
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200506

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204777
Well Type:	Monitor	Borehole Depth (ft):	0

K269
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200499

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204770
Well Type:	Monitor	Borehole Depth (ft):	0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

J270
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042884

Database:	Well Report Database	Fid:	42883
Rec id:	42878	Edr site i:	18991
Owner:	DFW AIRPORT	Ownerwell:	BMW # 109
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-8	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 54 07 N	County:	Dallas
Long:	097 02 34 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 10 ft
Dmethod:	Not Reported	Bcompleteio:	Not Reported
Packedfrom:	3 ft to 10 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042884

J271
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000018283

Database:	Submitted Drillers Reports Database		
Well Report #:	18991	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	10
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

J272
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036022

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49858	Plugging Rpt #:	97065
Well Type:	Monitor	Borehole Depth (ft):	15

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

J273
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036446

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49864	Plugging Rpt #:	97066
Well Type:	Monitor	Borehole Depth (ft):	16

K274
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042888

Database:	Well Report Database	Fid:	42887
Rec id:	42882	Edr site i:	18986
Owner:	DFW AIRPORT	Ownerwell:	BMW # 111
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-8	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 54 07 N	County:	Dallas
Long:	097 02 33 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 22 ft
Dmethod:	Not Reported	Bcompleteio:	Not Reported
Packedfrom:	3 ft to 22 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042888

K275
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000018278

Database:	Submitted Drillers Reports Database		
Well Report #:	18986	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	22
Injurious Water Quality:	no	Plugging Rpt #:	203325

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

K276
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036026

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49838	Plugging Rpt #:	97070
Well Type:	Monitor	Borehole Depth (ft):	22.9

K277
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036021

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49859	Plugging Rpt #:	97064
Well Type:	Monitor	Borehole Depth (ft):	16.7

K278
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200501

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204772
Well Type:	Monitor	Borehole Depth (ft):	0

K279
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200500

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204771
Well Type:	Monitor	Borehole Depth (ft):	0

K280
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200503

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204774
Well Type:	Monitor	Borehole Depth (ft):	0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

K281
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042887

Database:	Well Report Database	Fid:	42886
Rec id:	42881	Edr site i:	18987
Owner:	DFW AIRPORT	Ownerwell:	BMW # 113
Address:	P.O. BOX 619428, DFW , TX 75261-9428		
Grid:	32-08-8	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Lat:	32 54 07 N	County:	Dallas
Long:	097 02 32 W	Elevation:	No Data
Gpsused:	GARMIN	Typeofwork:	New Well
Propuse:	Monitor	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	5 in From Surface To 22 ft
Dmethod:	Not Reported	Bcompleto:	Not Reported
Packedfrom:	3 ft to 22 ft	Packsizes:	Not Reported
Finterval:	From 0 ft to 1 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	HAND MIX	Cementedby:	DIXIE DRILLING
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	Surface Slab Installed	Staticleve:	No Data
Flow:	No Data	Packers:	BENTONITE CHIPS 1-3
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	DIXIE DRILLING
Companyadd:	9120 MARIANNA WAY	Ccitystate:	ALVARADO , TX 76009
Licensenum:	4707	Wsignature:	T. SHAUN OBANNON
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000042887

K282
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000018279

Database:	Submitted Drillers Reports Database		
Well Report #:	18987	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	22
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

K283
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036027

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49833	Plugging Rpt #:	97071
Well Type:	Monitor	Borehole Depth (ft):	21.2

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

K284
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000036029

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	49836	Plugging Rpt #:	97073
Well Type:	Monitor	Borehole Depth (ft):	24.1

K285
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200507

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204778
Well Type:	Monitor	Borehole Depth (ft):	0

K286
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200497

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204769
Well Type:	Monitor	Borehole Depth (ft):	0

K287
North
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200509

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204780
Well Type:	Monitor	Borehole Depth (ft):	0

288
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000200498

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	204768
Well Type:	Monitor	Borehole Depth (ft):	0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dmethod:	Driven	Bcompletio:	Open Hole
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	From 0 ft to 20 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	TREMMIE	Cementedby:	RODNEY SWANN
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	No Data	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	PRECISION PROBE AND DRILLING
Companyadd:	6133 VERONA	Ccystate:	SHREVEPORT , LA 71105
Licensenum:	54661	Wsignature:	RODNEY SWANN
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146887

**N292
NE
1/2 - 1 Mile
Higher**

TX WELLS TXDOL2000146888

Database:	Well Report Database	Fid:	146887
Rec id:	146881	Edr site i:	19833
Owner:	DFW AIRPORT	Ownerwell:	No Data
Address:	PO BOX 612008, DFW AIRPORT , TX 75261		
Grid:	32-08-9	Waddress:	3003 S SERVICE RD, DFW AIRPORT , TX 75261
Lat:	32 54 00 N	County:	Tarrant
Long:	097 02 04 W	Elevation:	No Data
Gpsused:	MAGELLAN	Typeofwork:	New Well
Propuse:	Environmental Soil Boring	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	2.25 in From Surface To 20 ft
Dmethod:	Driven	Bcompletio:	Open Hole
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	From 0 ft to 20 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	No Data	Cementedby:	No Data
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	No Data	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	PRECISION PROBE AND DRILLING
Companyadd:	6133 VERONA	Ccystate:	SHREVEPORT , la 71105
Licensenum:	54661	Wsignature:	RODNEY SWANN
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146888

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

N293
NE
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000146882

Database:	Well Report Database	Fid:	146881
Rec id:	146875	Edr site i:	19845
Owner:	DFW AIRPORT	Ownerwell:	No Data
Address:	PO BOX 612008, DFW AIRPORT , TX 75261		
Grid:	32-08-9	Waddress:	3003 S SERVICE, DFW AIRPORT , TX 75261
Lat:	32 54 00 N	County:	Tarrant
Long:	097 02 04 W	Elevation:	No Data
Gpsused:	MAGELLAN	Typeofwork:	New Well
Propuse:	Environmental Soil Boring	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	2.25 in From Surface To 16 ft
Dmethod:	Driven	Bcompleto:	Open Hole
Packedfrom:	Not Reported	Packsiz:	Not Reported
Finterval:	From 0 ft to 16 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	TREMMIE	Cementedby:	RODNEY SWANN
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	No Data	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	PRECISION PROBE AND DRILLING
Companyadd:	6133 VERONA	Ccitystate:	SHREVEPORT , LA 71105
Licensenum:	54661	Wsignature:	RODNEY SWANN
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146882

N294
NE
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000146881

Database:	Well Report Database	Fid:	146880
Rec id:	146874	Edr site i:	19846
Owner:	DFW AIRPORT	Ownerwell:	No Data
Address:	PO BOX 612008, DFW AIRPORT , TX 75261		
Grid:	32-08-9	Waddress:	3003 S SERVICE, DFW AIRPORT , TX 75261
Lat:	32 54 00 N	County:	Tarrant
Long:	097 02 04 W	Elevation:	No Data
Gpsused:	MAGELLAN	Typeofwork:	New Well
Propuse:	Environmental Soil Boring	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	2.25 in From Surface To 16 ft
Dmethod:	Driven	Bcompleto:	Open Hole
Packedfrom:	Not Reported	Packsiz:	Not Reported
Finterval:	From 0 ft to 16 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	TREMMIE	Cementedby:	RODNEY SWANN
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	No Data	Staticleve:	No Data
Flow:	No Data	Packers:	No Data

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementinwe:	Not Reported	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	PRECISION PROBE AND DRILLING
Companyadd:	6133 VEREONA	Ccystate:	SHREVEPORT , LA 71105
Licensenum:	54661	Wsignature:	RODNEY SWANN
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146881

N295
NE
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000146880

Database:	Well Report Database	Fid:	146879
Rec id:	146873	Edr site i:	19847
Owner:	DFW AIRPORT	Ownerwell:	No Data
Address:	PO BOX 612008, DFW AIRPORT , TX 75261		
Grid:	32-08-9	Waddress:	3003 S SERVICE, DFW AIRPORT , TX 75261
Lat:	32 54 00 N	County:	Tarrant
Long:	097 02 04 W	Elevation:	No Data
Gpsused:	MAGELLAN	Typeofwork:	New Well
Propuse:	Environmental Soil Boring	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	2.25 in From Surface To 16 ft
Dmethod:	Driven	Bcompletio:	Open Hole
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	From 0 ft to 16 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	TREMMIE	Cementedby:	RODNEY SWANN
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	No Data	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	Not Reported	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	PRECISION PROBE AND DRILLING
Companyadd:	6133 VERONA	Ccystate:	SHREVEPORT , LA 71105
Licensenum:	54661	Wsignature:	RODNEY SWANN
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146880

N296
NE
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000146885

Database:	Well Report Database	Fid:	146884
Rec id:	146878	Edr site i:	19842
Owner:	DFW AIRPORT	Ownerwell:	No Data
Address:	PO BOX 612008, DFW AIRPORT , TX 75261		
Grid:	32-08-9	Waddress:	3003 S SERVICE RD, DFW AIRPORT , TX 75261
Lat:	32 54 00 N	County:	Tarrant
Long:	097 02 04 W	Elevation:	No Data
Gpsused:	MAGELLAN	Typeofwork:	New Well
Propuse:	Environmental Soil Boring	Sdate:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Completedd:	Not Reported	Diameter:	2.25 in From Surface To 16 ft
Dmethod:	Driven	Bcompletio:	Open Hole
Packedfrom:	Not Reported	Packsiz:	Not Reported
Finterval:	From 0 ft to 16 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	TREMMIE	Cementedby:	RODNEY SWANN
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	No Data	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	Not Reported	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No
Undesirabl:	No	Companynam:	PRECISION PROBE AND DRILLING
Companyadd:	6133 VERONA	Ccitystate:	SHREVEPORT , LA 71105
Licensenum:	54661	Wsignature:	RODNEY SWANN
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146885

**N297
NE
1/2 - 1 Mile
Higher**

TX WELLS TXDOL2000146884

Database:	Well Report Database	Fid:	146883
Rec id:	146877	Edr site i:	19843
Owner:	DFW AIRPORT	Ownerwell:	No Data
Address:	PO BOX 612008, DFW AIRPORT , TX 75261		
Grid:	32-08-9	Waddress:	3003 S SERVICE, DFW AIRPORT , TX 75261
Lat:	32 54 00 N	County:	Tarrant
Long:	097 02 04 W	Elevation:	No Data
Gpsused:	MEGELLAN	Typeofwork:	New Well
Propuse:	Environmental Soil Boring	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	2.25 in From Surface To 16 ft
Dmethod:	Driven	Bcompletio:	Open Hole
Packedfrom:	Not Reported	Packsiz:	Not Reported
Finterval:	From 0 ft to 16 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	TREMMIE	Cementedby:	RODNEY SWANN
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Variance:	No Data
Surface:	No Data	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	No Data	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	PRECISION PROBE AND DRILLING
Companyadd:	6133 VERONA	Ccitystate:	SHREVEPORT , LA 71105
Licensenum:	54661	Wsignature:	RODNEY SWANN
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146884

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

N298
NE
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000146883

Database:	Well Report Database	Fid:	146882
Rec id:	146876	Edr site i:	19844
Owner:	DFW AIRPORT	Ownerwell:	No Data
Address:	PO BOX 6122008, DFW AIRPORT , TX 75261		
Grid:	32-08-9	Waddress:	3003 S SERVICE, DFW AIRPORT , TX 75261
Lat:	32 54 00 N	County:	Tarrant
Long:	097 02 04 W	Elevation:	No Data
Gpsused:	MAGELLAN	Typeofwork:	New Well
Propuse:	Environmental Soil Boring	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	2.25 in From Surface To 16 ft
Dmethod:	Driven	Bcompletio:	Open Hole
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	From 0 ft to 16 ft with 1 (#sacks and material)		
Sinterval:	No Data	Tinterval:	No Data
Usedmethod:	TREMMIE	Cementedby:	RODNEY SWANN
Contaminat:	No Data	Propertyli:	No Data
Verrimetho:	No Data	Varriance:	No Data
Surface:	No Data	Staticleve:	No Data
Flow:	No Data	Packers:	No Data
Cementinwe:	Not Reported	Typepump:	No Data
Pumpbowl:	Not Reported	Welltests:	No Data
Yield:	Not Reported	Watertype:	No Data
Stratadept:	No Data	Chemicalma:	No Data
Undesirabl:	No	Companynam:	PRECISION PROBE AND DRILLING
Companyadd:	6133 VERONA	Ccitystate:	SHREVEPORT , LA 71105
Licensenum:	54661	Wsignature:	RODNEY SWANN
Dsignature:	No Data	Regnum:	No Data
Comments:	no data	Site id:	TXDOL2000146883

N299
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000105540

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	19845	Plugging Rpt #:	107528
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	16

N300
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000105539

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	19844	Plugging Rpt #:	107527
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	16

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

N301
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000105542

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	19847	Plugging Rpt #:	107530
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	16

N302
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000105541

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	19846	Plugging Rpt #:	107529
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	16

N303
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000105538

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	19843	Plugging Rpt #:	107526
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	16

N304
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000105533

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	19837	Plugging Rpt #:	107521
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	20

N305
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000105530

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	19833	Plugging Rpt #:	107518
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	20

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

N306
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000105537

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	19842	Plugging Rpt #:	107525
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	16

N307
NE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000105536

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	19840	Plugging Rpt #:	107524
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	20

N308
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000019129

Database:	Submitted Drillers Reports Database		
Well Report #:	19847	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	16
Injurious Water Quality:	no	Plugging Rpt #:	107530

N309
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000019128

Database:	Submitted Drillers Reports Database		
Well Report #:	19846	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	16
Injurious Water Quality:	no	Plugging Rpt #:	107529

N310
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000019127

Database:	Submitted Drillers Reports Database		
Well Report #:	19845	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	16
Injurious Water Quality:	no	Plugging Rpt #:	107528

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

N311
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000019124

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	19842	Borehole Depth (ft):	16
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	107525
Injurious Water Quality:	no		

N312
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000019122

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	19840	Borehole Depth (ft):	20
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	107524
Injurious Water Quality:	no		

N313
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000019126

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	19844	Borehole Depth (ft):	16
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	107527
Injurious Water Quality:	no		

N314
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000019125

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	19843	Borehole Depth (ft):	16
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	107526
Injurious Water Quality:	no		

N315
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000019119

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	19837	Borehole Depth (ft):	20
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	107521
Injurious Water Quality:	no		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

N316
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000019115

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	19833	Borehole Depth (ft):	20
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	107518
Injurious Water Quality:	no		

O317
North
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000042289

Database:	Well Report Database	Fid:	42288
Rec id:	42288	Edr site i:	28826
Owner:	DFW AIRPORT	Ownerwell:	BMW 120
Address:	2001 W. AIRFIELD DR., DFW , TX 75261	Waddress:	CENTRAL TERMINAL AREA, DFW , TX 75261
Grid:	32-08-8	County:	Dallas
Lat:	32 54 10 N	Elevation:	No Data
Long:	097 02 42 W	Typeofwork:	New Well
Gpsused:	GARMIN	Sdate:	Not Reported
Propuse:	Monitor	Diameter:	5 in From Surface To 10 ft
Completedd:	Not Reported	Bcompleto:	Not Reported
Dmethod:	Not Reported	Packsiz:	16/30
Packedfrom:	3 ft to 10 ft	Tinterval:	No Data
Finterval:	From 0 ft to 1 ft with 2/CONCRETE (#sacks and material)	Cementedby:	DIXIE DRILLING
Sinterval:	No Data	Propertyli:	No Data
Usedmethod:	HAND MIX	Varriance:	No Data
Contaminat:	No Data	Staticleve:	No Data
Verrimetho:	No Data	Packers:	BENTONITE CHIPS 1-3
Surface:	Surface Slab Installed	Typepump:	No Data
Flow:	No Data	Welltests:	No Data
Cementinwe:	No Data	Watertype:	No Data
Pumpbowl:	Not Reported	Chemicalma:	No Data
Yield:	Not Reported	Companynam:	DIXIE DRILLING
Stratadept:	No Data	Ccitystate:	ALVARADO , TX 76009
Undesirabl:	No	Wsignature:	T. SHAUN OBANNON
Companyadd:	9120 MARIANNA WAY	Regnum:	No Data
Licensenum:	4707	Site id:	TXDOL2000042289
Dsignature:	No Data		
Comments:	no data		

O318
North
1/2 - 1 Mile
Higher

TX WELLS TXMON6000027918

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	28826	Borehole Depth (ft):	10
Proposed Use:	Monitor	Plugging Rpt #:	203328
Injurious Water Quality:	no		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

P319
SSE
1/2 - 1 Mile
Lower

TX WELLS TXPLU6000181326

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	490832	Plugging Rpt #:	184511
Well Type:	Monitor	Borehole Depth (ft):	20

P320
SSE
1/2 - 1 Mile
Lower

TX WELLS TXMON6000477107

Database:	Submitted Drillers Reports Database		
Well Report #:	490832	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	20
Injurious Water Quality:	no	Plugging Rpt #:	184511

Q321
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365110

Database:	Submitted Drillers Reports Database		
Well Report #:	370616	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	28
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147208

Q322
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145090

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370616	Plugging Rpt #:	147208
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

R323
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198311

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	255372	Plugging Rpt #:	203239
Well Type:	Monitor	Borehole Depth (ft):	20

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

R324
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000251471

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	255372	Borehole Depth (ft):	20
Proposed Use:	Monitor	Plugging Rpt #:	203239
Injurious Water Quality:	no		

Q325
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145091

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370617	Plugging Rpt #:	147209
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	22

Q326
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145092

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370618	Plugging Rpt #:	147210
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

Q327
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145093

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370619	Plugging Rpt #:	147211
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

Q328
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365113

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	370619	Borehole Depth (ft):	28
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	147211
Injurious Water Quality:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q329
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365111

Database:	Submitted Drillers Reports Database		
Well Report #:	370617	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	22
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147209

Q330
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365112

Database:	Submitted Drillers Reports Database		
Well Report #:	370618	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	28
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147210

Q331
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145094

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370620	Plugging Rpt #:	147212
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

Q332
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365114

Database:	Submitted Drillers Reports Database		
Well Report #:	370620	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	28
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147212

R333
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000251475

Database:	Submitted Drillers Reports Database		
Well Report #:	255376	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	20
Injurious Water Quality:	no	Plugging Rpt #:	203238

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

R334
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198310

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	255376	Plugging Rpt #:	203238
Well Type:	Monitor	Borehole Depth (ft):	20

Q335
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426017

Database:	Submitted Drillers Reports Database		
Well Report #:	435943	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	34
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

Q336
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426018

Database:	Submitted Drillers Reports Database		
Well Report #:	435944	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	33
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

Q337
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426019

Database:	Submitted Drillers Reports Database		
Well Report #:	435945	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	33
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

Q338
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426009

Database:	Submitted Drillers Reports Database		
Well Report #:	435940	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	34
Injurious Water Quality:	no	Plugging Rpt #:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q339
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426015

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	435941	Borehole Depth (ft):	34
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

Q340
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426016

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	435942	Borehole Depth (ft):	34
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

Q341
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426020

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	435946	Borehole Depth (ft):	32
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

Q342
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426063

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	435983	Borehole Depth (ft):	34.5
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

Q343
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426064

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	435984	Borehole Depth (ft):	34.3
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q344
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426065

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	435985	Borehole Depth (ft):	35
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

Q345
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426022

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	435947	Borehole Depth (ft):	31.5
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

Q346
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426057

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	435975	Borehole Depth (ft):	34.5
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

Q347
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426062

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	435982	Borehole Depth (ft):	34.5
Proposed Use:	Monitor	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

Q348
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365116

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	370622	Borehole Depth (ft):	28
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	147214
Injurious Water Quality:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

Q349
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365115

Database:	Submitted Drillers Reports Database	
Well Report #:	370621	Well Type: New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft): 28
Injurious Water Quality:	Not Reported	Plugging Rpt #: 147213

Q350
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365120

Database:	Submitted Drillers Reports Database	
Well Report #:	370626	Well Type: New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft): 28
Injurious Water Quality:	Not Reported	Plugging Rpt #: 147216

Q351
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365117

Database:	Submitted Drillers Reports Database	
Well Report #:	370623	Well Type: New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft): 28
Injurious Water Quality:	Not Reported	Plugging Rpt #: 147215

Q352
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000364985

Database:	Submitted Drillers Reports Database	
Well Report #:	370489	Well Type: New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft): 28
Injurious Water Quality:	Not Reported	Plugging Rpt #: 147189

Q353
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000364959

Database:	Submitted Drillers Reports Database	
Well Report #:	370463	Well Type: New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft): 28
Injurious Water Quality:	Not Reported	Plugging Rpt #: 147185

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q354
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000364958

Database:	Submitted Drillers Reports Database		
Well Report #:	370462	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	25
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147184

Q355
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000364984

Database:	Submitted Drillers Reports Database		
Well Report #:	370488	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	28
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147188

Q356
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000364982

Database:	Submitted Drillers Reports Database		
Well Report #:	370486	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	28
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147187

Q357
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145095

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370621	Plugging Rpt #:	147213
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

Q358
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145071

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370489	Plugging Rpt #:	147189
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q359
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145096

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370622	Plugging Rpt #:	147214
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

Q360
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145098

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370626	Plugging Rpt #:	147216
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

Q361
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145097

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370623	Plugging Rpt #:	147215
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

Q362
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145070

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370488	Plugging Rpt #:	147188
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

Q363
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145066

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370462	Plugging Rpt #:	147184
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	25

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q364
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145067

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370463	Plugging Rpt #:	147185
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

Q365
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145069

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370486	Plugging Rpt #:	147187
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

R366
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000072803

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	70910
Well Type:	Monitor	Borehole Depth (ft):	10

S367
NE
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000140985

Database:	Well Report Database	Fid:	140984
Rec id:	140977	Edr site i:	154976
Owner:	DFW International Airport	Ownerwell:	SB-2
Address:	3200 East Airfield Dr., DFW Intl Airport , TX 75261		
Grid:	32-08-9		
Waddress:	Terminal A - Pad Mary GSE, DFW Intl Airport , TX 75261		
Lat:	32 54 07 N	County:	Tarrant
Long:	097 02 02 W	Elevation:	No Data
Gpsused:	Magellan	Typeofwork:	New Well
Propuse:	Environmental Soil Boring	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	2 in From Surface To 15 ft
Dmethod:	Not Reported	Bcompletio:	Not Reported
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	No Data	Sinterval:	No Data
Tinterval:	No Data	Usedmethod:	Not Reported
Cementedby:	Not Reported	Contaminat:	Not Reported
Propertyli:	Not Reported	Verrimetho:	Not Reported
Varriance:	Not Reported	Surface:	No Data
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	Not Reported
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Watertype:	Perched	Stratadept:	13 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	MagnaCore Drilling & Environmental Services		
Companyadd:	906 W. McDermott Dr., #116-313	Ccitystate:	Allen , TX 75013
Licensenum:	54735	Wsignature:	Cedric Cascio
Dsignature:	William Osley	Regnum:	58003
Comments:	no data	Site id:	TXDOL2000140985

S368
NE
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000140986

Database:	Well Report Database	Fid:	140985
Rec id:	140978	Edr site i:	154975
Owner:	DFW International Airport	Ownerwell:	SB-1
Address:	3200 East Airfield Dr., DFW Intl Airport , TX 75261		
Grid:	32-08-9		
Waddress:	Terminal A - Pad Mary GSE, DFW Intl Airport , TX 75261		
Lat:	32 54 07 N	County:	Tarrant
Long:	097 02 02 W	Elevation:	No Data
Gpsused:	Magellan	Typeofwork:	New Well
Propuse:	Environmental Soil Boring	Sdate:	Not Reported
Completedd:	Not Reported	Diameter:	2 in From Surface To 20 ft
Dmethod:	Not Reported	Bcompleteio:	Not Reported
Packedfrom:	Not Reported	Packsizes:	Not Reported
Finterval:	No Data	Sinterval:	No Data
Tinterval:	No Data	Usedmethod:	Not Reported
Cementedby:	Not Reported	Contaminat:	Not Reported
Propertyli:	Not Reported	Verrimetho:	Not Reported
Variance:	Not Reported	Surface:	No Data
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	Not Reported
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	Perched	Stratadept:	18 ft.
Chemicalma:	Yes	Undesirabl:	No
Companynam:	MagnaCore Drilling & Environmental Services		
Companyadd:	906 W. McDermott Dr., #116-313	Ccitystate:	Allen , TX 75013
Licensenum:	54735	Wsignature:	Cedric Cascio
Dsignature:	William Osley	Regnum:	58003
Comments:	no data	Site id:	TXDOL2000140986

S369
NE
1/2 - 1 Mile
Higher

TX WELLS TXDOL2000140984

Database:	Well Report Database	Fid:	140983
Rec id:	140976	Edr site i:	154977
Owner:	DFW International Airport	Ownerwell:	SB-3
Address:	3200 East Airfield Dr., DFW Intl Airport , TX 75261		
Grid:	32-08-9		
Waddress:	Terminal A - Pad Mary GSE, DFW Intl Airport , TX 75261		
Lat:	32 54 07 N	County:	Tarrant
Long:	097 02 02 W	Elevation:	No Data
Gpsused:	Magellan	Typeofwork:	New Well
Propuse:	Environmental Soil Boring	Sdate:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Completedd:	Not Reported	Diameter:	2 in From Surface To 15 ft
Dmethod:	Not Reported	Bcompletio:	Not Reported
Packedfrom:	Not Reported	Packsiz:	Not Reported
Finterval:	No Data	Sinterval:	No Data
Tinterval:	No Data	Usedmethod:	Not Reported
Cementedby:	Not Reported	Contaminat:	Not Reported
Propertyli:	Not Reported	Verrimetho:	Not Reported
Varriance:	Not Reported	Surface:	No Data
Staticleve:	No Data	Flow:	No Data
Packers:	No Data	Cementinwe:	Not Reported
Typepump:	No Data	Pumpbowl:	Not Reported
Welltests:	No Data	Yield:	Not Reported
Watertype:	Perched	Stratadep:	13 ft.
Chemicalma:	No	Undesirabl:	No
Companynam:	MagnaCore Drilling & Environmental Services		
Companyadd:	906 W. McDermott Dr., #116-313	Ccitystate:	Allen , TX 75013
Licensenum:	54735	Wsignature:	Cedric Cascio
Dsignature:	William Osley	Regnum:	58003
Comments:	no data	Site id:	TXDOL2000140984

S370
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000152355

Database:	Submitted Drillers Reports Database		
Well Report #:	154975	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	20
Injurious Water Quality:	no	Plugging Rpt #:	121963

S371
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000152356

Database:	Submitted Drillers Reports Database		
Well Report #:	154976	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	15
Injurious Water Quality:	no	Plugging Rpt #:	121964

S372
NE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000152357

Database:	Submitted Drillers Reports Database		
Well Report #:	154977	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	15
Injurious Water Quality:	no	Plugging Rpt #:	121965

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
S373 NE 1/2 - 1 Mile Higher		TX WELLS	TXPLU6000119934
Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	154976	Plugging Rpt #:	121964
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	15
<hr/>			
S374 NE 1/2 - 1 Mile Higher		TX WELLS	TXPLU6000119935
Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	154977	Plugging Rpt #:	121965
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	15
<hr/>			
S375 NE 1/2 - 1 Mile Higher		TX WELLS	TXPLU6000119933
Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	154975	Plugging Rpt #:	121963
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	20
<hr/>			
Q376 WNW 1/2 - 1 Mile Higher		TX WELLS	TXPLU6000145183
Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	371063	Plugging Rpt #:	147301
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	8
<hr/>			
Q377 WNW 1/2 - 1 Mile Higher		TX WELLS	TXPLU6000145182
Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	371062	Plugging Rpt #:	147300
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	8

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q378
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145185

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	371066	Plugging Rpt #:	147303
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	10

Q379
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145184

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	371065	Plugging Rpt #:	147302
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	10

Q380
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365548

Database:	Submitted Drillers Reports Database		
Well Report #:	371062	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	8
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147300

Q381
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365552

Database:	Submitted Drillers Reports Database		
Well Report #:	371066	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	10
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147303

Q382
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365551

Database:	Submitted Drillers Reports Database		
Well Report #:	371065	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	10
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147302

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

Q383
WNW
 1/2 - 1 Mile
 Higher

TX WELLS TXMON6000365549

Database:	Submitted Drillers Reports Database		
Well Report #:	371063	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	8
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147301

Q384
WNW
 1/2 - 1 Mile
 Higher

TX WELLS TXPLU6000145186

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	371067	Plugging Rpt #:	147304
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	26.5

Q385
WNW
 1/2 - 1 Mile
 Higher

TX WELLS TXMON6000365553

Database:	Submitted Drillers Reports Database		
Well Report #:	371067	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	26.5
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147304

R386
NNE
 1/2 - 1 Mile
 Higher

TX WELLS TXMON6000187039

Database:	Submitted Drillers Reports Database		
Well Report #:	190079	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	25
Injurious Water Quality:	Not Reported	Plugging Rpt #:	203235

R387
NNE
 1/2 - 1 Mile
 Higher

TX WELLS TXPLU6000198308

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	190079	Plugging Rpt #:	203235
Well Type:	Monitor	Borehole Depth (ft):	25

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

R388
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000226444

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	229913	Borehole Depth (ft):	25
Proposed Use:	Monitor	Plugging Rpt #:	203323
Injurious Water Quality:	Not Reported		

R389
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000251472

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	255373	Borehole Depth (ft):	20
Proposed Use:	Monitor	Plugging Rpt #:	203237
Injurious Water Quality:	no		

R390
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000226442

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	229911	Borehole Depth (ft):	24
Proposed Use:	Monitor	Plugging Rpt #:	203322
Injurious Water Quality:	Not Reported		

R391
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000251474

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	255375	Borehole Depth (ft):	20
Proposed Use:	Monitor	Plugging Rpt #:	203324
Injurious Water Quality:	yes		

R392
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000226439

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	229908	Borehole Depth (ft):	28
Proposed Use:	Monitor	Plugging Rpt #:	203320
Injurious Water Quality:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

R393
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198775

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	229908	Plugging Rpt #:	203320
Well Type:	Monitor	Borehole Depth (ft):	28

R394
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198309

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	255373	Plugging Rpt #:	203237
Well Type:	Monitor	Borehole Depth (ft):	20

R395
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198776

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	229911	Plugging Rpt #:	203322
Well Type:	Monitor	Borehole Depth (ft):	24

R396
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198777

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	229913	Plugging Rpt #:	203323
Well Type:	Monitor	Borehole Depth (ft):	25

R397
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198779

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	255375	Plugging Rpt #:	203324
Well Type:	Monitor	Borehole Depth (ft):	20

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q398
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365127

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	370633	Borehole Depth (ft):	28
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	147221
Injurious Water Quality:	Not Reported		

Q399
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365126

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	370632	Borehole Depth (ft):	24
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	147220
Injurious Water Quality:	Not Reported		

Q400
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000364980

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	370484	Borehole Depth (ft):	22
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	147186
Injurious Water Quality:	Not Reported		

Q401
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000365128

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	370634	Borehole Depth (ft):	28
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	147222
Injurious Water Quality:	Not Reported		

Q402
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000366703

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	372236	Borehole Depth (ft):	27
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	147472
Injurious Water Quality:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

Q403
WNW
 1/2 - 1 Mile
 Higher

TX WELLS TXMON6000365396

Database:	Submitted Drillers Reports Database		
Well Report #:	370908	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	25
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147262

Q404
WNW
 1/2 - 1 Mile
 Higher

TX WELLS TXMON6000365129

Database:	Submitted Drillers Reports Database		
Well Report #:	370635	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	28
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147223

Q405
WNW
 1/2 - 1 Mile
 Higher

TX WELLS TXMON6000364948

Database:	Submitted Drillers Reports Database		
Well Report #:	370452	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	16
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147179

Q406
WNW
 1/2 - 1 Mile
 Higher

TX WELLS TXMON6000364947

Database:	Submitted Drillers Reports Database		
Well Report #:	370451	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	19
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147178

Q407
WNW
 1/2 - 1 Mile
 Higher

TX WELLS TXMON6000364946

Database:	Submitted Drillers Reports Database		
Well Report #:	370450	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	18.5
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147177

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q408
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000364949

Database:	Submitted Drillers Reports Database		
Well Report #:	370453	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	12
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147180

Q409
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000364957

Database:	Submitted Drillers Reports Database		
Well Report #:	370461	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	22
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147183

Q410
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000364956

Database:	Submitted Drillers Reports Database		
Well Report #:	370460	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	22
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147182

Q411
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000364955

Database:	Submitted Drillers Reports Database		
Well Report #:	370459	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	22
Injurious Water Quality:	Not Reported	Plugging Rpt #:	147181

Q412
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145103

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370633	Plugging Rpt #:	147221
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q413
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145102

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370632	Plugging Rpt #:	147220
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	24

Q414
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145068

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370484	Plugging Rpt #:	147186
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	22

Q415
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145144

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370908	Plugging Rpt #:	147262
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	25

Q416
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145105

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370635	Plugging Rpt #:	147223
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

Q417
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145104

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370634	Plugging Rpt #:	147222
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	28

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q418
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145065

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370461	Plugging Rpt #:	147183
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	22

Q419
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145061

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370452	Plugging Rpt #:	147179
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	16

Q420
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145060

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370451	Plugging Rpt #:	147178
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	19

Q421
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145059

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370450	Plugging Rpt #:	147177
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	18.5

Q422
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145064

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370460	Plugging Rpt #:	147182
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	22

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q423
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145063

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370459	Plugging Rpt #:	147181
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	22

Q424
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145062

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	370453	Plugging Rpt #:	147180
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	12

Q425
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000145354

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	372236	Plugging Rpt #:	147472
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	27

R426
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198312

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	291715	Plugging Rpt #:	203240
Well Type:	Monitor	Borehole Depth (ft):	18

R427
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000287303

Database:	Submitted Drillers Reports Database		
Well Report #:	291715	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	18
Injurious Water Quality:	Not Reported	Plugging Rpt #:	203240

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

R428
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000287302

Database:	Submitted Drillers Reports Database		
Well Report #:	291714	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	20
Injurious Water Quality:	Not Reported	Plugging Rpt #:	Not Reported

Q429
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000420210

Database:	Submitted Drillers Reports Database		
Well Report #:	429129	Well Type:	Other
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	25
Injurious Water Quality:	no	Plugging Rpt #:	161247

Q430
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426243

Database:	Submitted Drillers Reports Database		
Well Report #:	436188	Well Type:	Other
Proposed Use:	Other	Borehole Depth (ft):	30
Injurious Water Quality:	no	Plugging Rpt #:	163618

Q431
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426240

Database:	Submitted Drillers Reports Database		
Well Report #:	436185	Well Type:	Other
Proposed Use:	Other	Borehole Depth (ft):	30
Injurious Water Quality:	no	Plugging Rpt #:	163615

Q432
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426241

Database:	Submitted Drillers Reports Database		
Well Report #:	436186	Well Type:	Other
Proposed Use:	Other	Borehole Depth (ft):	30
Injurious Water Quality:	no	Plugging Rpt #:	163616

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q433
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426242

Database:	Submitted Drillers Reports Database	Well Type:	Other
Well Report #:	436187	Borehole Depth (ft):	30
Proposed Use:	Other	Plugging Rpt #:	163617
Injurious Water Quality:	no		

Q434
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000503303

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	518090	Borehole Depth (ft):	21
Proposed Use:	Other	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

Q435
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426244

Database:	Submitted Drillers Reports Database	Well Type:	Other
Well Report #:	436189	Borehole Depth (ft):	30
Proposed Use:	Other	Plugging Rpt #:	163619
Injurious Water Quality:	no		

Q436
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000420209

Database:	Submitted Drillers Reports Database	Well Type:	Other
Well Report #:	429127	Borehole Depth (ft):	25
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	161245
Injurious Water Quality:	no		

Q437
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000420207

Database:	Submitted Drillers Reports Database	Well Type:	Other
Well Report #:	429126	Borehole Depth (ft):	25
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	161244
Injurious Water Quality:	no		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q438
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426245

Database:	Submitted Drillers Reports Database	Well Type:	Other
Well Report #:	436190	Borehole Depth (ft):	30
Proposed Use:	Other	Plugging Rpt #:	163620
Injurious Water Quality:	no		

Q439
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000503301

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	518088	Borehole Depth (ft):	22
Proposed Use:	Other	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

Q440
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426247

Database:	Submitted Drillers Reports Database	Well Type:	Other
Well Report #:	436183	Borehole Depth (ft):	30
Proposed Use:	Other	Plugging Rpt #:	163612
Injurious Water Quality:	no		

Q441
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000426246

Database:	Submitted Drillers Reports Database	Well Type:	Other
Well Report #:	436184	Borehole Depth (ft):	30
Proposed Use:	Other	Plugging Rpt #:	163613
Injurious Water Quality:	no		

Q442
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000503305

Database:	Submitted Drillers Reports Database	Well Type:	New Well
Well Report #:	518087	Borehole Depth (ft):	23.5
Proposed Use:	Other	Plugging Rpt #:	Not Reported
Injurious Water Quality:	no		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

Q443
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000157690

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	429126	Plugging Rpt #:	161244
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	25

Q444
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000160341

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	436186	Plugging Rpt #:	163616
Well Type:	Other	Borehole Depth (ft):	30

Q445
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000160343

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	436188	Plugging Rpt #:	163618
Well Type:	Other	Borehole Depth (ft):	30

Q446
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000160342

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	436187	Plugging Rpt #:	163617
Well Type:	Other	Borehole Depth (ft):	30

Q447
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000160340

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	436185	Plugging Rpt #:	163615
Well Type:	Other	Borehole Depth (ft):	30

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q448
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000160338

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	436184	Plugging Rpt #:	163613
Well Type:	Other	Borehole Depth (ft):	30

Q449
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000160337

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	436183	Plugging Rpt #:	163612
Well Type:	Other	Borehole Depth (ft):	30

Q450
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000157691

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	429127	Plugging Rpt #:	161245
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	25

Q451
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000157693

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	429129	Plugging Rpt #:	161247
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	25

Q452
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000160345

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	436190	Plugging Rpt #:	163620
Well Type:	Other	Borehole Depth (ft):	30

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

Q453
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000160344

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	436189	Plugging Rpt #:	163619
Well Type:	Other	Borehole Depth (ft):	30

Q454
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000420203

Database:	Submitted Drillers Reports Database		
Well Report #:	429122	Well Type:	Other
Proposed Use:	Other	Borehole Depth (ft):	25
Injurious Water Quality:	no	Plugging Rpt #:	168584

Q455
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000420202

Database:	Submitted Drillers Reports Database		
Well Report #:	429121	Well Type:	Other
Proposed Use:	Other	Borehole Depth (ft):	25
Injurious Water Quality:	no	Plugging Rpt #:	162428

Q456
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000420201

Database:	Submitted Drillers Reports Database		
Well Report #:	429120	Well Type:	Other
Proposed Use:	Other	Borehole Depth (ft):	25
Injurious Water Quality:	no	Plugging Rpt #:	162431

Q457
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000420206

Database:	Submitted Drillers Reports Database		
Well Report #:	429124	Well Type:	Other
Proposed Use:	Other	Borehole Depth (ft):	26
Injurious Water Quality:	no	Plugging Rpt #:	163621

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q458
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000420205

Database:	Submitted Drillers Reports Database	Well Type:	Other
Well Report #:	429128	Borehole Depth (ft):	24
Proposed Use:	Environmental Soil Boring	Plugging Rpt #:	161246
Injurious Water Quality:	no		

Q459
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000420204

Database:	Submitted Drillers Reports Database	Well Type:	Other
Well Report #:	429123	Borehole Depth (ft):	24
Proposed Use:	Other	Plugging Rpt #:	162432
Injurious Water Quality:	no		

Q460
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000419625

Database:	Submitted Drillers Reports Database	Well Type:	Other
Well Report #:	428998	Borehole Depth (ft):	25
Proposed Use:	Other	Plugging Rpt #:	168582
Injurious Water Quality:	no		

Q461
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000419624

Database:	Submitted Drillers Reports Database	Well Type:	Other
Well Report #:	428997	Borehole Depth (ft):	22
Proposed Use:	Other	Plugging Rpt #:	168581
Injurious Water Quality:	no		

Q462
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000419621

Database:	Submitted Drillers Reports Database	Well Type:	Other
Well Report #:	428491	Borehole Depth (ft):	25
Proposed Use:	Other	Plugging Rpt #:	168580
Injurious Water Quality:	no		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q463
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000420104

Database:	Submitted Drillers Reports Database		
Well Report #:	429001	Well Type:	Other
Proposed Use:	Other	Borehole Depth (ft):	25
Injurious Water Quality:	no	Plugging Rpt #:	162430

Q464
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000420103

Database:	Submitted Drillers Reports Database		
Well Report #:	429000	Well Type:	Other
Proposed Use:	Other	Borehole Depth (ft):	25
Injurious Water Quality:	no	Plugging Rpt #:	162429

Q465
WNW
1/2 - 1 Mile
Higher

TX WELLS TXMON6000419626

Database:	Submitted Drillers Reports Database		
Well Report #:	428999	Well Type:	Other
Proposed Use:	Other	Borehole Depth (ft):	25
Injurious Water Quality:	no	Plugging Rpt #:	168583

Q466
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000158897

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	429121	Plugging Rpt #:	162428
Well Type:	Other	Borehole Depth (ft):	25

Q467
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000157692

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	429128	Plugging Rpt #:	161246
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	24

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q468
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000158899

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	429001	Plugging Rpt #:	162430
Well Type:	Other	Borehole Depth (ft):	25

Q469
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000158898

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	429000	Plugging Rpt #:	162429
Well Type:	Other	Borehole Depth (ft):	25

Q470
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000160346

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	429124	Plugging Rpt #:	163621
Well Type:	Other	Borehole Depth (ft):	26

Q471
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000165425

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	428491	Plugging Rpt #:	168580
Well Type:	Other	Borehole Depth (ft):	25

Q472
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000158900

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	429120	Plugging Rpt #:	162431
Well Type:	Other	Borehole Depth (ft):	25

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Q473
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000158901

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	429123	Plugging Rpt #:	162432
Well Type:	Other	Borehole Depth (ft):	24

Q474
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000165428

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	428999	Plugging Rpt #:	168583
Well Type:	Other	Borehole Depth (ft):	25

Q475
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000165429

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	429122	Plugging Rpt #:	168584
Well Type:	Other	Borehole Depth (ft):	25

Q476
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000165426

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	428997	Plugging Rpt #:	168581
Well Type:	Other	Borehole Depth (ft):	22

Q477
WNW
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000165427

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	428998	Plugging Rpt #:	168582
Well Type:	Other	Borehole Depth (ft):	25

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

R478
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000187036

Database:	Submitted Drillers Reports Database		
Well Report #:	190075	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	25
Injurious Water Quality:	Not Reported	Plugging Rpt #:	203233

R479
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000187034

Database:	Submitted Drillers Reports Database		
Well Report #:	190073	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	25
Injurious Water Quality:	Not Reported	Plugging Rpt #:	203234

R480
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000226445

Database:	Submitted Drillers Reports Database		
Well Report #:	229914	Well Type:	New Well
Proposed Use:	Environmental Soil Boring	Borehole Depth (ft):	24
Injurious Water Quality:	Not Reported	Plugging Rpt #:	128492

R481
NNE
1/2 - 1 Mile
Higher

TX WELLS TXMON6000187037

Database:	Submitted Drillers Reports Database		
Well Report #:	190077	Well Type:	New Well
Proposed Use:	Monitor	Borehole Depth (ft):	22.5
Injurious Water Quality:	Not Reported	Plugging Rpt #:	203232

R482
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198305

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	190077	Plugging Rpt #:	203232
Well Type:	Monitor	Borehole Depth (ft):	22.5

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

R483
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198306

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	190075	Plugging Rpt #:	203233
Well Type:	Monitor	Borehole Depth (ft):	25

R484
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000198307

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	190073	Plugging Rpt #:	203234
Well Type:	Monitor	Borehole Depth (ft):	25

R485
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000074466

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	Not Reported	Plugging Rpt #:	35721
Well Type:	Monitor	Borehole Depth (ft):	25

R486
NNE
1/2 - 1 Mile
Higher

TX WELLS TXPLU6000126444

Database:	Submitted Drillers Reports Database (Plugged)		
Well Report #:	229914	Plugging Rpt #:	128492
Well Type:	Environmental Soil Boring	Borehole Depth (ft):	24

1G
SSE
1/2 - 1 Mile
Lower

AQUIFLOW 59908

Site ID:	091398
Groundwater Flow:	Not Reported
Shallowest Water Table Depth:	7.9ft
Deepest Water Table Depth:	20.8ft
Average Water Table Depth:	Not Reported
Date:	9/97

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

A1
West
1/2 - 1 Mile

OIL_GAS TXOG90001300851

Surface ID: 1180942
Bottom ID: 1180942
Current Wells #: B5HV
Radioactive: Not Reported

Well Number: 33523
API #: 4243933523H1
Well Type: Permitted Location
Side Track: H1

A2
West
1/2 - 1 Mile

OIL_GAS TXOG90001300850

Surface ID: 1180941
Bottom ID: 1180941
Current Wells #: B3HV
Radioactive: Not Reported

Well Number: 33522
API #: 4243933522H1
Well Type: Permitted Location
Side Track: H1

A3
West
1/2 - 1 Mile

OIL_GAS TXOG90001305694

Surface ID: 1180940
Bottom ID: 1180940
Current Wells #: B1HV
Radioactive: Not Reported

Well Number: 33521
API #: 4243933521H1
Well Type: Plugged Gas Well
Side Track: H1

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: TX Radon

Radon Test Results

County	Mean	Total Sites	%>4 pCi/L	%>20 pCi/L	Min pCi/L	Max pCi/L
TARRANT	1.1	86	3.8	.0	<.5	7.4

Federal EPA Radon Zone for TARRANT County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for TARRANT COUNTY, TX

Number of sites tested: 77

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	1.048 pCi/L	97%	3%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	0.800 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Texas General Land Office

Telephone: 512-463-0745

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Public Water Supply Sources Databases

Source: Texas Commission on Environmental Quality

Telephone: 512-239-6199

Locations of public drinking water sources maintained by the TCEQ.

Groundwater Database

Source: Texas Water Development Board

Telephone: 512-936-0837

Well Report Database

Source: Department of Licensing and Regulation

Telephone: 512-936-0833

Water Well Database

Source: Harris-Galveston Coastal Subsidence District

Telephone: 281-486-1105

Brackish Resources Aquifer Characterization System Database

Source: Texas Water Development Board

WDB's Brackish Resources Aquifer Characterization System (BRACS) was designed to map and characterize the brackish aquifers of Texas in greater detail than previous studies. The information is contained in the BRACS Database and project data are summarized in a project report with companion geographic information system data files.

Submitted Driller's Reports Database

Source: Texas Water Development Board

Telephone: 512-936-0833

The Submitted Driller's Report Database is populated from the online Texas Well Report Submission and Retrieval System which is a cooperative Texas Department of Licensing and Regulation (TDLR) and Texas Water Development Board (TWDB) application that registered water-well drillers use to submit their required reports.

OTHER STATE DATABASE INFORMATION

PHYSICAL SETTING SOURCE RECORDS SEARCHED

Texas Oil and Gas Wells

Source: Texas Railroad Commission
Telephone: 512-463-6882
Oil and gas well locations.

RADON

State Database: TX Radon

Source: Department of Health
Telephone: 512-834-6688
Rinal Report of the Texas Indoor Radon Survey

Area Radon Information

Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.