Hand Hygiene Post Test - SMH

1.	 Approximately patients die each year as a result of a direct or indirect cause of the infection they acquire from their hospitalization. 		
	a. 112,000 b. 90,000 c. 75,000 d. 50,000		
2.	Joshua dieddays after his admission to the hospital from a healthcare-acquired infection. His mother was quoted as saying: "In the end, the ounce of prevention costs so little in comparison to the loss of another life."		
	a. 10 daysb. 25 daysc. 51 daysd. 120 days		
3	A component of the <i>Safecare</i> Campaign and the Joint Commission <i>Speup</i> Campaign empowers patients to ask their healthcare provider if he/s cleaned their hands before patient contact.		
	True False		
4.	Hospital-acquired infections result in prolonged illness, extended length of stay and even long-term disability and death for millions of patients worldwide. Research in the United States has found that U.S. hospitals lose for every hospital-acquired infection.		
	a. \$100b. \$20,000c. \$583\$4,886d. \$50		
5.	Healthcare provider "A" was documenting on a computer on wheels are then verified a physician order in the patient's chart. Healthcare provid "A" then proceeded directly to take a patient's blood pressure without performing hand hygiene. Is this a patient safety issue?		
	Yes No		

6.	Sharp Healthcare's policy on hand hygiene states that to effectively wash your hands during patient care activities, seconds of friction with soap and water is necessary. Cleaning your hands with an alcohol based hand rub is an alternative to handwashing if there is no visible soil; it takes less time than handwashing, and is less drying on the hands.		
	a. b. c. d.	5 seconds 10 seconds 15 seconds 30 seconds	
7.	You must clean your hands in the following clinical situations:		
	a.b.c.d.e.	before and after contact with a patient. when moving from a contaminated body site to a clean body site during patient care. after contact with inanimate objects in the immediate vicinity of the patient. after glove removal all of the above	
8.	Envir	onmental surfaces are often contaminated with bacteria.	
		True False	
9.		oint Commission expects hand hygiene to occur percent of the when it is indicated.	
	a. b. c.	50 75 90	
10.	A patient is transported on a gurney back to his room after having a procedure performed. The patient is in Contact Precautions because he has been diagnosed with <i>Clostridium difficile-</i> associated diarrhea. Which of the following answer is true?		
	a. b. c.	An alcohol based hand rub can be used for hand hygiene. Handwashing must be performed before leaving the patient's room. There is no need for hand hygiene because gloves were worn when transferring the patient from the gurney to the bed.	