Prior Authorization Criteria
Updated 11/2019

ACNE AGENTS_NVT

Products Affected

- *adapalene 0.3% gel pump*
- *adapalene topical cream*
- *adapalene topical gel*
- *adapalene-benzoyl peroxide*
- *avita*
- AZELEX
- RETIN-A MICRO PUMP TOPICAL GEL WITH PUMP 0.06 %, 0.08 %
- *tretinoin*
- *tretinoin (emollient)*
- *tretinoin microspheres topical gel*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ADAGEN_NVT

Products Affected

- ADAGEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

ADCIRCA_NVT 2017

Products Affected

- *alyq*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

ADEMPAS_NVT 2016

Products Affected

- ADEMPAS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Pulmonologist or Cardiologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	For diagnosis of Pulmonary Arterial Hypertension, trial of one (1) of the following: Letairis, Opsumit or Tracleer. For diagnosis of Persistent/recurrent Chronic Thromboembolic Pulmonary Hypertension (CTEPH) (WHO Group 4), trial of prior therapy is not required.
Indications	All FDA-approved Indications.
Off Label Uses	

AFINITOR_NVT 2017

Products Affected

- AFINITOR
- AFINITOR DISPERZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

ALECENSA_NVT

Products Affected

- ALECENSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

ALIQOPA_CCHP_2018

Products Affected

- ALIQOPA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Relapsed follicular lymphoma (FL) after at least two prior systemic therapies
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

AMITIZA_NVT 2015

Products Affected

- AMITIZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has tried and failed Miralax (glycolax).
Age Restrictions	Age 18 and above.
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

AMPYRA_NVT 2018

Products Affected

- *dalfampridine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	WALKING DISABILITY SUCH AS MILD TO MODERATE BILATERAL LOWER EXTREMITY WEAKNESS OR UNILATERAL WEAKNESS PLUS LOWER EXTREMITY OR TRUNCAL ATAXIA.
Age Restrictions	
Prescriber Restrictions	NEUROLOGIST
Coverage Duration	INITIAL: 3 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT IN WALKING ABILITY.
Indications	All FDA-approved Indications.
Off Label Uses	

ANDROGENS_PREFERRED_NVT 2017

Products Affected

- ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR
- ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Two morning testoterone levels fall below the normal range for a healthy adult male. For patients on testosterone replacement therapy, documentation of at least one (1) morning testosterone level from the last 12 months is required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

APTIOM_NVT

Products Affected

- APTIOM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

ARCALYST_NVT 2014

Products Affected

- ARCALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Rheumatology Specialist, Dermatologist, or Immunologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ARIPIPRAZOLE ODT, ARISTADA, FANAPT, LATUDA

Products Affected

- ABILIFY MAINTENA
- ABILIFY MYCITE
- *aripiprazole oral tablet,disintegrating*
- ARISTADA
- ARISTADA INITIO
- FANAPT
- LATUDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DISORDER: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. IRRITABILITY WITH AUTISTIC DISORDER: ARIPIPRAZOLE, RISPERIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DEPRESSION: OLANZAPINE. MAJOR DEPRESSIVE DISORDER: ARIPIPRAZOLE. TOURETTE SYNDROME: ARIPIPRAZOLE. ACUTE MANIC/MIXED EPISODES WITH BIPOLAR DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

ARIXTRA_NVT 2016

Products Affected

- *fondaparinux*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

AUBAGIO_NVT 2018

Products Affected

- AUBAGIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

BALVERSA

Products Affected

- BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	DOCUMENTATION OF FGFR3 OR FGFR2 MUTATION
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST
Coverage Duration	12 MONTHS
Other Criteria	PREVIOUS TRIAL OF AT LEAST ONE PLATINUM-CONTAINING CHEMOTHERAPY WITHIN 12 MONTHS
Indications	All FDA-approved Indications.
Off Label Uses	

BELEODAQ_NVT 2015

Products Affected

- BELEODAQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

BENLYSTA

Products Affected
- BENLYSTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	AUTOANTIBODY POSITIVE LUPUS TEST.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: MEMBER IS CURRENTLY TAKING CORTICOSTEROIDS, ANTIMALARIALS, NSAIDS, OR IMMUNOSUPPRESSIVE AGENTS. NO APPROVAL FOR DIAGNOSIS OF SEVERE ACTIVE LUPUS NEPHRITIS, SEVERE CENTRAL NERVOUS SYSTEM LUPUS OR CONCURRENT USE OF BIOLOGIC AGENTS OR INTRAVENOUS CYCLOPHOSPHAMIDE. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

BESPONSA_CCHP_2018

Products Affected
- BESPONSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Relapsed or refractory B-cell precursor ALL
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

BOSULIF_NVT 2014

Products Affected

- BOSULIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

BRANDED CLOBAZAM

Products Affected
- SYMPAZAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

BRIGATINIB

Products Affected

- ALUNBRIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

BRIVIACT_NVT

Products Affected

- BRIVIACT INTRAVENOUS
- BRIVIACT ORAL SOLUTION
- BRIVIACT ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

CABOMETYX_NVT

Products Affected
- CABOMETYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

CALQUENCE_CCHP_2018

Products Affected

- CALQUENCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

CAPRELSA_NVT

Products Affected

- CAPRELSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncologist or Endocrinologist or under the direct consultation of an Oncologist or Endocrinologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

CARBAGLU_NVT 2016

Products Affected

- CARBAGLU

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

CAYSTON_NVT 2017

Products Affected

- CAYSTON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Infectious Disease or Pulmonology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

CESAMET_NVT 2017

Products Affected

- CESAMET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
Indications	All FDA-approved Indications.
Off Label Uses	

CHOLBAM_NVT

Products Affected

- CHOLBAM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a hepatologist or pediatric gastroenterologist.
Coverage Duration	Initial will be 3 months, then if criteria is met approved for the rest of the plan year.
Other Criteria	Renewal requires documentation of stable or improved liver function.
Indications	All FDA-approved Indications.
Off Label Uses	

CIMZIA_NVT 2018

Products Affected

- CIMZIA
- CIMZIA POWDER FOR RECONST

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

Prior Authorization Criteria
Updated 11/2019

CINRYZE_NVT 2015

Products Affected

- BERINERT INTRAVENOUS KIT
- CINRYZE
- FIRAZYR
- *icatibant*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

COMETRIQ_NVT 2014

Products Affected

- COMETRIQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

COPIKTRA

Products Affected

- COPIKTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PRIOR TREATMENT WITH AT LEAST TWO PRIOR THERAPIES
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST OR HEMATOLOGIST
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

CORLANOR_NVT

Products Affected

- CORLANOR ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The patient is on a maximally tolerated dose of beta blocker or has a history of a documented intolerance, contraindication, or a hypersensitivity to beta blocker.
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

COSENTYX_NVT 2018

Products Affected

- COSENTYX (2 SYRINGES)
- COSENTYX PEN (2 PENS)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PLAQUE PSORIASIS (PSO): MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING AT LEAST 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECT THE HANDS, FEET, OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	18 YEARS OR OLDER
Prescriber Restrictions	PLAQUE PSORIASIS (PSO): PRESCRIBED BY, OR IN CONSULTATION WITH, A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY, OR IN CONSULTATION WITH, A RHEUMATOLOGIST OR DERMATOLOGIST. ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY, OR IN CONSULTATION WITH, A RHEUMATOLOGIST
Coverage Duration	INITIAL: 4 MONTHS. RENEWAL: 12 MONTHS FOR ALL DIAGNOSES
Other Criteria	INITIAL: PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL WITH ONE CONVENTIONAL THERAPY SUCH AS PUVA (PHOTOTHERAPY ULTRAVIOLET LIGHT A), UVB (ULTRAVIOLET LIGHT B), TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE. PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) AGENT SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE.
Indications	All FDA-approved Indications.
Off Label Uses	

COTELLIC_NVT

Products Affected

- COTELLIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

CYRAMZA_NVT

Products Affected

- CYRAMZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

CYSTAGON_NVT 2017

Products Affected

- CYSTAGON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Endocrinologist, Geneticist, Nephrologist or Metabolic Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

CYSTARAN_NVT 2015

Products Affected

- CYSTARAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For the treatment of corneal cystine crystal accumulation in patients with cystinosis
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an Ophthalmologist or Geneticist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

DARZALEX_NVT

Products Affected

- DARZALEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

DAURISMO

Products Affected

- DAURISMO ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULTATION WITH AN ONCOLOGIST OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

DESOXYN_NVT 2017

Products Affected

- *methamphetamine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

DRONABINOL_NVT 2016

Products Affected

- *dronabinol*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of loss of appetite due to AIDS OR chemotherapy induced nausea and vomiting
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
Indications	All FDA-approved Indications.
Off Label Uses	

DUPIXENT

Products Affected
- DUPIXENT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ASTHMA: 1) oral corticosteroid-dependent asthma OR eosinophilic asthma (peripheral blood eosinophil level greater than or equal to 150 cells/mcl in past 12 months) AND 2) poor asthma control or recurrent exacerbation requiring additional treatment (additional treatment may include oral corticosteroids, hospitalizations, or frequent office visits). ATOPIC DERMATITIS: diagnosis of moderate or severely uncontrolled atopic dermatitis.
Age Restrictions	
Prescriber Restrictions	ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST, ALLERGIST, IMMUNOLOGIST. ATOPIC DERMATITIS: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	ASTHMA: Concurrent use of a maximally tolerated dose of an ICS/LABA in patients who are not otherwise intolerant altogether, or for whom ICS/LABAs are contraindicated. ATOPIC DERMATITIS: Trial of or contraindication to two formulary topical corticosteroids
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

DURVALUMAB

Products Affected

- IMFINZI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

EMPLICITI_NVT

Products Affected

- EMPLICITI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or Hematology Specialist, or in consultation with an Oncology Specialist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

ENBREL_NVT PA 2018

Products Affected

- ENBREL
- ENBREL MINI
- ENBREL SURECLICK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING AT LEAST 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	RHEUMATOID ARTHRITIS, ANKYLOSING SPONDYLITIS, PSORIATIC ARTHRITIS: 18 YEARS OR OLDER. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS: 2 YEARS OR OLDER. PLAQUE PSORIASIS: 4 YEARS OR OLDER
Prescriber Restrictions	RHEUMATOID ARTHRITIS, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS, ANKYLOSING SPONDYLITIS: PRESCRIBED BY, OR IN CONSULTATION WITH, A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY, OR IN CONSULTATION WITH, A DERMATOLOGIST OR RHEUMATOLOGIST. PLAQUE PSORIASIS: PRESCRIBED BY, OR IN CONSULTATION WITH, A DERMATOLOGIST.
Coverage Duration	INITIAL: RA: 6 MONTHS. PJIA: 3 MONTHS. PSA/AS/PSO: 4 MONTHS. RENEWAL: 12 MONTHS FOR ALL DIAGNOSES
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF HUMIRA OR XELJANZ/XELJANZ XR. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PREVIOUS TRIAL OF HUMIRA. PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL WITH ANY TWO PREFERRED AGENTS: HUMIRA, STELARA, XELJANZ/XELJANZ XR, COSENTYX. ANKYLOSING SPONDYLITIS (AS), PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL WITH ANY TWO PREFERRED AGENTS: HUMIRA, COSENTYX, SKYRIZI, STELARA .
Indications	All FDA-approved Indications.

2020 Chinese Community Health Plan Senior Program (HMO)

Prior Authorization Criteria
Updated 11/2019

PA Criteria	Criteria Details
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ENTRESTO (CCHP)

Products Affected

- ENTRESTO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Initial Authorization: Diagnosis of heart failure (with or without hypertension). Ejection fraction is less than or equal to 40 percent. Heart failure is classified as one of the following: New York Heart Association Class II - IV. Patient does not have a history of angioedema associated with use of the following: Angiotensin converting enzyme (ACE) Inhibitor therapy, Angiotensin receptor blocker (ARB) therapy. Patient will discontinue use of any concomitant ACE Inhibitor or ARB before initiating treatment with Entresto. ACE inhibitors must be discontinued at least 36 hours prior to initiation of Entresto. Patient is not concomitantly on aliskiren therapy. Patient is not pregnant. Reauthorization: Documentation of positive clinical response to therapy.
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

EPANED_NVT_2017

Products Affected

- EPANED ORAL SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Approval requires attestation of patient's inability to swallow solid dosage forms of enalapril.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

EPCLUSA_NVT_2018

Products Affected
- EPCLUSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HCV RNA LEVEL.
Age Restrictions	18 YEARS OF AGE AND OLDER.
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH: GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (HEPATOLOGIST)
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
Other Criteria	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE. HCV RNA LEVEL WITHIN PAST 6 MONTHS. PATIENT IS NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING MEDICATIONS NOT RECOMMENDED BY THE MANUFACTURER: AMIODARONE, CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, HIV REGIMEN THAT CONTAINS EFAVIRENZ, ROSUVASTATIN AT DOSES ABOVE 10MG, TIPRANAVIR/RITONAVIR OR TOPOTECAN. PATIENT MUST NOT HAVE SEVERE RENAL IMPAIRMENT, ESRD OR ON HEMODIALYSIS. RIBAVIRIN USE REQUIRED FOR PATIENTS WITH DECOMPENSATED CIRRHOSIS.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

EPIDIOLEX_2019

Products Affected

- EPIDIOLEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	DIAGNOSIS OF LENNOX-GASTAUT OR DRAVET SYNDROME.
Age Restrictions	2 YEARS OF AGE OR OLDER
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN EPILEPTOLOGIST OR NEUROLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	AT LEAST ONE PRIOR ANTIEPILEPTIC DRUG
Indications	All FDA-approved Indications.
Off Label Uses	

ERIVEDGE_NVT 2017

Products Affected

- ERIVEDGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or inconsultation with Oncology Specialist or Dermatologist.
Coverage Duration	Covered for duration of plan year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

ERLEADA

Products Affected
- ERLEADA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	NON METASTATIC CASTRATION RESISTANT PROSTATE CANCER: THE PATIENT HAS HIGH RISK PROSTATE CANCER (I.E. RAPIDLY INCREASING PROSTATE SPECIFIC ANTIGEN [PSA] LEVELS) AND MEETS ONE OF THE FOLLOWING: (1) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) AGONIST OR ANTAGONIST OR (2) PREVIOUSLY RECEIVED A BILATERAL ORCHIECTOMY.
Indications	All FDA-approved Indications.
Off Label Uses	

ERWINAZE_NVT 2014

Products Affected

- ERWINAZE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Oncology Specialists or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

EXTAVIA_MI_2018

Products Affected

- BETASERON SUBCUTANEOUS KIT
- EXTAVIA SUBCUTANEOUS KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	TRIAL WITH TWO OF THE FOLLOWING AGENTS FOR MULTIPLE SCLEROSIS: AVONEX, PLEGRIDY, AND REBIF
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

FARYDAK_NVT 2016

Products Affected

- FARYDAK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology or Hematology Specialist or in consultation with an Oncology or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

FERRIPROX_NVT

Products Affected

- FERRIPROX ORAL SOLUTION
- FERRIPROX ORAL TABLET 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Hematology Specialists or in consult with Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

FIRMAGON_NVT 2015

Products Affected

- FIRMAGON KIT W DILUENT SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with Oncologist or Urologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval subject to BvD determination
Indications	All FDA-approved Indications.
Off Label Uses	

FLECTOR PATCH_NVT 2015

Products Affected

- *diclofenac epolamine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

FOLOTYN_NVT 2015

Products Affected

- FOLOTYN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or on consultation with Hematologist or Oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval subject to BvD determination.
Indications	All FDA-approved Indications.
Off Label Uses	

FORTEO_NVT 2016

Products Affected

- FORTEO
- PROLIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Member has had at least 1 fracture, OR member has BMD screening results of -2.5 or below, OR member has previously used and failed a bisphosphonate.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

FYCOMPA_NVT 2014

Products Affected

- FYCOMPA ORAL SUSPENSION
- FYCOMPA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

GARDASIL_NVT 2015

Products Affected

- GARDASIL 9 (PF)

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

Prior Authorization Criteria
Updated 11/2019

GATTEX_NVT 2016

Products Affected

- GATTEX 30-VIAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of short bowel syndrome. Dependent on parenteral support for at least 12 months and at least 3 days per week.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

GILENYA_NVT 2018

Products Affected

- GILENYA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

GILOTRIF_NVT

Products Affected
- GILOTRIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an Oncology Specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

GLATIRAMER_MI_2018

Products Affected

- *glatiramer*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

GLEEVEC_NVT 2015

Products Affected

- *imatinib*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by Oncologist or Hematologist, or under the direct consultation with an Oncologist or Hematologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

GROWTH HORMONES_NVT 2015

Products Affected

- NORDITROPIN FLEXPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The criteria for approval of growth hormones in adults require the diagnosis of Somatropin Deficiency Syndrome (defined by failure to stimulate Growth Hormone secretion (peak GH level of 10mcg/L or less) by one of the acceptable provocative tests). This may include adults who as children had Growth Hormone deficiency or adults with known pituitary disease.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

HARVONI_NVT PA 2018

Products Affected

- HARVONI

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

HEPATITIS B AGENTS_CCHP 2014

Products Affected

- *adefovir*
- BARACLUDE ORAL SOLUTION
- PEGASYS
- PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	THIS SECTION APPLIES TO BARACLUDE, ADEFOVIR, AND PEGASYS (WHEN USED FOR HEP B): INITIATION OF TREATMENT (ONE OF THE FOLLOWING): HBV DNA GREATER THAN 2000IU/ML AND ALANINE AMINOTRANSFERASE (ALT) GREATER THAN UPPER LIMIT OF NORMAL (ULN)-(MALE ALT GREATER THAN 30 U/L AND FEMALE ALT TO GREATER THAN 19U/L). OR HISTOLOGIC EVIDENCE OF CIRRHOSIS AND DETECTABLE HBV DNA LEVELS. OR HISTOLOGIC EVIDENCE OF DECOMPENSATED CIRRHOSIS (THESE CASES SHOULD BE REFERRED TO GI). NONRESPONSE TO ANTIVIRAL TREATMENT - DEFINED AS HBV DNA LEVELS DECREASING LESS THAN 2 LOG DROP FROM BASELINE AFTER 6 MONTHS. SWITCHING ANTIVIRAL AGENTS SHOULD BE CONSIDERED AFTER MEDICATION COMPLIANCE HAS BEEN DETERMINED.
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST OR INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	INITIAL COVERAGE APPROVED FOR 6 MONTHS. CONTINUAL COVERAGE APPROVED FOR 12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

HETLIOZ_NVT

Products Affected
- HETLIOZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient is totally blind.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

HOFH_NVT 2016

Products Affected

- JUXTAPID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Untreated LDL greater than 500 mg/dL OR treated LDL greater than or equal to 300 mg/dL. Concurrent use of maximum statin dose (atorvastatin or rosuvastatin) and one other lipid lowering agent (include dates and reasons for discontinuation). For patients with statin intolerance, concurrent use of maximum statin dose not required. Chart documentation showing the most recent full lipid panel, including Apo-B within the past 12 months.
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Lipidologist, Cardiologist, or an Endocrinologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

HUMIRA_NVT 2018

Products Affected

- HUMIRA
- HUMIRA PEDIATRIC CROHNS START
- HUMIRA PEN
- HUMIRA PEN CROHNS-UC-HS START
- HUMIRA PEN PSOR-UVEITS-ADOL HS
- HUMIRA(CF)
- HUMIRA(CF) PEDI CROHNS STARTER
- HUMIRA(CF) PEN CROHNS-UC-HS
- HUMIRA(CF) PEN PSOR-UV-ADOL HS
- HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS: CURRENT WEIGHT. PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING GREATER THAN OR EQUAL TO 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS, ANKYLOSING SPONDYLITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIS PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSORIASIS: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST CROHN'S DISEASE/ULCERATIVE COLITIS: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST. Hidradenitis Suppurativa (HS): Prescriber must be a Dermatologist.
Coverage Duration	INITIAL: RA:6 MOS.PSA/AS:4 MOS.PJIA:5 MOS.PSO/CD/UC/HS: 3 MOS.UVEITIS:6 MOS.RENEWAL: 12 MOS FOR ALL
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE,

PA Criteria	Criteria Details
	HYDROXYCHLOROQUINE, OR SULFASALAZINE. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PREVIOUS TRIAL OF ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE. PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL OF ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE. ANKYLOSING SPONDYLITIS: TRIAL OF FORMULARY AGENTS NOT REQUIRED. PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL OF ONE OF THE FOLLOWING CONVENTIONAL THERAPIES SUCH AS PUVA (PHOTOTHERAPY ULTRAVIOLET LIGHT A), UVB (ULTRAVIOLET LIGHT B), TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE. CROHN'S DISEASE (CD): PREVIOUS TRIAL OF ONE CONVENTIONAL AGENT SUCH AS A CORTICOSTEROID (I.E., BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE. ULCERATIVE COLITIS (UC): PREVIOUS TRIAL OF ONE CONVENTIONAL AGENT SUCH AS A CORTICOSTEROID (I.E., BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

HYDROXYPROGESTERONE_NVT

Products Affected

- *hydroxyprogesterone caproate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

IBRANCE_NVT

Products Affected

- IBRANCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGY SPECIALIST
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

ICLUSIG_NVT 2014

Products Affected

- ICLUSIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

IDHIFA_CCHP_2018

Products Affected

- IDHIFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Relapsed or refractory acute myeloid leukemia (AML) with an isocitrate dehydrogenase-2 (IDH2) mutation as detected by an FDA-approved test
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

IMBRUVICA_NVT 2014

Products Affected

- IMBRUVICA ORAL CAPSULE
- IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncologist, Hemotologist or Transplant specialist, or under the direct consultation of an Oncologist, Hemotologist or Transplant specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

INCRELEX_NVT 2015

Products Affected

- INCRELEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For the long-term treatment of growth failure in children with severe primary insulin-like growth factor-1 (IGF-1) deficiency (primary IGFD) or with growth hormone (GH) gene deletion who have developed neutralizing antibodies to GH.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

INLYTA_NAVITUS

Products Affected

- INLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULT WITH ONCOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

INREBIC

Products Affected

- INREBIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

INTERFERON_MI_2018

Products Affected

- AVONEX (WITH ALBUMIN)
- AVONEX INTRAMUSCULAR PEN INJECTOR KIT
- AVONEX INTRAMUSCULAR SYRINGE KIT
- PLEGRIDY SUBCUTANEOUS PEN INJECTOR
- PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML
- REBIF (WITH ALBUMIN)
- REBIF REBIDOSE
- REBIF TITRATION PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

IPF_NVT 2016

Products Affected

- ESBRIET ORAL CAPSULE
- OFEV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Definitive diagnosis of idiopathic pulmonary fibrosis defined by the following: No known cause of lung fibrosis AND one of the following: A. Surgical lung biopsy revealing histopathological pattern of unspecified interstitial pneumonia (UIP) B. High-resolution computed tomography indicates definite UIP pattern C. High-resolution computed tomography indicates possible UIP pattern AND surgical lung biopsy reveals a histopathological pattern of probable UIP
Age Restrictions	
Prescriber Restrictions	Prescribed by a Pulmonology Specialist or in consultation with a Pulmonology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Will not be used in combination with other medications used to treat IPF.
Indications	All FDA-approved Indications.
Off Label Uses	

IRESSA_NVT

Products Affected

- IRESSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ISTODAX_NVT 2015

Products Affected

- *romidepsin*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or consultation with Hematologist or Oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval subject to BvD determination.
Indications	All FDA-approved Indications.
Off Label Uses	

ITRACONAZOLE_NVT 2015

Products Affected

- *itraconazole*
- SPORANOX ORAL SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For onychomycosis or diffuse dermatologic fungal infections: 1. fungal infection is confirmed by a positive KOH test, fungal culture or nail biopsy. 2. For onychomycosis, must fail terbinafine. For dermatologic infections, must fail one topical antifungal medication.
Age Restrictions	
Prescriber Restrictions	Infectious Disease Specialists, Pulmonologist or Dermatologist, Podiatrist or have consulted with an Infectious Disease Specialist, Pulmonologist or Dermatologist or Podiatrist concerning the patient.
Coverage Duration	Approved for 6 months.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

IVIG_NVT 2017

Products Affected

- BIVIGAM
- FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %
- GAMASTAN
- GAMMAGARD LIQUID
- GAMMAGARD S-D (IGA < 1 MCG/ML)
- GAMMAKED INJECTION SOLUTION 10 GRAM/100 ML (10 %)
- GAMMAPLEX (WITH SORBITOL)
- GAMUNEX-C INJECTION SOLUTION 20 GRAM/200 ML (10 %)
- OCTAGAM
- PRIVIGEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

JAKAFI_NVT 2014

Products Affected

- JAKAFI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULT WITH ONCOLOGY OR HEMATOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

KADCYLA_NVT

Products Affected

- KADCYLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

KALYDECO_NAVITUS

Products Affected

- KALYDECO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PATIENT IS NOT ON CONCURRENT THERAPY WITH OTHER IVACAFTOR-CONTAINING PRODUCTS. RENEWAL: THERE IS CLINICAL DOCUMENTATION OF MAINTAINED OR IMPROVEMENT IN FEV1, BMI, OR REDUCTION IN NUMBER OF EXACERBATIONS
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULT WITH PULMONOLOGIST OR CYSTIC FIBROSIS SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

KEYTRUDA_NVT 2015

Products Affected

- KEYTRUDA INTRAVENOUS SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

KINERET_NVT 2018

Products Affected
- KINERET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL: RA: 6 MONTHS. NOMID/CAPS: 12 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, XELJANZ/XELJANZ XR) AND ONE DMARD (DISEASE MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

KORLYM_NVT

Products Affected
- KORLYM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

KUVAN_NVT 2017

Products Affected

- KUVAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For continuing therapy the patient must have shown a 20% drop in Phenylalanine levels after 2 months of Kuvan treatment.
Age Restrictions	
Prescriber Restrictions	Prescribed by a Medical Geneticist or Metabolic Specialist.
Coverage Duration	Initial = 3 months, then if critieria is met approved for the rest of the plan year.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

KYPROLIS_NVT_2017

Products Affected

- KYPROLIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with an Oncologist or Hematologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

LARTRUVO_NVT_2017

Products Affected

- LARTRUVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

LENVIMA_NVT 2016

Products Affected

- LENVIMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

LETAIRIS_NVT 2015

Products Affected

- *ambrisentan*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Pulmonologist or Cardiologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

LIDOCAINE PATCH_NVT 2015

Products Affected

- *lidocaine topical adhesive patch,medicated*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	TRIAL AND FAILURE OF GABAPENTIN OF FOUR WEEKS OR MORE
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

LINZESS

Products Affected

- LINZESS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED POLYETHYLENE GLYCOL (MIRALAX).
Age Restrictions	AGE 18 YEARS AND OLDER
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

LOBRENA

Products Affected

- LORBRENA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

LONSURF_NVT

Products Affected

- LONSURF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY AN ONCOLOGY SPECIALIST OR IN CONSULTATION WITH AN ONCOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

LYNPARZA_NVT 2015

Products Affected

- LYNPARZA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Oncology Specialist or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

MAVYRET_CCHP_2018

Products Affected

- MAVYRET

PA Criteria	Criteria Details
Exclusion Criteria	Moderate or severe hepatic impairment (Child Pugh B Or C)
Required Medical Information	HCV RNA level within past 6 months
Age Restrictions	
Prescriber Restrictions	Prescribed by or given in consultation with: gastroenterologist, infectious disease specialist, physician specializing in the treatment of hepatitis (hepatologist), or a specially trained group such as ECHO (extension for community healthcare outcomes) model.
Coverage Duration	Criteria will be applied consistent with current AASLD/IDSA guidance.
Other Criteria	Criteria will be applied consistent with current AASLD/IDSA guidance. Trial of a preferred formulary alternative including Harvoni or Epclusa when these agents are considered acceptable for treatment of the specific genotype per AASLD/IDSA guidance. Patient is not concurrently taking any of the following medications not recommended or contraindicated by the manufacturer: carbamazepine, rifampin, ethinyl estradiol-containing medication, atazanavir,darunavir, lopinavir, ritonavir, efavirenz, atorvastatin, lovastatin, simvastatin, rosuvastatin at doses greater than 10mg, or cyclosporine at doses greater than 100mg per day. Patient must not have prior failure of a DAA regimen with NS5A inhibitor and HCV protease inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

MEGESTROL SUSP_NVT 2017

Products Affected

- *megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

MEGESTROL TABS_NVT 2017

Products Affected

- *megestrol oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

MEKINIST_NVT 2016

Products Affected

- MEKINIST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

MEKTOVI BRAFTOVI 2018

Products Affected

- BRAFTOVI
- MEKTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	(1) BRAF V600E or V600K mutations as detected by an FDA-approved test (2) Not used as a single agent
Age Restrictions	
Prescriber Restrictions	prescribed by or given in consultation with an oncology specialist
Coverage Duration	APPROVED FOR DURATION OF CONTRACT YEAR SUBJECT TO FORMULARY CHANGE AND MEMBER ELIGIBILITY.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

MEPERIDINE_NVT 2017

Products Affected

- *meperidine (pf) injection solution 100 mg/ml, 25 mg/ml, 50 mg/ml*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

METHITEST

Products Affected

- METHITEST
- *methyltestosterone oral capsule*

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

Prior Authorization Criteria
Updated 11/2019

MIDOSTAURIN

Products Affected

- RYDAPT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

MOVANTIK_NVT 2016

Products Affected

- MOVANTIK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Initial Therapy: Member must meet all criteria. 1. Opioid-induced constipation. 2. Failed two laxative/bowel therapies -- polyethylene glycol and lactulose.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	4 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

MYLOTARG_CCHP_2018

Products Affected
- MYLOTARG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Adults: newly diagnosed CD33+ AML. Children over the age of 2: refractory CD33+ AML
Age Restrictions	Patients age 2 and greater
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

NATPARA (CCHP2017)

Products Affected

- NATPARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PTH below reference range within the last 12 months (2 readings)
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Endocrinologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

NERLYNX_CCHP_2018

Products Affected

- NERLYNX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Early stage HER2+ breast cancer after adjuvant trastuzumab-based therapy
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Duration of treatment not to exceed one year
Indications	All FDA-approved Indications.
Off Label Uses	

NEXAVAR_NVT 2015

Products Affected

- NEXAVAR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	Require patient to be at least 18 years old.
Prescriber Restrictions	Prescribed by a Oncologist or under the direct consultation of an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

NINLARO_NVT

Products Affected

- NINLARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or Hematology Specialist, or in consultation with an Oncology Specialist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

NIRAPARIB TOSYLATE

Products Affected

- ZEJULA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

NORTHERA_NVT 2016

Products Affected

- NORTHERA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Neurology Specialist or Cardiologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

NOXAFIL_NVT 2015

Products Affected

- NOXAFIL ORAL
- *posaconazole oral tablet,delayed release (dr/ec)*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

NUBEQA

Products Affected

- NUBEQA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, A UROLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	CONCURRENTLY RECEIVING GONADOTROPIN-RELEASING HORMONE ANALOG OR HAD BILATERAL ORCHIECTOMY
Indications	All FDA-approved Indications.
Off Label Uses	

NUCALA_NVT PA 2017

Products Affected

- NUCALA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

Prior Authorization Criteria
Updated 11/2019

NUPLAZID_NVT

Products Affected

- NUPLAZID ORAL CAPSULE
- NUPLAZID ORAL TABLET 10 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

NUVIGIL_NVT 2015

Products Affected

- *armodafinil*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of narcolepsy, OR obstructive sleep apnea/hypopnea syndrome, OR shift work sleep disorder
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

ODOMZO_NVT 2017

Products Affected

- ODOMZO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or inconsultation with Oncology Specialist or Dermatologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

OPDIVO_NVT 2015

Products Affected

- OPDIVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Oncology Specialist or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

OPSUMIT_NVT

Products Affected
- OPSUMIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Pulmonologist or Cardiologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

ORAL FENTANYL_NVT 2017

Products Affected

- *fentanyl citrate*
- FENTORA
- LAZANDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Breakthrough cancer pain and opioid tolerence. Documented tolerance to opioids defined as patients taking around the clock medicine consisting of at least 60mg of oral morphine daily, at least 25mcg of transdermal fentanyl per hour, at least 30mg of oxycodone daily, at least 8mg of oral hydromorphone daily, or an equianalgesic dose of another opioid daily for a week or longer.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Trial of fentanyl lozenge before another branded fentanyl product.
Indications	All FDA-approved Indications.
Off Label Uses	

ORENCIA_NVT 2018

Products Affected

- ORENCIA
- ORENCIA (WITH MALTOSE)
- ORENCIA CLICKJECT

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

Prior Authorization Criteria
Updated 11/2019

ORFADIN_NVT 2015

Products Affected

- ORFADIN ORAL CAPSULE 10 MG, 2 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

ORKAMBI_NVT

Products Affected
- ORKAMBI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	1) Lung function (FEV1, ppFEV1), 2) BMI, 3) Pulmonary exacerbation history to be collected initially and at continuation.
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, pulmonologist.
Coverage Duration	Initial and continuation approval of 6 months to assess required medical info
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

PA_RESTASIS

Products Affected

- RESTASIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CLINICAL DOCUMENTATION OF DIAGNOSIS OF MODERATE-SEVERE DRY EYE, AND THAT POTENTIALLY EXACERBATING EXOGENOUS FACTORS SUCH AS ANTIHISTAMINE OR DIURETIC USE, EXPOSURE TO CIGARETTE SMOKE, AND ENVIRONMENTAL FACTORS HAVE BEEN MAXIMALLY MANAGED. RENEWAL: CLINICAL DOCUMENTATION OF IMPROVED RESPONSE TO THERAPY
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

PALIPERIDONE ER, INVEGA SUSTENNA

Products Affected

- INVEGA SUSTENNA
- INVEGA TRINZA
- *paliperidone*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS NO TRIALS REQUIRED FOR THE FOLLOWING INDICATIONS: SCHIZOAFFECTIVE DISORDER.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

PERJETA_NVT 2014

Products Affected

- PERJETA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Oncologist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

PIQRAY

Products Affected

- PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS PROGRESSED ON, OR AFTER, PREVIOUS TREATMENT WITH ENDOCRINE-BASED REGIMEN
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST
Coverage Duration	12 MONTHS
Other Criteria	PIQRAY WILL BE USED CONCURRENTLY WITH FULVESTRANT
Indications	All FDA-approved Indications.
Off Label Uses	

POMALYST_NVT 2014

Products Affected

- POMALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Oncologist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

PROGESTERONE_NVT 2015

Products Affected

- CRINONE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

PROMACTA_NVT 2017

Products Affected

- PROMACTA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

RAVICTI_NVT 2016

Products Affected

- RAVICTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Requires trial of sodium phenylbutyrate powder.
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Metabolic Specialist or Geneticist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

RELISTOR_NVT 2015

Products Affected

- RELISTOR SUBCUTANEOUS SOLUTION
- RELISTOR SUBCUTANEOUS SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Initial Therapy: Member must meet both of the following: 1.Opioid-induced constipation. 2. Trial, or intolerance to, 2 laxative/bowel therapies-polyethylene glycol + Lactulose.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	4 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

REMICADE_NVT 2018

Products Affected
- REMICADE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING GREATER THAN OR EQUAL TO 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS, ANKYLOSING SPONDYLITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSORIASIS PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHN'S DISEASE/ULCERATIVE COLITIS: GASTROENTEROLOGIST.
Coverage Duration	INITIAL: CD/UC: 8 MO. RA: 6 MO. PSA/AS/PSO: 4 MO. RENEWAL FOR ALL INDICATIONS: 12 MO.
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, XELJANZ/XELJANZ XR) AND CONCURRENT USE WITH METHOTREXATE. PSORIATRIC ARTHRITIS (PSA): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX, XELJANZ/XELJANZ XR, STELARA). ANKYLOSING SPONDYLITIS (AS): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX). PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX, SKYRIZI, STELARA) AND ONE PREFERRED SYSTEMIC THERAPY (TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE. CROHN'S DISEASE (CD): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA AND

PA Criteria	Criteria Details
	STELARA) AND ONE CONVENTIONAL AGENT SUCH AS A CORTICOSTEROID (I.E., BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE. ULCERATIVE COLITIS (UC): PREVIOUS TRIAL OF BOTH (HUMIRA AND XELJANZ/XELJANZ XR) AND ONE CONVENTIONAL AGENT SUCH AS A CORTICOSTEROID (I.E., BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

REPATHA_2019

Products Affected
- REPATHA SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	dual therapy with another PCSK-9 inhibitor, Kynamro (mipomersen), or Juxtapid (lomitapide)
Required Medical Information	For initiation of therapy patient must: A) have one of the following conditions: 1) prior clinical atherosclerotic cardiovascular disease (ASCVD) (see Other Criteria), 2) heterozygous familial hypercholesterolemia (HeFH) (see Other Criteria), or 3) homozygous familial hypercholesterolemia (HoFH) (see Other Criteria), AND B) for patients with prior clinical ASCVD or HeFH, current LDL-C level is over 70 mg/dL, AND one of the following requirements is met: 1) patient has been treated for 8 weeks or more with a high-intensity statin (atorvastatin 40mg or greater OR rosuvastatin 20mg or greater) in combination with ezetimibe, OR 2) patient is intolerant to statins demonstrated by the failure of 2 or more statins, including an attempt with a low-intensity (pitivastatin OR pravastatin) and alternatively-dosed statin (twice weekly low-dose rosuvastatin OR atorvastatin). For continuation of therapy, patient must: A) have one of the following conditions: 1) prior clinical ASCVD (see Other Criteria), 2) HeFH (see Other Criteria), or 3) HoFH (see Other Criteria), AND B) demonstrate a reduction of LDL-C on PCSK9 inhibitor therapy
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with a Cardiologist, Lipidologist, or Endcrinologist
Coverage Duration	Initial: 3 months. Renewal: contract year subject to formulary change and member eligibility
Other Criteria	Clinical ASCVD defined as acute coronary syndromes, myocardial infarction, stable or unstable angina, coronary or other arterial revascularization procedure, prior stroke or transient ischemic attack, or peripheral arterial disease of presumed atherosclerotic origin. Diagnosis of HeFH must be confirmed by one of the following: 1) DNA-based evidence of mutation in the LDLR, Apo B, OR PCSK9 gain of function mutation, 2) Untreated LDL-C greater than 190 mg/dl AND tendon

PA Criteria	Criteria Details
	xanthomas in patient or first/second degree relative, 3) Untreated LDL-C greater than 190 mg/dl AND either first degree relative less than 60 years of age or second degree relative less than 50 years of age with premature heart disease, OR 4) untreated LDL-C greater than 190 mg/dl AND first or second degree relative with total cholesterol greater than 290 mg/dL. Diagnosis of HoFH confirmed by the following: 1) two parents diagnosed with HeFH OR genetic confirmation of LDL receptor mutation, AND 2) untreated total cholesterol greater 290 mg/dL or LDL-C greater 190 mg/dL, AND 3) either xanthomas present at 10 years of age or younger OR atherosclerotic disease at 20 years of age or younger.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

REVATIO_NVT 2017

Products Affected

- *sildenafil (antihypertensive) intravenous*
- *sildenafil (antihypertensive) oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

REVLIMID_NVT 2015

Products Affected

- REVLIMID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Oncologist or Hematologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

REXULTI

Products Affected

- REXULTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: MAJOR DEPRESSIVE DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

RIBOCICLIB_MI_2018

Products Affected

- KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG
- KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

RISPERDAL

Products Affected

- PERSERIS
- RISPERDAL CONSTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DISORDER: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DEPRESSION: OLANZAPINE. ACUTE MANIC/MIXED EPISODES WITH BIPOLAR DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

RUBRACA_NVT_2017

Products Affected

- RUBRACA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

RUCONEST_NVT 2015

Products Affected

- RUCONEST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SABRIL_NVT 2017

Products Affected

- *vigabatrin*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Neurologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

SAPHRIS

Products Affected

- SAPHRIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DISORDER: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: ACUTE MANIC/MIXED EPISODES WITH BIPOLAR DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SIGNIFOR_NVT 2015

Products Affected
- SIGNIFOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Prescribed for the treatment of an adult patient with Cushing disease AND Pituitary surgery is not an option OR Pituitary surgery was not curative
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with an endocrinologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SIMPONI_NVT 2018

Products Affected

- SIMPONI
- SIMPONI ARIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA, ENBREL, XELJANZ/XELJANZ XR) AND CONCURRENT USE WITH METHOTREXATE. PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX, STELARA, XELJANZ/XELJANZ XR). ANKYLOSING SPONDYLITIS (AS): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX). ULCERATIVE COLITIS (UC): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA, XELJANZ/XELJANZ XR) AND ONE OF THE FOLLOWING CONVENTIONAL AGENTS SUCH AS A CORTICOSTEROID (I.E., BUDESONIDE, METHYLPREDINSOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SIRTURO_NVT

Products Affected
- SIRTURO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an infectious disease specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SIVEXTRO_NVT 2015

Products Affected
- SIVEXTRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Infectious Disease Specialist or in consult with Infectious Disease Specialist.
Coverage Duration	Approved for 6 months subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SKYRIZI

Products Affected
- SKYRIZI SUBCUTANEOUS SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING GREATER THAN OR EQUAL TO 5% OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION THAT THE PATIENT CONTINUES TO BENEFIT FROM THE MEDICATION.
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A DERMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL OF OR CONTRAINDICATION TO ONE CONVENTIONAL THERAPY, SUCH AS PUVA (PHOTOTHERAPY ULTRAVIOLET LIGHT A), UVB (ULTRAVIOLET LIGHT B), TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SOLARAZE_NVT 2017

Products Affected

- *diclofenac sodium topical gel 3 %*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SOLTAMOX_NVT

Products Affected

- SOLTAMOX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SOMAVERT_NVT 2017

Products Affected

- SOMAVERT SUBCUTANEOUS RECON SOLN 15 MG, 20 MG, 25 MG, 30 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Endocrinologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SOVALDI_NVT PA 2018

Products Affected

- SOVALDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HCV RNA LEVEL WITHIN PAST 6 MONTHS.
Age Restrictions	Member must be 12 years of age or older.
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATIONS WITH: GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (HEPATOLOGIST)
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE
Other Criteria	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SPRITAM_NVT 2017

Products Affected

- SPRITAM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Member must have a trial or contraindication to generic levetiracetam.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SPRYCEL_NVT 2017

Products Affected
- SPRYCEL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an Oncologist or Hematologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

STELARA

Products Affected
- STELARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING GREATER THAN OR EQUAL TO 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, OR FACE. RENEWAL FOR PSORIATIC ARTHRITIS OR PLAQUE PSORIASIS: PHYSICIAN ATTESTATION THAT THE PATIENT CONTINUES TO BENEFIT FROM THE MEDICATION.
Age Restrictions	
Prescriber Restrictions	PSORIATIC ARTHRITIS: PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PLAQUE PSORIASIS: PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A DERMATOLOGIST. CROHN'S DISEASE: PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: PSA, PSO, CD: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL OF OR CONTRAINDICATION TO AT LEAST ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE. PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL OF OR CONTRAINDICATION AT LEAST ONE CONVENTIONAL THERAPY SUCH AS PUVA (PHOTOTHERAPY ULTRAVIOLET LIGHT A), UVB (ULTRAVIOLET LIGHT B), TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE. CROHN'S DISEASE (CD): PREVIOUS TRIAL OF OR CONTRAINDICATION TO AT LEAST ONE CONVENTIONAL THERAPY SUCH AS CORTICOSTEROIDS

PA Criteria	Criteria Details
	(I.E. BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

STIVARGA_NVT 2014

Products Affected

- STIVARGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

STRENSIQ (CCHP)

Products Affected

- STRENSIQ SUBCUTANEOUS SOLUTION 40 MG/ML, 80 MG/0.8 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Pediatric Endocrinologist, Metabolic Specialist, or Genetic Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SUCRAID_NVT 2017

Products Affected

- SUCRAID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

SUTENT_NVT 2017

Products Affected

- SUTENT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SYLATRON_NAVITUS

Products Affected

- SYLATRON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SYNAGIS_NVT 2015

Products Affected

- SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Approve up to five (MAXIMUM) monthly doses of Synagis when an infant or child meets the criteria for one of the following conditions: Infants and children younger than 24 months with chronic lung disease of prematurity (CLD previously known as bronchopulmonary dysplasia) receiving medical therapy within 6 months before the start of the RSV season OR Infants born before 32 weeks of gestation even if they do not have CLD OR Infants born at 32 to less than 35 weeks of gestation, particularly when at least 1 of the following 2 risk factors is present: the infant attends child care, or 1 or more siblings or other children younger than 5 years live permanently in the same household OR Infants with congenital abnormalities of the airway or neuromuscular disease OR Infants and children 24 months or younger with hemodynamically significant cyanotic or acyanotic congenital heart disease (CHD).
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an ICU physician, Neonatologist, Pediatric Specialist, Pulmonologist, Cardiologist, Infectious Disease Specialist, or Neurologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

SYPRINE_NVT 2017

Products Affected

- *trientine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TAFINLAR_NVT 2016

Products Affected

- TAFINLAR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TAGRISSO_NVT

Products Affected

- TAGRISSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TALZENNA_2019

Products Affected

- TALZENNA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TARCEVA_NVT 2017

Products Affected

- *erlotinib*
- TARCEVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TARGRETIN_NVT 2015

Products Affected

- *bexarotene*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Oncology or Dermatology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TASIGNA_NVT 2017

Products Affected

- TASIGNA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Requires trial of Sprycel for FDA indications that are shared.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TECENTRIQ_NVT

Products Affected

- TECENTRIQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH ONCOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TECFIDERA_MI_2018

Products Affected

- TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG, 120 MG (14)- 240 MG (46), 240 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TESTOSTERONE

Products Affected

- *testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation, 12.5 mg/ 1.25 gram (1 %), 20.25 mg/1.25 gram (1.62 %)*
- *testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram), 1.62 % (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram)*
- *testosterone transdermal solution in metered pump w/app*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Two morning testosterone levels fall below the normal range for a healthy adult male. Patient must have tried and failed ANDRODERM and ANDROGEL.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

THALOMID_NVT 2015

Products Affected

- THALOMID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Oncology Specialist or infectious disease specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TIBSOVO

Products Affected

- TIBSOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	IDH1 mutation detected by an FDA-approved test
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR GIVEN IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TIGAN_NVT 2017

Products Affected

- *trimethobenzamide oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TIRF

Products Affected

- *modafinil*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TOBI_NVT 2015

Products Affected

- TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE
- *tobramycin in 0.225 % nacl*
- *tobramycin with nebulizer*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Infectious Disease or Pulmonology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval will be based off BvD coverage determination.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TOPICAL STEROIDS_NVT 2017

Products Affected

- *amcinonide topical cream*
- *amcinonide topical ointment*
- APEXICON E
- *betamethasone valerate topical foam*
- *clobetasol topical foam*
- *clobetasol topical lotion*
- *clobetasol topical shampoo*
- *clobetasol topical spray,non-aerosol*
- *clobetasol-emollient topical foam*
- *clocortolone pivalate*
- CLODAN
- *cormax scalp*
- DESONATE
- *desonide topical cream*
- *desonide topical lotion*
- *fluticasone propionate topical lotion*
- *halcinonide*
- HALOG
- *hydrocort buty 0.1% lipo cream*
- *hydrocortisone butyrate topical cream*
- PANDEL
- TRIDESILON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Requires trial of two formulary topical steroids
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TOTAL PARENTERAL NUTRITION AGENT

Products Affected

- AMINOSYN 7 % WITH ELECTROLYTES
- AMINOSYN 8.5 %-ELECTROLYTES
- AMINOSYN II 10 %
- AMINOSYN II 15 %
- AMINOSYN II 7 %
- AMINOSYN II 8.5 %
- AMINOSYN II 8.5 %-ELECTROLYTES
- AMINOSYN-HBC 7%
- AMINOSYN-PF 10 %
- AMINOSYN-PF 7 % (SULFITE-FREE)
- AMINOSYN-RF 5.2 %
- CLINIMIX 5%/D15W SULFITE FREE
- CLINIMIX 5%/D25W SULFITE-FREE
- CLINIMIX 4.25%-D25W SULF-FREE
- CLINIMIX 4.25%/D10W SULF FREE
- CLINIMIX 4.25%/D5W SULFIT FREE
- CLINIMIX 5%-D20W(SULFITE-FREE)
- CLINIMIX E 2.75%/D10W SUL FREE
- CLINIMIX E 2.75%/D5W SULF FREE
- CLINIMIX E 4.25%/D10W SUL FREE
- CLINIMIX E 4.25%/D25W SUL FREE
- CLINIMIX E 4.25%/D5W SULF FREE
- CLINIMIX E 5%/D15W SULFIT FREE
- CLINIMIX E 5%/D20W SULFIT FREE
- CLINIMIX E 5%/D25W SULFIT FREE
- CLINISOL SF 15 %
- FREAMINE HBC 6.9 %
- HEPATAMINE 8%
- NEPHRAMINE 5.4 %
- PLENAMINE
- PREMASOL 10 %
- PREMASOL 6 %
- PROCALAMINE 3%
- PROSOL 20 %
- TRAVASOL 10 %
- TROPHAMINE 10 %
- TROPHAMINE 6%

PA Criteria	Criteria Details
Exclusion Criteria	PATIENTS RECEIVING TOTAL PARENTERAL NUTRITION FOR A NONFUNCTIONING DIGESTIVE TRACT.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.

2020 Chinese Community Health Plan Senior Program (HMO)

Prior Authorization Criteria
Updated 11/2019

PA Criteria	Criteria Details
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TRACLEER_NVT 2015

Products Affected

- TRACLEER ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Pulmonology or Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TREANDA_NVT 2015

Products Affected

- TREANDA INTRAVENOUS RECON SOLN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TROKENDI_NVT 2014

Products Affected

- *topiramate oral capsule,sprinkle,er 24hr*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has tried and failed topiramate (TOPAMAX) AND patient has a diagnosis of partial-onset seizures, primary generalized tonic-clonic seizures, seizures associated with Lennox-Gastaut syndrome, or migraines where topiramate ER is being used for migraine prophyaxis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TURALIO

Products Affected

- TURALIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TYKERB_NVT

Products Affected

- TYKERB

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Tykerb is prescribed in combination with capecitabine (Xeloda) AND The patient has advanced or metastatic breast cancer with tumor over-expression of HER2 AND The patient has recieved prior therapy including an anthracycline and a taxane and trastumab. Tykerb is prescribed in combination with letrozole for the treatment of postmenopausal women with hormone receptor positive metastatic breast cancer that overexpresses the HER2 receptor for whom hormonal therapy is indicated.
Age Restrictions	
Prescriber Restrictions	Approval requires the prescriber to be an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TYSABRI_NVT 2018

Products Affected

- TYSABRI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CROHN'S DISEASE: GASTROENTEROLOGIST.
Coverage Duration	MULTIPLE SCLEROSIS: 12 MONTHS. CROHN'S DISEASE: 6 MONTHS. RENEWAL: CROHN'S: 12 MONTHS
Other Criteria	MULTIPLE SCLEROSIS: TRIAL OF ONE OF THE FOLLOWING PREFERRED AGENTS FOR MULTIPLE SCLEROSIS: GILENYA, MAYZENT, MAVENCLAD, COPAXONE, REBIF, AVONEX, PLEGRIDY, TEDFIDERA, OR AUBAGIO. CROHN'S DISEASE: TRIAL OF A HUMIRA AND STELARA. NOT APPROVED FOR PATIENTS ON CONCURRENT THERAPY WITH A TNF (TUMOR NECROSIS FACTOR) INHIBITOR: ENBREL, CIMZIA, REMICADE, SIMPONI, OR SIMPONI ARIA.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

UCERIS_NVT

Products Affected

- *budesonide oral tablet,delayed and ext.release*
- UCERIS RECTAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has active mild to moderate ulcerative colitis and has tried and failed or was intolerant to mesalamine.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

UPTRAVI_NVT 2017

Products Affected

- UPTRAVI ORAL TABLET
- UPTRAVI ORAL TABLETS,DOSE PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

VALCHLOR_NVT 2017

Products Affected

- VALCHLOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has received prior skin-directed therapy such as topical steroids.
Age Restrictions	
Prescriber Restrictions	Prescribed by Oncology Specialist or Dermatology Specialist or in consultation with an Oncology or Dermatology Specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

VASCEPA_NVT 2016

Products Affected

- VASCEPA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has triglyceride level greater than or equal to 500 mg/dl.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

VENCLEXTA_NVT

Products Affected

- VENCLEXTA
- VENCLEXTA STARTING PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Oncologist or Hematologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

VENTAVIS_NVT 2015

Products Affected

- VENTAVIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	Restricted to or on consult with Pulmonology or Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

VERZENIO_CCHP_2018

Products Affected

- VERZENIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of HR+ HER2- advanced or metastatic breast cancer
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

VITRAKVI_2018

Products Affected

- VITRAKVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY AN ONCOLOGY SPECIALIST OR IN CONSULTATION WITH AN ONCOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

VIZIMPRO

Products Affected

- VIZIMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

VORICONAZOLE_NVT 2015

Products Affected

- *voriconazole*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Infectious Disease Specialist or Oncologist or in consultation with an Infectious Disease Specialist or Oncologist concerning the patient.
Coverage Duration	Approved for six months subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

VOSEVI_CCHP_2018

Products Affected

- VOSEVI

PA Criteria	Criteria Details
Exclusion Criteria	Severe renal impairment, ESRD or on hemodialysis. Moderate or severe hepatic impairment (Child-Pugh B or C).
Required Medical Information	HCV RNA level within past 6 months
Age Restrictions	
Prescriber Restrictions	Prescribed by or given in consultation with: gastroenterologist, infectious disease specialist, physician specializing in the treatment of hepatitis (hepatologist), or a specially trained group such as ECHO (extension for community healthcare outcomes) model.
Coverage Duration	Criteria will be applied consistent with current AASLD/IDSA guidance.
Other Criteria	Criteria will be applied consistent with current AASLD/IDSA guidance. Patient is not concurrently taking any of the following medications not recommended by the manufacturer: amiodarone, carbamazepine, phenytoin, phenobarbital, oxcarbazepine, rifampin, rifabutin, rifapentine, cyclosporine, pitavastatin, pravastatin (doses above 40mg), rosuvastatin, methotrexate, mitoxantrone, imatinib, irinotecan, lapatinib, sulfasalazine, topotecan, or HIV regimen that contains efavirenz, atazanavir, lopinavir or tipranavir/ritonavir.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

VOTRIENT_NVT

Products Affected

- VOTRIENT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Require the prescriber to be an Oncologist or be in under the direct consultation with an Oncologist.
Coverage Duration	Approved for duration of plan year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

VRAYLAR

Products Affected

- VRAYLAR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DISORDER: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DEPRESSION: OLANZAPINE. ACUTE MANIC/MIXED EPISODES WITH BIPOLAR DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

XALKORI_NVT

Products Affected
- XALKORI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

XELJANZ_NVT_18

Products Affected

- XELJANZ
- XELJANZ XR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	RA: INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS, PSORIATIC ARTHRITIS: PREVIOUS TRIAL OF ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE. ULCERATIVE COLITIS: PREVIOUS TRIAL OF ONE CONVENTIONAL THERAPY SUCH AS CORTICOSTEROIDS (I.E., BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

XENAZINE_NVT 2015

Products Affected

- *tetrabenazine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has chorea due to Huntington's Disease.
Age Restrictions	
Prescriber Restrictions	Prescribed by a Neurologist or in consultation with a Neurologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

XGEVA_NVT 2015

Products Affected

- XGEVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

XIFAXAN 550MG_NVT 2017

Products Affected

- XIFAXAN ORAL TABLET 550 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Prior Authorization required for quantities greater than 2 tablets per day. For quantities of 3 tablets per day, a diagnosis of IBS-D is required.
Indications	All FDA-approved Indications.
Off Label Uses	

XOLAIR_NVT PA 2015

Products Affected

- XOLAIR SUBCUTANEOUS RECON SOLN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	1. If for moderate to severe persistent asthma: There must be objective evidence of reversible airway obstruction AND the patient's lgE level must be within the following range (patients 12 years or older: between 30 IU/ml and 700 IU/ml, OR patients 6 to 12 years: up to 1,300IU/mL), AND the patient must have a positive skin test or RAST test for specific allergic sensitivity and one of the following: Inadequately controlled asthma despite medium dose of inhaled corticosteroids for at least 3 months in combination with a trial of long-acting inhaled beta-agonists OR a leukotriene modifier and systemic steroids OR high dose inhaled corticosteroids are required to maintain adequate asthma control OR intolerance or contradindication to the previously listed drugs. 2. If for chronic idiopathic urticaria, patient remains symptomatic despite H1 antihistamine treatment or has intolerance or contraindication to H1 antihistamine treatment.
Age Restrictions	If for moderate to severe persistent asthma, patient must be at least 6 years old. If for chronic idiopathic urticaria, patient must be at least 12 years old.
Prescriber Restrictions	Prescribed by, or in consultation with, an Allergy Specialist, Pulmonary Specialist, Dermatologist, or Immunologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

XOSPATA

Products Affected

- XOSPATA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULTATION WITH AN ONCOLOGIST OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

XPOVIO

Products Affected

- XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5), 160 MG/WEEK (20 MG X 8), 60 MG/WEEK (20 MG X 3), 80 MG/WEEK (20 MG X 4)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO, OR IN CONSULTATION WITH, AN ONCOLOGIST OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	XPOVIO IS USED IN COMBINATION WITH DEXAMETHASONE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

XTANDI_NVT

Products Affected

- XTANDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist
Coverage Duration	Covered for duration of plan year subject to member eligibility and formulary change.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

XYREM_NVT 2017

Products Affected

- XYREM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a neurologist, pulmonologist, or sleep specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

YERVOY_NVT 2015

Products Affected

- YERVOY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with Oncologist or Dermatologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval based on BvD determination
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

YONDELIS_NVT_2017

Products Affected

- YONDELIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

YONSA_2018

Products Affected

- YONSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: FOR METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: (1) DOCUMENTATION OF INTOLERANCE TO, OR A CONTRAINDICATION TO ABIRATERONE (ZYTIGA) AND (2) YONSA IS BEING USED IN COMBINATION WITH METHYLPREDNISOLONE
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A ONCOLOGIST
Coverage Duration	6 MONTHS
Other Criteria	SUBSEQUENT APPROVAL AFTER 6 MONTHS WILL REQUIRE DOCUMENTATION OF CONTINUED DISEASE IMPROVEMENT OR LACK OF DISEASE PROGRESSION
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ZALTRAP_NVT 2014

Products Affected

- ZALTRAP INTRAVENOUS SOLUTION
  100 MG/4 ML (25 MG/ML)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ZAVESCA_NVT 2017

Products Affected

- *miglustat*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Clinical Geneticist, Medical Biochemical Geneticist, Hematologist, or Metabolic Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ZELBORAF_NVT 2017

Products Affected

- ZELBORAF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ZOLINZA_NVT 2015

Products Affected

- ZOLINZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Oncology or Dermatology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ZONTIVITY_NVT

Products Affected
- ZONTIVITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by a Cardiology Specialist or in consultation with an Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ZORTRESS_NVT 2015

Products Affected
- ZORTRESS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Coverage determination based on Med-B vs. Med-D review.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ZYDELIG_NVT

Products Affected

- ZYDELIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	DIAGNOSIS A: Patient has relapsed CLL, defined as CLL progression less than 24 months since the completion of the last prior therapy AND Idelalisib (ZYDELIG) will be used in combination with rituximab (RITUXAN). DIAGNOSIS B and C: Patient has relapsed follicular B-cell non-Hodgkin lymphoma (FL) OR Patient has relapsed small lymphocytic lymphoma (SLL) AND Patient has received at least two (2) prior systemic therapies.
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an Oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ZYKADIA_NVT

Products Affected
- ZYKADIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Zykadia requires the prescriber to be an Oncologist or under the direct consultation of an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ZYTIGA_NVT 2015

Products Affected

- *abiraterone*
- ZYTIGA ORAL TABLET 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist or Urology Specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

ZYVOX_NVT 2015

Products Affected

- *linezolid*
- *linezolid 600 mg/300 ml-0.9% nacl*
- *linezolid in dextrose 5%*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Infectious Disease Specialist or in consultation with an Infectious Disease Specialist concerning the patient.
Coverage Duration	Approved for 6 months subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

INDEX

A
ABILIFY MAINTENA 13
ABILIFY MYCITE 13
abiraterone 233
ADAGEN 2
adapalene 0.3% gel pump 1
adapalene topical cream 1
adapalene topical gel 1
adapalene-benzoyl peroxide 1
adefovir 72
ADEMPAS 4
AFINITOR 5
AFINITOR DISPERZ 5
ALECENSA 6
ALIQOPA 7
ALUNBRIG 22
alyq 3
ambrisentan 101
amcinonide topical cream 191
amcinonide topical ointment 191
AMINOSYN 7 % WITH ELECTROLYTES 192
AMINOSYN 8.5 %-ELECTROLYTES. 192
AMINOSYN II 10 % 192
AMINOSYN II 15 % 192
AMINOSYN II 7 % 192
AMINOSYN II 8.5 % 192
AMINOSYN II 8.5 %-ELECTROLYTES 192
AMINOSYN-HBC 7% 192
AMINOSYN-PF 10 % 192
AMINOSYN-PF 7 % (SULFITE-FREE) 192
AMINOSYN-RF 5.2 % 192
AMITIZA 8
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR 10
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM) 10
APEXICON E 191
APTIOM 11
ARCALYST 12
aripiprazole oral tablet,disintegrating 13
ARISTADA 13
ARISTADA INITIO 13
armodafinil 127
AUBAGIO 15
avita 1
AVONEX (WITH ALBUMIN) 85
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 85
AVONEX INTRAMUSCULAR SYRINGE KIT 85
AZELEX 1
B
BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG 16
BARACLUDE ORAL SOLUTION 72
BELEODAQ 17
BENLYSTA 18
BERINERT INTRAVENOUS KIT 32
BESPONSA 19
betamethasone valerate topical foam 191
BETASERON SUBCUTANEOUS KIT .. 56
bexarotene 181
BIVIGAM 90
BOSULIF 20
BRAFTOVI 111
BRIVIACT INTRAVENOUS 23
BRIVIACT ORAL SOLUTION 23
BRIVIACT ORAL TABLET 23
budesonide oral tablet,delayed and ext.release 199
C
CABOMETYX 24
CALQUENCE 25
CAPRELSA 26
CARBAGLU 27
CAYSTON 28
CESAMET 29
CHOLBAM 30
CIMZIA 31
CIMZIA POWDER FOR RECONST 31

CINRYZE 32
CLINIMIX 5%/D15W SULFITE FREE 192
CLINIMIX 5%/D25W SULFITE-FREE 192
CLINIMIX 4.25%/D10W SULF FREE . 192
CLINIMIX 4.25%/D5W SULFIT FREE 192
CLINIMIX 4.25%-D25W SULF-FREE. 192
CLINIMIX 5%-D20W(SULFITE-FREE) 192
CLINIMIX E 2.75%/D10W SUL FREE 192
CLINIMIX E 2.75%/D5W SULF FREE 192
CLINIMIX E 4.25%/D10W SUL FREE 192
CLINIMIX E 4.25%/D25W SUL FREE 192
CLINIMIX E 4.25%/D5W SULF FREE 192
CLINIMIX E 5%/D15W SULFIT FREE 192
CLINIMIX E 5%/D20W SULFIT FREE 192
CLINIMIX E 5%/D25W SULFIT FREE 192
CLINISOL SF 15 % 192
clobetasol topical foam 191
clobetasol topical lotion 191
clobetasol topical shampoo 191
clobetasol topical spray,non-aerosol..... 191
clobetasol-emollient topical foam 191
clocortolone pivalate..... 191
CLODAN 191
COMETRIQ..... 33
COPIKTRA..... 34
CORLANOR ORAL TABLET..... 35
cormax scalp..... 191
COSENTYX (2 SYRINGES) 36
COSENTYX PEN (2 PENS) 36
COTELLIC 37
CRINONE..... 140
CYRAMZA..... 38
CYSTAGON 39
CYSTARAN 40
D
dalfampridine 9
DARZALEX 41
DAURISMO ORAL TABLET 100 MG, 25 MG..... 42
DESONATE..... 191
desonide topical cream 191
desonide topical lotion 191
diclofenac epolamine..... 60
diclofenac sodium topical gel 3 %..... 162
dronabinol 44
DUPIXENT..... 45
E
EMPLICITI 47
ENBREL 48
ENBREL MINI 48
ENBREL SURECLICK..... 48
ENTRESTO 49
EPANED ORAL SOLUTION 50
EPCLUSA 51
EPIDIOLEX 52
ERIVEDGE..... 53
ERLEADA 54
erlotinib 180
ERWINAZE 55
ESBRIET ORAL CAPSULE 86
EXTAVIA SUBCUTANEOUS KIT 56
F
FANAPT 13
FARYDAK..... 57
fentanyl citrate..... 131
FENTORA 131
FERRIPROX ORAL SOLUTION 58
FERRIPROX ORAL TABLET 500 MG.. 58
FIRAZYR..... 32
FIRMAGON KIT W DILUENT SYRINGE 59
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %..... 90
fluticasone propionate topical lotion..... 191
FOLOTYN 61
fondaparinux..... 14
FORTEO 62
FREAMINE HBC 6.9 %..... 192
FYCOMPA ORAL SUSPENSION..... 63
FYCOMPA ORAL TABLET 63
G
GAMASTAN 90
GAMMAGARD LIQUID..... 90
GAMMAGARD S-D (IGA < 1 MCG/ML) 90
GAMMAKED INJECTION SOLUTION 10 GRAM/100 ML (10 %)..... 90

GAMMAPLEX (WITH SORBITOL)..... 90
GAMUNEX-C INJECTION SOLUTION 20 GRAM/200 ML (10 %) 90
GARDASIL 9 (PF)..... 64
GATTEX 30-VIAL 65
GILENYA..... 66
GILOTRIF 67
glatiramer 68
H
halcinonide..... 191
HALOG 191
HARVONI 71
HEPATAMINE 8%..... 192
HETLIOZ..... 73
HUMIRA 75, 76
HUMIRA PEDIATRIC CROHNS START 75, 76
HUMIRA PEN 75, 76
HUMIRA PEN CROHNS-UC-HS START 75, 76
HUMIRA PEN PSOR-UVEITS-ADOL HS 75, 76
HUMIRA(CF) 75, 76
HUMIRA(CF) PEDI CROHNS STARTER 75, 76
HUMIRA(CF) PEN CROHNS-UC-HS .. 75, 76
HUMIRA(CF) PEN PSOR-UV-ADOL HS 75, 76
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML. 75, 76
hydrocort buty 0.1% lipo cream..... 191
hydrocortisone butyrate topical cream.... 191
hydroxyprogesterone caproate 77
I
IBRANCE 78
icatibant..... 32
ICLUSIG..... 79
IDHIFA..... 80
imatinib 69
IMBRUVICA ORAL CAPSULE 81
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG 81
IMFINZI..... 46
INCRELEX 82
INLYTA..... 83
INREBIC..... 84
INVEGA SUSTENNA 136
INVEGA TRINZA 136
IRESSA..... 87
itraconazole 89
J
JAKAFI..... 91
JUXTAPID..... 74
K
KADCYLA 92
KALYDECO 93
KEYTRUDA INTRAVENOUS SOLUTION 94
KINERET..... 95
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG 151
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)..... 151
KORLYM 96
KUVAN 97
KYPROLIS 98
L
LARTRUVO 99
LATUDA 13
LAZANDA..... 131
LENVIMA 100
lidocaine topical adhesive patch,medicated 102
linezolid..... 234
linezolid 600 mg/300 ml-0.9% nacl..... 234
linezolid in dextrose 5%..... 234
LINZESS..... 103
LONSURF..... 105
LORBRENA 104
LYNPARZA ORAL TABLET..... 106
M
MAVYRET 107

megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml 108
megestrol oral tablet 109
MEKINIST..... 110
MEKTOVI 111
meperidine (pf) injection solution 100 mg/ml, 25 mg/ml, 50 mg/ml 112
methamphetamine..... 43
METHITEST..... 113
methyltestosterone oral capsule 113
miglustat..... 226
modafinil 189
MOVANTIK..... 115
MYLOTARG 116
N
NATPARA..... 117
NEPHRAMINE 5.4 %..... 192
NERLYNX..... 118
NEXAVAR 119
NINLARO..... 120
NORDITROPIN FLEXPRO..... 70
NORTHERA 122
NOXAFIL ORAL..... 123
NUBEQA 124
NUCALA 125
NUPLAZID ORAL CAPSULE 126
NUPLAZID ORAL TABLET 10 MG.... 126
O
OCTAGAM 90
ODOMZO 128
OFEV..... 86
OPDIVO 129
OPSUMIT 130
ORENCIA..... 132
ORENCIA (WITH MALTOSE) 132
ORENCIA CLICKJECT..... 132
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 5 MG..... 133
ORKAMBI..... 134
P
paliperidone..... 136
PANDEL..... 191
PEGASYS..... 72
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML..... 72
PERJETA 137
PERSERIS..... 152
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) 138
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 85
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML 85
PLENAMINE..... 192
POMALYST 139
posaconazole oral tablet,delayed release (dr/ec) 123
PREMASOL 10 %..... 192
PREMASOL 6 %..... 192
PRIVIGEN 90
PROCALAMINE 3% 192
PROLIA 62
PROMACTA ORAL TABLET..... 141
PROSOL 20 % 192
R
RAVICTI..... 142
REBIF (WITH ALBUMIN)..... 85
REBIF REBIDOSE 85
REBIF TITRATION PACK..... 85
RELISTOR SUBCUTANEOUS SOLUTION 143
RELISTOR SUBCUTANEOUS SYRINGE 143
REMICADE 144, 145
REPATHA SYRINGE.....146, 147
RESTASIS 135
RETIN-A MICRO PUMP TOPICAL GEL WITH PUMP 0.06 %, 0.08 % 1
REVLIMID 149
REXULTI..... 150
RISPERDAL CONSTA..... 152
romidepsin..... 88
RUBRACA..... 153
RUCONEST..... 154
RYDAPT..... 114

S
SAPHRIS 156
SIGNIFOR 157
sildenafil (antihypertensive) intravenous 148
sildenafil (antihypertensive) oral tablet .. 148
SIMPONI 158
SIMPONI ARIA 158
SIRTURO 159
SIVEXTRO 160
SKYRIZI SUBCUTANEOUS SYRINGE 161
SOLTAMOX 163
SOMAVERT SUBCUTANEOUS RECON SOLN 15 MG, 20 MG, 25 MG, 30 MG 164
SOVALDI 165
SPORANOX ORAL SOLUTION 89
SPRITAM 166
SPRYCEL 167
STELARA 168, 169
STIVARGA 170
STRENSIQ SUBCUTANEOUS SOLUTION 40 MG/ML, 80 MG/0.8 ML 171
SUCRAID 172
SUTENT 173
SYLATRON 174
SYMPAZAN 21
SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML 175
T
TAFINLAR 177
TAGRISSO 178
TALZENNA 179
TARCEVA 180
TASIGNA 182
TECENTRIQ 183
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG, 120 MG (14)- 240 MG (46), 240 MG 184
testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation, 12.5 mg/ 1.25 gram (1 %), 20.25 mg/1.25 gram (1.62 %) 185
testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram), 1.62 % (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram) 185
testosterone transdermal solution in metered pump w/app 185
tetrabenazine 214
THALOMID 186
TIBSOVO 187
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 190
tobramycin in 0.225 % nacl 190
tobramycin with nebulizer 190
topiramate oral capsule,sprinkle,er 24hr . 195
TRACLEER ORAL TABLET 193
TRAVASOL 10 % 192
TREANDA INTRAVENOUS RECON SOLN 194
tretinoin 1
tretinoin (emollient) 1
tretinoin microspheres topical gel 1
TRIDESILON 191
trientine 176
trimethobenzamide oral 188
TROPHAMINE 10 % 192
TROPHAMINE 6% 192
TURALIO 196
TYKERB 197
TYSABRI 198
U
UCERIS RECTAL 199
UPTRAVI ORAL TABLET 200
UPTRAVI ORAL TABLETS,DOSE PACK 200
V
VALCHLOR 201
VASCEPA 202
VENCLEXTA 203
VENCLEXTA STARTING PACK 203
VENTAVIS 204
VERZENIO 205

vigabatrin 155
VITRAKVI 206
VIZIMPRO 207
voriconazole 208
VOSEVI 209
VOTRIENT 210
VRAYLAR 211
X
XALKORI 212
XELJANZ 213
XELJANZ XR 213
XGEVA 215
XIFAXAN ORAL TABLET 550 MG 216
XOLAIR SUBCUTANEOUS RECON SOLN 217
XOSPATA 218
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5), 160 MG/WEEK (20 MG X 8), 60 MG/WEEK (20 MG X 3), 80 MG/WEEK (20 MG X 4) 219
XTANDI 220
XYREM 221
Y
YERVOY 222
YONDELIS 223
YONSA 224
Z
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML) 225
ZEJULA 121
ZELBORAF 227
ZOLINZA 228
ZONTIVITY 229
ZORTRESS 230
ZYDELIG 231
ZYKADIA 232
ZYTIGA ORAL TABLET 500 MG 233