Prior Authorization Criteria *Updated 3/2020*

ACNE AGENTS_NVT

Products Affected

- adapalene 0.3% gel pump
- adapalene topical cream
- adapalene topical gel
- avita

- tretinoin
- tretinoin (emollient)
- tretinoin microspheres topical gel

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ADAGEN_NVT

Products Affected

• ADAGEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ADCIRCA_NVT 2017

Products Affected

• alyq

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ADEMPAS_NVT 2016

Products Affected

• ADEMPAS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Pulmonologist or Cardiologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	For diagnosis of Pulmonary Arterial Hypertension, trial of one (1) of the following: Letairis, Opsumit or Tracleer. For diagnosis of Persistent/recurrent Chronic Thromboembolic Pulmonary Hypertension (CTEPH) (WHO Group 4), trial of prior therapy is not required.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

AFINITOR_NVT 2017

Products Affected

• AFINITOR

• AFINITOR DISPERZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ALECENSA_NVT

Products Affected

• ALECENSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ALIQOPA_CCHP_2018

Products Affected

• ALIQOPA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Relapsed follicular lymphoma (FL) after at least two prior systemic therapies
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

AMPYRA_NVT 2018

Products Affected

• dalfampridine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	WALKING DISABILITY SUCH AS MILD TO MODERATE BILATERAL LOWER EXTREMITY WEAKNESS OR UNILATERAL WEAKNESS PLUS LOWER EXTREMITY OR TRUNCAL ATAXIA.
Age Restrictions	
Prescriber Restrictions	NEUROLOGIST
Coverage Duration	INITIAL: 3 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT IN WALKING ABILITY.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ANDROGENS_PREFERRED_NVT 2017

Products Affected

- ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR
- ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Two morning testoterone levels fall below the normal range for a healthy adult male. For patients on testosterone replacement therapy, documentation of at least one (1) morning testosterone level from the last 12 months is required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

APTIOM_NVT

Products Affected

• APTIOM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ARCALYST_NVT 2014

Products Affected

• ARCALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Rheumatology Specialist, Dermatologist, or Immunologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ARIPIPRAZOLE ODT, ARISTADA, FANAPT, LATUDA

Products Affected

- ABILIFY MAINTENA
- ABILIFY MYCITE
- aripiprazole oral tablet, disintegrating
- ARISTADA

- ARISTADA INITIO
- FANAPT
- LATUDA

• ARISTADA	T
PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DISORDER: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. IRRITABILITY WITH AUTISTIC DISORDER: ARIPIPRAZOLE, RISPERIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DEPRESSION: OLANZAPINE. MAJOR DEPRESSIVE DISORDER: ARIPIPRAZOLE. TOURETTE SYNDROME: ARIPIPRAZOLE. ACUTE MANIC/MIXED EPISODES WITH BIPOLAR DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ARIXTRA_NVT 2016

Products Affected

• fondaparinux

PA Criteria	Criteria Details
Exclusion Criteria	Body weight less than 50 kg (venous thromboembolism prophylaxis only)
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

AUBAGIO_NVT 2018

Products Affected

• AUBAGIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

AYVAKIT

Products Affected

• AYVAKIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

BALVERSA

Products Affected

• BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	DOCUMENTATION OF FGFR3 OR FGFR2 MUTATION
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST
Coverage Duration	12 MONTHS
Other Criteria	PREVIOUS TRIAL OF AT LEAST ONE PLATINUM-CONTAINING CHEMOTHERAPY WITHIN 12 MONTHS
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

BELEODAQ_NVT 2015

Products Affected

• BELEODAQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

BENLYSTA

Products Affected

• BENLYSTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	AUTOANTIBODY POSITIVE LUPUS TEST.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: MEMBER IS CURRENTLY TAKING CORTICOSTEROIDS, ANTIMALARIALS, NSAIDS, OR IMMUNOSUPPRESSIVE AGENTS. NO APPROVAL FOR DIAGNOSIS OF SEVERE ACTIVE LUPUS NEPHRITIS, SEVERE CENTRAL NERVOUS SYSTEM LUPUS OR CONCURRENT USE OF BIOLOGIC AGENTS OR INTRAVENOUS CYCLOPHOSPHAMIDE. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

BESPONSA_CCHP_2018

Products Affected

• BESPONSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Relapsed or refractory B-cell precursor ALL
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

BOSULIF_NVT 2014

Products Affected

• BOSULIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

BRANDED CLOBAZAM

Prod	lucts	Affec	ted
1100	lucts	Alle	ιcu

• SYMPAZAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

BRIGATINIB

Products Affected

• ALUNBRIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

BRIVIACT_NVT

Products Affected

- BRIVIACT INTRAVENOUS
- BRIVIACT ORAL SOLUTION

• BRIVIACT ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

BRUKINSA

Pro	ducts	A ffec	ted
1 1 (/		AIIC	

• BRUKINSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CABOMETYX_NVT

Products Affected

• CABOMETYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CALQUENCE_CCHP_2018

Products Affected

• CALQUENCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CAPRELSA_NVT

Products Affected

• CAPRELSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncologist or Endocrinologist or under the direct consultation of an Oncologist or Endocrinologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CARBAGLU_NVT 2016

Products Affected

• CARBAGLU

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CAYSTON_NVT 2017

Products Affected

• CAYSTON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Infectious Disease or Pulmonology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CESAMET_NVT 2017

Products Affected

• CESAMET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CHOLBAM_NVT

Products Affected

• CHOLBAM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a hepatologist or pediatric gastroenterologist.
Coverage Duration	Initial will be 3 months, then if criteria is met approved for the rest of the plan year.
Other Criteria	Renewal requires documentation of stable or improved liver function.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CIMZIA_NVT 2018

Products Affected

• CIMZIA

• CIMZIA POWDER FOR RECONST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS/ANKYLOSING SPONDYLITIS/ACTIVE NON-RADIOGRAPHIC SPONDYLOARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST OR RHEUMATOLOGIST. CROHN'S DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH GASTROENTEROLOGIST. PLAQUE PSORIASIS: PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A DERMATOLOGIST.
Coverage Duration	INITIAL: RA/PSO/NRASA:6 MONTHS.PSA/AS:4 MONTHS.CD:12 MONTHS. RENEWAL: 12 MONTHS FOR ALL DIAGNOSES.
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, XELJANZ/XELJANZ XR) AND ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE. PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL OF ANY TWO (HUMIRA, ENBREL, COSENTYX, XELJANZ/XELJANZ XR) AND ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE.ANKYLOSING SPONDYLITIS: PREVIOUS TRIAL OF ANY TWO (HUMIRA, ENBREL, COSENTYX). CROHN'S DISEASE (CD): PREVIOUS TRIAL OF HUMIRA AND ONE CONVENTIONAL AGENT SUCH AS A CORTICOSTEROID (I.E., BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE,

Prior Authorization Criteria *Updated 3/2020*

PA Criteria	Criteria Details
	MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE. PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL OF OR CONTRAINDICATION TO ANY TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA, STELARA, COSENTYX, ENBREL.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CINRYZE_NVT 2015

Products Affected

- BERINERT INTRAVENOUS KIT
- CINRYZE

- FIRAZYR
- icatibant

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

COMETRIQ_NVT 2014

Products Affected

• COMETRIQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

COPIKTRA

Products Affected

• COPIKTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PRIOR TREATMENT WITH AT LEAST TWO PRIOR THERAPIES
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST OR HEMATOLOGIST
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CORLANOR_NVT

Products Affected

• CORLANOR ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The patient is on a maximally tolerated dose of beta blocker or has a history of a documented intolerance, contraindication, or a hypersensitivity to beta blocker.
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

COSENTYX_NVT 2018

Products Affected

- COSENTYX (2 SYRINGES)
- COSENTYX PEN (2 PENS)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PLAQUE PSORIASIS (PSO): MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING AT LEAST 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECT THE HANDS, FEET, OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	18 YEARS OR OLDER
Prescriber Restrictions	PLAQUE PSORIASIS (PSO): PRESCRIBED BY, OR IN CONSULTATION WITH, A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY, OR IN CONSULTATION WITH, A RHEUMATOLOGIST OR DERMATOLOGIST. ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY, OR IN CONSULTATION WITH, A RHEUMATOLOGIST
Coverage Duration	INITIAL: 4 MONTHS. RENEWAL: 12 MONTHS FOR ALL DIAGNOSES
Other Criteria	INITIAL: PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL WITH ONE CONVENTIONAL THERAPY SUCH AS PUVA (PHOTOTHERAPY ULTRAVIOLET LIGHT A), UVB (ULTRAVIOLET LIGHT B), TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE. PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) AGENT SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

COTELLIC_NVT

Products Affected

• COTELLIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CYRAMZA_NVT

Products Affected

• CYRAMZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CYSTAGON_NVT 2017

Products Affected

• CYSTAGON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Endocrinologist, Geneticist, Nephrologist or Metabolic Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

CYSTARAN_NVT 2015

Products Affected

• CYSTARAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For the treatment of corneal cystine crystal accumulation in patients with cystinosis
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an Ophthalmologist or Geneticist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

DARZALEX_NVT

Products Affected

• DARZALEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

DAURISMO

Products Affected

• DAURISMO ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULTATION WITH AN ONCOLOGIST OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

DESOXYN_NVT 2017

Products Affected

• methamphetamine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

DRONABINOL_NVT 2016

Products Affected

• dronabinol

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of loss of appetite due to AIDS OR chemotherapy induced nausea and vomiting
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

DUPIXENT

Products Affected

• DUPIXENT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ASTHMA: 1) oral corticosteroid-dependent asthma OR eosinophilic asthma (peripheral blood eosinophil level greater than or equal to 150 cells/mcl in past 12 months) AND 2) poor asthma control or recurrent exacerbation requiring additional treatment (additional treatment may include oral corticosteroids, hospitalizations, or frequent office visits). ATOPIC DERMATITIS: diagnosis of moderate or severely uncontrolled atopic dermatitis.
Age Restrictions	
Prescriber Restrictions	ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST, ALLERGIST, IMMUNOLOGIST. ATOPIC DERMATITIS: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	ASTHMA: Concurrent use of a maximally tolerated dose of an ICS/LABA in patients who are not otherwise intolerant altogether, or for whom ICS/LABAs are contraindicated. ATOPIC DERMATITIS: Trial of or contraindication to two formulary topical corticosteroids
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

DURVALUMAB

Products Affected

• IMFINZI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

EMPLICITI_NVT

Products Affected

• EMPLICITI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or Hematology Specialist, or in consultation with an Oncology Specialist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ENBREL_NVT PA 2018

Products Affected

- ENBREL
- ENBREL MINI

• ENBREL SURECLICK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING AT LEAST 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	RHEUMATOID ARTHRITIS, ANKYLOSING SPONDYLITIS, PSORIATIC ARTHRITIS: 18 YEARS OR OLDER. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS: 2 YEARS OR OLDER. PLAQUE PSORIASIS: 4 YEARS OR OLDER
Prescriber Restrictions	RHEUMATOID ARTHRITIS, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS, ANKYLOSING SPONDYLITIS: PRESCRIBED BY, OR IN CONSULTATION WITH, A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY, OR IN CONSULTATION WITH, A DERMATOLOGIST OR RHEUMATOLOGIST. PLAQUE PSORIASIS: PRESCRIBED BY, OR IN CONSULTATION WITH, A DERMATOLOGIST.
Coverage Duration	INITIAL: RA: 6 MONTHS. PJIA: 3 MONTHS. PSA/AS/PSO: 4 MONTHS. RENEWAL: 12 MONTHS FOR ALL DIAGNOSES
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF HUMIRA OR XELJANZ/XELJANZ XR. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PREVIOUS TRIAL OF HUMIRA. PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL WITH ANY TWO PREFERRED AGENTS: HUMIRA, STELARA, XELJANZ/XELJANZ XR, COSENTYX. ANKYLOSING SPONDYLITIS (AS), PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL WITH ANY TWO PREFERRED AGENTS: HUMIRA, COSENTYX, SKYRIZI, STELARA.
Indications	All FDA-approved Indications.

Prior Authorization Criteria *Updated 3/2020*

PA Criteria	Criteria Details
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ENTRESTO (CCHP)

Products Affected

• ENTRESTO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Initial Authorization: Diagnosis of heart failure (with or without hypertension). Ejection fraction is less than or equal to 40 percent. Heart failure is classified as one of the following: New York Heart Association Class II - IV. Patient does not have a history of angioedema associated with use of the following: Angiotensin converting enzyme (ACE) Inhibitor therapy, Angiotensin receptor blocker (ARB) therapy. Patient will discontinue use of any concomitant ACE Inhibitor or ARB before initiating treatment with Entresto. ACE inhibitors must be discontinued at least 36 hours prior to initiation of Entresto. Patient is not concomitantly on aliskiren therapy. Patient is not pregnant. Reauthorization: Documentation of positive clinical response to therapy.
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

EPANED_NVT_2017

Products Affected

• EPANED ORAL SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Approval requires attestation of patient's inability to swallow solid dosage forms of enalapril.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

EPCLUSA_NVT_2018

Products Affected

• EPCLUSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HCV RNA LEVEL.
Age Restrictions	18 YEARS OF AGE AND OLDER.
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH: GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (HEPATOLOGIST)
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
Other Criteria	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE. HCV RNA LEVEL WITHIN PAST 6 MONTHS. PATIENT IS NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING MEDICATIONS NOT RECOMMENDED BY THE MANUFACTURER: AMIODARONE, CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, HIV REGIMEN THAT CONTAINS EFAVIRENZ, ROSUVASTATIN AT DOSES ABOVE 10MG, TIPRANAVIR/RITONAVIR OR TOPOTECAN. PATIENT MUST NOT HAVE SEVERE RENAL IMPAIRMENT, ESRD OR ON HEMODIALYSIS. RIBAVIRIN USE REQUIRED FOR PATIENTS WITH DECOMPENSATED CIRRHOSIS.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

EPIDIOLEX_2019

Products Affected

• EPIDIOLEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	DIAGNOSIS OF LENNOX-GASTAUT OR DRAVET SYNDROME.
Age Restrictions	2 YEARS OF AGE OR OLDER
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN EPILEPTOLOGIST OR NEUROLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	AT LEAST ONE PRIOR ANTIEPILEPTIC DRUG
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ERIVEDGE_NVT 2017

Products Affected

• ERIVEDGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or inconsultation with Oncology Specialist or Dermatologist.
Coverage Duration	Covered for duration of plan year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ERLEADA

Products Affected

• ERLEADA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	NON METASTATIC CASTRATION RESISTANT PROSTATE CANCER: THE PATIENT HAS HIGH RISK PROSTATE CANCER (I.E. RAPIDLY INCREASING PROSTATE SPECIFIC ANTIGEN [PSA] LEVELS) AND MEETS ONE OF THE FOLLOWING: (1) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) AGONIST OR ANTAGONIST OR (2) PREVIOUSLY RECEIVED A BILATERAL ORCHIECTOMY.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ERWINAZE_NVT 2014

Products Affected

• ERWINAZE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Oncology Specialists or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

EXTAVIA_MI_2018

Products Affected

• EXTAVIA SUBCUTANEOUS KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	TRIAL WITH TWO OF THE FOLLOWING AGENTS FOR MULTIPLE SCLEROSIS: AVONEX, PLEGRIDY, AND REBIF
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

FARYDAK_NVT 2016

Products Affected

• FARYDAK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology or Hematology Specialist or in consultation with an Oncology or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

FERRIPROX_NVT

Products Affected

- FERRIPROX ORAL SOLUTION
- FERRIPROX ORAL TABLET 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Hematology Specialists or in consult with Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

FIRMAGON_NVT 2015

Products Affected

• FIRMAGON KIT W DILUENT SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with Oncologist or Urologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval subject to BvD determination
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

FOLOTYN_NVT 2015

Products Affected

• FOLOTYN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or on consultation with Hematologist or Oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval subject to BvD determination.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

FORTEO_NVT 2016

Products Affected

• FORTEO

• PROLIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Member has had at least 1 fracture, OR member has BMD screening results of -2.5 or below, OR member has previously used and failed a bisphosphonate.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

FYCOMPA_NVT 2014

Products Affected

- FYCOMPA ORAL SUSPENSION
- FYCOMPA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

GARDASIL_NVT 2015

Products Affected

• GARDASIL 9 (PF)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	PA not required for members age 9-45.
Prescriber Restrictions	
Coverage Duration	Approved for duration of plan year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

GATTEX_NVT 2016

Products Affected

• GATTEX 30-VIAL

PA Criteria	Criteria Details	
Exclusion Criteria		
Required Medical Information	Diagnosis of short bowel syndrome. Dependent on parenteral support for at least 12 months and at least 3 days per week.	
Age Restrictions		
Prescriber Restrictions		
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.	
Other Criteria		
Indications	All FDA-approved Indications.	
Off Label Uses		

Prior Authorization Criteria *Updated 3/2020*

GILENYA_NVT 2018

Products Affected

• GILENYA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

GILOTRIF_NVT

Products Affected

• GILOTRIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an Oncology Specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

GLATIRAMER_MI_2018

Pro	ducts	Affe	cted

• glatiramer

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

GLEEVEC_NVT 2015

Products Affected

• imatinib

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by Oncologist or Hematologist, or under the direct consultation with an Oncologist or Hematologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

GROWTH HORMONES_NVT 2015

Products Affected

• NORDITROPIN FLEXPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The criteria for approval of growth hormones in adults require the diagnosis of Somatropin Deficiency Syndrome (defined by failure to stimulate Growth Hormone secretion (peak GH level of 10mcg/L or less) by one of the acceptable provocative tests). This may include adults who as children had Growth Hormone deficiency or adults with known pituitary disease.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

HARVONI_NVT PA 2018

Products Affected

• HARVONI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HCV RNA LEVEL WITHIN PAST 6 MONTHS.
Age Restrictions	Member must be 3 years of age or older.
Prescriber Restrictions	GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (HEPATOLOGIST).
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE
Other Criteria	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE. PATIENT IS NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING: CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, ROSUVASTATIN, SOFOSBUVIR (AS A SINGLE AGENT), OR TIPRANAVIR/RITONAVIR.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

HEPATITIS B AGENTS_CCHP 2014

Products Affected

- adefovir
- BARACLUDE ORAL SOLUTION
- PEGASYS

• PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	THIS SECTION APPLIES TO BARACLUDE, ADEFOVIR, AND PEGASYS (WHEN USED FOR HEP B): INITIATION OF TREATMENT (ONE OF THE FOLLOWING): HBV DNA GREATER THAN 2000IU/ML AND ALANINE AMINOTRANSFERASE (ALT) GREATER THAN UPPER LIMIT OF NORMAL (ULN)-(MALE ALT GREATER THAN 30 U/L AND FEMALE ALT TO GREATER THAN 19U/L). OR HISTOLOGIC EVIDENCE OF CIRRHOSIS AND DETECTABLE HBV DNA LEVELS. OR HISTOLOGIC EVIDENCE OF DECOMPENSATED CIRRHOSIS (THESE CASES SHOULD BE REFERRED TO GI). NONRESPONSE TO ANTIVIRAL TREATMENT - DEFINED AS HBV DNA LEVELS DECREASING LESS THAN 2 LOG DROP FROM BASELINE AFTER 6 MONTHS. SWITCHING ANTIVIRAL AGENTS SHOULD BE CONSIDERED AFTER MEDICATION COMPLIANCE HAS BEEN DETERMINED.
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST OR INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	INITIAL COVERAGE APPROVED FOR 6 MONTHS. CONTINUAL COVERAGE APPROVED FOR 12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

HETLIOZ_NVT

Products Affected

• HETLIOZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient is totally blind.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

HOFH_NVT 2016

Products Affected

• JUXTAPID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Untreated LDL greater than 500 mg/dL OR treated LDL greater than or equal to 300 mg/dL. Concurrent use of maximum statin dose (atorvastatin or rosuvastatin) and one other lipid lowering agent (include dates and reasons for discontinuation). For patients with statin intolerance, concurrent use of maximum statin dose not required. Chart documentation showing the most recent full lipid panel, including Apo-B within the past 12 months.
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Lipidologist, Cardiologist, or an Endocrinologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

HUMIRA_NVT 2018

Products Affected

- HUMIRA
- HUMIRA PEDIATRIC CROHNS START
- HUMIRA PEN
- HUMIRA PEN CROHNS-UC-HS START
- HUMIRA PEN PSOR-UVEITS-ADOL HS
- HUMIRA(CF)
- HUMIRA(CF) PEDI CROHNS STARTER
- HUMIRA(CF) PEN CROHNS-UC-HS
- HUMIRA(CF) PEN PSOR-UV-ADOL HS
- HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS: CURRENT WEIGHT. PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING GREATER THAN OR EQUAL TO 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS, ANKYLOSING SPONDYLITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIS PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSORIASIS: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST CROHN'S DISEASE/ULCERATIVE COLITIS: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST. Hidradenitis Suppurativa (HS): Prescriber must be a Dermatologist.
Coverage Duration	INITIAL: RA:6 MOS.PSA/AS:4 MOS.PJIA:5 MOS.PSO/CD/UC/HS: 3 MOS.UVEITIS:6 MOS.RENEWAL: 12 MOS FOR ALL
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE,

Prior Authorization Criteria *Updated 3/2020*

PA Criteria	Criteria Details
	HYDROXYCHLOROQUINE, OR SULFASALAZINE.
	POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA):
	PREVIOUS TRIAL OF ONE DMARD (DISEASE-MODIFYING
	ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE,
	LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR
	SULFASALAZINE. PSORIATIC ARTHRITIS (PSA): PREVIOUS
	TRIAL OF ONE DMARD (DISEASE-MODIFYING
	ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE,
	LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR
	SULFASALAZINE. ANKYLOSING SPONDYLITIS: TRIAL OF
	FORMULARY AGENTS NOT REQUIRED. PLAQUE PSORIASIS
	(PSO): PREVIOUS TRIAL OF ONE OF THE FOLLOWING
	CONVENTIONAL THERAPIES SUCH AS PUVA (PHOTOTHERAPY
	ULTRAVIOLET LIGHT A), UVB (ULTRAVIOLET LIGHT B),
	TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN,
	METHOTREXATE, OR CYCLOSPORINE. CROHN'S DISEASE (CD):
	PREVIOUS TRIAL OF ONE CONVENTIONAL AGENT SUCH AS A
	CORTICOSTEROID (I.E., BUDESONIDE,
	METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE,
	METHOTREXATE, OR MESALAMINE. ULCERATIVE COLITIS (UC): PREVIOUS TRIAL OF ONE CONVENTIONAL AGENT SUCH
	AS A CORTICOSTEROID (I.E., BUDESONIDE,
	METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE,
	METHOTREXATE, OR MESALAMINE.
T 1' 4'	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

HYDROXYPROGESTERONE_NVT

Products Affected

• hydroxyprogesterone cap(ppres)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

IBRANCE_NVT

Products Affected

• IBRANCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGY SPECIALIST
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ICLUSIG_NVT 2014

Products Affected

• ICLUSIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

IDHIFA_CCHP_2018

Products Affected

• IDHIFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Relapsed or refractory acute myeloid leukemia (AML) with an isocitrate dehydrogenase-2 (IDH2) mutation as detected by an FDA-approved test
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

IMBRUVICA_NVT 2014

Products Affected

- IMBRUVICA ORAL CAPSULE
- IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncologist, Hemotologist or Transplant specialist, or under the direct consultation of an Oncologist, Hemotologist or Transplant specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

INCRELEX_NVT 2015

Products Affected

• INCRELEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For the long-term treatment of growth failure in children with severe primary insulin-like growth factor-1 (IGF-1) deficiency (primary IGFD) or with growth hormone (GH) gene deletion who have developed neutralizing antibodies to GH.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

INLYTA_NAVITUS

Products Affected

• INLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULT WITH ONCOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

INREBIC

Products Affected

• INREBIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

INTERFERON_MI_2018

Products Affected

- AVONEX (WITH ALBUMIN)
- AVONEX INTRAMUSCULAR PEN INJECTOR
- AVONEX INTRAMUSCULAR PEN INJECTOR KIT
- AVONEX INTRAMUSCULAR SYRINGE KIT
- PLEGRIDY SUBCUTANEOUS PEN INJECTOR
- PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

IPF_NVT 2016

Products Affected

• ESBRIET ORAL CAPSULE

• OFEV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Definitive diagnosis of idiopathic pulmonary fibrosis defined by the following: No known cause of lung fibrosis AND one of the following: A. Surgical lung biopsy revealing histopathological pattern of unspecified interstitial pneumonia (UIP) B. High-resolution computed tomography indicates definite UIP pattern C. High-resolution computed tomography indicates possible UIP pattern AND surgical lung biopsy reveals a histopathological pattern of probable UIP
Age Restrictions	
Prescriber Restrictions	Prescribed by a Pulmonology Specialist or in consultation with a Pulmonology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Will not be used in combination with other medications used to treat IPF.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

IRESSA_NVT

Products Affected

• IRESSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ISTODAX_NVT 2015

Products Affected

• romidepsin

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or consultation with Hematologist or Oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval subject to BvD determination.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ITRACONAZOLE_NVT 2015

Products Affected

• itraconazole oral capsule

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For onychomycosis or diffuse dermatologic fungal infections: 1. fungal infection is confirmed by a positive KOH test, fungal culture or nail biopsy. 2. For onychomycosis, must fail terbinafine. For dermatologic infections, must fail one topical antifungal medication.
Age Restrictions	
Prescriber Restrictions	Infectious Disease Specialists, Pulmonologist or Dermatologist, Podiatrist or have consulted with an Infectious Disease Specialist, Pulmonologist or Dermatologist or Podiatrist concerning the patient.
Coverage Duration	Approved for 6 months.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

IVIG_NVT 2017

Products Affected

- BIVIGAM
- FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %
- GAMASTAN
- GAMMAGARD LIQUID
- GAMMAGARD S-D (IGA < 1 MCG/ML) OCTAGAM
- GAMMAKED INJECTION SOLUTION 10 GRAM/100 ML (10 %)
- GAMMAPLEX (WITH SORBITOL)
- GAMUNEX-C INJECTION SOLUTION 20 GRAM/200 ML (10 %)

 - **PRIVIGEN**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

JAKAFI_NVT 2014

Products Affected

• JAKAFI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULT WITH ONCOLOGY OR HEMATOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

KADCYLA_NVT

Products Affected

• KADCYLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

KALYDECO_NAVITUS

Products Affected

• KALYDECO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PATIENT IS NOT ON CONCURRENT THERAPY WITH OTHER IVACAFTOR-CONTAINING PRODUCTS. RENEWAL: THERE IS CLINICAL DOCUMENTATION OF MAINTAINED OR IMPROVEMENT IN FEV1, BMI, OR REDUCTION IN NUMBER OF EXACERBATIONS
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULT WITH PULMONOLOGIST OR CYSTIC FIBROSIS SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

KEYTRUDA_NVT 2015

Products Affected

 KEYTRUDA INTRAVENOUS SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

KINERET_NVT 2018

Products Affected

• KINERET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL: RA: 6 MONTHS. NOMID/CAPS: 12 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, XELJANZ/XELJANZ XR) AND ONE DMARD (DISEASE MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

KORLYM_NVT

Products Affected

• KORLYM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

KUVAN_NVT 2017

Products Affected

• KUVAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For continuing therapy the patient must have shown a 20% drop in Phenylalanine levels after 2 months of Kuvan treatment.
Age Restrictions	
Prescriber Restrictions	Prescribed by a Medical Geneticist or Metabolic Specialist.
Coverage Duration	Initial = 3 months, then if critieria is met approved for the rest of the plan year.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

KYPROLIS_NVT_2017

Products Affected

• KYPROLIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with an Oncologist or Hematologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

LARTRUVO_NVT_2017

Products Affected

• LARTRUVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

LENVIMA_NVT 2016

Products Affected

• LENVIMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

LETAIRIS_NVT 2015

Products Affected

• ambrisentan

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Pulmonologist or Cardiologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

LIDOCAINE PATCH_NVT 2015

Products Affected

• lidocaine topical adhesive patch, medicated 5 %

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	TRIAL AND FAILURE OF GABAPENTIN OF FOUR WEEKS OR MORE
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

LINZESS

Products Affected

• LINZESS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED POLYETHYLENE GLYCOL (MIRALAX).
Age Restrictions	AGE 18 YEARS AND OLDER
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

LOBRENA

Products Affected

• LORBRENA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

LONSURF_NVT

Products Affected

• LONSURF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY AN ONCOLOGY SPECIALIST OR IN CONSULTATION WITH AN ONCOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

LYNPARZA_NVT 2015

Products Affected

• LYNPARZA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Oncology Specialist or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

MAVYRET_CCHP_2018

Products Affected

• MAVYRET

PA Criteria	Criteria Details
Exclusion Criteria	Moderate or severe hepatic impairment (Child Pugh B Or C)
Required Medical Information	HCV RNA level within past 6 months
Age Restrictions	
Prescriber Restrictions	Prescribed by or given in consultation with: gastroenterologist, infectious disease specialist, physician specializing in the treatment of hepatitis (hepatologist), or a specially trained group such as ECHO (extension for community healthcare outcomes) model.
Coverage Duration	Criteria will be applied consistent with current AASLD/IDSA guidance.
Other Criteria	Criteria will be applied consistent with current AASLD/IDSA guidance. Trial of a preferred formulary alternative including Harvoni or Epclusa when these agents are considered acceptable for treatment of the specific genotype per AASLD/IDSA guidance. Patient is not concurrently taking any of the following medications not recommended or contraindicated by the manufacturer: carbamazepine, rifampin, ethinyl estradiol-containing medication, atazanavir,darunavir, lopinavir, ritonavir, efavirenz, atorvastatin, lovastatin, simvastatin, rosuvastatin at doses greater than 10mg, or cyclosporine at doses greater than 100mg per day. Patient must not have prior failure of a DAA regimen with NS5A inhibitor and HCV protease inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

MEGESTROL SUSP_NVT 2017

Products Affected

• megestrol oral suspension 400 mg/10 ml (40 mg/ml)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

MEGESTROL TABS_NVT 2017

Products Affected

• megestrol oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

MEKINIST_NVT 2016

Products Affected

• MEKINIST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

MEKTOVI BRAFTOVI 2018

Products Affected

• BRAFTOVI

• MEKTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	(1) BRAF V600E or V600K mutations as detected by an FDA-approved test (2) Not used as a single agent
Age Restrictions	
Prescriber Restrictions	prescribed by or given in consultation with an oncology specialist
Coverage Duration	APPROVED FOR DURATION OF CONTRACT YEAR SUBJECT TO FORMULARY CHANGE AND MEMBER ELIGIBILITY.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

MIDOSTAURIN

Products Affected

• RYDAPT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

MOVANTIK_NVT 2016

Products Affected

• MOVANTIK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Initial Therapy: Member must meet all criteria. 1. Opioid-induced constipation. 2. Failed two laxative/bowel therapies polyethylene glycol and lactulose.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	4 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

MYLOTARG_CCHP_2018

Products Affected

• MYLOTARG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Adults: newly diagnosed CD33+ AML. Children over the age of 2: refractory CD33+ AML
Age Restrictions	Patients age 2 and greater
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

NATPARA (CCHP2017)

Products Affected

• NATPARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PTH below reference range within the last 12 months (2 readings)
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Endocrinologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

NERLYNX_CCHP_2018

Products Affected

NERLYNX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Early stage HER2+ breast cancer after adjuvant trastuzumab-based therapy
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Duration of treatment not to exceed one year
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

NEXAVAR_NVT 2015

Products Affected

• NEXAVAR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	Require patient to be at least 18 years old.
Prescriber Restrictions	Prescribed by a Oncologist or under the direct consultation of an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

NINLARO_NVT

Products Affected

• NINLARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or Hematology Specialist, or in consultation with an Oncology Specialist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

NIRAPARIB TOSYLATE

Products Affected

• ZEJULA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

NORTHERA_NVT 2016

Products Affected

• NORTHERA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Neurology Specialist or Cardiologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

NOXAFIL_NVT 2015

Products Affected

• NOXAFIL ORAL

• posaconazole oral tablet, delayed release (dr/ec)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

NUBEQA

Products Affected

• NUBEQA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, A UROLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	CONCURRENTLY RECEIVING GONADOTROPIN-RELEASING HORMONE ANALOG OR HAD BILATERAL ORCHIECTOMY
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

NUCALA_NVT PA 2017

Products Affected

• NUCALA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Asthma: Peripheral blood eosinophil count of greater than or equal to 150 cells per microliter. History of 2 or more exacerbations in the previous year despite regular use of high-dose inhaled corticosteroids plus an additional controller(s). An exception is made for patients with intolerance or contraindication to high-dose inhaled corticosteroids and additional controller(s). Eosinophilic granulomatosis with polyangiitis (EGPA): Diagnosis of EGPA.
Age Restrictions	Member must be at least 6 years old.
Prescriber Restrictions	Prescribed by, or in consultation with, an Allergy Specialist, Immunologist, Rheumatologist, or Pulmonary Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

NUPLAZID_NVT

Products Affected

• NUPLAZID ORAL CAPSULE

• NUPLAZID ORAL TABLET 10 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

NUVIGIL_NVT 2015

Products Affected

• armodafinil

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of narcolepsy, OR obstructive sleep apnea/hypopnea syndrome, OR shift work sleep disorder
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ODOMZO_NVT 2017

Products Affected

• ODOMZO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or inconsultation with Oncology Specialist or Dermatologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

OPDIVO_NVT 2015

Products Affected

• OPDIVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Oncology Specialist or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

OPSUMIT_NVT

Products Affected

• OPSUMIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Pulmonologist or Cardiologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ORAL FENTANYL_NVT 2017

Products Affected

• fentanyl citrate

• FENTORA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Breakthrough cancer pain and opioid tolerence. Documented tolerance to opioids defined as patients taking around the clock medicine consisting of at least 60mg of oral morphine daily, at least 25mcg of transdermal fentanyl per hour, at least 30mg of oxycodone daily, at least 8mg of oral hydromorphone daily, or an equianalgesic dose of another opioid daily for a week or longer.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Trial of fentanyl lozenge before another branded fentanyl product.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ORENCIA_NVT 2018

Products Affected

• ORENCIA

- ORENCIA CLICKJECT
- ORENCIA (WITH MALTOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS, JUVENILE IDIOPATHIC ARTHRITIS, PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL: RA/PSA: 6 MONTHS. JIA: 4 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA) OR JUVENILE IDIOPATHIC ARTHRITIS (JIA): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, XELJANZ/XELJANZ XR) AND ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE. PSORIATIC ARTHRITIS: PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX, XELJANZ/XELJANZ XR, STELARA)
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ORFADIN_NVT 2015

Products Affected

• nitisinone

• ORFADIN ORAL CAPSULE 10 MG, 2 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ORKAMBI_NVT

Products Affected

• ORKAMBI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	1) Lung function (FEV1, ppFEV1), 2) BMI, 3) Pulmonary exacerbation history to be collected initially and at continuation.
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, pulmonologist.
Coverage Duration	Initial and continuation approval of 6 months to assess required medical info
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

PA_RESTASIS

Products Affected

• RESTASIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CLINICAL DOCUMENTATION OF DIAGNOSIS OF MODERATE-SEVERE DRY EYE, AND THAT POTENTIALLY EXACERBATING EXOGENOUS FACTORS SUCH AS ANTIHISTAMINE OR DIURETIC USE, EXPOSURE TO CIGARETTE SMOKE, AND ENVIRONMENTAL FACTORS HAVE BEEN MAXIMALLY MANAGED. RENEWAL: CLINICAL DOCUMENTATION OF IMPROVED RESPONSE TO THERAPY
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

PALIPERIDONE ER, INVEGA SUSTENNA

Products Affected

• INVEGA SUSTENNA

• paliperidone

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS NO TRIALS REQUIRED FOR THE FOLLOWING INDICATIONS: SCHIZOAFFECTIVE DISORDER.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

PERJETA_NVT 2014

Products Affected

• PERJETA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Oncologist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

PIQRAY

Products Affected

• PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X 2) X1-50 MG X1), 300 MG/DAY (150 MG X 2)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS PROGRESSED ON, OR AFTER, PREVIOUS TREATMENT WITH ENDOCRINE-BASED REGIMEN
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST
Coverage Duration	12 MONTHS
Other Criteria	PIQRAY WILL BE USED CONCURRENTLY WITH FULVESTRANT
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

POMALYST_NVT 2014

Products Affected

• POMALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Oncologist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

PROGESTERONE_NVT 2015

Products Affected

• CRINONE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

PROMACTA_NVT 2017

Products Affected

• PROMACTA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

RAVICTI_NVT 2016

Products Affected

• RAVICTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Requires trial of sodium phenylbutyrate powder.
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Metabolic Specialist or Geneticist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

RELISTOR_NVT 2015

Products Affected

- RELISTOR SUBCUTANEOUS SOLUTION
- RELISTOR SUBCUTANEOUS SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Initial Therapy: Member must meet both of the following: 1.Opioid-induced constipation. 2. Trial, or intolerance to, 2 laxative/bowel therapies-polyethylene glycol + Lactulose.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	4 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

REMICADE_NVT 2018

Products Affected

• REMICADE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING GREATER THAN OR EQUAL TO 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS, ANKYLOSING SPONDYLITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSORIASIS PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHN'S DISEASE/ULCERATIVE COLITIS: GASTROENTEROLOGIST.
Coverage Duration	INITIAL: CD/UC: 8 MO. RA: 6 MO. PSA/AS/PSO: 4 MO. RENEWAL FOR ALL INDICATIONS: 12 MO.
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, XELJANZ/XELJANZ XR) AND CONCURRENT USE WITH METHOTREXATE. PSORIATRIC ARTHRITIS (PSA): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX, XELJANZ/XELJANZ XR, STELARA). ANKYLOSING SPONDYLITIS (AS): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX). PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX, SKYRIZI, STELARA) AND ONE PREFERRED SYSTEMIC THERAPY (TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE. CROHN'S DISEASE (CD): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA AND

Prior Authorization Criteria *Updated 3/2020*

PA Criteria	Criteria Details
	STELARA) AND ONE CONVENTIONAL AGENT SUCH AS A CORTICOSTEROID (I.E., BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE. ULCERATIVE COLITIS (UC): PREVIOUS TRIAL OF BOTH (HUMIRA AND XELJANZ/XELJANZ XR) AND ONE CONVENTIONAL AGENT SUCH AS A CORTICOSTEROID (I.E., BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

REPATHA_2019

Products Affected

• REPATHA SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	dual therapy with another PCSK-9 inhibitor, Kynamro (mipomersen), or Juxtapid (lomitapide)
Required Medical Information	For initiation of therapy patient must: A) have one of the following conditions: 1) prior clinical atherosclerotic cardiovascular disease (ASCVD) (see Other Criteria), 2) primary hyperlipidemia [including heterozygous familial hypercholesterolemia (HeFH)] (see Other Criteria), or 3) homozygous familial hypercholesterolemia (HoFH) (see Other Criteria), AND B) for patients with prior clinical ASCVD or primary hyperlipidemia (including HeFH), current LDL-C level is over 70 mg/dL, AND one of the following requirements is met: 1) patient has been treated for 8 weeks or more with a high-intensity statin (atorvastatin 40mg or greater OR rosuvastatin 20mg or greater) in combination with ezetimibe, OR 2) patient is intolerant to statins demonstrated by the failure of 2 or more statins, including an attempt with a low-intensity (pitivastatin OR pravastatin) and alternatively-dosed statin (twice weekly low-dose rosuvastatin OR atorvastatin). For continuation of therapy, patient must: A) have one of the following conditions: 1) prior clinical ASCVD (see Other Criteria), 2) primary hyperlipidemia [including HeFH (see Other Criteria)], or 3) HoFH (see Other Criteria), AND B) demonstrate a reduction of LDL-C on PCSK9 inhibitor therapy
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with a Cardiologist, Lipidologist, or Endcrinologist
Coverage Duration	Initial: 3 months. Renewal: contract year subject to formulary change and member eligibility
Other Criteria	Clinical ASCVD defined as acute coronary syndromes, myocardial infarction, stable or unstable angina, coronary or other arterial revascularization procedure, prior stroke or transient ischemic attack, or peripheral arterial disease of presumed atherosclerotic origin. Diagnosis of HeFH must be confirmed by one of the following: 1) DNA-based evidence of mutation in the LDLR, Apo B, OR PCSK9 gain of function

Prior Authorization Criteria *Updated 3/2020*

PA Criteria	Criteria Details
	mutation, 2) Untreated LDL-C greater than 190 mg/dl AND tendon xanthomas in patient or first/second degree relative, 3) Untreated LDL-C greater than 190 mg/dl AND either first degree relative less than 60 years of age or second degree relative less than 50 years of age with premature heart disease, OR 4) untreated LDL-C greater than 190 mg/dl AND first or second degree relative with total cholesterol greater than 290 mg/dL. Diagnosis of HoFH confirmed by the following: 1) two parents diagnosed with HeFH OR genetic confirmation of LDL receptor mutation, AND 2) untreated total cholesterol greater 290 mg/dL or LDL-C greater 190 mg/dL, AND 3) either xanthomas present at 10 years of age or younger OR atherosclerotic disease at 20 years of age or younger.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

REVATIO_NVT 2017

Products Affected

• sildenafil (pulm.hypertension) oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

REVLIMID_NVT 2015

Products Affected

• REVLIMID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Oncologist or Hematologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

REXULTI

Products Affected

• REXULTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: MAJOR DEPRESSIVE DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

RIBOCICLIB_MI_2018

Products Affected

- KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG
- KISQALI ORAL TABLET 200 MG/DAY
 (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

RINVOQ

Products Affected

• RINVOQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	RENEWAL: PHYSICIAN ATTESTATION THAT THE PATIENT CONTINUES TO BENEFIT FROM THE MEDICATION.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS: PRESCRIBED BY, OR GIVEN IN CONSULTATION WITH, A RHEUMATOLOGIST,
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	RHEUMATOID ARTHRITIS (RA): INITIAL: PREVIOUS TRIAL OF OR CONTRAINDICATION TO ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

RISPERDAL

Products Affected

• PERSERIS

• RISPERDAL CONSTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DISORDER: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DEPRESSION: OLANZAPINE. ACUTE MANIC/MIXED EPISODES WITH BIPOLAR DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ROZLYTREK

Products Affected

• ROZLYTREK ORAL CAPSULE 100 MG, 200 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

RUBRACA_NVT_2017

Products Affected

• RUBRACA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

RUCONEST_NVT 2015

Products Affected

• RUCONEST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SABRIL_NVT 2017

Products Affected

• vigabatrin

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Neurologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SAPHRIS

Products Affected

• SAPHRIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DISORDER: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: ACUTE MANIC/MIXED EPISODES WITH BIPOLAR DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SIGNIFOR_NVT 2015

Products Affected

• SIGNIFOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Prescribed for the treatment of an adult patient with Cushing disease AND Pituitary surgery is not an option OR Pituitary surgery was not curative
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with an endocrinologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SIMPONI_NVT 2018

Products Affected

• SIMPONI

• SIMPONI ARIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA, ENBREL, XELJANZ/XELJANZ XR) AND CONCURRENT USE WITH METHOTREXATE. PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX, STELARA, XELJANZ/XELJANZ XR). ANKYLOSING SPONDYLITIS (AS): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX). ULCERATIVE COLITIS (UC): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA, XELJANZ/XELJANZ XR) AND ONE OF THE FOLLOWING CONVENTIONAL AGENTS SUCH AS A CORTICOSTEROID (I.E., BUDESONIDE, METHYLPREDINSOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SIRTURO_NVT

Products Affected

• SIRTURO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an infectious disease specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SIVEXTRO_NVT 2015

Products Affected

• SIVEXTRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Infectious Disease Specialist or in consult with Infectious Disease Specialist.
Coverage Duration	Approved for 6 months subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SKYRIZI

Products Affected

• SKYRIZI SUBCUTANEOUS SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING GREATER THAN OR EQUAL TO 5% OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION THAT THE PATIENT CONTINUES TO BENEFIT FROM THE MEDICATION.
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A DERMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL OF OR CONTRAINDICATION TO ONE CONVENTIONAL THERAPY, SUCH AS PUVA (PHOTOTHERAPY ULTRAVIOLET LIGHT A), UVB (ULTRAVIOLET LIGHT B), TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SOLARAZE_NVT 2017

Products Affected

• diclofenac sodium topical gel 3 %

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SOLTAMOX_NVT

Products Affected

• SOLTAMOX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SOMAVERT_NVT 2017

Products Affected

 SOMAVERT SUBCUTANEOUS RECON SOLN 15 MG, 20 MG, 25 MG, 30 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Endocrinologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SOVALDI_NVT PA 2018

Products Affected

• SOVALDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HCV RNA LEVEL WITHIN PAST 6 MONTHS.
Age Restrictions	Member must be 12 years of age or older.
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATIONS WITH: GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (HEPATOLOGIST)
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE
Other Criteria	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SPRITAM_NVT 2017

Products Affected

• SPRITAM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Member must have a trial or contraindication to generic levetiracetam.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SPRYCEL_NVT 2017

Products Affected

• SPRYCEL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an Oncologist or Hematologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

STELARA

Products Affected

• STELARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING GREATER THAN OR EQUAL TO 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, OR FACE. RENEWAL FOR PSORIATIC ARTHRITIS OR PLAQUE PSORIASIS: PHYSICIAN ATTESTATION THAT THE PATIENT CONTINUES TO BENEFIT FROM THE MEDICATION.
Age Restrictions	
Prescriber Restrictions	PSORIATIC ARTHRITIS: PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PLAQUE PSORIASIS: PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A DERMATOLOGIST. CROHN'S DISEASE: PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: PSA, PSO, CD: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL OF OR CONTRAINDICATION TO AT LEAST ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE. PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL OF OR CONTRAINDICATION AT LEAST ONE CONVENTIONAL THERAPY SUCH AS PUVA (PHOTOTHERAPY ULTRAVIOLET LIGHT A), UVB (ULTRAVIOLET LIGHT B), TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE. CROHN'S DISEASE (CD): PREVIOUS TRIAL OF OR CONTRAINDICATION TO AT LEAST ONE CONVENTIONAL THERAPY SUCH AS CORTICOSTEROIDS

Prior Authorization Criteria *Updated 3/2020*

PA Criteria	Criteria Details
	(I.E. BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

STIVARGA_NVT 2014

Products Affected

• STIVARGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

STRENSIQ (CCHP)

Products Affected

• STRENSIQ SUBCUTANEOUS SOLUTION 40 MG/ML, 80 MG/0.8 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Pediatric Endocrinologist, Metabolic Specialist, or Genetic Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SUCRAID_NVT 2017

Products Affected

• SUCRAID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SUTENT_NVT 2017

Products Affected

• SUTENT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SYLATRON_NAVITUS

Products Affected

• SYLATRON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SYNAGIS_NVT 2015

Products Affected

 SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Approve up to five (MAXIMUM) monthly doses of Synagis when an infant or child meets the criteria for one of the following conditions: Infants and children younger than 24 months with chronic lung disease of prematurity (CLD previously known as bronchopulmonary dysplasia) receiving medical therapy within 6 months before the start of the RSV season OR Infants born before 32 weeks of gestation even if they do not have CLD OR Infants born at 32 to less than 35 weeks of gestation, particularly when at least 1 of the following 2 risk factors is present: the infant attends child care, or 1 or more siblings or other children younger than 5 years live permanently in the same household OR Infants with congenital abnormalities of the airway or neuromuscular disease OR Infants and children 24 months or younger with hemodynamically significant cyanotic or acyanotic congenital heart disease (CHD).
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an ICU physician, Neonatologist, Pediatric Specialist, Pulmonologist, Cardiologist, Infectious Disease Specialist, or Neurologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

SYPRINE_NVT 2017

Products Affected

• trientine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TAFINLAR_NVT 2016

Products Affected

• TAFINLAR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TAGRISSO_NVT

Products Affected

• TAGRISSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TALZENNA_2019

Products Affected

• TALZENNA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TARCEVA_NVT 2017

Products Affected

• erlotinib

• TARCEVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TARGRETIN_NVT 2015

Products Affected

• bexarotene

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Oncology or Dermatology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TASIGNA_NVT 2017

Products Affected

• TASIGNA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Requires trial of Sprycel for FDA indications that are shared.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TECENTRIQ_NVT

Products Affected

• TECENTRIQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH ONCOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TECFIDERA_MI_2018

Products Affected

• TECFIDERA ORAL CAPSULE, DELAYED

RELEASE(DR/EC) 120 MG, 120 MG (14)- 240 MG (46), 240 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TESTOSTERONE

Products Affected

• testosterone transdermal gel in metereddose pump 12.5 mg/1.25 gram (1 %)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Two morning testosterone levels fall below the normal range for a healthy adult male. Patient must have tried and failed ANDRODERM and ANDROGEL.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

THALOMID_NVT 2015

Products Affected

• THALOMID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Oncology Specialist or infectious disease specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TIBSOVO

Products Affected

• TIBSOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	IDH1 mutation detected by an FDA-approved test
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR GIVEN IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TIGAN_NVT 2017

Products Affected

• trimethobenzamide oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TIRF

Products Affected

• modafinil

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TOBI_NVT 2015

- TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE
- tobramycin in 0.225 % nacl

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Infectious Disease or Pulmonology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval will be based off BvD coverage determination.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TOPICAL STEROIDS_NVT 2017

- amcinonide topical cream
- amcinonide topical ointment
- betamethasone valerate topical foam
- clobetasol topical foam
- clobetasol topical lotion
- clobetasol topical shampoo
- clobetasol topical spray,non-aerosol
- clobetasol-emollient topical foam
- CLODAN

- cormax scalp
- DESONATE
- desonide topical cream
- desonide topical lotion
- *fluticasone propionate topical lotion*
- hydrocort buty 0.1% lipo cream
- hydrocortisone butyrate topical cream
- TRIDESILON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Requires trial of two formulary topical steroids
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TOTAL PARENTERAL NUTRITION AGENT

- AMINOSYN 7 % WITH ELECTROLYTES
- AMINOSYN 8.5 %-ELECTROLYTES
- AMINOSYN II 10 %
- AMINOSYN II 7 %
- AMINOSYN II 8.5 %
- AMINOSYN II 8.5 %-ELECTROLYTES
- AMINOSYN-HBC 7%
- AMINOSYN-PF 10 %
- AMINOSYN-PF 7 % (SULFITE-FREE)
- AMINOSYN-RF 5.2 %
- CLINIMIX 5%/D15W SULFITE FREE
- CLINIMIX 5%/D25W SULFITE-FREE
- CLINIMIX 4.25%-D25W SULF-FREE
- CLINIMIX 4.25%/D10W SULF FREE
- CLINIMIX 4.25%/D5W SULFIT FREE
- CLINIMIX 5%-D20W(SULFITE-FREE)
- CLINIMIX E 2.75%/D10W SUL FREE

- CLINIMIX E 2.75%/D5W SULF FREE
- CLINIMIX E 4.25%/D10W SUL FREE
- CLINIMIX E 4.25%/D25W SUL FREE
- CLINIMIX E 4.25%/D5W SULF FREE
- CLINIMIX E 5%/D15W SULFIT FREE
- CLINIMIX E 5%/D20W SULFIT FREE
- CLINIMIX E 5%/D25W SULFIT FREE
- CLINISOL SF 15 %
- FREAMINE HBC 6.9 %
- HEPATAMINE 8%
- NEPHRAMINE 5.4 %
- PLENAMINE
- PREMASOL 10 %
- PREMASOL 6 %
- PROCALAMINE 3%
- PROSOL 20 %
- TRAVASOL 10 %
- TROPHAMINE 10 %

PA Criteria	Criteria Details
Exclusion Criteria	PATIENTS RECEIVING TOTAL PARENTERAL NUTRITION FOR A NONFUNCTIONING DIGESTIVE TRACT.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.

Prior Authorization Criteria *Updated 3/2020*

PA Criteria	Criteria Details
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TRACLEER_NVT 2015

Products Affected

• TRACLEER ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Pulmonology or Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TREANDA_NVT 2015

Products Affected

 TREANDA INTRAVENOUS RECON SOLN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TROKENDI_NVT 2014

Products Affected

• topiramate oral capsule,sprinkle,er 24hr

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has tried and failed topiramate (TOPAMAX) AND patient has a diagnosis of partial-onset seizures, primary generalized tonic-clonic seizures, seizures associated with Lennox-Gastaut syndrome, or migraines where topiramate ER is being used for migraine prophyaxis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TURALIO

Products Affected

• TURALIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TYKERB_NVT

Products Affected

• TYKERB

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Tykerb is prescribed in combination with capecitabine (Xeloda) AND The patient has advanced or metastatic breast cancer with tumor over-expression of HER2 AND The patient has recieved prior therapy including an anthracycline and a taxane and trastumab. Tykerb is prescribed in combination with letrozole for the treatment of postmenopausal women with hormone receptor positive metastatic breast cancer that overexpresses the HER2 receptor for whom hormonal therapy is indicated.
Age Restrictions	
Prescriber Restrictions	Approval requires the prescriber to be an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

TYSABRI_NVT 2018

Products Affected

• TYSABRI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CROHN'S DISEASE: GASTROENTEROLOGIST.
Coverage Duration	MULTIPLE SCLEROSIS: 12 MONTHS. CROHN'S DISEASE: 6 MONTHS. RENEWAL: CROHN'S: 12 MONTHS
Other Criteria	MULTIPLE SCLEROSIS: TRIAL OF ONE OF THE FOLLOWING PREFERRED AGENTS FOR MULTIPLE SCLEROSIS: GILENYA, MAYZENT, MAVENCLAD, COPAXONE, REBIF, AVONEX, PLEGRIDY, TEDFIDERA, OR AUBAGIO. CROHN'S DISEASE: TRIAL OF A HUMIRA AND STELARA. NOT APPROVED FOR PATIENTS ON CONCURRENT THERAPY WITH A TNF (TUMOR NECROSIS FACTOR) INHIBITOR: ENBREL, CIMZIA, REMICADE, SIMPONI, OR SIMPONI ARIA.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

UCERIS_NVT

- budesonide oral tablet, delayed and ext. release
- UCERIS RECTAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has active mild to moderate ulcerative colitis and has tried and failed or was intolerant to mesalamine.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

UPTRAVI_NVT 2017

- UPTRAVI ORAL TABLET
- UPTRAVI ORAL TABLETS,DOSE PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

VALCHLOR_NVT 2017

Products Affected

• VALCHLOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has received prior skin-directed therapy such as topical steroids.
Age Restrictions	
Prescriber Restrictions	Prescribed by Oncology Specialist or Dermatology Specialist or in consultation with an Oncology or Dermatology Specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

VENCLEXTA_NVT

Products Affected

VENCLEXTA

• VENCLEXTA STARTING PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Oncologist or Hematologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

VENTAVIS_NVT 2015

Products Affected

• VENTAVIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	Restricted to or on consult with Pulmonology or Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

VERZENIO_CCHP_2018

Products Affected

• VERZENIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of HR+ HER2- advanced or metastatic breast cancer
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

VITRAKVI_2018

Products Affected

• VITRAKVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY AN ONCOLOGY SPECIALIST OR IN CONSULTATION WITH AN ONCOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

VIZIMPRO

Products Affected

• VIZIMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

VORICONAZOLE_NVT 2015

Products Affected

voriconazole

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Infectious Disease Specialist or Oncologist or in consultation with an Infectious Disease Specialist or Oncologist concerning the patient.
Coverage Duration	Approved for six months subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

VOSEVI_CCHP_2018

Products Affected

VOSEVI

PA Criteria	Criteria Details
Exclusion Criteria	Severe renal impairment, ESRD or on hemodialysis. Moderate or severe hepatic impairment (Child-Pugh B or C).
Required Medical Information	HCV RNA level within past 6 months
Age Restrictions	
Prescriber Restrictions	Prescribed by or given in consultation with: gastroenterologist, infectious disease specialist, physician specializing in the treatment of hepatitis (hepatologist), or a specially trained group such as ECHO (extension for community healthcare outcomes) model.
Coverage Duration	Criteria will be applied consistent with current AASLD/IDSA guidance.
Other Criteria	Criteria will be applied consistent with current AASLD/IDSA guidance. Patient is not concurrently taking any of the following medications not recommended by the manufacturer: amiodarone, carbamazepine, phenytoin, phenobarbital, oxcarbazepine, rifampin, rifabutin, rifapentine, cyclosporine, pitavastatin, pravastatin (doses above 40mg), rosuvastatin, methotrexate, mitoxantrone, imatinib, irinotecan, lapatinib, sulfasalazine, topotecan, or HIV regimen that contains efavirenz, atazanavir, lopinavir or tipranavir/ritonavir.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

VOTRIENT_NVT

Products Affected

• VOTRIENT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Require the prescriber to be an Oncologist or be in under the direct consultation with an Oncologist.
Coverage Duration	Approved for duration of plan year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

VRAYLAR

Products Affected

• VRAYLAR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DISORDER: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DEPRESSION: OLANZAPINE. ACUTE MANIC/MIXED EPISODES WITH BIPOLAR DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

XALKORI_NVT

Products Affected

• XALKORI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

XELJANZ_NVT_18

Products Affected

• XELJANZ

• XELJANZ XR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	RA: INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS, PSORIATIC ARTHRITIS: PREVIOUS TRIAL OF ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE. ULCERATIVE COLITIS: PREVIOUS TRIAL OF ONE CONVENTIONAL THERAPY SUCH AS CORTICOSTEROIDS (I.E., BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

XENAZINE_NVT 2015

Products Affected

• tetrabenazine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has chorea due to Huntington's Disease.
Age Restrictions	
Prescriber Restrictions	Prescribed by a Neurologist or in consultation with a Neurologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

XGEVA_NVT 2015

Products Affected

• XGEVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

XOLAIR_NVT PA 2015

Products Affected

 XOLAIR SUBCUTANEOUS RECON SOLN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	1. If for moderate to severe persistent asthma: There must be objective evidence of reversible airway obstruction AND the patient's lgE level must be within the following range (patients 12 years or older: between 30 IU/ml and 700 IU/ml, OR patients 6 to 12 years: up to 1,300IU/mL), AND the patient must have a positive skin test or RAST test for specific allergic sensitivity and one of the following: Inadequately controlled asthma despite medium dose of inhaled corticosteroids for at least 3 months in combination with a trial of long-acting inhaled beta-agonists OR a leukotriene modifier and systemic steroids OR high dose inhaled corticosteroids are required to maintain adequate asthma control OR intolerance or contradindication to the previously listed drugs. 2. If for chronic idiopathic urticaria, patient remains symptomatic despite H1 antihistamine treatment or has intolerance or contraindication to H1 antihistamine treatment.
Age Restrictions	If for moderate to severe persistent asthma, patient must be at least 6 years old. If for chronic idiopathic urticaria, patient must be at least 12 years old.
Prescriber Restrictions	Prescribed by, or in consultation with, an Allergy Specialist, Pulmonary Specialist, Dermatologist, or Immunologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

XOSPATA

Products Affected

• XOSPATA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULTATION WITH AN ONCOLOGIST OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

XPOVIO

Products Affected

• XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5), 160

MG/WEEK (20 MG X 8), 60 MG/WEEK (20 MG X 3), 80 MG/WEEK (20 MG X 4)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO, OR IN CONSULTATION WITH, AN ONCOLOGIST OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	XPOVIO IS USED IN COMBINATION WITH DEXAMETHASONE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

XTANDI_NVT

Products Affected

• XTANDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist
Coverage Duration	Covered for duration of plan year subject to member eligibility and formulary change.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

XYREM_NVT 2017

Products Affected

• XYREM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a neurologist, pulmonologist, or sleep specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

YERVOY_NVT 2015

Products Affected

• YERVOY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with Oncologist or Dermatologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval based on BvD determination
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

YONDELIS_NVT_2017

Products Affected

• YONDELIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

YONSA_2018

Products Affected

• YONSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: FOR METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: (1) DOCUMENTATION OF INTOLERANCE TO, OR A CONTRAINDICATION TO ABIRATERONE (ZYTIGA) AND (2) YONSA IS BEING USED IN COMBINATION WITH METHYLPREDNISOLONE
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A ONCOLOGIST
Coverage Duration	6 MONTHS
Other Criteria	SUBSEQUENT APPROVAL AFTER 6 MONTHS WILL REQUIRE DOCUMENTATION OF CONTINUED DISEASE IMPROVEMENT OR LACK OF DISEASE PROGRESSION
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ZALTRAP_NVT 2014

Products Affected

 ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ZAVESCA_NVT 2017

Products Affected

• miglustat

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Clinical Geneticist, Medical Biochemical Geneticist, Hematologist, or Metabolic Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ZELBORAF_NVT 2017

Products Affected

• ZELBORAF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ZOLINZA_NVT 2015

Products Affected

• ZOLINZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Oncology or Dermatology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ZORTRESS_NVT 2015

Products Affected

• ZORTRESS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Coverage determination based on Med-B vs. Med-D review.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ZYDELIG_NVT

Products Affected

• ZYDELIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	DIAGNOSIS A: Patient has relapsed CLL, defined as CLL progression less than 24 months since the completion of the last prior therapy AND Idelalisib (ZYDELIG) will be used in combination with rituximab (RITUXAN). DIAGNOSIS B and C: Patient has relapsed follicular B-cell non-Hodgkin lymphoma (FL) OR Patient has relapsed small lymphocytic lymphoma (SLL) AND Patient has received at least two (2) prior systemic therapies.
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an Oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ZYKADIA_NVT

Products Affected

• ZYKADIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Zykadia requires the prescriber to be an Oncologist or under the direct consultation of an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ZYTIGA_NVT 2015

Products Affected

• abiraterone

• ZYTIGA ORAL TABLET 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist or Urology Specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

ZYVOX_NVT 2015

Products Affected

linezolid

- linezolid in dextrose 5%
- linezolid 600 mg/300 ml-0.9% nacl

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Infectious Disease Specialist or in consultation with an Infectious Disease Specialist concerning the patient.
Coverage Duration	Approved for 6 months subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 3/2020*

INDEX

A	armodafinil	126
ABILIFY MAINTENA12	AUBAGIO	14
ABILIFY MYCITE12	avita	1
abiraterone231	AVONEX (WITH ALBUMIN)	86
ADAGEN2	AVONEX ÎNTRAMUSCULAR PEI	
adapalene 0.3% gel pump1	INJECTOR	
adapalene topical cream1	AVONEX INTRAMUSCULAR PE	N
adapalene topical gel1	INJECTOR KIT	86
adefovir73	AVONEX INTRAMUSCULAR SY	RINGE
ADEMPAS4	KIT	
AFINITOR5	AYVAKIT	15
AFINITOR DISPERZ5	В	
ALECENSA6	BALVERSA ORAL TABLET 3 MC	3 . 4
ALIQOPA7	MG, 5 MG	
ALUNBRIG22	BARACLUDE ORAL SOLUTION.	
alyq3	BELEODAQ	
ambrisentan	BENLYSTA	
amcinonide topical cream192	BERINERT INTRAVENOUS KIT.	34
amcinonide topical ointment192	BESPONSA	
AMINOSYN 7 % WITH ELECTROLYTES	betamethasone valerate topical foam	
193	bexarotene	
AMINOSYN 8.5 %-ELECTROLYTES .193	BIVIGAM	
AMINOSYN II 10 %193	BOSULIF	
AMINOSYN II 7 %193	BRAFTOVI	
AMINOSYN II 8.5 %193	BRIVIACT INTRAVENOUS	
AMINOSYN II 8.5 %-ELECTROLYTES	BRIVIACT ORAL SOLUTION	
193	BRIVIACT ORAL TABLET	
AMINOSYN-HBC 7%193	BRUKINSA	
AMINOSYN-PF 10 %193	budesonide oral tablet, delayed and	
AMINOSYN-PF 7 % (SULFITE-FREE) 193	ext.release	200
AMINOSYN-RF 5.2 %193	C	
ANDRODERM TRANSDERMAL PATCH	CABOMETYX	25
24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	CALQUENCE	
9	CAPRELSA	
ANDROGEL TRANSDERMAL GEL IN	CARBAGLU	
PACKET 1.62 % (20.25 MG/1.25	CAYSTON	
GRAM)9	CESAMET	
APTIOM10	CHOLBAM	
ARCALYST11	CIMZIA	
aripiprazole oral tablet, disintegrating12	CIMZIA POWDER FOR RECONST	
ARISTADA12	CINRYZE	
ARISTADA INITIO12	CLINIMIX 5%/D15W SULFITE FI	

CLINIMIX 5%/D25W SULFITE-FREE193	\mathbf{E}
CLINIMIX 4.25%/D10W SULF FREE193	EMPLICITI49
CLINIMIX 4.25%/D5W SULFIT FREE 193	ENBREL50
CLINIMIX 4.25%-D25W SULF-FREE .193	ENBREL MINI50
CLINIMIX 5%-D20W(SULFITE-FREE)	ENBREL SURECLICK50
193	ENTRESTO51
CLINIMIX E 2.75%/D10W SUL FREE.193	EPANED ORAL SOLUTION52
CLINIMIX E 2.75%/D5W SULF FREE.193	EPCLUSA53
CLINIMIX E 4.25%/D10W SUL FREE.193	EPIDIOLEX54
CLINIMIX E 4.25%/D25W SUL FREE.193	ERIVEDGE55
CLINIMIX E 4.25%/D5W SULF FREE.193	ERLEADA56
CLINIMIX E 5%/D15W SULFIT FREE 193	erlotinib181
CLINIMIX E 5%/D20W SULFIT FREE 193	ERWINAZE57
CLINIMIX E 5%/D25W SULFIT FREE 193	ESBRIET ORAL CAPSULE87
CLINISOL SF 15 %193	EXTAVIA SUBCUTANEOUS KIT58
clobetasol topical foam192	F
clobetasol topical lotion192	FANAPT12
clobetasol topical shampoo192	FARYDAK59
clobetasol topical spray,non-aerosol 192	fentanyl citrate130
clobetasol-emollient topical foam192	FENTORA130
CLODAN192	FERRIPROX ORAL SOLUTION60
COMETRIQ35	FERRIPROX ORAL TABLET 500 MG60
COPIKTRA36	FIRAZYR34
CORLANOR ORAL TABLET37	FIRMAGON KIT W DILUENT SYRINGE
cormax scalp192	61
COSENTYX (2 SYRINGES)38	FLEBOGAMMA DIF INTRAVENOUS
COSENTYX PEN (2 PENS)38	SOLUTION 10 %91
COTELLIC39	fluticasone propionate topical lotion192
CRINONE139	FOLOTYN62
CYRAMZA40	fondaparinux13
CYSTAGON41	FORTEO63
CYSTARAN42	FREAMINE HBC 6.9 %193
D	FYCOMPA ORAL SUSPENSION64
dalfampridine8	FYCOMPA ORAL TABLET64
DARZALEX43	G
DAURISMO ORAL TABLET 100 MG, 25	GAMASTAN91
MG44	GAMMAGARD LIQUID91
DESONATE192	GAMMAGARD S-D (IGA < 1 MCG/ML)
desonide topical cream192	91
desonide topical lotion192	GAMMAKED INJECTION SOLUTION 10
diclofenac sodium topical gel 3 %163	GRAM/100 ML (10 %)91
dronabinol46	GAMMAPLEX (WITH SORBITOL)91
DUPIXENT47	GAMUNEX-C INJECTION SOLUTION 20
	GRAM/200 ML (10 %)91

GARDASIL 9 (PF)65	IRESSA	88
GATTEX 30-VIAL66	itraconazole oral capsule	90
GILENYA67	\mathbf{J}	
GILOTRIF68	JAKAFI	92
glatiramer69	JUXTAPID	75
H	K	
HARVONI72	KADCYLA	93
HEPATAMINE 8%193	KALYDECO	94
HETLIOZ74	KEYTRUDA INTRAVENOUS	
HUMIRA76, 77	SOLUTION	95
HUMIRA PEDIATRIC CROHNS START	KINERET	
76, 77	KISQALI FEMARA CO-PACK ORA	L
HUMIRA PEN76, 77	TABLET 200 MG/DAY(200 MG X	
HUMIRA PEN CROHNS-UC-HS START	2.5 MG, 400 MG/DAY(200 MG X	
76, 77	MG, 600 MG/DAY(200 MG X 3)-2	_
HUMIRA PEN PSOR-UVEITS-ADOL HS	MG	
76, 77	KISQALI ORAL TABLET 200 MG/I	
HUMIRA(CF)76, 77	(200 MG X 1), 400 MG/DAY (200	
HUMIRA(CF) PEDI CROHNS STARTER	2), 600 MG/DAY (200 MG X 3)	
76, 77	KORLYM	
HUMIRA(CF) PEN CROHNS-UC-HS76,	KUVAN	
77	KYPROLIS	99
HUMIRA(CF) PEN PSOR-UV-ADOL HS	L	
76, 77	LARTRUVO	100
HUMIRA(CF) PEN SUBCUTANEOUS	LATUDA	
PEN INJECTOR KIT 40 MG/0.4 ML .76,	LENVIMA	
77	lidocaine topical adhesive patch, medic	cated 5
hydrocort buty 0.1% lipo cream192	%	
hydrocortisone butyrate topical cream 192	linezolid	
hydroxyprogesterone cap(ppres)78	linezolid 600 mg/300 ml-0.9% nacl	232
I	linezolid in dextrose 5%	
IBRANCE79	LINZESS	104
icatibant34	LONSURF	106
ICLUSIG80	LORBRENA	105
IDHIFA81	LYNPARZA ORAL TABLET	107
imatinib70	M	
IMBRUVICA ORAL CAPSULE82	MAVYRET	108
IMBRUVICA ORAL TABLET 140 MG,	megestrol oral suspension 400 mg/10	
280 MG, 420 MG, 560 MG82	mg/ml)	
IMFINZI48	megestrol oral tablet	
INCRELEX83	MEKINIST	
INLYTA84	MEKTOVI	
INREBIC85	methamphetamine	
INVEGA SUSTENNA135	miglustat	

modafinil190	PLENAMINE	193
MOVANTIK114	POMALYST	138
MYLOTARG115	posaconazole oral tablet, delayed rele	ease
N	(dr/ec)	
NATPARA116	PREMASOL 10 %	
NEPHRAMINE 5.4 %193	PREMASOL 6 %	193
NERLYNX117	PRIVIGEN	91
NEXAVAR118	PROCALAMINE 3%	193
NINLARO119	PROLIA	63
nitisinone132	PROMACTA ORAL TABLET	140
NORDITROPIN FLEXPRO71	PROSOL 20 %	193
NORTHERA121	R	
NOXAFIL ORAL122	RAVICTI	141
NUBEQA123	RELISTOR SUBCUTANEOUS	
NUCALA124	SOLUTION	142
NUPLAZID ORAL CAPSULE125	RELISTOR SUBCUTANEOUS SY	
NUPLAZID ORAL TABLET 10 MG125		142
0	REMICADE	
OCTAGAM91	REPATHA SYRINGE	
ODOMZO127	RESTASIS	
OFEV87	REVLIMID	148
OPDIVO128	REXULTI	149
OPSUMIT129	RINVOQ	
ORENCIA131	RISPERDAL CONSTA	
ORENCIA (WITH MALTOSE)131	romidepsin	
ORENCIA CLICKJECT131	ROZLYTREK ORAL CAPSULE 10	
ORFADIN ORAL CAPSULE 10 MG, 2	200 MG	
MG, 5 MG132	RUBRACA	154
ORKAMBI133	RUCONEST	155
P	RYDAPT	113
paliperidone135	S	
PEGASYS73	SAPHRIS	157
PEGASYS PROCLICK SUBCUTANEOUS	SIGNIFOR	
PEN INJECTOR 180 MCG/0.5 ML73	sildenafil (pulm.hypertension) oral ta	ablet 147
PERJETA136	SIMPONI	
PERSERIS152	SIMPONI ARIA	
PIQRAY ORAL TABLET 200 MG/DAY	SIRTURO	160
(200 MG X 1), 250 MG/DAY (200 MG	SIVEXTRO	
X1-50 MG X1), 300 MG/DAY (150 MG	SKYRIZI SUBCUTANEOUS SYRI	
X 2)137		
PLEGRIDY SUBCUTANEOUS PEN	SOLTAMOX	
INJECTOR86	SOMAVERT SUBCUTANEOUS R	
PLEGRIDY SUBCUTANEOUS SYRINGE	SOLN 15 MG, 20 MG, 25 MG, 30	
125 MCG/0.5 ML86		

SOVALDI166	trimethobenzamide oral	189
SPRITAM167	TROPHAMINE 10 %	193
SPRYCEL168	TURALIO	197
STELARA169, 170	TYKERB	198
STIVARGA171	TYSABRI	199
STRENSIQ SUBCUTANEOUS	\mathbf{U}	
SOLUTION 40 MG/ML, 80 MG/0.8 ML	UCERIS RECTAL	200
172	UPTRAVI ORAL TABLET	201
SUCRAID173	UPTRAVI ORAL TABLETS,DOSE	
SUTENT174		
SYLATRON175	\mathbf{V}	
SYMPAZAN21	VALCHLOR	202
SYNAGIS INTRAMUSCULAR	VENCLEXTA	
SOLUTION 50 MG/0.5 ML176	VENCLEXTA STARTING PACK	203
T	VENTAVIS	204
TAFINLAR178	VERZENIO	
TAGRISSO179	vigabatrin	
TALZENNA180	VITRAKVI	
TARCEVA181	VIZIMPRO	207
TASIGNA183	voriconazole	208
TECENTRIQ184	VOSEVI	209
TECFIDERA ORAL	VOTRIENT	210
CAPSULE,DELAYED	VRAYLAR	211
RELEASE(DR/EC) 120 MG, 120 MG	X	
(14)- 240 MG (46), 240 MG185	XALKORI	212
testosterone transdermal gel in metered-dose	XELJANZ	213
pump 12.5 mg/ 1.25 gram (1 %)186	XELJANZ XR	213
tetrabenazine214	XGEVA	215
THALOMID187	XOLAIR SUBCUTANEOUS RECO	N
TIBSOVO188	SOLN	216
TOBI PODHALER INHALATION	XOSPATA	217
CAPSULE, W/INHALATION DEVICE	XPOVIO ORAL TABLET 100 MG/V	VEEK
191	(20 MG X 5), 160 MG/WEEK (20 I	MG X
tobramycin in 0.225 % nacl191	8), 60 MG/WEEK (20 MG X 3), 80	
topiramate oral capsule, sprinkle, er 24hr . 196	MG/WEEK (20 MG X 4)	
TRACLEER ORAL TABLET194	XTANDI	
TRAVASOL 10 %193	XYREM	220
TREANDA INTRAVENOUS RECON	Y	
SOLN195	YERVOY	221
tretinoin1	YONDELIS	222
tretinoin (emollient)1	YONSA	
tretinoin microspheres topical gel1	${f Z}$	_
TRIDESILON192	ZALTRAP INTRAVENOUS SOLUT	ION
trientine	100 MG/4 ML (25 MG/ML)	
	(== ====,	

ZEJULA	120	ZYDELIG	229
ZELBORAF	226	ZYKADIA	230
ZOLINZA	227	ZYTIGA ORAL TABLET 500 MG	231
ZORTRESS	228		