Prior Authorization Criteria *Updated 11/2019*

ACNE AGENTS_NVT

Products Affected

- adapalene 0.3% gel pump
- adapalene topical cream
- adapalene topical gel
- avita

- tretinoin
- tretinoin (emollient)
- tretinoin microspheres topical gel

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ADAGEN_NVT

Products Affected

• ADAGEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ADCIRCA_NVT 2017

Products Affected

• alyq

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ADEMPAS_NVT 2016

Products Affected

• ADEMPAS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Pulmonologist or Cardiologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	For diagnosis of Pulmonary Arterial Hypertension, trial of one (1) of the following: Letairis, Opsumit or Tracleer. For diagnosis of Persistent/recurrent Chronic Thromboembolic Pulmonary Hypertension (CTEPH) (WHO Group 4), trial of prior therapy is not required.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

AFINITOR_NVT 2017

Products Affected

• AFINITOR

• AFINITOR DISPERZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ALECENSA_NVT

Products Affected

• ALECENSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ALIQOPA_CCHP_2018

Products Affected

• ALIQOPA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Relapsed follicular lymphoma (FL) after at least two prior systemic therapies
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

AMPYRA_NVT 2018

Products Affected

• dalfampridine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	WALKING DISABILITY SUCH AS MILD TO MODERATE BILATERAL LOWER EXTREMITY WEAKNESS OR UNILATERAL WEAKNESS PLUS LOWER EXTREMITY OR TRUNCAL ATAXIA.
Age Restrictions	
Prescriber Restrictions	NEUROLOGIST
Coverage Duration	INITIAL: 3 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT IN WALKING ABILITY.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ANDROGENS_PREFERRED_NVT 2017

Products Affected

- ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR
- ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Two morning testoterone levels fall below the normal range for a healthy adult male. For patients on testosterone replacement therapy, documentation of at least one (1) morning testosterone level from the last 12 months is required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

APTIOM_NVT

Products Affected

• APTIOM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ARCALYST_NVT 2014

Products Affected

• ARCALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Rheumatology Specialist, Dermatologist, or Immunologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ARIPIPRAZOLE ODT, ARISTADA, FANAPT, LATUDA

Products Affected

- ABILIFY MAINTENA
- ABILIFY MYCITE
- aripiprazole oral tablet, disintegrating
- ARISTADA

- ARISTADA INITIO
- FANAPT
- LATUDA

ARISTADA	
PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DISORDER: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. IRRITABILITY WITH AUTISTIC DISORDER: ARIPIPRAZOLE, RISPERIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DEPRESSION: OLANZAPINE. MAJOR DEPRESSIVE DISORDER: ARIPIPRAZOLE. TOURETTE SYNDROME: ARIPIPRAZOLE. ACUTE MANIC/MIXED EPISODES WITH BIPOLAR DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ARIXTRA_NVT 2016

Products Affected

• fondaparinux

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

Prior Authorization Criteria *Updated 11/2019*

AUBAGIO_NVT 2018

Products Affected

• AUBAGIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

BALVERSA

Products Affected

• BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	DOCUMENTATION OF FGFR3 OR FGFR2 MUTATION
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST
Coverage Duration	12 MONTHS
Other Criteria	PREVIOUS TRIAL OF AT LEAST ONE PLATINUM-CONTAINING CHEMOTHERAPY WITHIN 12 MONTHS
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

BELEODAQ_NVT 2015

Products Affected

• BELEODAQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

BENLYSTA

Products Affected

• BENLYSTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	AUTOANTIBODY POSITIVE LUPUS TEST.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: MEMBER IS CURRENTLY TAKING CORTICOSTEROIDS, ANTIMALARIALS, NSAIDS, OR IMMUNOSUPPRESSIVE AGENTS. NO APPROVAL FOR DIAGNOSIS OF SEVERE ACTIVE LUPUS NEPHRITIS, SEVERE CENTRAL NERVOUS SYSTEM LUPUS OR CONCURRENT USE OF BIOLOGIC AGENTS OR INTRAVENOUS CYCLOPHOSPHAMIDE. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

BESPONSA_CCHP_2018

Products Affected

• BESPONSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Relapsed or refractory B-cell precursor ALL
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

BOSULIF_NVT 2014

Products Affected

• BOSULIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

BRANDED CLOBAZAM

Pro	ducts	Affect	ed
1100	uucis	AIICU	cu

• SYMPAZAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

BRIGATINIB

Products Affected

• ALUNBRIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

BRIVIACT_NVT

Products Affected

- BRIVIACT INTRAVENOUS
- BRIVIACT ORAL SOLUTION

• BRIVIACT ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

CABOMETYX_NVT

Products Affected

CABOMETYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

CALQUENCE_CCHP_2018

Products Affected

• CALQUENCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

CAPRELSA_NVT

Products Affected

CAPRELSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncologist or Endocrinologist or under the direct consultation of an Oncologist or Endocrinologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

CARBAGLU_NVT 2016

Products Affected

• CARBAGLU

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

CAYSTON_NVT 2017

Products Affected

• CAYSTON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Infectious Disease or Pulmonology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

CESAMET_NVT 2017

Products Affected

• CESAMET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

CHOLBAM_NVT

Products Affected

• CHOLBAM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a hepatologist or pediatric gastroenterologist.
Coverage Duration	Initial will be 3 months, then if criteria is met approved for the rest of the plan year.
Other Criteria	Renewal requires documentation of stable or improved liver function.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

CIMZIA_NVT 2018

Products Affected

• CIMZIA

• CIMZIA POWDER FOR RECONST

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

Prior Authorization Criteria *Updated 11/2019*

CINRYZE_NVT 2015

Products Affected

- BERINERT INTRAVENOUS KIT
- CINRYZE

- FIRAZYR
- icatibant

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

COMETRIQ_NVT 2014

Products Affected

COMETRIQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

COPIKTRA

Products Affected

COPIKTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PRIOR TREATMENT WITH AT LEAST TWO PRIOR THERAPIES
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST OR HEMATOLOGIST
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

CORLANOR_NVT

Products Affected

• CORLANOR ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The patient is on a maximally tolerated dose of beta blocker or has a history of a documented intolerance, contraindication, or a hypersensitivity to beta blocker.
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

COSENTYX_NVT 2018

Products Affected

- COSENTYX (2 SYRINGES)
- COSENTYX PEN (2 PENS)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PLAQUE PSORIASIS (PSO): MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING AT LEAST 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECT THE HANDS, FEET, OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	18 YEARS OR OLDER
Prescriber Restrictions	PLAQUE PSORIASIS (PSO): PRESCRIBED BY, OR IN CONSULTATION WITH, A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY, OR IN CONSULTATION WITH, A RHEUMATOLOGIST OR DERMATOLOGIST. ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY, OR IN CONSULTATION WITH, A RHEUMATOLOGIST
Coverage Duration	INITIAL: 4 MONTHS. RENEWAL: 12 MONTHS FOR ALL DIAGNOSES
Other Criteria	INITIAL: PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL WITH ONE CONVENTIONAL THERAPY SUCH AS PUVA (PHOTOTHERAPY ULTRAVIOLET LIGHT A), UVB (ULTRAVIOLET LIGHT B), TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE. PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) AGENT SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

COTELLIC_NVT

Products Affected

• COTELLIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

CYRAMZA_NVT

Products Affected

• CYRAMZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

CYSTAGON_NVT 2017

Products Affected

CYSTAGON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Endocrinologist, Geneticist, Nephrologist or Metabolic Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

CYSTARAN_NVT 2015

Products Affected

• CYSTARAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For the treatment of corneal cystine crystal accumulation in patients with cystinosis
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an Ophthalmologist or Geneticist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

DARZALEX_NVT

Products Affected

• DARZALEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

DAURISMO

Products Affected

• DAURISMO ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULTATION WITH AN ONCOLOGIST OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

DESOXYN_NVT 2017

Products Affected

• methamphetamine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

DRONABINOL_NVT 2016

Products Affected

dronabinol

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of loss of appetite due to AIDS OR chemotherapy induced nausea and vomiting
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

DUPIXENT

Products Affected

DUPIXENT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ASTHMA: 1) oral corticosteroid-dependent asthma OR eosinophilic asthma (peripheral blood eosinophil level greater than or equal to 150 cells/mcl in past 12 months) AND 2) poor asthma control or recurrent exacerbation requiring additional treatment (additional treatment may include oral corticosteroids, hospitalizations, or frequent office visits). ATOPIC DERMATITIS: diagnosis of moderate or severely uncontrolled atopic dermatitis.
Age Restrictions	
Prescriber Restrictions	ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST, ALLERGIST, IMMUNOLOGIST. ATOPIC DERMATITIS: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	ASTHMA: Concurrent use of a maximally tolerated dose of an ICS/LABA in patients who are not otherwise intolerant altogether, or for whom ICS/LABAs are contraindicated. ATOPIC DERMATITIS: Trial of or contraindication to two formulary topical corticosteroids
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

DURVALUMAB

Products Affected

• IMFINZI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

EMPLICITI_NVT

Products Affected

• EMPLICITI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or Hematology Specialist, or in consultation with an Oncology Specialist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ENBREL_NVT PA 2018

Products Affected

- ENBREL
- ENBREL MINI

• ENBREL SURECLICK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING AT LEAST 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	RHEUMATOID ARTHRITIS, ANKYLOSING SPONDYLITIS, PSORIATIC ARTHRITIS: 18 YEARS OR OLDER. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS: 2 YEARS OR OLDER. PLAQUE PSORIASIS: 4 YEARS OR OLDER
Prescriber Restrictions	RHEUMATOID ARTHRITIS, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS, ANKYLOSING SPONDYLITIS: PRESCRIBED BY, OR IN CONSULTATION WITH, A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY, OR IN CONSULTATION WITH, A DERMATOLOGIST OR RHEUMATOLOGIST. PLAQUE PSORIASIS: PRESCRIBED BY, OR IN CONSULTATION WITH, A DERMATOLOGIST.
Coverage Duration	INITIAL: RA: 6 MONTHS. PJIA: 3 MONTHS. PSA/AS/PSO: 4 MONTHS. RENEWAL: 12 MONTHS FOR ALL DIAGNOSES
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF HUMIRA OR XELJANZ/XELJANZ XR. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PREVIOUS TRIAL OF HUMIRA. PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL WITH ANY TWO PREFERRED AGENTS: HUMIRA, STELARA, XELJANZ/XELJANZ XR, COSENTYX. ANKYLOSING SPONDYLITIS (AS), PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL WITH ANY TWO PREFERRED AGENTS: HUMIRA, COSENTYX, SKYRIZI, STELARA.
Indications	All FDA-approved Indications.

Prior Authorization Criteria *Updated 11/2019*

PA Criteria	Criteria Details
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ENTRESTO (CCHP)

Products Affected

• ENTRESTO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Initial Authorization: Diagnosis of heart failure (with or without hypertension). Ejection fraction is less than or equal to 40 percent. Heart failure is classified as one of the following: New York Heart Association Class II - IV. Patient does not have a history of angioedema associated with use of the following: Angiotensin converting enzyme (ACE) Inhibitor therapy, Angiotensin receptor blocker (ARB) therapy. Patient will discontinue use of any concomitant ACE Inhibitor or ARB before initiating treatment with Entresto. ACE inhibitors must be discontinued at least 36 hours prior to initiation of Entresto. Patient is not concomitantly on aliskiren therapy. Patient is not pregnant. Reauthorization: Documentation of positive clinical response to therapy.
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

EPANED_NVT_2017

Products Affected

• EPANED ORAL SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Approval requires attestation of patient's inability to swallow solid dosage forms of enalapril.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

EPCLUSA_NVT_2018

Products Affected

• EPCLUSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HCV RNA LEVEL.
Age Restrictions	18 YEARS OF AGE AND OLDER.
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH: GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (HEPATOLOGIST)
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
Other Criteria	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE. HCV RNA LEVEL WITHIN PAST 6 MONTHS. PATIENT IS NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING MEDICATIONS NOT RECOMMENDED BY THE MANUFACTURER: AMIODARONE, CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, HIV REGIMEN THAT CONTAINS EFAVIRENZ, ROSUVASTATIN AT DOSES ABOVE 10MG, TIPRANAVIR/RITONAVIR OR TOPOTECAN. PATIENT MUST NOT HAVE SEVERE RENAL IMPAIRMENT, ESRD OR ON HEMODIALYSIS. RIBAVIRIN USE REQUIRED FOR PATIENTS WITH DECOMPENSATED CIRRHOSIS.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

EPIDIOLEX_2019

Products Affected

• EPIDIOLEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	DIAGNOSIS OF LENNOX-GASTAUT OR DRAVET SYNDROME.
Age Restrictions	2 YEARS OF AGE OR OLDER
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN EPILEPTOLOGIST OR NEUROLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	AT LEAST ONE PRIOR ANTIEPILEPTIC DRUG
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ERIVEDGE_NVT 2017

Products Affected

• ERIVEDGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or inconsultation with Oncology Specialist or Dermatologist.
Coverage Duration	Covered for duration of plan year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ERLEADA

Products Affected

• ERLEADA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	NON METASTATIC CASTRATION RESISTANT PROSTATE CANCER: THE PATIENT HAS HIGH RISK PROSTATE CANCER (I.E. RAPIDLY INCREASING PROSTATE SPECIFIC ANTIGEN [PSA] LEVELS) AND MEETS ONE OF THE FOLLOWING: (1) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) AGONIST OR ANTAGONIST OR (2) PREVIOUSLY RECEIVED A BILATERAL ORCHIECTOMY.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ERWINAZE_NVT 2014

Products Affected

• ERWINAZE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Oncology Specialists or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

EXTAVIA_MI_2018

Products Affected

• EXTAVIA SUBCUTANEOUS KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	TRIAL WITH TWO OF THE FOLLOWING AGENTS FOR MULTIPLE SCLEROSIS: AVONEX, PLEGRIDY, AND REBIF
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

FARYDAK_NVT 2016

Products Affected

• FARYDAK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology or Hematology Specialist or in consultation with an Oncology or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

FERRIPROX_NVT

Products Affected

- FERRIPROX ORAL SOLUTION
- FERRIPROX ORAL TABLET 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Hematology Specialists or in consult with Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

FIRMAGON_NVT 2015

Products Affected

• FIRMAGON KIT W DILUENT SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with Oncologist or Urologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval subject to BvD determination
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

FOLOTYN_NVT 2015

Products Affected

• FOLOTYN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or on consultation with Hematologist or Oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval subject to BvD determination.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

FORTEO_NVT 2016

Products Affected

• FORTEO

• PROLIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Member has had at least 1 fracture, OR member has BMD screening results of -2.5 or below, OR member has previously used and failed a bisphosphonate.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

FYCOMPA_NVT 2014

Products Affected

- FYCOMPA ORAL SUSPENSION
- FYCOMPA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

GARDASIL_NVT 2015

Products Affected

• GARDASIL 9 (PF)

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

Prior Authorization Criteria *Updated 11/2019*

GATTEX_NVT 2016

Products Affected

• GATTEX 30-VIAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of short bowel syndrome. Dependent on parenteral support for at least 12 months and at least 3 days per week.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

GILENYA_NVT 2018

Pro	ducts	Affecte	h
110	uutis		u

• GILENYA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

GILOTRIF_NVT

Products Affected

• GILOTRIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an Oncology Specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

GLATIRAMER_MI_2018

Pro	duc	te A	ffe	cted
110	uu	.1.5 /	MIC	ucu

• glatiramer

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

GLEEVEC_NVT 2015

Products Affected

• imatinib

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by Oncologist or Hematologist, or under the direct consultation with an Oncologist or Hematologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

GROWTH HORMONES_NVT 2015

Products Affected

• NORDITROPIN FLEXPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The criteria for approval of growth hormones in adults require the diagnosis of Somatropin Deficiency Syndrome (defined by failure to stimulate Growth Hormone secretion (peak GH level of 10mcg/L or less) by one of the acceptable provocative tests). This may include adults who as children had Growth Hormone deficiency or adults with known pituitary disease.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

HARVONI_NVT PA 2018

Products Affected

HARVONI

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

Prior Authorization Criteria *Updated 11/2019*

HEPATITIS B AGENTS_CCHP 2014

Products Affected

- adefovir
- BARACLUDE ORAL SOLUTION
- PEGASYS

 PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	THIS SECTION APPLIES TO BARACLUDE, ADEFOVIR, AND PEGASYS (WHEN USED FOR HEP B): INITIATION OF TREATMENT (ONE OF THE FOLLOWING): HBV DNA GREATER THAN 2000IU/ML AND ALANINE AMINOTRANSFERASE (ALT) GREATER THAN UPPER LIMIT OF NORMAL (ULN)-(MALE ALT GREATER THAN 30 U/L AND FEMALE ALT TO GREATER THAN 19U/L). OR HISTOLOGIC EVIDENCE OF CIRRHOSIS AND DETECTABLE HBV DNA LEVELS. OR HISTOLOGIC EVIDENCE OF DECOMPENSATED CIRRHOSIS (THESE CASES SHOULD BE REFERRED TO GI). NONRESPONSE TO ANTIVIRAL TREATMENT - DEFINED AS HBV DNA LEVELS DECREASING LESS THAN 2 LOG DROP FROM BASELINE AFTER 6 MONTHS. SWITCHING ANTIVIRAL AGENTS SHOULD BE CONSIDERED AFTER MEDICATION COMPLIANCE HAS BEEN DETERMINED.
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST OR INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	INITIAL COVERAGE APPROVED FOR 6 MONTHS. CONTINUAL COVERAGE APPROVED FOR 12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

HETLIOZ_NVT

Products Affected

• HETLIOZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient is totally blind.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

HOFH_NVT 2016

Products Affected

• JUXTAPID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Untreated LDL greater than 500 mg/dL OR treated LDL greater than or equal to 300 mg/dL. Concurrent use of maximum statin dose (atorvastatin or rosuvastatin) and one other lipid lowering agent (include dates and reasons for discontinuation). For patients with statin intolerance, concurrent use of maximum statin dose not required. Chart documentation showing the most recent full lipid panel, including Apo-B within the past 12 months.
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Lipidologist, Cardiologist, or an Endocrinologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

HUMIRA_NVT 2018

Products Affected

- HUMIRA
- HUMIRA PEDIATRIC CROHNS START
- HUMIRA PEN
- HUMIRA PEN CROHNS-UC-HS START
- HUMIRA PEN PSOR-UVEITS-ADOL HS
- HUMIRA(CF)
- HUMIRA(CF) PEDI CROHNS STARTER
- HUMIRA(CF) PEN CROHNS-UC-HS
- HUMIRA(CF) PEN PSOR-UV-ADOL HS
- HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS: CURRENT WEIGHT. PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING GREATER THAN OR EQUAL TO 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS, ANKYLOSING SPONDYLITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIS PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSORIASIS: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST CROHN'S DISEASE/ULCERATIVE COLITIS: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST. Hidradenitis Suppurativa (HS): Prescriber must be a Dermatologist.
Coverage Duration	INITIAL: RA:6 MOS.PSA/AS:4 MOS.PJIA:5 MOS.PSO/CD/UC/HS: 3 MOS.UVEITIS:6 MOS.RENEWAL: 12 MOS FOR ALL
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE,

Prior Authorization Criteria *Updated 11/2019*

PA Criteria	Criteria Details
	HYDROXYCHLOROQUINE, OR SULFASALAZINE.
	POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PREVIOUS TRIAL OF ONE DMARD (DISEASE-MODIFYING
	ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE,
	LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR
	SULFASALAZINE. PSORIATIC ARTHRITIS (PSA): PREVIOUS
	TRIAL OF ONE DMARD (DISEASE-MODIFYING
	ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE,
	LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR
	SULFASALAZINE. ANKYLOSING SPONDYLITIS: TRIAL OF
	FORMULARY AGENTS NOT REQUIRED. PLAQUE PSORIASIS
	(PSO): PREVIOUS TRIAL OF ONE OF THE FOLLOWING
	CONVENTIONAL THERAPIES SUCH AS PUVA (PHOTOTHERAPY
	ULTRAVIOLET LIGHT A), UVB (ULTRAVIOLET LIGHT B),
	TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE. CROHN'S DISEASE (CD):
	PREVIOUS TRIAL OF ONE CONVENTIONAL AGENT SUCH AS A
	CORTICOSTEROID (I.E., BUDESONIDE,
	METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE,
	METHOTREXATE, OR MESALAMINE. ULCERATIVE COLITIS
	(UC): PREVIOUS TRIAL OF ONE CONVENTIONAL AGENT SUCH
	AS A CORTICOSTEROID (I.E., BUDESONIDE,
	METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE,
	METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

HYDROXYPROGESTERONE_NVT

Products Affected

• hydroxyprogesterone caproate

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

IBRANCE_NVT

Products Affected

• IBRANCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGY SPECIALIST
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ICLUSIG_NVT 2014

Products Affected

• ICLUSIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

IDHIFA_CCHP_2018

Products Affected

• IDHIFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Relapsed or refractory acute myeloid leukemia (AML) with an isocitrate dehydrogenase-2 (IDH2) mutation as detected by an FDA-approved test
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

IMBRUVICA_NVT 2014

Products Affected

- IMBRUVICA ORAL CAPSULE
- IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncologist, Hemotologist or Transplant specialist, or under the direct consultation of an Oncologist, Hemotologist or Transplant specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

INCRELEX_NVT 2015

Products Affected

• INCRELEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For the long-term treatment of growth failure in children with severe primary insulin-like growth factor-1 (IGF-1) deficiency (primary IGFD) or with growth hormone (GH) gene deletion who have developed neutralizing antibodies to GH.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

INLYTA_NAVITUS

Products Affected

• INLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULT WITH ONCOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

INREBIC

Products Affected

• INREBIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

INTERFERON_MI_2018

Products Affected

- AVONEX (WITH ALBUMIN)
- AVONEX INTRAMUSCULAR PEN INJECTOR KIT
- AVONEX INTRAMUSCULAR SYRINGE KIT
- PLEGRIDY SUBCUTANEOUS PEN INJECTOR
- PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML

Criteria Details
12 months
All FDA-approved Indications.

Prior Authorization Criteria *Updated 11/2019*

IPF_NVT 2016

Products Affected

• ESBRIET ORAL CAPSULE

• OFEV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Definitive diagnosis of idiopathic pulmonary fibrosis defined by the following: No known cause of lung fibrosis AND one of the following: A. Surgical lung biopsy revealing histopathological pattern of unspecified interstitial pneumonia (UIP) B. High-resolution computed tomography indicates definite UIP pattern C. High-resolution computed tomography indicates possible UIP pattern AND surgical lung biopsy reveals a histopathological pattern of probable UIP
Age Restrictions	
Prescriber Restrictions	Prescribed by a Pulmonology Specialist or in consultation with a Pulmonology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Will not be used in combination with other medications used to treat IPF.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

IRESSA_NVT

Products Affected

• IRESSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ISTODAX_NVT 2015

Products Affected

• romidepsin

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or consultation with Hematologist or Oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval subject to BvD determination.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ITRACONAZOLE_NVT 2015

Products Affected

• itraconazole oral capsule

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For onychomycosis or diffuse dermatologic fungal infections: 1. fungal infection is confirmed by a positive KOH test, fungal culture or nail biopsy. 2. For onychomycosis, must fail terbinafine. For dermatologic infections, must fail one topical antifungal medication.
Age Restrictions	
Prescriber Restrictions	Infectious Disease Specialists, Pulmonologist or Dermatologist, Podiatrist or have consulted with an Infectious Disease Specialist, Pulmonologist or Dermatologist or Podiatrist concerning the patient.
Coverage Duration	Approved for 6 months.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

IVIG_NVT 2017

Products Affected

- **BIVIGAM**
- FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %
- GAMASTAN
- GAMMAGARD LIQUID
- GAMMAGARD S-D (IGA < 1 MCG/ML) OCTAGAM
- GAMMAKED INJECTION SOLUTION 10 GRAM/100 ML (10 %)
- GAMMAPLEX (WITH SORBITOL)
- GAMUNEX-C INJECTION SOLUTION 20 GRAM/200 ML (10 %)

 - **PRIVIGEN**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

JAKAFI_NVT 2014

Products Affected

• JAKAFI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULT WITH ONCOLOGY OR HEMATOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

KADCYLA_NVT

Products Affected

• KADCYLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

KALYDECO_NAVITUS

Products Affected

• KALYDECO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PATIENT IS NOT ON CONCURRENT THERAPY WITH OTHER IVACAFTOR-CONTAINING PRODUCTS. RENEWAL: THERE IS CLINICAL DOCUMENTATION OF MAINTAINED OR IMPROVEMENT IN FEV1, BMI, OR REDUCTION IN NUMBER OF EXACERBATIONS
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULT WITH PULMONOLOGIST OR CYSTIC FIBROSIS SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

KEYTRUDA_NVT 2015

Products Affected

 KEYTRUDA INTRAVENOUS SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

KINERET_NVT 2018

Products Affected

• KINERET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL: RA: 6 MONTHS. NOMID/CAPS: 12 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, XELJANZ/XELJANZ XR) AND ONE DMARD (DISEASE MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

KORLYM_NVT

Products Affected

• KORLYM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

KUVAN_NVT 2017

Products Affected

• KUVAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For continuing therapy the patient must have shown a 20% drop in Phenylalanine levels after 2 months of Kuvan treatment.
Age Restrictions	
Prescriber Restrictions	Prescribed by a Medical Geneticist or Metabolic Specialist.
Coverage Duration	Initial = 3 months, then if critieria is met approved for the rest of the plan year.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

KYPROLIS_NVT_2017

Products Affected

• KYPROLIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with an Oncologist or Hematologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

LARTRUVO_NVT_2017

Products Affected

• LARTRUVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

LENVIMA_NVT 2016

Products Affected

• LENVIMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

LETAIRIS_NVT 2015

Products Affected

• ambrisentan

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Pulmonologist or Cardiologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

LIDOCAINE PATCH_NVT 2015

Products Affected

• lidocaine topical adhesive patch, medicated

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	TRIAL AND FAILURE OF GABAPENTIN OF FOUR WEEKS OR MORE
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

LINZESS

Products Affected

• LINZESS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED POLYETHYLENE GLYCOL (MIRALAX).
Age Restrictions	AGE 18 YEARS AND OLDER
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

LOBRENA

Products Affected

• LORBRENA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

LONSURF_NVT

Products Affected

• LONSURF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY AN ONCOLOGY SPECIALIST OR IN CONSULTATION WITH AN ONCOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

LYNPARZA_NVT 2015

Products Affected

• LYNPARZA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Oncology Specialist or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

MAVYRET_CCHP_2018

Products Affected

• MAVYRET

PA Criteria	Criteria Details
Exclusion Criteria	Moderate or severe hepatic impairment (Child Pugh B Or C)
Required Medical Information	HCV RNA level within past 6 months
Age Restrictions	
Prescriber Restrictions	Prescribed by or given in consultation with: gastroenterologist, infectious disease specialist, physician specializing in the treatment of hepatitis (hepatologist), or a specially trained group such as ECHO (extension for community healthcare outcomes) model.
Coverage Duration	Criteria will be applied consistent with current AASLD/IDSA guidance.
Other Criteria	Criteria will be applied consistent with current AASLD/IDSA guidance. Trial of a preferred formulary alternative including Harvoni or Epclusa when these agents are considered acceptable for treatment of the specific genotype per AASLD/IDSA guidance. Patient is not concurrently taking any of the following medications not recommended or contraindicated by the manufacturer: carbamazepine, rifampin, ethinyl estradiol-containing medication, atazanavir,darunavir, lopinavir, ritonavir, efavirenz, atorvastatin, lovastatin, simvastatin, rosuvastatin at doses greater than 10mg, or cyclosporine at doses greater than 100mg per day. Patient must not have prior failure of a DAA regimen with NS5A inhibitor and HCV protease inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

MEGESTROL SUSP_NVT 2017

Products Affected

 megestrol oral suspension 400 mg/10 ml (40 mg/ml)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

MEGESTROL TABS_NVT 2017

Products Affected

• megestrol oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

MEKINIST_NVT 2016

Products Affected

• MEKINIST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

MEKTOVI BRAFTOVI 2018

Products Affected

BRAFTOVI

MEKTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	(1) BRAF V600E or V600K mutations as detected by an FDA-approved test (2) Not used as a single agent
Age Restrictions	
Prescriber Restrictions	prescribed by or given in consultation with an oncology specialist
Coverage Duration	APPROVED FOR DURATION OF CONTRACT YEAR SUBJECT TO FORMULARY CHANGE AND MEMBER ELIGIBILITY.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

MIDOSTAURIN

Products Affected

• RYDAPT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

MOVANTIK_NVT 2016

Products Affected

MOVANTIK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Initial Therapy: Member must meet all criteria. 1. Opioid-induced constipation. 2. Failed two laxative/bowel therapies polyethylene glycol and lactulose.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	4 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

MYLOTARG_CCHP_2018

Products Affected

MYLOTARG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Adults: newly diagnosed CD33+ AML. Children over the age of 2: refractory CD33+ AML
Age Restrictions	Patients age 2 and greater
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

NATPARA (CCHP2017)

Products Affected

• NATPARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PTH below reference range within the last 12 months (2 readings)
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Endocrinologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

NERLYNX_CCHP_2018

Products Affected

• NERLYNX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Early stage HER2+ breast cancer after adjuvant trastuzumab-based therapy
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Duration of treatment not to exceed one year
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

NEXAVAR_NVT 2015

Products Affected

• NEXAVAR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	Require patient to be at least 18 years old.
Prescriber Restrictions	Prescribed by a Oncologist or under the direct consultation of an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

NINLARO_NVT

Products Affected

• NINLARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or Hematology Specialist, or in consultation with an Oncology Specialist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

NIRAPARIB TOSYLATE

Products Affected

• ZEJULA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

NORTHERA_NVT 2016

Products Affected

NORTHERA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Neurology Specialist or Cardiologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

NOXAFIL_NVT 2015

Products Affected

• NOXAFIL ORAL

• posaconazole oral tablet, delayed release (dr/ec)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

NUBEQA

Products Affected

• NUBEQA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, A UROLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	CONCURRENTLY RECEIVING GONADOTROPIN-RELEASING HORMONE ANALOG OR HAD BILATERAL ORCHIECTOMY
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

NUCALA_NVT PA 2017

Products Affected

• NUCALA

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

Prior Authorization Criteria *Updated 11/2019*

NUPLAZID_NVT

Products Affected

• NUPLAZID ORAL CAPSULE

• NUPLAZID ORAL TABLET 10 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

NUVIGIL_NVT 2015

Products Affected

• armodafinil

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of narcolepsy, OR obstructive sleep apnea/hypopnea syndrome, OR shift work sleep disorder
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ODOMZO_NVT 2017

Products Affected

• ODOMZO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or inconsultation with Oncology Specialist or Dermatologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

OPDIVO_NVT 2015

Products Affected

• OPDIVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Oncology Specialist or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

OPSUMIT_NVT

Products Affected

• OPSUMIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Pulmonologist or Cardiologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ORAL FENTANYL_NVT 2017

Products Affected

• fentanyl citrate

• FENTORA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Breakthrough cancer pain and opioid tolerence. Documented tolerance to opioids defined as patients taking around the clock medicine consisting of at least 60mg of oral morphine daily, at least 25mcg of transdermal fentanyl per hour, at least 30mg of oxycodone daily, at least 8mg of oral hydromorphone daily, or an equianalgesic dose of another opioid daily for a week or longer.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Trial of fentanyl lozenge before another branded fentanyl product.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ORENCIA_NVT 2018

Products Affected

ORENCIA

- ORENCIA CLICKJECT
- ORENCIA (WITH MALTOSE)

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval

Prior Authorization Criteria *Updated 11/2019*

ORFADIN_NVT 2015

Products Affected

• ORFADIN ORAL CAPSULE 10 MG, 2 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ORKAMBI_NVT

Products Affected

• ORKAMBI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	1) Lung function (FEV1, ppFEV1), 2) BMI, 3) Pulmonary exacerbation history to be collected initially and at continuation.
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, pulmonologist.
Coverage Duration	Initial and continuation approval of 6 months to assess required medical info
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

PA_RESTASIS

Products Affected

• RESTASIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CLINICAL DOCUMENTATION OF DIAGNOSIS OF MODERATE-SEVERE DRY EYE, AND THAT POTENTIALLY EXACERBATING EXOGENOUS FACTORS SUCH AS ANTIHISTAMINE OR DIURETIC USE, EXPOSURE TO CIGARETTE SMOKE, AND ENVIRONMENTAL FACTORS HAVE BEEN MAXIMALLY MANAGED. RENEWAL: CLINICAL DOCUMENTATION OF IMPROVED RESPONSE TO THERAPY
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

PALIPERIDONE ER, INVEGA SUSTENNA

Products Affected

• INVEGA SUSTENNA

• paliperidone

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS NO TRIALS REQUIRED FOR THE FOLLOWING INDICATIONS: SCHIZOAFFECTIVE DISORDER.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

PERJETA_NVT 2014

Products Affected

• PERJETA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Oncologist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

PIQRAY

Products Affected

PIQRAY ORAL TABLET 200 MG/DAY X1-50 MG X1), 300 MG/DAY (150 MG (200 MG X 1), 250 MG/DAY (200 MG X 2)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS PROGRESSED ON, OR AFTER, PREVIOUS TREATMENT WITH ENDOCRINE-BASED REGIMEN
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY, OR IN CONSULTATION WITH, AN ONCOLOGIST
Coverage Duration	12 MONTHS
Other Criteria	PIQRAY WILL BE USED CONCURRENTLY WITH FULVESTRANT
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

POMALYST_NVT 2014

Products Affected

• POMALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Oncologist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

PROGESTERONE_NVT 2015

Products Affected

• CRINONE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

PROMACTA_NVT 2017

Products Affected

• PROMACTA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

RAVICTI_NVT 2016

Products Affected

• RAVICTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Requires trial of sodium phenylbutyrate powder.
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Metabolic Specialist or Geneticist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

RELISTOR_NVT 2015

Products Affected

- RELISTOR SUBCUTANEOUS SOLUTION
- RELISTOR SUBCUTANEOUS SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Initial Therapy: Member must meet both of the following: 1.Opioid-induced constipation. 2. Trial, or intolerance to, 2 laxative/bowel therapies-polyethylene glycol + Lactulose.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	4 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

REMICADE_NVT 2018

Products Affected

• REMICADE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING GREATER THAN OR EQUAL TO 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS, ANKYLOSING SPONDYLITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSORIASIS PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHN'S DISEASE/ULCERATIVE COLITIS: GASTROENTEROLOGIST.
Coverage Duration	INITIAL: CD/UC: 8 MO. RA: 6 MO. PSA/AS/PSO: 4 MO. RENEWAL FOR ALL INDICATIONS: 12 MO.
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, XELJANZ/XELJANZ XR) AND CONCURRENT USE WITH METHOTREXATE. PSORIATRIC ARTHRITIS (PSA): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX, XELJANZ/XELJANZ XR, STELARA). ANKYLOSING SPONDYLITIS (AS): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX). PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL OF ANY TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX, SKYRIZI, STELARA) AND ONE PREFERRED SYSTEMIC THERAPY (TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE. CROHN'S DISEASE (CD): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA AND

Prior Authorization Criteria *Updated 11/2019*

PA Criteria	Criteria Details
	STELARA) AND ONE CONVENTIONAL AGENT SUCH AS A CORTICOSTEROID (I.E., BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE. ULCERATIVE COLITIS (UC): PREVIOUS TRIAL OF BOTH (HUMIRA AND XELJANZ/XELJANZ XR) AND ONE CONVENTIONAL AGENT SUCH AS A CORTICOSTEROID (I.E., BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

REPATHA_2019

Products Affected

• REPATHA SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	dual therapy with another PCSK-9 inhibitor, Kynamro (mipomersen), or Juxtapid (lomitapide)
Required Medical Information	For initiation of therapy patient must: A) have one of the following conditions: 1) prior clinical atherosclerotic cardiovascular disease (ASCVD) (see Other Criteria), 2) heterozygous familial hypercholesterolemia (HeFH) (see Other Criteria), or 3) homozygous familial hypercholesterolemia (HoFH) (see Other Criteria), AND B) for patients with prior clinical ASCVD or HeFH, current LDL-C level is over 70 mg/dL, AND one of the following requirements is met: 1) patient has been treated for 8 weeks or more with a high-intensity statin (atorvastatin 40mg or greater OR rosuvastatin 20mg or greater) in combination with ezetimibe, OR 2) patient is intolerant to statins demonstrated by the failure of 2 or more statins, including an attempt with a low-intensity (pitivastatin OR pravastatin) and alternatively-dosed statin (twice weekly low-dose rosuvastatin OR atorvastatin). For continuation of therapy, patient must: A) have one of the following conditions: 1) prior clinical ASCVD (see Other Criteria), 2) HeFH (see Other Criteria), or 3) HoFH (see Other Criteria), AND B) demonstrate a reduction of LDL-C on PCSK9 inhibitor therapy
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with a Cardiologist, Lipidologist, or Enderinologist
Coverage Duration	Initial: 3 months. Renewal: contract year subject to formulary change and member eligibility
Other Criteria	Clinical ASCVD defined as acute coronary syndromes, myocardial infarction, stable or unstable angina, coronary or other arterial revascularization procedure, prior stroke or transient ischemic attack, or peripheral arterial disease of presumed atherosclerotic origin. Diagnosis of HeFH must be confirmed by one of the following: 1) DNA-based evidence of mutation in the LDLR, Apo B, OR PCSK9 gain of function mutation, 2) Untreated LDL-C greater than 190 mg/dl AND tendon

Prior Authorization Criteria *Updated 11/2019*

PA Criteria	Criteria Details
	xanthomas in patient or first/second degree relative, 3) Untreated LDL-C greater than 190 mg/dl AND either first degree relative less than 60 years of age or second degree relative less than 50 years of age with premature heart disease, OR 4) untreated LDL-C greater than 190 mg/dl AND first or second degree relative with total cholesterol greater than 290 mg/dL. Diagnosis of HoFH confirmed by the following: 1) two parents diagnosed with HeFH OR genetic confirmation of LDL receptor mutation, AND 2) untreated total cholesterol greater 290 mg/dL or LDL-C greater 190 mg/dL, AND 3) either xanthomas present at 10 years of age or younger OR atherosclerotic disease at 20 years of age or younger.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

REVATIO_NVT 2017

Products Affected

• sildenafil (antihypertensive) oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

REVLIMID_NVT 2015

Products Affected

• REVLIMID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Oncologist or Hematologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

REXULTI

Products Affected

• REXULTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: MAJOR DEPRESSIVE DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

RIBOCICLIB_MI_2018

Products Affected

- KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG
- KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

RISPERDAL

Products Affected

• PERSERIS

• RISPERDAL CONSTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DISORDER: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DEPRESSION: OLANZAPINE. ACUTE MANIC/MIXED EPISODES WITH BIPOLAR DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

RUBRACA_NVT_2017

Products Affected

• RUBRACA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

RUCONEST_NVT 2015

Products Affected

• RUCONEST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SABRIL_NVT 2017

Products Affected

• vigabatrin

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Neurologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SAPHRIS

Products Affected

• SAPHRIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DISORDER: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: ACUTE MANIC/MIXED EPISODES WITH BIPOLAR DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SIGNIFOR_NVT 2015

Products Affected

• SIGNIFOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Prescribed for the treatment of an adult patient with Cushing disease AND Pituitary surgery is not an option OR Pituitary surgery was not curative
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with an endocrinologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SIMPONI_NVT 2018

Products Affected

SIMPONI

• SIMPONI ARIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA, ENBREL, XELJANZ/XELJANZ XR) AND CONCURRENT USE WITH METHOTREXATE. PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX, STELARA, XELJANZ/XELJANZ XR). ANKYLOSING SPONDYLITIS (AS): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA, ENBREL, COSENTYX). ULCERATIVE COLITIS (UC): PREVIOUS TRIAL OF TWO PREFERRED AGENTS (HUMIRA, XELJANZ/XELJANZ XR) AND ONE OF THE FOLLOWING CONVENTIONAL AGENTS SUCH AS A CORTICOSTEROID (I.E., BUDESONIDE, METHYLPREDINSOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SIRTURO_NVT

Products Affected

• SIRTURO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an infectious disease specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SIVEXTRO_NVT 2015

Products Affected

• SIVEXTRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Infectious Disease Specialist or in consult with Infectious Disease Specialist.
Coverage Duration	Approved for 6 months subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SKYRIZI

Products Affected

• SKYRIZI SUBCUTANEOUS SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING GREATER THAN OR EQUAL TO 5% OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE OR GENITAL AREA. RENEWAL: PHYSICIAN ATTESTATION THAT THE PATIENT CONTINUES TO BENEFIT FROM THE MEDICATION.
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A DERMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL OF OR CONTRAINDICATION TO ONE CONVENTIONAL THERAPY, SUCH AS PUVA (PHOTOTHERAPY ULTRAVIOLET LIGHT A), UVB (ULTRAVIOLET LIGHT B), TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SOLARAZE_NVT 2017

Products Affected

• diclofenac sodium topical gel 3 %

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SOLTAMOX_NVT

Products Affected

• SOLTAMOX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SOMAVERT_NVT 2017

Products Affected

 SOMAVERT SUBCUTANEOUS RECON SOLN 15 MG, 20 MG, 25 MG, 30 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Endocrinologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SOVALDI_NVT PA 2018

Products Affected

• SOVALDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HCV RNA LEVEL WITHIN PAST 6 MONTHS.
Age Restrictions	Member must be 12 years of age or older.
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATIONS WITH: GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (HEPATOLOGIST)
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE
Other Criteria	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SPRITAM_NVT 2017

Products Affected

• SPRITAM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Member must have a trial or contraindication to generic levetiracetam.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SPRYCEL_NVT 2017

Products Affected

• SPRYCEL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an Oncologist or Hematologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

STELARA

Products Affected

• STELARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS: MODERATE TO SEVERE PLAQUE PSORIASIS INVOLVING GREATER THAN OR EQUAL TO 5% BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, OR FACE. RENEWAL FOR PSORIATIC ARTHRITIS OR PLAQUE PSORIASIS: PHYSICIAN ATTESTATION THAT THE PATIENT CONTINUES TO BENEFIT FROM THE MEDICATION.
Age Restrictions	
Prescriber Restrictions	PSORIATIC ARTHRITIS: PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PLAQUE PSORIASIS: PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A DERMATOLOGIST. CROHN'S DISEASE: PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: PSA, PSO, CD: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PSORIATIC ARTHRITIS (PSA): PREVIOUS TRIAL OF OR CONTRAINDICATION TO AT LEAST ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE. PLAQUE PSORIASIS (PSO): PREVIOUS TRIAL OF OR CONTRAINDICATION AT LEAST ONE CONVENTIONAL THERAPY SUCH AS PUVA (PHOTOTHERAPY ULTRAVIOLET LIGHT A), UVB (ULTRAVIOLET LIGHT B), TOPICAL CORTICOSTEROIDS, CALCIPOTRIENE, ACITRETIN, METHOTREXATE, OR CYCLOSPORINE. CROHN'S DISEASE (CD): PREVIOUS TRIAL OF OR CONTRAINDICATION TO AT LEAST ONE CONVENTIONAL THERAPY SUCH AS CORTICOSTEROIDS

Prior Authorization Criteria *Updated 11/2019*

PA Criteria	Criteria Details
	(I.E. BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

STIVARGA_NVT 2014

Products Affected

• STIVARGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

STRENSIQ (CCHP)

Products Affected

 STRENSIQ SUBCUTANEOUS SOLUTION 40 MG/ML, 80 MG/0.8 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Pediatric Endocrinologist, Metabolic Specialist, or Genetic Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SUCRAID_NVT 2017

Products Affected

• SUCRAID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SUTENT_NVT 2017

Products Affected

• SUTENT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SYLATRON_NAVITUS

Products Affected

• SYLATRON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SYNAGIS_NVT 2015

Products Affected

 SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Approve up to five (MAXIMUM) monthly doses of Synagis when an infant or child meets the criteria for one of the following conditions: Infants and children younger than 24 months with chronic lung disease of prematurity (CLD previously known as bronchopulmonary dysplasia) receiving medical therapy within 6 months before the start of the RSV season OR Infants born before 32 weeks of gestation even if they do not have CLD OR Infants born at 32 to less than 35 weeks of gestation, particularly when at least 1 of the following 2 risk factors is present: the infant attends child care, or 1 or more siblings or other children younger than 5 years live permanently in the same household OR Infants with congenital abnormalities of the airway or neuromuscular disease OR Infants and children 24 months or younger with hemodynamically significant cyanotic or acyanotic congenital heart disease (CHD).
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an ICU physician, Neonatologist, Pediatric Specialist, Pulmonologist, Cardiologist, Infectious Disease Specialist, or Neurologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

SYPRINE_NVT 2017

Products Affected

• trientine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TAFINLAR_NVT 2016

Products Affected

• TAFINLAR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TAGRISSO_NVT

Products Affected

• TAGRISSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by an Oncology Specialist or in consultation with an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TALZENNA_2019

Products Affected

• TALZENNA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TARCEVA_NVT 2017

Products Affected

• erlotinib

• TARCEVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TARGRETIN_NVT 2015

Products Affected

• bexarotene

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Oncology or Dermatology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TASIGNA_NVT 2017

Products Affected

• TASIGNA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist or Hematology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Requires trial of Sprycel for FDA indications that are shared.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TECENTRIQ_NVT

Products Affected

• TECENTRIQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH ONCOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TECFIDERA_MI_2018

Products Affected

• TECFIDERA ORAL CAPSULE, DELAYED

RELEASE(DR/EC) 120 MG, 120 MG (14)- 240 MG (46), 240 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TESTOSTERONE

Products Affected

• testosterone transdermal gel in metereddose pump 12.5 mg/1.25 gram (1 %)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Two morning testosterone levels fall below the normal range for a healthy adult male. Patient must have tried and failed ANDRODERM and ANDROGEL.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

THALOMID_NVT 2015

Products Affected

• THALOMID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Oncology Specialist or infectious disease specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TIBSOVO

Products Affected

• TIBSOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	IDH1 mutation detected by an FDA-approved test
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR GIVEN IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TIGAN_NVT 2017

Products Affected

• trimethobenzamide oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TIRF

Products Affected

• modafinil

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TOBI_NVT 2015

- TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE • tobramycin with nebulizer
 - tobramycin in 0.225 % nacl

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Infectious Disease or Pulmonology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval will be based off BvD coverage determination.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TOPICAL STEROIDS_NVT 2017

- amcinonide topical cream
- amcinonide topical ointment
- betamethasone valerate topical foam
- clobetasol topical foam
- clobetasol topical lotion
- clobetasol topical shampoo
- clobetasol topical spray,non-aerosol
- clobetasol-emollient topical foam
- CLODAN

- cormax scalp
- DESONATE
- desonide topical cream
- desonide topical lotion
- fluticasone propionate topical lotion
- hydrocort buty 0.1% lipo cream
- hydrocortisone butyrate topical cream
- TRIDESILON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Requires trial of two formulary topical steroids
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria
Updated 11/2019

TOTAL PARENTERAL NUTRITION AGENT

- AMINOSYN 7 % WITH ELECTROLYTES
- AMINOSYN 8.5 %-ELECTROLYTES
- AMINOSYN II 10 %
- AMINOSYN II 7 %
- AMINOSYN II 8.5 %
- AMINOSYN II 8.5 %-ELECTROLYTES
- AMINOSYN-HBC 7%
- AMINOSYN-PF 10 %
- AMINOSYN-PF 7 % (SULFITE-FREE)
- AMINOSYN-RF 5.2 %
- CLINIMIX 5%/D15W SULFITE FREE
- CLINIMIX 5%/D25W SULFITE-FREE
- CLINIMIX 4.25%-D25W SULF-FREE
- CLINIMIX 4.25%/D10W SULF FREE
- CLINIMIX 4.25%/D5W SULFIT FREE
- CLINIMIX 5%-D20W(SULFITE-FREE)
- CLINIMIX E 2.75%/D10W SUL FREE

- CLINIMIX E 2.75%/D5W SULF FREE
- CLINIMIX E 4.25%/D10W SUL FREE
- CLINIMIX E 4.25%/D25W SUL FREE
- CLINIMIX E 4.25%/D5W SULF FREE
- CLINIMIX E 5%/D15W SULFIT FREE
- CLINIMIX E 5%/D20W SULFIT FREE
- CLINIMIX E 5%/D25W SULFIT FREE
- CLINISOL SF 15 %
- FREAMINE HBC 6.9 %
- HEPATAMINE 8%
- NEPHRAMINE 5.4 %
- PLENAMINE
- PREMASOL 10 %
- PREMASOL 6 %
- PROCALAMINE 3%
- PROSOL 20 %
- TRAVASOL 10 %
- TROPHAMINE 10 %

PA Criteria	Criteria Details
Exclusion Criteria	PATIENTS RECEIVING TOTAL PARENTERAL NUTRITION FOR A NONFUNCTIONING DIGESTIVE TRACT.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.

Prior Authorization Criteria *Updated 11/2019*

PA Criteria	Criteria Details
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TRACLEER_NVT 2015

Products Affected

• TRACLEER ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Pulmonology or Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TREANDA_NVT 2015

Products Affected

 TREANDA INTRAVENOUS RECON SOLN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TROKENDI_NVT 2014

Products Affected

• topiramate oral capsule, sprinkle, er 24hr

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has tried and failed topiramate (TOPAMAX) AND patient has a diagnosis of partial-onset seizures, primary generalized tonic-clonic seizures, seizures associated with Lennox-Gastaut syndrome, or migraines where topiramate ER is being used for migraine prophyaxis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TURALIO

Products Affected

• TURALIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TYKERB_NVT

Products Affected

• TYKERB

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Tykerb is prescribed in combination with capecitabine (Xeloda) AND The patient has advanced or metastatic breast cancer with tumor over-expression of HER2 AND The patient has recieved prior therapy including an anthracycline and a taxane and trastumab. Tykerb is prescribed in combination with letrozole for the treatment of postmenopausal women with hormone receptor positive metastatic breast cancer that overexpresses the HER2 receptor for whom hormonal therapy is indicated.
Age Restrictions	
Prescriber Restrictions	Approval requires the prescriber to be an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

TYSABRI_NVT 2018

Products Affected

• TYSABRI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CROHN'S DISEASE: GASTROENTEROLOGIST.
Coverage Duration	MULTIPLE SCLEROSIS: 12 MONTHS. CROHN'S DISEASE: 6 MONTHS. RENEWAL: CROHN'S: 12 MONTHS
Other Criteria	MULTIPLE SCLEROSIS: TRIAL OF ONE OF THE FOLLOWING PREFERRED AGENTS FOR MULTIPLE SCLEROSIS: GILENYA, MAYZENT, MAVENCLAD, COPAXONE, REBIF, AVONEX, PLEGRIDY, TEDFIDERA, OR AUBAGIO. CROHN'S DISEASE: TRIAL OF A HUMIRA AND STELARA. NOT APPROVED FOR PATIENTS ON CONCURRENT THERAPY WITH A TNF (TUMOR NECROSIS FACTOR) INHIBITOR: ENBREL, CIMZIA, REMICADE, SIMPONI, OR SIMPONI ARIA.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

UCERIS_NVT

- budesonide oral tablet, delayed and ext.release
- UCERIS RECTAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has active mild to moderate ulcerative colitis and has tried and failed or was intolerant to mesalamine.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

UPTRAVI_NVT 2017

Products Affected

• UPTRAVI ORAL TABLET

• UPTRAVI ORAL TABLETS,DOSE PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

VALCHLOR_NVT 2017

Products Affected

• VALCHLOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has received prior skin-directed therapy such as topical steroids.
Age Restrictions	
Prescriber Restrictions	Prescribed by Oncology Specialist or Dermatology Specialist or in consultation with an Oncology or Dermatology Specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

VENCLEXTA_NVT

Products Affected

VENCLEXTA

• VENCLEXTA STARTING PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Oncologist or Hematologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

VENTAVIS_NVT 2015

Products Affected

VENTAVIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restrictions	Restricted to or on consult with Pulmonology or Cardiology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

VERZENIO_CCHP_2018

Products Affected

VERZENIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of HR+ HER2- advanced or metastatic breast cancer
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

VITRAKVI_2018

Products Affected

VITRAKVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY AN ONCOLOGY SPECIALIST OR IN CONSULTATION WITH AN ONCOLOGY SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

VIZIMPRO

Products Affected

VIZIMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

VORICONAZOLE_NVT 2015

Products Affected

voriconazole

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Infectious Disease Specialist or Oncologist or in consultation with an Infectious Disease Specialist or Oncologist concerning the patient.
Coverage Duration	Approved for six months subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

VOSEVI_CCHP_2018

Products Affected

VOSEVI

PA Criteria	Criteria Details
Exclusion Criteria	Severe renal impairment, ESRD or on hemodialysis. Moderate or severe hepatic impairment (Child-Pugh B or C).
Required Medical Information	HCV RNA level within past 6 months
Age Restrictions	
Prescriber Restrictions	Prescribed by or given in consultation with: gastroenterologist, infectious disease specialist, physician specializing in the treatment of hepatitis (hepatologist), or a specially trained group such as ECHO (extension for community healthcare outcomes) model.
Coverage Duration	Criteria will be applied consistent with current AASLD/IDSA guidance.
Other Criteria	Criteria will be applied consistent with current AASLD/IDSA guidance. Patient is not concurrently taking any of the following medications not recommended by the manufacturer: amiodarone, carbamazepine, phenytoin, phenobarbital, oxcarbazepine, rifampin, rifabutin, rifapentine, cyclosporine, pitavastatin, pravastatin (doses above 40mg), rosuvastatin, methotrexate, mitoxantrone, imatinib, irinotecan, lapatinib, sulfasalazine, topotecan, or HIV regimen that contains efavirenz, atazanavir, lopinavir or tipranavir/ritonavir.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

VOTRIENT_NVT

Products Affected

VOTRIENT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Require the prescriber to be an Oncologist or be in under the direct consultation with an Oncologist.
Coverage Duration	Approved for duration of plan year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

VRAYLAR

Products Affected

• VRAYLAR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 2 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DISORDER: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. SCHIZOPHRENIA: ARIPIPRAZOLE, OLANZAPINE, QUETIAPINE, RISPERIDONE, ZIPRASIDONE. PATIENT HAS TRIED AND FAILED OR WAS INTOLERANT TO 1 OF THE FOLLOWING FOR EACH INDICATION: BIPOLAR DEPRESSION: OLANZAPINE. ACUTE MANIC/MIXED EPISODES WITH BIPOLAR DISORDER: ARIPIPRAZOLE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

XALKORI_NVT

Products Affected

• XALKORI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

XELJANZ_NVT_18

Products Affected

• XELJANZ

• XELJANZ XR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	RENEWAL: PHYSICIAN ATTESTATION OF IMPROVEMENT.
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	RA: INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS, PSORIATIC ARTHRITIS: PREVIOUS TRIAL OF ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) SUCH AS METHOTREXATE, LEFLUNOMIDE, HYDROXYCHLOROQUINE, OR SULFASALAZINE. ULCERATIVE COLITIS: PREVIOUS TRIAL OF ONE CONVENTIONAL THERAPY SUCH AS CORTICOSTEROIDS (I.E., BUDESONIDE, METHYLPREDNISOLONE), AZATHIOPRINE, MERCAPTOPURINE, METHOTREXATE, OR MESALAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

XENAZINE_NVT 2015

Products Affected

• tetrabenazine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has chorea due to Huntington's Disease.
Age Restrictions	
Prescriber Restrictions	Prescribed by a Neurologist or in consultation with a Neurologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

XGEVA_NVT 2015

Products Affected

• XGEVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

XOLAIR_NVT PA 2015

Products Affected

 XOLAIR SUBCUTANEOUS RECON SOLN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	1. If for moderate to severe persistent asthma: There must be objective evidence of reversible airway obstruction AND the patient's lgE level must be within the following range (patients 12 years or older: between 30 IU/ml and 700 IU/ml, OR patients 6 to 12 years: up to 1,300IU/mL), AND the patient must have a positive skin test or RAST test for specific allergic sensitivity and one of the following: Inadequately controlled asthma despite medium dose of inhaled corticosteroids for at least 3 months in combination with a trial of long-acting inhaled beta-agonists OR a leukotriene modifier and systemic steroids OR high dose inhaled corticosteroids are required to maintain adequate asthma control OR intolerance or contradindication to the previously listed drugs. 2. If for chronic idiopathic urticaria, patient remains symptomatic despite H1 antihistamine treatment or has intolerance or contraindication to H1 antihistamine treatment.
Age Restrictions	If for moderate to severe persistent asthma, patient must be at least 6 years old. If for chronic idiopathic urticaria, patient must be at least 12 years old.
Prescriber Restrictions	Prescribed by, or in consultation with, an Allergy Specialist, Pulmonary Specialist, Dermatologist, or Immunologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

XOSPATA

Products Affected

• XOSPATA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO OR IN CONSULTATION WITH AN ONCOLOGIST OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

XPOVIO

Products Affected

• XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5), 160

MG/WEEK (20 MG X 8), 60 MG/WEEK (20 MG X 3), 80 MG/WEEK (20 MG X 4)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RESTRICTED TO, OR IN CONSULTATION WITH, AN ONCOLOGIST OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	XPOVIO IS USED IN COMBINATION WITH DEXAMETHASONE.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

XTANDI_NVT

Products Affected

• XTANDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist
Coverage Duration	Covered for duration of plan year subject to member eligibility and formulary change.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

XYREM_NVT 2017

Products Affected

• XYREM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a neurologist, pulmonologist, or sleep specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

YERVOY_NVT 2015

Products Affected

• YERVOY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with Oncologist or Dermatologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Approval based on BvD determination
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

YONDELIS_NVT_2017

Products Affected

• YONDELIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

YONSA_2018

Products Affected

• YONSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: FOR METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: (1) DOCUMENTATION OF INTOLERANCE TO, OR A CONTRAINDICATION TO ABIRATERONE (ZYTIGA) AND (2) YONSA IS BEING USED IN COMBINATION WITH METHYLPREDNISOLONE
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR GIVEN IN CONSULTATION WITH A ONCOLOGIST
Coverage Duration	6 MONTHS
Other Criteria	SUBSEQUENT APPROVAL AFTER 6 MONTHS WILL REQUIRE DOCUMENTATION OF CONTINUED DISEASE IMPROVEMENT OR LACK OF DISEASE PROGRESSION
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ZALTRAP_NVT 2014

Products Affected

 ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ZAVESCA_NVT 2017

Products Affected

• miglustat

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, a Clinical Geneticist, Medical Biochemical Geneticist, Hematologist, or Metabolic Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ZELBORAF_NVT 2017

Products Affected

• ZELBORAF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by, or in consultation with, an Oncology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ZOLINZA_NVT 2015

Products Affected

• ZOLINZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to or in consult with Oncology or Dermatology Specialist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ZORTRESS_NVT 2015

Products Affected

• ZORTRESS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	Coverage determination based on Med-B vs. Med-D review.
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ZYDELIG_NVT

Products Affected

• ZYDELIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	DIAGNOSIS A: Patient has relapsed CLL, defined as CLL progression less than 24 months since the completion of the last prior therapy AND Idelalisib (ZYDELIG) will be used in combination with rituximab (RITUXAN). DIAGNOSIS B and C: Patient has relapsed follicular B-cell non-Hodgkin lymphoma (FL) OR Patient has relapsed small lymphocytic lymphoma (SLL) AND Patient has received at least two (2) prior systemic therapies.
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an Oncologist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ZYKADIA_NVT

Products Affected

• ZYKADIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Zykadia requires the prescriber to be an Oncologist or under the direct consultation of an Oncologist.
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ZYTIGA_NVT 2015

Products Affected

• abiraterone

• ZYTIGA ORAL TABLET 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consult with Oncology Specialist or Urology Specialist
Coverage Duration	Approved for duration of contract year subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

ZYVOX_NVT 2015

Products Affected

• linezolid

- linezolid in dextrose 5%
- linezolid 600 mg/300 ml-0.9% nacl

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Infectious Disease Specialist or in consultation with an Infectious Disease Specialist concerning the patient.
Coverage Duration	Approved for 6 months subject to formulary change and member eligibility.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prior Authorization Criteria *Updated 11/2019*

INDEX

A	armodafinil	123
ABILIFY MAINTENA 12	AUBAGIO	14
ABILIFY MYCITE12	avita	1
abiraterone	AVONEX (WITH ALBUMIN)	83
ADAGEN2	AVONEX INTRAMUSCULAR PEN	1
adapalene 0.3% gel pump 1	INJECTOR KIT	83
adapalene topical cream	AVONEX INTRAMUSCULAR SYI	
adapalene topical gel1	KIT	83
adefovir	В	
ADEMPAS4	BALVERSA ORAL TABLET 3 MG	i, 4
AFINITOR5	MG, 5 MG	
AFINITOR DISPERZ5	BARACLUDE ORAL SOLUTION	
ALECENSA 6	BELEODAQ	
ALIQOPA7	BENLYSTA	
ALUNBRIG 21	BERINERT INTRAVENOUS KIT	
alyq 3	BESPONSA	
ambrisentan	betamethasone valerate topical foam	
amcinonide topical cream	bexarotene	
amcinonide topical ointment	BIVIGAM	
AMINOSYN 7 % WITH ELECTROLYTES	BOSULIF	
188	BRAFTOVI	
AMINOSYN 8.5 %-ELECTROLYTES. 188	BRIVIACT INTRAVENOUS	
AMINOSYN II 10 % 188	BRIVIACT ORAL SOLUTION	
AMINOSYN II 7 %	BRIVIACT ORAL TABLET	
AMINOSYN II 8.5 %	budesonide oral tablet, delayed and	
AMINOSYN II 8.5 %-ELECTROLYTES	ext.release	195
188	C	290
AMINOSYN-HBC 7% 188	CABOMETYX	23
AMINOSYN-PF 10 %	CALQUENCE	
AMINOSYN-PF 7 % (SULFITE-FREE)188	CAPRELSA	
AMINOSYN-RF 5.2 % 188	CARBAGLU	
ANDRODERM TRANSDERMAL PATCH	CAYSTON	
24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	CESAMET	
9	CHOLBAM	
ANDROGEL TRANSDERMAL GEL IN	CIMZIA	
PACKET 1.62 % (20.25 MG/1.25	CIMZIA POWDER FOR RECONST	
GRAM)9	CINRYZE	
APTIOM 10	CLINIMIX 5%/D15W SULFITE FF	
ARCALYST	CLINIMIX 5%/D25W SULFITE-FI	
aripiprazole oral tablet, disintegrating 12	CLINIMIX 4.25%/D10W SULF FRI	
ARISTADA	CLINIMIX 4.25%/D5W SULFIT FR	
ARISTADA INITIO	CLINIMIX 4.25%-D25W SULF-FR	

CLINIMIX 5%-D20W(SULFITE-FREE)	ENTRESTO	48
	EPANED ORAL SOLUTION	49
CLINIMIX E 2.75%/D10W SUL FREE 188	EPCLUSA	50
CLINIMIX E 2.75%/D5W SULF FREE 188	EPIDIOLEX	51
CLINIMIX E 4.25%/D10W SUL FREE 188	ERIVEDGE	52
CLINIMIX E 4.25%/D25W SUL FREE 188	ERLEADA	53
CLINIMIX E 4.25%/D5W SULF FREE 188	erlotinib	. 176
CLINIMIX E 5%/D15W SULFIT FREE 188	ERWINAZE	54
CLINIMIX E 5%/D20W SULFIT FREE 188	ESBRIET ORAL CAPSULE	84
CLINIMIX E 5%/D25W SULFIT FREE 188	EXTAVIA SUBCUTANEOUS KIT	55
CLINISOL SF 15 %	F	
clobetasol topical foam	FANAPT	12
clobetasol topical lotion	FARYDAK	56
clobetasol topical shampoo	fentanyl citrate	. 127
clobetasol topical spray,non-aerosol 187	FENTORA	
clobetasol-emollient topical foam 187	FERRIPROX ORAL SOLUTION	
CLODAN	FERRIPROX ORAL TABLET 500 MC	3 57
COMETRIQ32	FIRAZYR	31
COPIKTRA33	FIRMAGON KIT W DILUENT SYRIN	IGE
CORLANOR ORAL TABLET34		58
cormax scalp	FLEBOGAMMA DIF INTRAVENOUS	S
COSENTYX (2 SYRINGES) 35	SOLUTION 10 %	88
COSENTYX PEN (2 PENS)	fluticasone propionate topical lotion	. 187
COTELLIC36	FOLOTYN	
CRINONE	fondaparinux	13
CYRAMZA37	FORTEO	
CYSTAGON38	FREAMINE HBC 6.9 %	. 188
CYSTARAN	FYCOMPA ORAL SUSPENSION	61
D	FYCOMPA ORAL TABLET	61
dalfampridine	G	
DARZALEX40	GAMASTAN	88
DAURISMO ORAL TABLET 100 MG, 25	GAMMAGARD LIQUID	88
MG41	GAMMAGARD S-D (IGA < 1 MCG/M	(L)
DESONATE		
desonide topical cream	GAMMAKED INJECTION SOLUTION	N 10
desonide topical lotion	GRAM/100 ML (10 %)	88
diclofenac sodium topical gel 3 % 158	GAMMAPLEX (WITH SORBITOL)	
dronabinol	GAMUNEX-C INJECTION SOLUTIO	
DUPIXENT44	GRAM/200 ML (10 %)	88
E	GARDASIL 9 (PF)	
EMPLICITI46	GATTEX 30-VIAL	
ENBREL 47	GILENYA	
ENBREL MINI	GILOTRIF	
ENBREL SURECLICK 47	glatiramer	
		. •

Н	K
HARVONI 69	KADCYLA 90
HEPATAMINE 8% 188	KALYDECO91
HETLIOZ71	KEYTRUDA INTRAVENOUS
HUMIRA73, 74	SOLUTION92
HUMIRA PEDIATRIC CROHNS START	KINERET93
73, 74	KISQALI FEMARA CO-PACK ORAL
HUMIRA PEN73, 74	TABLET 200 MG/DAY(200 MG X 1)-
HUMIRA PEN CROHNS-UC-HS START	2.5 MG, 400 MG/DAY(200 MG X 2)-2.5
73, 74	MG, 600 MG/DAY(200 MG X 3)-2.5
HUMIRA PEN PSOR-UVEITS-ADOL HS	MG147
73, 74	KISQALI ORAL TABLET 200 MG/DAY
HUMIRA(CF)73, 74	(200 MG X 1), 400 MG/DAY (200 MG X
HUMIRA(CF) PEDI CROHNS STARTER	2), 600 MG/DAY (200 MG X 3) 147
73, 74	KORLYM94
HUMIRA(CF) PEN CROHNS-UC-HS 73,	KUVAN
74	KYPROLIS96
HUMIRA(CF) PEN PSOR-UV-ADOL HS	L
73, 74	LARTRUVO97
HUMIRA(CF) PEN SUBCUTANEOUS	LATUDA12
PEN INJECTOR KIT 40 MG/0.4 ML. 73,	LENVIMA98
74	lidocaine topical adhesive patch, medicated
hydrocort buty 0.1% lipo cream 187	100
hydrocortisone butyrate topical cream 187	linezolid
hydroxyprogesterone caproate	linezolid 600 mg/300 ml-0.9% nacl 227
I .	linezolid in dextrose 5%
IBRANCE 76	LINZESS101
icatibant31	LONSURF 103
ICLUSIG77	LORBRENA 102
IDHIFA78	LYNPARZA ORAL TABLET 104
imatinib67	M
IMBRUVICA ORAL CAPSULE 79	MAVYRET 105
IMBRUVICA ORAL TABLET 140 MG,	megestrol oral suspension 400 mg/10 ml (40
280 MG, 420 MG, 560 MG 79	mg/ml)
IMFINZI	megestrol oral tablet107
INCRELEX 80	MEKINIST 108
INLYTA81	MEKTOVI 109
INREBIC82	methamphetamine
INVEGA SUSTENNA	miglustat220
IRESSA 85	modafinil
itraconazole oral capsule 87	MOVANTIK 111
${f J}$	MYLOTARG 112
JAKAFI 89	N
JUXTAPID72	NATPARA113

NEPHRAMINE 5.4 % 188	PRIVIGEN	88
NERLYNX114	PROCALAMINE 3%	
NEXAVAR 115	PROLIA	60
NINLARO 116	PROMACTA ORAL TABLET	137
NORDITROPIN FLEXPRO68	PROSOL 20 %	
NORTHERA 118	R	
NOXAFIL ORAL119	RAVICTI	138
NUBEQA120	RELISTOR SUBCUTANEOUS	
NUCALA	SOLUTION	139
NUPLAZID ORAL CAPSULE 122	RELISTOR SUBCUTANEOUS SYR	
NUPLAZID ORAL TABLET 10 MG 122		139
0	REMICADE14	0, 141
OCTAGAM 88	REPATHA SYRINGE14	2, 143
ODOMZO124	RESTASIS	
OFEV 84	REVLIMID	
OPDIVO 125	REXULTI	
OPSUMIT 126	RISPERDAL CONSTA	
ORENCIA 128	romidepsin	
ORENCIA (WITH MALTOSE) 128	RUBRACA	
ORENCIA CLICKJECT128	RUCONEST	
ORFADIN ORAL CAPSULE 10 MG, 2	RYDAPT	
MG, 5 MG	S	
ORKAMBI	SAPHRIS	152
P	SIGNIFOR	
paliperidone	sildenafil (antihypertensive) oral table	
PEGASYS70	SIMPONI	
PEGASYS PROCLICK SUBCUTANEOUS	SIMPONI ARIA	
PEN INJECTOR 180 MCG/0.5 ML 70	SIRTURO	
PERJETA	SIVEXTRO	
PERSERIS 148	SKYRIZI SUBCUTANEOUS SYRIN	
PIQRAY ORAL TABLET 200 MG/DAY		157
(200 MG X 1), 250 MG/DAY (200 MG	SOLTAMOX	159
X1-50 MG X1), 300 MG/DAY (150 MG	SOMAVERT SUBCUTANEOUS RE	
X 2)134	SOLN 15 MG, 20 MG, 25 MG, 30	
PLEGRIDY SUBCUTANEOUS PEN		
INJECTOR 83	SOVALDI	
PLEGRIDY SUBCUTANEOUS SYRINGE	SPRITAM	
125 MCG/0.5 ML	SPRYCEL	
PLENAMINE 188	STELARA16	
POMALYST 135	STIVARGA	
posaconazole oral tablet,delayed release	STRENSIQ SUBCUTANEOUS	100
(dr/ec)	SOLUTION 40 MG/ML, 80 MG/0.	8 ML
PREMASOL 10 %		
PREMASOL 6 %	SUCRAID	

SUTENT 169	UPTRAVI ORAL TABLETS, DOSE PAC	K
SYLATRON 170	1	
SYMPAZAN	${f V}$	
SYNAGIS INTRAMUSCULAR	VALCHLOR1	97
SOLUTION 50 MG/0.5 ML 171	VENCLEXTA 1	
T	VENCLEXTA STARTING PACK1	98
TAFINLAR 173	VENTAVIS1	99
TAGRISSO 174	VERZENIO2	00
TALZENNA 175	vigabatrin1	51
TARCEVA176	VITRAKVI2	
TASIGNA	VIZIMPRO2	02
TECENTRIQ179	voriconazole2	03
TECFIDERA ORAL	VOSEVI2	04
CAPSULE, DELAYED	VOTRIENT2	
RELEASE(DR/EC) 120 MG, 120 MG	VRAYLAR2	
(14)- 240 MG (46), 240 MG 180	X	
testosterone transdermal gel in metered-dose	XALKORI2	07
pump 12.5 mg/ 1.25 gram (1 %) 181	XELJANZ	
tetrabenazine	XELJANZ XR	
THALOMID	XGEVA2	
TIBSOVO	XOLAIR SUBCUTANEOUS RECON	10
TOBI PODHALER INHALATION	SOLN2	11
CAPSULE, W/INHALATION DEVICE	XOSPATA	
	XPOVIO ORAL TABLET 100 MG/WEE	
tobramycin in 0.225 % nacl	(20 MG X 5), 160 MG/WEEK (20 MG	
tobramycin with nebulizer	8), 60 MG/WEEK (20 MG X 3), 80	71
topiramate oral capsule, sprinkle, er 24hr. 191	MG/WEEK (20 MG X 4)	13
TRACLEER ORAL TABLET 189	XTANDI	
TRAVASOL 10 %	XYREM 2	
TREANDA INTRAVENOUS RECON	Y	13
SOLN	YERVOY 2	16
tretinoin	YONDELIS	
tretinoin (emollient) 1	YONSA	
tretinoin microspheres topical gel	Z.	10
TRIDESILON 187	ZALTRAP INTRAVENOUS SOLUTION	J
trientine	100 MG/4 ML (25 MG/ML)	
trimethobenzamide oral	ZEJULA 1	
TROPHAMINE 10 %	ZELBORAF	
TURALIO	ZOLINZA	
TYKERB	ZORTRESS	
TYSABRI	ZYDELIG	
U LICEDIS DECTAL 105	ZYKADIA	
UCERIS RECTAL	ZYTIGA ORAL TABLET 500 MG 2	.∠0
UPIKAVIUKAL IABLEI 196		