Localised colon cancer: ESMO clinical practice guidelines for diagnosis, treatment and follow-up.

Guideline ID: 1952 Published: 2020 Oct

European Society for Medical Oncology (ESMO)

Argilés G, Tabernero J, Labianca R, et al. Localised colon cancer: ESMO clinical practice guidelines for diagnosis, treatment and follow-up. Ann Oncol. 2020 Oct;31(10):1291-1305. [104 references] *PubMed*

View Original Guideline

Overview

Guideline Objective

To provide recommendations on diagnosis, treatment, and follow-up of localised colon cancer

Patient Population

Patients with colon cancer

Recommendations

Recommendation Statements

Major interventions covered in this guideline include:

- Screening with colonoscopic and non-invasive tests, diagnostic work-up, pathological report, and risk assessment
- Management of localised colonic tumours, including treatment of adenocarcinomas presenting in adenomas
- Treatment options based on disease stage
- Considerations for follow-up, long-term implications, and survivorship

Note: Full recommendation statements have not been provided because this guideline does not meet EGT's systematic review of the evidence criteria. Refer to the original guideline for more information.

Evidence Rating Scheme

Refer to the original guideline documentation for more information.

Recommendation Rating Scheme

Refer to the original guideline documentation for more information.

Related Content

Supporting Documents

- Supplementary Material.
- ESMO-MCBS Scorecards.
- Pan-Asian Adapted ESMO Clinical Practice Guidelines for the Diagnosis Treatment and Follow-up of Patients with Localised Colon Cancer; 2021.
- ESMO Standard Operating Procedures (SOPs) for Clinical Practice Guidelines.

Implementation Tools

- Webinar.
- ESMO Pocket Guidelines & Mobile App.

Patient Education

- Colorectal Cancer: Guide for Patients; 2016. Also available in Greek, Spanish, Persian, French, Indonesian, Japanese, Dutch, Polish, Portuguese, Romanian, Russian, Slovak, Ukranian, and Vietnamese.

Note: This patient information is intended to help patients better understand their health and their diagnosed disorders. Patients and their representatives should still consult with a licensed health care professional for evaluation of treatment options as well as answers to their personal medical questions.

Disclaimer

If you desire to use content from the original clinical practice guideline cited herein, you must contact the guideline developer directly to obtain permission rights.

ECRI's Guideline Profiles are designed to provide information and assist decision-making. Variations in practice will inevitably, and appropriately, occur when clinicians take into account the needs and preferences of individual patients, available resources, and limitations unique to an institution or type of practice. Every healthcare professional using these Guideline Profiles is responsible for evaluating the appropriateness of applying them in a clinical setting.

Copyright © 2025 ECRI