European Stroke Organisation (ESO) guidelines on mobile stroke units for prehospital stroke management.

Guideline ID: 2823 Published: 2022 Mar

European Stroke Organisation (ESO)

Walter S, Audebert HJ, Katsanos AH, et al. European Stroke Organisation (ESO) guidelines on mobile stroke units for prehospital stroke management. Eur Stroke J. 2022 Mar;7(1):XXVII-LIX. [87 references] PubMed

View Original Guideline

Overview

Guideline Objective

To provide up-to-date evidence-based recommendations to assist decision-makers in their choice on using mobile stroke units (MSUs) for prehospital management of suspected stroke, which includes patients with acute ischaemic stroke (AIS), intracranial haemorrhage (ICH), and stroke mimics

Patient Population

Patients with suspected or confirmed acute stroke, including AIS, ICH, and stroke mimics

Recommendations

Recommendation Statements

Major interventions covered in this guideline include:

- Use of MSUs compared to conventional care

Note: Full recommendation statements have not been provided because this guideline does not meet EGT's systematic review of the evidence criteria. Refer to the original guideline for more information.

Evidence Rating Scheme

Refer to the original guideline documentation for more information.

Recommendation Rating Scheme

Refer to the original guideline documentation for more information.

Related Content

Supporting Documents

- Supplement.
- European Stroke Organisation (ESO) Standard Operating Procedure for the Preparation and Publishing of Guidelines; 2021 Sep 24.

Implementation Tools

No implementation tools available.

Patient Education

No patient education materials available.

Disclaimer

If you desire to use content from the original clinical practice guideline cited herein, you must contact the guideline developer directly to obtain permission rights.

ECRI's Guideline Profiles are designed to provide information and assist decision-making. Variations in practice will inevitably, and appropriately, occur when clinicians take into account the needs and preferences of individual patients, available resources, and limitations unique to an institution or type of practice. Every healthcare professional using these Guideline Profiles is responsible for evaluating the appropriateness of applying them in a clinical setting.

Copyright © 2025 ECRI