SEOM-GETNE-TTCC clinical guideline thyroid cancer (2023).

Guideline ID: 4091 Published: 2024 Nov

Spanish Society of Medical Oncology (SEOM) | Spanish Group of Neuroendocrine and Endocrine Tumors (GETNE) | Spanish Cooperative Group for the Treatment of Head and Neck Cancer (TTCC)

Alonso-Gordoa T, Jimenez-Fonseca P, Martinez-Trufero J, et al. SEOM-GETNE-TTCC clinical guideline thyroid cancer (2023). Clin Transl Oncol. 2024 Nov;26(11):2902-2916. [80 references] PubMed

View Original Guideline

Overview

Guideline Objective

To provide recommendations on the diagnosis and treatment of thyroid cancer (TC)

Patient Population

Patients with suspected or confirmed thyroid carcinoma

Recommendations

Recommendation Statements

Major interventions covered in this guideline include:

- Diagnostic evaluation, staging, and risk assessment
- Management approaches based on disease type and severity, including initial treatment, surgical interventions, and systemic therapy
- Role of follow-up, long-term implications, and survivorship

Note: Full recommendation statements have not been provided because this guideline does not meet EGT's systematic review of the evidence criteria. Refer to the original guideline for more information.

Evidence Rating Scheme

Refer to the original guideline documentation for more information.

Recommendation Rating Scheme

Refer to the original guideline documentation for more information.

Related Content

Supporting Documents

No supporting documents available.

Implementation Tools

- The Original Guideline includes the following:
  - Figure 2. Basic Therapeutic Itinerary of Patients with Localized DTC (p. 2906)
  - Figure 3. Treatment Algorithm DTC, MTC, ATC (p. 2909)

Patient Education

No patient education materials available.

Disclaimer

If you desire to use content from the original clinical practice guideline cited herein, you must contact the guideline developer directly to obtain permission rights.

ECRI's Guideline Profiles are designed to provide information and assist decision-making. Variations in practice will inevitably, and appropriately, occur when clinicians take into account the needs and preferences of individual patients, available resources, and limitations unique to an institution or type of practice. Every healthcare professional using these Guideline Profiles is responsible for evaluating the appropriateness of applying them in a clinical setting.

Copyright © 2025 ECRI