Management of gestational trophoblastic disease: green-top guideline no. 38.

Guideline ID: 2125 Published: 2021 Feb

Royal College of Obstetricians and Gynaecologists (RCOG)

Tidy J, Seckl M, Hancock BW. Management of gestational trophoblastic disease: green-top guideline no. 38. BJOG. 2021 Feb;128(3):e1-e27. [69 references] PubMed

View Original Guideline

Overview

Guideline Objective

To describe the presentation, diagnosis, management, treatment, and follow-up of gestational trophoblastic disease (GTD) and gestational trophoblastic neoplasia (GTN)

Patient Population

Women with GTD or GTN

Recommendations

Recommendation Statements

Major interventions covered in this guideline include:

- Symptoms, diagnosis, and removal of molar pregnancy

- Investigation for GTD or GTN, including histological examination of pregnancy tissue and management of elevated human chorionic gonadotrophin (hCG) after possible pregnancy
- Management of special circumstances, including ectopic molar and twin pregnancy, placental site trophoblastic tumor, and placental site nodule
- Follow-up and treatment interventions, including single- or multi-agent chemotherapy
- Guidance on future pregnancy, fertility, contraception, hormone replacement considerations, and long-term outcomes

Note: Full recommendation statements have not been provided because this guideline does not meet EGT's systematic review of the evidence criteria. Refer to the original guideline for more information.

Evidence Rating Scheme

Refer to the original guideline documentation for more information.

Recommendation Rating Scheme

Refer to the original guideline documentation for more information.

Related Content

Supporting Documents

- Appendix 1.
- Appendix 2.

Implementation Tools

No implementation tools available.

Patient Education

No patient education materials available.

Disclaimer

If you desire to use content from the original clinical practice guideline cited herein, you must contact the guideline developer directly to obtain permission rights.

ECRI's Guideline Profiles are designed to provide information and assist decision-making. Variations in practice will inevitably, and appropriately, occur when clinicians take into account the needs and preferences of individual patients, available resources, and limitations unique to an institution or type of practice. Every healthcare professional using these Guideline Profiles is responsible for evaluating the appropriateness of applying them in a clinical setting.

Copyright © 2025 ECRI