2023 guideline for the management of patients with aneurysmal subarachnoid hemorrhage: a guideline from the American Heart Association/American Stroke Association.

Guideline ID: 3214 Published: 2023 Jul

American Heart Association (AHA) | American Stroke Association (ASA)

Hoh BL, Ko NU, Amin-Hanjani S, et al. 2023 guideline for the management of patients with aneurysmal subarachnoid hemorrhage: a guideline from the American Heart Association/American Stroke Association. Stroke. 2023 Jul;54(7):e314-e370. [481 references] PubMed

View Original Guideline

Overview

Guideline Objective

To provide patient-centric recommendations for clinicians to prevent, diagnose, and manage patients with aneurysmal subarachnoid hemorrhage (aSAH)

Patient Population

Adults with suspected or confirmed aSAH

Recommendations

Recommendation Statements

Major interventions covered in this guideline include:

- Assessment of initial clinical severity, diagnostic work-up, imaging, risk assessment, and transfer to neurocritical care
- Use of medical measures to prevent rebleeding
- Surgical and endovascular treatment of ruptured cerebral aneurysms
- Treatment of medical complications associated with aSAH
- Management of acute and long-term recovery
- Follow up with assessment of risk factors, prevention, and monitoring for recurrent aSAH

Note: Full recommendation statements have not been provided because this guideline does not meet EGT's systematic review of the evidence criteria. Refer to the original guideline for more information.

Evidence Rating Scheme

Refer to the original guideline documentation for more information.

Recommendation Rating Scheme

Refer to the original guideline documentation for more information.

Related Content

Supporting Documents

- Supplemental Materials; 2023.

Implementation Tools

- AHA Guidelines On-the-Go available for Android and iOS.

Patient Education

- What You Should Know About Cerebral Aneurysms; 2018 Dec 5.
- Hemorrhagic Stroke.

Note: This patient information is intended to help patients better understand their health and their diagnosed disorders. Patients and their representatives should still consult with a licensed health care professional for evaluation of treatment options as well as answers to their personal medical questions.

Disclaimer

If you desire to use content from the original clinical practice guideline cited herein, you must contact the guideline developer directly to obtain permission rights.

ECRI's Guideline Profiles are designed to provide information and assist decision-making. Variations in practice will inevitably, and appropriately, occur when clinicians take into account the needs and preferences of individual patients, available resources, and limitations unique to an institution or type of practice. Every healthcare professional using these Guideline Profiles is responsible for evaluating the appropriateness of applying them in a clinical setting.

Copyright © 2025 ECRI