

# Thyroid disease in pregnancy: ACOG practice bulletin no. 223.

Guideline ID: 1811

Published: 2020 Jun

**American College of Obstetricians and Gynecologists (ACOG)**

*Thyroid disease in pregnancy: ACOG practice bulletin no. 223. Obstet Gynecol. 2020 Jun;135(6):e261-e274. [77 references] [PubMed](#)*

[View Original Guideline](#)

## Overview

### Guideline Objective

To update information on the diagnosis and the management of thyroid disease in pregnant women

### Patient Population

Pregnant women with suspected or confirmed thyroid disease

## Recommendations

### Recommendation Statements

Major interventions covered in this guideline include:

- Identification of candidates for screening and diagnostic testing

- Evaluation of fetal thyroid function
- Diagnosis and treatment of special circumstances, including thyroid storm, thyrotoxic heart failure, thyroid nodule/cancer, and postpartum thyroiditis
- Treatment options for hypothyroidism and hyperthyroidism
- Considerations in hyperemesis gravidarum

**Note:** Full recommendation statements have not been provided because this guideline does not meet [EGT's systematic review of the evidence criteria](#). Refer to the [original guideline](#) for more information.

## Evidence Rating Scheme

Refer to the original guideline documentation for more information.

## Recommendation Rating Scheme

Refer to the original guideline documentation for more information.

## Related Content

## Supporting Documents

No supporting documents available.

## Implementation Tools

No implementation tools available.

## Patient Education

No patient education materials available.

## Disclaimer

If you desire to use content from the original clinical practice guideline cited herein, you must contact the guideline developer directly to obtain permission rights.

ECRI's Guideline Profiles are designed to provide information and assist decision-making. Variations in practice will inevitably, and appropriately, occur when clinicians take into account the needs and preferences of individual patients, available resources, and limitations unique to an institution or type of practice. Every healthcare professional using these Guideline Profiles is responsible for evaluating the appropriateness of applying them in a clinical setting.