ECCO guidelines on inflammatory bowel disease and malignancies.

Guideline ID: 3287 Published: 2023 Jun 16

European Crohn's and Colitis Organisation (ECCO)

Gordon H, Biancone L, Fiorino G, et al. ECCO guidelines on inflammatory bowel disease and malignancies. J Crohns Colitis. 2023 Jun 16;17(6):827-854. [313 references] PubMed

View Original Guideline

Overview

Guideline Objective

To provide guidance addressing key areas in which the management of inflammatory bowel disease (IBD) may be affected by either the risk of or the presence of malignancy, including the risk of cancers associated with IBD, the risk of cancers from therapies used to treat IBD, and the management of IBD in a patient with active or recent cancer

Patient Population

Patients with IBD

Recommendations

Recommendation Statements

Major interventions covered in this guideline include:

- Screening and surveillance for colorectal cancer (CRC)
- Detection and management of dysplasia
- Guidance on risk factors for anal cancer, ileo-anal pouch cancer, cholangiocarcinoma, small-bowel cancer, and other solid-organ tumours, and hematological malignancies
- Considerations for cancer risk associated with IBD therapies
- Treatment of IBD in patients with a history of recent or active cancer

Note: Full recommendation statements have not been provided because this guideline does not meet EGT's systematic review of the evidence criteria. Refer to the original guideline for more information.

Evidence Rating Scheme

Refer to the original guideline documentation for more information.

Recommendation Rating Scheme

Refer to the original guideline documentation for more information.

Related Content

Supporting Documents

No supporting documents available.

Implementation Tools

- The Original Guideline includes the following:

- Figure 1. Endoscopic Screening and Surveillance for Colorectal Cancer (CRC) in Inflammatory Bowel Disease (IBD) (p. 830)

Patient Education

No patient education materials available.

Disclaimer

If you desire to use content from the original clinical practice guideline cited herein, you must contact the guideline developer directly to obtain permission rights.

ECRI's Guideline Profiles are designed to provide information and assist decision-making. Variations in practice will inevitably, and appropriately, occur when clinicians take into account the needs and preferences of individual patients, available resources, and limitations unique to an institution or type of practice. Every healthcare professional using these Guideline Profiles is responsible for evaluating the appropriateness of applying them in a clinical setting.

Copyright © 2025 ECRI