


REVISION HISTORY		
REV.	DESCRIPTION	DATE
01	PRELIMINARY RELEASE PER HP0058	2022-05-31
02	REVISED PER HP0058	2022-06-03
A	INITIAL RELEASE PER HP0058	2022-06-03

SPECIFICATIONS

- VOLTAGE (NOMINAL): 12-24 VDC
- TEMPERATURE RANGE: -40°F(-40°C) TO 149°F(65°C)
- DATA CONNECTION: 4-PIN CAN/POWER
- POWER CONNECTION: 4-PIN CAN/POWER
- OUTPUT CONNECTION: 4-PIN CAN/POWER
- HOUSING MATERIAL: ABS PLASTIC
- PRODUCT WEIGHT: 0.4 LBS

PROPRIETARY AND CONFIDENTIAL INFORMATION
 THIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED HEREIN ARE THE PROPERTY OF ELECTRONIC CONTROLS COMPANY AND/OR ITS ECCO SAFETY GROUP AFFILIATES ("ECCO") AND IS ISSUED IN CONFIDENCE TO RECIPIENT FOR ENGINEERING INFORMATION PURPOSES ONLY. THIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED HEREIN MAY NOT BE USED, COPIED, REPRODUCED OR OTHERWISE DISCLOSED IN PART OR IN WHOLE TO THIRD PARTIES OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR ECCO WRITTEN CONSENT. ECCO RESERVES ALL PATENT, COPYRIGHT, TRADEMARK AND OTHER PROPRIETARY RIGHTS TO THIS DOCUMENT, INCLUDING ALL DESIGN, MANUFACTURING, REPRODUCTION, USE AND SALES RIGHTS THERETO. THIS DRAWING IS SUBJECT TO RECALL BY ECCO AT ANY TIME, AND YOUR POSSESSION AND/OR USE CONSTITUTES ACCEPTANCE OF THESE TERMS. ©2022 ELECTRONIC CONTROLS COMPANY

SCALE 1:1	APPROVALS	DATE	 ECCO [®] www.eccolink.com Americas (800) 635-5900 Europe +44 (0)113 237 5340 Asia Pacific +61 (0)3 63322444
CAD GENERATED DRAWING DO NOT MANUALLY UPDATE.	DRAWN BY BTK	2022-06-03	
	CHECKED ABD	2022-06-03	
TOLERANCES ARE IN INCHES, AND MILLIMETERS TOLERANCES UNLESS OTHERWISE STATED ARE:	MECH. ENG. LRA	2022-06-03	
MILLIMETERS DECIMALS XX. ± 1.0mm XX.X ± 0.5mm	INCHES DECIMALS X.X ± 0.1 X.XX ± 0.04 X.XXX ± 0.02	ANGLES ± 0.5° FRACTIONS ± 1/64	ELEC. ENG.
			TEST ENG.
			SALES.
			CUSTOMER PART NO. V2V
	SIZE: A	DWG. NO. V2V	REV. A
Electronically Controlled Use Latest Copy	SHEET 1 OF 1	Project: HP0058	Date Created: 2022-05-31

