

Nokia Car Holder (CH-100)  
Quick Start Guide


**NOKIA**

# What's in the box


- Nokia Car Holder
- Quick Start Guide

## Product overview


- |                       |                                   |
|-----------------------|-----------------------------------|
| <b>a</b> Clamp arms   | <b>c</b> Knob (length adjustment) |
| <b>b</b> Foot support | <b>d</b> Knob (angle adjustment)  |



Holder




Air vent clip




Suction cup bracket

# Installation instructions


## Suction cup bracket




- 1** Release the nut at the back of the holder.




- 2** Set the nut on the ball joint of the suction cup bracket.




- 3** Insert the ball joint into the socket at the back of the holder.




- 4** Turn the nut clockwise to tighten the bracket; turn counterclockwise to loosen.




- 5** Clean and dry the surface before installation.




- 6** Remove the protective film from the bottom of the suction cup, and press the suction cup tightly on the dashboard or windshield.




- 7** To lock the car holder in place, press the lever to remove any air from the suction cup.




- 8** Turn the knob counterclockwise to adjust the angle of the suction cup bracket, and then turn the knob clockwise to fix.




- 9 Turn the knob counterclockwise to adjust the bracket to the required length; and then turn it clockwise to fix.



- 10 Press the release button at the back of the car holder to open the clamp arms; then pull down the foot support and put the device in the holder.




- 11 Push the left and right clamp arms towards the center until the device is firmly in place.




- 12 If you want to place the car holder on the dashboard, repeat the procedure above.


## Air vent clip




- 1** Release the nut at the back of the holder.




- 2** Set the nut on the ball joint of the air vent clip.




- 3** Insert the ball joint into the socket at the back of the holder, and turn the nut clockwise to tighten the clip.



- 4** Install the clip to the air vent louver of the car.



- 5** Press the release button at the back of the car holder to open the clamp arms; then **pull** down the foot support and fit the device in the holder.



- 6** Push the left and right clamp arms until the device is firmly in place.

## Specification

- Materials: PC + ABS
- Applicable device width: 83~89mm

## Attention

Handle your product with care. The following suggestions help you keep your product operational.

- Do not exceed the maximum size of the supported device.
- Do not insert the device until the car holder is installed.
- Keep your product away from humid environments and corrosive materials.
- Do not install the product over the airbag cover or within the airbag deployment zone.
- Stop using the product if you find any abnormalities.
- The product and its accessories are not toys. They may contain small parts. Keep them out of the reach of small children.
- Do not disassemble, knock, or squeeze the car holder. Do not throw it into a fire.



## Copyrights and other notices

The availability of products, features, apps, and services may vary by region. For more info, contact your dealer or your service provider. This device may contain commodities, technology or software subject to export laws and regulations from the US and other countries. Diversion contrary to law is prohibited.

The contents of this document are provided “as is”. Except as required by applicable law, no warranties of any kind, either express or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose, are made in relation to the accuracy, reliability or contents of this document. HMD Global reserves the right to revise this document or withdraw it at any time without prior notice. Reproduction, transfer or distribution of part or all of the contents in this document in any form without the prior written permission of HMD Global is prohibited. HMD Global operates a policy of continuous development. HMD Global reserves the right to make changes and improvements to any of the products described in this document without prior notice.

Manufacturer and importer in EU: HMD Global Oy, Bertel Jungin aukio 9, 02600 Espoo, Finland. HMD Global Privacy Policy, available at <http://www.nokia.com/phones/privacy>, applies to your use of the device.

In the unlikely event that this product is faulty, please return it to the store where you purchased it with your proof of purchase. For more information on this or other products please visit <http://www.nokia.com/phones/support>.

© 2021 HMD Global. All rights reserved. HMD Global Oy is the exclusive licensee of the Nokia brand for phones & tablets. Nokia is a registered trademark of Nokia Corporation.

The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by HMD Global is under license. All other trademarks are the property of their respective owners.