



EU Data sharing information

On 11 January 2024, the EU Data Act, a central component of the European data strategy, entered into force.

The following information gives you an overview of the data which our Fire control panels family FC120 generate and how they are made available to you.

TYPE, FORMAT, AND ESTIMATED AMOUNT OF PRODUCT DATA THAT CAN BE GENERATED

Data type	Data format	Estimated size
Event memory (Incidents)	Exportable as .CSV file	Less than 1MB
Customer texts	Exportable as .CSV file	Less than 1MB

Continuous and real-time data generation

The FC120-systems can generate data continuously and in real time throughout operation. The CPU works with defined cycle times in which process data is recorded and processed. Updates to stored data depend on the use case.

- Events (Incidents) can occur spontaneously during normal system operation.
- Customer texts are changed on user action by using Hyper Terminal.

DATA STORAGE AND STORAGE PERIOD

Local data storage

The FC120-systems stores data in integrated memory as well as the RAM and flash memory of the CPU.

Local Data Storage	Capacities	Storage Duration
Events (Incidents): ring buffer	Default setting: keep latest 1.000 Events per panel (rules related to Event categories configurable)	Persistent (permanent)
All other data: Flash File System	Part of 4MB storage block	Persistent (permanent)

Remote data storage

Not applicable

ACCESS / RETRIEVAL, DELETION OF DATA, TERMS OF USE AND QUALITY OF SERVICE

Type of data	Access/retrieval via	Terms of Use	Quality of Service
Event memory (Incidents)	Hyper Terminal (History Log)	Hyper Terminal PIN code for specific access level	No specific definition
Customer texts	Hyper Terminal (History Log)	Hyper Terminal PIN code for specific access level	No specific definition

Deletion of data

To delete all data, follow the description for factory reset in the technical manual.