



EU Data sharing information

On 11 January 2024, the EU Data Act, a central component of the European data strategy, entered into force.

The following information gives you an overview of the data which our Novigo VOICE alarm panels generate and how they are made available to you.

TYPE, FORMAT, AND ESTIMATED AMOUNT OF PRODUCT DATA THAT CAN BE GENERATED

Data type	Data format	Estimated size
Event (incidents) incl. Line detection (LD) measurement data and voice alarm activations	Binary (snapshot) – readable only with PACE-Design tool.	In a range of 500 kB up to several MB.
Power supply information	Can be viewed in Mera3 tool	n/a
Customer defined texts (e.g. naming of rooms etc.)	Exportable as .XML file by the PACE-Design tool	several KB.
Test alarm activations (maintenance)	Exportable as .CSV file by the PACE-Design tool	several KB

Continuous and real-time data generation

The Novigo Systems can generate data continuously and in real time throughout operation. The CPU works with defined cycle times in which process data is recorded and processed. Updates to stored data depend on the use case.

- Events (Incidents), including Line detection (LD) measurement data and Power supply information, as well as voice alarm activations, can occur spontaneously during normal system operation or on user action.
- Customer texts are changed on user action using PACE-Design engineering tool.
- Test alarm activations (maintenance) are collected when maintenance activities are performed.

DATA STORAGE AND STORAGE PERIOD

Local data storage

The Novigo Systems stores data in integrated memory as well as the RAM and flash memory of the device.

Local Data Storage	Capacities	Storage Duration
Events (Incidents): Visible / readable in PACE Design tool	Default setting: keep 20 events per panel (voice alarm)	only displayed in the PACE Design tool. Recent events are lost when you re-login with PACE-Design.
All other data (e.g. customer specific texts etc.): Flash file system	Flash medium block size max. 64 KB	Persistent (permanent)
Project / customer specific sound files (e.g. pre-recorded messages): SD card	Storage medium (SD card): max. 2 GB	Persistent (permanent)

Remote data storage

Not applicable

Type of data	Access/retrieval via	Terms of Use	Quality of Service
Event (incidents), incl. Line detection (LD) measurement data and voice alarm activations	PACE Design engineering tool	Engineering tool (PACE-Design) Password to gain access to Novigo system Sufficient user privileges	No specific definition
Power supply information	Engineering tool Mera3	Engineering tool Mera3 available Connection via USB to the Power Supply Unit	No specific definition
Customer texts	PACE Design engineering tool	Engineering tool Valid user license Sufficient user role	No specific definition
Test alarm activations (maintenance)	PACE Design engineering tool	Engineering tool (PACE-Design) Password to gain access to Novigo system Sufficient user privileges	No specific definition

Deletion of data

To delete all data, please contact your local Siemens representative to receive instructions.