

**Instructions: It is very important to read these instructions before using this coding sheet in order to understand its layout and abbreviations.** Diagnoses which have different codes for different body locations are listed on the grid below. Diagnoses which are not location-specific are listed alphabetically on the Index sheet. Please read through the alphabetical list to familiarize yourself with the diagnoses. Many diagnoses have multiple names and not all of these names are included. For example "pruritus" is listed, but not "itch". Also many diagnoses could be listed in different categories. For example "atopic dermatitis" is listed but not "dermatitis – atopic". This list is not intended to replace your coding manual and includes only the most commonly used diagnoses. "NOS" indicates "not otherwise specified". Some diagnoses require secondary codes:

- \*" indicates this secondary code is required
- "+" indicates this secondary code should be added, if applicable
- "?" indicates this code requires a seventh character; an "A" indicating initial encounter, "D" indicating "subsequent encounter" or "S" indicating "Sequela"
- "<" indicates a primary code needs to be listed first, if applicable
- "#" indicates there are a number of multiple, more specific codes within this category and that the code as listed here cannot be reported. It will be necessary to use a different coding resource to find the more specific code that applies.

When a secondary code asks you to see a previous diagnosis that indicates the same secondary codes apply. This coding sheet will require changes as ICD-10 coding is better understood. If you become aware of a change that is necessary, please contact us at [coding@aad.org](mailto:coding@aad.org) so those changes can be instituted in the next edition.

	Cellulitis	Furuncle Carbuncle	Abscess	Melanoma	Melanoma in-situ	BCC	SCC	SCC In-situ	Nevus	Benign lesion	Neoplasm uncertain behavior	Mass / Lump	Lipoma	NEC
<b>Head/scalp</b>	L03.811	L02.821*	L02.811*	C43.4	D03.4	C44.41	C44.42	D04.4	D22.4	D23.4	D48.5	R22.0	D17.0	44.49
<b>Rt ear</b>	H60.11	H60.01	H60.01	C43.21	D03.21	C44.212	C44.222	D04.21	D22.21	D23.21	D48.5	R22.0	D17.0	C44.292
<b>Lt ear</b>	H60.12	H60.02	H60.02	C43.22	D03.22	C44.219	C44.229	D04.22	D22.22	D23.22	D48.5	R22.0	D17.0	C44.299
<b>Rt eyelid: Upper Lower</b>	H00.031 H00.032	H00.031 H00.032	H00.031 H00.032	C43.111 C43.112	D03.111 D03.112	C44.1121 C44.1122	C44.1221 C44.1222	D04.111 D04.112	D22.111 D22.112	D23.111 D23.112	D48.5	R22.0	D17.0	C44.1921 C44.1922
<b>Lt eyelid: Upper Lower</b>	H00.035 H00.036	H00.035 H00.036	H00.035 H00.036	C43.121 C43.122	D03.121 D03.122	C44.1191 C44.1192	C44.1291 C44.1292	D04.121 D04.122	D22.121 D22.122	D23.121 D23.122	D48.5	R22.0	D17.0	C44.1991 C44.1992
<b>Nose</b>	L03.211	L02.02*	L02.01*	C43.31	D03.39	C44.311	C44.321	D04.39	D22.39	D23.39	D48.5	R22.0	D17.0	C44.391
<b>Lip</b>	K13.0	L02.02*	L02.01*	C43.0	D03.0	C44.01	C44.02	D04.0	D22.0	D23.0	D37.0	R22.0	D10.0	C44.09
<b>Face (other parts of)</b>	L03.211	L02.02*	L02.01*	C43.39	D03.39	C44.319	C44.329	D04.39	D22.39	D23.39	D48.5	R22.0	D17.0	C44.399
<b>Neck</b>	L03.221	L02.12*	L02.11*	C43.4	D03.4	C44.41	C44.42	D04.4	D22.4	D23.4	D48.5	R22.1	D17.0	C44.49
<b>Trunk</b>	L03.319	L02.229*	L02.219*	C43.59	D03.59	C44.519	C44.529	D04.5	D22.5	D23.5	D48.5	R22.2	D17.1	C44.599
<b>Breast</b>	L03.818	L02.828*	L02.81*	C43.52	D03.52	C44.511	C44.521	D04.5	D22.5	D23.5	D48.5	R22.2	D17.1	C44.591
<b>Chest</b>	L03.313	L02.223*	L02.213*	C43.59	D03.59	C44.519	C44.529	D04.5	D22.5	D23.5	D48.5	R22.2	D17.1	C44.599
<b>Abdomen</b>	L03.311	L02.221*	L02.211*	C43.59	D03.59	C44.519	C44.529	D04.5	D22.5	D23.5	D48.5	R22.2	D17.1	C44.599
<b>Umbilicus</b>	L03.316	L02.226*	L02.216*	C43.59	D03.59	C44.519	C44.529	D04.5	D22.5	D23.5	D48.5	R22.2	D17.1	C44.599
<b>Back</b>	L03.312	L02.222*	L02.212*	C43.59	D03.59	C44.519	C44.529	D04.5	D22.5	D23.5	D48.5	R22.2	D17.1	C44.599
<b>Rt axilla</b>	L03.111	L02.421*	L02.411*	C43.61	D03.61	C44.612	C44.622	D04.61	D22.61	D23.61	D48.5	R22.31	D17.21	C44.692
<b>Lt axilla</b>	L03.112	L02.422*	L02.412*	C43.62	D03.62	C44.619	C44.629	D04.62	D22.62	D23.62	D48.5	R22.32	D17.22	C44.699
<b>Rt arm</b>	L03.113	L02.423*	L02.413*	C43.61	D03.61	C44.612	C44.622	D04.61	D22.61	D23.61	D48.5	R22.31	D17.21	C44.692
<b>Lt arm</b>	L03.114	L02.424*	L02.414*	C43.62	D03.62	C44.619	C44.629	D04.62	D22.62	D23.62	D48.5	R22.32	D17.22	C44.699
<b>Rt hand</b>	L03.113	L02.521*	L02.511*	C43.61	D03.61	C44.612	C44.622	D04.61	D22.61	D23.61	D48.5	R22.31	D17.21	C44.692
<b>Lt hand</b>	L03.114	L02.522*	L02.512*	C43.62	D03.62	C44.619	C44.629	D04.62	D22.62	D23.62	D48.5	R22.32	D17.22	C44.699
<b>Rt finger</b>	L03.011	L02.521*	L02.511*	C43.61	D03.61	C44.612	C44.622	D04.61	D22.61	D23.61	D48.5	R22.31	D17.21	C44.692
<b>Lt finger</b>	L03.012	L02.522*	L02.512*	C43.62	D03.62	C44.619	C44.629	D04.62	D22.62	D23.62	D48.5	R22.32	D17.22	C44.699
<b>Groin</b>	L03.314	L02.224*	L02.214*	C43.59	D03.8	C44.519	C44.529	D04.8	D22.5	D23.5	D48.5	R22.2	D17.39	C44.599
<b>Perineum</b>	L03.315	L02.225*	L02.215*	C43.51	D03.8	C44.510	C44.520	D04.5	D22.5	D23.5	D48.5	R22.2	D17.39	C44.590
<b>Buttock</b>	L03.317	L02.32*	L02.31*	C43.59	D03.59	C44.519	C44.529	D04.5	D22.5	D23.5	D48.5	R22.2	D17.1	C44.599
<b>Perianal</b>	K61.0	K61.0	K61.0	C43.51	D03.51	C44.510	C44.520	D04.5	D22.5	D23.5	D48.5	R22.2	D17.39	C44.590
<b>Vulva</b>	N76.4*	N76.4*	N76.4*	C51.9	D03.8	C51.9	C51.9	D07.1	D28.0	D28.0	D39.8	R22.2	D17.39	C51.9
<b>Penis</b>	N49.9*	N49.9*	N49.9*	C60.9	D03.8	C60.9	C60.9	D07.4	D29.0	D29.0	D40.8	R22.2	D17.39	C60.9
<b>Scrotum</b>	N49.2*	N49.2*	N49.2*	C63.2	D03.8	C63.2	C63.2	D07.61	D29.4	D29.4	D40.8	R22.2	D17.39	C63.2
<b>Rt leg</b>	L03.115	L02.425*	L02.415*	C43.71	D03.71	C44.712	C44.722	D04.71	D22.71	D23.71	D48.5	R22.41	D17.23	C44.792
<b>Lt leg</b>	L03.116	L02.426*	L02.416*	C43.72	D03.72	C44.719	C44.729	D04.72	D22.72	D23.72	D48.5	R22.42	D17.24	C44.799
<b>Rt foot</b>	L03.115	L02.621*	L02.611*	C43.71	D03.71	C44.712	C44.722	D04.71	D22.71	D23.71	D48.5	R22.41	D17.23	C44.792
<b>Lt foot</b>	L03.116	L02.622*	L02.612*	C43.72	D03.72	C44.719	C44.729	D04.72	D22.72	D23.72	D48.5	R22.42	D17.24	C44.799
<b>Rt toe</b>	L03.031	L02.621*	L02.611*	C43.71	D03.71	C44.712	C44.722	D04.71	D22.71	D23.71	D48.5	R22.41	D17.23	C44.792
<b>Lt toe</b>	L03.032	L02.622*	L02.612*	C43.72	D03.72	C44.719	C44.729	D04.72	D22.72	D23.72	D48.5	R22.42	D17.24	C44.799

# Dermatology ICD-10 Quick Coder

April 12, 2024

Page 2 of 3

<b>Acne</b>		L81.8	dyschromia-other	L92.9	granulomatous disease NOS	L74.1	miliaria crystallina
L70.5	excoriae	L81.9	dyschromia-NOS	L11.1	Grover's disease	L74.0	miliaria rubra
L70.4	infantile	L30.1	dyshidrotic eczema	D18.01	hemangioma	B08.1	moluscum contagiosum
L73.0	keloidalis	R23.3	eczymosis	L76.21	hematoma/bleeding	L94.0	morphea
L70.9	NOS	L30.9	eczema NOS		post-op	K13.0	mucocele
L70.0	vulgaris			L76.01	hemorrhage intra op		+ (see angular cheilitis)
L91.8	acrochordon	<b>Encounter</b>		D69.0	Henoch Schoenlein purpura	K12.30	mucositis - oral NOS
L57.0	actinic keratosis	Z41.1	cosmetic	B00.1	herpes simplex face/lip		+ (see angular cheilitis)
<b>Allergic contact dermatitis</b>		Z08	F/U completed tx -malignancy	B00.9	herpes simplex NOS	L60.9	nail disorder NOS
L23.1	adhesive		*Z85.818 lip cancer or	<b>Herpes zoster</b>		L60.3	nail dystrophy
L23.3	drug		*Z85.820 melanoma or	B02.8	with complications	L60.0	nail-ingrown
L23.0	nickel		*Z85.821 merkel or	B02.9	without complications	L92.1	neurodermatitis
L23.7	plant		*Z85.828 skin ca NOS	L73.2	hidradenitis suppuritiva	Q85.00	neurofibromatosis NOS
L23.9	NOS	Z09 F/U	completed tx	L68.0	hirsutism	L98.1	neurotic excoriation
L63.8	alopecia areata-other		-not malignancy	L74.510	hyperhidrosis-axillae	L30.0	nummular dermatitis
L63.9	alopecia areata- NOS		*Z87.2 hx skin disease	L74.511	hyperhidrosis-face	L60.1	onycholysis
L65.9	alopecia-nonscarring NOS	Z79.899	long term drug therapy	L74.512	hyperhidrosis-palms	B35.1	onychomycosis
	+T36-T50# medication reaction	Z12.83	screening-skin cancer	L74.513	hyperhidrosis-soles	K13.3	oral hairy leukoplakia
L66.9	alopecia-scarring NOS		+Z80.9 Fam hx skin Ca	L74.519	hyperhidrosis-focal NOS		+ (see angular cheilitis)
L64.8	androgenic alopecia	Z13.88	screening- other disease	L85.9	hyperkeratosis NOS	K13.70	Oral lesion NOS
D18.01	angioma-skin	Z13.89	screening- NOS	L81.4	hyperpigmentationmelanin		+ (see angular cheilitis)
K13.0	angular cheilitis	Z48.00	nonsurgical dressings	L68.9	hypertrichosis NOS	M79.3	panniculitis NOS
	+F10# alcohol dependence	Z48.01	surgical dressings	L91.9	hypertrophic disorder NOS	L41.4	parapsoriasis-large plaque
	+Z72.0 tobacco use	Z48.02	suture removal	L91.0	hypertrophic scar	L41.3	parapsoriasis-small plaque
	+Z77.22 2nd-hand smoke	Z48.03	drain removal	L81.6	hypopigmentation	L41.9	parapsoriasis NOS
K12.0	aphthous ulcer	Z48.1	postop wound closure	L85.0	ichthyosis- acquired	R20.2	paresithesia-skin
	+ (see angular cheilitis)	L72.0	epidermoid cyst	Q80.0	ichthyosis vulgaris	L03.019	paronychia
L85.3	asteotosis	<b>Epidermolysis bullosa</b>		L01.1	impetiginization of rash	B85.0	pediculosis capitis
<b>Atopic dermatitis</b>		Q81.2	dystrophic	L01.03	impetigo- bullous	B85.2	pediculosis NOS
L20.81	diffuse neurodermatitis	Q81.9	NOS	L01.01	impetigo-non bullous	L12.0	pemphigoid-bullous
L20.82	flexural	L59.0	erythema ab igne	L08.9	infection-local NOS	L12.1	pemphigoid-cicatrical
L20.83	infantile	<b>Erythema multiforme</b>		T14.90	injury-NOS	L10.2	pemphigus foliaceus
L20.9	NOS		*L49 skin% exfoliation	L82.0	irritated seborrheic keratosis	L10.1	pemphigus vegetans
L95.0	atrophie blanche		L49.0<10% TBSA	L60.0	ingrown nail	L10.0	pemphigus vulgaris
L90.8	atrophy NOS		L49.1 10-19% TBSA	L30.3	intertrigo	L71.0	perioral dermatitis
Q82.5	birthmark NOS		L49.2 20-29% TBSA	<b>Irritant contact dermatitis</b>			+T36-T50# med reaction
W57.XXX?	bite - insect/spider		L49.3 30-39% TBSA	L24.0	detergents	B37.0	perleche-candidal
L12.0	bullous pemphigoid		L49.4 40-49% TBSA	L24.2	hydrocarbons	K13.0	perleche NOS
L81.3	cafe au lait spot		L49.5 50-59% TBSA	L24.9	NOS		+ (see angular cheilitis)
L84	callus		L49.6 60-69% TBSA	C46.0	Kaposi sarcoma-skin <B20 HIV	R23.3	petechiae
B37.9	candidiasis-mouth		L49.7 70-79% TBSA	L91.0	keloid	L56.1	photoallergic
B37.2	candidiasis-skin/nails		L49.8 80-89% TBSA	L81.4	lentigo		* (see actinic keratosis)
			L49.9>90% TBSA	L81.5	leukoderma	L56.2	photocontact
H61.001	chondrodermatitis right ear		+T36-T50# med rxn	K13.21	leukoplakia-oral		* (see actinic keratosis)
H61.002	chondrodermatitis left ear		+HO1.8 eyelid inflammation		+ (see angular cheilitis)	L81.9	pigmentation disorder NOS
L66.9	ciatricial alopecia NOS		+H10.22# conjunctivitis	<b>Lichen planus</b>		L81.7	pigmented purpuric dermatitis
L84	clavus		+H16# corneal ulcer	L43.3	active	L72.11	pilar cyst
A63.0	condyloma acuminata		+K12# stomatitis	L43.0	hypertrophic	L05.01	pilonidal cyst
L83	confluent and reticulated papillomatosis		+M14.8# arthropathies	L43.9	NOS	L30.5	pityriasis alba
Q84.8	congenital malformation, skin-other		L51.0 nonbullous	L90.0	lichen sclerosis	L41.0	PLEVA
Q84.9	congenital malformation, skin-NOS		L51.8 other	L28.0	lichen simplex chronicus	L41.1	PLC
L94.9	connective tissue disease - local NOS		L51.9 NOS	K13.0	lip-lesion/ulcer	L42	pityriasis rosea
R23.0	cyanosis		L52 erythema nodosum		+ (see angular cheilitis)	L44.0	pityriasis rubra pilaris
Q82.8	Darriers disease		L53.9 erythema NOS		+ (see actinic keratosis)	L57.3	poikiloderma of Civatte
F22	delusions of parasitosis		L08.1 erythrasma			L56.4	PMLE
L13.0	dermatitis herpetiformis		L98.1 factitial dermatitis				* (see actinic keratosis)
L30.9	dermatitis NOS		L98.2 febrile neutrophilic			E80.1	porphyria cutanea tarda
L22	diaper dermatitis		R23.2 flushing dermatosis			B02.29	post herpetic neuralgia
M67.40	digital myxoid cyst		<N95.1 menopausal			L81.0	postinflammatory hyperpigmen
L93.0	discoïd lupus		L01.02 folliculitis-bacterial			L89#	pressure ulcers
L66.3	dissecting cellulitis of scalp		<b>Grid abscess</b>			<196 gangrene	
L56.5	disseminated superficial actinic porokeratosis		L83 acanthosis nigricans			L89.151	pressure ulcer-sacrum stage I
	* (see actinic keratosis)		Q83.3 accessory nipple				<196 gangrene
R20.9	disturbance of sensation skin NOS		<b>Grid folliculitis</b>			L89.152	pressure ulcer-sacrum stage II
L27.0	drug rash generalized		L66.2 folliculitis decalvans				<196 gangrene
	+T36-T50# med reaction		L92.3 foreign body granuloma			L28.1	prurigo nodularis
	+T35-T50# med reaction		W45.8XX? foreign body-skin			L28.2	prurigo NOS
M72.0	Dupuytren's		L81.2 freckles			<b>Pruritus</b>	
			<b>Grid furuncle</b>			L29.0	ani
			M67.40 ganglionic cyst			F45.8	psychogenic
			K14.1 geographic tongue			L29.01	scroti
			+ (see angular cheilitis)				
			L44.4 Gianotti-Crosti				
			K14.0 Glossitis				
			+ (see angular cheilitis)				
			L92.0 granuloma annulare				

L29.2 vulvae  
 L29.8 other  
 L29.9 NOS  
 L73.1 pseudofolliculitis barbae  
 L66.0 pseudopelade

**Psoriasis**  
 L40.8 flexural  
 L40.4 guttate  
 L40.3 palmar plantar  
 pustulosis  
 L40.0 plaque  
 L40.9 NOS  
 D69.2 purpura NOS  
 L08.0 pyoderma NOS  
 L88 pyoderma gangrenosum  
 L98.0 pyogenic granuloma  
 R21 rash NOS  
 L71.1 rhinophyma  
 +T36-T50# med reaction  
 L71.8 rosacea  
 +T36-T50# med reaction  
 B86 scabies  
 L90.5 scar  
 L81.7 Schamberg's  
 Z12.83 screening - skin cancer  
 +Z80.9 family history skin CA  
 Z13.88 screening - other  
 disease  
 Z13.89 screening - NOS  
 L72.3 sebaceous cyst  
 L73.9 Sebaceous hyperplasia

**Seborrheic dermatitis**  
 L21.0 capitis  
 L21.1 infantile  
 L21.9 NOS  
 L82.1 seborrheic keratosis  
 L82.0 seborrheic keratosis –  
 inflamed  
 D69.2 senile purpura  
 R23.8 skin changes – other  
 R23.9 skin changes NOS  
 L98.8 skin disorder – other  
 L98.9 skin disorder - NOS  
 L91.8 skin tag  
 L57.8 solar degeneration  
 \*(see actinic keratosis)  
 B42.1 Sporotrichosis

**Staphylococcal aureus**  
 B95.61 MSSA  
 B95.62 MRSA  
 B95.8 staph NOS  
 L00 staph scalded skin  
 syndrome  
 \*L49# skin% exfoliation  
 (see EM)  
 I83.10 stasis dermatitis  
 L51.1 Stevens-Johnson  
 syndrome  
 \*and+ (see erythema multiforme)  
 L51.3 SJS/TEN overlap  
 \*and+ (see erythema  
 multiforme)  
 K12.1 stomatitis - other  
 +(see angular cheilitis)  
 L90.6 striae atrophic  
 L98.8 subcutaneous disorder other  
 L98.9 subcutaneous disorder-  
 NOS  
 L55.9 sunburn NOS  
 L98.2 Sweets syndrome  
 I78.9 telangiectasias  
 L65.0 telogen effluvium  
 +T36-T50# medication reaction  
 I80.3 thrombophlebitis-legs  
 NOS  
 <O00#, O07#, O08#, O22#,

O87# (all pregnancy issues)  
 I80.9 thrombophlebitis NOS  
 < (see thrombophleb-legs NOS)  
 B37.9 thrush  
 B35.0 tinea barbae/capitis  
 B35.4 tinea corporis  
 B35.6 tinea cruris  
 B35.2 tinea manuum  
 B35.3 tinea pedis  
 B35.1 tinea unguium  
 B36.0 Tinea versicolor  
 K14.9 tongue disorder NOS  
 +(see angular cheilitis)  
 L51.2 TEN  
 \*and + (see erythema multiforme)  
 Q85.1 tuberous sclerosis  
 L98.4# ulcer, not leg, non-pressure  
 L97# ulcers, leg, non-pressure  
 <I96 gangrene  
 <I70# atherosclerosis-leg  
 <I87.3 # chronic venous HTN  
 <E08-E13# diabetic ulcers  
 <I87# post-thrombotic syndrome  
 <I83# varicose veins  
 L89# ulcers, pressure  
 <-I96 gangrene

**Urticaria**  
 L50.0 allergic  
 L50.8 chronic  
 L50.3 dermatographic  
 L50.1 idiopathic  
 L50.9 NOS  
 Q82.2 urticaria pigmentosa  
 I83# varicose veins  
 L95.8 vasculitis, skin-other  
 L95.9 vasculitis, skinNOS  
 I87.2 venous insufficiency  
 B07.0 verruca plantaris  
 B07.8 verruca vulgaris/plana  
 B09 viral exanthema  
 L80 vitiligo  
 E78.2 xanthoma  
 E78.2 xanthelasma  
 Q82.1 xeroderma pigmentosum  
 L85.3 xerosis

For more information, see: [aad.org/practicecenter](http://aad.org/practicecenter)



Compliments of Blaine Lehr, MD  
 CPT only © 2022 American Medical Association.

Copyright © by the American Academy of Dermatology and the American  
 Academy of Dermatology Association.