Quality Innovation Center

MIPS #402: (NQF: 2803) Tobacco Use and Help with Quitting Among Adolescents

2020 Documentation Tip Sheet

Electronic health records (EHRs) collect and organize notes, medication lists, and patient information using various formats. With providers also documenting this information in unique ways, this can potentially cause confusion and an increased timeline for measure mapping with DataDerm. This tip sheet can help you manage reporting requirements for performance measures and streamline standard documentation practices to allow seamless data pull into DataDerm.

The DataDerm team will work with you to connect DataDerm with your EHR to extract data. To make the process as smooth as possible, it helps to document key elements of patient care. DataDerm cannot read scanned images of any kind, including scanned images for labs, letters to physicians, pathology reports, follow-up plans, and dates. If you have scanned images with information needed for your measures, please add a note in your chart with the date and required patient information for this data to be accurately collected.

This tip sheet can assist paper-based practices in standardizing documentation practices. Keeping notes in the patient's paper chart of all documentation requirements will assist you when reporting for this measure.

Measure 402: Tobacco Use and Help with Quitting Among Adolescents

For all patients aged 12-20 years, document the following in your notes:

The CPT or HCPCS code for the patient encounter during the reporting period:

- 90791, 90792, 90832, 90834, 90837, 90839, 90845, 92002, 92004, 92012, 92014, 96156, 96158, 97165, 97166, 97167, 97168, 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99406, 99407, G0438, G0439
- Note in the patient medical record if applicable:
- Patients who were screened for tobacco use at least once within 18 months (during the measurement period or the six months prior to the measurement period) AND received tobacco cessation counseling intervention if identified as a tobacco user
- o Documentation as to whether the patient is a tobacco user or non-user
 - Tobacco users document as 'active' or 'current'
 - Tobacco non-user document as 'never' or non-use'
- Received tobacco cessation counseling intervention for patients identified as a tobacco user
 - Tobacco cessation counseling intervention must include at least one of the following:
 - Advice given to quit smoking or tobacco use
 - Counseling on the benefits of quitting smoking or tobacco use
 - Assistance with or referral to external smoking or tobacco cessation support programs
 - Current enrollment in smoking or tobacco use cessation program



Quality Innovation Center

MIPS #402: (NQF: 2803) Tobacco Use and Help with Quitting Among Adolescents

2020 Documentation Tip Sheet

Additional Tips:

- Collect **once per performance period** for patients aged 12-20 years seen during the performance period.
- In the event that a patient is screened for tobacco use and identified as a user but did not receive tobacco cessation counseling submit G9460.
- See measure specifications for additional codes that can assist in seamless measure mapping from your EHR to DataDerm, if applicable (e.g. G9458).

Updates:

- Deleted Denominator Coding, CPT: 96150, 96151, 96152
- Added Denominator Coding, CPT: 96156, 96158