



Change Log

<https://michmed.org/zRwGW>

Payer	Drug/Device	Change
BCBSM	Mounjaro (tirzepatide)	Changed from "No Info" to Non Preferred, PA="For the treatment of Type 2 Diabetes or trial of one generic or preferred medication for the treatment of Type 2 Diabetes"
Priority Health Optimized	Mounjaro (tirzepatide)	Changed from "No Info" to Preferred Tier 2 (brand) with prior authorization. Please review the plan's PA criteria, as it is more stringent than Priority Health Traditional commercial plan.
HAP	Mounjaro (tirzepatide)	Mounjaro is now covered
United	Mounjaro (tirzepatide)	Mounjaro is now covered, with PA/ST trial of, or CI metformin
United	Farxiga (dapagliflozin) Invokana (canagliflozin)	Changed from "Non Preferred with ST " to "May be excluded from coverage or subject to PA in CT, NJ and NY."
All	Adlyxin (Lixisenatide)	Adlyxin is no longer covered in the United States
Aetna & Express Scripts	Phentermine	Phentermine is no longer covered
HAP	Qsymia (Phentermine - Topiramate)	Changed from "Not Covered" to Not Preferred (\$\$\$\$) with PA



Change Log

Payer	Drug/Device	Change
United	Jardiance (Empagliflozin)	Removed metformin step therapy requirement. As of Oct 10, 2022.
BCBSM Medicare Advantage	Jardiance (Empagliflozin)	FIXED: Jardiance is Preferred (Tier 3 - lowest branded copay). As of Oct 1, 2022.
BCBSM Commercial	Victoza (Liraglutide)	FIXED: Victoza is Preferred Brand.
United	CGMS	MCT2D now have access to expedited prior authorization for CGMs for United commercial patients by completing this form https://michmed.org/zRwGW
Medicare	CGMs	Updated DME criteria to align with March 3, 2023 CMS policy update - including removal 3x daily insulin and In-person appointment 6 months before/after CGM RX and addition of hypoglycemic event and updated insulin criteria, in-person or Medicare-approved virtual visits, and additional documentation criteria. Effective April 16, 2023.
Medicaid	CGMs	Removed “unknown designation” and updated with proposed May 1, 2023 policy criteria: <ol style="list-style-type: none"> 1.) The beneficiary is under the care of an endocrinologist, a physician, or a non-physician practitioner (nurse practitioner, physician assistant, or clinical nurse specialist) who is managing their type 2 diabetes. 2.) Provider must document that beneficiary completed a DSME training within 1 year of CGM order 3.) The beneficiary is prescribed and uses insulin or an insulin pump 4.) The beneficiary tests blood glucose 2x or more per day 5.) The beneficiary is educated on the use of the device and willing and able to use CGMs

PRIVATE & PBM Coverage for GLP-1 RA & GIP

USE CO-PAY COUPON

	RECOMMENDED					
	 TRULICITY Dulaglutide Injectable - Weekly	 OZEMPIC Semaglutide Injectable - Weekly	 RYBELSUS Semaglutide Oral - Daily	 VICTOZA Liraglutide Injectable - Daily	 MOUNJARO Tirzepatide Injectable - Weekly	 BYDUREON BCISE Exenatide Injectable - Weekly
AETNA	Preferred 	Preferred 	Preferred 	Preferred 	No Info	Not Covered
BCBSM	Preferred Hx: T2D diagnosis or diabetes med	Preferred Hx: T2D diagnosis or diabetes med	Preferred Hx: T2D diagnosis or diabetes med	Preferred Hx: T2D diagnosis or diabetes med	Preferred Hx: T2D diagnosis or diabetes med	Not Covered
EXPRESS SCRIPTS National Preferred	Preferred	Preferred	Preferred	Not Covered	Preferred	Preferred
HAP	Preferred metformin RX within 120 days or CVD risk	Preferred metformin RX within 120 days or CVD risk	Preferred Trial or CI Metformin	Preferred metformin RX within 120 days or CVD risk	Preferred Trial or CI Metformin	Not Covered
PRIORITY	Preferred	Preferred T2D ICD-10 Code	Not Covered	Preferred	Preferred T2D ICD-10 Code	Non Preferred Must first try Trulicity, Bydureon, or Byetta
PRIORITY (OPTIMIZED)	Preferred See PA criteria below	\$\$\$\$\$\$ Criteria as of Feb '22: michmed.org/3A2Av	Not Covered	\$\$\$\$\$\$ Criteria as of Feb '22: michmed.org/3A2Av	Preferred See PA criteria below	\$\$\$\$\$\$ Specialty
UNITED	Preferred Trial or CI Metformin	Preferred Trial or CI Metformin	Preferred Trial or CI Metformin	Preferred Trial or CI Metformin	Preferred Hx: T2D diagnosis or diabetes med	Preferred

BYDUREON BCISE - Lacks evidence for renal and CVD outcomes. Refer to current clinical guidelines for more data.

PA

Prior Auth

ST

Step Therapy

Claims Autolookback for specific Dx or Rx. If not present, will trigger PA

See last page of guide for links to available prior auth and step therapy documentation











Priority Optimized--Trulicity and Mounjaro are PREFERRED. For others, must meet criteria:

1. Trial and failure, or intolerance to at least 2 generic oral antidiabetic agents used in combination OR insulin after 3 continuous months of receiving maximal daily doses, in conjunction with diet and exercise, and not achieving adequate glycemic control (must be within the last 6 months).
2. Hemoglobin A1c less than or equal to 9%, but not less than 7%

PRIVATE & PBM Coverage for SGLT2i

Use **COPAY COUPON PROGRAMS**

Recommended

	 JARDIANCE Empagliflozin <i>Oral - Daily</i>	 FARXIGA Dapagliflozin <i>Oral - Daily</i>	 INVOKANA Canagliflozin <i>Oral - Daily</i>	 STEGLATRO Ertugliflozin <i>Oral - Daily</i>
AETNA	Preferred 	Preferred 	Not Covered	Not Covered
BCBSM	Preferred	Preferred	Not Covered	Not Covered
EXPRESS SCRIPTS National Preferred	Preferred	Preferred	Not Covered	Preferred
HAP	Preferred	Preferred	Not Covered	Not Covered
PRIORITY	Preferred	Preferred	Non Preferred  Must first try Farxiga OR Jardiance	Non Preferred  Must first try Farxiga OR Jardiance
PRIORITY (OPTIMIZED)	Preferred	Preferred	Non Preferred  Must first try Farxiga OR Jardiance	Non Preferred  Must first try Farxiga OR Jardiance
UNITED	Preferred	Not Covered May be excluded from coverage or subject to PA in CT, NJ and NY michmed.org/Yk9Yb	Not Covered May be excluded from coverage or subject to PA in CT, NJ and NY michmed.org/Yk9Yb	Not Covered

Lacks evidence for renal and CVD outcomes. Refer to current clinical guidelines for more data.

 **Step Therapy**

See last page of guide for links to available prior auth and step therapy documentation













Information based on general formularies, unless otherwise noted (i.e. Priority Optimized plan, ExpressScripts PBM) and may not reflect employer-group specific policies and plans with pharmacy carve outs.

MEDICARE ADVANTAGE

Coverage for GLP-1 RA & GIP

Use **PATIENT ASSISTANCE PROGRAMS**

Recommended

	 TRULICITY Dulaglutide <i>Injectable - Weekly</i>	 OZEMPIC Semaglutide <i>Injectable - Weekly</i>	 RYBELSUS Semaglutide <i>Oral - Daily</i>	 VICTOZA Liraglutide <i>Injectable - Daily</i>	 MOUNJARO Tirzepatide <i>Injectable - Weekly</i>	 BYDUREON BCISE Exenatide <i>Injectable - Weekly</i>
AETNA MA	Preferred	Preferred	Preferred	Preferred	No Info	Preferred
BCBSM/BCN MA	Preferred	Preferred	Preferred	Preferred	No Info	Preferred
HAP MA	Preferred 	Preferred 	Preferred 	Preferred 	No Info	Not Covered
HUMANA MA	Preferred	Preferred	Preferred	Preferred	Preferred	\$\$\$\$\$\$ Not Preferred
PRIORITY MA	Preferred	\$\$\$\$\$\$ Non Preferred 	Not Covered	\$\$\$\$\$\$ Non Preferred 	Preferred	Preferred
UNITED EGWP	Preferred	Preferred	Preferred	Preferred	Preferred	Preferred
WELLCARE MA	Preferred	Preferred	Preferred	Preferred	No Info	Preferred

Lacks evidence for renal and CVD outcomes. Refer to current clinical guidelines for more data.

Note on BCBSM/BCN MA: Individually purchased Prescription Blue PDP does not cover Trulicity. All other BCBS MA plans do, including Group Prescription Blue PDP.







 **Step Therapy**

See last page of guide for links to available prior auth and step therapy documentation

MEDICARE ADVANTAGE Coverage for SGLT2i

Use PATIENT ASSISTANCE PROGRAMS

Recommended

	 JARDIANCE Empagliflozin <i>Oral - Daily</i>	 FARXIGA Dapagliflozin <i>Oral - Daily</i>	 INVOKANA Canagliflozin <i>Oral - Daily</i>	 STEGLATRO Ertugliflozin <i>Oral - Daily</i>
AETNA MA	Preferred	Preferred	Not Covered	Not Covered
BCBSM/BCN MA	Preferred	Preferred	Not Covered	Not Covered
HAP MA	Preferred	Preferred	Not Covered	Not Covered
HUMANA MA	Preferred	\$\$\$\$\$\$ Non-Preferred	Preferred	Not Covered
PRIORITY MA	Preferred	Preferred	Non Preferred Must first try Farxiga, Xigduo, Jardiance or Synjardy 	Non Preferred Must first try Farxiga, Xigduo, Jardiance or Synjardy 
UNITED EGWP	Preferred	Preferred	Not Covered	Not Covered
WELLCARE MA	Preferred	Preferred	\$\$\$\$\$\$ Non Preferred	Not Covered






Lacks evidence for renal and CVD outcomes. Refer to current clinical guidelines for more data.

 **Step Therapy**

See last page of guide for links to available prior auth and step therapy documentation

MEDICAID COVERAGE for GLP-1 RA & GIP

Recommended





	 TRULICITY Dulaglutide <i>Injectable - Weekly</i>	 OZEMPIC Semaglutide <i>Injectable - Weekly</i>	 RYBELSUS Semaglutide <i>Oral - Daily</i>	 VICTOZA Liraglutide <i>Injectable -Daily</i>	 MOUNJARO Tirzepatide <i>Injectable - Weekly</i>	 BYDUREON BCISE Exenatide* <i>Injectable - 2X a day / Weekly</i>
MEDICAID State	Preferred	\$\$\$\$\$\$ Non-Preferred PA michmed.org/2VP94	\$\$\$\$\$\$ Non-Preferred PA michmed.org/2VP94	Preferred	\$\$\$\$\$\$ Non-Preferred PA michmed.org/2VP94	\$\$\$\$\$\$ Non Preferred PA
AETNA BCBSM HAP MCCLAREN MERIDIAN MOLINA PRIORITY UNITED Managed	Preferred	Not Covered Except Aetna Non-preferred PA	Not Covered Except Aetna Non-preferred PA	Preferred	No Info Except Aetna, BCBSM, United Not Covered	Not Covered (Byetta) Not Covered except for Aetna Non Preferred (Bydureon BCise)

Lacks evidence for renal and CVD outcomes. Refer to current clinical guidelines for more data.

*Byetta (exenatide) also Preferred for Medicaid

MEDICAID COVERAGE for SGLT2i

Recommended

	 JARDIANCE Empagliflozin <i>Oral - Daily</i>	 FARXIGA Dapagliflozin <i>Oral - Daily</i>	 INVOKANA Canagliflozin <i>Oral - Daily</i>	 STEGLATRO Ertugliflozin <i>Oral - Daily</i>
MEDICAID State	Preferred	Preferred	Preferred	\$\$\$\$\$\$ Non-Preferred PA
AETNA BCBSM HAP MCCLAREN MERIDIAN MOLINA PRIORITY UNITED Managed	Preferred	Preferred Except HAP Not Covered - PA	Preferred	Not Covered Except Aetna Non-preferred PA

Lacks evidence for renal and CVD outcomes. Refer to current clinical guidelines for more data.

PRIVATE & PBM COVERAGE for Anti-Obesity Meds

	SAXENDA Liraglutide Injectable - Daily	WEGOVY Semaglutide Injectable - Weekly	PHENTERMINE Generic - High Dose Oral - Daily w/ Meals	LOMAIRA Phentermine 8 Low Dose Oral - Daily w/ Meals	QSYMIA Phentermine - Topiramate Oral - Daily	CONTRAVE Naltrexone HCl - Bupropion HC Oral - 2x Day
AETNA	Preferred PA	Preferred PA	Not Covered	Not Covered	Preferred	Not Covered
BCBSM	\$\$\$\$\$\$ Non-Preferred PA	Preferred PA	Preferred	\$\$\$\$\$\$ Non-Preferred	\$\$\$\$\$\$ Non-Preferred PA	\$\$\$\$\$\$ Non-Preferred PA
EXPRESS SCRIPTS National Preferred	\$\$\$\$\$\$ Non-Preferred PA	Preferred PA	Not Covered	Preferred	\$\$\$\$\$\$ Non-Preferred PA	\$\$\$\$\$\$ Non-Preferred PA
HAP	Not Covered	Not Covered	Preferred	Not Covered	\$\$\$\$\$\$ Non-Preferred PA	Not Covered
PRIORITY	Not Covered	Not Covered	Preferred	\$\$\$\$\$\$ Non-Preferred ST Must try generic first	\$\$\$\$\$\$ Non-Preferred** ST Must try generic first	\$\$\$\$\$\$ Non-Preferred ST Must try generic first
PRIORITY (OPTIMIZED)	Not Covered	Not Covered	Preferred	Not Covered	\$\$\$\$\$\$ Non-Preferred ST Must try generic first	\$\$\$\$\$\$ Non-Preferred ST Must try generic first
UNITED	Not Covered	Not Covered	Not Covered May be excluded from coverage or subject to PA in CT, NJ and NY	Not Covered May be excluded from coverage or subject to PA in CT, NJ and NY	Not Covered	Not Covered May be excluded from coverage or subject to PA in CT, NJ and NY

PA

Prior Auth

ST

Step Therapy

See last page of guide for links to available prior auth and step therapy documentation

Disclaimer: Information based on general formularies, unless otherwise noted and may not reflect employer-group specific policies and plans with pharmacy carve outs.

**Priority coverage for Qsymia determined by: "Employers plan rider determines weight loss coverage"

**MEDICARE
ADVANTAGE**
Coverage for
Anti-Obesity
Meds

No plans (at this time) offer coverage for: phentermine (any formulation), Qsymia, Contrave, Saxenda, or Wegovy

MEDICAID
Coverage for
Anti-Obesity
Meds

	PHENTERMINE <i>Generic - High Dose Oral - Daily w/ Meals</i>	LOMAIRA <i>Phentermine 8 Low Dose Oral - Daily w/ Meals</i>	QSYMIA <i>Phentermine - Topiramate Oral - Daily</i>	CONTRAVE <i>Naltrexone HCl - Bupropion HC Oral - 2x Day</i>	SAXENDA <i>Liraglutide Injectable - Daily</i>	WEGOVY <i>Semaglutide Injectable - Weekly</i>
MEDICAID State	Preferred PA <i>Age Criteria</i>	Preferred PA <i>Age Criteria</i>	Preferred PA <i>Age Criteria</i>	Preferred PA <i>Age Criteria</i>	Preferred PA <i>Age Criteria</i>	Preferred PA <i>Age Criteria</i>
AETNA BCBSM HAP MCCLAREN MERIDIAN MOLINA PRIORITY UNITED Managed	Preferred <i>Except Priority Not Covered</i> PA <i>Age Criteria</i>	Preferred <i>Except McClaren Not Covered</i> PA	Preferred PA <i>Age Criteria</i>	Preferred PA <i>Age Criteria</i>	Preferred PA <i>Age Criteria</i>	Preferred PA <i>Age Criteria</i>

PA
Prior Auth

ST
Step Therapy

See last page of guide for links to available prior auth and step therapy documentation

CONTINUOUS GLUCOSE MONITORS (CGM) COVERAGE

COVERAGE		CRITERIA - DOCUMENT IN CHART NOTE				
PHARMACY	MEDICAL/DME	Needs T2D Diagnosis	Insulin	Hypoglycemic events	Seen for diabetes management in past 6 months	Additional criteria and notes
Medicare & Medicare Advantage	<p>Preferred Brand(s) Abbott Dexcom</p> <p>Policy Link: michmed.org/dJ8z3</p> <div style="border: 1px solid black; background-color: yellow; padding: 5px; text-align: center;"> Updated March 3, 2023. Effective April 16, 2023. </div>	<p>REQUIRED For DME</p>	<p>REQUIRED For DME</p> <p><i>Must be EITHER: 1.) "Insulin treated" OR 2.) Have a "history of problematic hypoglycemia" (see right)</i></p>	<p>If not insulin treated: EITHER 1.) AT LEAST TWO Level 2 hypoglycemic events (glucose <54mg/dL), with at least two previous medadjustments and/or modifications to the treatment plan prior to the most recent Level 2 event OR 2.) AT LEAST ONE Level 3 hypoglycemic event <54mg/dL associated with altered mental and/or physical state), with documentation in EMR that the patient required 3rd party assistance for treatment.</p>	<p>REQUIRED For DME</p> <p>In-person or Medicare approved virtual visit</p>	<p>Clinician must also document:</p> <p>1.) The beneficiary (or the beneficiary's caregiver) has received appropriate training in the use of the device as evidenced by a prescription. 2.) The CGM is being prescribed in accordance with FDA indications for use.</p> <p>Device must have standalone reader (not just smartphone app) to qualify for DME</p> <p>MCT2D members recommend Parachute Health, ePrescribing platform.</p>
	Medicaid	<div style="border: 1px solid black; background-color: yellow; padding: 5px; text-align: center;"> Currently under review for an effective date May 1, 2023. </div> <p>Preferred Brand(s) Abbott, Dexcom</p> <p>Proposed medical policy: michmed.org/r84Vk</p> <p>Prior Authorization Required</p>	<p>REQUIRED For DME</p>	<p>REQUIRED For DME</p> <p><i>Prescribed and using insulin or pump</i></p> <p>AND</p> <p><i>2X daily readings</i></p> <p>For DME</p>	<p>Not Required</p>	<p>REQUIRED For DME</p> <p>Must be under the care of an endocrinologist, a physician, or a non-physician practitioner (nurse practitioner, physician assistant, or clinical nurse specialist) who is managing their type 2 diabetes.</p>

CONTINUOUS GLUCOSE MONITORS (CGM) COVERAGE

COVERAGE		CRITERIA - DOCUMENT IN CHART NOTE				
PHARMACY	MEDICAL/DME	Needs T2D Diagnosis	Insulin	Hypoglycemic events	Seen for diabetes management in past 6 months	Additional criteria and notes
<p>Blue Cross Complete (BCBSM managed Medicaid)</p> <p>Preferred Brand(s) Abbott Dexcom</p> <p>Policy Link: michmed.org/PJGPA</p>		<p>REQUIRED For Pharmacy</p>	<p>REQUIRED For Pharm</p> <p>OR</p> <p>Treatment with an antihyperglycemic drug without insulin</p> <p>AND one criteria on right</p>	<p>REQUIRED For Pharm</p> <p>ONLY IF not on insulin</p> <p>Frequent hypoglycemia, hypoglycemia unawareness, or concerns of nocturnal hypoglycemia</p> <p>OR ONE of the criteria listed (see right)</p>	<p>Not Required</p>	<p>IF NOT on insulin, NOT experiencing hypoglycemia, must meet one (1):</p> <ul style="list-style-type: none"> a.) Gaining weight (more than 5 pounds of weight gain in the last 12 months) b.) HbA1C ≥ 7% c.) Need for medication changes or titration d.) Initiation of a lower carbohydrate diet e.) Patient is unable or reluctant to test their blood glucose via traditional glucometer f.) Patients taking two or more medications to manage their diabetes. g.) Patient works with a care team member to improve diet and exercise choices

CONTINUOUS GLUCOSE MONITORS (CGM) COVERAGE

COVERAGE		CRITERIA - DOCUMENT IN CHART NOTE				
PHARMACY	MEDICAL/DME	Needs T2D Diagnosis	Insulin	Hypoglycemic events	Seen for diabetes management in past 6 months	Additional criteria and notes
Aetna	<p>NONE</p> <p>Preferred Brand(s) Dexcom</p> <p>Policy Link: https://michmed.org/3xAqb</p>	REQUIRED For DME	<p>REQUIRED For DME</p> <p>Needs 3+ daily insulin injections or pump</p>	<p>REQUIRED For DME</p> <p>Including hypoglycemic unawareness OR "not meeting glycemic targets"</p>	Not Required For DME But may be required for continued use (see right)	<p>For continued use, must document EITHER</p> <p>a.) Experiencing improved glycemic control or decreased hypoglycemia episodes while using a CGM</p> <p>b.) Are being assessed every six months by the prescriber for adherence to their CGM regimen and diabetes treatment plan.</p>
BCBSM <i>Consult Individual Plans</i>	<p>Preferred Brand(s) Dexcom receiver & transmitter at \$0 cost share Abbott</p> <p>Have a pharmacy carveout? Refer to your carve out plan company's coverage criteria.</p>	REQUIRED For DME & PHARMACY	<p>REQUIRED For DME ONLY</p> <p>Needs 3+ daily insulin injections or pump AND "not meeting glycemic targets"</p>	<p>REQUIRED For DME only</p> <p>Have recurrent, unexplained, severe hypoglycemia (generally blood glucose levels <50 mg/dL) OR "impaired awareness of hypoglycemia that puts the patient or others at risk"</p>	REQUIRED For DME In-person or virtual	<p>For pregnant patients:</p> <p>Have poorly controlled insulin requiring diabetes, includes unexplained hypoglycemic episodes, hypoglycemic unawareness, suspected postprandial hyperglycemia, and recurrent diabetic ketoacidosis.</p> <p>DME criteria only</p>
HAP <i>Commercial and Medicare Advantage plans</i>	<p>Preferred Brand(s) Dexcom Abbott Freestyle Libre</p> <p>\$0 copay if through Pharmacy Advantage or patient's pharmacy</p>	REQUIRED For Pharm	<p>REQUIRED For Pharm</p> <p>Must be treated with insulin OR Treated with 3+ non-insulin products AND has uncontrolled HgBA1c</p>	Not Required	Not Required	<p>Use PREFERRED VENDOR</p> <p>Pharmacy Advantage (800) 456-2112, M-F, 8 a.m. to 6 p.m. https://www.pharmacyadvantagerx.com/index.cfm</p>
McLaren	<p>Preferred Brand(s) Dexcom</p> <p>PA</p>	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	

CONTINUOUS GLUCOSE MONITORS (CGM) COVERAGE

COVERAGE		CRITERIA - DOCUMENT IN CHART NOTE				
PHARMACY	MEDICAL/DME	Needs T2D Diagnosis	Insulin	Hypoglycemic events	Seen for diabetes management in past 6 months	Additional criteria and notes
Molina	<p>Preferred Brand(s) Abbott Dexcom</p> <p>Preferred Brand(s) Abbott Dexcom</p> <p>Policy Link: https://michmed.org/gRWVY</p> <p>PA</p>	<p>REQUIRED For DME & PHARM</p> <p>OR</p> <p>Documentation member is pregnant receiving insulin therapy</p>	<p>REQUIRED Pharm and DME</p> <p>1.) ONE of the following (a-g) PLUS Additional criteria (2-3)</p> <p>a.) Compliant with 3x injections or pump b.) HbA1c above 7% and 4x daily readings</p>	<p>c.) Persistent, recurrent unexplained severe hypoglycemic events(d.) Hypoglycemia unawareness e.) Episodes of ketoacidosis f.) Hospitalizations for uncontrolled glucose levels g.) Frequent nocturnal hypoglycemia despite appropriate modifications in insulin therapy</p>	<p>Not Required</p>	<p>2.) Prescriber attests to scheduled or historical (last 12 mon) completion of training and support for CGM AND member/caregiver has ability to perform self-monitoring of blood glucose in order to calibrate the monitor if needed and/or verify readings if discordant from their symptoms. 3.) Prescriber attests member/caregiver has been counseled on potential drugs/substances that can falsely raise or lower CGM glucose levels such as APAP, ASA, vitamin C etc.</p>
	<p>Preferred Brand(s) Abbott Dexcom</p>	<p>UNKNOWN</p>	<p>REQUIRED For Pharm</p>	<p>Not Required</p>	<p>Not Required</p>	
Priority Traditional & Optimized	<p>Preferred Brand(s) Abbott Dexcom</p>					
	<p>MCT2D members who are UHC in-network providers CAN BYPASS CRITERIA.</p> <p>Only T2D diagnosis required fothrough the UHC Pharmacy benefit managed by OptumRx.</p>	<p>Preferred Brand(s) Abbott Dexcom</p> <p>Policy Link: https://michmed.org/nmxYW</p> <p>PA</p>	<p>REQUIRED Pharm and DME</p> <p>AND</p> <p>4x daily testing*</p> <p>*For non-MCT2D member</p>	<p>Required* Pharm and DME</p> <p>3x daily injections or pump</p> <p>AND</p> <p>Frequent adjustments to regimen necessary based on glucose testing results</p>	<p>Not Required</p>	<p>REQUIRED Pharm and DME</p> <p>Assessed by a provider every six months for adherence to the prescribed CGM regimen and treatment plan</p>
United	<p>Preferred Brand(s) Abbott, Dexcom</p> <p>(Tier 3 - Highest Cost)</p> <p>PA</p>					

COVERAGE GUIDE APPENDIX
2023 FORMULARY, STEP THERAPY & PRIOR AUTHORIZATION,
AND DME POLICY LINKS & PROVIDER PHONE LINES

PAYOR	2023 FORMULARY URL	ST/PA GUIDELINES URL	DME POLICY URL	PROVIDE ASSISTANCE PHONE
Medicare	See MA plans	See MA plans	michmed.org/dJ8z3	800-633-4227
Medicaid	michmed.org/N2wn8	michmed.org/2VP94	michmed.org/r84Vk	800-292-2550
Blue Cross Complete	michmed.org/xNX5W	michmed.org/PJGPA	michmed.org/xNX5W	See region specific #
Molina	michmed.org/vJ4rz	n/a	michmed.org/gRWVY	855-326-5059
MA: Aetna	michmed.org/8NQrk	michmed.org/KqrMw	See Medicare/CMS policy listed above	800-624-0756
MA: BCBSM	michmed.org/DymRY	michmed.org/yqVYZ	See Medicare/CMS policy listed above	800-344-8525
MA: HAP	michmed.org/WAZqQ	michmed.org/vJV3A	See Medicare/CMS policy listed above	800-292-2550
MA: Humana	michmed.org/kQ894	michmed.org/kQkYr	See Medicare/CMS policy listed above	800-523-0023
MA: Priority	michmed.org/7NVGN	michmed.org/MMxnk	See Medicare/CMS policy listed above	800-942-4765
MA: United	michmed.org/YkDR3	n/a	See Medicare/CMS policy listed above	800-711-4555
MA: Wellcare	michmed.org/gRWDV	michmed.org/8NRev	See Medicare/CMS policy listed above	855-538-0454
Aetna	michmed.org/97Ay9	michmed.org/KqrMw	michmed.org/3xAqb	PA 800-414-2386
BCBSM	michmed.org/nmxVD	michmed.org/zRQZB	michmed.org/w8nMW	800-344-8525
Express Scripts	michmed.org/Dyq2x	michmed.org/3xAey	n/a	888-327-9791
HAP	michmed.org/qdV9P	PA: michmed.org/vJV3A ST: michmed.org/2VPGZ	n/a	888-427-6464
McLaren	michmed.org/QRr9A	n/a	n/a	888-327-0671
Priority Traditional	michmed.org/yq299	michmed.org/jm85Q	n/a	800-942-4765
Priority Optimized	michmed.org/BA4Kb	michmed.org/jm85Q	n/a	800-942-4765
United	michmed.org/7NJrY	SGLT2i: michmed.org/Yk9Yb GLP-1 RA: michmed.org/vJmqe	michmed.org/nmxYW	800-711-4555