



# Annual Return

HARVEY FRESH JUICE PTY LTD

Licence 11302

## A. Statement of Compliance - Licence Details

ALL Licence holders must check that the Licence details in Section A are correct.

If there are changes to any of these details, you must advise Environment Protection Authority (EPA) and apply as soon as possible for a variation to your Licence or for a Licence transfer.

Licence variation and transfer application forms are available on the EPA website at: <http://www.epa.nsw.gov.au/licensing-and-regulation/licensing> or from regional offices of the EPA, or by contacting by telephone 02 9995 5700.

If you are applying to vary or transfer your Licence, you must still complete and submit this Annual Return.

### A1. Licence holder

Licence number : 11302  
Licence holder : HARVEY FRESH JUICE PTY LTD  
Trading name (if applicable) :  
ABN : 39 146 288 888  
ACN :  
Reporting period : From: 20-12-2020 To: 19-12-2021

### A2. Premises to which Licence Applies (if applicable)

Common name (if any) :  
Premises : FARM 1059 CRAWFORD ROAD HANWOOD 2680 NSW

### A3. Activities to which Licence Applies

Agricultural processing

### A4. Other Activities (if applicable)

### A5. Fee-Based Activity Classifications

Note that the fee based activity classification is used to calculate the administrative fee.

| Fee-based activity              | Activity scale           | Unit of measure              |
|---------------------------------|--------------------------|------------------------------|
| General agricultural processing | > 30,000.00 - 100,000.00 | T annual processing capacity |

### A6. Assessable Pollutants (if applicable)



**Note** that the identification of assessable pollutants is used to calculate the **load-based fee**.  
The following assessable pollutants are identified for the fee-based activity classifications in the licence:

## B. Monitoring and Complaints Summary

### B1. Number of Pollution Complaints

| Pollution Complaint Category   | Complaints |
|--|------------|
| Air  | 0          |
| Water  | 0          |
| Noise  | 0          |
| Waste  | 0          |
| Other  | 0          |
| <b>Total complaints recorded by the licensee during the reporting period</b> | <b>0</b>   |

### B2. Concentration Monitoring Summary

For each concentration monitoring point identified in your licence, details are displayed below. If concentration monitoring is not required by your licence, **no data** will appear below.

If data was provided from an uploaded file, the file name will be displayed below instead of any data.

**Note** that this does not exclude the need to conduct appropriate concentration monitoring of assessable pollutants as required by load-based licensing (if applicable).

#### Monitoring Point 1

Effluent quality monitoring , Waste water sample point located at the secondary effluent treatment pond, labelled 'EPA 1' on map titled 'Farm 1059 - Crawford Road - Hanwood' dated 15 August 2008 and on DECC file LIC07/2051.

| Pollutant          | Unit of measure             | No. of samples required | No. of samples collected and analysed | Lowest sample value | Mean of sample | Highest sample value |
|--------------------|-----------------------------|-------------------------|---------------------------------------|---------------------|----------------|----------------------|
| BOD                | milligrams per litre        | 2                       | 2                                     | 113                 | 866.5          | 1620                 |
| Conductivity       | microsiemens per centimetre | 2                       | 2                                     | 1970                | 2350           | 2730                 |
| Nitrogen (ammonia) | milligrams per litre        | 2                       | 2                                     | 0.1                 | 5.15           | 10.2                 |
| Nitrogen (total)   | milligrams per litre        | 2                       | 2                                     | 25.2                | 28.35          | 31.5                 |
| pH                 | pH                          | 2                       | 2                                     | 5.52                | 6.67           | 7.81                 |
| Phosphorus (total) | milligrams per litre        | 2                       | 2                                     | 6.45                | 8.17           | 9.88                 |



# Annual Return

HARVEY FRESH JUICE PTY LTD

Licence 11302

|                        |                      |   |   |      |       |      |
|------------------------|----------------------|---|---|------|-------|------|
| Potassium              | milligrams per litre | 2 | 2 | 37.8 | 42.50 | 47.2 |
| Total suspended solids | milligrams per litre | 2 | 2 | 150  | 214   | 278  |

### Monitoring Point 3

Groundwater quality monitoring , Piezometer located to the south of the centre pivot utilisation area, labelled 'EPA 3' on map titled 'Farm 1059 - Crawford Road - Hanwood' 15 August 2008 and on DECC file LIC07/2051.

| Pollutant            | Unit of measure             | No. of samples required | No. of samples collected and analysed | Lowest sample value | Mean of sample | Highest sample value |
|----------------------|-----------------------------|-------------------------|---------------------------------------|---------------------|----------------|----------------------|
| Conductivity         | microsiemens per centimetre | 1                       | 1                                     | 10500               | 10500          | 10500                |
| Nitrate              | milligrams per litre        | 1                       | 1                                     | <0.05               | <0.05          | <0.05                |
| Nitrogen (total)     | milligrams per litre        | 1                       | 1                                     | 0.68                | 0.68           | 0.68                 |
| pH                   | pH                          | 1                       | 1                                     | 6.72                | 6.72           | 6.72                 |
| Phosphorus (total)   | milligrams per litre        | 1                       | 1                                     | 0.10                | 0.10           | 0.10                 |
| Potassium            | milligrams per litre        | 1                       | 1                                     | 7.0                 | 7.0            | 7.0                  |
| Sodium               | milligrams per litre        | 1                       | 1                                     | 2360                | 2360           | 2360                 |
| Standing Water Level | metres                      | 1                       | 1                                     | 3.74                | 3.74           | 3.74                 |

### Monitoring Point 4

Groundwater quality monitoring , Piezometer located to the west of the centre pivot utilisation area, labelled 'EPA 4' on map titled 'Farm 1059 - Crawford Road - Hanwood' dated 15 August 2008 and on DECC file LIC07/2051.

| Pollutant        | Unit of measure             | No. of samples required | No. of samples collected and analysed | Lowest sample value | Mean of sample | Highest sample value |
|------------------|-----------------------------|-------------------------|---------------------------------------|---------------------|----------------|----------------------|
| Conductivity     | microsiemens per centimetre | 1                       | 1                                     | 3870                | 3870           | 3870                 |
| Nitrate          | milligrams per litre        | 1                       | 1                                     | 0.46                | 0.46           | 0.46                 |
| Nitrogen (total) | milligrams per litre        | 1                       | 1                                     | 0.76                | 0.76           | 0.76                 |
| pH               | pH                          | 1                       | 1                                     | 7.88                | 7.88           | 7.88                 |



# Annual Return

HARVEY FRESH JUICE PTY LTD

Licence 11302

|                      |                      |   |   |      |      |      |
|----------------------|----------------------|---|---|------|------|------|
| Phosphorus (total)   | milligrams per litre | 1 | 1 | 0.18 | 0.18 | 0.18 |
| Potassium            | milligrams per litre | 1 | 1 | 8.1  | 8.1  | 8.1  |
| Sodium               | milligrams per litre | 1 | 1 | 682  | 682  | 682  |
| Standing Water Level | metres               | 1 | 1 | 2.03 | 2.03 | 2.03 |

## Monitoring Point 5

Groundwater quality monitoring, Piezometer located to the north of the centre pivot utilisation area, labelled 'EPA 5' on map titled 'Farm 1059 - Crawford Road - Hanwood' dated 15 August 2008 and on DECC file LIC07/2051.

| Pollutant            | Unit of measure             | No. of samples required | No. of samples collected and analysed | Lowest sample value | Mean of sample | Highest sample value |
|----------------------|-----------------------------|-------------------------|---------------------------------------|---------------------|----------------|----------------------|
| Conductivity         | microsiemens per centimetre | 1                       | 1                                     | 8690                | 8690           | 8690                 |
| Nitrate              | milligrams per litre        | 1                       | 1                                     | 0.07                | 0.07           | 0.07                 |
| Nitrogen (total)     | milligrams per litre        | 1                       | 1                                     | 2.88                | 2.88           | 2.88                 |
| pH                   | pH                          | 1                       | 1                                     | 7.79                | 7.79           | 7.79                 |
| Phosphorus (total)   | milligrams per litre        | 1                       | 1                                     | 0.47                | 0.47           | 0.47                 |
| Potassium            | milligrams per litre        | 1                       | 1                                     | 9.1                 | 9.1            | 9.1                  |
| Sodium               | milligrams per litre        | 1                       | 1                                     | 2080                | 2080           | 2080                 |
| Standing Water Level | metres                      | 1                       | 1                                     | 2.37                | 2.37           | 2.37                 |

## Monitoring Point 6

Groundwater quality monitoring, Piezometer located to the north east of the tree lot utilisation area labelled 'EPA 6' on map titled 'Farm 1059 - Crawford Road - Hanwood' dated 15 August 2008 and on DECC file LIC07/2051.

| Pollutant    | Unit of measure             | No. of samples required | No. of samples collected and analysed | Lowest sample value | Mean of sample | Highest sample value |
|--------------|-----------------------------|-------------------------|---------------------------------------|---------------------|----------------|----------------------|
| Conductivity | microsiemens per centimetre | 1                       | 1                                     | 3390                | 3390           | 3390                 |
| Nitrate      | milligrams per litre        | 1                       | 1                                     | N/A                 | N/A            | N/A                  |



# Annual Return

HARVEY FRESH JUICE PTY LTD

Licence 11302

|                      |                      |   |   |      |      |      |
|----------------------|----------------------|---|---|------|------|------|
| Nitrogen (total)     | milligrams per litre | 1 | 1 | N/A  | N/A  | N/A  |
| pH                   | pH                   | 1 | 1 | 8.10 | 8.10 | 8.10 |
| Phosphorus (total)   | milligrams per litre | 1 | 1 | N/A  | N/A  | N/A  |
| Potassium            | milligrams per litre | 1 | 1 | 37   | 37   | 37   |
| Sodium               | milligrams per litre | 1 | 1 | 621  | 621  | 621  |
| Standing Water Level | metres               | 1 | 1 | 3.75 | 3.75 | 3.75 |

## Monitoring Point 7

Soil quality monitoring, Soil monitoring point within the tree lot utilisation area labelled 'EPA 7' on map titled 'Farm 1059 - Crawford Road - Hanwood' dated 15 August 2008 and on DECC file LIC07/2051.

| Pollutant                | Unit of measure                                    | No. of samples required | No. of samples collected and analysed | Lowest sample value | Mean of sample | Highest sample value |
|--------------------------|--|-------------------------|---------------------------------------|---------------------|----------------|----------------------|
| Available phosphorus     | milligrams per kilogram                            | 1                       | 2                                     | 35                  | 55             | 75                   |
| Cation Exchange Capacity | centimoles of positive charge per kilogram of soil | 1                       | 2                                     | 35                  | 38             | 41                   |
| Conductivity             | deciSiemens per metre                              | 1                       | 2                                     | 290                 | 325            | 360                  |
| Exchangeable calcium     | centimoles of positive charge per kilogram of soil | 1                       | 2                                     | 20                  | 23             | 26                   |
| Exchangeable magnesium   | centimoles of positive charge per kilogram of soil | 1                       | 2                                     | 10                  | 10.5           | 11                   |
| Exchangeable potassium   | centimoles of positive charge per kilogram of soil | 1                       | 2                                     | 2.4                 | 3.0            | 3.6                  |
| Exchangeable sodium      | centimoles of positive charge per kilogram of soil | 1                       | 2                                     | 1.9                 | 2.0            | 2.1                  |
| Nitrate                  | milligrams per kilogram                            | 1                       | 2                                     | 12                  | 14.5           | 17                   |
| pH                       | pH   | 1                       | 2                                     | 8.3                 | 8.55           | 8.8                  |
| Total organic carbon     | percent  | 1                       | 2                                     | 880                 | 990            | 1100                 |



## Monitoring Point 8

Soil quality monitoring , Soil monitoring point within the centre pivot utilisation area labelled 'EPA 8' on map titled 'Farm 1059 - Crawford Road - Hanwood' dated 15 August 2008 and on DECC file LIC07/2051.

| Pollutant                | Unit of measure                                    | No. of samples required | No. of samples collected and analysed | Lowest sample value | Mean of sample | Highest sample value |
|--------------------------|--|-------------------------|---------------------------------------|---------------------|----------------|----------------------|
| Available phosphorus     | milligrams per kilogram                            | 1                       | 2                                     | 34                  | 52.5           | 71                   |
| Cation Exchange Capacity | centimoles of positive charge per kilogram of soil | 1                       | 2                                     | 28                  | 29             | 30                   |
| Conductivity             | deciSiemens per metre                              | 1                       | 2                                     | 210                 | 225            | 240                  |
| Exchangeable calcium     | centimoles of positive charge per kilogram of soil | 1                       | 2                                     | 15                  | 15.5           | 16                   |
| Exchangeable magnesium   | centimoles of positive charge per kilogram of soil | 1                       | 2                                     | 8.3                 | 8.85           | 9.4                  |
| Exchangeable potassium   | centimoles of positive charge per kilogram of soil | 1                       | 2                                     | 2.4                 | 2.7            | 3.0                  |
| Exchangeable sodium      | centimoles of positive charge per kilogram of soil | 1                       | 2                                     | 1.2                 | 1.55           | 1.9                  |
| Nitrate                  | milligrams per kilogram                            | 1                       | 2                                     | 19                  | 21             | 23                   |
| pH                       | pH   | 1                       | 2                                     | 7.4                 | 7.5            | 7.6                  |
| Total organic carbon     | percent  | 1                       | 2                                     | 1.3                 | 1.45           | 1.6                  |

## B3. Volume or Mass Monitoring Summary

For each volume or mass monitoring point identified in your licence, details are displayed below. If volume or mass monitoring is not required by your licence, **no data** will appear below.

If data was provided from an uploaded file, the file name will be displayed below instead of any data.

**Note** that this does not exclude the need to conduct appropriate volume or mass monitoring of assessable pollutants are required by load-based licensing (if applicable).

## Monitoring Point 2



# Annual Return

HARVEY FRESH JUICE PTY LTD

Licence 11302

Volume monitoring, Waste water volume measuring point located on the trade waste drainage line, labelled 'EPA 2' on map titled 'Farm 1059 - Crawford Road - Hanwood' dated 15 August 2008 and on DECC file LIC07/2051.

| Unit of measure | Frequency                  | No. of measurements made | Lowest result | Mean result | Highest result |
|-----------------|----------------------------|--------------------------|---------------|-------------|----------------|
| KL/month        | Daily during any discharge | 12                       | 5877          | 11218.5     | 16560          |

## Discharge & Monitoring Point 9

Discharge to utilisation area

Volume monitoring, Centre pivot utilisation area labelled 'EPA 9' on map titled 'Farm 1059 - Crawford Road - Hanwood' dated 15 August 2008 and on DECC file LIC07/2051.

| Unit of measure | Frequency                  | No. of measurements made | Lowest result | Mean result | Highest result |
|-----------------|----------------------------|--------------------------|---------------|-------------|----------------|
| KL/month        | Daily during any discharge | N/A                      | N/A           | N/A         | N/A            |

## Discharge & Monitoring Point 10

Discharge to utilisation area

Volume monitoring, Tree lot utilisation area labelled 'EPA 10' on map titled 'Farm 1059 - Crawford Road - Hanwood' dated 15 August 2008 and on DECC file LIC07/2051.

| Unit of measure | Frequency                  | No. of measurements made | Lowest result | Mean result | Highest result |
|-----------------|----------------------------|--------------------------|---------------|-------------|----------------|
| KL/month        | Daily during any discharge | 12                       | 1815          | 8013        | 14120          |

## C. Statement of Compliance - Licence Conditions

### C1. Compliance with Licence Conditions

|   |     |
|---|-----|
| Were all conditions of the licence complied with (including monitoring and reporting requirements)? | Yes |
|---|-----|

## D. Statement of Compliance - Load Based Fee Calculation



# Annual Return

HARVEY FRESH JUICE PTY LTD

Licence 11302

If you are not required to monitor assessable pollutants by your licence, **no data** will appear below.

If assessable pollutants have been identified on your licence, the following worksheets for each assessable pollutant will determine your load based fee for the licence fee period to which this Annual Return relates.

**Loads of assessable pollutants must be calculated using any of the methods provided in EPA's Load Calculation Protocol for the relevant activity.** A Load Calculation Protocol would have been already sent to you with your licence. If you require additional copies, you can download the Protocol from the EPA's website or you can contact us on telephone 02 9995 5700.

You are required to keep all records used to calculate licence fees for four years after the licence fee was paid or became payable, whichever is the later date.

## E. Statement of Compliance - Requirement to Prepare PIRMP

|   |           |
|---|-----------|
| Have you prepared a Pollution Incident Response Management Plan (PIRMP) as required under section 153A of the Protection of the Environment Operations (POEO) Act 1997? | Yes       |
| Is the PIRMP available at the premises?   | Yes       |
| Is the PIRMP available in a prominent position on a publicly accessible website?  | Yes       |
| Address of the web page where the PIRMP can be accessed ▼   |           |
| <a href="http://www.lactalis.com.au">www.lactalis.com.au</a>  |           |
| Has the PIRMP been tested?  | Yes       |
| The PIRMP was last tested on  | 30-9-2021 |
| Has the PIRMP been updated?   | No        |
| Number of times the PIRMP was activated in this reporting period?   | 0         |
| The PIRMP was activated on  |           |

## F. Statement of Compliance - Requirement to Publish Pollution Monitoring Data

|   |     |
|---|-----|
| Are there any conditions attached to your licence that require pollution monitoring to be undertaken as required under section 66(6) of the Protection of the Environment Operations (POEO) Act 1997? | Yes |
| Do you operate a website?   | Yes |
| Is the pollution monitoring data published on your website in accordance with the EPA's written requirements for publishing pollution monitoring data?  | Yes |
| Address of the web page where the pollution monitoring data can be accessed ▼   |     |
| <a href="http://www.lactalis.com.au">www.lactalis.com.au</a>  |     |



# Annual Return

HARVEY FRESH JUICE PTY LTD

Licence 11302

## G. Statement of Compliance - Environment Management System and Practices

|   |     |
|---|-----|
| Do you have an ISO 14001 certified Environmental Management System (EMS) OR any other system that EPA considers is equivalent to the accountability, procedures, documentation and record keeping requirements of an ISO 14001 certified EMS? | No  |
| Have you conducted an assessment of your activities and operations to identify the aspects that have a potential to cause environmental impacts and implemented operational controls to address these aspects?                                | Yes |
| Have you established and implemented an operational maintenance program, including preventative maintenance?  | Yes |
| Do you keep records of regular inspections and maintenance of plant and equipment?  | Yes |
| Do you conduct regular (at least yearly) environmental audits at the premises that are conducted by a competent and independent person?   | No  |
| Have you undertaken an independent environmental audit covering documented environmental practices, procedures and systems in place during the annual return period?  | Yes |
| Have you established and implemented an environmental improvement or management plan?   | Yes |
| Do you train staff in environmental issues that may arise from your activities and operations at the premises and keep records of this?   | Yes |

## H. Signature and Certification

This Annual Return may only be signed by person(s) with legal authority to sign it as set out in following categories: an Individual, a Company, a Public authority or a Local council.

It is an offence under section 66 of the Protection of the Environment Operations Act 1997 to supply any information in this form that is false or misleading in a material respect, or to certify a statement that is false or misleading in a material respect. There is a maximum penalty of \$250,000 for a corporation and \$120,000 for an individual.

I/We

- declare that the information in the Monitoring and Complaints Summary in Section B of this Annual Return application is correct and not false or misleading in a material respect, and
- certify that the information in the Statement and Compliance in sections A, C, D, E, F, G and H and any other pages attached to Section C is correct and not false or misleading in a material respect.

|           |               |           |                   |
|-----------|---------------|-----------|-------------------|
| Signature |               | Signature |                   |
| Name      | RODNEY WARDEN | Name      | JACQUELINE BAYLES |



# Annual Return

HARVEY FRESH JUICE PTY LTD

Licence 11302

|  |              |  |                   |
|--|--------------|--|-------------------|
| Position   | CEO/DIRECTOR | Position   | COMPANY SECRETARY |
| Date   | 9 ' 2 ' 22   | Date   | 9 ' 2 ' 22 .      |
| <b>Declaration</b><br><br>I declare that the information in the Monitoring and Complaints Summary in section B of this Annual Return is correct and not false or misleading in a material respect, and<br><br>I certify that the information in the Statement of Compliance in section A,C,D,E,F and G and any pages attached to Section C is correct and not false or misleading in a material respect. |              | <b>Declaration</b><br><br>I declare that the information in the Monitoring and Complaints Summary in section B of this Annual Return is correct and not false or misleading in a material respect, and<br><br>I certify that the information in the Statement of Compliance in section A,C,D,E,F and G and any pages attached to Section C is correct and not false or misleading in a material respect. |                   |