




R2

Glass Roof Sunshade Guide



RIVIAN

© 2026 Rivian Automotive, LLC. All rights reserved.

All information in this document and all Rivian software is subject to copyright and other intellectual property rights of Rivian Automotive, LLC, its affiliates, or its licensors. This material may not be modified, reproduced, or copied, in whole or in part, without the prior written permission of Rivian Automotive, LLC, its affiliates, or its licensors. Unless indicated otherwise, all trademarks are owned and registered by Rivian Automotive, LLC, its affiliates, or its licensors in the United States and/or other countries. Please visit <https://www.rivian.com/legal/brand> for Rivian's trademarks and service marks.

The images provided in this document are for illustrative purposes only. Depending on the product details and market region, the information in this document may appear slightly different from your product.

Contents

Symbols Used in This Guide	4
Safety Information	5
Parts	6
Install the R2 Glass Roof Sunshade	7
Stow the R2 Glass Roof Sunshade	11
Store the R2 Glass Roof Sunshade	13
Clean the R2 Glass Roof Sunshade	13
R2 Glass Roof Sunshade Specifications	13
Adventure Gear Limited Warranty	13
Contact Rivian	14

Symbols Used in This Guide

The following are the meanings of symbols used in this guide:



DANGER

Risk of major injury such as

- fire
- chemical or poison
- crushing
- maiming
- death



WARNING

Risk of minor injury

NOTE

Useful information

Safety Information

Carefully read and follow all instructions prior to each use.

Store these installation instructions in the vehicle for future reference.

The glass roof sunshade is intended to be used exclusively with the Rivian vehicle for which it is designed.



DANGER

- Incorrect or improper installation may result in the sunshade becoming dislodged during travel. This may distract the driver, reduce visibility, or result in a crash.
- Install or remove the sunshade only when the vehicle is in **P** (Park).
- Inspect the sunshade before installation and each use. Don't use the sunshade if it is worn, damaged, bent, loose, or degraded in shape or fit.
- Ensure the sunshade is secured in place before you drive the vehicle.




WARNING

- Keep children and pets out of the vehicle during installation and removal of the sunshade.
- The frame of the sunshade is under tension. Use caution to keep the sunshade from causing injury or damage as you unfold it.
- Pinch hazard: If you insert your fingers into the gap, ensure the headliner doesn't close the gap; otherwise this may cause an injury.


Parts

The glass roof sunshade includes the following:



The bag holds the folded sunshade.

Number	Description
1	Bag
2	Glass roof sunshade, folded



Number	Side	Description
1	Exterior	A pull strap is on one rear corner. The tabs of the attached clips face the glass roof.
2	Interior	A pull strap is on one rear corner.

Install the R2 Glass Roof Sunshade

The sunshade is designed for seasonal or semi-permanent use.



WARNING


Keep children and pets out of the vehicle during installation.

1. Unzip the bag and remove the sunshade.
2. Hold the sunshade at arm's length, and unfold it.



WARNING


The frame of the sunshade is under tension. Use caution to keep the sunshade from causing injury or damage as you unfold it.



3. Open the liftgate.
4. Orient the sunshade so the tabs of the clips face toward the glass roof and the pull strap faces the rear.




5. Slide the sunshade above the head restraints into the vehicle.





6. Enter the rear row of the vehicle. Press one side of the sunshade up against the glass roof.






- Slide the tabs of the clips into the gap between the glass roof and headliner.

**WARNING**

Pinch hazard: If you insert your fingers into the gap, ensure the headliner doesn't close the gap; otherwise this may cause an injury.



- Press the other side of the sunshade up against the glass roof and slide the tabs of the clips into the gap between the glass roof and headliner.
- Repeat step 7 on the back and front of the sunshade.

**DANGER**

Ensure the sunshade is secured in place before you drive the vehicle.


Stow the R2 Glass Roof Sunshade



WARNING

Keep children and pets out of the vehicle while you remove the sunshade.


1. Use the pull strap to release one corner of the sunshade.




2. Remove the rest of the sunshade.



3. To fold the sunshade for storage, hold the sunshade by the edges. Turn the outside edges in opposite directions and then rotate inwards.



4. Insert the sunshade into the bag.



5. Zip the bag closed.

Store the R2 Glass Roof Sunshade

Store the sunshade in one of the vehicle's storage areas, such as the front trunk.

NOTE

Keep the sunshade in the included bag when not in use to help protect it.

Clean the R2 Glass Roof Sunshade

Spot clean the sunshade with a damp cloth.

NOTE

Don't use cleaners that have bleach, ammonia, or alcohol on the sunshade.

R2 Glass Roof Sunshade Specifications

Item	Value
Material, sunshade	Sunlight-filtering mesh
Material, bag	Polyester with polyvinyl chloride (PVC) backing
Dimensions, open, glass roof sunshade (length x width)	54.1 in x 40.4 in (1,374.5 mm x 1,026 mm)
Dimensions, bag (length x width)	19.5 in x 23.5 in (495 mm x 597 mm)

Adventure Gear Limited Warranty

Refer to the [Adventure Gear Limited Warranty Guide](#) for warranty information.

Contact Rivian

Still need help? Connect with us.

RIVIAN

Rivian Support

(888) RIVIAN1 / (888) 748-4261
rivian.com/support/contact