



PGE APPROVED STREET LIGHTING EQUIPMENT FOR NEW INSTALLATIONS

OUTDOOR LIGHTING SERVICES

Updated: 10/03/2025

PGE makes no representations or warranties regarding street lighting equipment, whether included or not included on this list of approved street lighting equipment. Inclusion on this list is not an endorsement of the equipment, nor does it mean that the listed equipment is appropriate for requirements applicable to all street lighting applications. If equipment is not included in this list, it does not reflect whether or not such equipment is appropriate for street light owners other than PGE.

If you have additional questions about this list of streetlighting equipment, please contact PGE's Outdoor Lighting Services Department or your assigned Project Manager.

STREETLIGHTS

Manufacturer	Lum Code	Wattage	Lumens	Manufacturer Product Code
ROADWAY - GRAY				
Leotek*	Roadway	29W LED	3470	GCJ1-20H-MV-WW-2R-GY-450-FDC-PCR7-WL-RWG-PGE
Leotek*	Roadway	45W LED	5020	GCJ2-20H-MV-WW-2R-GY-700-FDC-PCR7-WL-RWG-PGE
Leotek*	Roadway	88W LED	10230	GCM2-40H-MV-WW-2R-GY-700-FDC-PCR7-WL-RWG-PGE
Leotek*	Roadway	160W LED	18700	GCL1-80G-MV-WW-3R-GY-610-FDC-PCR7-WL-4B-RWG-PGE
GE (Luminaire Alternate), Option B Only	Roadway	29W LED	3880	ERLC004B530AGRAYGL
GE (Luminaire Alternate), Option B Only	Roadway	46W LED	5820	ERLC006B530AGRAYGL
GE (Luminaire Alternate), Option B Only	Roadway	87W LED	10500	ERL1011B530AGRAYGL
GE (Luminaire Alternate), Option B Only	Roadway	110W LED	13400	ERL1014B530AGRAYGL
GE (Luminaire Alternate), Option B Only	Roadway	140W LED	18200	ERL2019C530AGRAYGL
ROADWAY - BLACK				
Leotek*	Roadway	29W LED	3470	GCJ1-20H-MV-WW-2R-BK-450-FDC-PCR7-WL-RWG-PGE
Leotek*	Roadway	45W LED	5020	GCJ2-20H-MV-WW-2R-BK-700-FDC-PCR7-WL-RWG-PGE
Leotek*	Roadway	88W LED	10230	GCM2-40H-MV-WW-2R-BK-700-FDC-PCR7-WL-RWG-PGE
GE (Luminaire Alternate), Option B Only	Roadway	29W LED	3880	ERLC004B530ABLCKGL
GE (Luminaire Alternate), Option B Only	Roadway	46W LED	5820	ERLC006B530ABLCKGL
GE (Luminaire Alternate), Option B Only	Roadway	87W LED	10500	ERL1011B530ABLCKGL
ROADWAY - BRONZE				
Leotek*	Roadway	29W LED	3470	GCJ1-20H-MV-WW-2R-DB-450-FDC-PCR7-WL-RWG-PGE
Leotek*	Roadway	45W LED	5020	GCJ2-20H-MV-WW-2R-DB-700-FDC-PCR7-WL-RWG-PGE
Leotek*	Roadway	88W LED	10230	GCM2-40H-MV-WW-2R-DB-700-FDC-PCR7-WL-RWG-PGE
GE (Luminaire Alternate), Option B Only	Roadway	29W LED	3880	ERLC004B530ADKBZGL
GE (Luminaire Alternate), Option B Only	Roadway	46W LED	5820	ERLC006B530ADKBZGL
GE (Luminaire Alternate), Option B Only	Roadway	87W LED	18200	ERL1011B530ADKBZGL
*PGE uses Leotek Luminaires (Option A or B installations)				
DECORATIVE FIXTURES				
PENDANT AURORA - KING - CU 1497 *				
	Pendant	40W LED	4667	K829-P4FL-III-50(SSL)-120V-3K-WS-(TX -BLACK) s/f KPL20-PR7 / DWG PGE-AURORA-2
	Pendant	50W LED	6348	K829-P4FL-III-50(SSL)-120V-3K-WS-(TX -BLACK) s/f KPL20-PR7 / DWG PGE-AURORA-2
	Pendant	75W LED	8790	K829-P4FL-III-50(SSL)-120V-3K-WS-(TX -BLACK) s/f KPL20-PR7 / DWG PGE-AURORA-2
TOWN & COUNTRY - AMERICAN REVOLUTION				
CU 1442	T&C	30W LED	3548	247CL P151 MVOLT 30K R3 BK SNC PR TL NL1X1
CU 1443	T&C	50W LED	5100	247CL P153 MVOLT 30K R3 BK SNC PR TL NL1X1
LEOTEK - T&C COLONIAL *				
CU 1494	T&C	33W LED	4374	PTC-S-F-N-S-30J-MV-30K-3-BK-045-PCR7-CS-WL-JB
	T&C	45W LED	5825	
ACORN - No globe KING YARMOUTH *				
CU 1145	Acorn	40W LED	3705	K137-P4NG-III-60(SSL)-7030-120:277-K26-3K-(MOD)PR7-WS-3DT BLACK
	Acorn	60W LED	5620	
	Acorn	75W LED	6781	
ACORN - ACRYLIC				
CU 1407	Acorn	46W LED	7067	AWDE3 P30 30K MVOLT MS AL3 BK ST TBK PR7 FPD75 NL1X1
ACORN -No Globe Acuity				
CU 1520	Acorn	39W LED	4365	WFCL3 P10 30K MVOLT FC3 BK NF PR7E NL1X1
CU 1408	Acorn	59W LED	6759	WFCL3 P30 30K MVOLT FC3 BK NF PR7E NL1X1
Streetlights may be used as Area Lights. Please discuss with a Lighting Design Project Manager those options				

SHIELDS, J-BOX & WIRE INFO

LEOTEK SHIELD				
				HSSGCI (1 Shield for Small, 2 Shields for Medium and 4 Shields for Large fixtures)
LEOTEK T&C SHIELD				
	House Side			PTC-HSS
HOLOPHANE SHIELDS - Can be used for Acorn and T&C Fixtures				
	*To be used with the WFCL3 Fixture			CLHSSNG34
GLOBED HOLOPHANE SHIELD				
	House Side			GVDHSS12
KING ACORN SHIELD				
	Flange Style shield			K137HSS120D3H
KING AURORA PENDANT SHIELD				
	Flange Style shield			P4-8060-6x120HSS
PHOTO CONTROL: EXTENDED LIFE TWIST LOCK				
				Ripley - RD8645
				DTL - DLL 1271.5 J50
				Intermatic - EK4536K *
STREETLIGHT, LED, VOLTAGE STICKER				
		120v		
		208V		
		240V		
		277V		
DRIVER ASSEMBLY REPLACEMENT				
	FOR KING POST TOP K137 LUMINAIRE, DEFAULT 60W			PGE-K137-1A
	FOR KING PENDANT K829 LUMINAIRE, DEFAULT 60W			PGE-AURORA-2-A
STREETLIGHT 1324 J-BOX (Fused CU 353, Unfused CU 352)				
	NEWBASIS - 13" x 24" x 18" (90003478)			FCA132418T-00043
	OLDCASTLE / CARSON INDUSTRIES - 13" x 24" x 18" (90003478)			13241712
	HIGHLINE - 13" x 24" x 18" (90003478)			CHA132418HE1
	ARMORCAST - 13" x 24" x 18" (90003478)			AL132A107017T
	JENSEN COMPOSITE - 13" x 24" 18" (90003478)			No Tier 15 available, Use Tier 22 if needed
	PGE-Approved Handhole Manufacturers and Part Numbers			
STREETLIGHT 1730 J-BOX (Fused CU 855, Unfused CU 854)				
	QUAZITE (HUBBELL) - 17" x 30" x 18" (90003480)			A42173018A017
	NEWBASIS - 17" x 30" x 18" (90003480)			FCA173018T-00043
	HIGHLINE - 17" x 30" x 18" (90003480)			CHA173018HE1
	ARMORCAST - 17" x 30" x 18" (90003480)			AL1730AF18017T
	JENSEN COMPOSITE - 17" x 30" x 18" (90003480)			No Tier 15 available, Use Tier 22 if needed
	PGE-Approved Handhole Manufacturers and Part Numbers			
STREETLIGHT J-BOX				
J-BOX		Description		
For Underground Conductors & Connections		Junction Box, Concrete Polymer Lid, Fiberglass Reinforced Polymer flared sides, 18" Deep, No Floor, With Skid Resistant Cover Attached by Two Captive stainless steel 3/8-inch Penta-head Bolts, Gray Color, per PGE T&D Material Specification L26107. Covers must be marked ELECTRIC.		
STREETLIGHT WIRE				
Streetlight Wire		Description		
#10 CU 3-Conductor -36 (CU 635)		#10 AWG, 600 Volt, 3-Conductor, Class B Stranding, Type TC, with Sunlight-Resistant 45-mil PVC Jacket. Suitable for direct burial installations. Insulation to be black, red, and green per NEMA WC-7 for NEC applications (TFN, THWN, THHN), with fillers or binding tape added to produce round outer jacket, rated 90°C dry and 75°C wet, 1,000 ft NR reels. Jacket to display sequential footage markings. 2 reel labels, one attached to the outside flange surface, one attached to the drum wrapping; each to detail total footage, inside or starting footage.		

AREA LIGHTS

Manufacturer	Lum Code	Wattage	Lumens	Manufacturer Product Code
ACUITY AUTOCONNECT GRAY - Area Light Request Only				
CU 1525	Roadway	21W	3,251	ACC P152 MVOLT ZT R3 4K GY 20K P7 NBR XL NL
CU 1526	Roadway	29W	4,645	ACC P303 MVOLT D4i R3 4K GY 20K P7 NBR XL NL
CU 1527	Roadway	40W	6,247	ACC P304 MVOLT D4i R3 4K GY 20K P7 NBR XL NL
CU 1528	Roadway	61W	9,846	ACM P603 MVOLT D4i R3 2B 4K GY 20K P7 NBR XL NL
CU 1529	Roadway	112W	18,601	ACL P123 MVOLT D4i R3 2B 4K GY 20K P7 NBR XL NL
EATON FLOOD- Bronze color (yoke mount, INC 6 ft #12 AWG)				
CU 1492*	Flood	82W LED	11,802	UFLD-CA2-80-740-U-66-Y-BZ-10K-PR7-U124397
CU 288*	Flood	124W LED	19,230	UFLD-CA2-120-740-U-66-Y-BZ-10K-PR7-U124398
CU 289*	Flood	184W LED	25,833	UFLD-CA2-180-740-U-66-Y-BZ-10K-PR7-U123410
CU 766*	Flood	322W LED	46,802	UFLD-L-CA4-320-740-U-66-Y-BZ-10K-PR7-U124664
LEOTEK FLOOD- Bronze color (power door, yoke mount, INC 6 ft #12 AWG)				
CU 1544	Flood	77W LED	12,716	VTMFL-144A-MV-40K7-N66-DB1-P2-YK-PCR7CR-TB-WL1-PWRD-SO1206
CU 1545	Flood	111W LED	18,265	VTMFL-144A-MV-40K7-N66-DB1-P4-YK-PCR7CR-TB-WL1-PWRD-SO1206
CU 1546	Flood	163W LED	26,349	VTMFL-144A-MV-40K7-N66-DB1-P7-YK-PCR7CR-TB-WL1-PWRD-SO1206
CU 1547	Flood	290W LED	48,455	VTMFL-216A-MV-40K7-N66-DB1-P4-YK-PCR7CR-TB-WL1-PWRD-SO1206
MISCELLANEOUS				
ACUITY SHIELDS				MPN
HOUSE OR STREET SIDE FOR: 21W, 29W, 40W ROADWAY				ACC HSSSLTS
HOUSE OR STREET SIDE FOR: 61W ROADWAY				ACM HSSSLTS
HOUSE OR STREET SIDE FOR: 112W ROADWAY				ACL HSSSLTS
CREE XSP SHIELD				MPN
				SM (XA-SPR3BLS)
				M (XA-SP1BLS)
				LG (XA-SP2BLS)
CREE BETA SHIELD				MPN
				XA-XSLBLS120
LEOTEK FLOOD SHIELD				MPN
TOP OR BOTTOM, FOR LEOTEK 77W,111W,163W,293W				TBS-VTM

POLES

Manufacturer	Footings	Arm Type	Manufacturer Product Code
CUSTOMER OWNED			
25 Ft Aluminum with 4' Single (UG) - CU 274			
Valmont*	Anchor Base	Single	220840705T4/1MA0432840-SBF-11"BC
Hapco	Anchor Base	Single	21-362PGE
P&K Poles (Flagpole Inc)	Anchor Base	Single	RTA7L25AAS1432D
25 Ft Aluminum with 4' Single (UG), Bronze - CU 332			
Valmont*	Anchor Base	Single	220840705T4/1MA0432B40-DNB-11"BC
25 Ft Aluminum with 4' Single (UG), Black - CU 336			
Valmont*	Anchor Base	Single	220840705T4/1MA0432B40-DBL-11"BC
25 Ft Aluminum with 4' Davit (UG) - CU 278			
Valmont*	Anchor Base	Davit	250075104D4ZB-SBF-11"BC
Hapco	Anchor Base	Davit	41-103PGE
P&K Poles (Flagpole Inc)	Anchor Base	Davit	RTA7L25AAD1432D
25 Ft Aluminum with 4' Single (OH) - CU 275			
Valmont*	Anchor Base	Single	220845705T4J/1MA0432B40-SBF-11"BC
Hapco	Anchor Base	Single	54423PGE
P&K Poles (Flagpole Inc)	Anchor Base	Single	N/A
30 Ft Aluminum with 6' Single (UG) - CU 276			
Valmont*	Anchor Base	Single	270845805T4/1MA0632B45-SBF-11"BC
Hapco	Anchor Base	Single	21-585PGE
P&K Poles (Flagpole Inc)	Anchor Base	Single	RTA8L30AAS1632D
30 Ft Aluminum with 6' Single (UG), Bronze - CU 333			
Valmont*	Anchor Base	Single	270845805T4/1MA0632B45-DNB-11"BC
30 Ft Aluminum with 6' Single (UG), Black - CU 337			
Valmont*	Anchor Base	Single	270845805T4/1MA0632B45-DBL-11"BC
30 Ft Aluminum with 6' Davit (UG) - CU 279			
Valmont*	Anchor Base	Davit	3000-85106D4-SBF-11"BC
Hapco	Anchor Base	Davit	41-176PGE
P&K Poles (Flagpole Inc)	Anchor Base	Davit	RTA8L30AAD1632D
25 Ft Aluminum with 4' Double Davit (UG) - CU 1906			
Valmont*	Anchor Base	Double Davit	250075204D4Z-SBF-11"BC
30 Ft Aluminum with 2-6' Double Davit (UG) - CU 1258			
Valmont*	Anchor Base	Double Davit	3000-85206D4Z-SBF-11"BC
Hapco	Anchor Base	Double Davit	42-158XPGE
P&K Poles (Flagpole Inc)	Anchor Base	Double Davit	N/A
35 Ft Aluminum with 8' Single (UG) - CU 326			
Valmont*	Anchor Base	Single	3208-45806T4/1MA0832B45-SBF-11"BC
Hapco	Anchor Base	Single	21-867PGE
P&K Poles (Flagpole Inc)	Anchor Base	Single	RTA8M35AAS1832D
35 Ft Aluminum with 8' Single (UG), Bronze - CU 334			
Valmont*	Anchor Base	Single	320845806T4/1MA0832B45-DNB-11"BC
35 Ft Aluminum with 8' Single (UG), Black - CU 338			
Valmont*	Anchor Base	Single	320845806T4/1MA0832B45-DBL-11"BC
35 Ft Aluminum with 8' Davit (UG) - CU 280			
Valmont*	Anchor Base	Davit	3500-86108D4Z-SBF-11"BC
Hapco	Anchor Base	Davit	41-231PGE
P&K Poles (Flagpole Inc)	Anchor Base	Davit	RTA8M35AAD1832D
40 Ft Aluminum with 8' Davit (UG) - CU 335			
Valmont*	Anchor Base	Davit	4000-87108D4Z-SBF-11"BC
Hapco	Anchor Base	Davit	41-339PGE
P&K Poles (Flagpole Inc)	Anchor Base	Davit	RTA8H40AAD1832D
14 Ft Fluted Decorative Cast Aluminum - CU 331			
Holophane/Acuity*	Anchor Base	Post-Top	WDA 14 FSJ 17D C03 BK LAB
Hadco/Signify	Anchor Base	Post-Top	P-2065-14-A
Amerlux Exterior LLC	Anchor Base	Post-Top	PGE-14, MOQ 10 Mixed
Hapco	Anchor Base	Post-Top	A12160-01
Valmont	Anchor Base	Post-Top	140050506UW
16 Ft Decorative Cast Aluminum - CU 328			
Holophane/Acuity*	Anchor Base	Post-Top	WDA 16 FSJ 17D C03 BK LAB
Hadco/Signify	Anchor Base	Post-Top	P-2065-16-A
Amerlux Exterior LLC	Anchor Base	Post-Top	PGE-16, MOQ 10 Mixed
Hapco	Anchor Base	Post-Top	A12160-02
Valmont	Anchor Base	Post-Top	160050506UW
16 Ft Aluminum, Spun, Natural Al Finish - CU 281			
Valmont*	Anchor Base	Post-Top	150830504T4
Hapco	Anchor Base	Post-Top	57453-005PGE
P&K Poles (Flagpole Inc)	Anchor Base	Post-Top	RTA5L16AA32D
23 Ft Aluminum Smooth, Black - use with Aurora Fixture - CU 1498			
Stresscrete (Pole has 3 pieces - Mast arm & shroud has separate SU's)	Anchor Base	Post-Top	KMRE-A-23FT-TXT BLACK S/F KSB52 DWG PGE-AURORA-4
25 Ft Aluminum with 8' Single (UG, Breakaway Anchor Base) - CU 324			
Hapco*	Anchor Base	Single	110562
30 Ft Aluminum with 8' Single (UG, Breakaway Anchor Base) - CU 325			
Hapco*	Anchor Base	Single	108917
35 Ft Aluminum with 6' Single (UG, Breakaway Anchor Base) - CU 327			
Hapco*	Anchor Base	Single	111422

POLES (CONT.)

25 Ft Composite, 1-Piece Smooth Finish - Black - CU 1500				
Shakespeare *	Anchor Base	Single	AK25-16S1BB01	
Whatley (use w/ Whatley mast arm)	Anchor Base	Single	TR34-25-AB-BLK-SMS-DTC-Less 1" ab's 11" BC	
25 Ft Composite, 1-Piece Smooth Finish - Gray - CU 1600				
Shakespeare *	Anchor Base	Single	AK25-16S2BB01	
25 Ft Composite, 1-Piece Smooth Finish - Bronze - CU 1601				
Shakespeare *	Anchor Base	Single	AK25-16S5BB01	
30 Ft Composite, 1-Piece Smooth Finish - Black - CU 1501				
Shakespeare *	Anchor Base	Single	AK30-16S1BB01	
Whatley (use w/ Whatley mast arm)	Anchor Base	Single	TR34-30-AB-BLK-SMS-DTC-Less 1" ab's 11" BC	
30 Ft Composite, 1-Piece Smooth Finish - Gray - CU 1602				
Shakespeare *	Anchor Base	Single	AK30-16S2BB01	
30 Ft Composite, 1-Piece Smooth Finish - Bronze - CU 1603				
Shakespeare *	Anchor Base	Single	AK30-16S5BB01	
35 Ft Composite, 1-Piece Smooth Finish - Black - CU 1502				
Shakespeare *	Anchor Base	Single	AK35-16S1BB01	
Whatley (use w/ Whatley mast arm)		Single	TR34-35-AB-BLK-SMS-DTC-Less 1" ab's 11" BC	
35 Ft Composite, 1-Piece Smooth Finish - Gray - CU 1503				
Shakespeare *	Anchor Base	Single	AK35-16S2BB01	
Whatley (use w/ Whatley mast arm)		Single	TR34-35-AB-GRY-SMS-DTC-Less 1" ab's 11" BC	
18 Ft Composite, 2-Piece, Smooth Finish, Top Piece Only - 14' MH				
Shakespeare - BLACK * - CU 1117	Direct Buried	Single	BHT1801S1BJ9901	
Shakespeare - BRONZE * - CU 1127	Direct Buried	Single	BHT1801S5BJ9901	
18 Ft Composite, 2-Piece, Smooth Finish, Stub Piece Only				
Shakespeare *	Direct Buried	Single	BHS1801N9BJ9901	
20 Ft Composite, 2-Piece, Smooth Finish, Top Piece Only - 16' MH				
Shakespeare - BLACK * - CU 1120	Direct Buried	Single	BHT2001S1BJ9901	
Shakespeare - BRONZE * - CU 1123	Direct Buried	Single	BHT2001S5BJ9901	
20 Ft Composite, 2-Piece, Smooth Finish, Stub Piece Only				
Shakespeare	Direct Buried	Single	BHS2001N1BJ9901	
WOOD				
30 Ft Wood Pole	Direct Buried	Single	10DX0030CL04D060	
35 Ft wood Pole	Direct Buried	Single	10DX0035CL06D060, 10DX0035CL04D060	
40 Ft Wood Pole	Direct Buried	Single	10DX0040CL04D060	
45 Ft Wood Pole	Direct Buried	Single	10DX0045CL03D060, 10DX0045CL04D060	
* Vendor Anixter is ordering from				

FOOTINGS, MAST ARMS & SHROUDS

Pole Footings Concrete				
Precast Concrete Base	Bolt Circle	Bolt Type	Base Dimensions	Old Castle
SU (146) - For 16 Foot Pole (SU 1944) Only	8 inch	3/4" - 10 NC Galv Steel	18" Square by 48" High	4-LB
For all decorative and post-top anchor base poles 14 to 25 feet. SU (39083)	11 inch	1" - 8 NC Galv Steel	20" Round by 48" High	20R-LB-4-PGE
For 25 to 35 Foot Aluminum or Fiberglass Anchor Base Poles SU (147)			14" Square by 60" High	5CL-LB-PGE
For 40 Foot Al Poles SU (39094)			18" Top, 24" Bottom 84" High	7-LB
MOUNTING ARMS & SHROUDS FOR HADCO ALUMINUM POLES				
Banner/Bracket Mounting Arms				
SU#	Description			
90010241 MPN: BA52A24B-A	Banner Arm 5" RD TWIN BANNER ARM, 5" POST MOUNT, 24" ARM USE ONLY WITH HADCO 14' AND 16' ALUM POLES			
90010242 MPN: FPB5112-A	BRACKET FLOWER POT SINGLE, 5" POST MOUNT, 12" ARM LENGTH, BLACK COLOR USE ONLY WITH HADCO 14' AND 16' ALUM POLES			
Twin Decorative Arm for Hadco 14' or 16' Fluted Cast Aluminum Poles				
Hadco	Amerlux Exterior LLC			
PTH2520P3A (SU 39480)	2BR50-3/GBL-PGE			
Pole Shroud for 18' Hadco Pole (Westbrooke)				
SU	Hadco			
90010254	For replacement on Hadco Westbrooke 18' Streetlight Pole. MPN: 443580121845-A			
T2 Adapter and Harness from King - This is needed when using King Pendant Luminaire on Hadco Poles/Arms				
SU	King			
90011748	T2 Adapter w/ 9 in harness. For existing Hadco arm installation only. MPN: DWG PGE-AURORA-2-A1			
Pole Shroud for 23' Stresscrete Pole				
SU	King			
90011696	For replacement on 23' StressCrete Streetlight Pole MPN: KSB52 - TXT BLACK DWG PGE-AURORA-5			

FOOTINGS, MAST ARMS & SHROUDS (CONT.)

Mast Arm for 23' Stresscrete Pole					
Length	King				
4 foot Aluminum Mast Arm (SU 90011695)	KA32-S-1-4FT-TXTBLACKC/WKPL20- PR7ANDHARNES/DWG PGE-AURORA-3				
Mast Arms for Transmission Poles					
Length	Valmont				
14 foot Aluminum Mast Arm * (SU 90011224)	1TA1432PMA-A41804R1				
12 foot Aluminum Mast Arm * (SU 90011296)	1TA1232PMA-A41804R1				
10 foot Aluminum Mast Arm * (SU 90011297)	1TA1032PMA-A41804R1				
*Request Only Items					
Mast Arms for Wood Poles					
Length	Valmont	SALCO	Maclean Power Systems	SALCO	Utility Metals
2 foot, cantilever, no brace (SU 2016) (CU 861)	ACSA-125-020	WP-125-2-S	GD-S-125-2.5G		P200A020 (Aluminum)
4 foot, cantilever, no brace (SU 2017) (CU 315)	ACSC 125-040	WP-125-4-S	GD-S-125-4G		P200A040 (Aluminum)
6 foot, cantilever, no brace (SU 2018) (CU 316)		WP-125-6-S	GD-S-125-6G	WPSG-125-6-S (Steel)	P200A060 (Aluminum)
8 foot, single brace (SU 2019) (CU 317)		WPSG-125-8-S	GD-S-125-8SG	WPSG-125-8-S (Steel)	P200A080 (Aluminum)
10 foot, double brace (SU 2020) (CU 318)		WPDG-125-10-S	S-125-10DG	WPSG-125-10-S (Steel)	P200A100 (Aluminum)
12 foot, double brace (SU 2021) (CU 319)		WPDG-125-12-S	S-125-12DG	WPSG-125-12-S (Steel)	P200A120 (Aluminum)
14 foot, double brace (SU 2022) (CU 320)		WPDG-125-14-S	S-125-14DG	WPSG-125-14-S (Steel)	P200A140 (Steel)
18" Double Floodlight Unit, 2" Pipe, 18" Rise (SU 38078) (CU 1022)		WP2F-2-1.5-S			
14" Single Floodlight Bracket (SU 2901) (CU 1057)					
Arms for Composite Poles					
Length, Finish	Whatley	Salco	Shakespeare	Lightworks	
8" Bronze Finish Tenon-Mount (SU 39498) (CU 329)			OPAR-3T-0.7- BZ		
8" Black Finish Tenon-Mount (SU 90009810) (CU 1496)			OPAR-3T-0.7- BK		
8" Bronze Finish (side mount) AL or Steel (SU 2025) (CU 350)	S88-2DDB		OPAR-0.7-PGE-BR	LWE-A001 (added March 2025)	
6 Foot AL Finish (SU 2026) (CU 751)	MA-72		OPAR-6		
6 Foot Bronze Finish (SU 2027) (CU 775)	MA-72DDB		OPAR-6-BRONZE		
6 Foot Black Finish (SU 90003576) (CU 1231)	MA-72DBL		OPAR-6-BK		
8 Foot AL Finish (SU 39202) (CU 1131)	MA-96		OPAR-8		
8 Foot Bronze Finish (SU 39201) (CU 1132)	MA-96DDB		OPAR-8-BRONZE		
8 Foot Black Finish (SU 90003577) (CU 1232)	MA-96DBL		OPAR-8-BK		
14" Single Floodlight Arm, AL Finish (38076 Arm+ 38077 Adapter) (CU 1023)		SFA-2A (Arm) + FA-A (Adapter)			