



RFP QUESTIONS & ANSWERS SUMMARY PART 5

RFP # PGE01-GID05-SH-004 - Environmental Permits and Land Use Authorizations for the Warm Springs Power Pathway Project

RFP QUESTIONS			RFP ANSWERS		
#	Supplier Questions	Question Date	PGE Answers	Answer Date	RFP Update Required (Y/N)
17	In reference to item #7 in the RFP Amendment #3 document, the public safety experience requirement for all "key persons" are typically more associated with utility operations and less so with the key persons that have routed, permitted and overseen construction compliance for a new 500 kV transmission line. Would PGE be amenable to including a dedicated public safety key person on the team that meets the criteria outlined in 1-6 below as opposed to all key persons listed in the original RFP - PM, Federal Permitting SME, Tribal Permitting Lead, and Cultural Resource Lead?	7/15/25	<p>No, PGE does not require a dedicated public safety key person on this Project. PGE requires only four dedicated key persons on this Project: PM, Federal Permitting SME, Tribal Permitting Lead, and Cultural Resource Lead. These four dedicated key persons should have some awareness of and ability to speak about wildfire prevention and mitigation programs, including vegetation management and system hardening in high-risk areas.</p> <p>Points numbers 2 through 6 in Section 8.3 (which was added in RFP amendment #3) are no longer required.</p> <p>See statement #2 in RFP Amendment #4 for this specific change.</p>	7/21/2025	Y
18	Please confirm that the \$250 million grant from DOE award DE-GD000934, dated 8/13/2024, is still a source of funding for the project.	7/15/25	Yes, the \$250 million grant from DOE award DE-GD000934, dated 8/13/2024, is still a source of funding for the project.	7/21/2025	N