



# EPIPHORA IN DOGS

Christina Korb, DVM  
 DJ Haessler Jr, DVM, MS, DACVO  
 The Animal Eye Institute  
 Cincinnati, Ohio



\*Normal STT values: ≥15 mm/min



### Suggested Reading

Gelatt KN. Canine nasolacrimal duct and lacrimal secretory systems: diseases and surgery. In: Gelatt KN. *Essentials of Veterinary Ophthalmology*. 3rd ed. Ames, IA: Wiley-Blackwell; 2014:186-199.

Giuliano EA. Diseases and surgery of the canine lacrimal secretory system. In: Gelatt KN, Gilger BC, Kern TJ, eds. *Veterinary Ophthalmology*. 5th ed. Ames, IA: Wiley-Blackwell; 2013:912-944.

Grahn BH, Sandemeyer LS. Diseases and surgery of the canine nasolacrimal system. In: Gelatt KN, Gilger BC, Kern TJ, eds. *Veterinary Ophthalmology*. 5th ed. Ames, IA: Wiley-Blackwell; 2013:894-911.

Lim CC. The third eyelid, nasolacrimal system, and precorneal tear film. In: Lim CC. *Small Animal Ophthalmic Atlas and Guide*. Ames, IA: Wiley-Blackwell; 2015:83-90.