

## **What is ADDERALL XR?**

ADDERALL XR® is a prescription medicine used for the treatment of Attention Deficit Hyperactivity Disorder (ADHD) in patients 6 years and older.

ADDERALL XR is not recommended for use in children under 6 years of age with ADHD.

## **IMPORTANT SAFETY INFORMATION**

**ADDERALL XR is a federally controlled substance (CII) because it can be abused or lead to dependence. Keep ADDERALL XR in a safe place to protect it from theft. Never give your ADDERALL XR to anyone else because it may cause death or harm them. **Selling or giving away ADDERALL XR may harm others, and is against the law.****

**Please see additional Important Safety Information below.**

## **Cash Coupon Terms & Conditions**

The savings reflected in this coupon are sponsored by Takeda Pharmaceuticals U.S.A., Inc., the manufacturer of Adderall XR. By accepting and using this coupon, you confirm that you meet all eligibility requirements and agree to these terms and conditions. This offer is valid only for patients who are not enrolled in any federal, state, or other government-funded healthcare program that covers prescription drugs, including but not limited to Medicare (including Medicare Part D and Medicare Advantage), Medicaid (including Medicaid managed care), TRICARE, Veterans Affairs (VA), the Department of Defense (DoD), any state pharmaceutical assistance program, or any similar government-funded healthcare plan or program.

This offer operates outside of any third-party insurance and is not valid for prescriptions that are covered by, submitted for reimbursement to, or paid, in whole or in part, by any federal, state, or government-funded program or by any commercial or private insurance. If you begin receiving prescription benefits from any such program at any time, you will no longer be eligible to use this coupon and must stop participation. This offer is valid only for residents of the United States and Puerto Rico and is not insurance.

By redeeming this coupon, you and **anyone acting on your behalf**, including your pharmacy, agree not to submit any claim for reimbursement to any insurance plan, benefit provider, or payer for the out-of-pocket costs of prescriptions purchased with this coupon, and not to apply any amounts paid with this coupon toward any insurance deductible, co-payment, co-insurance, true out-of-pocket (TrOOP) costs, or any similar obligation under any health benefit or insurance plan. This offer may not be combined with any other savings, free trial, or similar offer for Adderall XR and is valid only for Adderall XR prescriptions.

This program is void where prohibited by law, taxed, or otherwise restricted. The coupon has no cash value and may not be sold, purchased, traded, or transferred. Takeda Pharmaceuticals U.S.A., Inc. reserves the right to rescind, revoke, or amend this program, or to terminate participation, at any time without notice, including by imposing maximum savings, frequency of use, or program duration limits.

Data related to your coupon redemption may be collected from the pharmacy or program administrator and used by Takeda Pharmaceuticals U.S.A., Inc. and its service providers for market research, analytics, and evaluation of patient support and savings programs. Any data shared for these purposes will be aggregated and de-identified and will not be used to identify you personally.

## **IMPORTANT SAFETY INFORMATION (continued)**

### **What is the most important information I should know about ADDERALL XR?**

**ADDERALL XR may cause serious side effects, including:**

**Abuse, misuse, and addiction.** ADDERALL XR has a high potential for abuse and misuse and may lead to substance use problems, including addiction. Misuse and abuse of ADDERALL XR, other amphetamine-containing medicines, and methylphenidate-containing medicines, can lead to overdose and death. The risk of overdose and death is increased with higher doses of ADDERALL XR or when it is used in ways that are not approved, such as snorting or injection.

- Your healthcare provider should check you or your child's risk for abuse, misuse, and addiction before starting treatment with ADDERALL XR and will monitor you or your child during treatment.
- ADDERALL XR may lead to physical dependence after prolonged use, even if taken as directed by your healthcare provider.
- Do not give ADDERALL XR to anyone else.
- Keep ADDERALL XR in a safe place and properly dispose of any unused medicine.

Tell your healthcare provider if you or your child have ever abused or been dependent on alcohol, prescription medicines, or street drugs.

**Risks for people with serious heart disease.** Sudden death has happened in people who have heart defects or other serious heart disease. Your healthcare provider should check you or your child carefully for heart problems before starting treatment with ADDERALL XR. Tell your healthcare provider if you or your child have any heart problems, heart disease, or heart defects.

**Call your healthcare provider or go to the nearest hospital emergency room right away if you or your child have any signs of heart problems such as chest pain, shortness of breath, or fainting during treatment with ADDERALL XR.**

**Increased blood pressure and heart rate.** Your healthcare provider should check you or your child's blood pressure and heart rate regularly during treatment with ADDERALL XR.

**Mental (Psychiatric) problems, including:**

- new or worse behavior and thought problems
- new or worse bipolar illness
- new psychotic symptoms (such as hearing voices, believing things that are not true, are suspicious)
- or new manic symptoms

Tell the healthcare provider about any mental problems that you or your child have, or about a family history of suicide, bipolar illness, or depression.

**Call your healthcare professional right away if you or your child have any new or worsening mental symptoms or problems while taking ADDERALL XR, especially hearing voices, seeing or believing things that are not real, or new manic symptoms.**

**Who should not take ADDERALL XR?**

**Do not take ADDERALL XR if you or your child:**

- are taking or have stopped taking within the past 14 days, a medicine called a monoamine oxidase inhibitor (MAOI), including the antibiotic linezolid or intravenous methylene blue
- are allergic to amphetamine products or any of the ingredients in ADDERALL XR

**Before taking ADDERALL XR tell your healthcare provider about all of your or your child's medical conditions, including if you or your child:**

- have heart problems, heart disease, heart defects, or high blood pressure, or have a family history of sudden death or heart problems
- have mental problems including psychosis, mania, bipolar illness, or depression, or have a family history of suicide, bipolar illness, or depression
- have kidney problems
- have seizures or have had an abnormal brain wave test (EEG)
- have circulation problems in fingers and toes
- have or had repeated movements or sounds (tics) or Tourette's syndrome, or have a family history of tics or
- Tourette's syndrome
- are pregnant or plan to become pregnant. It is not known if ADDERALL XR will harm the unborn baby. Tell your healthcare provider if you or your child become pregnant or think you may be pregnant during treatment with ADDERALL XR.
  - There is a pregnancy registry for females who are exposed to ADDERALL XR during pregnancy. The purpose of the registry is to collect information about the health of females exposed to ADDERALL XR and their baby. If you or your child becomes pregnant during treatment with ADDERALL XR, talk to your healthcare provider about registering with the National Pregnancy Registry of Psychostimulants at 1-866-961-2388 or visit online at <https://womensmentalhealth.org/clinical-and-research/programs/pregnancyregistry/othermedications/>.
- are breastfeeding or plan to breastfeed. ADDERALL XR passes into breast milk. You or your child should not breastfeed during treatment with ADDERALL XR. Talk to your healthcare provider about the best way to feed the baby during treatment with ADDERALL XR.

**Tell your healthcare provider about all of the medicines that you or your child take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

ADDERALL XR and some medicines may interact with each other and cause serious side effects. Sometimes the doses of other medicines will need to be changed during treatment with ADDERALL XR. Your healthcare provider will decide if ADDERALL XR can be taken with other medicines.

**Especially tell your healthcare provider if you or your child take:**

- selective serotonin reuptake inhibitors (SSRIs)
- serotonin norepinephrine reuptake inhibitors (SNRIs)
- medicines used to treat migraine headaches called triptans
- lithium
- tramadol
- buspirone
- tricyclic antidepressants
- fentanyl
- tryptophan

- St. John's Wort

Know the medicines that you or your child take. Keep a list of your or your child's medicines with you to show your healthcare provider and pharmacist when you or your child get a new medicine.

**Do not start any new medicine during treatment with ADDERALL XR without talking to your healthcare provider first.**

**Your healthcare provider may tell you to stop taking ADDERALL XR for a short time** before you get certain imaging tests because ADDERALL XR may impact the results of some tests.

### **What are possible side effects of ADDERALL XR?**

See **"What is the most important information I should know about ADDERALL XR?"**

**ADDERALL XR may cause serious side effects, including:**

- **Slowing of growth (height and weight) in children.** Children should have their height and weight checked often during treatment with ADDERALL XR. Your healthcare provider may stop your child's ADDERALL XR treatment if they are not growing or gaining weight as expected.
- **Seizures.** Your healthcare provider may stop treatment with ADDERALL XR if you or your child have a seizure.
- **Circulation problems in the fingers and toes (peripheral vasculopathy, including Raynaud's phenomenon). Signs and symptoms may include:**
  - Fingers or toes may feel numb, cool, painful
  - Fingers or toes may change color from pale, to blue, to red

Tell your healthcare provider if you have or your child have any numbness, pain, skin color change, or sensitivity to temperature in your fingers or toes.

**Call your healthcare provider right away if you have or your child have any signs of unexplained wounds appearing on fingers or toes during treatment with ADDERALL XR.**

**Serotonin syndrome.** This problem may happen when ADDERALL XR is taken with certain other medicines and may be life-threatening. Stop taking ADDERALL XR and call your healthcare provider or go to the nearest hospital emergency room right away if you or your child develop any of the following signs and symptoms of serotonin syndrome:

- Agitation, hallucinations, coma, or other changes in mental status
- Problems controlling movements or muscle twitching
- Fast heartbeat
- Seizures
- Loss of coordination
- Confusion
- Dizziness
- Change in blood pressure
- Sweating or fever
- Nausea, vomiting, or diarrhea

- Muscle stiffness or tightness
- High body temperature (hyperthermia)

**New or worsening tics or worsening Tourette's Syndrome.** Tell your healthcare provider if you or your child get any new or worsening tics or worsening Tourette's syndrome during treatment with ADDERALL XR.

**The most common side effects of ADDERALL XR in children ages 6 to 12 include:**

- Loss of appetite
- Trouble sleeping
- Stomach (abdominal) pain
- Mood swings
- Vomiting
- Nervousness
- Nausea
- Fever

**The most common side effect of ADDERALL XR in adolescents ages 13 to 17 include:**

- Loss of appetite
- Trouble sleeping
- Stomach (abdominal) pain
- Weight loss
- Nervousness

**The most common side effects of ADDERALL XR in adults include:**

- Dry mouth
- Loss of appetite
- Trouble sleeping
- Headache
- Weight loss
- Nausea
- Anxiety
- Agitation
- Dizziness
- Fast heartbeat
- Diarrhea
- Weakness
- Urinary tract infection (UTIs)

These are not all the possible side effects. Talk to your HCP about any side effect that bothers you or that does not go away.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 1-800-FDA-1088.

For additional safety information, click for [Full Prescribing Information and Medication Guide](#) and discuss with your HCP.



©2026 Takeda Pharmaceuticals U.S.A., Inc. All rights reserved. 1-877-TAKEDA-7  
(1-877-825-3327). ADDERALL XR is a registered trademark of Takeda Pharmaceuticals U.S.A., Inc.  
US-AXR-0021v1.0 06/26