



n 1978, Charvel introduced the first electric guitar specifically created for that day's style of hard driving rock & roll. It was the first time a company had built and designed a guitar exclusively for "Heavy Metal." Charvel Guitars became accepted as an instant success worldwide and we have continued to expand our influence into all types of music.

Beginning with our first Soloist and Rhoads guitars, Jackson/Charvel has helped to define the meaning of quality in the manufacturing of electric guitars. Through the use of superior materials and workmanship, we have continually set the standards by which quality musical instruments are judged.

Fourteen years later, we are not only continuing this tradition, but have greatly enhanced it to include a much larger range of instruments so that not only the professional musician can afford to own a piece of our growing legacy. By utilizing the most modern production technologies combined with traditional methods, we can now offer the same level of quality in all of our instruments, regardless of price.

No matter what type of music you play, there is a Jackson/Charvel instrument that can help your dreams come true. Don't just take our word for it, play one of our instruments and you will instantly know why legendary guitarist Steve Cropper has chosen our Charvel Surfcaster as the newest addition to his arsenal. You will understand why new, young players like Marty Friedman have chosen Jackson guitars to be their main instruments when you feel one of our ultra fast necks.

You are invited to your nearest Jackson/Charvel dealer for a hands-on demonstration of these remarkable instruments. Your dealer will also be able to provide complete details about the models in this catalog, as well as our Custom Made Jackson

We know that you will be able to hear and feel the difference.





he commitment continues. Building on the success of the original *Professional Series*, *Jackson* has expanded the Pro Series with 14 new models for 1992. Jackson guitars have an established reputation for being the choice of *Rock* and *Metal Guitarists* around the world. With the addition of our new *Stealth* and *Infinity* guitars, *Jackson* performance and quality are now available to meet the demands of a wider range of musicians.

You have probably noticed many of your favorite guitar players endorsing other companies' products, yet when you see them live, they're playing *Jackson Guitars*. Ever wondered why? Maybe now is the time to find out.






SOLOIST PRO


BODY: POPLAR NECK: QUARTERSAWN MAPLE FINGERBOARD: BOUND EBONY SCALE 25.5", 24 FRETS BRIDGE: JT-590 DOUBLE LOCKING CONTROLS: VOLUME, MID, TONE, 5-WAY SWITCH ELECTRONICS: JE-1220 ACTIVE MID-BOOST CIRCUIT PICKUPS: (N) J-200, (M) J-200, (B) J-50M FINISHES: PW, MB, DMB, BR

SOLOIST NECK SPECS

NUT WIDTH: 1 11/16" 12th 20mm



NECK THRU CONSTRUCTION



JT-590 TREMOLO/ACTIVE PICKUPS

111 40

1 1 14 2

4 + + + + 4++++

SOLOIST XL

SCALE: 25.5°, 24 FRETS

BODY: POPLAR NECK: QUARTERSAWN MAPLE FINGERBOARD: BOUND ROSEWOOD

BRIDGE: 1590 DOUBLE LOCKING
CONTROLS: VOLUME: TONE: 5-WAY SWITCH
PICKUPS: (N) J-100VS. (M) J-100VS. (B) J-92C
FINISHES: PW. MB, DMB, DMR



Designed in collaboration with the late Randy Rhoads, this uniquely shaped instrument is still the choice of "Metal" guitarists around the world. The Rhoads guitar was the first instrument produced to bear the Jackson name and it still remains as the flagship of our line. With its unique tone and solid feel, the Rhoads Pro has become one of the few modern guitars already acknowledged as a contemporary classic.

For 1992, we have introduced a new bolt on neck version to make the Rhoads more accessible to guitarists on a limited budget. The Rhoads EX has the same lightening fast neck shape and sonic roar as the original Rhoads Pro.

RHOADS NECK SPECS

NUT WIDTH: 1 11/16" THICKNESS: 1st. 19mm

RHOADS PRO

BODY: POPLAR NECK: QUARTERSAWN MAPLE FINGERBOARD: BOUND EBONY SCALE: 25.5", 22 FRETS BRIDGE JT-590 DOUBLE LOCKING

CONTROLS: VOLUME, MID, TONE, 3-WAY TOGGLE ELECTRONICS: JE-1200 ACTIVE MID-BOOST CIRCUIT

PICKUPS: (IN) J-50N, (B) J-50M FINISHES: SW, DMB, BLK

RHOADS EX

BODY: POPLAR NECK: EASTERN ROCK MAPLE FINGERBOARD: ROSEWOOD SCALE: 25.5°, 22 FRETS BRIDGE: JT-580 DOUBLE LOCKING CONTROLS: VOLUME, 3-WAY SWITCH

PICKUPS: (N) J-50N (B) J-50M FINISHES: BLK BR, CB, SW, STN




JACKSON SCARF JOINT

٠ 0 * • • 0 •

The Infinity Pro can best be described as a modern classic. With its mahagany body, carved maple top and set neck construction, the sound of this instrument can best be described as warm and harmonically rich. Set neck guitars are well known for their midrange sustain characteristics, and the Infinity Pro is no exception.

The Infinity XL shares the same shape, but with a Basswood body and bolt on neck. The Infinity XL features a bound top and abalone dot markers to highlight its understated good looks. The pickups in both Infinity Models are specially wound to enhance the warm tone of this new body shape.



1112

INFINITY XL BODY: BASSWOOD NECK: EASTERN ROCK MAPLE FINGERBOARD: ROSEWOOD SCALE 25.5", 22 FRETS BRIDGE: JT-590 DOUBLE LOCKING CONTROLS: VOLUME TONE 3 WAY TOGGLE PICKUPS: (N) J-50M (B) J-92C FINISHES: DMB, DMP, BLK, MG



•

ARCHED FLAME MAPLE TOP



looking and feeling body, and you have the Stealth. The result is a light weight guitar with an extremely powerful sonic character. The Stealth Pro features an ebony fingerboard for aggressive mid range and highs, while the Stealth XL and EX models come equipped with a rosewood fingerboard for a warmer overall response. Either way, the Stealth is an amazingly comfortable guitar with a lot to offer any style of music.

Take a Dinky body, sculpt the front and

back so that you have an ultra sleek

STEALTH NECK SPECS NUT WIDTH: 1 11/16" THICKNESS: 1st. 12mm

CHIPTO

CIMIND



STEALTH EX BODY: BASSWOOD NECK: EASTERN ROCK MAPLE FINGERBOARD: ROSEWOOD SCALE 25.5", 22 FREIS BRIDGE JI-580 DOUBLE LOCKING CONTROLS: VOLUME TONE 5 WAY SWITCH PICKUPS: (N) J-110, (M) J-110, (B) J-75 FINISHES: BLK, DMB, DMR, STN

SLEEK AND SLENDER SIDES

BODY: BASSWOOD, "ASH, "PIGURED TOP NECK: EASTERN ROCK MAPLE

SCALE 25.5", 22 FRETS BRIDGE JF-590 DOUBLE LOCKING CONTROLS: VOLUME, TONE, 5 WAY SWITCH

PICKUPS: [N] J-100S. [M] J-100. (B) J-92C FINISHES: MB, "TA, "TV, "TB

STEALTH PRO

FINGERBOARD: EBONY



STEALTH XL

BODY: ASH NECK: EASTERN ROCK MAPLE FINGERBOARD: ROSEWOOD SCALE 25.5", 22 FRETS BRIDGE JT 580 IP DOUBLE LOCKING CONTROLS: VOLUME TONE 5-WAY SWITCH PICKUPS (N) / 100VS (M) / 100VS (B) / 92C FINISHES: TV, TA, TB, TR

THICKNESS: 1st 20mm

Dinky

GI III



All Dinky models feature the same low profile neck shape with 24 highly polished jumbo frets. Our new J-100VS single coil sized humbucking pickups are used in all H-S-S models for high output single coil tonality without the usual 60 cycle noise.

DINKY NECK SPECS NUT WIDTH: 1 11/16" THICKNESS: 1st: 17mm 12th: 20mm



MATCHING COLOR HARDWARE



DINKY XL
BODY: BASSWOOD
NECK: EASTERN ROCK MAPLE
FINGERBOARD: BOUND ROSEWOOD
SCALE 25.5", 24 FRETS
BRIDGE: JT-590 DOURLE LOCKING
CONTROLS: VOLUME TONE, 5-WAY SWITCH
PICKUPS: (N) J-100VS, (M) J-100VS, (B) J-92C
FINISHES: MB, PW, DMB, TV, TB, TR, CS

++++++







DINKY STANDARD

BODY: BASSWOOD

NECK EASTERN ROCK MAPLE
FINGERBOARD: ROSEWOOD

SCALE: 25.5°, 24 FRETS

BRIDGE: JT-590 DOUBLE LOCKING

CONTROLS: VOLUME, TONE, 5-WAY SWITCH
PICKUPS: [N] J-100VS, [M] J-100VS, [B] J-92C
FINISHES: DMR, CB, SW, BLK




DINKY REVERSE
BODY: BASSMOOD
NECK: EASTERN ROCK MAPLE
FINGERBOARD: ROSEWOOD OR MAPLE
SCALE 25.5". 24 FRETS
BRIDGE: JT-590 DOUBLE LOCKING
CONTROLS: VOLUME, TONE, 3-WAY SWITCH
PICKUPS: (N) J-80C. (B) J-85
FINISHES: BLK, MM, CB, STN



24 FRET, FULL ACCESS CUTAWAY JT-580 LOW PROFILE TREMOLO

Guitar players have long searched for an instrument that would combine the light string tension and percussive attack of a Les Paul with the overall brighter sound of bolt on neck guitars. Our answer to this quest is the Fusion Series of guitars. All Fusion guitars have a slightly reduced scale length, which gives these guitars their lighter string tension and percussive attack, and because they are bolt on necks, they have that brighter overall sound. This combination has become so popular that we offer our widest assortment of pickup combinations and features in the Fusion Series.








Previously only available as a custom order instrument, the Concert Bass has long been a favorite among bass players looking for a bass that not only looks great, but has a warm powerful sound. Based on our *Soloist* body shape, *Concert* Basses are well balanced and versatile enough in the tone department to be used for any style of music. The five string model offers an extremely comfortable neck that will not require you to adjust your technique in order to play it.

CONCERT NECK SPECS NUT WIDTH: 1 9/16" THICKNESS: 1st. 19mm



JB-440 HIGH DENSITY BRIDGE



BODY: POPLAR NECK: EASTERN ROCK MAPLE FINGERBOARD: BOUND ROSEWOOD SCALE: 34", 22 FRETS BRIDGE: JB-440 CONTROLS: VOLUME, BALANCE, TONE PICKUPS: (M) J-20, (B) J-150VS FINISHES: PW. DMB, MB, DMR



CONCERT BASS V BODY: POPLAR NECK: EASTERN ROCK MAPLE FINGERBOARD: BOUND ROSEWOOD SCALE 34", 24 FRETS BRIDGE KAHLER 2450 CONTROLS: VOLUME, BASS, TREBLE, BALANCE ELECTRONICS: JE 2500 ACTIVE CIRCUIT PICKUPS: (M) J-25, (B) J-155 FINISHES: PW. DMB, MB, DMR

CONCERT V NECK SPECS NUT WIDTH: 13/4" THICKNESS: 1st 19mm

The Concert V is ready made for the bassist thinking about taking the next big step and going for the extra low end a five string offers.

The Kahler 2450 bridge allows the player to change the overall string spacing to suit his or her own preference or personal style of playing. It also allows for height adjustment of each individual string.



KAHLER 2450 5 STRING BRIDGE



CONCERT EX CONCERT EX
BODY: POPELAR
NECK: EASTERN ROCK MAPLE
FINGERBOARD: ROSEWOOD
SCALE: 347, 22 FRETS
BRIDGE: JB-340
CONTROLS: VOLUME: BALANCE: TONE
PLYMINGS: MAL 202 JB-1450/JC. PICKUPS: (M) J-20. (B) J-150VS FINISHES: BLK, CB, SW, BR, STN





KAHLER 2440/EMG PICKUPS

The Futura Bass Series offers today's working bassist a combination of features never found before in a professional instrument. Their beautifully contoured bodies and ultra fast necks have already made these basses favorites among serious players the world over. The Futura Pro featuresEMG pickups and a massive, fully adjustable Kahler bridge.

The neck thru body models can be ordered with either Australian Lacewood or Maple construction. The Lacewood is lighter in weight and has a somewhat brighter tone on the top end, while the Maple offers a bigger midrange tone. Both have exceptional low end response with extremely high definition of the individual strings.



FUTURA NECK SPECS NUT WIDTH: 1 5/8" THICKNESS: 1st 20mm 12th 23mm



tutura

HEEL-LESS BOLT-ON

FUTURA EX

BODY: POPLAR NECK: EASTERN ROCK MAPLE FINGERBOARD: ROSEWOOD

SCALE 34" 22 FRETS BRIDGE JB-340 CONTROLS: VOLUME BALANCE TONE PICKUPS (M) J-20 (B) J-150VS FINISHES: BIX. 1/15 DMB SW



harvel guitars have always been recognized for their innovation and quality. For 1992, our design staff has coupled these classics with a vast array of new features, all of which are designed to bring you maximum performance.

Never afraid to take a chance and try something new, *Charvel* released its new *Surfcaster Series* last year, and they have already been acclaimed as the first truly innovative instruments to be produced by any company in the last twenty years.

For an instrument that was originally intended for "Metal," Charvel guitars are now frequently found in the studios and on the stages of Nashville; not bad for a company that started in a tiny shop with two employees.





The Surfcaster Series represents a dramatic step forward in the evolution of the electric guitar. They are a true hybrid of all the things that make vintage instruments desirable, merged with modern materials and construction techniques for reliability and uncompromising performance.

"Crisp, sparkling sound, visually arresting" were just a few of the good things Stan Cotey of Guitar Player Magazine had to say in his excellent review of the Charvel Surfcaster. Recreations of vintage Lipstick Tube pickups give the Surfcasters a clear bright tone which is unsurpassed for all types of music where a brilliant cutting tone is desired. The bridge on the twelve string model has separately adjustable saddles for spot on intonation. The six string tremolo model uses a roller nut and fulcrum tremolo for excellent tuning stability.



PUSH/PUSH TONE KNOB

ALL SURFCASTER INSTRUMENTS FEATURE A PUSHIPUSH SWITCH IN THE TONE KINOB. THIS IS USED FOR PHASE REVERSAL WHEN USING BOTH PICKLIPS



INDIVIDUALLY ADJUSTABLE SADDLES

SURFCASTER 12 NECK SPECS NUT WIDTH: 1 11/16" THICKNESS: 1st 20mm 12th: 21mm

SURFCASTER BASS NECK SPECS NUT WIDTH: 15/8" THICKNESS: 1st: 19mm



SURFCASTER BASS

BODY: BASSWOOD OR MAHOGANY WEIGURED TOP NECK: EASTERN ROCK MAPLE FINGERBOARD: BOUND ROSEWOOD SCALE: 34", 21 FRETS BRIDGE: IR-340

BRIDGE JB-340
CONTROLS: VOLUME, TONE WIPUSH-PUSH, 3-WAY TOGGLE
PICKUPS: CHANGLER INJUST (BLJ ST.OW

PICKUPS: CHANDLER (N) LST. (B) LST-RW. FINISHES: BLK. TRQ. MG, TR. TO, SGL

SURFCASTER 12

BODY: BASSWOOD OR MAHOGANY WIFIGURED TOP NECK: EASTERN ROCK MAPLE FINGERBOARD: BOUND EBONY SCALE: 25.5": 24 FRETS BRIDGE: J-370

CONTROLS: VOLUME, TONE WIPUSH-PUSH, 3-WAY TOGGLE PICKUPS: CHANDLER (N) LST, (B) LST-RW FINISHES: BLK, TRQ, MG, TR, TO, SGL

For the guitarist who requires the drive and sonic flexibility of a modern instrument with the feel and shape of a more traditional guitar. The STX Custom and Deluxe both use our new stacked single coil size pickups for low noise and high output, while the TX Custom uses a reverse wound middle pickup to eliminate 60 cycle hum in the combination pickup



modes. The new JX Bass has a reduced size body and neck shape that are

designed for comfort and speed.

STX/TX NECK SPECS NUT WIDTH: 15/8" THICKNESS: 1st: 19mm

•

• 4

0

(000000)

50000,00



BODY: BASSWOOD OR "ASH NECK: EASTERN ROCK MAPLE FINGERBOARD: POSEWOOD SCALE 255", 22 FRETS
BRIDGE: JF-590 DOUBLE LOCKING
CONTROLS: VOLUME, TONE, 5-WAY
PICKUPS: (N) J-100 VS (M) J-100VS (B) J-92C
FINISHES: DMB, BLK, "13, "18, "17, "18"



STX DELUXE BODY: BASSWOOD NECK: EASTERN ROCK MAPLE FINGERBOARD: ROSEWOOD SCALE: 25.5°, 22 FRETS BRIDGE: JT-490 W/ROLLER NUT CONTROLS: VOLUME TONE 5-WAY PICKUPS: (N) J-100VS. (M) J-100VS. (B) J-92C FINISHES: DMB. BLK. DMR. PW. TRQ



SLANTED CUT HEEL



BODY: BASSWOOD OR *ASH NECK: EASTERN ROCK MAPLE FINGERBOARD: POSEWOOD OR MAPLE SCALE: 25.5°. 22 FRETS BRIDGE: J-380 CONTROLS: VOLUME, TONE WIPUSH-PUSH, 5-WAY SWITCH SWITCH FUNCTION: DOWN = STD. 5-WAY/UP = (N) + (B) OR (N) + (M) + (B) PICKUPS: (N) J-100, (M) J-100RW (B) J-120 FINISHES: BLK, TRQ, DMR, "TS



Ta ga

00

0

JX NECK SPECS NUT WIDTH: 1 9/16" THICKNESS: 1st. 19mm 12th: 21mm

BODY: POPLAR NECK: EASTERN ROCK MAPLE FINGERBOARD: ROSEWOOD SCALE: 34", 21 FRETS BRIDGE: JB-340 CONTROLS: VOLUME, BALANCE, TONE

PICKUPS: (M) J 20, (B) J 150VS FINISHES: TRQ. BLK. SW. DMB, DMR



TX PICKUP SWITCHING

*TX CUSTOM PUSH/PUSH TONEPOT SWITCH: DOWN = STANDARD 5 WAY SMITCHING WITH POSITIONS 2 AND 4 IN HUM CANCEL MODE UP - POSITIONS 1, 3 AND 5 GIVE NECK AND BRIDGE PICKUPS WHILE POSITIONS 2 AND 4 YIELD ALL 3 PICKUPS.

JT-590 TREMOLO

CX Series

Charvel has always been known for its ability to produce extremely high quality instruments at affordable prices. The new CX Series continues that tradition.

Complete with many of the same features as our higher priced models, the CX Series offers a level of playability and sound usually reserved for instruments costing considerably more. Using the same neck shapes as our professional models, the CX Series offers playability second to none.



JT-480 VINTAGE TREMOLO





CX GUITARS NECK SPECS
NUT WIDTH: 1 5/8"
THICKNESS: 1st. 19mm



CX 291

BODY: BASSMOOD
NECK: EASTERPIN ROOK MAPLE
FINGERBOARD: ROSEMOOD
SCALE: 25.5°, 22 FRETS
BRIDGE: JT-480
CONTROLS: VOLUME: FONE: 5 WAY
PICKUPS: (N) J-110, (M) J-110, (B) J-110
FINISHES: BUK, SW, BR, DMB



CHARVEL "IN-LINE" HEADSTOCK

0

0

0



CX 390
BODY, BASSWOOD
NECK: FASTERN ROCK MAPLE
FINGERBOARD: ROSEWOOD
SCALE: 25.5°, 22 FRETS
BRIDGE: JT-580 DOUBLE LOCKING
CONTROLS: VOLUME: TONE, 5-WAY
PICKUPS: (N) J-110, (M) J-110, (B) J-55
FINISHES: BLK, SW, BR, DMB

CX Series



CX 391

BODY: BASSIMOOD

NECK: EASTERN ROCK MARLE
FINGERBOARD: ROSEWOOD


SCALE: 25.5°, 22 FRETS


BRIDGE: JT 580 DOUBLE LOCKING
CONTROLS: VOLUME, TOINE, 5-WAY
PICKUPS: (N) J. 55 (N) J. 110, (B) J. 55

ENJELIE DU SAN BOMB



CX 490
BODY: POPLAR.
NECK: EASTERN POOK MAPLE
FINGERBOARD: ROSEWOOD
SCALE: 34' 22 FRETS
BRIDGE: 81-10
CONTROLS: VOLUME BALANCE FONE
PICKUPS: (MT J. 30P. (B): J. 460
FINISHES: BLK. SW BR. (M.B)





SLANTED HEEL CUT

- J-50M-Warm, classic tone with increased output.
- J-50N-Classic tone with slightly less output for smooth round tone.
- J-55-Delivers both chunky rhythm textures and rich round lead voice
- J-75-Mega output, hard edged with distinctive, grinding crunch.
- J-80-High output, smooth response distortion class pickup
- J-85-High output voltage with a nice fat midrange grind.
- J-92C-Smooth overdriven sound with a distinctive, crisp edge.
- J-95-High output with wide band response to produce chunky rhythm textures and a rich, round lead voice

SINGLE COILS

- J-100-Authentic vintage single coil modified staggered pole pieces to conform to contemporary fingerboard radius and more popular string gauges of today.
- J-100RW-Reverse wound, reverse polarity version of J-100 pickup.
- J-110-Original single coil sound clean overtones and harmonics
- J-120-Solid highs and overtones with extra lows and mids
- · CHANDLER LST and LST/RW-Vintage reissue of the lipstick tube pickup, low output 4.5SL and a high resonant peak greatly enhance sensitivity and dynamics.

SINGLE COIL HUMBUCKING

- J-100VS-Traditional single coil sound without 60 cycle hum.
- J-200-Low impedence with increased lows and mids.
- J-200R-Full size humbucker output in a single coil package.


BASS PICKUPS

- J-20-Split coil construction with increased output and mid range punch
- **J-25**-5-string version of J-20
- J-30P-Ceramic split coil pickup with enhanced middle and top end.
- J-150VS-Bridge position, warm tone with a tight bottom end.
- J-160-Bridge position ceramic single coil. clear defined sound through entire frequency range



FINISH ABBREVIATIONS

- PW PEARL WHITE
- SW SNOW WHITE
- STN STONE
- NL NATURAL LACE
- CL CARMEL LACE
- CIN CINNIBAR
- TA TRANS AMBER
- TS TOBACCO SUNBURST
- TRANS ORANGE TO -
- STAR GLO
- CS CHERRY SUNBURST
- TR TRANS RED
- **BR** BRIGHT RED
- CR CANDY RED
- DARK METALLIC RED
- MG MAGENTA
- TV - TRANS VIOLET - METALLIC VIOLET MV.
- **TURQUOISE** TRQ
- TB TRANS BLUE
- CB CANDY BLUE
- DMB DEEP METALLIC BLUE
- MB METALLIC BLACK
- BLK BLACK



GUITAR BRIDGES

- JT-590-Floyd Rose licensed double locking tremolo precision crafted in Germany. All parts interchangeable with Original Floyd Rose™ bridges.
- JT-580-Floyd Rose licensed double locking tremolo with machined steel baseplate and threaded arm.
- JT-580LP-Same specifications as JT-580 tremolo but with low profile fine tuners.
- JT-490 W/ROLLER NUT-High mass fulcrum tremolo with lock down saddles featuring roller nut for greater tuning stability.
- J-390 W/TAILPIECE-Tune-o-matic 2 point adjustable non trem with Charvel floating tailpiece.
- J-370-Non-tremolo 12 string bridge with 12 fully intonatable saddles. 6 strings load thru body while remaining 6 anchor at the bridgeplate.
- J-380-Flat mount non-tremolo string thru body featuring 6 fully adjustable bridge saddles.
- JT-480-Vintage style synchronized tremolo.
- JT-470-2 point vintage style fulcrum tremolo.
- JT-570-Floyd Rose licensed single locking tremolo.

BASS BRIDGES

- · JB-340-Hi mass fully adjustable for string height and intonation.
- JB-440-Precision cast high density bass bridge with track mounted saddles.
- · KAHLER 2440 and 2450-Advanced design features adjustable string spacing, height and intonation.

ELECTRONICS

- JE-1200-Active mid-boost guitar circuit. Boosts middle frequencies to fatten up and thicken for a bigger tone and added sustain.
- JE-1500-Active para-mid E.Q. guitar circuit. Use the tone knob to select the center of any group of frequencies from 450Hz to 45KHz This is a filter sweep very much like a wah pedal.
- JE-2000-Active E.Q. bass circuit. Bass and treble controls give ±12 dB of boost and cut at 40Hz and 25KHz for incomparable sonic control.
- JE-2500 Active para-mid E.Q. bass circuit. This is the same basic circuit as the JE-2000 but designed for use with EMG-35P/J pickups



SOLOIST PRO


SOLOIST XL




CONCERT BASS XL CONCERT BASS V CONCERT EX SURFCASTER HT SURFCASTER SURFCASTER 12 SURFCASTER BASS STX CUSTOM STX DELUXE TX CUSTOM JX BASS

CX391

CX490




CX290 CX291 CX390




Colors Chart



DOUG ALDRICH - BAD MOON RISING



SCOTT IAN - ANTHRAX



DAN SPITZ - ANTHRAX




JOHNNIE LEE MIDDLETON - SAVATAGE


CRISS OLIVA - SAVATAGE



PHIL COLLEN - DEF LEPPARD



DAVE AMATO - R.E.O., SAMBORA



KIP WINGER - WINGER



LOUIS SVITECK - MINDFUNK




GEOFF THORPE - VICIOUS RUMOURS







MARTY FRIEDMAN - MEGADETH DAVE MUSTAINE - MEGADETH











DAVE SHARMAN




STEVE CROPPER - LEGEND




TOMMY HANNUM - RICKY VAN SHELTON











ALLEN WOODY - ALLMAN BROS.

We would like to thank all of our players for their use and continued support of our instruments. It is their feedback and suggestions that allow us to bring you the highest quality and most versatile instruments available. We apologize to those players not pictured in these pages because of time and space limitations.

1992 Catalog






JAMES PENNEBAKER - JIMMY DALE GILMOR




ADRIAN SMITH - A.S.A.P.



DAVE MURRAY - IRON MAIDEN



REXX - PANTERA



CATALOG CREDITS:

STEVE KAUFMAN **GUIDANCE AND INSPIRATION**

MIKEY WRIGHT **DESIGN AND PRODUCTION**

JAMES PENNEBAKER SPECS AND CHECKS

JUTA SUGAI PHOTOGRAPHY FOR DAYS

SUE DAVIS COORDINATION AND NUPRIN

PRINTED IN U.S.A.

THE JACKSON/CHARVEL GUITAR COMPANY P.O. BOX 2344 FORT WORTH, TEXAS 76113-2344

© COPYRIGHT 1992 JACKSON CHARVEL; ALL RIGHTS RESERVED ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.