CERTIFICATE OF AN	ALYSIS			
Customer:	Batch #:	CURATE STLAB  Number:	Report Issue Date: Order Date: Analysis Date:	
Sample Description:  Photo		Photo	Extraction Technician: LL Analytical Chemist: LL	
CANNABINOID P	POFILE		Harnan Pristo  Laboratory Manager	
Analyte LOQ Results %	Analyte LOQ (mg/g)	Results %	Analyte LOQ Results %	
Max Active	тнс	Total Active Cannabinoids		
Max Active	CBD	Total Cannabinoids		

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)

9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC)

Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabinol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



**CERTIFICATE OF ANALYSIS Report Issue Date:** Batch #: **Order Date: Customer: Analysis Date: Laboratory Number:** Extraction Technician: HP Sample Description: Analytical Chemist: HP **Photo Unit Weight:** Hernan Pristo Laboratory Manager RESIDUAL SOLVENTS PROFILE Concentration **Action Limit Analyte** PASS/FAIL (PPM) (PPM)

**NOTES** 

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-GCM-001

1-Pass/Fail statement is based on California Code of Regulations, Title 16, Section 5718. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.



## **CERTIFICATE OF ANALYSIS ACCURATE Report Issue Date:** Batch #: **Customer: Order Date: Analysis Date: Laboratory Number:** Extraction Technician: HP Sample Description: Analytical Chemist: HP **Photo Unit Weight:** Hernan Prieto Laboratory Manager **PESTICIDES PROFILE**

Analyte RESULT PASS/FAIL Analyte RESULT PASS/FAIL Analyte RESULT PASS/FAIL



**NOTES** 

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected T:Trace Cannabinoids detected but are below limit of quantification.



CERTIFICATE O	FANALYSIS			
	ACC	URATE S T L/A B		
			Report Issue Date:	
Customer:	Batch #: Laboratory	Number:	Order Date: Analysis Date:	
Sample Description:			Extraction Technician: HP  Analytical Chemist: HP	
Photo Unit Weight:  FILTH & FOREIGN MATERIALS PROFILE			Harnan Prieto Laboratory Manager	
Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL	

**NOTES** 

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020 Accurate Test Lab, LLC 2000 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA



CERTIFICATE OF ANALYSIS **Report Issue Date:** Batch #: **Order Date:** Customer: **Analysis Date: Laboratory Number:** Extraction Technician: HP Sample Description: Analytical Chemist: HP **Photo Unit Weight:** Hernan Prieto Laboratory Manager **MICROBIOLOGY ANALYSIS** Microbe(s) **CFU Detected** Limit of Detection (CFU/g) CFU/g PASS / FAIL

**NOTES** 

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelinesThe results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: NotApplicable -GFU:Colony-forming unit 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health

Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g):-Aerobic Plate

Count: 10 -Staphylococcus Aureus: 4 - Yeast: 4 - Mold: 2 - Enterobacteriaceae: 6. Analysis Method: ATL-PHI-002

