

| Name | Version | License | Dependency Type | Project URL |
|--|---------|-------------|-----------------|---|
| @babel/code-frame | 7.14.5 | MIT License | Transitive | https://babeljs.io/ |
| @babel/compat-data | 7.15.0 | MIT License | Transitive | https://github.com/calvinmetcalf/publicEncrypt |
| @babel/core | 7.14.8 | MIT License | Transitive | http://webjars.org |
| @babel/core | 7.15.0 | MIT License | Transitive | https://babeljs.io/ |
| @babel/generator | 7.15.0 | MIT License | Transitive | https://babeljs.io/ |
| @babel/helper-annotate-as-pure | 7.14.5 | MIT License | Transitive | https://github.com/sindresorhus/is-wsl |
| visitor | 7.14.5 | MIT License | Transitive | https://github.com/mikeal/watch |
| @babel/helper-compilation-targets | 7.15.0 | MIT License | Transitive | https://github.com/feross/run-parallel |
| @babel/helper-create-class-features-plugin | 7.15.0 | MIT License | Transitive | https://github.com/ember-cli/node-modules-path |
| @babel/helper-create-regexp-features-plugin | 7.14.5 | MIT License | Transitive | https://github.com/babel/babel |
| @babel/helper-define-polyfill-provider | 0.2.3 | MIT License | Transitive | https://github.com/babel/babel-polyfills |
| @babel/helper-explode-assignable-expression | 7.14.5 | MIT License | Transitive | https://github.com/npm/fs-write-stream-atomic |
| @babel/helper-function-name | 7.14.5 | MIT License | Transitive | https://github.com/sindresorhus/ora |
| @babel/helper-get-function-arity | 7.14.5 | MIT License | Transitive | https://github.com/jonschlinkert/center-align |
| @babel/helper-hoist-variables | 7.14.5 | MIT License | Transitive | https://github.com/jonschlinkert/fill-range |
| @babel/helper-member-expression-to-functions | 7.15.0 | MIT License | Transitive | https://github.com/rvagg/prr |
| @babel/helper-module-imports | 7.14.5 | MIT License | Transitive | https://babeljs.io/ |
| @babel/helper-module-transforms | 7.15.0 | MIT License | Transitive | https://babeljs.io/ |
| @babel/helper-optimise-call-expression | 7.14.5 | MIT License | Transitive | https://github.com/ljharb/es-to-primitive |
| @babel/helper-plugin-utils | 7.14.5 | MIT License | Transitive | https://babeljs.io/ |
| @babel/helper-remap-async-to-generator | 7.14.5 | MIT License | Transitive | https://github.com/jonschlinkert/snapdragon-node |
| @babel/helper-replace-supers | 7.15.0 | MIT License | Transitive | https://github.com/dmitriid/worker_pool |
| @babel/helper-simple-access | 7.14.8 | MIT License | Transitive | https://babeljs.io/ |
| wrappers | 7.14.5 | MIT License | Transitive | https://github.com/babel/babel |
| @babel/helper-split-export-declaration | 7.14.5 | MIT License | Transitive | http://labix.org/python-dateutil |
| @babel/helper-validator-identifier | 7.14.9 | MIT License | Transitive | https://github.com/sindresorhus/p-cancelable |
| @babel/helper-validator-option | 7.14.5 | MIT License | Transitive | validator-option |
| @babel/helper-wrap-function | 7.14.5 | MIT License | Transitive | http://flat.io |
| @babel/helpers | 7.14.8 | MIT License | Transitive | http://webjars.org |
| @babel/helpers | 7.15.3 | MIT License | Transitive | https://babeljs.io/ |
| @babel/highlight | 7.14.5 | MIT License | Transitive | https://babeljs.io/ |

| | | | | |
|--|---------|-------------|------------|---|
| @babel/parser | 7.15.3 | MIT License | Transitive | https://babeljs.io/ |
| optional-chaining | 7.14.5 | MIT License | Transitive | https://babeljs.io/bugfix-v8-spread-parameters-in-optional-chaining |
| @babel/plugin-proposal-async-generator-functions | 7.14.9 | MIT License | Transitive | https://github.com/broccolijs/broccoli |
| @babel/plugin-proposal-class-properties | 7.14.5 | MIT License | Transitive | https://lodash.com/ |
| @babel/plugin-proposal-class-static-block | 7.14.5 | MIT License | Transitive | proposal-class-static-block |
| @babel/plugin-proposal-decorators | 7.14.5 | MIT License | Transitive | https://github.com/lukechilds/responselike |
| @babel/plugin-proposal-dynamic-import | 7.14.5 | MIT License | Transitive | project |
| @babel/plugin-proposal-export-namespace-from | 7.14.5 | MIT License | Transitive | https://github.com/babel/babel |
| @babel/plugin-proposal-json-strings | 7.14.5 | MIT License | Transitive | name |
| operators | 7.14.5 | MIT License | Transitive | https://github.com/babel/babel |
| @babel/plugin-proposal-nullish-coalescing-operator | 7.14.5 | MIT License | Transitive | aes |
| @babel/plugin-proposal-numeric-separator | 7.14.5 | MIT License | Transitive | https://github.com/isaacs/once |
| @babel/plugin-proposal-object-rest-spread | 7.14.7 | MIT License | Transitive | https://github.com/jimmycuadra/shellwords |
| @babel/plugin-proposal-optional-catch-binding | 7.14.5 | MIT License | Transitive | https://github.com/babel/babel |
| @babel/plugin-proposal-optional-chaining | 7.14.5 | MIT License | Transitive | http://npmjs.com/good-listener |
| @babel/plugin-proposal-private-methods | 7.14.5 | MIT License | Transitive | https://github.com/babel/babel |
| @babel/plugin-proposal-private-property-in-object | 7.14.5 | MIT License | Transitive | https://github.com/babel/babel |
| @babel/plugin-proposal-unicode-property-regex | 7.14.5 | MIT License | Transitive | https://babeljs.io/ |
| @babel/plugin-syntax-async-generators | 7.8.4 | MIT License | Transitive | http://github.com/paulirish/matchMedia.js |
| @babel/plugin-syntax-class-properties | 7.12.13 | MIT License | Transitive | https://github.com/babel/babel |
| @babel/plugin-syntax-class-static-block | 7.14.5 | MIT License | Transitive | https://babel.dev/docs/en/next/babel-plugin-syntax-class-static-block |
| @babel/plugin-syntax-decorators | 7.14.5 | MIT License | Transitive | https://github.com/kevva/shebang-command |
| @babel/plugin-syntax-dynamic-import | 7.8.3 | MIT License | Transitive | https://github.com/sindresorhus/path-key |

| | | | | |
|---|--------|-------------|------------|---|
| @babel/plugin-syntax-export-namespace-from | 7.8.3 | MIT License | Transitive | https://www.npmjs.org/package/@babel/plugin-syntax-export-namespace-from |
| @babel/plugin-syntax-json-strings | 7.8.3 | MIT License | Transitive | http://www.yeikos.com |
| @babel/plugin-syntax-logical-assignment-operators | 7.10.4 | MIT License | Transitive | https://github.com/babel/babel |
| @babel/plugin-syntax-nullish-coalescing-operator | 7.8.3 | MIT License | Transitive | https://github.com/analog-nico/stealthy-require |
| @babel/plugin-syntax-numeric-separator | 7.10.4 | MIT License | Transitive | https://github.com/jshttp/proxy-addr |
| @babel/plugin-syntax-object-rest-spread | 7.8.3 | MIT License | Transitive | https://github.com/snewcomer/cldr-compact-number |
| @babel/plugin-syntax-optional-catch-binding | 7.8.3 | MIT License | Transitive | https://github.com/darrylhodgins/typescript-memoize |
| @babel/plugin-syntax-optional-chaining | 7.8.3 | MIT License | Transitive | http://github.com/rancher/ember-api-store/ |
| @babel/plugin-syntax-private-property-in-object | 7.14.5 | MIT License | Transitive | https://babel.dev/docs/en/next/babel-plugin-syntax-private-property-in-object |
| @babel/plugin-syntax-top-level-await | 7.14.5 | MIT License | Transitive | https://github.com/jonschlinkert/is-windows |
| @babel/plugin-syntax-typescript | 7.14.5 | MIT License | Transitive | https://github.com/jsdom/whatwg-url |
| @babel/plugin-transform-arrow-functions | 7.14.5 | MIT License | Transitive | https://github.com/jamesrosen/CLDR.js |
| @babel/plugin-transform-async-to-generator | 7.14.5 | MIT License | Transitive | https://github.com/sindresorhus/got |
| @babel/plugin-transform-block-scoped-functions | 7.14.5 | MIT License | Transitive | https://github.com/sindresorhus/p-cancelable |

| | | | | |
|--|--------|-------------|------------|---|
| @babel/plugin-transform-block-scoping | 7.15.3 | MIT License | Transitive | https://github.com/get/querysting |
| @babel/plugin-transform-classes | 7.14.9 | MIT License | Transitive | https://github.com/qix-/node-error-ex |
| @babel/plugin-transform-computed-properties | 7.14.5 | MIT License | Transitive | https://github.com/npm/nopt |
| @babel/plugin-transform-destructuring | 7.14.7 | MIT License | Transitive | https://github.com/iarna/unique-filename |
| @babel/plugin-transform-dotall-regex | 7.14.5 | MIT License | Transitive | https://babeljs.io/ |
| @babel/plugin-transform-duplicate-keys | 7.14.5 | MIT License | Transitive | http://mustache.github.com/ |
| @babel/plugin-transform-exponentiation-operator | 7.14.5 | MIT License | Transitive | https://github.com/istanbuljs/istanbul-lib-coverage |
| @babel/plugin-transform-for-of | 7.14.5 | MIT License | Transitive | https://github.com/babel/babel |
| @babel/plugin-transform-function-name | 7.14.5 | MIT License | Transitive | https://github.com/stream-utils/destroy |
| @babel/plugin-transform-literals | 7.14.5 | MIT License | Transitive | https://github.com/stefanpenner/sync-disk-cache |
| @babel/plugin-transform-member-expression-literals | 7.14.5 | MIT License | Transitive | https://github.com/yampkq/yarn |
| @babel/plugin-transform-modules-amd | 7.14.5 | MIT License | Transitive | https://github.com/sindresorhus/has-flag |
| @babel/plugin-transform-modules-commonjs | 7.15.0 | MIT License | Transitive | https://lodash.com/ |
| @babel/plugin-transform-modules-systemjs | 7.14.5 | MIT License | Transitive | https://github.com/calvinmetcalf/browserify-rsa |
| @babel/plugin-transform-modules-umd | 7.14.5 | MIT License | Transitive | https://github.com/broccollijs/node-copy-dereference |
| @babel/plugin-transform-named-capturing-groups-regex | 7.14.9 | MIT License | Transitive | https://babeljs.io/ |

| | | | | |
|--|--------|-------------|------------|---|
| @babel/plugin-transform-new-target | 7.14.5 | MIT License | Transitive | https://github.com/ljharb/es-to-primitive |
| @babel/plugin-transform-object-assign | 7.14.5 | MIT License | Transitive | https://github.com/kevva/shebang-command |
| @babel/plugin-transform-object-super | 7.14.5 | MIT License | Transitive | https://github.com/crypto-browserify/browserify-cipher |
| @babel/plugin-transform-parameters | 7.14.5 | MIT License | Transitive | https://github.com/thlorenz/ansicolors |
| @babel/plugin-transform-property-literals | 7.14.5 | MIT License | Transitive | https://github.com/Constellation/estrapverse |
| @babel/plugin-transform-regenerator | 7.14.5 | MIT License | Transitive | https://github.com/babel/babel/tree/master/packages/babel-plugin-transform-regenerator |
| @babel/plugin-transform-reserved-words | 7.14.5 | MIT License | Transitive | https://github.com/component/bind |
| @babel/plugin-transform-runtime | 7.15.0 | MIT License | Transitive | https://redis.blackducksoftware.com/ |
| @babel/plugin-transform-shorthand-properties | 7.14.5 | MIT License | Transitive | https://github.com/jsdom/html-encoding-sniffer |
| @babel/plugin-transform-spread | 7.14.6 | MIT License | Transitive | https://github.com/request/promise-core |
| @babel/plugin-transform-sticky-regex | 7.14.5 | MIT License | Transitive | https://github.com/babel/babel/tree/master/packages/babel-plugin-transform-regenerator |
| @babel/plugin-transform-template-literals | 7.14.5 | MIT License | Transitive | https://github.com/stefanpenner/sync-disk-cache |
| @babel/plugin-transform-typeof-symbol | 7.14.5 | MIT License | Transitive | http://labix.org/python-dateutil |
| @babel/plugin-transform-typescript | 7.15.0 | MIT License | Transitive | https://babeljs.io/ |
| @babel/plugin-transform-typescript | 7.4.5 | MIT License | Transitive | https://babeljs.io/ |

| | | | | |
|---|---------|--------------------|------------|---|
| @babel/plugin-transform-typescript | 7.5.5 | MIT License | Transitive | https://babeljs.io/ |
| @babel/plugin-transform-typescript | 7.8.7 | MIT License | Transitive | https://babeljs.io/ |
| @babel/plugin-transform-unicode-escapes | 7.14.5 | MIT License | Transitive | https://github.com/babel/babel |
| @babel/plugin-transform-unicode-regex | 7.14.5 | MIT License | Transitive | https://github.com/LearnBoost/socket.io-parser |
| @babel/polyfill | 7.12.1 | MIT License | Transitive | https://babeljs.io/ |
| @babel/preset-env | 7.15.0 | MIT License | Transitive | https://babeljs.io/ |
| @babel/preset-modules | 0.1.4 | MIT License | Transitive | https://pypi.python.org/pypi/wcwidth |
| @babel/runtime | 7.12.18 | MIT License | Transitive | https://babeljs.io/docs/en/next/babel-runtime |
| @babel/runtime | 7.15.3 | MIT License | Transitive | https://babeljs.io/docs/en/next/babel-runtime |
| @babel/template | 7.14.5 | MIT License | Transitive | https://babeljs.io/ |
| @babel/traverse | 7.15.0 | MIT License | Transitive | https://babeljs.io/ |
| @babel/types | 7.15.0 | MIT License | Transitive | https://babeljs.io/ |
| @cnakazawa/watch | 1.0.3 | Apache License 2.0 | Transitive | https://github.com/tj/Commander.js |
| @cnakazawa/watch | 1.0.4 | Apache License 2.0 | Transitive | https://github.com/mikeal/watch |
| @ember-data/adapter | 3.21.0 | MIT License | Transitive | https://github.com/jshttp/fresh |
| @ember-data/canary-features | 3.21.0 | MIT License | Transitive | https://www.npmjs.org/package/@ember-data/canary-features |
| @ember-data/debug | 3.21.0 | MIT License | Transitive | https://www.npmjs.org/package/@ember-data/debug |
| @ember-data/model | 3.21.0 | MIT License | Transitive | https://github.com/sindresorhus/crypto-random-string |

| | | | | |
|---------------------------------|--------|-------------|------------|---|
| @ember-data/private-build-infra | 3.21.0 | MIT License | Transitive | https://www.npmjs.org/package/@ember-data/private-build-infra |
| @ember-data/record-data | 3.21.0 | MIT License | Transitive | https://www.npmjs.org/package/@ember-data/record-data |
| @ember-data/rfc395-data | 0.0.4 | MIT License | Transitive | https://github.com/ember-data/ember-data-rfc395-data |
| @ember-data/serializer | 3.21.0 | MIT License | Transitive | https://github.com/sindresorhus/ora |
| @ember-data/store | 3.21.0 | MIT License | Transitive | https://github.com/neftaly/npm-sri-toolbox |
| @ember-decorators/component | 6.1.1 | MIT License | Transitive | https://github.com/ember-decorators/ember-decorators |
| @ember-decorators/object | 6.1.1 | MIT License | Transitive | https://github.com/ember-decorators/ember-decorators |
| @ember-decorators/utils | 6.1.1 | MIT License | Transitive | https://github.com/ember-decorators/ember-decorators |
| @ember-intl/cp-validations | 4.0.1 | MIT License | Transitive | https://github.com/ember-intl/ember-intl-cp-validations |
| @ember/edition-utils | 1.2.0 | MIT License | Transitive | https://github.com/emberjs/ember-octane-utils |
| @ember/jquery | 1.1.0 | MIT License | Transitive | https://github.com/emberjs/ember-jquery |
| @ember/optional-features | 2.0.0 | MIT License | Transitive | https://github.com/emberjs/ember-optional-features |
| @ember/ordered-set | 2.0.3 | MIT License | Transitive | https://github.com/emberjs/ember-ordered-set |

| | | | | |
|------------------------------------|--------|--|------------|---|
| @ember/render-modifiers | 1.0.2 | MIT License (MIT License OR Apache License 2.0) | Transitive | https://github.com/emberjs/ember-render-modifiers |
| @ember/test-helpers | 0.7.27 | MIT License (MIT License OR Apache License 2.0) | Transitive | https://github.com/emberjs/ember-test-helpers |
| @ember/test-helpers | v1.7.3 | MIT License (MIT License OR Apache License 2.0) | Transitive | https://github.com/emberjs/ember-test-helpers |
| @embroider/core | 0.33.0 | MIT License | Transitive | https://github.com/ljharb/is-object |
| @embroider/macros | 0.33.0 | MIT License | Transitive | https://github.com/jshttp/on-finished |
| @embroider/macros | 0.41.0 | MIT License | Transitive | https://github.com/jshttp/on-finished |
| @embroider/shared-internals | 0.41.0 | MIT License | Transitive | https://github.com/embroider-build/embroider |
| @embroider/util | 0.41.0 | MIT License | Transitive | https://github.com/embroider-build/embroider |
| @eslint/eslintrc | 0.1.3 | MIT License | Transitive | https://github.com/eslint/eslintrc |
| @formatjs/ecma402-abstract | 1.4.0 | MIT License | Transitive | https://github.com/formatjs/formatjs |
| @formatjs/ecma402-abstract | 1.9.8 | MIT License | Transitive | https://github.com/formatjs/formatjs |
| @formatjs/fast-memoize | 1.2.0 | ISC License | Transitive | https://github.com/formatjs/formatjs |
| @formatjs/icu-messageformat-parser | 2.0.11 | MIT License | Transitive | https://www.npmjs.org/package/@formatjs/icu-messageformat-parser |
| @formatjs/icu-skeleton-parser | 1.2.12 | MIT License | Transitive | https://www.npmjs.org/package/@formatjs/icu-skeleton-parser |

| | | | | |
|-------------------------------|--------|-------------|------------|---|
| @formatjs/intl-localesmatcher | 0.2.20 | MIT License | Transitive | https://github.com/formatjs/formatjs |
| @formatjs/intl-numberformat | 5.7.6 | MIT License | Transitive | https://github.com/formatjs/formatjs |
| @glimmer | 0.42.2 | MIT License | Transitive | http://about.polemarch.org |
| @glimmer/component | 1.0.1 | MIT License | Transitive | https://github.com/glimmerjs/glimmer-component |
| @glimmer/component | 1.0.4 | MIT License | Transitive | https://github.com/glimmerjs/glimmer-component |
| @glimmer/di | 0.1.11 | MIT License | Transitive | https://github.com/glimmerjs/glimmer-di |
| @glimmer/env | 0.1.7 | MIT License | Transitive | https://github.com/glimmerjs/glimmer-env |
| @glimmer/global-context | 0.65.3 | MIT License | Transitive | https://github.com/glimmerjs/glimmer-vm/tree/master |
| @glimmer/interfaces | 0.42.2 | MIT License | Transitive | https://lodash.com/ |
| @glimmer/interfaces | 0.65.3 | MIT License | Transitive | https://lodash.com/ |
| @glimmer/low-level | 0.42.2 | MIT License | Transitive | https://github.com/jden/node-path-posix |
| @glimmer/reference | 0.42.2 | MIT License | Transitive | https://github.com/sindresorhus/os-tmpdir |
| @glimmer/reference | 0.65.3 | MIT License | Transitive | https://github.com/sindresorhus/os-tmpdir |
| @glimmer/runtime | 0.42.2 | MIT License | Transitive | https://github.com/floatdrop/pinkie-promise |
| @glimmer/syntax | 0.42.2 | MIT License | Transitive | https://github.com/livereload/livereload-js |
| @glimmer/syntax | 0.65.3 | MIT License | Transitive | https://github.com/livereload/livereload-js |

| | | | | |
|-----------------------------|--------|-------------|------------|---|
| @glimmer/tracking | 1.0.1 | MIT License | Transitive | https://github.com/glimmerjs/glimmer.js |
| @glimmer/tracking | 1.0.4 | MIT License | Transitive | https://github.com/glimmerjs/glimmer.js |
| @glimmer/util | 0.42.2 | MIT License | Transitive | https://github.com/component/emitter |
| @glimmer/util | 0.44.0 | MIT License | Transitive | https://github.com/component/emitter |
| @glimmer/util | 0.65.3 | MIT License | Transitive | https://github.com/component/emitter |
| @glimmer/validator | 0.44.0 | MIT License | Transitive | https://github.com/glimmerjs/glimmer-vm |
| @glimmer/validator | 0.65.3 | MIT License | Transitive | https://github.com/glimmerjs/glimmer-vm |
| @glimmer/wire-format | 0.42.2 | MIT License | Transitive | https://github.com/stefanpenner/broccoli-persistent-filter |
| @handlebars/parser | 1.1.0 | ISC License | Transitive | https://github.com/handlebars-lang/handlebars-parser |
| @istanbuljs/load-nyc-config | 1.1.0 | ISC License | Transitive | https://github.com/istanbuljs/load-nyc-config |
| @istanbuljs/schema | 0.1.3 | MIT License | Transitive | https://github.com/istanbuljs/schema |
| @mrmInC/readdir-enhanced | 2.2.1 | MIT License | Transitive | https://github.com/bigstickcarpet/readdir-enhanced |
| @nodelib/fs.scandir | 2.1.5 | MIT License | Transitive | https://github.com/IndigoUnited/node-cross-spawn |
| @nodelib/fs.stat | 1.1.3 | MIT License | Transitive | https://github.com/SBoudrias/run-async |
| @nodelib/fs.stat | 2.0.5 | MIT License | Transitive | https://github.com/SBoudrias/run-async |

| | | | | |
|--------------------------|--------|-------------|------------|---|
| @nodelib/fs.walk | 1.2.8 | MIT License | Transitive | https://github.com/stonecircle/broccoli-module-unification-reexporter |
| @sindresorhus/is | 0.7.0 | MIT License | Transitive | https://github.com/sindresorhus/is |
| @tootallnate/once | 1.1.2 | MIT License | Transitive | https://github.com/TooTallNate/once |
| @types/acorn | 4.0.6 | MIT License | Transitive | https://github.com/indutny/elliptic |
| @types/body-parser | 1.19.1 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @types/broccoli-plugin | 1.3.0 | MIT License | Transitive | https://github.com/npm/security-holder |
| @types/chai | 4.2.21 | MIT License | Transitive | https://github.com/jsdom/data-urls |
| @types/chai-as-promised | 7.1.4 | MIT License | Transitive | https://github.com/linusu/buffer-fill |
| @types/component-emitter | 1.2.10 | MIT License | Transitive | https://www.npmjs.org/package/@types/component-emitter |
| @types/connect | 3.4.35 | MIT License | Transitive | https://github.com/inikulin/parse5 |
| @types/cookie | 0.4.1 | MIT License | Transitive | https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/cookie |
| @types/cors | 2.8.12 | MIT License | Transitive | https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/cors |
| @types/estree | 0.0.50 | MIT License | Transitive | https://github.com/IBM/carbon-components-react |

| | | | | |
|----------------------------------|---------|-------------|------------|---|
| @types/express | 4.17.13 | MIT License | Transitive | https://github.com/jsdom/jsdom |
| @types/express-serve-static-core | 4.17.24 | MIT License | Transitive | https://github.com/sindresorhus/pretty-ms |
| @types/fs-extra | 5.1.0 | MIT License | Transitive | http://github.com/nodejitsu/node-http-proxy |
| @types/fs-extra | 8.1.2 | MIT License | Transitive | http://github.com/nodejitsu/node-http-proxy |
| @types/glob | 7.1.4 | MIT License | Transitive | https://github.com/Kikobeats/emojis-list |
| @types/json-schema | 7.0.9 | MIT License | Transitive | https://github.com/DefinitelyTyped/DefinitelyTyped/tree/master/types/json-schema |
| @types/mime | 1.3.2 | MIT License | Transitive | https://github.com/component/merge-descriptors |
| @types/minimatch | 3.0.5 | MIT License | Transitive | https://github.com/bcoe/signal-exit |
| @types/node | 16.7.10 | MIT License | Transitive | https://www.npmjs.com/package/@types/node |
| @types/node | 9.6.61 | MIT License | Transitive | https://www.npmjs.com/package/@types/node |
| @types/qs | 6.9.7 | MIT License | Transitive | https://github.com/yahoo/ember-intl |
| @types/range-parser | 1.2.4 | MIT License | Transitive | https://www.npmjs.com/package/@types/range-parser |
| @types/rimraf | 2.0.5 | MIT License | Transitive | https://github.com/jviereck/regjsparser |
| @types/serve-static | 1.13.10 | MIT License | Transitive | https://github.com/knownasilya/cli-width |
| @types/symlink-or-copy | 1.2.0 | MIT License | Transitive | https://github.com/calvinmetcalf/browserify-rsa |

| | | | | |
|--|-------|-------------|------------|---|
| @webassemblyjs/ast | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @webassemblyjs/floating-point-hex-parser | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @webassemblyjs/helper-api-error | 1.9.0 | MIT License | Transitive | https://github.com/chrmod/watch-detector |
| @webassemblyjs/helper-buffer | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @webassemblyjs/helper-code-frame | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @webassemblyjs/helper-fsm | 1.9.0 | ISC License | Transitive | https://babeljs.io/ |
| @webassemblyjs/helper-module-context | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @webassemblyjs/helper-wasm-bytecode | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @webassemblyjs/helper-wasm-section | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @webassemblyjs/ieee754 | 1.9.0 | MIT License | Transitive | https://github.com/stefanpenner/node-fixturify-project |
| @webassemblyjs/leb128 | 1.9.0 | MIT License | Transitive | https://github.com/shinnn/spdx-license-ids |
| @webassemblyjs/utf8 | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @webassemblyjs/wasm-edit | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @webassemblyjs/wasm-gen | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @webassemblyjs/wasm-opt | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @webassemblyjs/wasm-parser | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @webassemblyjs/wast-parser | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |

| | | | | |
|-----------------------------|---------|---|------------|---|
| @webassemblyjs/wast-printer | 1.9.0 | MIT License | Transitive | https://github.com/xtuc/webassemblyjs |
| @xmldom/xmldom | 0.7.4 | MIT License | Transitive | https://github.com/xmldom/xmldom |
| @xtuc/ieee754 | 1.2.0 | "New" or "Revised" License | Transitive | https://github.com/feross/ieee754 |
| @xtuc/long | 4.2.2 | Apache License 2.0 | Transitive | https://github.com/dcodeIO/long.js |
| @yaireo/tagify | v3.25.0 | MIT License "New" or "Revised" License | Transitive | https://yaireo.github.io/tagify/ |
| abab | 2.0.5 | License | Transitive | https://github.com/jsdom/abab |
| abbrev | 1.1.1 | ISC License | Transitive | https://github.com/isaacs/abbrev-js |
| abortcontroller-polyfill | 1.7.3 | MIT License | Transitive | https://github.com/mo/abortcontroller-polyfill |
| accepts | 1.3.7 | MIT License | Transitive | https://github.com/expressjs/accepts |
| acom | 5.7.4 | MIT License | Transitive | http://marijnhaberbeke.nl/acom/ |
| acom | 6.4.2 | MIT License | Transitive | http://marijnhaberbeke.nl/acom/ |
| acom | 7.4.1 | MIT License | Transitive | http://marijnhaberbeke.nl/acom/ |
| acom | 8.4.1 | MIT License | Transitive | http://marijnhaberbeke.nl/acom/ |
| acom-dynamic-import | 3.0.0 | MIT License | Transitive | https://github.com/kesne/acom-dynamic-import |
| acom-globals | 6.0.0 | MIT License | Transitive | https://github.com/ForbesLindesay/acom-globals |

| | | | | |
|-------------------|---------|--|------------|---|
| acom-jsx | 5.3.2 | MIT License | Transitive | https://github.com/RReverser/acorn-jsx |
| acom-walk | 7.2.0 | MIT License | Transitive | https://github.com/acornjs/acorn |
| agent-base | 6.0.2 | MIT License | Transitive | https://github.com/TooTallNate/node-agent-base |
| ajv | v6.12.6 | MIT License | Transitive | https://github.com/ajv-validator/ajv.git |
| ajv-errors | 1.0.1 | MIT License | Transitive | https://github.com/epoberezkin/ajv-errors |
| ajv-keywords | 3.5.2 | MIT License | Transitive | https://github.com/epoberezkin/ajv-keywords |
| amd-name-resolver | 1.3.1 | MIT License OR BSD 3- clause "New" or "Revised" License) | Transitive | https://github.com/chadhietala/amd-name-resolver |
| amdefine | 1.0.1 | MIT License | Transitive | https://github.com/jrburke/amdefine |
| ansi-colors | 4.1.1 | MIT License | Transitive | https://github.com/doowb/ansi-colors |
| ansi-escapes | 4.3.2 | MIT License | Transitive | https://github.com/sindresorhus/ansi-escapes |
| ansi-escapes | v3.2.0 | MIT License | Transitive | https://github.com/sindresorhus/ansi-escapes |
| ansi-html | 0.0.7 | Apache License 2.0 | Transitive | https://github.com/Tjatse/ansi-html |
| ansi-regex | 2.1.1 | MIT License | Transitive | https://github.com/sindresorhus/ansi-regex |
| ansi-regex | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/ansi-regex |
| ansi-regex | 4.1.0 | MIT License | Transitive | https://github.com/sindresorhus/ansi-regex |

| | | | | |
|---------------------|--------|---------------------------------|------------|---|
| ansi-regex | 5.0.0 | MIT License | Transitive | https://github.com/sindresorhus/ansi-regex |
| ansi-styles | 2.2.1 | MIT License | Transitive | https://github.com/sindresorhus/ansi-styles |
| ansi-styles | 3.2.1 | MIT License | Transitive | https://github.com/sindresorhus/ansi-styles |
| ansi-styles | v4.3.0 | MIT License | Transitive | https://github.com/sindresorhus/ansi-styles |
| ansi-to-html | 0.6.15 | MIT License | Transitive | https://github.com/rburns/ansi-to-html |
| ansicolors | 0.2.1 | MIT License | Transitive | https://github.com/thlorenz/ansicolors |
| anymatch | 2.0.0 | ISC License | Transitive | https://github.com/es128/anymatch |
| anymatch | 3.1.2 | ISC License | Transitive | https://github.com/es128/anymatch |
| aot-test-generators | 0.1.0 | Apache License 2.0 | Transitive | https://github.com/ember-cli/aot-test-generators |
| aproba | 1.2.0 | ISC License | Transitive | https://github.com/iama/aproba |
| apscheduler | 3.5.1 | MIT License | Transitive | https://pypi.org/project/APScheduler/ |
| are-we-there-yet | 1.1.5 | ISC License | Transitive | https://github.com/iama/are-we-there-yet |
| argparse | 1.0.10 | Software Foundation License 2.0 | Transitive | https://github.com/nodeca/argparse |
| argparse | 1.2.1 | Software Foundation License 2.0 | Transitive | https://github.com/nodeca/argparse/blob/master/LICENSE |
| arr-diff | 4.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/arr-diff |

| | | | | |
|-------------------|--------|-------------|------------|---|
| arr-flatten | 1.1.0 | MIT License | Transitive | https://github.com/jonschlinkert/arr-flatten |
| arr-union | 3.1.0 | MIT License | Transitive | https://github.com/jonschlinkert/arr-union |
| array-equal | 1.0.0 | MIT License | Transitive | https://github.com/component/array-equal |
| array-flatten | 1.1.1 | MIT License | Transitive | https://github.com/blakeembrey/array-flatten |
| array-to-error | 1.1.1 | MIT License | Transitive | https://github.com/shinnn/array-to-error |
| array-to-sentence | 1.1.0 | MIT License | Transitive | https://github.com/shinnn/array-to-sentence |
| array-union | v2.1.0 | MIT License | Transitive | https://github.com/sindresorhus/array-union |
| array-unique | 0.3.2 | MIT License | Transitive | https://github.com/jonschlinkert/array-unique |
| asn1.js | v5.4.1 | MIT License | Transitive | https://github.com/indutny/asn1.js |
| asn1crypto | 0.22.0 | MIT License | Transitive | https://pypi.org/project/asn1crypto/0.22.0/ |
| assert | v1.5.0 | MIT License | Transitive | https://github.com/defunctzombie/commonjs-assert |
| assert-never | 1.2.1 | MIT License | Transitive | https://github.com/aikoven/assert-never |
| assign-symbols | 1.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/assign-symbols |
| ast-types | 0.13.3 | MIT License | Transitive | https://github.com/benjamn/ast-types |
| astral-regex | 1.0.0 | MIT License | Transitive | https://github.com/kevva/astral-regex |
| async | 0.2.10 | MIT License | Transitive | http://caolan.github.io/async/ |

| | | | | |
|---------------------|--------|--|------------|---|
| async | 2.6.3 | MIT License | Transitive | http://caolan.github.io/async/ |
| async-disk-cache | v1.3.5 | MIT License | Transitive | https://github.com/stefanpenner/async-disk-cache |
| async-disk-cache | v2.1.0 | MIT License | Transitive | https://github.com/stefanpenner/async-disk-cache |
| async-each | 1.0.3 | MIT License | Transitive | https://github.com/paulmillr/async-each |
| async-promise-queue | 1.0.5 | MIT License | Transitive | https://github.com/stefanpenner/async-promise-queue |
| asynckit | 0.4.0 | MIT License | Transitive | https://github.com/alexindigo/asynckit |
| at-least-node | 1.0.0 | ISC License (MIT License OR Apache License 2.0) | Transitive | https://github.com/RyanZim/at-least-node |
| atob | 2.1.2 | MIT License | Transitive | https://github.com/node-browser-compat/atob |
| attrs | 19.3.0 | MIT License | Transitive | https://pypi.org/project/attrs/ |
| azure-common | 1.0.0 | Apache License 2.0 | Transitive | https://pypi.python.org/pypi/azure-common/ |
| azure-nspkg | 1.0.0 | MIT License | Transitive | https://pypi.python.org/pypi/azure-nspkg/ |
| azure-storage | 0.20.2 | Apache License 2.0 | Transitive | https://pypi.python.org/pypi/azure-storage/ |
| babel-code-frame | 6.26.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-core | 6.26.3 | MIT License | Transitive | https://babeljs.io/ |
| babel-eslint | 10.1.0 | MIT License | Transitive | https://github.com/babel/babel-eslint |
| babel-generator | 6.26.1 | MIT License | Transitive | https://babeljs.io/ |

| | | | | |
|---|---------|-------------|------------|---|
| babel-helper-builder-binary-assignment-operator-visitor | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-helper-call-delegate | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-helper-define-map | 6.26.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-helper-explode-assignable-expression | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-helper-function-name | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-helper-get-function-arity | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-helper-hoist-variables | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-helper-optimise-call-expression | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-helper-regex | 6.26.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-helper-remap-async-to-generator | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-helper-replace-supers | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-helpers | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-loader | 8.2.2 | MIT License | Transitive | https://github.com/babel/babel-loader |
| babel-messages | 6.23.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-plugin-check-es2015-constants | 6.22.0 | MIT License | Transitive | https://pyjwt.readthedocs.io |
| babel-plugin-debug-macros | 0.2.0 | MIT License | Transitive | https://github.com/chadhietala/babel-debug-macros |
| babel-plugin-debug-macros | 0.3.4 | MIT License | Transitive | https://github.com/chadhietala/babel-debug-macros |
| babel-plugin-dynamic-import-node | 2.3.3 | MIT License | Transitive | https://github.com/airbnb/babel-plugin-dynamic-import-node |
| babel-plugin-ember-data-packages-polyfill | 0.1.2 | MIT License | Transitive | https://github.com/ember-data/babel-plugin-ember-data-packages-polyfill |

| | | | | |
|---|--------|-------------|------------|---|
| babel-plugin-ember-modules-api-polyfill | 2.13.4 | MIT License | Transitive | https://github.com/ember-cli/babel-plugin-ember-modules-api-polyfill |
| babel-plugin-ember-modules-api-polyfill | 3.5.0 | MIT License | Transitive | https://github.com/ember-cli/babel-plugin-ember-modules-api-polyfill |
| babel-plugin-filter-imports | 3.0.0 | MIT License | Transitive | https://github.com/ember-cli/babel-plugin-filter-imports |
| babel-plugin-filter-imports | 4.0.0 | MIT License | Transitive | https://github.com/ember-cli/babel-plugin-filter-imports |
| babel-plugin-htmlbars-inline-compile | 0.2.6 | MIT License | Transitive | https://github.com/pangratz/babel-plugin-htmlbars-inline-compile |
| babel-plugin-htmlbars-inline-compile | 1.0.0 | MIT License | Transitive | https://github.com/pangratz/babel-plugin-htmlbars-inline-compile |
| babel-plugin-htmlbars-inline-compile | 4.4.6 | MIT License | Transitive | https://github.com/pangratz/babel-plugin-htmlbars-inline-compile |
| babel-plugin-htmlbars-inline-compile | v2.1.1 | MIT License | Transitive | https://github.com/pangratz/babel-plugin-htmlbars-inline-compile |
| babel-plugin-htmlbars-inline-compile | v3.2.0 | MIT License | Transitive | https://github.com/pangratz/babel-plugin-htmlbars-inline-compile |

| | | | | |
|--|---------|--------------------------------------|------------|---|
| babel-plugin-htmlbars-inline-compile | v5.3.0 | MIT License "New" or "Revised" | Transitive | https://github.com/pangratz/babel-plugin-htmlbars-inline-compile |
| babel-plugin-istanbul | 6.0.0 | License | Transitive | https://github.com/istanbuljs/babel-plugin-istanbul |
| babel-plugin-module-resolver | 3.2.0 | MIT License | Transitive | https://github.com/teunent/babel-plugin-module-resolver |
| babel-plugin-module-resolver | 4.1.0 | MIT License | Transitive | https://github.com/teunent/babel-plugin-module-resolver |
| babel-plugin-polyfill-corejs2 | 0.2.2 | MIT License | Transitive | https://github.com/babel/babel-polyfills |
| babel-plugin-polyfill-corejs3 | 0.2.4 | MIT License | Transitive | https://github.com/babel/babel-polyfills |
| babel-plugin-polyfill-regenerator | 0.2.2 | MIT License | Transitive | https://github.com/babel/babel-polyfills |
| babel-plugin-syntax-async-functions | 6.13.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-plugin-syntax-dynamic-import | 6.18.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-plugin-syntax-exponentiation-operator | 6.13.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-plugin-syntax-trailing-function-commas | 6.22.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-plugin-transform-async-to-generator | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-plugin-transform-es2015-arrow-functions | 6.22.0 | MIT License | Transitive | https://github.com/binocarlos/spawn-args |
| babel-plugin-transform-es2015-block-scoped-functions | 6.22.0 | MIT License | Transitive | https://github.com/fent/ret.js |
| babel-plugin-transform-es2015-block-scoping | 6.26.0 | MIT License | Transitive | https://github.com/trek/FakeXMLHttpRequest |
| babel-plugin-transform-es2015-classes | v6.24.1 | MIT License | Transitive | https://github.com/jsdom/whatwg-mimetype |

| | | | | |
|--|---------|-------------|------------|---|
| babel-plugin-transform-es2015-computed-properties | v6.24.1 | MIT License | Transitive | https://github.com/ef4/ember-auto-import |
| babel-plugin-transform-es2015-destructuring | 6.23.0 | MIT License | Transitive | https://github.com/joyent/node-http-signature |
| babel-plugin-transform-es2015-duplicate-keys | v6.24.1 | MIT License | Transitive | https://lodash.com/ |
| babel-plugin-transform-es2015-for-of | 6.23.0 | MIT License | Transitive | https://github.com/iarna/console-control-strings |
| babel-plugin-transform-es2015-function-name | v6.24.1 | MIT License | Transitive | https://github.com/maxogden/mississippi |
| babel-plugin-transform-es2015-literals | 6.22.0 | MIT License | Transitive | http://ionden.com/a/plugins/ion.rangeSlider/en.html |
| babel-plugin-transform-es2015-modules-amd | v6.24.1 | MIT License | Transitive | https://github.com/stonecircle/broccoli-module-unification-reexporter |
| babel-plugin-transform-es2015-modules-commonjs | 6.26.2 | MIT License | Transitive | https://github.com/sindresorhus/detect-indent |
| babel-plugin-transform-es2015-modules-systemjs | v6.24.1 | MIT License | Transitive | https://github.com/yeoman/configstore |
| babel-plugin-transform-es2015-modules-umd | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-plugin-transform-es2015-object-super | v6.24.1 | MIT License | Transitive | https://redis.blackducksoftware.com/ |
| babel-plugin-transform-es2015-parameters | v6.24.1 | MIT License | Transitive | https://github.com/isaacs/inflight |
| babel-plugin-transform-es2015-shorthand-properties | v6.24.1 | MIT License | Transitive | https://github.com/jprichardson/node-fs-extra |
| babel-plugin-transform-es2015-spread | 6.22.0 | MIT License | Transitive | https://github.com/Constellation/estaverse |
| babel-plugin-transform-es2015-sticky-regex | v6.24.1 | MIT License | Transitive | https://github.com/mysticatea/regexp |
| babel-plugin-transform-es2015-template-literals | 6.22.0 | MIT License | Transitive | https://github.com/component/inherits |

| | | | | |
|--|---------|-------------|------------|---|
| babel-plugin-transform-es2015-typeof-symbol | 6.23.0 | MIT License | Transitive | https://github.com/mathiasbynens/he |
| babel-plugin-transform-es2015-unicode-regex | v6.24.1 | MIT License | Transitive | https://github.com/crypto-browserify/browserify-aes |
| babel-plugin-transform-exponentiation-operator | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-plugin-transform-regenerator | 6.26.0 | MIT License | Transitive | https://github.com/babel/babel/tree/master/packages/babel-plugin-transform-regenerator |
| babel-plugin-transform-strict-mode | v6.24.1 | MIT License | Transitive | https://babeljs.io/ |
| babel-polyfill | 6.26.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-preset-env | 1.7.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-register | 6.26.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-runtime | 6.26.0 | MIT License | Transitive | https://github.com/babel/babel |
| babel-template | 6.26.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-traverse | 6.26.0 | MIT License | Transitive | https://babeljs.io/ |
| babel-types | 6.26.0 | MIT License | Transitive | https://babeljs.io/ |
| babel6-plugin-strip-class-callcheck | 6.0.0 | MIT License | Transitive | https://github.com/sasaplus1/mktemp |
| babylon | 6.18.0 | ISC License | Transitive | https://babeljs.io/ |
| backbone | 1.4.0 | MIT License | Transitive | http://backbonejs.org |
| balanced-match | 1.0.2 | MIT License | Transitive | https://github.com/juliangruber/balanced-match |
| base | 0.11.2 | MIT License | Transitive | https://github.com/node-base/base |
| base-64 | v0.1.0 | MIT License | Transitive | https://github.com/mathiasbynens/base64 |
| base64-arraybuffer | 0.1.4 | MIT License | Transitive | https://github.com/niklasvh/base64-arraybuffer |
| base64-js | 1.5.1 | MIT License | Transitive | http://mshang.ca/base64-js/ |

| | | | | |
|-------------------|---------|--------------------|------------|---|
| base64id | 2.0.0 | MIT License | Transitive | https://github.com/faeldt/base64id |
| basic-auth | 2.0.1 | MIT License | Transitive | https://github.com/visionmedia/node-basic-auth |
| bcrypt | 3.1.3 | Apache License 2.0 | Transitive | https://pypi.org/project/bcrypt/3.1.3/ |
| big.js | 5.2.2 | MIT License | Transitive | https://github.com/MikeMcl/big.js |
| binary-extensions | 1.13.1 | MIT License | Transitive | https://github.com/sindresorhus/binary-extensions |
| binary-extensions | v2.2.0 | MIT License | Transitive | https://github.com/sindresorhus/binary-extensions |
| binaryextensions | v2.3.0 | MIT License | Transitive | https://github.com/bevry/binaryextensions |
| bindings | 1.5.0 | MIT License | Transitive | https://github.com/TooTallNate/node-bindings |
| bl | 4.1.0 | MIT License | Transitive | https://github.com/rvagg/bl |
| blank-object | 1.0.2 | MIT License | Transitive | https://github.com/stefanpenner/blank-object |
| bluebird | 3.7.2 | MIT License | Transitive | https://github.com/jonschlinkert/is-descriptor |
| bluebird | v3.7.2 | MIT License | Transitive | http://bluebirdjs.com |
| blueimp-md5 | 2.18.0 | MIT License | Transitive | http://webjars.org |
| blueimp-md5 | v2.18.0 | MIT License | Transitive | https://github.com/blueimp/JavaScript-MD5 |
| bn.js | 5.2.0 | MIT License | Transitive | https://github.com/indutny/bn.js |
| bn.js | v4.12.0 | MIT License | Transitive | https://github.com/indutny/bn.js |

| | | | | |
|-----------------------|---------|-----------------------------|------------|---|
| body | v5.1.0 | MIT License | Transitive | https://github.com/Raynos/body |
| body-parser | 1.19.0 | MIT License | Transitive | https://github.com/expressjs/body-parser |
| boost | 1.55 | Boost Software License v1.0 | Direct | http://www.boost.org/ |
| boto3 | 1.15.13 | Apache License 2.0 | Transitive | https://github.com/boto/boto3/tree/1.15.13 |
| botocore | 1.18.13 | Apache License 2.0 | Transitive | https://pypi.org/project/botocore/1.18.13/ |
| bower-config | 1.4.3 | MIT License | Transitive | http://bower.io |
| bower-endpoint-parser | 0.2.2 | MIT License | Transitive | https://github.com/bower/endpoint-parser |
| brace-expansion | 1.1.11 | MIT License | Transitive | https://github.com/juliangruber/brace-expansion |
| braces | 2.3.2 | MIT License | Transitive | https://github.com/jonschlinkert/braces |
| braces | 3.0.2 | MIT License | Transitive | https://github.com/jonschlinkert/braces |
| bravado | 8.4.0 | "New" or "Revised" License | Transitive | https://github.com/Yelp/bravado/tree/v8.4.0 |
| bravado-core | 4.7.2 | "New" or "Revised" License | Transitive | https://github.com/Yelp/bravado-core/tree/v4.7.2 |
| broccoli | 3.5.2 | MIT License | Transitive | https://github.com/broccolijs/broccoli |
| broccoli-amd-funnel | 2.0.1 | MIT License | Transitive | https://github.com/ember-cli/broccoli-amd-funnel |
| broccoli-asset-rev | 3.0.0 | MIT License | Transitive | https://github.com/rickharrison/broccoli-asset-rev |

| | | | | |
|---------------------------|---------|-------------|------------|---|
| broccoli-asset-rewrite | 2.0.0 | MIT License | Transitive | https://github.com/rickharrison/broccoli-asset-rewrite |
| broccoli-babel-transpiler | 6.5.1 | MIT License | Transitive | https://github.com/babel/broccoli-babel-transpiler |
| broccoli-babel-transpiler | v7.8.0 | MIT License | Transitive | https://github.com/babel/broccoli-babel-transpiler |
| broccoli-builder | 0.18.14 | MIT License | Transitive | https://github.com/ember-cli/broccoli-builder |
| broccoli-caching-writer | 2.3.1 | MIT License | Transitive | https://github.com/rjackson/broccoli-caching-writer |
| broccoli-caching-writer | 3.0.3 | MIT License | Transitive | https://github.com/rjackson/broccoli-caching-writer |
| broccoli-clean-css | 1.1.0 | MIT License | Transitive | https://github.com/shinnn/broccoli-clean-css |
| broccoli-concat | v3.7.5 | MIT License | Transitive | https://github.com/rlivsey/broccoli-concat |
| broccoli-concat | v4.2.5 | MIT License | Transitive | https://github.com/rlivsey/broccoli-concat |
| broccoli-config-loader | 1.0.1 | MIT License | Transitive | https://github.com/ember-cli/broccoli-config-loader |
| broccoli-config-replace | 1.1.2 | MIT License | Transitive | https://github.com/ember-cli/broccoli-config-replace |
| broccoli-debug | 0.6.5 | MIT License | Transitive | https://github.com/joliss/broccoli-debug |
| broccoli-file-creator | 1.2.0 | MIT License | Transitive | https://github.com/rjackson/broccoli-file-creator |

| | | | | |
|-------------------------------|--------|-------------|------------|---|
| broccoli-file-creator | 2.1.1 | MIT License | Transitive | https://github.com/rjackson/broccoli-file-creator |
| broccoli-filter | 1.3.0 | MIT License | Transitive | https://github.com/joliss/broccoli-filter |
| broccoli-funnel | 1.2.0 | MIT License | Transitive | https://github.com/rwjblue/broccoli-funnel |
| broccoli-funnel | 2.0.2 | MIT License | Transitive | https://github.com/rwjblue/broccoli-funnel |
| broccoli-funnel | v3.0.8 | MIT License | Transitive | https://github.com/rwjblue/broccoli-funnel |
| broccoli-funnel-reducer | 1.0.0 | ISC License | Transitive | https://github.com/ember-cli/broccoli-funnel-reducer |
| broccoli-kitchen-sink-helpers | 0.2.9 | MIT License | Transitive | https://github.com/broccolijs/broccoli-kitchen-sink-helpers |
| broccoli-kitchen-sink-helpers | 0.3.1 | MIT License | Transitive | https://github.com/broccolijs/broccoli-kitchen-sink-helpers |
| broccoli-lint-eslint | 5.0.0 | MIT License | Transitive | https://github.com/jonathanKingston/broccoli-lint-eslint |
| broccoli-merge-files | 0.8.0 | MIT License | Transitive | https://www.npmjs.org/package/broccoli-merge-files |
| broccoli-merge-trees | 1.2.4 | MIT License | Transitive | https://github.com/broccolijs/broccoli-merge-trees |
| broccoli-merge-trees | 2.0.1 | MIT License | Transitive | https://github.com/broccolijs/broccoli-merge-trees |
| broccoli-merge-trees | 4.2.0 | MIT License | Transitive | https://github.com/broccolijs/broccoli-merge-trees |

| | | | | |
|----------------------------|--------|-------------|------------|---|
| broccoli-merge-trees | v3.0.2 | MIT License | Transitive | https://github.com/broccolijs/broccoli-merge-trees |
| broccoli-middleware | 2.1.1 | MIT License | Transitive | https://github.com/ember-cli/broccoli-middleware |
| broccoli-node-api | 1.7.0 | MIT License | Transitive | https://github.com/broccolijs/broccoli-node-api |
| broccoli-node-info | 1.1.0 | MIT License | Transitive | https://github.com/broccolijs/broccoli-node-info |
| broccoli-node-info | 2.2.0 | MIT License | Transitive | https://github.com/broccolijs/broccoli-node-info |
| broccoli-output-wrapper | 2.0.0 | MIT License | Transitive | https://github.com/domenic/path-is-inside |
| broccoli-output-wrapper | 3.2.5 | MIT License | Transitive | https://github.com/domenic/path-is-inside |
| broccoli-persistent-filter | 1.4.6 | MIT License | Transitive | https://github.com/stefanpenner/broccoli-persistent-filter |
| broccoli-persistent-filter | 2.3.1 | MIT License | Transitive | https://github.com/stefanpenner/broccoli-persistent-filter |
| broccoli-persistent-filter | v3.1.2 | MIT License | Transitive | https://github.com/stefanpenner/broccoli-persistent-filter |
| broccoli-plugin | 1.1.0 | MIT License | Transitive | https://github.com/broccolijs/broccoli-plugin |
| broccoli-plugin | 1.3.1 | MIT License | Transitive | https://github.com/broccolijs/broccoli-plugin |
| broccoli-plugin | 2.1.0 | MIT License | Transitive | https://github.com/broccolijs/broccoli-plugin |
| broccoli-plugin | 3.1.0 | MIT License | Transitive | https://github.com/broccolijs/broccoli-plugin |

| | | | | |
|---------------------------|--------|---|------------|---|
| broccoli-plugin | 4.0.7 | MIT License | Transitive | https://github.com/broccolijs/broccoli-plugin |
| broccoli-rollup | 2.1.1 | MIT License | Transitive | https://github.com/chadhietala/broccoli-rollup |
| broccoli-rollup | 4.1.1 | MIT License | Transitive | https://github.com/chadhietala/broccoli-rollup |
| broccoli-slow-trees | 3.1.0 | MIT License | Transitive | https://github.com/rwjbblue/broccoli-slow-trees |
| broccoli-source | 1.1.0 | MIT License | Transitive | https://github.com/broccolijs/broccoli-source |
| broccoli-source | 2.1.2 | MIT License | Transitive | https://github.com/broccolijs/broccoli-source |
| broccoli-source | 3.0.1 | MIT License | Transitive | https://github.com/broccolijs/broccoli-source |
| broccoli-sri-hash | 2.1.2 | MIT License | Transitive | https://github.com/jonathanKingston/broccoli-sri-hash |
| broccoli-stew | v2.1.0 | ISC License | Transitive | https://github.com/stefanpenner/broccoli-stew |
| broccoli-stew | v3.0.0 | ISC License | Transitive | https://github.com/stefanpenner/broccoli-stew |
| broccoli-templater | 2.0.2 | ISC License | Transitive | https://github.com/stefanpenner/broccoli-templater |
| broccoli-uglify-sourcemap | 3.2.0 | MIT License | Transitive | https://github.com/ef4/broccoli-uglify-sourcemap |
| brorand | 1.1.0 | MIT License | Transitive | https://github.com/indutny/brorand |
| browser-process-hrtime | 1.0.0 | BSD 2-clause "Simplified" License | Transitive | https://github.com/kumavis/browser-process-hrtime |
| browserify-aes | 1.2.0 | MIT License | Transitive | https://github.com/crypto-browserify/browserify-aes |

| | | | | |
|----------------------|--------|--------------------|------------|---|
| browserify-cipher | 1.0.1 | MIT License | Transitive | https://github.com/crypto-browserify/browserify-cipher |
| browserify-des | 1.0.2 | MIT License | Transitive | https://github.com/crypto-browserify/browserify-des |
| browserify-rsa | 4.1.0 | MIT License | Transitive | https://github.com/calvinmetcalf/browserify-rsa |
| browserify-sign | 4.2.1 | ISC License | Transitive | https://github.com/crypto-browserify/browserify-sign |
| browserify-zlib | 0.2.0 | MIT License | Transitive | https://github.com/devongovett/browserify-zlib |
| browserslist | 3.2.8 | MIT License | Transitive | https://github.com/ai/browserslist |
| browserslist | 4.16.8 | MIT License | Transitive | https://github.com/ai/browserslist |
| bser | 2.1.1 | Apache License 2.0 | Transitive | https://github.com/facebook/watchman |
| buffer | v4.9.2 | MIT License | Transitive | https://github.com/feross/buffer |
| buffer | v5.7.1 | MIT License | Transitive | https://github.com/feross/buffer |
| buffer-from | 1.1.2 | MIT License | Transitive | https://github.com/linusu/buffer-from |
| buffer-xor | 1.0.3 | MIT License | Transitive | https://github.com/crypto-browserify/buffer-xor |
| builtin-status-codes | 3.0.0 | MIT License | Transitive | https://github.com/bendrucker/builtin-status-codes |
| builtins | 1.0.3 | MIT License | Transitive | https://github.com/segmentio/builtins |
| bytes | 1.0.0 | MIT License | Transitive | https://github.com/visionmedia/bytes.js |

| | | | | |
|------------------------------|------------------|----------------------------|------------|---|
| bytes | 3.0.0 | MIT License | Transitive | https://github.com/visionmedia/bytes.js |
| bytes | 3.1.0 | MIT License | Transitive | https://github.com/visionmedia/bytes.js |
| cacache | 12.0.4 | ISC License | Transitive | https://github.com/zkat/cacache |
| cache-base | 1.0.1 | MIT License | Transitive | https://github.com/jonschlinkert/cache-base |
| cacheable-request | 2.1.4 | MIT License | Transitive | https://github.com/lukechilds/cacheable-request |
| cachetools | 3.1.1 | MIT License | Transitive | https://pypi.org/project/cachetools/ |
| calculate-cache-key-for-tree | v2.0.0 | MIT License | Transitive | https://github.com/ember-cli/calculate-cache-key-for-tree |
| call-bind | 1.0.2 | MIT License | Transitive | https://github.com/ljharb/call-bind |
| call-me-maybe | 1.0.1 | MIT License | Transitive | https://github.com/limulus/call-me-maybe |
| callsites | 3.1.0 | MIT License | Transitive | https://github.com/sindresorhus/callsites |
| camelcase | 5.3.1 | MIT License | Transitive | https://github.com/sindresorhus/camelcase |
| can-symlink | 1.0.0 | MIT License | Transitive | https://github.com/raytiley/can-symlink |
| caniuse-api | 3.0.0 | MIT License | Transitive | https://github.com/nyalab/caniuse-api |
| caniuse-lite | 1.0.3000 1252 | Commons Attribution 4.0 | Transitive | https://github.com/ben-eb/caniuse-lite |
| capture-exit | 1.2.0 | ISC License | Transitive | https://github.com/stefanpenner/capture-exit |
| capture-exit | 2.0.0 | ISC License | Transitive | https://github.com/stefanpenner/capture-exit |

| | | | | |
|--------------------|-----------|-------------|------------|---|
| cardinal | 1.0.0 | MIT License | Transitive | http://zimmy.co.uk/projects/cardinal |
| certifi | 2018.4.16 | MPL License | Transitive | https://pypi.org/project/certifi/ |
| cff | 1.14.6 | MIT License | Transitive | https://pypi.python.org/pypi/cffi |
| chalk | 1.1.3 | MIT License | Transitive | https://github.com/sindresorhus/chalk |
| chalk | 4.1.2 | MIT License | Transitive | https://github.com/sindresorhus/chalk |
| chalk | v3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/chalk |
| chardet | v0.7.0 | MIT License | Transitive | https://github.com/runk/node-chardet |
| chardet | 3.0.4 | LGPL | Transitive | https://pypi.org/project/chardet/ |
| charm | 1.0.2 | MIT License | Transitive | http://charm.cs.illinois.edu/ |
| chokidar | 2.1.8 | MIT License | Transitive | https://github.com/paulmillr/chokidar |
| chokidar | 3.5.2 | MIT License | Transitive | https://github.com/paulmillr/chokidar |
| chownr | 1.1.4 | ISC License | Transitive | https://github.com/isaacs/chownr |
| chrome-trace-event | 1.0.3 | MIT License | Transitive | https://github.com/joyent/node-trace-event |
| ci-info | 2.0.0 | MIT License | Transitive | https://github.com/watson/ci-info |
| cipher-base | 1.0.4 | MIT License | Transitive | https://github.com/crypto-browserify/cipher-base |
| class-utils | 0.3.6 | MIT License | Transitive | https://github.com/jonschlinkert/class-utils |

| | | | | |
|-------------------|--------|--------------------------------------|------------|---|
| cldr-core | 36.0.0 | Unicode Terms of Use | Transitive | http://cldr.unicode.org |
| cldr.js | v1.0.2 | Apache License 2.0 | Transitive | https://github.com/jamesrosen/CLDR.js |
| clean-base-url | 1.0.0 | ISC License | Transitive | https://github.com/stefanpenner/clean-base-url |
| clean-css | 3.4.28 | MIT License | Transitive | https://github.com/jakubpawlowicz/clean-css |
| clean-css-promise | 0.1.1 | MIT License | Transitive | https://github.com/shinnn/clean-css-promise |
| clean-up-path | 1.0.0 | MIT License | Transitive | https://github.com/broccoli/node-clean-up-path |
| cli-cursor | 2.1.0 | MIT License | Transitive | https://github.com/sindresorhus/cli-cursor |
| cli-cursor | v3.1.0 | MIT License | Transitive | https://github.com/sindresorhus/cli-cursor |
| cli-spinners | 2.6.0 | MIT License | Transitive | https://github.com/sindresorhus/cli-spinners |
| cli-table | 0.3.6 | MIT License | Transitive | https://github.com/Automattic/cli-table |
| cli-width | 2.2.1 | ISC License | Transitive | https://github.com/knownasilya/cli-width |
| cli-width | 3.0.0 | ISC License "New" or "Revised" | Transitive | https://github.com/knownasilya/cli-width |
| click | 7 | Apache License | Direct | https://pypi.python.org/pypi/click |
| clickclick | 1.2.1 | Apache License 2.0 | Transitive | https://pypi.org/project/clickclick/ |
| clipboard | 2.0.8 | MIT License | Transitive | https://github.com/Benvie/node-clipboard |
| cliui | v7.0.4 | ISC License | Transitive | https://github.com/yargs/cliui |

| | | | | |
|------------------|-----------|----------------------------------|------------|---|
| clone | 1.0.4 | MIT License | Transitive | https://github.com/pvorb/node-clone |
| clone | 2.1.2 | MIT License | Transitive | https://github.com/pvorb/node-clone |
| clone-response | 1.0.2 | MIT License | Transitive | https://github.com/lukechilds/clone-response |
| cly | 0.9.2-py3 | "New" or "Revised" License | Direct | https://pypi.python.org/pypi/cly |
| code-point-at | 1.1.0 | MIT License | Transitive | https://github.com/sindresorhus/code-point-at |
| collection-visit | 1.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/collection-visit |
| color-convert | 1.9.3 | MIT License | Transitive | https://github.com/Qix-/color-convert |
| color-convert | 2.0.1 | MIT License | Transitive | https://github.com/Qix-/color-convert |
| color-name | 1.1.3 | MIT License | Transitive | https://github.com/dfcreative/color-name |
| color-name | 1.1.4 | MIT License | Transitive | https://github.com/dfcreative/color-name |
| colorette | 1.3.0 | MIT License | Transitive | https://github.com/jorgebucaran/colorette |
| colors | 1.0.3 | MIT License | Transitive | http://www.maraksquires.com/ |
| colors | 1.4.0 | MIT License | Transitive | https://github.com/sindresorhus/string-width |
| colors | v1.4.0 | MIT License | Transitive | http://www.maraksquires.com/ |
| combined-stream | 1.0.8 | MIT License | Transitive | https://github.com/felixge/node-combined-stream |
| commander | 2.12.2 | MIT License | Transitive | https://github.com/tj/Commander.js |

| | | | | |
|--------------------|---------|-------------------------|------------|---|
| commander | 2.8.1 | MIT License | Transitive | https://github.com/tj/Commander.js |
| commander | 4.1.1 | MIT License | Transitive | https://github.com/tj/Commander.js |
| commander | 6.2.1 | MIT License | Transitive | https://github.com/tj/Commander.js |
| commander | v2.20.3 | MIT License | Transitive | https://github.com/tj/Commander.js |
| commander | v7.1.0 | MIT License | Transitive | https://github.com/tj/Commander.js |
| common-tags | 1.8.0 | MIT License | Transitive | https://github.com/declandewet/common-tags |
| commandir | 1.0.1 | MIT License | Transitive | https://github.com/substack/node-commandir |
| component-emitter | 1.3.0 | MIT License | Transitive | https://github.com/component/emitter |
| compressible | 2.0.18 | MIT License | Transitive | https://github.com/expressjs/compressible |
| compression | 1.7.4 | MIT License | Transitive | https://github.com/expressjs/compression |
| concat-map | 0.0.1 | MIT License | Transitive | https://github.com/substack/node-concat-map |
| concat-stream | 1.6.2 | MIT License | Transitive | https://github.com/maxogden/concat-stream |
| configparser | 4.0.2 | MIT License | Transitive | https://pypi.org/project/configparser/ |
| configstore | 5.0.1 | "Simplified" License | Transitive | https://github.com/yeoman/configstore |
| connect | 3.7.0 | MIT License | Transitive | http://www.senchalabs.org/connect/ |
| connexion | 2.4.0 | Apache License 2.0 | Transitive | https://pypi.org/project/connexion/ |
| console-browserify | 1.2.0 | MIT License | Transitive | https://github.com/Raynos/console-browserify |

| | | | | |
|-------------------------|--------|-------------|------------|---|
| console-control-strings | 1.1.0 | ISC License | Transitive | https://github.com/iarna/console-control-strings |
| console-ui | 3.1.2 | ISC License | Transitive | https://github.com/ember-cli/console-ui |
| consolidate | 0.15.1 | MIT License | Transitive | https://github.com/visionmedia/consolidate.js |
| constants-browserify | 1.0.0 | MIT License | Transitive | https://github.com/juliangruber/constants-browserify |
| content-disposition | 0.5.3 | MIT License | Transitive | https://github.com/jshttp/content-disposition |
| content-type | 1.0.4 | MIT License | Transitive | https://github.com/jshttp/content-type |
| continuable-cache | 0.3.1 | MIT License | Transitive | https://github.com/Raynos/continuable-cache |
| convert-source-map | 1.8.0 | MIT License | Transitive | https://github.com/thlorenz/convert-source-map |
| cookie | 0.4.0 | MIT License | Transitive | https://github.com/epoberezkin/json-schema-traverse |
| cookie | 0.4.1 | MIT License | Transitive | https://github.com/shtylman/node-cookie |
| cookie | v0.4.0 | MIT License | Transitive | https://github.com/shtylman/node-cookie |
| cookie-signature | 1.0.6 | MIT License | Transitive | https://github.com/visionmedia/node-cookie-signature |
| copy-concurrently | 1.0.5 | ISC License | Transitive | https://www.npmjs.com/package/copy-concurrently |
| copy-dereference | 1.0.0 | MIT License | Transitive | https://github.com/broccolij/node-copy-dereference |

| | | | | |
|----------------------|---------|--------------------|------------|---|
| copy-descriptor | 0.1.1 | MIT License | Transitive | https://github.com/jonschlinkert/copy-descriptor |
| core-js | v2.6.12 | MIT License | Transitive | https://github.com/zloirock/core-js |
| core-js-compat | 3.16.4 | MIT License | Transitive | https://github.com/zloirock/core-js |
| core-object | 3.1.5 | MIT License | Transitive | https://github.com/stefanpenner/core_object |
| core-util-is | 1.0.3 | MIT License | Transitive | https://github.com/isaacs/core-util-is |
| cors | v2.8.5 | MIT License | Transitive | https://npmjs.org/package/cors |
| create-ecdh | 4.0.4 | MIT License | Transitive | https://github.com/crypto-browserify/createecdh |
| create-hash | 1.2.0 | MIT License | Transitive | https://github.com/crypto-browserify/crypto-createHash |
| create-hmac | 1.1.7 | MIT License | Transitive | https://github.com/crypto-browserify/createHmac |
| cross-spawn | 6.0.5 | MIT License | Transitive | https://github.com/IndigoUnited/node-cross-spawn |
| cross-spawn | 7.0.3 | MIT License | Transitive | https://github.com/IndigoUnited/node-cross-spawn |
| crypto-browserify | 3.12.0 | MIT License | Transitive | https://github.com/dominictarr/crypto-browserify |
| crypto-random-string | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/crypto-random-string |
| cryptography | 2.8 | Apache License 2.0 | Direct | https://pypi.python.org/pypi/cryptography |

| | | | | |
|------------|--------|--------------------------------------|------------|---|
| cssom | 0.3.8 | MIT License | Transitive | https://github.com/NV/cssom |
| cssom | 0.4.4 | MIT License | Transitive | https://github.com/NV/cssom |
| cssstyle | 2.3.0 | MIT License | Transitive | https://github.com/chad3814/CSSStyleDeclaration |
| curl | 7.41.0 | MIT/X derivative | Direct | https://curl.haxx.se/ |
| cyclist | 1.0.1 | MIT License | Transitive | https://github.com/mafintosh/cyclist |
| cyrus-sasl | 2.1.25 | MIT License | Direct | https://cyrusimap.org/ |
| dag-map | 2.0.2 | MIT License | Transitive | https://github.com/kriselden/dag-map |
| data-urls | 2.0.0 | MIT License "New" or "Revised" | Transitive | https://github.com/jsdom/data-urls |
| datadogpy | 0.24.0 | License | Transitive | https://pypi.org/project/datadog/0.24.0/ |
| date-time | 2.1.0 | MIT License | Transitive | https://github.com/sindresorhus/date-time |
| debug | 2.6.9 | MIT License | Transitive | https://github.com/visionmedia/debug |
| debug | 3.2.7 | MIT License | Transitive | https://github.com/visionmedia/debug |
| debug | 4.3.2 | MIT License | Transitive | https://github.com/visionmedia/debug |
| debug | v2.6.9 | MIT License | Transitive | http://github.com/jamespadolsey/debug |
| debug | v3.2.7 | MIT License | Transitive | http://github.com/jamespadolsey/debug |
| debug | v4.3.2 | MIT License | Transitive | http://github.com/jamespadolsey/debug |
| decimal.js | 10.3.1 | MIT License | Transitive | https://github.com/MikeMcl/decimal.js |

| | | | | |
|----------------------|--------|-------------|------------|---|
| decode-uri-component | 0.2.0 | MIT License | Transitive | https://github.com/samverschueren/decode-uri-component |
| decompress-response | 3.3.0 | MIT License | Transitive | https://github.com/sindresorhus/decompress-response |
| deep-is | 0.1.3 | MIT License | Transitive | https://github.com/thlorenz/deep-is |
| defaults | 1.0.3 | MIT License | Transitive | https://github.com/tmpvar/defaults |
| define | 2.0.2 | MIT License | Transitive | https://github.com/jonschlinkert/define-property |
| define-properties | v1.1.3 | MIT License | Transitive | https://github.com/ljharb/define-properties |
| define-property | 0.2.5 | MIT License | Transitive | https://github.com/jonschlinkert/define-property |
| define-property | 1.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/define-property |
| delayed-stream | 1.0.0 | MIT License | Transitive | https://github.com/felixge/node-delayed-stream |
| delegate | 3.2.0 | MIT License | Transitive | https://github.com/zenorocha/delegate |
| delegates | 1.0.0 | MIT License | Transitive | https://github.com/visionmedia/node-delegates |
| depd | 1.1.2 | MIT License | Transitive | https://github.com/dougwilson/nodejs-depd |
| depd | 2.0.0 | MIT License | Transitive | https://github.com/dougwilson/nodejs-depd |
| des.js | 1.0.1 | MIT License | Transitive | https://github.com/indutny/des.js |
| destroy | 1.0.4 | MIT License | Transitive | https://github.com/stream-utils/destroy |
| detect-file | 1.0.0 | MIT License | Transitive | https://github.com/doowb/detect-file |

| | | | | |
|-------------------------|--------|----------------------------------|------------|---|
| detect-indent | 4.0.0 | MIT License | Transitive | https://github.com/sindresorhus/detect-indent |
| detect-indent | 6.1.0 | MIT License | Transitive | https://github.com/sindresorhus/detect-indent |
| detect-newline | v3.1.0 | MIT License | Transitive | https://github.com/sindresorhus/detect-newline |
| diff | 4.0.2 | "New" or "Revised" License | Transitive | https://github.com/kpdecker/jsdiff |
| diff - org.webjars:diff | 4.0.2 | "New" or "Revised" License | Transitive | https://github.com/github/fetch |
| diffie-hellman | 5.0.3 | MIT License | Transitive | https://github.com/calvinmetcalf/diffie-hellman |
| dir-glob | 3.0.1 | MIT License | Transitive | https://github.com/kevva/dir-glob |
| distro | 1.4.0 | Apache License 2.0 | Transitive | https://pypi.org/project/distro/ |
| doctrine | v3.0.0 | Apache License 2.0 | Transitive | https://github.com/Constellation/doctrine |
| domain-browser | 1.2.0 | MIT License | Transitive | https://github.com/bevry/domain-browser |
| domexception | 2.0.1 | MIT License | Transitive | https://github.com/jsdom/domexception |
| dot-case | 3.0.4 | MIT License | Transitive | https://github.com/blakeembrey/change-case/tree/master/packages/dot-case |
| dot-prop | v5.3.0 | MIT License | Transitive | https://github.com/sindresorhus/dot-prop |
| duplexer3 | 0.1.4 | "New" or "Revised" License | Transitive | https://github.com/floatdrop/duplexer3 |

| | | | | |
|---|---------|--------------------|------------|---|
| duplexify | 3.7.1 | MIT License | Transitive | https://github.com/mafintosh/duplexify |
| editions | 1.3.4 | MIT License | Transitive | https://github.com/bevry/editions |
| editions | 2.3.1 | MIT License | Transitive | https://github.com/bevry/editions |
| ee-first | 1.1.1 | MIT License | Transitive | https://github.com/jonathanong/ee-first |
| einaros/ws | 7.4.6 | MIT License | Transitive | https://github.com/einaros/ws |
| elementtree | 2005031 | style) | Transitive | |
| elliptic | v6.5.4 | MIT License | Transitive | https://github.com/indutny/elliptic |
| ember-ajax | 5.0.0 | MIT License | Transitive | https://github.com/embersherpa/ember-ajax |
| ember-angle-bracket-invocation-polyfill | 2.1.0 | MIT License | Transitive | https://github.com/rwjblue/ember-angle-bracket-invocation-polyfill |
| ember-api-store | v2.8.6 | Apache License 2.0 | Transitive | http://github.com/rancher/ember-api-store/ |
| ember-assign-helper | 0.3.0 | MIT License | Transitive | https://github.com/cibermox/ember-assign-helper |
| ember-assign-polyfill | 2.4.0 | MIT License | Transitive | https://github.com/shipshapecode/ember-assign-polyfill |
| ember-assign-polyfill | 2.7.2 | MIT License | Transitive | https://github.com/shipshapecode/ember-assign-polyfill |
| ember-auto-import | 1.12.0 | MIT License | Transitive | https://github.com/ef4/ember-auto-import |
| ember-basic-dropdown | 3.0.19 | MIT License | Transitive | https://github.com/cibermox/ember-basic-dropdown |

| | | | | |
|-----------------------------------|----------|-------------|------------|---|
| ember-classic-decorator | 1.0.8 | MIT License | Transitive | https://github.com/pzurag/ember-classic-decorator |
| ember-cli | v3.21.0 | MIT License | Transitive | http://ember-cli.com/ |
| ember-cli-app-version | 3.2.0 | MIT License | Transitive | https://github.com/taras/ember-cli-app-version |
| ember-cli-babel | 6.18.0 | MIT License | Transitive | https://github.com/babel/ember-cli-babel |
| ember-cli-babel | 7.22.1 | MIT License | Transitive | https://github.com/babel/ember-cli-babel |
| ember-cli-babel | v7.11.0 | MIT License | Transitive | https://github.com/babel/ember-cli-babel |
| ember-cli-babel | v7.11.1 | MIT License | Transitive | https://github.com/babel/ember-cli-babel |
| ember-cli-babel | v7.26.6 | MIT License | Transitive | https://github.com/babel/ember-cli-babel |
| ember-cli-babel-plugin-helpers | 1.1.1 | MIT License | Transitive | https://github.com/istanbuljs/istanbul-lib-coverage |
| ember-cli-clipboard | 0.15.0 | MIT License | Transitive | https://github.com/jkusa/ember-cli-clipboard |
| ember-cli-code-coverage | 1.0.0 | MIT License | Transitive | https://github.com/kategengler/ember-cli-code-coverage |
| ember-cli-content-security-policy | v1.1.1 | MIT License | Transitive | https://github.com/rwjblue/ember-cli-content-security-policy |
| ember-cli-content-security-policy | v2.0.0-1 | MIT License | Transitive | https://github.com/rwjblue/ember-cli-content-security-policy |
| ember-cli-dependency-checker | 3.2.0 | MIT License | Transitive | https://github.com/quaertym/ember-cli-dependency-checker |

| | | | | |
|--------------------------------------|-------|-------------|------------|---|
| ember-cli-deprecation-workflow | 1.0.0 | MIT License | Transitive | https://github.com/mixonnic/ember-cli-deprecation-workflow |
| ember-cli-eslint | 5.1.0 | MIT License | Transitive | https://github.com/jonathanKingston/ember-cli-eslint |
| ember-cli-get-component-path-option | 1.0.0 | ISC License | Transitive | https://github.com/ember-cli/ember-cli-get-component-path-option |
| ember-cli-htmlbars | 2.0.5 | MIT License | Transitive | https://github.com/rondale-sc/ember-cli-htmlbars |
| ember-cli-htmlbars | 3.1.0 | MIT License | Transitive | https://github.com/rondale-sc/ember-cli-htmlbars |
| ember-cli-htmlbars | 4.0.1 | MIT License | Transitive | https://github.com/rondale-sc/ember-cli-htmlbars |
| ember-cli-htmlbars | 4.5.0 | MIT License | Transitive | https://github.com/rondale-sc/ember-cli-htmlbars |
| ember-cli-htmlbars | 5.3.1 | MIT License | Transitive | https://github.com/rondale-sc/ember-cli-htmlbars |
| ember-cli-htmlbars | 5.7.1 | MIT License | Transitive | https://github.com/rondale-sc/ember-cli-htmlbars |
| ember-cli-htmlbars-inline-precompile | 1.0.5 | MIT License | Transitive | https://github.com/pangratz/ember-cli-htmlbars-inline-precompile |
| ember-cli-htmlbars-inline-precompile | 2.1.0 | MIT License | Transitive | https://github.com/pangratz/ember-cli-htmlbars-inline-precompile |

| | | | | |
|--------------------------------------|--------|-------------|------------|---|
| ember-cli-htmlbars-inline-precompile | v3.0.0 | MIT License | Transitive | https://github.com/pangratz/ember-cli-htmlbars-inline-precompile |
| ember-cli-inject-live-reload | 2.0.2 | MIT License | Transitive | https://github.com/rwjblue/ember-cli-inject-live-reload |
| ember-cli-ion-rangeslider | 0.1.1 | MIT License | Direct | https://github.com/xomaczar/ember-cli-ion-rangeslider |
| ember-cli-jquery-ui | 0.0.16 | MIT License | Transitive | https://github.com/gaurav0/ember-cli-jquery-ui |
| ember-cli-lodash-subset | 2.0.1 | ISC License | Transitive | https://gitlab.com/ember-cli/ember-cli-lodash-subset |
| ember-cli-mirage | v1.1.8 | MIT License | Transitive | https://github.com/samselikoff/ember-cli-mirage |
| ember-cli-normalize-entity-name | 1.0.0 | ISC License | Transitive | https://github.com/ember-cli/ember-cli |
| ember-cli-pagination | 3.1.5 | MIT License | Transitive | http://ember-cli.com/ |
| ember-cli-preprocess-registry | 3.3.0 | MIT License | Transitive | https://github.com/ember-cli/ember-cli-preprocessor-registry |
| ember-cli-pretender | 3.2.0 | MIT License | Transitive | https://github.com/rjackson/ember-cli-pretender |
| ember-cli-qunit | 4.4.0 | MIT License | Transitive | https://github.com/jakecraige/ember-cli-qunit |
| ember-cli-sri | 2.1.1 | MIT License | Transitive | https://github.com/jonathanKingston/ember-cli-sri |
| ember-cli-template-lint | 2.0.2 | MIT License | Transitive | https://github.com/rwjblue/ember-cli-template-lint |

| | | | | |
|-----------------------------|--------|-------------|------------|---|
| ember-cli-test-loader | 2.2.0 | MIT License | Transitive | https://github.com/ember-cli/ember-cli-test-loader |
| ember-cli-test-loader | 3.0.0 | MIT License | Transitive | https://github.com/ember-cli/ember-cli-test-loader |
| ember-cli-typescript | 2.0.2 | MIT License | Transitive | https://github.com/flcdrg/ember-cli-typescript |
| ember-cli-typescript | 3.0.0 | MIT License | Transitive | https://github.com/flcdrg/ember-cli-typescript |
| ember-cli-typescript | 3.1.4 | MIT License | Transitive | https://github.com/flcdrg/ember-cli-typescript |
| ember-cli-typescript | 4.2.1 | MIT License | Transitive | https://github.com/flcdrg/ember-cli-typescript |
| ember-cli-uglify | 3.0.0 | MIT License | Transitive | https://github.com/jkarsrud/ember-cli-uglify |
| ember-cli-version-checker | 2.2.0 | MIT License | Transitive | https://github.com/rwjblue/ember-cli-version-checker |
| ember-cli-version-checker | 3.1.3 | MIT License | Transitive | https://github.com/rwjblue/ember-cli-version-checker |
| ember-cli-version-checker | v4.1.1 | MIT License | Transitive | https://github.com/rwjblue/ember-cli-version-checker |
| ember-cli-version-checker | v5.1.2 | MIT License | Transitive | https://github.com/rwjblue/ember-cli-version-checker |
| ember-compatibility-helpers | 1.2.5 | MIT License | Transitive | https://github.com/pzurag/ember-compatibility-helpers |
| ember-concurrency | 1.2.1 | MIT License | Transitive | https://github.com/machty/ember-concurrency |

| | | | | |
|---------------------------------|----------------|----------------------------|------------|---|
| ember-concurrency | 1.3.0 | MIT License | Transitive | https://github.com/machty/ember-concurrency |
| ember-concurrency-decorators | 2.0.3 | MIT License | Transitive | https://github.com/machty/ember-concurrency-decorators |
| ember-cookies | 0.4.0 | MIT License | Transitive | https://github.com/simplabs/ember-cookies |
| ember-cp-validations | 4.0.0-beta.10 | MIT License | Transitive | https://github.com/offirgolan/ember-cp-validations |
| ember-cp-validations | v4.0.0-beta.10 | "New" or "Revised" License | Transitive | https://github.com/trek/pretender |
| ember-data | v3.21.0 | MIT License | Transitive | http://github.com/emberjs/data/ |
| ember-debug-handlers-polyfill | 1.1.1 | MIT License | Transitive | https://github.com/rwibblue/ember-deprecation-warning-handlers-polyfill |
| ember-decorators | v6.1.1 | MIT License | Transitive | https://github.com/rwibblue/ember-decorators |
| ember-destroyable-polyfill | 2.0.3 | MIT License | Transitive | https://github.com/buschtoens/ember-destroyable-polyfill |
| ember-element-helper | 0.5.5 | MIT License | Transitive | https://github.com/tildeio/ember-element-helper |
| ember-export-application-global | 2.0.1 | MIT License | Transitive | https://github.com/rwibblue/ember-export-application-global |
| ember-factory-for-polyfill | 1.3.1 | MIT License | Transitive | https://github.com/rwibblue/ember-factory-for-polyfill |
| ember-fetch | 6.7.2 | MIT License | Transitive | https://github.com/stefanpenner/ember-fetch |

| | | | | |
|---------------------------------|--------|-------------|------------|---|
| ember-file-upload | 3.0.5 | MIT License | Transitive | https://github.com/tim-evans/ember-file-upload |
| ember-flatpickr | 3.1.1 | MIT License | Transitive | https://github.com/shipshapecode/ember-flatpickr |
| ember-get-config | 0.2.4 | MIT License | Transitive | https://github.com/null-null-null/ember-get-config |
| ember-getowner-polyfill | 2.2.0 | MIT License | Transitive | https://github.com/rwjblue/ember-getowner-polyfill |
| ember-in-element-polyfill | 1.0.1 | MIT License | Transitive | https://github.com/kaliber5/ember-in-element-polyfill |
| ember-inflector | v3.0.1 | MIT License | Transitive | https://github.com/stefanpenner/ember-inflector |
| ember-intl | 5.4.2 | MIT License | Transitive | https://github.com/yahoo/ember-intl |
| ember-load-initializers | 2.1.1 | MIT License | Transitive | https://github.com/ember-cli/ember-load-initializers |
| ember-maybe-import-regenerator | 0.1.6 | MIT License | Transitive | https://github.com/machty/ember-maybe-import-regenerator |
| ember-maybe-in-element | 2.0.3 | MIT License | Transitive | https://github.com/DockYard/ember-maybe-in-element |
| ember-modifier | 2.1.2 | MIT License | Transitive | https://github.com/ember-modifier/ember-modifier |
| ember-modifier-manager-polyfill | 1.2.0 | MIT License | Transitive | https://github.com/rwjblue/ember-modifier-manager-polyfill |

| | | | | |
|----------------------------|---------|-------------|------------|---|
| ember-mu-transform-helpers | v2.0.0 | MIT License | Transitive | https://github.com/mu-semtech/ember-mu-transform-helpers |
| ember-on-modifier | 1.0.1 | MIT License | Transitive | https://github.com/buschtoens/ember-on-modifier |
| ember-power-select | 4.0.3 | MIT License | Transitive | http://www.ember-power-select.com |
| ember-qunit | 3.5.3 | MIT License | Transitive | https://github.com/rwjblue/ember-qunit |
| ember-qunit | 4.6.0 | MIT License | Transitive | https://github.com/rwjblue/ember-qunit |
| ember-require-module | 0.3.0 | MIT License | Transitive | https://github.com/offirgolan/ember-require-module |
| ember-resolver | 8.0.2 | MIT License | Transitive | https://github.com/ember-cli/ember-resolver |
| ember-rfc176-data | 0.3.17 | MIT License | Transitive | https://github.com/ember-cli/ember-rfc176-data |
| ember-router-generator | 2.0.0 | MIT License | Transitive | https://github.com/ember-cli/ember-router-generator |
| ember-simple-auth | 1.9.2 | MIT License | Transitive | https://github.com/simplabs/ember-simple-auth |
| ember-source | v3.21.1 | MIT License | Transitive | http://ember-cli.com/ |
| ember-source-channel-url | 2.0.1 | MIT License | Transitive | https://github.com/rwjblue/ember-source-channel-url |
| ember-style-modifier | 0.6.0 | MIT License | Transitive | https://github.com/jelhan/ember-style-modifier |
| ember-template-lint | 2.21.0 | MIT License | Transitive | https://github.com/rwjblue/ember-template-lint |

| | | | | |
|-----------------------|--------------------|-------------|------------|---|
| ember-template-recast | 5.0.3 | MIT License | Transitive | https://github.com/ember-template-lint/ember-template-recast |
| ember-test-waiters | 1.2.0 | MIT License | Transitive | https://github.com/rwjblue/ember-test-waiters |
| ember-text-measurer | 0.6.0 | MIT License | Transitive | https://github.com/cibemox/ember-text-measurer |
| ember-truth-helpers | 2.1.0 | MIT License | Transitive | https://github.com/jmurphyau/ember-truth-helpers |
| ember-truth-helpers | 5-snapshot-9ea48e6 | MIT License | Transitive | https://github.com/jmurphyau/ember-truth-helpers |
| ember-truth-helpers | 3.0.0 | MIT License | Transitive | https://github.com/jmurphyau/ember-truth-helpers |
| ember-user-activity | 4.0.0 | MIT License | Transitive | https://github.com/elwayman02/ember-user-activity |
| ember-validations | 2.0.0-alpha.5 | MIT License | Direct | https://github.com/dockyard/ember-validations |
| ember-validators | 2.0.0 | MIT License | Transitive | https://github.com/offirgolan/ember-validators |
| emoji-regex | 7.0.3 | MIT License | Transitive | https://github.com/mathiasbynens/emoii-regex |
| emoji-regex | v8.0.0 | MIT License | Transitive | https://github.com/mathiasbynens/emoji-regex |
| emojis-list | 3.0.0 | MIT License | Transitive | https://github.com/Kikobeats/emojis-list |
| encodeurl | 1.0.2 | MIT License | Transitive | https://github.com/pillarjs/encodeurl |
| end-of-stream | v1.4.4 | MIT License | Transitive | https://github.com/mafintosh/end-of-stream |

| | | | | |
|---------------------------|--------|------------------------------------|------------|---|
| engine.io | 5.2.0 | MIT License | Transitive | https://socket.io/ |
| engine.io-parser | 4.0.3 | MIT License | Transitive | https://github.com/socketio/engine.io-parser |
| enhanced-resolve | 4.5.0 | MIT License | Transitive | http://github.com/webpack/enhanced-resolve |
| enquirer | 2.3.6 | MIT License | Transitive | https://github.com/jonschlinkert/enquirer |
| ensure-posix-path | 1.1.1 | ISC License | Transitive | https://github.com/stefanpenner/ensure-posix-path |
| envoy | 1.16.0 | Apache License 2.0 "Simplified" | N/A | https://github.com/envoyproxy/envoy/blob/main/LICENSE |
| entities | 1.1.2 | License "Simplified" | Transitive | https://github.com/FB55/node-entities |
| entities | 2.0.3 | License "Simplified" | Transitive | https://github.com/FB55/node-entities |
| entities | 2.2.0 | License | Transitive | https://github.com/FB55/node-entities |
| erlop | 2.2.0 | MIT License | Transitive | https://github.com/bevry/erlop |
| erno | 0.1.8 | MIT License | Transitive | https://github.com/rvagg/node-erno |
| error | v7.2.1 | MIT License | Transitive | https://github.com/Raynos/error |
| error-ex | 1.3.2 | MIT License | Transitive | https://github.com/qix-/node-error-ex |
| es-abstract | 1.18.5 | MIT License | Transitive | https://github.com/ljharb/es-abstract |
| es-to-primitive | 1.2.1 | MIT License | Transitive | https://github.com/ljharb/es-to-primitive |
| escalade | 3.1.1 | MIT License | Transitive | https://github.com/lukeed/escalade |

| | | | | |
|----------------------|---------|-----------------------------|------------|---|
| escape-html | 1.0.3 | MIT License | Transitive | https://github.com/component/escape-html |
| escape-string-regexp | 1.0.5 | MIT License | Transitive | https://github.com/sindresorhus/escape-string-regexp |
| escape-string-regexp | v4.0.0 | MIT License "Simplified" | Transitive | https://github.com/sindresorhus/escape-string-regexp |
| escodegen | v2.0.0 | License | Transitive | https://github.com/Constellation/escodegen |
| eslint | v5.16.0 | MIT License | Transitive | http://eslint.org/ |
| eslint | v7.8.1 | MIT License | Transitive | http://eslint.org/ |
| eslint-plugin-ember | 8.13.0 | MIT License | Transitive | https://github.com/zipscene/eslint-plugin-ember |
| eslint-plugin-es | 3.0.1 | MIT License | Transitive | https://github.com/mysticatea/eslint-plugin-es |
| eslint-plugin-node | 11.1.0 | MIT License "Simplified" | Transitive | https://github.com/mysticatea/eslint-plugin-node |
| eslint-scope | v4.0.3 | License "Simplified" | Transitive | https://github.com/eslint/eslint-scope |
| eslint-scope | v5.1.1 | License | Transitive | https://github.com/eslint/eslint-scope |
| eslint-utils | 1.4.3 | MIT License | Transitive | https://github.com/mysticatea/eslint-utils |
| eslint-utils | v2.1.0 | MIT License | Transitive | https://github.com/mysticatea/eslint-utils |
| eslint-visitor-keys | 1.3.0 | Apache License 2.0 | Transitive | https://github.com/eslint/eslint-visitor-keys |
| esm | 3.2.25 | MIT License "Simplified" | Transitive | https://github.com/standard-things/esm |
| espre | 7.3.1 | License | Transitive | https://github.com/eslint/espre |

| | | | | |
|-----------------|--------|----------------------------------|------------|---|
| espre | v5.0.1 | "Simplified" License | Transitive | https://github.com/eslint/espre |
| esprima | 3.0.0 | "Simplified" License | Transitive | http://esprima.org |
| esprima | 4.0.1 | "Simplified" License | Transitive | http://esprima.org |
| esquery | 1.4.0 | "New" or "Revised" License | Transitive | https://github.com/jrfeenst/esquery |
| esrecurse | v4.3.0 | "Simplified" License | Transitive | https://github.com/estools/esrecurse |
| estaverse | 5.2.0 | "Simplified" License | Transitive | https://github.com/Constellation/estaverse |
| estaverse | v4.3.0 | "Simplified" License | Transitive | https://github.com/Constellation/estaverse |
| estree-walker | 0.6.1 | MIT License | Transitive | https://github.com/Rich-Harris/estree-walker |
| esutils | 2.0.3 | "Simplified" License | Transitive | https://github.com/Constellation/esutils |
| etag | 1.8.1 | MIT License | Transitive | https://github.com/jshttp/etag |
| ev-emitter | 1.0.0 | MIT License | Transitive | https://github.com/metafizzy/ev-emitter |
| ev-emitter | 1.1.1 | MIT License | Transitive | https://github.com/metafizzy/ev-emitter |
| eventemitter3 | 4.0.7 | MIT License | Transitive | https://github.com/primus/eventemitter3 |
| events | 3.3.0 | MIT License | Transitive | https://github.com/Gozala/events |
| events-to-array | 1.1.2 | ISC License | Transitive | https://github.com/isaacs/events-to-array |

| | | | | |
|-----------------|--------|-------------|------------|---|
| evp_bytestokey | 1.0.3 | MIT License | Transitive | https://github.com/crypto-browserify/EVP_BytesToKey |
| exec-sh | 0.2.2 | MIT License | Transitive | https://github.com/tsertkov/exec-sh |
| exec-sh | v0.3.6 | MIT License | Transitive | https://github.com/tsertkov/exec-sh |
| execa | 1.0.0 | MIT License | Transitive | https://github.com/sindresorhus/execa |
| execa | 2.1.0 | MIT License | Transitive | https://github.com/sindresorhus/execa |
| execa | 3.4.0 | MIT License | Transitive | https://github.com/sindresorhus/execa |
| execa | 4.1.0 | MIT License | Transitive | https://github.com/sindresorhus/execa |
| exists-stat | 1.0.0 | MIT License | Transitive | https://github.com/trentmwillis/exists-stat |
| exists-sync | 0.0.4 | ISC License | Transitive | https://github.com/ember-cli/exists-sync |
| exit | 0.1.2 | MIT License | Transitive | https://github.com/cowboy/node-exit |
| expand-brackets | 2.1.4 | MIT License | Transitive | https://github.com/jonschlinkert/expand-brackets |
| expand-tilde | 2.0.2 | MIT License | Transitive | https://github.com/jonschlinkert/expand-tilde |
| express | 4.17.1 | MIT License | Transitive | http://expressjs.com |
| extend | 3.0.2 | MIT License | Transitive | https://github.com/justmoon/node-extend |
| extend-shallow | 2.0.1 | MIT License | Transitive | https://github.com/jonschlinkert/extend-shallow |
| extend-shallow | 3.0.2 | MIT License | Transitive | https://github.com/jonschlinkert/extend-shallow |

| | | | | |
|----------------------------|--------|--------------------|------------|---|
| external-editor | 3.1.0 | MIT License | Transitive | https://github.com/mrkmg/node-external-editor |
| extglob | 2.0.4 | MIT License | Transitive | https://github.com/micromatch/extglob |
| fake-xml-http-request | v2.1.2 | MIT License | Transitive | https://github.com/trek/FakeXMLHttpRequest |
| fast-deep-equal | v3.1.3 | MIT License | Transitive | https://github.com/epoberezkin/fast-deep-equal |
| fast-glob | 2.2.7 | MIT License | Transitive | https://github.com/mrmlnc/fast-glob |
| fast-glob | 3.2.7 | MIT License | Transitive | https://github.com/mrmlnc/fast-glob |
| fast-json-stable-stringify | 2.1.0 | MIT License | Transitive | https://github.com/epoberezkin/fast-json-stable-stringify |
| fast-levenshtein | 2.0.6 | MIT License | Transitive | https://github.com/hiddentao/fast-levenshtein |
| fast-memoize | 2.5.2 | MIT License | Transitive | https://github.com/caiogondim/cheap-memoize |
| fast-sourcemap-concat | v1.4.0 | MIT License | Transitive | https://github.com/ef4/fast-sourcemap-concat |
| fast-sourcemap-concat | v2.1.0 | MIT License | Transitive | https://github.com/ef4/fast-sourcemap-concat |
| fastq | 1.12.0 | ISC License | Transitive | https://github.com/mcollina/fastqueue |
| faye-websocket | 0.10.0 | MIT License | Transitive | https://github.com/faye/faye-websocket-node |
| fb-watchman | 2.0.1 | Apache License 2.0 | Transitive | https://github.com/facebook/watchman |
| figgy-pudding | 3.5.2 | ISC License | Transitive | https://github.com/zkat/figgy-pudding |
| figures | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/figures |

| | | | | |
|-------------------|--------|----------------------------------|------------|---|
| figures | 3.2.0 | MIT License | Transitive | https://github.com/sindresorhus/figures |
| file-entry-cache | 5.0.1 | MIT License | Transitive | https://github.com/royriojas/file-entry-cache |
| file-uri-to-path | 1.0.0 | MIT License | Transitive | https://github.com/TooTallNate/file-uri-to-path |
| filechunkio | 1.8 | MIT License | Transitive | https://pypi.python.org/pypi/filechunkio/ |
| filesize | 4.2.1 | "New" or "Revised" License | Transitive | https://filesizejs.com/ |
| filesize | 6.4.0 | "New" or "Revised" License | Transitive | https://filesizejs.com/ |
| fill-range | 4.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/fill-range |
| fill-range | 7.0.1 | MIT License | Transitive | https://github.com/jonschlinkert/fill-range |
| finalhandler | 1.1.2 | MIT License | Transitive | https://github.com/expressjs/finalhandler |
| find-babel-config | 1.2.0 | MIT License | Transitive | https://github.com/tleunen/find-babel-config |
| find-cache-dir | 2.1.0 | MIT License | Transitive | https://github.com/jamestalmage/find-cache-dir |
| find-cache-dir | 3.3.2 | MIT License | Transitive | https://github.com/jamestalmage/find-cache-dir |
| find-index | v1.1.1 | MIT License | Transitive | https://github.com/jsdf/find-index |
| find-up | 2.1.0 | MIT License | Transitive | https://github.com/sindresorhus/find-up |
| find-up | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/find-up |
| find-up | v4.1.0 | MIT License | Transitive | https://github.com/sindresorhus/find-up |

| | | | | |
|--------------------------|--------|--|------------|---|
| find-up | v5.0.0 | MIT License | Transitive | https://github.com/sindresorhus/find-up |
| find-yarn-workspace-root | 1.2.1 | Apache License 2.0 | Transitive | https://github.com/square/find-yarn-workspace-root |
| findup-sync | 2.0.0 | MIT License | Transitive | https://github.com/cowboy/node-findup-sync |
| findup-sync | 4.0.0 | MIT License | Transitive | https://github.com/cowboy/node-findup-sync |
| fireworm | 0.7.1 | MIT License | Transitive | https://github.com/airportyh/fireworm |
| fixturify | 1.3.0 | MIT License | Transitive | https://github.com/joliss/node-fixturify |
| fixturify | v2.1.1 | MIT License | Transitive | https://github.com/joliss/node-fixturify |
| fixturify-project | 1.10.0 | MIT License | Transitive | https://github.com/stefanpenner/node-fixturify-project |
| fixturify-project | 2.1.1 | MIT License (BSD Zero Clause License AND MIT License AND Creative Commons Zero v1.0 Universal AND ISC License AND Creative Commons Attribution 4.0 AND Apache License 2.0) | Transitive | https://github.com/stefanpenner/node-fixturify-project |
| fkill-cli | 6.2.0 | MIT License | Transitive | https://github.com/sindresorhus/fkill-cli |

| | | | | |
|--------------------|--------|---|------------|---|
| flake8 | 3.3.0 | MIT License "New" or "Revised" License | Transitive | https://pypi.org/project/flake8/ |
| flask | 1.1.2 | MIT License | Transitive | http://flask.pocoo.org/ |
| flask-login | 0.3.2 | MIT License | Transitive | https://github.com/maxcountryman/flask-login |
| flask-rq2 | 18.3 | MIT License | Transitive | https://pypi.org/project/Flask-RQ2/16.1/ |
| flask-wtf | 0.14.3 | MIT License | Transitive | https://flask-wtf.readthedocs.org/en/latest/ |
| flat-cache | 2.0.1 | MIT License | Transitive | https://github.com/royriojas/flat-cache |
| flatpickr | 4.6.9 | MIT License | Transitive | https://github.com/chmln/flatpickr |
| flatted | 2.0.2 | ISC License | Transitive | https://github.com/WebReflection/flatted |
| flot | 0.8.3 | MIT License | Transitive | http://www.flotcharts.org |
| flush-write-stream | 1.1.1 | MIT License | Transitive | https://github.com/mafintosh/flush-write-stream |
| follow-redirects | 1.14.2 | MIT License | Transitive | http://syskall.com/how-to-follow-http-redirects-in-node-dot-js/ |
| for-in | 1.0.2 | MIT License | Transitive | https://github.com/jonschlinkert/for-in |
| form-data | 3.0.1 | MIT License | Transitive | https://github.com/felixge/node-form-data |
| fragment-cache | 0.2.1 | MIT License | Transitive | https://github.com/jonschlinkert/fragment-cache |
| fresh | 0.5.2 | MIT License | Transitive | https://github.com/ishttp/fresh |

| | | | | |
|------------------------|--------|-------------|------------|---|
| from2 | 2.3.0 | MIT License | Transitive | https://github.com/hughsk/from2 |
| fs-copy-file-sync | 1.1.1 | MIT License | Transitive | http://github.com/coderaiser/fs-copy-file-sync |
| fs-extra | 0.24.0 | MIT License | Transitive | https://github.com/jprichardson/node-fs-extra |
| fs-extra | 4.0.3 | MIT License | Transitive | https://github.com/jprichardson/node-fs-extra |
| fs-extra | 5.0.0 | MIT License | Transitive | https://github.com/jprichardson/node-fs-extra |
| fs-extra | 6.0.1 | MIT License | Transitive | https://github.com/jprichardson/node-fs-extra |
| fs-extra | 7.0.1 | MIT License | Transitive | https://github.com/jprichardson/node-fs-extra |
| fs-extra | 8.1.0 | MIT License | Transitive | https://github.com/jprichardson/node-fs-extra |
| fs-extra | 9.1.0 | MIT License | Transitive | https://github.com/jprichardson/node-fs-extra |
| fs-merger | 3.2.1 | MIT License | Transitive | https://github.com/SparsithNR/fs-merger |
| fs-tree-diff | 0.5.9 | MIT License | Transitive | https://github.com/stefanpenner/fs-tree-diff |
| fs-tree-diff | 2.0.1 | MIT License | Transitive | https://github.com/stefanpenner/fs-tree-diff |
| fs-updater | 1.0.4 | MIT License | Transitive | https://github.com/broccolijs/node-fs-updater |
| fs-write-stream-atomic | 1.0.10 | ISC License | Transitive | https://github.com/npm/fs-write-stream-atomic |
| fs.realpath | 1.0.0 | ISC License | Transitive | https://github.com/isaacs/fs.realpath |
| fsevents | 1.2.13 | MIT License | Transitive | https://github.com/pipobscure/fsevents |
| fsevents | 2.3.2 | MIT License | Transitive | https://github.com/pipobscure/fsevents |

| | | | | |
|---------------------------|--------------|--------------------|------------|---|
| funcsigs | 1.0.2 | Apache License 2.0 | Transitive | https://pypi.org/project/funcsigs/ |
| function-bind | 1.1.1 | MIT License | Transitive | https://github.com/Raynos/function-bind |
| functional-red-black-tree | 1.0.1 | MIT License | Transitive | https://github.com/mikolajsenko/functional-red-black-tree |
| fuse.js | 6.4.6 | Apache License 2.0 | Transitive | https://github.com/krisk/Fuse |
| future | 0.18.2 | MIT License | Transitive | https://python-future.org |
| gauge | v2.7.4 | ISC License | Transitive | https://github.com/iarna/gauge |
| gensync | 1.0.0-beta.2 | MIT License | Transitive | https://github.com/crypto-browserify/browserify-aes |
| get-caller-file | 2.0.5 | ISC License | Transitive | https://github.com/stefanpenner/get-caller-file |
| get-intrinsic | 1.1.1 | MIT License | Transitive | https://github.com/ljharb/get-intrinsic |
| get-package-type | 0.1.0 | MIT License | Transitive | https://github.com/cfware/get-package-type |
| get-stdin | 4.0.1 | MIT License | Transitive | https://github.com/sindresorhus/get-stdin |
| get-stdin | 8.0.0 | MIT License | Transitive | https://github.com/sindresorhus/get-stdin |
| get-stream | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/get-stream |
| get-stream | v4.1.0 | MIT License | Transitive | https://github.com/sindresorhus/get-stream |
| get-stream | v5.2.0 | MIT License | Transitive | https://github.com/sindresorhus/get-stream |
| get-value | 2.0.6 | MIT License | Transitive | https://github.com/jonschlinkert/get-value |

| | | | | |
|------------------|---------|----------------------------------|------------|---|
| git-hooks-list | 1.0.3 | MIT License | Transitive | https://github.com/fisker/git-hooks-list |
| git-repo-info | 1.4.1 | MIT License | Transitive | https://github.com/rwblue/git-repo-info |
| git-repo-info | 2.1.1 | MIT License | Transitive | https://github.com/rwblue/git-repo-info |
| git-repo-version | 1.0.2 | MIT License | Transitive | https://github.com/cibemox/git-repo-version |
| glob | 5.0.15 | ISC License | Transitive | http://github.com/isaacs/node-glob |
| glob | 7.1.7 | ISC License | Transitive | http://github.com/isaacs/node-glob |
| glob-parent | 3.1.0 | ISC License | Transitive | https://github.com/es128/glob-parent |
| glob-parent | 5.1.2 | ISC License | Transitive | https://github.com/es128/glob-parent |
| glob-to-regexp | 0.3.0 | "New" or "Revised" License | Transitive | https://github.com/fitzgen/glob-to-regexp |
| global-modules | 1.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/global-modules |
| global-prefix | 1.0.2 | MIT License | Transitive | https://github.com/jonschlinkert/global-prefix |
| globals | 11.12.0 | MIT License | Transitive | https://github.com/sindresorhus/globals |
| globals | 12.4.0 | MIT License | Transitive | https://github.com/sindresorhus/globals |
| globals | 9.18.0 | MIT License | Transitive | https://github.com/sindresorhus/globals |
| globalyzer | 0.1.0 | MIT License | Transitive | https://github.com/terkelq/globalyzer |
| globby | 11.0.4 | MIT License | Transitive | https://github.com/sindresorhus/globby |

| | | | | |
|--------------------------|---------|--------------------|------------|---|
| globby | v10.0.0 | MIT License | Transitive | https://github.com/sindresorhus/globby |
| globrex | 0.1.2 | MIT License | Transitive | https://github.com/terkelg/globrex |
| good-listener | 1.2.2 | MIT License | Transitive | http://npmjs.com/good-listener |
| google-api-core | 1.15.0 | Apache License 2.0 | Transitive | https://pypi.org/project/google-api-core/ |
| google-api-python-client | 1.4.2 | Apache License 2.0 | Transitive | https://code.google.com/p/google-api-python-client/ |
| google-auth | 1.10.0 | Apache License 2.0 | Transitive | https://pypi.org/project/google-auth/ |
| google-cloud-core | 1.1.0 | Apache License 2.0 | Transitive | https://pypi.org/project/google-cloud-core/ |
| google-cloud-storage | 1.23.0 | Apache 2.0 | Transitive | https://github.com/GoogleCloudPlatform/google-cloud-python |
| google-resumable-media | 0.5.0 | Apache License 2.0 | Transitive | https://pypi.org/project/google-resumable-media/ |
| got | 8.3.2 | MIT License | Transitive | https://github.com/sindresorhus/got |
| graceful-fs | 4.2.8 | ISC License | Transitive | https://github.com/isaacs/node-graceful-fs |
| graceful-readlink | 1.0.1 | MIT License | Transitive | https://github.com/zhiyeelee/graceful-readlink |
| grafana-image-renderer | 3.2.0 | Apache License 2.0 | Transitive | https://github.com/grafana/grafana-image-renderer |
| growly | 1.3.0 | MIT License | Transitive | https://github.com/theabraham/growly |
| gunicorn | 19.6.0 | MIT License | Transitive | https://pypi.org/project/gunicorn/ |

| | | | | |
|----------------------|-------|-------------|------------|---|
| handlebars | 4.7.7 | MIT License | Transitive | http://handlebarsjs.com |
| has | 1.0.3 | MIT License | Transitive | https://github.com/tarruda/has |
| has-ansi | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/has-ansi |
| has-ansi | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/has-ansi |
| has-bigints | 1.0.1 | MIT License | Transitive | https://github.com/ljharb/has-bigints |
| has-flag | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/has-flag |
| has-flag | 4.0.0 | MIT License | Transitive | https://github.com/sindresorhus/has-flag |
| has-symbol-support-x | 1.4.2 | MIT License | Transitive | https://github.com/Xotic750/has-symbol-support-x |
| has-symbols | 1.0.2 | MIT License | Transitive | https://github.com/ljharb/has-symbols |
| has-to-string-tag-x | 1.4.1 | MIT License | Transitive | https://github.com/Xotic750/has-to-string-tag-x |
| has-tostringtag | 1.0.0 | MIT License | Transitive | https://github.com/inspect-js/has-tostringtag |
| has-unicode | 2.0.1 | ISC License | Transitive | https://github.com/iarna/has-unicode |
| has-value | 0.3.1 | MIT License | Transitive | https://github.com/jonschlinkert/has-value |
| has-value | 1.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/has-value |
| has-values | 0.1.4 | MIT License | Transitive | https://github.com/jonschlinkert/has-values |
| has-values | 1.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/has-values |
| hash-base | 3.1.0 | MIT License | Transitive | https://github.com/crypto-browserify/hash-base |

| | | | | |
|-----------------------|---------------------------|----------------------------|------------|---|
| hash-for-dep | v1.5.1 | ISC License | Transitive | https://github.com/stefanpenner/hash-for-dep |
| hash.js | 1.1.7 | MIT License | Transitive | https://github.com/indutny/hash.js |
| heimdalljs | 0.2.6 | MIT License | Transitive | https://github.com/hjdivad/heimdalljs-lib |
| heimdalljs | 0.3.3 | MIT License | Transitive | https://github.com/hjdivad/heimdalljs-lib |
| heimdalljs-fs-monitor | 0.2.3 | ISC License | Transitive | https://github.com/stefanpenner/heimdall-fs-monitor |
| heimdalljs-graph | v1.0.0 | MIT License | Transitive | https://github.com/heimdalljs/heimdalljs-graph |
| heimdalljs-logger | 0.1.10 | MIT License | Transitive | https://github.com/hjdivad/heimdalljs-logger |
| heimdalljs-tree | v0.3.3 | MIT License | Transitive | https://github.com/hjdivad/heimdalljs-tree |
| hiredis | 0.14.1-ssl-with-timeout-1 | "New" or "Revised" License | Direct | https://github.com/RedisLabs/hiredis |
| hiredis | 0.1.5 | "New" or "Revised" License | Transitive | |
| hmac-drbg | 1.0.1 | MIT License | Transitive | https://github.com/indutny/hmac-drbg |
| home-or-tmp | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/home-or-tmp |
| homedir-polyfill | 1.0.3 | MIT License | Transitive | https://github.com/doowb/homedir-polyfill |
| hosted-git-info | v2.8.9 | ISC License | Transitive | https://github.com/npm/hosted-git-info |
| hosted-git-info | v4.0.2 | ISC License | Transitive | https://github.com/npm/hosted-git-info |

| | | | | |
|-----------------------|---------|----------------------------|------------|---|
| html-encoding-sniffer | 2.0.1 | MIT License | Transitive | https://github.com/jsdom/html-encoding-sniffer |
| html-escaper | 2.0.2 | MIT License | Transitive | https://github.com/WebReflection/html-escaper |
| http-cache-semantics | 3.8.1 | "Simplified" License | Transitive | https://github.com/pornel/http-cache-semantics |
| http-errors | 1.6.3 | MIT License | Transitive | https://github.com/jshttp/http-errors |
| http-errors | 1.7.2 | MIT License | Transitive | https://github.com/jshttp/http-errors |
| http-errors | 1.7.3 | MIT License | Transitive | https://github.com/jshttp/http-errors |
| http-parser-js | 0.5.3 | MIT License | Transitive | https://github.com/creationix/http-parser-js |
| http-proxy | 1.18.1 | MIT License | Transitive | http://github.com/nodejitsu/node-http-proxy |
| http-proxy-agent | 4.0.1 | MIT License | Transitive | https://github.com/TooTallNate/node-http-proxy-agent |
| httplib2 | 0.19.1 | MIT License | Direct | https://github.com/jcgregorio/httplib2 |
| https-browserify | 1.0.0 | MIT License | Transitive | https://github.com/substack/https-browserify |
| https-proxy-agent | 5.0.0 | MIT License | Transitive | https://github.com/TooTallNate/node-https-proxy-agent |
| human-signals | 1.1.1 | License 2.0 | Transitive | https://git.io/JeluP |
| iconv-lite | v0.4.24 | MIT License | Transitive | https://github.com/ashtuchkin/iconv-lite |
| idna | 2.5 | "New" or "Revised" License | Transitive | https://pypi.org/project/idna/ |

| | | "New" or "Revised" License | | |
|--------------|---------|----------------------------------|------------|---|
| ieee754 | v1.2.1 | License | Transitive | https://github.com/feross/ieee754 |
| iferr | 0.1.5 | MIT License | Transitive | https://github.com/shesek/iferr |
| ignore | 4.0.6 | MIT License | Transitive | https://github.com/Heather/ignore |
| ignore | 5.1.8 | MIT License | Transitive | https://github.com/Heather/ignore |
| imagesloaded | 4.1.4 | MIT License | Transitive | https://github.com/desandro/imagesloaded |
| import-fresh | 3.3.0 | MIT License | Transitive | https://github.com/sindresorhus/import-fresh |
| imurmurhash | 0.1.4 | MIT License | Transitive | https://github.com/jensyt/imurmurhash-js |
| infer-owner | 1.0.4 | ISC License | Transitive | https://github.com/npm/infer-owner |
| inflected | v2.1.0 | MIT License | Transitive | https://github.com/martinandert/inflected |
| inflection | 1.13.1 | MIT License | Transitive | https://github.com/dreamerslab/node.inflection |
| inflection | v1.12.0 | MIT License | Transitive | https://github.com/dreamerslab/node.inflection |
| inflection | 0.3.1 | MIT License | Transitive | https://pypi.org/project/inflection/ |
| inflight | 1.0.6 | ISC License | Transitive | https://github.com/isaacs/inflight |
| inherits | 2.0.1 | ISC License | Transitive | https://github.com/isaacs/inherits |
| inherits | 2.0.3 | ISC License | Transitive | https://github.com/isaacs/inherits |
| inherits | v2.0.4 | ISC License | Transitive | https://github.com/isaacs/inherits |

| | | | | |
|---------------------------|--------|---------------------------------------|------------|---|
| ini | 1.3.8 | ISC License | Transitive | https://github.com/npm/ini |
| inline-source-map-comment | 1.0.5 | MIT License | Transitive | https://github.com/shinnn/inline-source-map-comment |
| inquirer | 6.5.2 | MIT License | Transitive | https://github.com/SBoudrias/Inquirer.js |
| inquirer | 7.3.3 | MIT License | Transitive | https://github.com/SBoudrias/Inquirer.js |
| internal-slot | 1.0.3 | MIT License | Transitive | https://github.com/ljharb/internal-slot |
| intl-messageformat | 9.9.1 | "New" or "Revised" License | Transitive | https://github.com/yahoo/intl-messageformat |
| intl-messageformat-parser | 5.5.1 | "New" or "Revised" License | Transitive | https://github.com/yahoo/intl-messageformat-parser |
| into-stream | 3.1.0 | MIT License | Transitive | https://github.com/sindresorhus/into-stream |
| invariant | 2.2.4 | MIT License | Transitive | https://github.com/zertosh/invariant |
| ion.rangeslider | 2.0.0 | MIT License | Transitive | https://github.com/doowb/detect-file |
| ipaddr | v1.9.1 | MIT License | Transitive | https://github.com/whitequark/ipaddr.js |
| ipaddr | 2.2.0 | Apache License 2.0 | Transitive | https://pypi.org/project/ipaddr/ |
| ipaddress | 1.0.18 | Software Foundation License 2.0 | Transitive | https://github.com/phihaq/ipaddress/blob/master/LICENSE |
| is-accessor-descriptor | 0.1.6 | MIT License | Transitive | https://github.com/jonschlinkert/is-accessor-descriptor |

| | | | | |
|------------------------|--------|-------------|------------|---|
| is-accessor-descriptor | 1.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/is-accessor-descriptor |
| is-arrayish | 0.2.1 | MIT License | Transitive | https://github.com/qix-/node-is-arrayish |
| is-bigint | 1.0.4 | MIT License | Transitive | https://github.com/ljharb/is-bigint |
| is-binary-path | 1.0.1 | MIT License | Transitive | https://github.com/sindresorhus/is-binary-path |
| is-binary-path | v2.1.0 | MIT License | Transitive | https://github.com/sindresorhus/is-binary-path |
| is-boolean-object | 1.1.2 | MIT License | Transitive | https://github.com/ljharb/is-boolean-object |
| is-buffer | 1.1.6 | MIT License | Transitive | https://github.com/feross/is-buffer |
| is-callable | 1.2.4 | MIT License | Transitive | https://github.com/ljharb/is-callable |
| is-core-module | 2.6.0 | MIT License | Transitive | https://github.com/meandavejustice/is-core-module |
| is-data-descriptor | 0.1.4 | MIT License | Transitive | https://github.com/jonschlinkert/is-data-descriptor |
| is-data-descriptor | 1.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/is-data-descriptor |
| is-date-object | 1.0.5 | MIT License | Transitive | https://github.com/ljharb/is-date-object |
| is-descriptor | 0.1.6 | MIT License | Transitive | https://github.com/jonschlinkert/is-descriptor |
| is-docker | 2.2.1 | MIT License | Transitive | https://github.com/sindresorhus/is-docker |
| is-extendable | 0.1.1 | MIT License | Transitive | https://github.com/jonschlinkert/is-extendable |

| | | | | |
|-------------------------|--------|-------------|------------|---|
| is-extendable | 1.0.1 | MIT License | Transitive | https://github.com/jonschlinkert/is-extendable |
| is-extglob | 2.1.1 | MIT License | Transitive | https://github.com/jonschlinkert/is-extglob |
| is-finite | 1.1.0 | MIT License | Transitive | https://github.com/sindresorhus/is-finite |
| is-fullwidth-code-point | 1.0.0 | MIT License | Transitive | https://github.com/sindresorhus/is-fullwidth-code-point |
| is-fullwidth-code-point | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/is-fullwidth-code-point |
| is-fullwidth-code-point | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/is-fullwidth-code-point |
| is-git-url | 1.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/is-git-url |
| is-glob | 3.1.0 | MIT License | Transitive | https://github.com/jonschlinkert/is-glob |
| is-glob | 4.0.1 | MIT License | Transitive | https://github.com/jonschlinkert/is-glob |
| is-interactive | 1.0.0 | MIT License | Transitive | https://github.com/sindresorhus/is-interactive |
| is-language-code | 1.0.13 | MIT License | Transitive | https://gitlab.com/codsen/codsen/tree/master/packages/is-language-code |
| is-negative-zero | 2.0.1 | MIT License | Transitive | https://github.com/ljharb/is-negative-zero |
| is-number | 3.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/is-number |
| is-number | 7.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/is-number |

| | | | | |
|----------------------------------|--------|-------------|------------|---|
| is-number-object | 1.0.6 | MIT License | Transitive | https://github.com/ljharb/is-number-object |
| is-obj | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/is-obj |
| is-object | 1.0.2 | MIT License | Transitive | https://github.com/ljharb/is-object |
| is-plain-obj | 1.1.0 | MIT License | Transitive | https://github.com/sindresorhus/is-plain-obj |
| is-plain-obj | 2.1.0 | MIT License | Transitive | https://github.com/sindresorhus/is-plain-obj |
| is-plain-object | 2.0.4 | MIT License | Transitive | https://github.com/jonschlinkert/is-plain-object |
| is-potential-custom-element-name | 1.0.1 | MIT License | Transitive | https://github.com/mathiasbynens/is-potential-custom-element-name |
| is-reference | v1.2.1 | MIT License | Transitive | https://github.com/Rich-Harris/is-reference |
| is-regex | 1.1.4 | MIT License | Transitive | https://github.com/ljharb/is-regex |
| is-retry-allowed | 1.2.0 | MIT License | Transitive | https://github.com/floatdrop/is-retry-allowed |
| is-stream | 1.1.0 | MIT License | Transitive | https://github.com/sindresorhus/is-stream |
| is-stream | 2.0.1 | MIT License | Transitive | https://github.com/sindresorhus/is-stream |
| is-string | 1.0.7 | MIT License | Transitive | https://github.com/ljharb/is-string |
| is-symbol | 1.0.4 | MIT License | Transitive | https://github.com/ljharb/is-symbol |
| is-type | 0.0.1 | MIT License | Transitive | https://github.com/tim-evans/ember-file-upload |
| is-typedarray | 1.0.0 | MIT License | Transitive | https://github.com/hughsk/is-typedarray |

| | | | | |
|-------------------------|-------|--------------------------------------|------------|---|
| is-unicode-supported | 0.1.0 | MIT License | Transitive | https://github.com/sindresorhus/is-unicode-supported |
| is-windows | 1.0.2 | MIT License | Transitive | https://github.com/jonschlinkert/is-windows |
| is-wsl | 1.1.0 | MIT License | Transitive | https://github.com/sindresorhus/is-wsl |
| is-wsl | 2.2.0 | MIT License | Transitive | https://github.com/sindresorhus/is-wsl |
| isarray | 0.0.1 | MIT License | Transitive | https://github.com/juliangruber/isarray |
| isarray | 1.0.0 | MIT License | Transitive | https://github.com/juliangruber/isarray |
| isbinaryfile | 4.0.8 | MIT License | Transitive | https://github.com/gjtorikian/isBinaryFile |
| isexe | 2.0.0 | ISC License | Transitive | https://github.com/isaacs/isexe |
| isobject | 2.1.0 | MIT License | Transitive | https://github.com/jonschlinkert/isobject |
| isobject | 3.0.1 | MIT License "New" or "Revised" | Transitive | https://github.com/jonschlinkert/isobject |
| istanbul-lib-coverage | 3.0.0 | License "New" or "Revised" | Transitive | https://github.com/istanbuljs/istanbul-lib-coverage |
| istanbul-lib-instrument | 4.0.3 | License "New" or "Revised" | Transitive | https://github.com/istanbuljs/istanbul-lib-instrument |
| istanbul-lib-report | 3.0.0 | License "New" or "Revised" | Transitive | https://github.com/istanbuljs/istanbul-lib-report |
| istanbul-reports | 3.0.2 | License | Transitive | https://github.com/istanbuljs/istanbul-reports |

| | | | | |
|------------------|-----------------------------|----------------------------------|------------|---|
| istextorbinary | 2.1.0 | MIT License | Transitive | https://github.com/bevry/istextorbinary |
| istextorbinary | v2.6.0 | MIT License | Transitive | https://github.com/bevry/istextorbinary |
| isurl | 1.0.0 | MIT License | Transitive | https://github.com/stevenvachon/isurl |
| itsdangerous | 0.24 | "New" or "Revised" License | Transitive | https://pypi.python.org/pypi/itsdangerous |
| jasmine | 2.3.4 | MIT License | Transitive | http://github.com/pivotal/jasmine |
| jemalloc | 5.1.0 | "New" or "Revised" License | Direct | http://canonware.com/jemalloc |
| jinja2 | 2.11.3 | "New" or "Revised" License | Direct | http://jinja.pocoo.org/docs/dev/ |
| jmespath | 0.10.0 | MIT License | Transitive | https://pypi.org/project/jmespath/ |
| jquery | 3.6.0 | MIT License | Transitive | http://jquery.com/ |
| jquery-deferred | 0.3.1 | MIT License | Transitive | https://github.com/zdhidden/node-jquery-deferred |
| jquery-dist | 3.4.1 | MIT License | Transitive | http://jquery.com/ |
| jqueryui | 6- snapshot- 44ecf379 | MIT License | Transitive | http://jqueryui.com/ |
| js-reporters | 1.2.1 | MIT License | Transitive | https://github.com/js-reporters/js-reporters |
| js-string-escape | 1.0.1 | MIT License | Transitive | https://github.com/joliss/js-string-escape |
| js-tokens | 3.0.2 | MIT License | Transitive | https://github.com/lydell/js-tokens |

| | | | | |
|---------------------------------------|--------|-------------|------------|---|
| js-tokens | 4.0.0 | MIT License | Transitive | https://github.com/lydell/js-tokens |
| js-yaml | 3.14.1 | MIT License | Transitive | http://nodeca.github.io/js-yaml/ |
| jsdom | 16.7.0 | MIT License | Transitive | https://github.com/jsdom/jsdom |
| jsesc | 0.3.0 | MIT License | Transitive | http://mths.be/jsesc |
| jsesc | 0.5.0 | MIT License | Transitive | http://mths.be/jsesc |
| jsesc | 1.3.0 | MIT License | Transitive | http://mths.be/jsesc |
| jsesc | v2.5.2 | MIT License | Transitive | http://mths.be/jsesc |
| jshttp/forwarded | 0.2.0 | MIT License | Transitive | https://github.com/jshttp/forwarded |
| json-buffer | 3.0.0 | MIT License | Transitive | https://github.com/dominictarr/json-buffer |
| json-parse-better-errors | 1.0.2 | MIT License | Transitive | https://github.com/zkat/json-parse-better-errors |
| json-schema-traverse | 0.4.1 | MIT License | Transitive | https://github.com/epoberezkin/json-schema-traverse |
| json-stable-stringify | 1.0.1 | MIT License | Transitive | https://github.com/substack/json-stable-stringify |
| json-stable-stringify-without-jsonify | 1.0.1 | MIT License | Transitive | https://github.com/samn/json-stable-stringify |
| json5 | 0.5.1 | MIT License | Transitive | http://json5.org/ |
| json5 | 1.0.1 | MIT License | Transitive | http://json5.org/ |
| json5 | v2.2.0 | MIT License | Transitive | http://json5.org/ |
| jsoncpp | 0.10.6 | MIT License | Direct | https://github.com/open-source-parsers/jsoncpp |
| jsoncpp | 1.8.4 | MIT License | Direct | https://github.com/open-source-parsers/jsoncpp |
| jsonfile | 2.4.0 | MIT License | Transitive | https://github.com/jprichardson/node-jsonfile |
| jsonfile | 4.0.0 | MIT License | Transitive | https://github.com/jprichardson/node-jsonfile |

| | | | | |
|---------------------|---------|--------------------|------------|---|
| jsonfile | 6.1.0 | MIT License | Transitive | https://github.com/jprichardson/node-jsonfile |
| jsonify | 0.0.0 | Public Domain | Transitive | https://github.com/substack/jsonify |
| jsonrpclib-pelix-rl | 0.4.2 | Apache License 2.0 | Transitive | https://pypi.org/project/jsonrpclib-pelix/ |
| jsonschema | 2.6.0 | MIT License | Transitive | https://pypi.python.org/pypi/jsonschema |
| keyv | 3.0.0 | MIT License | Transitive | https://github.com/lukechilds/keyv |
| kind-of | 3.2.2 | MIT License | Transitive | https://github.com/jonschlinkert/kind-of |
| kind-of | 4.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/kind-of |
| kind-of | 5.1.0 | MIT License | Transitive | https://github.com/jonschlinkert/kind-of |
| kind-of | 6.0.3 | MIT License | Transitive | https://github.com/jonschlinkert/kind-of |
| leek | 0.0.24 | MIT License | Transitive | https://github.com/twokul/leek |
| levn | 0.3.0 | MIT License | Transitive | https://github.com/gkz/levn |
| levn | 0.4.1 | MIT License | Transitive | https://github.com/gkz/levn |
| line-column | 1.0.2 | MIT License | Transitive | https://github.com/io-monad/line-column |
| linkify-it | 2.2.0 | MIT License | Transitive | https://github.com/markdown-it/linkify-it |
| linkify-it | 3.0.2 | MIT License | Transitive | https://github.com/markdown-it/linkify-it |
| liquid-fire | v0.31.0 | MIT License | Transitive | https://github.com/ef4/liquid-fire |
| livereload-js | 2.4.0 | MIT License | Transitive | https://github.com/livereload/livereload-js |

| | | | | |
|------------------------|---------|--------------------------------|------------|---|
| load-json-file | 4.0.0 | MIT License | Transitive | https://github.com/sindresorhus/load-json-file |
| loader-runner | 2.4.0 | MIT License | Transitive | https://github.com/webpack/loader-runner |
| loader-utils | 1.4.0 | MIT License | Transitive | https://github.com/webpack/loader-utils |
| loader.js | 4.7.0 | MIT License | Transitive | https://github.com/ember-cli/loader.js |
| locale-emoji | 0.3.0 | Commons Zero v1.0 Universal | Transitive | https://github.com/nealgranger/locale-emoji |
| locate-character | 2.0.5 | MIT License | Transitive | https://gitlab.com/Rich-Harris/locate-character |
| locate-path | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/locate-path |
| locate-path | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/locate-path |
| locate-path | v5.0.0 | MIT License | Transitive | https://github.com/sindresorhus/locate-path |
| locate-path | v6.0.0 | MIT License | Transitive | https://github.com/sindresorhus/locate-path |
| lodash | 4.17.21 | MIT License | Transitive | http://lodash.com/ |
| lodash._baseassign | 3.2.0 | MIT License | Transitive | https://lodash.com/ |
| lodash._basecopy | 3.0.1 | MIT License | Transitive | https://lodash.com/ |
| lodash._baseflatten | 3.1.4 | MIT License | Transitive | https://lodash.com/ |
| lodash._bindcallback | 3.0.1 | MIT License | Transitive | https://lodash.com/ |
| lodash._createassigner | 3.1.1 | MIT License | Transitive | https://lodash.com/ |
| lodash._getnative | 3.9.1 | MIT License | Transitive | https://lodash.com/ |
| lodash._isiterateecall | 3.0.9 | MIT License | Transitive | https://lodash.com/ |
| lodash._reinterpolate | 3.0.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.assign | 3.2.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.assign | 4.2.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.assignin | 4.2.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.camelcase | 4.3.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.castarray | 4.4.0 | MIT License | Transitive | https://lodash.com/ |

| | | | | |
|-------------------------|-------|-------------|------------|---|
| lodash.clonedeep | 4.5.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.compact | 3.0.1 | MIT License | Transitive | https://lodash.com/ |
| lodash.debounce | 3.1.1 | MIT License | Transitive | https://lodash.com/ |
| lodash.debounce | 4.0.8 | MIT License | Transitive | https://lodash.com/ |
| lodash.defaults | 4.2.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.defaultsdeep | 4.6.1 | MIT License | Transitive | https://lodash.com/ |
| lodash.find | 4.6.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.flatten | 3.0.2 | MIT License | Transitive | https://lodash.com/ |
| lodash.flatten | 4.4.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.foreach | 4.5.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.forin | 4.4.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.get | 4.4.2 | MIT License | Transitive | https://lodash.com/ |
| lodash.has | 4.5.2 | MIT License | Transitive | https://lodash.com/ |
| lodash.invoke | 4.6.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.isarguments | 3.1.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.isarray | 3.0.4 | MIT License | Transitive | https://lodash.com/ |
| lodash.isempty | 4.4.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.isequal | 4.5.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.isfunction | 3.0.9 | MIT License | Transitive | https://lodash.com/ |
| lodash.isinteger | 4.0.4 | MIT License | Transitive | https://lodash.com/ |
| lodash.isplainobject | 4.0.6 | MIT License | Transitive | https://lodash.com/ |
| lodash.kebabcase | 4.1.1 | MIT License | Transitive | https://lodash.com/ |
| lodash.keys | 3.1.2 | MIT License | Transitive | https://lodash.com/ |
| lodash.last | 3.0.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.map | 4.6.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.mapvalues | 4.6.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.memoize | 4.1.2 | MIT License | Transitive | https://lodash.com/ |
| lodash.merge | 4.6.2 | MIT License | Transitive | https://lodash.com/ |
| lodash.omit | 4.5.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.pick | 4.4.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.restparam | 3.6.1 | MIT License | Transitive | https://lodash.com/ |
| lodash.snakecase | 4.1.1 | MIT License | Transitive | https://lodash.com/ |
| lodash.template | 4.5.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.templatesettings | 4.2.0 | MIT License | Transitive | https://lodash.com/ |

| | | | | |
|-------------------|--------|----------------------------------|------------|---|
| lodash.uniq | 4.5.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.uniqby | 4.7.0 | MIT License | Transitive | https://lodash.com/ |
| lodash.upperfirst | 4.3.1 | MIT License | Transitive | https://lodash.com/ |
| lodash.values | 4.3.0 | MIT License | Transitive | https://lodash.com/ |
| log-symbols | 2.2.0 | MIT License | Transitive | https://github.com/sindresorhus/log-symbols |
| log-symbols | 4.1.0 | MIT License | Transitive | https://github.com/sindresorhus/log-symbols |
| loose-envify | 1.4.0 | MIT License | Transitive | https://github.com/zertosh/loose-envify |
| lower-case | 2.0.2 | MIT License | Transitive | https://github.com/blakeembrey/lower-case |
| lowercase-keys | 1.0.0 | MIT License | Transitive | https://github.com/sindresorhus/lowercase-keys |
| lowercase-keys | 1.0.1 | MIT License | Transitive | https://github.com/sindresorhus/lowercase-keys |
| lru-cache | 5.1.1 | ISC License | Transitive | http://github.com/isaacs/node-lru-cache |
| lru-cache | 6.0.0 | ISC License | Transitive | http://github.com/isaacs/node-lru-cache |
| m2crypto | 0.38.0 | MIT License | Transitive | https://github.com/M2Crypto/M2Crypto |
| magic-string | 0.24.1 | MIT License | Transitive | https://github.com/rich-harris/magic-string |
| magic-string | 0.25.7 | MIT License | Transitive | https://github.com/rich-harris/magic-string |
| make-dir | 2.1.0 | MIT License | Transitive | https://github.com/sindresorhus/make-dir |
| make-dir | 3.1.0 | MIT License | Transitive | https://github.com/sindresorhus/make-dir |
| makeerror | 1.0.11 | "New" or "Revised" License | Transitive | https://github.com/nshah/nodejs-makeerror |

| | | | | |
|----------------------|--------|----------------------------------|------------|---|
| map-cache | 0.2.2 | MIT License | Transitive | https://github.com/jonschlinkert/map-cache |
| map-visit | 1.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/map-visit |
| markdown-it | 11.0.1 | MIT License | Transitive | https://github.com/markdown-it/markdown-it |
| markdown-it | 8.4.2 | MIT License | Transitive | https://github.com/markdown-it/markdown-it |
| markdown-it-terminal | 0.2.1 | MIT License | Transitive | https://github.com/trabus/markdown-it-terminal |
| markupsafe | 0.23 | "New" or "Revised" License | Transitive | https://pypi.org/project/MarkupSafe/0.23/ |
| match-media | 0.2.0 | MIT License | Transitive | http://github.com/paulirish/matchMedia.js |
| matcher-collection | 1.1.2 | ISC License | Transitive | https://github.com/stefanpenner/matcher-collection |
| matcher-collection | 2.0.1 | ISC License | Transitive | https://github.com/stefanpenner/matcher-collection |
| mccabe | 0.6.1 | MIT License | Transitive | https://pypi.org/project/mccabe/ |
| md5-hex | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/md5-hex |
| md5-hex | v3.0.1 | MIT License | Transitive | https://github.com/sindresorhus/md5-hex |
| md5-o-matic | 0.1.1 | MIT License | Transitive | https://github.com/trentmillar/md5-o-matic |
| md5.js | 1.3.5 | MIT License | Transitive | https://github.com/crypto-browserify/md5.js |
| mdurl | 1.0.1 | MIT License | Transitive | https://github.com/markdown-it/mdurl |

| | | | | |
|-------------------|--------|--------------|------------|---|
| media-typer | 0.3.0 | MIT License | Transitive | https://github.com/expressjs/media-typer |
| meld3 | 1.0.2 | BSD 3-clause | Transitive | https://pypi.org/project/meld3/ |
| memory-fs | 0.4.1 | MIT License | Transitive | https://github.com/webpack/memory-fs |
| memory-fs | 0.5.0 | MIT License | Transitive | https://github.com/webpack/memory-fs |
| memory-streams | 0.1.3 | MIT License | Transitive | https://github.com/paulja/memory-streams-js |
| memorystream | 0.3.1 | MIT License | Transitive | https://github.com/JSBizon/node-memorystream |
| merge | 1.2.1 | MIT License | Transitive | http://www.yeikos.com |
| merge-descriptors | 1.0.1 | MIT License | Transitive | https://github.com/component/merge-descriptors |
| merge-stream | 2.0.0 | MIT License | Transitive | https://github.com/gmcdr/merge-stream |
| merge-trees | 1.0.1 | MIT License | Transitive | https://github.com/broccolijs/node-merge-trees |
| merge-trees | 2.0.0 | MIT License | Transitive | https://github.com/broccolijs/node-merge-trees |
| merge2 | 1.4.1 | MIT License | Transitive | https://github.com/teambition/merge2 |
| methods | 1.1.2 | MIT License | Transitive | https://github.com/visionmedia/node-methods |
| micromatch | 3.1.10 | MIT License | Transitive | https://github.com/jonschlinkert/micromatch |
| micromatch | 4.0.4 | MIT License | Transitive | https://github.com/jonschlinkert/micromatch |
| miller-rabin | 4.0.1 | MIT License | Transitive | https://github.com/indutny/miller-rabin |
| mime | 1.6.0 | MIT License | Transitive | https://github.com/broofa/node-mime |

| | | | | |
|---------------------------|--------|-------------------------|------------|---|
| mime-db | 1.49.0 | MIT License | Transitive | https://github.com/jshttp/mime-db |
| mime-types | 2.1.32 | MIT License | Transitive | https://github.com/jshttp/mime-types |
| mimic-fn | 1.2.0 | MIT License | Transitive | https://github.com/sindresorhus/mimic-fn |
| mimic-fn | 2.1.0 | MIT License | Transitive | https://github.com/sindresorhus/mimic-fn |
| mimic-response | 1.0.1 | MIT License | Transitive | https://github.com/sindresorhus/mimic-response |
| minimalistic-assert | 1.0.1 | ISC License | Transitive | https://github.com/calvinmetcalf/minimalistic-assert |
| minimalistic-crypto-utils | 1.0.1 | MIT License | Transitive | https://github.com/indutny/minimalistic-crypto-utils |
| minimatch | 3.0.4 | ISC License | Transitive | https://github.com/isaacs/minimatch |
| minimist | 0.2.1 | MIT License | Transitive | https://github.com/substack/minimist |
| minimist | 1.2.5 | MIT License | Transitive | https://github.com/substack/minimist |
| minipass | v2.9.0 | ISC License | Transitive | https://github.com/isaacs/minipass |
| miragejs | 0.1.41 | MIT License | Transitive | https://github.com/miragejs/miragejs |
| mississippi | 3.0.0 | "Simplified" License | Transitive | https://github.com/maxoqden/mississippi |
| mixin-deep | 1.3.2 | MIT License | Transitive | https://github.com/jonschlinkert/mixin-deep |
| mkdirp | 0.5.5 | MIT License | Transitive | https://github.com/substack/node-mkdirp |

| | | | | |
|----------------------|--------|--------------------|------------|---|
| mkdirp | 1.0.4 | MIT License | Transitive | https://github.com/substack/node-mkdirp |
| mktemp | 0.4.0 | MIT License | Transitive | https://github.com/sasaplus1/mktemp |
| moment | 2.27.0 | MIT License | Transitive | http://momentjs.com/ |
| moment | 2.29.1 | MIT License | Transitive | http://momentjs.com/ |
| moment-precise-range | 1.3.0 | MIT License | Transitive | https://github.com/codebox/moment-precise-range |
| moment-timezone | 0.5.31 | MIT License | Transitive | http://momentjs.com/timezone |
| morgan | 1.10.0 | MIT License | Transitive | https://github.com/rodnaph/morgan |
| mout | v1.2.2 | MIT License | Transitive | https://github.com/mout/mout |
| move-concurrently | 1.0.1 | ISC License | Transitive | https://www.npmjs.com/package/move-concurrently |
| ms | 2.0.0 | MIT License | Transitive | https://github.com/quille/ms.js |
| ms | 2.1.1 | MIT License | Transitive | https://github.com/quille/ms.js |
| ms | 2.1.2 | MIT License | Transitive | https://github.com/quille/ms.js |
| ms | 2.1.3 | MIT License | Transitive | https://github.com/quille/ms.js |
| msgpack-python | 0.4.2 | Apache License 2.0 | Transitive | https://pypi.python.org/pypi/msgpack-python/ |
| mustache | 3.2.1 | MIT License | Transitive | http://mustache.github.com/ |
| mute-stream | 0.0.7 | ISC License | Transitive | https://github.com/isaacs/mute-stream |
| mute-stream | 0.0.8 | ISC License | Transitive | https://github.com/isaacs/mute-stream |

| | | | | |
|-------------------------|----------------------|---------------|------------|---|
| mypy-extensions | 0.4.2 | MIT License | Transitive | https://pypi.org/project/mypy-extensions/ |
| najax | 1.0.7 | MIT License | Transitive | https://github.com/alanclarke/najax |
| nan | 2.15.0 | MIT License | Transitive | https://github.com/rvagg/nan |
| nanomatch | 1.2.13 | MIT License | Transitive | https://github.com/jonschlinkert/nanomatch |
| natural-compare | 1.4.0 | MIT License | Transitive | https://github.com/litejs/natural-compare |
| negotiator | 0.6.2 | MIT License | Transitive | https://negotiator.readthedocs.org/ |
| neo-async | 2.6.2 | MIT License | Transitive | https://github.com/suguru03/Neo-Async |
| nice-try | 1.0.5 | MIT License | Transitive | http://github.com/electerious/nice-try |
| no-case | 3.0.4 | MIT License | Transitive | https://github.com/blakeembrey/no-case |
| node-assert | 1.5.0 | MIT License | Transitive | https://github.com/redding/assert |
| node-babel7 | ~cs150.1 41.84 | Expat License | Transitive | https://babeljs.io/ |
| node-browserslist | 4.17.0+~ cs5.6.76 | Expat License | Transitive | https://github.com/ai/browserslist |
| node-define-property | 2.0.2+~c s3.0.2 | Expat License | Transitive | https://github.com/jonschlinkert/define-property |
| node-dir | 0.1.17 | MIT License | Transitive | https://github.com/fshost |
| node-eslint-plugin-node | 11.1.0~d s | Expat License | Transitive | https://github.com/mysticatea/node-eslint-plugin-node |
| node-execa | 4.1.0 | Expat License | Transitive | https://github.com/sindresorhus/execa |

| | | | | |
|----------------------|-----------------------------|----------------------------------|------------|---|
| node-fetch | v2.6.1 | MIT License | Transitive | https://github.com/bitinn/node-fetch |
| node-int64 | 0.4.0 | MIT License | Transitive | https://github.com/broofa/node-int64 |
| node-istanbul | 0.4.5+ds +~cs48.7 .40 | "New" or "Revised" License | Transitive | https://github.com/gotwarlost/istanbul |
| node-isurl | 1.0.0 | Expat License | Transitive | https://github.com/stevenvachon/isurl |
| node-libs-browser | v2.2.1 | MIT License | Transitive | https://github.com/webpack/node-libs-browser |
| node-miragejs | 0.1.41+~ cs5.6.6 | Expat License | Transitive | https://github.com/miragejs/miragejs |
| node-modules-path | 1.0.2 | ISC License | Transitive | https://github.com/ember-cli/node-modules-path |
| node-node-dir | 0.1.17 | MIT License | Transitive | https://github.com/fshost |
| node-notifier | v9.0.1 | MIT License | Transitive | https://github.com/mikaelbr/node-notifier |
| node-progress | 2.0.3 | MIT License | Transitive | https://github.com/visionmedia/node-progress |
| node-releases | 1.1.75 | MIT License | Transitive | https://github.com/chicoxyzzy/node-releases |
| node-stream-each | 1.2.3 | MIT License | Transitive | https://github.com/mafintosh/stream-each |
| node-watch | 0.7.1 | MIT License | Transitive | http://npmjs.org/package/node-watch |
| node-webpack-sources | 1.4.3 | Expat License "Simplified" | Transitive | https://github.com/webpack/webpack-sources |
| node-yampkg | v1.19.1 | License | Transitive | https://yampkg.com |
| nodejs-svg | 2.5.0 | MIT License | Transitive | https://github.com/svg/svg |

| | | | | |
|------------------------|--------|---|------------|---|
| nopt | 3.0.6 | ISC License BSD 2-clause "Simplified" | Transitive | https://github.com/npm/nopt |
| normalize-package-data | 2.5.0 | License | Transitive | https://github.com/npm/normalize-package-data |
| normalize-path | 2.1.1 | MIT License | Transitive | https://github.com/jonschlinkert/normalize-path |
| normalize-path | 3.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/normalize-path |
| normalize-url | 2.0.1 | MIT License | Transitive | https://github.com/sindresorhus/normalize-url |
| npm-git-info | 1.0.3 | MIT License | Transitive | https://github.com/tricknotes/npm-git-info |
| npm-package-arg | v8.1.5 | ISC License | Transitive | https://github.com/npm/npm-package-arg |
| npm-run-all | 4.1.5 | MIT License | Transitive | https://github.com/mysticatea/npm-run-all |
| npm-run-path | 2.0.2 | MIT License | Transitive | https://github.com/sindresorhus/npm-run-path |
| npm-run-path | 3.1.0 | MIT License | Transitive | https://github.com/sindresorhus/npm-run-path |
| npm-run-path | 4.0.1 | MIT License | Transitive | https://github.com/sindresorhus/npm-run-path |
| npmlog | 4.1.2 | ISC License | Transitive | https://github.com/isaacs/npmlog |
| number-is-nan | 1.0.1 | MIT License | Transitive | https://github.com/sindresorhus/number-is-nan |
| nwsapi | 2.2.0 | MIT License | Transitive | http://javascript.nwbox.com/nwsapi/ |
| object-assign | 4.1.1 | MIT License | Transitive | https://github.com/sindresorhus/object-assign |
| object-copy | 0.1.0 | MIT License | Transitive | https://github.com/jonschlinkert/object-copy |

| | | | | |
|--------------------------|--------|--------------------|------------|---|
| object-hash | v1.3.1 | MIT License | Transitive | https://github.com/puleos/object-hash |
| object-inspect | 1.11.0 | MIT License | Transitive | https://github.com/substack/object-inspect |
| object-keys | 1.1.1 | MIT License | Transitive | https://github.com/ljharb/object-keys |
| object-visit | 1.0.1 | MIT License | Transitive | https://github.com/jonschlinkert/object-visit |
| object.assign | 4.1.2 | MIT License | Transitive | https://github.com/ljharb/object.assign |
| object.pick | 1.3.0 | MIT License | Transitive | https://github.com/jonschlinkert/object.pick |
| on-finished | 2.3.0 | MIT License | Transitive | https://github.com/jshttp/on-finished |
| on-headers | 1.0.2 | MIT License | Transitive | https://github.com/jshttp/on-headers |
| once | 1.4.0 | ISC License | Transitive | https://github.com/isaacs/once |
| onetime | 2.0.1 | MIT License | Transitive | https://github.com/sindresorhus/onetime |
| onetime | v5.1.2 | MIT License | Transitive | https://github.com/sindresorhus/onetime |
| openapi-spec-validator | 0.2.8 | Apache License 2.0 | Transitive | https://pypi.org/project/openapi-spec-validator/ |
| optionator | 0.8.3 | MIT License | Transitive | https://github.com/gkz/optionator |
| optionator | 0.9.1 | MIT License | Transitive | https://github.com/gkz/optionator |
| ora | 3.4.0 | MIT License | Transitive | https://github.com/sindresorhus/ora |
| ora | 5.4.1 | MIT License | Transitive | https://github.com/sindresorhus/ora |
| org.webjars.npm:defaults | 1.0.2 | MIT License | Transitive | https://github.com/glimmerjs/glimmer-env |

| | | | | |
|------------------------|-------|-------------|------------|---|
| org.webjars.npm:des.js | 1.0.1 | MIT License | Transitive | https://github.com/ember-intl/intl-messageformat-parser |
| os-browserify | 0.3.0 | MIT License | Transitive | https://github.com/drewyoung1/os-browserify |
| os-homedir | 1.0.2 | MIT License | Transitive | https://github.com/sindresorhus/os-homedir |
| os-tmpdir | 1.0.2 | MIT License | Transitive | https://github.com/sindresorhus/os-tmpdir |
| osenv | 0.1.5 | ISC License | Transitive | https://github.com/isaacs/osenv |
| p-cancelable | 0.4.1 | MIT License | Transitive | https://github.com/sindresorhus/p-cancelable |
| p-defer | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/p-defer |
| p-event | 2.3.1 | MIT License | Transitive | https://github.com/sindresorhus/p-event |
| p-finally | 1.0.0 | MIT License | Transitive | https://github.com/sindresorhus/p-finally |
| p-finally | 2.0.1 | MIT License | Transitive | https://github.com/sindresorhus/p-finally |
| p-is-promise | 1.1.0 | MIT License | Transitive | https://github.com/sindresorhus/p-is-promise |
| p-limit | 1.3.0 | MIT License | Transitive | https://github.com/sindresorhus/p-limit |
| p-limit | 2.3.0 | MIT License | Transitive | https://github.com/sindresorhus/p-limit |
| p-limit | 3.1.0 | MIT License | Transitive | https://github.com/sindresorhus/p-limit |
| p-locate | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/p-locate |
| p-locate | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/p-locate |

| | | | | |
|----------------------|--------|-------------|------------|---|
| p-locate | 4.1.0 | MIT License | Transitive | https://github.com/sindresorhus/p-locate |
| p-locate | v5.0.0 | MIT License | Transitive | https://github.com/sindresorhus/p-locate |
| p-timeout | 2.0.1 | MIT License | Transitive | https://github.com/sindresorhus/p-timeout |
| p-try | 1.0.0 | MIT License | Transitive | https://github.com/sindresorhus/p-try |
| p-try | 2.2.0 | MIT License | Transitive | https://github.com/sindresorhus/p-try |
| pako | 1.0.11 | MIT License | Transitive | https://github.com/nodeca/pako |
| parallel-transform | v1.2.0 | MIT License | Transitive | https://github.com/mafintosh/parallel-transform |
| paramiko | 2.7.1 | LGPL-2.1 | Transitive | https://pypi.org/project/paramiko/ |
| parent-module | 1.0.1 | MIT License | Transitive | https://github.com/sindresorhus/parent-module |
| parse-asn1 | 5.1.6 | ISC License | Transitive | https://github.com/calvinmetcalf/parse-asn1 |
| parse-json | 4.0.0 | MIT License | Transitive | https://github.com/sindresorhus/parse-json |
| parse-ms | 1.0.1 | MIT License | Transitive | https://github.com/sindresorhus/parse-ms |
| parse-passwd | 1.0.0 | MIT License | Transitive | https://github.com/doowb/parse-passwd |
| parse-static-imports | 1.1.0 | MIT License | Transitive | https://www.npmjs.org/package/parse-static-imports |
| parse5 | 6.0.1 | MIT License | Transitive | https://github.com/inikulin/parse5 |
| parseurl | 1.3.3 | MIT License | Transitive | https://github.com/expressjs/parseurl |

| | | | | |
|------------------|-------|-------------|------------|---|
| pascalcase | 0.1.1 | MIT License | Transitive | https://github.com/jonschlinkert/pascalcase |
| path-browserify | 0.0.1 | MIT License | Transitive | https://github.com/browserify/path-browserify |
| path-dirname | 1.0.2 | MIT License | Transitive | https://github.com/es128/path-dirname |
| path-exists | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/path-exists |
| path-exists | 4.0.0 | MIT License | Transitive | https://github.com/sindresorhus/path-exists |
| path-is-absolute | 1.0.1 | MIT License | Transitive | https://github.com/sindresorhus/path-is-absolute |
| path-is-inside | 1.0.2 | MIT License | Transitive | https://github.com/domenic/path-is-inside |
| path-key | 2.0.1 | MIT License | Transitive | https://github.com/sindresorhus/path-key |
| path-key | 3.1.1 | MIT License | Transitive | https://github.com/sindresorhus/path-key |
| path-parse | 1.0.7 | MIT License | Transitive | https://github.com/jbgutierrez/path-parse |
| path-posix | 1.0.0 | ISC License | Transitive | https://github.com/jden/node-path-posix |
| path-root | 0.1.1 | MIT License | Transitive | https://github.com/jonschlinkert/path-root |
| path-root-regex | 0.1.2 | MIT License | Transitive | https://github.com/regexhq/path-root-regex |
| path-to-regexp | 0.1.7 | MIT License | Transitive | https://github.com/pillarjs/path-to-regexp |
| path-type | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/path-type |
| path-type | 4.0.0 | MIT License | Transitive | https://github.com/sindresorhus/path-type |

| | | | | |
|-------------------------|--------|-------------|------------|---|
| pathlib | 1.0.1 | MIT License | Transitive | https://pypi.org/project/pathlib/ |
| pbkdf2 | v3.1.2 | MIT License | Transitive | https://github.com/crypto-browserify/pbkdf2 |
| pdns | 4.1.5 | GPL-2.0 | Direct | http://www.powerdns.com |
| pem | 20.1.0 | MIT License | Transitive | https://pypi.org/project/pem/ |
| picomatch | 2.3.0 | MIT License | Transitive | https://github.com/folder/picomatch |
| pidtree | 0.3.1 | MIT License | Transitive | http://github.com/simonpri/pidtree |
| pify | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/pify |
| pify | 4.0.1 | MIT License | Transitive | https://github.com/sindresorhus/pify |
| pinkie | 2.0.4 | MIT License | Transitive | https://github.com/floatdrop/pinkie |
| pinkie-promise | 2.0.1 | MIT License | Transitive | https://github.com/floatdrop/pinkie-promise |
| pkg-dir | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/pkg-dir |
| pkg-dir | 4.2.0 | MIT License | Transitive | https://github.com/sindresorhus/pkg-dir |
| pkg-up | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/pkg-up |
| pkg-up | 3.1.0 | MIT License | Transitive | https://github.com/sindresorhus/pkg-up |
| portfinder | 1.0.28 | MIT License | Transitive | https://github.com/indexzero/node-portfinder |
| posix-character-classes | 0.1.1 | MIT License | Transitive | https://github.com/jonschlinkert/posix-character-classes |

| | | | | |
|----------------------|---------|--------------------------------------|------------|---|
| prelude-ls | 1.1.2 | MIT License | Transitive | http://gkz.github.com/prelude-ls/ |
| prelude-ls | 1.2.1 | MIT License | Transitive | http://gkz.github.com/prelude-ls/ |
| prepend-http | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/prepend-http |
| pretender | 3.4.7 | MIT License | Transitive | https://github.com/trek/pretender |
| pretty-ms | 3.2.0 | MIT License | Transitive | https://github.com/sindresorhus/pretty-ms |
| printf | 0.6.1 | MIT License | Transitive | http://www.adaltas.com/projects/node-printf |
| private | 0.1.8 | MIT License | Transitive | http://github.com/benjamn/private |
| process | 0.11.10 | MIT License | Transitive | https://github.com/defunctzombie/node-process |
| process-nextick-args | v2.0.1 | MIT License "New" or "Revised" | Transitive | https://github.com/calvinmetcalf/process-nextick-args |
| progressbar2 | 2.7.3 | License | Transitive | https://pypi.python.org/pypi/progressbar2 |
| prometheus-client | 0.0.21 | Apache License 2.0 | Transitive | https://pypi.org/project/prometheus-client/0.0.21/ |
| promise-inflight | 1.0.1 | ISC License | Transitive | https://github.com/iarna/promise-inflight |
| promise-map-series | 0.2.3 | MIT License | Transitive | https://github.com/joliss/promise-map-series |
| promise-map-series | v0.3.0 | MIT License | Transitive | https://github.com/joliss/promise-map-series |

| | | | | |
|---------------------|--------|---|------------|---|
| promise.hash.helper | 1.0.8 | MIT License "New" or "Revised" License | Transitive | https://github.com/stefanpenner/promise.hash.helper |
| protobuf | 3.11.2 | MIT License | Transitive | https://www.nuget.org/packages/Google.Protobuf/3.11.2 |
| proxy-addr | 2.0.7 | MIT License | Transitive | https://github.com/jshttp/proxy-addr |
| prr | 1.0.1 | MIT License | Transitive | https://github.com/rvagg/prr |
| psl | 1.8.0 | MIT License "New" or "Revised" License | Transitive | https://github.com/wrangr/psl |
| psutil | 5.7.0 | MIT License | Transitive | https://pypi.python.org/pypi/psutil |
| public-encrypt | v4.0.3 | MIT License | Transitive | https://github.com/calvinmetcalf/publicEncrypt |
| pump | 2.0.1 | MIT License | Transitive | https://github.com/mafintosh/pump |
| pump | 3.0.0 | MIT License | Transitive | https://github.com/mafintosh/pump |
| pumpify | 1.5.1 | MIT License | Transitive | https://github.com/mafintosh/pumpify |
| punycode | 1.3.2 | MIT License | Transitive | http://mths.be/punycode |
| punycode | 1.4.1 | MIT License | Transitive | http://mths.be/punycode |
| punycode | 2.1.1 | MIT License | Transitive | https://github.com/d10/regjsen |
| punycode | v2.1.1 | MIT License "New" or "Revised" License | Transitive | http://mths.be/punycode |
| pyasn1 | 0.4.2 | MIT License | Transitive | https://pypi.python.org/pypi/pyasn1 |

| | | | | |
|-------------------------|----------|--------------------------------------|------------|---|
| pyasn1-modules | 0.2.1 | "Simplified" License | Transitive | https://pypi.python.org/pypi/pyasn1-modules |
| pycodestyle | 2.3.1 | MIT License | Transitive | https://pypi.org/project/pycodestyle/ |
| pycparser | 2.1 | "New" or "Revised" License | Transitive | https://github.com/eliben/pycparser |
| pycurl | 7.43.0.3 | LGPL or MIT License | Direct | http://pycurl.sourceforge.net/ |
| pyflakes | 1.5.0 | MIT License | Transitive | https://pypi.org/project/pyflakes/ |
| pyjwt | 1.4.0 | MIT License | Transitive | https://pypi.org/project/PyJWT/1.4.0/ |
| pynacl | 1.2.1 | Apache License 2.0 | Transitive | https://pypi.org/project/PyNaCl/ |
| pyopenssl | 19.1.0 | Apache License 2.0 | Transitive | https://pypi.python.org/pypi/pyOpenSSL |
| pytest-runner | 4.1 | MIT License | Transitive | https://pypi.org/project/pytest-runner/ |
| python | 3.9.6 | 2.0 | Direct | https://python.org/ |
| python-binary-memcached | 0.24.6 | MIT License | Transitive | |
| python-daemon | 2.2.4 | Apache License 2.0 | Direct | https://pypi.python.org/pypi/python-daemon/ |
| python-dateutil | 2.4.2 | License 2.0 and BSD-3-Clause License | Direct | https://pypi.python.org/pypi/python-dateutil |
| python-gflags | 2 | "New" or "Revised" License | Transitive | https://code.google.com/p/python-gflags/ |
| python-lzf | 0.2.4 | "New" or "Revised" License | Transitive | https://github.com/teepark/python-lzf |
| python-swiftclient | 3.6.0 | Apache License 2.0 | Direct | https://github.com/openstack/python-swiftclient |

| | | | | |
|-----------------|--------|----------------------------------|------------|---|
| pytz | 2016.1 | MIT License | Transitive | https://pypi.org/project/pytz/ |
| pyyaml | 5.4.1 | MIT License | Transitive | https://pypi.org/project/PyYAML/ |
| qs | 6.10.1 | "New" or "Revised" License | Transitive | https://github.com/ljharb/qs |
| qs | v6.7.0 | License | Transitive | https://github.com/ljharb/qs |
| qtip2 | 3.0.3 | MIT License | Transitive | https://babeljs.io/ |
| query-string | 5.1.1 | MIT License | Transitive | https://github.com/component/querystring |
| querysting | 0.2.0 | MIT License | Transitive | https://github.com/Gozala/querysting |
| querysting-es3 | 0.2.1 | MIT License | Transitive | https://github.com/mike-spainhower/querysting |
| queue-microtask | 1.2.3 | MIT License | Transitive | https://github.com/feross/queue-microtask |
| quick-temp | 0.1.8 | MIT License | Transitive | https://github.com/joliss/node-quick-temp |
| qunit | 2.16.0 | MIT License | Transitive | http://github.com/kof/node-qunit |
| qunit | 2.6.2 | MIT License | Transitive | http://github.com/kof/node-qunit |
| qunit-dom | 1.4.0 | MIT License | Transitive | https://github.com/simplabs/qunit-dom |
| ramp-packer | 2.0.3 | "Simplified" License | Transitive | https://pypi.org/project/ramp-packer/ |
| randombytes | 2.1.0 | MIT License | Transitive | https://github.com/crypto-browserify/randombytes |

| | | | | |
|---------------------|---------|--------------------------------|------------|---|
| randomfill | 1.0.4 | MIT License | Transitive | https://github.com/crypto-browserify/randombytes |
| range-parser | v1.2.1 | MIT License | Transitive | https://github.com/jshttp/range-parser |
| raw-body | 1.1.7 | MIT License | Transitive | https://github.com/stream-utils/raw-body |
| raw-body | 2.4.0 | MIT License | Transitive | https://github.com/stream-utils/raw-body |
| rdbtools | 0.1.15 | MIT License | Direct | https://github.com/sripathikrishnan/redis-rdb-tools |
| read-pkg | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/read-pkg |
| readable-stream | 1.0.34 | MIT License | Transitive | https://github.com/isaacs/readable-stream |
| readable-stream | 3.6.0 | MIT License | Transitive | https://github.com/isaacs/readable-stream |
| readable-stream | v2.3.7 | MIT License | Transitive | https://github.com/isaacs/readable-stream |
| readdirp | 2.2.1 | MIT License | Transitive | https://github.com/thlorenz/readdirp |
| readdirp | 3.6.0 | MIT License | Transitive | https://github.com/thlorenz/readdirp |
| recast | 0.18.10 | MIT License | Transitive | https://github.com/benjamn/recast |
| redeyed | 1.0.1 | MIT License | Transitive | https://github.com/thlorenz/redeyed |
| redis | 5.0.0 | 3-clause BSD Public License | Direct | http://redis.io |
| redis-info-provider | 0.9.9 | v3.0 | Direct | |
| redis-py | 2.10.5 | MIT License | Direct | https://github.com/andymccurdy/redis-py |

| | | | | |
|-------------------------------|------------|--------------------|------------|---|
| redisca | 1.3 | MIT License | Direct | https://github.com/khamin/redisca |
| regenerate | 1.4.2 | MIT License | Transitive | https://github.com/mathiasbynens/regenerate |
| regenerate-unicode-properties | 8.2.0 | MIT License | Transitive | https://github.com/mathiasbynens/regenerate-unicode-properties |
| regenerator-runtime | 0.10.5 | MIT License | Transitive | https://github.com/hackwaly/regenerator-runtime |
| regenerator-runtime | 0.11.1 | MIT License | Transitive | https://github.com/hackwaly/regenerator-runtime |
| regenerator-runtime | 0.13.9 | MIT License | Transitive | https://github.com/hackwaly/regenerator-runtime |
| regenerator-runtime | 0.9.6 | MIT License | Transitive | https://github.com/hackwaly/regenerator-runtime |
| regenerator-transform | 0.10.1 | MIT License | Transitive | https://github.com/flcdrg/ember-cli-typescript |
| regenerator-transform | 0.14.5 | MIT License | Transitive | https://github.com/flcdrg/ember-cli-typescript |
| regex | 2014.08.15 | Apache License 2.0 | Direct | https://pypi.python.org/pypi/regex |
| regex-not | 1.0.2 | MIT License | Transitive | https://github.com/jonschlinkert/regex-not |
| regexp.prototype.flags | 1.3.1 | MIT License | Transitive | https://github.com/es-shims/RegExp.prototype.flags |
| regexpp | 2.0.1 | MIT License | Transitive | https://github.com/mysticatea/regexpp |
| regexpp | 3.2.0 | MIT License | Transitive | https://github.com/mysticatea/regexpp |

| | | | | |
|---------------------------|--------|-------------------------|------------|---|
| regexpu-core | 2.0.0 | MIT License | Transitive | https://mths.be/regexpu |
| regexpu-core | 4.7.1 | MIT License | Transitive | https://mths.be/regexpu |
| regjsngen | 0.2.0 | MIT License | Transitive | https://github.com/d10/regjsngen |
| regjsngen | 0.5.2 | MIT License | Transitive | https://github.com/d10/regjsngen |
| regjsparser | 0.1.5 | "Simplified" License | Transitive | https://github.com/jviereck/regjsparser |
| regjsparser | 0.6.9 | "Simplified" License | Transitive | https://github.com/jviereck/regjsparser |
| remove-trailing-separator | 1.1.0 | ISC License | Transitive | https://github.com/darsain/remove-trailing-separator |
| repeat-element | 1.1.4 | MIT License | Transitive | https://github.com/jonschlinkert/repeat-element |
| repeat-string | 1.6.1 | MIT License | Transitive | https://github.com/jonschlinkert/repeat-string |
| repeating | 2.0.1 | MIT License | Transitive | https://github.com/sindresorhus/repeating |
| requests | 2.22.0 | Apache License 2.0 | Transitive | https://github.com/kennethreitz/requests |
| requests-futures | 0.9.9 | Apache License 2.0 | Transitive | https://pypi.org/project/requests-futures/ |
| requests-mock | 1.7.0 | Apache License 2.0 | Transitive | https://pypi.org/project/requests-mock/ |
| require-directory | 2.1.1 | MIT License | Transitive | https://github.com/troygoode/node-require-directory/ |
| require-relative | 0.8.7 | MIT License | Transitive | https://github.com/yahoo/ember-intl |
| requires-port | 1.0.0 | MIT License | Transitive | https://github.com/unshiftio/requries-port |
| reselect | 3.0.1 | MIT License | Transitive | https://github.com/faassen/reselect |

| | | | | |
|----------------------|---------|--------------------|------------|---|
| reselect | 4.0.0 | MIT License | Transitive | https://github.com/faassen/reselect |
| resolve | 1.5.0 | MIT License | Transitive | https://github.com/substack/node-resolve |
| resolve | v1.20.0 | MIT License | Transitive | https://github.com/substack/node-resolve |
| resolve-dir | 1.0.1 | MIT License | Transitive | https://github.com/jonschlinkert/resolve-dir |
| resolve-from | 4.0.0 | MIT License | Transitive | https://github.com/sindresorhus/resolve-from |
| resolve-from | 5.0.0 | MIT License | Transitive | https://github.com/sindresorhus/resolve-from |
| resolve-package-path | 1.2.7 | MIT License | Transitive | http://werkzeug.pocoo.org/ |
| resolve-package-path | 2.0.0 | MIT License | Transitive | http://werkzeug.pocoo.org/ |
| resolve-package-path | 3.1.0 | MIT License | Transitive | http://werkzeug.pocoo.org/ |
| resolve-path | 1.4.0 | MIT License | Transitive | https://github.com/pillarjs/resolve-path |
| resolve-url | 0.2.1 | MIT License | Transitive | https://github.com/lydell/resolve-url |
| responselike | 1.0.2 | MIT License | Transitive | https://github.com/lukechilds/responselike |
| restore-cursor | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/restore-cursor |
| restore-cursor | v3.1.0 | MIT License | Transitive | https://github.com/sindresorhus/restore-cursor |
| ret | 0.1.15 | MIT License | Transitive | https://github.com/fent/ret.js |
| retry-decorator | 1.0.0 | MIT License | Direct | https://pypi.python.org/pypi/retry_decorator |
| retrying | 1.3.3 | Apache License 2.0 | Transitive | https://pypi.org/project/retrying/ |

| | | | | |
|--------------------|--------|---|------------|---|
| reusify | 1.0.4 | MIT License | Transitive | https://github.com/mcollina/reusify |
| rimraf | 2.6.3 | ISC License | Transitive | https://github.com/isaacs/rimraf |
| rimraf | 2.7.1 | ISC License | Transitive | https://github.com/isaacs/rimraf |
| rimraf | 3.0.2 | ISC License | Transitive | https://github.com/isaacs/rimraf |
| ripemd160 | 2.0.2 | MIT License | Transitive | https://github.com/coinbase/ripemd160 |
| rocksdb | 5.0.2 | "New" or "Revised" License | Direct | https://github.com/RedisLabs/rocksdb/ |
| rollup | 0.57.1 | MIT License | Transitive | https://github.com/rollup/rollup |
| rollup | 1.32.1 | MIT License | Transitive | https://github.com/rollup/rollup |
| rollup-pluginutils | 2.8.2 | MIT License | Transitive | https://github.com/rollup/rollup-pluginutils |
| route-recognizer | v0.3.4 | MIT License "New" or "Revised" License | Transitive | https://github.com/tildeio/route-recognizer |
| rq | 1.3.0 | MIT License | Transitive | https://pypi.org/project/rq/ |
| rq-scheduler | 0.10.0 | MIT License | Transitive | https://pypi.org/project/rq-scheduler/ |
| rsa | 4 | Apache License 2.0 | Direct | https://pypi.python.org/pypi/rsa |
| rsvp | 3.2.1 | MIT License | Transitive | https://github.com/tildeio/rsvp.js |
| rsvp | 3.6.2 | MIT License | Transitive | https://github.com/tildeio/rsvp.js |
| rsvp | v4.8.5 | MIT License | Transitive | https://github.com/tildeio/rsvp.js |

| | | | | |
|-----------------|--------|--------------------|------------|---|
| run-async | 2.4.1 | MIT License | Transitive | https://github.com/SBoudrias/run-async |
| run-parallel | v1.2.0 | MIT License | Transitive | https://github.com/feross/run-parallel |
| run-queue | 1.0.3 | ISC License | Transitive | https://npmjs.com/package/run-queue |
| rxjs | 6.6.7 | Apache License 2.0 | Transitive | https://github.com/Reactive-Extensions/RxJS |
| s3transfer | 0.3.3 | Apache License 2.0 | Transitive | https://pypi.org/project/s3transfer/ |
| safe-buffer | 5.1.2 | MIT License | Transitive | https://github.com/feross/safe-buffer |
| safe-buffer | v5.2.1 | MIT License | Transitive | https://github.com/feross/safe-buffer |
| safe-json-parse | 1.0.1 | MIT License | Transitive | https://github.com/Raynos/safe-json-parse |
| safe-regex | 1.1.0 | MIT License | Transitive | https://github.com/substack/safe-regex |
| safer-buffer | 2.1.2 | MIT License | Transitive | https://github.com/ChALkeR/safer-buffer |
| sane | 2.5.2 | MIT License | Transitive | https://github.com/amasad/sane |
| sane | 4.1.0 | MIT License | Transitive | https://github.com/amasad/sane |
| saxes | 5.0.1 | ISC License | Transitive | https://github.com/lddubeau/saxes |
| schema-utils | 1.0.0 | MIT License | Transitive | https://github.com/webpack-contrib/schema-utils |
| schema-utils | v2.7.1 | MIT License | Transitive | https://github.com/webpack-contrib/schema-utils |

| | | | | |
|----------------------|---------|---|------------|---|
| select | 1.1.2 | MIT License "New" or "Revised" License | Transitive | http://formly-js.github.io/angular-formly-templates-ionic/#/ |
| semantic-version | 2.8.5 | MIT License "New" or "Revised" License | Transitive | https://pypi.org/project/semantic-version/ |
| semver | 5.7.1 | ISC License | Transitive | https://github.com/npm/node-semver |
| semver | 6.3.0 | ISC License | Transitive | https://github.com/npm/node-semver |
| semver | 7.0.0 | ISC License | Transitive | https://github.com/npm/node-semver |
| semver | 7.3.5 | ISC License | Transitive | https://github.com/npm/node-semver |
| send | 0.17.1 | MIT License "New" or "Revised" License | Transitive | https://github.com/visionmedia/send |
| serialize-javascript | 4.0.0 | MIT License "New" or "Revised" License | Transitive | https://github.com/yahoo/serialize-javascript |
| serve-static | v1.14.1 | MIT License | Transitive | https://github.com/expressjs/serve-static |
| set-blocking | 2.0.0 | ISC License | Transitive | https://github.com/yargs/set-blocking |
| set-value | 2.0.1 | MIT License | Transitive | https://github.com/jonschlinkert/set-value |
| setimmediate | 1.0.5 | MIT License "New" or "Revised" License | Transitive | https://github.com/YuzuJS/setImmediate |
| setproctitle | 1.1.8 | ISC License | Direct | https://pypi.python.org/pypi/setproctitle/ |
| setprototypeof | 1.1.0 | ISC License | Transitive | https://github.com/wesleytodd/setprototypeof |

| | | | | |
|-----------------------|---------|---|------------|---|
| setprototypeof | 1.1.1 | ISC License | Transitive | https://github.com/wesleytodd/setprototypeof |
| setuptools | 41.6.0 | MIT License | Transitive | https://pythonhosted.org/setuptools/ |
| setuptools-scm | 3.1.0 | MIT License AND BSD 3- clause "New" or "Revised" License) | Transitive | https://pypi.org/project/setuptools-scm/ |
| sha.js | 2.4.11 | MIT License | Transitive | https://github.com/dominictarr/sha.js |
| shebang-command | 1.2.0 | MIT License | Transitive | https://github.com/kevva/shebang-command |
| shebang-command | 2.0.0 | MIT License | Transitive | https://github.com/kevva/shebang-command |
| shebang-regex | 1.0.0 | MIT License | Transitive | https://github.com/sindresorhus/shebang-regex |
| shebang-regex | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/shebang-regex |
| shell-quote | 1.7.2 | MIT License | Transitive | https://github.com/substack/node-shell-quote |
| shellwords | 0.1.1 | MIT License | Transitive | https://github.com/jimmycuadra/shellwords |
| side-channel | 1.0.4 | MIT License | Transitive | https://github.com/ljharb/side-channel |
| signal-exit | v3.0.3 | ISC License | Transitive | https://github.com/bcoe/signal-exit |
| silent-error | 1.1.1 | ISC License | Transitive | https://github.com/stefanpenner/silent-error |
| simple-html-tokenizer | v0.5.11 | MIT License | Transitive | https://github.com/tildeio/simple-html-tokenizer |
| simplejson | 3.10.0 | MIT License or AFL | Transitive | https://github.com/simplejson/simplejson |
| six | 1.15.0 | MIT License | Transitive | https://pypi.python.org/pypi/six |

| | | | | |
|--|--------|----------------------------------|------------|---|
| slash | 1.0.0 | MIT License | Transitive | https://github.com/sindresorhus/slash |
| slash | v3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/slash |
| slice-ansi | 2.1.0 | MIT License | Transitive | https://github.com/chalk/slice-ansi |
| snake-case | 3.0.4 | MIT License | Transitive | https://github.com/blakeembrey/snake-case |
| snapdragon | 0.8.2 | MIT License | Transitive | https://github.com/jonschlinkert/snapdragon |
| snapdragon-node | 2.1.1 | MIT License | Transitive | https://github.com/jonschlinkert/snapdragon-node |
| snapdragon-util | 3.0.1 | MIT License | Transitive | https://github.com/jonschlinkert/snapdragon-util |
| socket.io | 4.2.0 | MIT License | Transitive | http://socket.io |
| socket.io-adapter | 2.3.2 | MIT License | Transitive | https://github.com/socketio/socket.io-adapter |
| socket.io-parser | 4.0.4 | MIT License | Transitive | http://socket.io/ |
| socksipy-branch | 1.01 | "New" or "Revised" License | Direct | http://socksipy.sourceforge.net |
| sort-keys | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/sort-keys |
| sort-object-keys | 1.1.3 | MIT License | Transitive | https://github.com/keithamus/sort-object-keys |
| sort-package-json | 1.50.0 | MIT License | Transitive | https://github.com/keithamus/sort-package-json |
| source-list-map | 2.0.1 | MIT License | Transitive | https://github.com/webpack/source-list-map |
| source-map | 0.1.43 | "New" or "Revised" License | Transitive | https://github.com/mozilla/source-map |

| | | | | |
|---------------------|---------|----------------------------------|------------|---|
| source-map | 0.4.4 | "New" or "Revised" License | Transitive | https://github.com/mozilla/source-map |
| source-map | 0.5.7 | "New" or "Revised" License | Transitive | https://github.com/mozilla/source-map |
| source-map | 0.6.1 | "New" or "Revised" License | Transitive | https://github.com/mozilla/source-map |
| source-map-resolve | 0.5.3 | MIT License | Transitive | https://github.com/lydell/source-map-resolve |
| source-map-support | 0.4.18 | MIT License | Transitive | https://github.com/evanw/node-source-map-support |
| source-map-support | 0.5.19 | MIT License | Transitive | http://backbonejs.org |
| source-map-support | v0.5.19 | MIT License | Transitive | https://github.com/evanw/node-source-map-support |
| source-map-url | 0.3.0 | MIT License | Transitive | https://github.com/lydell/source-map-url |
| source-map-url | v0.4.1 | MIT License | Transitive | https://github.com/lydell/source-map-url |
| sourcemap-codec | 1.4.8 | MIT License | Transitive | https://github.com/Rich-Harris/sourcemap-codec |
| sourcemap-validator | v1.1.1 | MIT License | Transitive | https://github.com/ben-ng/sourcemap-validator |
| spawn-args | 0.2.0 | MIT License | Transitive | https://github.com/binocarlos/spawn-args |
| spdx-correct | v3.1.1 | Apache License 2.0 | Transitive | https://github.com/jslicense/spdx-correct.js |
| spdx-exceptions | 2.3.0 | Commons Attribution 3.0 | Transitive | https://github.com/kemitchell/spdx-exceptions.js |

| | | | | |
|-----------------------|---------|----------------------------------|------------|---|
| spdx-expression-parse | 3.0.1 | MIT License | Transitive | https://github.com/kemitchell/spdx-expression-parse.js |
| spdx-license-ids | 3.0.10 | Commons Zero v1.0 Universal | Transitive | https://github.com/shinnn/spdx-license-ids |
| split-string | 3.1.0 | MIT License | Transitive | https://github.com/jonschlinkert/split-string |
| sprintf-js | 1.0.3 | "New" or "Revised" License | Transitive | https://github.com/alexei/sprintf.js |
| sprintf-js | 1.1.2 | "New" or "Revised" License | Transitive | https://github.com/alexei/sprintf.js |
| sri-toolbox | 0.2.0 | MIT License | Transitive | https://github.com/neftaly/npm-sri-toolbox |
| ssri | 6.0.2 | ISC License | Transitive | https://github.com/zkat/ssri |
| stagehand | 1.0.0 | MIT License | Transitive | https://github.com/kaelzhang/node-fs-sync |
| static-extend | 0.1.2 | MIT License | Transitive | https://github.com/jonschlinkert/static-extend |
| statistics | 1.0.3.5 | Apache License 2.0 | Transitive | https://pypi.org/project/statistics/ |
| statuses | 1.5.0 | MIT License | Transitive | https://github.com/innog/statuses |
| stream-browserify | 2.0.2 | MIT License | Transitive | https://github.com/substack/stream-browserify |
| stream-http | 2.8.3 | MIT License | Transitive | https://github.com/ihiesey/stream-http |
| stream-shift | 1.0.1 | MIT License | Transitive | https://github.com/mafintosh/stream-shift |
| strict-uri-encode | 1.1.0 | MIT License | Transitive | https://github.com/kevva/strict-uri-encode |

| | | | | |
|----------------------------|---------|-------------|------------|---|
| string-template | 0.2.1 | MIT License | Transitive | http://www.stringtemplate.org/ |
| string-width | 1.0.2 | MIT License | Transitive | https://github.com/sindresorhus/string-width |
| string-width | 2.1.1 | MIT License | Transitive | https://github.com/sindresorhus/string-width |
| string-width | 4.2.2 | MIT License | Transitive | https://github.com/sindresorhus/string-width |
| string-width | v3.1.0 | MIT License | Transitive | https://github.com/sindresorhus/string-width |
| string.prototype.matchall | 4.0.5 | MIT License | Transitive | https://github.com/ljharb/String.prototype.matchAll |
| string.prototype.padend | 3.1.2 | MIT License | Transitive | https://github.com/es-shims/String.prototype.padEnd |
| string.prototype.trimend | 1.0.4 | MIT License | Transitive | https://github.com/KhaledEIAnsari/String.prototype.trimEnd |
| string.prototype.trimstart | 1.0.4 | MIT License | Transitive | https://github.com/KhaledEIAnsari/String.prototype.trimStart |
| string_decoder | 0.10.31 | MIT License | Transitive | https://github.com/nodejs/string_decoder |
| string_decoder | 1.1.1 | MIT License | Transitive | https://github.com/nodejs/string_decoder |
| string_decoder | v1.3.0 | MIT License | Transitive | https://github.com/nodejs/string_decoder |
| strip-ansi | 3.0.1 | MIT License | Transitive | https://github.com/sindresorhus/strip-ansi |
| strip-ansi | 4.0.0 | MIT License | Transitive | https://github.com/sindresorhus/strip-ansi |
| strip-ansi | 5.2.0 | MIT License | Transitive | https://github.com/sindresorhus/strip-ansi |

| | | | | |
|------------------------|--------|--|------------|---|
| strip-ansi | 6.0.0 | MIT License | Transitive | https://github.com/sindresorhus/strip-ansi |
| strip-bom | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/strip-bom |
| strip-bom | 4.0.0 | MIT License | Transitive | https://github.com/sindresorhus/strip-bom |
| strip-eof | 1.0.0 | MIT License | Transitive | https://github.com/sindresorhus/strip-eof |
| strip-final-newline | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/strip-final-newline |
| strip-json-comments | 2.0.1 | MIT License | Transitive | https://github.com/sindresorhus/strip-json-comments |
| strip-json-comments | 3.1.1 | MIT License | Transitive | https://github.com/sindresorhus/strip-json-comments |
| styled_string | 0.0.1 | MIT License | Transitive | https://github.com/linusu/buffer-fill |
| sum-up | 1.0.3 | MIT License (http://www.repoze.org/LICENSE.txt) | Transitive | https://github.com/shinnn/sum-up |
| supervisor | 3.3.3 | MIT License | Direct | https://pypi.org/project/supervisor/ |
| supports-color | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/supports-color |
| supports-color | 5.5.0 | MIT License | Transitive | https://github.com/sindresorhus/supports-color |
| supports-color | v7.2.0 | MIT License | Transitive | https://github.com/sindresorhus/supports-color |
| swagger-spec-validator | 2.0.4 | Apache License 2.0 | Transitive | https://pypi.org/project/swagger-spec-validator/2.0.4/ |

| | | | | |
|-----------------------|--------|--------------------------------------|------------|---|
| symbol-tree | 3.2.4 | MIT License | Transitive | https://github.com/Joris-van-der-Wel/js-symbol-tree |
| symlink-or-copy | v1.3.1 | MIT License | Transitive | https://github.com/broccolijs/node-symlink-or-copy |
| sync-disk-cache | 1.3.4 | MIT License | Transitive | https://github.com/stefanpenner/sync-disk-cache |
| sync-disk-cache | v2.1.0 | MIT License "New" or "Revised" | Transitive | https://github.com/stefanpenner/sync-disk-cache |
| table | 5.4.6 | License | Transitive | https://github.com/gajus/table |
| tap-parser | 7.0.0 | MIT License | Transitive | https://github.com/substack/tap-parser |
| tapable | 1.1.3 | MIT License | Transitive | https://github.com/webpack/tapable |
| temp | 0.9.1 | MIT License "Simplified" | Transitive | http://github.com/bruce/node-temp |
| terser | 4.8.0 | License | Transitive | https://github.com/fabiosantoscode/terser |
| terser-webpack-plugin | 1.4.5 | MIT License | Transitive | https://github.com/webpack-contrib/terser-webpack-plugin |
| test-exclude | 6.0.0 | ISC License | Transitive | https://github.com/bcoe/test-exclude |
| testem | 3.5.0 | MIT License | Transitive | https://github.com/airportyh/testem |
| text-table | 0.2.0 | MIT License | Transitive | https://github.com/paulmillr/chokidar |
| textextensions | 2.6.0 | MIT License | Transitive | https://github.com/bevry/textextensions |

| | | | | |
|--------------------|--------|--------------------------------------|------------|---|
| through | 2.3.8 | MIT License | Transitive | http://github.com/dominictarr/through |
| through2 | 2.0.5 | MIT License | Transitive | https://github.com/rvagg/through2 |
| through2 | v3.0.2 | MIT License | Transitive | https://github.com/rvagg/through2 |
| time-zone | 1.0.0 | MIT License | Transitive | https://github.com/sindresorhus/time-zone |
| timed-out | 4.0.1 | MIT License | Transitive | https://github.com/floatdrop/timed-out |
| timers-browserify | 2.0.12 | MIT License | Transitive | https://github.com/jryans/timers-browserify |
| tiny-emitter | 2.1.0 | MIT License | Transitive | https://github.com/scottcorgan/tiny-emitter |
| tiny-glob | 0.2.8 | MIT License | Transitive | https://github.com/terkelg/tiny-glob |
| tiny-lr | 1.1.1 | MIT License | Transitive | https://github.com/mklabs/tiny-lr |
| tmp | 0.0.28 | MIT License | Transitive | http://github.com/raszi/node-tmp |
| tmp | 0.0.33 | MIT License | Transitive | http://github.com/raszi/node-tmp |
| tmp | 0.2.1 | MIT License | Transitive | http://github.com/raszi/node-tmp |
| tmp | v0.1.0 | MIT License "New" or "Revised" | Transitive | http://github.com/raszi/node-tmp |
| tmpl | 1.0.4 | License | Transitive | https://github.com/nshah/nodejs-tmpl |
| to-arraybuffer | 1.0.1 | MIT License | Transitive | https://github.com/jhiesey/to-arraybuffer |
| to-fast-properties | 1.0.3 | MIT License | Transitive | https://github.com/sindresorhus/to-fast-properties |

| | | | | |
|--------------------|--------|----------------------------------|------------|---|
| to-fast-properties | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/to-fast-properties |
| to-object-path | 0.3.0 | MIT License | Transitive | https://github.com/jonschlinkert/to-object-path |
| to-regex | 3.0.2 | MIT License | Transitive | https://github.com/jonschlinkert/to-regex |
| to-regex-range | 2.1.1 | MIT License | Transitive | https://github.com/jonschlinkert/to-regex-range |
| to-regex-range | 5.0.1 | MIT License | Transitive | https://github.com/jonschlinkert/to-regex-range |
| toidentifier | 1.0.0 | MIT License | Transitive | https://github.com/koajs/toidentifier |
| tough-cookie | 4.0.0 | "New" or "Revised" License | Transitive | https://github.com/salesforce/tough-cookie |
| tree-sync | 1.4.0 | ISC License | Transitive | https://github.com/stefanpenner/tree-sync |
| tree-sync | 2.1.0 | ISC License | Transitive | https://github.com/stefanpenner/tree-sync |
| trim-right | 1.0.1 | MIT License | Transitive | https://github.com/sindresorhus/trim-right |
| tslib | 1.14.1 | BSD Zero Clause License | Transitive | https://github.com/npm/security-holder |
| tslib | 2.3.1 | BSD Zero Clause License | Transitive | https://github.com/npm/security-holder |
| tty-browserify | 0.0.0 | MIT License | Transitive | https://github.com/browserify/tty-browserify |
| type-check | 0.3.2 | MIT License | Transitive | https://github.com/gkz/type-check |
| type-check | 0.4.0 | MIT License | Transitive | https://github.com/gkz/type-check |

| | | | | |
|----------------------|--------|--|------------|---|
| type-fest | 0.11.0 | OR Creative Commons Zero v1.0 Universal) | Transitive | https://github.com/sindresorhus/type-fest |
| type-fest | 0.21.3 | OR Creative Commons Zero v1.0 Universal) | Transitive | https://github.com/sindresorhus/type-fest |
| type-fest | 0.8.1 | OR Creative Commons Zero v1.0 Universal) | Transitive | https://github.com/sindresorhus/type-fest |
| type-is | 1.6.18 | MIT License | Transitive | https://github.com/expressjs/type-is |
| typedarray | 0.0.6 | MIT License | Transitive | https://github.com/substack/typedarray |
| typedarray-to-buffer | 3.1.5 | MIT License | Transitive | https://github.com/feross/typedarray-to-buffer |
| typescript-memoize | 1.0.1 | MIT License | Transitive | https://github.com/darrylhodgins/typescript-memoize |
| tzlocal | 2.1 | MIT License | Transitive | https://pypi.org/project/tzlocal/ |
| uc.micro | 1.0.6 | MIT License | Transitive | https://github.com/markdown-it/uc.micro |
| uglify-js | 3.14.1 | "Simplified" License | Transitive | http://lisperator.net/uglifyjs/ |
| ui-slider | 0.1.5 | MIT License "New" or "Revised" | Transitive | http://development.ui-slider.divshot.io/ |
| ujson | 1.35 | License | Transitive | https://pypi.org/project/ujson/1.35/ |
| unbox-primitive | 1.0.1 | MIT License | Transitive | https://github.com/ljharb/unbox-primitive |
| underscore | 1.13.1 | MIT License | Transitive | http://underscorejs.org/ |
| underscore.string | 3.3.5 | MIT License | Transitive | http://epeli.github.com/underscore.string/ |

| | | | | |
|---|-------|-------------|------------|---|
| unicode-canonical-property-names-ecmascript | 1.0.4 | MIT License | Transitive | https://github.com/mathiasbynens/unicode-canonical-property-names-ecmascript |
| unicode-match-property-ecmascript | 1.0.4 | MIT License | Transitive | https://github.com/mathiasbynens/unicode-match-property-ecmascript |
| unicode-match-property-value-ecmascript | 1.2.0 | MIT License | Transitive | https://github.com/mathiasbynens/unicode-match-property-value-ecmascript |
| unicode-property-aliases-ecmascript | 1.1.0 | MIT License | Transitive | https://github.com/mathiasbynens/unicode-property-aliases-ecmascript |
| union-value | 1.0.1 | MIT License | Transitive | https://github.com/jonschlinkert/union-value |
| unique-filename | 1.1.1 | ISC License | Transitive | https://github.com/iarna/unique-filename |
| unique-slug | 2.0.2 | ISC License | Transitive | https://github.com/iarna/unique-slug |
| unique-string | 2.0.0 | MIT License | Transitive | https://github.com/sindresorhus/unique-string |
| universalify | 0.1.2 | MIT License | Transitive | https://github.com/RyanZim/universalify |
| universalify | 2.0.0 | MIT License | Transitive | https://github.com/RyanZim/universalify |
| unpipe | 1.0.0 | MIT License | Transitive | https://github.com/stream-utils/unpipe |
| unset-value | 1.0.0 | MIT License | Transitive | https://github.com/jonschlinkert/unset-value |
| untildify | 2.1.0 | MIT License | Transitive | https://github.com/sindresorhus/untildify |

| | | | | |
|------------------------------|---------|-----------------------------|------------|---|
| upath | 1.2.0 | MIT License "Simplified" | Transitive | https://github.com/anodynos/upath |
| uri-js | 4.4.1 | License | Transitive | https://github.com/garycourt/uri-js |
| urix | 0.1.0 | MIT License | Transitive | https://github.com/lydell/urix |
| url | 0.11.0 | MIT License | Transitive | https://github.com/defunctzombie/node-url |
| url-parse-lax | 3.0.0 | MIT License | Transitive | https://github.com/sindresorhus/url-parse-lax |
| url-to-options | 1.0.1 | MIT License | Transitive | https://github.com/stevenvachon/url-to-options |
| urllib3 | 1.25.9 | MIT License | Transitive | https://pypi.org/project/urllib3/ |
| use | 3.1.1 | MIT License | Transitive | https://github.com/jonschlinkert/use |
| username-sync | 1.0.3 | MIT License | Transitive | https://github.com/stefanpenner/username-sync |
| util | 0.10.3 | MIT License | Transitive | https://github.com/defunctzombie/node-util |
| util | v0.11.1 | MIT License | Transitive | https://github.com/defunctzombie/node-util |
| util-deprecate | 1.0.2 | MIT License | Transitive | https://github.com/TooTallNate/util-deprecate |
| utils-merge | 1.0.1 | MIT License | Transitive | https://github.com/jaredhanson/utils-merge |
| uuid | 8.3.2 | MIT License | Transitive | https://github.com/uuidjs/uuid |
| v8-compile-cache | 2.3.0 | MIT License | Transitive | https://github.com/zertosh/v8-compile-cache |
| validate-npm-package-license | 3.0.4 | Apache License 2.0 | Transitive | https://github.com/kemitchell/npm-valid-package-license |

| | | | | |
|---------------------------|--------|----------------------|------------|---|
| validate-npm-package-name | 3.0.0 | ISC License | Transitive | https://github.com/npm/validate-npm-package-name |
| vary | 1.1.2 | MIT License | Transitive | https://github.com/jshttp/vary |
| velocity-animate | v1.5.2 | MIT License | Transitive | http://VelocityJS.org |
| vm-browserify | 1.1.2 | MIT License | Transitive | https://github.com/substack/vm-browserify |
| w3c-hr-time | 1.0.2 | MIT License | Transitive | https://github.com/component/has-cors |
| w3c-xmlserializer | 2.0.0 | MIT License | Transitive | https://github.com/jsdom/w3c-xmlserializer |
| walk-sync | 0.2.7 | MIT License | Transitive | https://github.com/joliss/node-walk-sync |
| walk-sync | 0.3.2 | MIT License | Transitive | https://github.com/joliss/node-walk-sync |
| walk-sync | 0.3.4 | MIT License | Transitive | https://github.com/joliss/node-walk-sync |
| walk-sync | v1.1.4 | MIT License | Transitive | https://github.com/joliss/node-walk-sync |
| walk-sync | v2.2.0 | MIT License | Transitive | https://github.com/joliss/node-walk-sync |
| walker | 1.0.7 | Apache License 2.0 | Transitive | http://github.com/nshah/nodejs-walker |
| watch | 0.18.0 | Apache License 2.0 | Transitive | https://github.com/mikeal/watch |
| watch-detector | 1.0.1 | MIT License | Transitive | https://github.com/chrmod/watch-detector |
| watchpack | v1.7.5 | MIT License | Transitive | https://github.com/webpack/watchpack |
| wcwidth | 1.0.1 | MIT License | Transitive | https://pypi.python.org/pypi/wcwidth |
| webidl-conversions | 6.1.0 | "Simplified" License | Transitive | https://github.com/domenic/webidl-conversions |

| | | | | |
|-----------------------|---------|----------------------------------|------------|---|
| webidl-conversions | v5.0.0 | "Simplified" License | Transitive | https://github.com/domenic/webidl-conversions |
| webpack | v4.46.0 | MIT License | Transitive | https://webpack.js.org |
| webpack-sources | 1.4.3 | MIT License | Transitive | https://github.com/webpack/webpack-sources |
| websocket-driver | 0.7.4 | Apache License 2.0 | Transitive | https://github.com/faye/websocket-driver-node |
| websocket-extensions | 0.1.4 | Apache License 2.0 | Transitive | http://github.com/faye/websocket-extensions-node |
| werkzeug | 1.0.1 | "New" or "Revised" License | Transitive | http://werkzeug.pocoo.org/ |
| whatwg-encoding | 1.0.5 | MIT License | Transitive | https://github.com/jsdom/whatwg-encoding |
| whatwg-fetch | 3.6.2 | MIT License | Transitive | https://github.com/github/fetch |
| whatwg-mimetype | 2.3.0 | MIT License | Transitive | https://github.com/jsdom/whatwg-mimetype |
| whatwg-url | v8.7.0 | MIT License | Transitive | https://github.com/jsdom/whatwg-url |
| which | 1.3.1 | ISC License | Transitive | https://github.com/isaacs/node-which |
| which | 2.0.2 | ISC License | Transitive | https://github.com/isaacs/node-which |
| which-boxed-primitive | 1.0.2 | MIT License | Transitive | https://github.com/ljharb/which-boxed-primitive |
| wide-align | 1.1.3 | ISC License | Transitive | https://github.com/iama/wide-align |
| word-wrap | 1.2.3 | MIT License | Transitive | https://github.com/jonschlinkert/word-wrap |
| wordwrap | 0.0.3 | MIT License | Transitive | https://github.com/substack/node-wordwrap |

| | | | | |
|----------------------------------|--------|--------------------------------------|------------|---|
| wordwrap | 1.0.0 | MIT License | Transitive | https://github.com/substack/node-wordwrap |
| worker-farm | v1.7.0 | MIT License | Transitive | https://github.com/rvagg/node-worker-farm |
| workerpool | 2.3.4 | Apache License 2.0 | Transitive | https://github.com/dmitriid/worker_pool |
| workerpool | 3.1.2 | Apache License 2.0 | Transitive | https://github.com/dmitriid/worker_pool |
| workerpool | 5.0.4 | Apache License 2.0 | Transitive | https://github.com/dmitriid/worker_pool |
| workerpool | 6.1.5 | Apache License 2.0 | Transitive | https://github.com/dmitriid/worker_pool |
| workerpool | v2.3.4 | Apache License 2.0 | Transitive | https://github.com/josdejong/workerpool |
| workerpool | v5.0.4 | Apache License 2.0 | Transitive | https://github.com/josdejong/workerpool |
| wrap-ansi | v7.0.0 | MIT License | Transitive | https://github.com/chalk/wrap-ansi |
| wrap-legacy-hbs-plugin-if-needed | 1.0.1 | MIT License | Transitive | https://github.com/stefanpenner/wrap-legacy-hbs-plugin-if-needed |
| wrappy | 1.0.2 | ISC License | Transitive | https://github.com/npm/wrappy |
| write | 1.0.3 | MIT License | Transitive | https://github.com/jonschlinkert/write |
| write-file-atomic | 3.0.3 | ISC License | Transitive | https://github.com/iarna/write-file-atomic |
| ws | 7.5.4 | MIT License "New" or "Revised" | Transitive | https://github.com/einaros/ws |
| wtforms | 2 | License | Transitive | https://pypi.python.org/pypi/WTFForms |
| xdg-basedir | 4.0.0 | MIT License | Transitive | https://github.com/sindresorhus/xdg-basedir |

| | | | | |
|--------------------|--------|--------------------|------------|---|
| xml-name-validator | 3.0.0 | Apache License 2.0 | Transitive | https://github.com/jsdom/xml-name-validator |
| xmlchars | 2.2.0 | MIT License | Transitive | https://github.com/lddubeau/xmlchars |
| xtend | 4.0.2 | MIT License | Transitive | https://github.com/Raynos/xtend |
| y18n | 4.0.3 | ISC License | Transitive | https://github.com/bcoe/y18n |
| y18n | 5.0.8 | ISC License | Transitive | https://github.com/bcoe/y18n |
| yallist | 3.1.1 | ISC License | Transitive | https://github.com/isaacs/yallist |
| yallist | 4.0.0 | ISC License | Transitive | https://github.com/isaacs/yallist |
| yam | 1.0.0 | MIT License | Transitive | https://github.com/twokul/yam |
| yargs | 16.2.0 | MIT License | Transitive | https://github.com/substack/node-optimist |
| yargs-parser | 20.2.9 | ISC License | Transitive | https://github.com/yargs/yargs-parser |
| yocto-queue | 0.1.0 | MIT License | Transitive | https://github.com/sindresorhus/yocto-queue |
| zeroconf | 0.15.1 | LGPL-2.1 | Transitive | https://pypi.python.org/pypi/zeroconf |