


HITCH SOLUTIONS FOR THRU AXLES



(1:1) CHECK THE LENGTH OF YOUR AXLE TO FIND THE RIGHT LENGTH

CHECK THE THREAD OF YOUR THRU AXLE TO FIND OUT THE RIGHT THREAD PITCH



(1:1)


FURTHER INFORMATION AT WWW.CROOZER.COM

THRU AXLE HITCHES / THRU AXLE ADAPTERS


∅	THREAD PITCH	FOR AXLE LENGTHS	FOR HUB WIDTHS	HITCH / ADAPTER	PRODUCT CODE	ART.
12 mm	1.0 mm	L = 161 mm (incl. spacer)	e.g. Syntace 142/148 mm	Click & Crooz® XL (hitch base 20 mm)	12 - 167 - 1.00 XL	122501918
		L = 167 mm		Adapter for Universal hitch	12 - 167 - 100 A	122530118
		L = 217 mm	e.g. Syntace / Fatbike 197 mm	Click & Crooz® XL (hitch base 20 mm)	12 - 217 - 1.00 XL	122502018
				Adapter for Universal hitch	12 - 217 - 1.00 A	122530218
12 mm	1.5 mm	L = 165 mm	e.g. Shimano 135 mm	Click & Crooz® N (hitch base 10 mm)	12 - 165 - 1.50 N	122500318
				Click & Crooz® XL (hitch base 20 mm)	12 - 165 - 1.50 XL	122502118
				Adapter for Universal hitch	12 - 165 - 1.50 A	122530318
		L = 172 mm (incl. spacer)	e.g. Shimano 142/148 mm	Click & Crooz® N (hitch base 10 mm)	12 - 178 - 1.50 N	122500418
				Click & Crooz® XL (hitch base 20 mm)	12 - 178 - 1.50 XL	122501118
		L = 178 mm		Adapter for Universal hitch	12 - 178 - 1.50 A	122530518
		L = 209 mm	e.g. Shimano 177 mm	Click & Crooz® N (hitch base 10 mm)	12 - 209 - 1.50 N	122500518
				Click & Crooz® XL (hitch base 20 mm)	12 - 209 - 1.50 XL	122501218
				Adapter for Universal hitch	12 - 209 - 1.50 A	122530618
		L = 229 mm	e.g. Shimano / Fatbike 197 mm	Click & Crooz® N (hitch base 10 mm)	12 - 229 - 1.50 N	122500618
				Click & Crooz® XL (hitch base 20 mm)	12 - 229 - 1.50 XL	122501318
				Adapter for Universal hitch	12 - 229 - 1.50 A	122530718
12 mm	1.75 mm	L = 174 (incl. spacer)	e.g. Maxle 142/148 mm	Click & Crooz® N (hitch base 10 mm)	12 - 180 - 1.75 N	122500718
				Click & Crooz® XL (hitch base 20 mm)	12 - 180 - 1.75 XL	122501418
		Adapter for Universal hitch		12 - 180 - 1.75 A	122530818	
		L = 180 mm	e.g. Trek 142/148 mm	Click & Crooz® N (hitch base 10 mm)	12 - 198 - 1.75 N	122500818
				Click & Crooz® XL (hitch base 20 mm)	12 - 198 - 1.75 XL	122501518
		Adapter for Universal hitch		12 - 198 - 1.75 A	122530918	
		L = 192 mm (incl. spacer)	e.g. Maxle 177 mm	Click & Crooz® N (hitch base 10 mm)	12 - 209 - 1.75 N	122500918
				Click & Crooz® XL (hitch base 20 mm)	12 - 209 - 1.75 XL	122501618
		Adapter for Universal hitch		12 - 209 - 1.75 A	122531118	
		L = 198 mm	e.g. Maxle / Fatbike 197 mm	Click & Crooz® N (hitch base 10 mm)	12 - 229 - 1.75 N	122501018
				Click & Crooz® XL (hitch base 20 mm)	12 - 229 - 1.75 XL	122501718
		Adapter for Universal hitch		12 - 229 - 1.75 A	122531018	

READ THE TABLE FROM LEFT TO RIGHT TO FIND YOUR HITCH

HITCH SOLUTIONS FOR SOLID AXLES




UNIVERSAL HITCH



AXLE NUT WITH
INTEGRATED ADAPTER

FOR THE ATTACHMENT OF ALL STANDARD AXLE HITCHES,
IF SOLID AXLE IS TOO SHORT



AXLE NUT WITH INTEGRATED
CLICK & CROOZ[®] HITCH

(1:1)

UNIVERSAL HITCHES

BIKE	TRAILER	PRODUCT	ART.
solid axle or quick-release skewer	for all Croozer trailers with lockable Click & Crooz® hitch arm	Axle hitch universal Click & Crooz®	122002416
	for all Croozer dog and cargo trailers from 2014 without lockable Click & Crooz® hitch arm	Axle hitch universal round	122000913
	for all Croozer child trailers without lockable Click & Crooz® hitch arm and for all Croozer dog and cargo trailers until 2013 included	Axle hitch universal square	119019006

AXLE NUT WITH INTEGRATED CLICK & CROOZ® HITCH

TRAILER	BIKE	HUB GEAR / HUB	DROPOUT	PRODUCT	ART.
for all Croozer bike trailers with lockable Click & Crooz® hitch connector, for the attachment of all standard axle hitches, if solid axle is too short to adapt the Click & Crooz® universal hitch	Solid axle with thread: M10 x 1	SRAM: i-MOTION 9, i-MOTION 3, Torpedo Singlespeed, G8, Dual Drive III ROHLOFF: Speedhub 500/14 NUVINCI: N360 BIONX	for flat dropouts that provide enough clearance	Axle nut hitch M10 x 1	122003516
			for recessed dropouts without sufficient clearance	Axle nut hitch XL M10 x 1	122003716
	Solid axle with thread: FG 10.5	SRAM: Spectro S7/Super 7, Spectro P5/Pentasport, Spectro T3, Spectro 3 x 7, Dual Drive I + II	for flat dropouts that provide enough clearance	Axle nut hitch FG 10.5	122003816
			for recessed dropouts without sufficient clearance	Axle nut hitch XL FG 10.5	122502218
	Solid axle with thread: 3/8 x 26	SHIMANO: Alfine, Nexus Inter 8, Nexus Inter 7, Nexus Inter 3	for flat dropouts that provide enough clearance	Axle nut hitch 3/8 x 26	122003416
			for recessed dropouts without sufficient clearance	Axle nut hitch XL 3/8 x 26	122502318

AXLE NUT WITH INTEGRATED ADAPTER

FOR THE ATTACHMENT OF ALL STANDARD AXLE HITCHES, IF SOLID AXLE IS TOO SHORT

BIKE	HUB GEAR / HUB	PRODUCT	ART.
solid axle with thread: M10 x 1	SRAM: i-MOTION 9, i-MOTION 3, Torpedo Singlespeed, G8, Dual Drive III ROHLOFF: Speedhub 500/14 NUVINCI: N360 BIONX	Axle nut adapter M10 x 1	122000715
solid axle with thread: FG 10.5	SRAM: Spectro S7/Super 7, Spectro P5/Pentasport, Spectro T3, Spectro 3 x 7, Dual Drive I + II	Axle nut adapter FG 10.5	122003815
solid axle with thread: 3/8 x 26	SHIMANO: Alfine, Nexus Inter 8, Nexus Inter 7, Nexus Inter 3	Axle nut adapter 3/8 x 26	122000415

READ THE TABLE FROM LEFT TO RIGHT TO FIND YOUR HITCH

HITCH SOLUTIONS FOR
QUICK-RELEASE AXLES



LONG QUICK-RELEASE



QUICK-RELEASE SKEWER HITCH

(No 1:1 REPRESENTATION)

FURTHER INFORMATION AT WWW.CROOZER.COM

CROOZER[®]
The bicycle trailer

QUICK-RELEASE AXLES / LONG QUICK-RELEASE

TRAILER	BIKE	PRODUCT	ART.
for all Croozer bike trailers with lockable Click & Crooz® hitch connector	Hub width = 135 mm Skewer length = 148 - 158 mm	Quick-release axle hitch 148 - 158 mm	122520018
	Hub width = 145 mm Skewer length = 148 - 158 mm	Quick-release axle hitch 148 - 158 mm	122520118
for the attachment of all standard axle hitches	Quick-release skewer is too short for the attachment of common axle hitches	Long quick-release skewer 175 mm	112003214

READ THE TABLE FROM LEFT TO RIGHT TO FIND YOUR HITCH