


# LYFT LEGS


FOR GRYP



You will build something similar to this.

Here are the parts you will need.


P1



x1  
or more depending  
on your configuration

Leg Platform Plate (Double-sided)  
101.173.00


P2



x2  
for each end of  
the platform

Leg Platform Plate (Single-sided)  
101.173.01


P3



x1  
or more depending  
on your configuration

Platform Profile (37cm)  
101.174.00

P4



x1  
or more depending  
on your configuration

Platform Profile (73cm)  
101.174.01


P7



8 x 14

Flat head screw 8 x 14mm  
902.100.21

P8



6 x 16

Pan head screw 6 x 16mm  
902.100.16

P9




Round felt pad  
902.100.18

P10




Screw pad  
902.100.13

P11



Screw distancer  
902.100.15

P12



3,5 x 25

Truss screw  
3,5 x 25mm  
902.100.12

P13



Metal shelf support  
901.100.04

P14




3 x 10

Screw Varianta 3 x 10mm  
901.100.05


901.100.99

P15




Exterior socle 37cm  
101.163.xx

P16




Exterior socle 73cm  
101.164.xx

P17




Interior socle 37cm  
101.160.xx

P18



Interior socle 73cm  
101.161.xx

P19




Socle attachment  
101.162.xx

P20




Square felt pad  
902.100.19

P21




Flat head screw 6 x 65mm  
902.100.23

P22




Truss screw 4,5 x 45mm  
902.100.24

P25




Bottom Board  
101.171.xx, 101.172.xx

P34




Outer Sidewalls  
101.100.xx, 101.101.xx  
101.102.xx, 101.103.xx  
101.104.xx, 101.105.xx


P35



Inner Sidewalls  
101.106.xx, 101.107.xx  
101.108.xx, 101.109.xx  
101.110.xx, 101.111.xx






Overall: the single platforms belong below the outer sidewalls and the double platform(s) belong below the inner sidewall(s).



Have a look at the example constructions on the left and what the leg construction for these examples look like on the right. Find the construction that matches your design the best and assemble the leg construction accordingly.





1



Prepare installation of LYFT leg below outer sidewall: connect single end platform P2 and two profiles of P3 or P4 (depending on configuration) with the screw P7.



Pay attention to the illustration (left): make sure to connect the platform from the right side.

2





Prepare installation below inner sidewall: connect double platform P1 and two profiles of P3 or P4 (depending on configuration) with the screw P7. Pay attention to illustration (left): make sure to connect the platform from the right side.

### 3 If your product only has two sidewalls



If your furniture does not have more than two sidewalls: connect inner socle attachment P19 with your socles P17/P18 (depending on configuration) using screw P22.



### 4



If your furniture does not have more than two sidewalls: connect socle construction with single end platform P2 as seen above, using screw P21. Make sure to match position of hinge as seen in A (on the right side).






## 5 If your product has more than two sidewalls




If your furniture has more than two sidewalls: connect socle construction with platforms using screw P21 as seen on the illustration above.

## 6




Add paddings under the socle construction as seen above. The paddings will protect your floor from scratches.

7





Remove front panel from socle construction (needed for step 14).

8






Place the leg construction at the target location of your furniture. Make sure to place the open socle part at the front of your furniture.

9




All our sidewalls come with smaller metal legs by default. Since you ordered another type of leg, you don't need them for your furniture. Please remove all of them as shown above.

10




The metal shelf supports (P13) are there to hold the bottom boards. Screw the supports into all sidewalls as shown above (using screw P14). Please check your configuration to figure out where to screw in the support. You need to use them wherever you placed a board. Please refer to the “Don't forget to measure” tip from the “Introduction” chapter on page 10 for details on how to position the metal shelf supports correctly.

11




Screw in distancer P11 and pad P10 to the bottom boards P25 by using the screw P12 (3,5 x 25mm).

12





Now stick the first two sidewalls into their platform: The outer sidewalls go into the end of the single end platform P2 and the inner sidewall in the middle of the double platform P1.



Place bottom boards P25 on the platform by joining it to the sidewalls P26 with additional help.

14




1. Lock the hinge underneath the bottom board to connect the rails with the board. You should hear a 'click' sound once the lock is in its final position.
2. Once this is done, put the front part(s) of the socle back into place (as they have been removed in step 7).


15




1




2



3



4



**NOTE:** Step 12 to 14 go together and have to be performed multiple times if your configuration requires it (depending on the number of sidewalls you have ordered). Please connect two sidewalls on the left-hand side of your product with their platform (step 12), mount the bottom board in the middle of them (step 13) and finally lock the bottom platform with the rails (step 14). Repeat steps 12 to 1 by adding one sidewall at a time, until you reach the outer sidewall on the right-hand side of your product.