


CYRCLE LEGS


FOR GRYD



You will build something similar to this.

Here are the parts you will need.


P1



x1
or more depending
on your configuration

Leg Platform Plate (Double-sided)
101.173.00


P2



x2
for each end of
the platform

Leg Platform Plate (Single-sided)
101.173.01


P3



x1
or more depending
on your configuration

Platform Profile (37cm)
101.174.00


P4



x1
or more depending
on your configuration

Platform Profile (73cm)
101.174.01

P23



CYRCLE Legs
101.166.00-19 (34cm)
101.166.20-39 (47cm)

P6




Support Leg
101.167.xx

P7



Flat head screw 8 x 14mm
902.100.21

P8



Pan head screw 6 x 16mm
902.100.16

P9



Round felt pad
902.100.18

P10




Screw pad
902.100.13

P11



Screw distancer
902.100.15


P12



Truss screw 3,5 x 25mm
902.100.12


901.100.99

P13




Metal shelf support
901.100.04

P14




Screw Varianta 3 x 10mm
901.100.05

P25




Bottom Board
101.171.xx, 101.172.xx

P34




Outer Sidewalls
101.100.xx, 101.101.xx
101.102.xx, 101.103.xx
101.104.xx, 101.105.xx

P35




Inner Sidewalls
101.106.xx, 101.107.xx
101.108.xx, 101.109.xx
101.110.xx, 101.111.xx




Overall: the single platforms belong below the outer sidewalls and connect with the CYRCLE leg. The double platform(s) belong below the inner sidewall(s) and connect with the support leg that is needed for stability reasons.

NOTE: you need to add one support leg per inner sidewall. If you assemble one or more inner sidewalls without a support leg, stability can't be guaranteed.







Have a look at the example constructions on the left and how the leg construction for these examples look like on the right. Find the one construction that matches your design the best and assemble the leg construction accordingly.



Prepare installation of CYRCLE leg below outer sidewall: connect single end platform P2 and two profiles of P3 or P4 (depending on configuration) with the screw P7.

Pay attention to illustration (left): make sure to connect the platform from the right side.



2



Prepare installation of support leg below inner sidewall: connect double platform P1 and two profiles of P3 or P4 (depending on configuration) with the screw P7.

Pay attention to illustration (left): make sure to connect the platform from the right side.

3





Connect CYRCLE leg P23 with the profiles P3/P4 by using screw P8 (6x16mm).

The legs can be installed in five different positions (A, B, C, D, E).

We recommend installing the legs towards the external edges of the product (pos. E or D) if it is tall (130cm or more) or expected to hold a lot of weight.

NOTE: Repeat step for all CYRCLE legs (based on your configuration).

4





Screw support leg P6 into the platform P1. As you can see on the right, you have two options.

NOTE: The support leg needs to be installed at the back of the actual product, not at the front!





NOTE: Repeat step for all support legs (total number depends on the number of inner sidewalls of your configuration).

5



To protect your floor surface from scratches, stick the paddings P9 to CYRCLE (P23) and support leg P6.



6



Place the leg construction at the target location of your furniture. Pay attention to the location of the support leg (at the back, not at the front).



NOTE: Pay attention to the position of the hinge (as illustrated in A, above).

7




Level the construction horizontally by adjusting the support leg(s) as shown above. **This step is particularly important as it prevents the construction from bending.**


8




All our sidewalls come with smaller metal legs by default. Since you ordered another type of leg, you don't need them for your furniture. Please remove all of them as shown above.




The metal shelf supports (P13) are there to hold the bottom boards. Screw the supports into all sidewalls as shown above (using screw P14). Please check your configuration to figure out where to screw in the support. You need to use them wherever you placed a board. Please refer to the “Don’t forget to measure” tip from the “Introduction” chapter on page 10 for details on how to position the metal shelf supports correctly.



Screw in distancer P11 and pad P10 to the bottom boards P25 by using the screw P12 (3,5 x 25mm).




Now stick the first two sidewalls into their platform: the outer sidewalls go into the end of the single end platform P2 and the inner sidewall in the middle of the double platform P1.



Place bottom boards P25 on the platform by joining it to the sidewalls P34/P35 with additional help.

13




Screw in the sidewalls P34/P35 to the bottom boards and turn the lock underneath the bottom board to connect the rails with the board. You should hear a 'click' sound once the lock is in its final position.


14




1




2



3



4



NOTE: Step 11 to 13 go together and have to be performed multiple times if your configuration requires it (depending on the number of sidewalls you have ordered). Please connect two sidewalls on the left side of your product with their platform (step 11), mount the bottom board in the middle of them (step 12) and finally lock the bottom platform with the rails (step 13). Repeat steps 11 to 13 by adding sidewalls one at a time, until you reach the outer sidewall on the right-hand side of your product.