

EU Declaration of Conformity



Otto Bock Mobility Solutions GmbH
Lindenstraße 13
07426 Königsee, Germany
SRN: DE-MF-000005061

Product see reference list

Basic UDI-DI (GMN) see reference list
Intended Purpose see reference list

Classification Class I

Conformity assessment procedure Annex II and Annex III of the Regulation (EU) 2017/745

Otto Bock Mobility Solutions GmbH hereby declares in sole responsibility that the medical device mentioned above complies with the current version of the Regulation (EU) 2017/745 of the European Parliament and of the Council on medical devices. Additionally, Otto Bock Mobility Solutions GmbH hereby declares in sole responsibility that the powered medical device mentioned in the reference list also complies with:

Directive 2006/42/EC of the European Parliament and of the Council on machinery

Directive 2011/65/EU of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment

Applicable specifications are considered.
The declaration is valid as of the date of signatures.

Königsee, February 26, 2026

Ralf Theisen
Managing Director

Björn Kölle
Person Responsible for
Regulatory Compliance

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Wheelchairs, Powered	16-214
Intended Purpose	The wheelchair is intended for indoor transportation, by the user, of people with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up. Optionally, the power wheelchair can be controlled by an attendant with the help of an attendant control device.	
490E46=00000_C	A200	406440600000000490E46SB
Intended Purpose	The wheelchair is intended for outdoor and indoor transportation, by the user or an attendant, of children and people of short stature with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up. Optionally, the power wheelchair can be controlled by an attendant with the help of an attendant control device.	
490E55=00000_K	Skippi	406440600000000490E55SC
Intended Purpose	The wheelchair is intended for everyday indoor and outdoor use, by the user or an attendant, of people with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up.	
490E163=00000	Wingus	406440600000000490E163US
490E75=0_C	Juvo	406440600000000490E75=03D
490E75=1_C	Juvo B4	406440600000000490E75=13F
490E75=2_C	Juvo B7	406440600000000490E75=2_CKB
490E68=0_C	Juvo C7 DS	406440600000000490E68=0_CKM

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Wheelchairs, Nonpowered, Lightweight	17-620
Intended Purpose	The wheelchair is intended for everyday indoor and outdoor use, by the user or an attendant, of people with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up.	
480F53=40000_K	Start M4 XXL	4064406000000000480F53S2
480F53=60000_K	Start M6 Junior	4064406000000000480F53S2
480F74=20101_CT	Start M1, SW38	4064406000000000480F74SA
480F74=20101_HUB	Start M1, SW38	4064406000000000480F74SA
480F74=20201_CT	Start M1, SW38	4064406000000000480F74SA
480F74=20201_HUB	Start M1, SW38	4064406000000000480F74SA
480F74=20301_CT	Start M1, SW38	4064406000000000480F74SA
480F74=20301_HUB	Start M1, SW38	4064406000000000480F74SA
480F74=20401_CT	Start M1, SW38	4064406000000000480F74SA
480F74=20401_HUB	Start M1, SW38	4064406000000000480F74SA
480F74=20501_CT	Start M1, SW38	4064406000000000480F74SA
480F74=20501_HUB	Start M1, SW38	4064406000000000480F74SA
480F74=21101	Start M1 lightweight-wheelchair, SW38	4064406000000000480F74SA
480F74=20102_CT	Start M1, SW40,5	4064406000000000480F74SA
480F74=20102_HUB	Start M1, SW40,5	4064406000000000480F74SA
480F74=20202_CT	Start M1, SW40,5	4064406000000000480F74SA

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Wheelchairs, Nonpowered, Lightweight	17-620
Intended Purpose	The wheelchair is intended for everyday indoor and outdoor use, by the user or an attendant, of people with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up.	
480F74=20202_HUB	Start M1, SW40,5	406440600000000480F74SA
480F74=20302_CT	Start M1, SW40,5	406440600000000480F74SA
480F74=20302_HUB	Start M1, SW40,5	406440600000000480F74SA
480F74=20402_CT	Start M1, SW40,5	406440600000000480F74SA
480F74=20402_HUB	Start M1, SW40,5	406440600000000480F74SA
480F74=20502_CT	Start M1, SW40,5	406440600000000480F74SA
480F74=20502_HUB	Start M1, SW40,5	406440600000000480F74SA
480F74=21102	Start M1 lightweight-wheelchair,SW40,5	406440600000000480F74SA
480F74=20103_CT	Start M1, SW43	406440600000000480F74SA
480F74=20103_HUB	Start M1, SW43	406440600000000480F74SA
480F74=20203_CT	Start M1, SW43	406440600000000480F74SA
480F74=20203_HUB	Start M1, SW43	406440600000000480F74SA
480F74=20303_CT	Start M1, SW43	406440600000000480F74SA
480F74=20303_HUB	Start M1, SW43	406440600000000480F74SA
480F74=20403_CT	Start M1, SW43	406440600000000480F74SA
480F74=20403_HUB	Start M1, SW43	406440600000000480F74SA
480F74=20503_CT	Start M1, SW43	406440600000000480F74SA
480F74=20503_HUB	Start M1, SW43	406440600000000480F74SA
480F74=21103	Start M1 lightweight-wheelchair, SW43	406440600000000480F74SA
480F74=20104_CT	Start M1, SW45,5	406440600000000480F74SA
480F74=20104_HUB	Start M1, SW45,5	406440600000000480F74SA
480F74=20204_CT	Start M1, SW45,5	406440600000000480F74SA
480F74=20204_HUB	Start M1, SW45,5	406440600000000480F74SA
480F74=20304_CT	Start M1, SW45,5	406440600000000480F74SA
480F74=20304_HUB	Start M1, SW45,5	406440600000000480F74SA
480F74=20404_CT	Start M1, SW45,5	406440600000000480F74SA
480F74=20404_HUB	Start M1, SW45,5	406440600000000480F74SA
480F74=20504_CT	Start M1, SW45,5	406440600000000480F74SA
480F74=20504_HUB	Start M1, SW45,5	406440600000000480F74SA
480F74=20105_CT	Start M1, SW48	406440600000000480F74SA
480F74=20105_HUB	Start M1, SW48	406440600000000480F74SA
480F74=20205_CT	Start M1, SW48	406440600000000480F74SA
480F74=20205_HUB	Start M1, SW48	406440600000000480F74SA
480F74=20305_CT	Start M1, SW48	406440600000000480F74SA
480F74=20305_HUB	Start M1, SW48	406440600000000480F74SA
480F74=20405_CT	Start M1, SW48	406440600000000480F74SA
480F74=20405_HUB	Start M1, SW48	406440600000000480F74SA
480F74=20505_CT	Start M1, SW48	406440600000000480F74SA
480F74=20505_HUB	Start M1, SW48	406440600000000480F74SA
480F74=21105	Start M1 lightweight-wheelchair, SW48	406440600000000480F74SA

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Wheelchairs, Nonpowered, Lightweight	17-620
Intended Purpose	The wheelchair is intended for everyday indoor and outdoor use, by the user or an attendant, of people with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up.	
480F74=20106_HUB	Start M1, SW50, 5	406440600000000480F74SA
480F74=20106_CT	Start M1, SW50,5	406440600000000480F74SA
480F74=20206_CT	Start M1, SW50,5	406440600000000480F74SA
480F74=20206_HUB	Start M1, SW50,5	406440600000000480F74SA
480F74=20306_CT	Start M1, SW50,5	406440600000000480F74SA
480F74=20306_HUB	Start M1, SW50,5	406440600000000480F74SA
480F74=20406_CT	Start M1, SW50,5	406440600000000480F74SA
480F74=20406_HUB	Start M1, SW50,5	406440600000000480F74SA
480F74=20506_CT	Start M1, SW50,5	406440600000000480F74SA
480F74=20506_HUB	Start M1, SW50,5	406440600000000480F74SA
480F74=21104	Start M1 lightweight-wheelchair,SW45,5	406440600000000480F74SA
480F74=21106	Start M1 lightweight-wheelchair,SW50,5	406440600000000480F74SA
480F74=4_C	Start M2 lightweight wheelchair	406440600000000480F74SA
480F74=30101_CT	Start M2S, SW38	406440600000000480F74SA
480F74=30101_HUB	Start M2S , SW38	406440600000000480F74SA
480F74=30201_CT	Start M2S , SW38	406440600000000480F74SA
480F74=30201_HUB	Start M2S , SW38	406440600000000480F74SA
480F74=30701_CT	Start M2S , SW38	406440600000000480F74SA
480F74=30701_HUB	Start M2S , SW38	406440600000000480F74SA
480F74=30801_CT	Start M2S , SW38	406440600000000480F74SA
480F74=30801_HUB	Start M2S , SW38	406440600000000480F74SA
480F74=30901_CT	Start M2S , SW38	406440600000000480F74SA
480F74=30901_HUB	Start M2S , SW38	406440600000000480F74SA
480F74=31001_CT	Start M2S , SW38	406440600000000480F74SA
480F74=31001_HUB	Start M2S , SW38	406440600000000480F74SA
480F74=31101_CT	Start M2S , SW38	406440600000000480F74SA
480F74=30102_CT	Start M2S , SW40,5	406440600000000480F74SA
480F74=30202_CT	Start M2S , SW40,5	406440600000000480F74SA
480F74=30202_HUB	Start M2S , SW40,5	406440600000000480F74SA
480F74=30702_CT	Start M2S ,SW40,5	406440600000000480F74SA
480F74=30702_HUB	Start M2S , SW40,5	406440600000000480F74SA
480F74=30802_CT	Start M2S , SW40,5	406440600000000480F74SA
480F74=30802_HUB	Start M2S , SW40,5	406440600000000480F74SA
480F74=30902_CT	Start M2S , SW40,5	406440600000000480F74SA
480F74=30902_HUB	Start M2S , SW40,5	406440600000000480F74SA
480F74=31002_CT	Start M2S , SW40,5	406440600000000480F74SA
480F74=31002_HUB	Start M2S , SW40,5	406440600000000480F74SA
480F74=30103_CT	Start M2S , SW43	406440600000000480F74SA
480F74=30103_HUB	Start M2S , SW43	406440600000000480F74SA
480F74=30203_CT	Start M2S , SW43	406440600000000480F74SA

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Wheelchairs, Nonpowered, Lightweight	17-620
Intended Purpose	The wheelchair is intended for everyday indoor and outdoor use, by the user or an attendant, of people with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up.	
480F74=30203_HUB	Start M2S , SW43	406440600000000480F74SA
480F74=30703_CT	Start M2S , SW43	406440600000000480F74SA
480F74=30703_HUB	Start M2S , SW43	406440600000000480F74SA
480F74=30803_CT	Start M2S , SW43	406440600000000480F74SA
480F74=30803_HUB	Start M2S , SW43	406440600000000480F74SA
480F74=30903_CT	Start M2S , SW43	406440600000000480F74SA
480F74=30903_HUB	Start M2S , SW43	406440600000000480F74SA
480F74=31003_CT	Start M2S , SW43	406440600000000480F74SA
480F74=31003_HUB	Start M2S , SW43	406440600000000480F74SA
480F74=31103_CT	Start M2S , SW43	406440600000000480F74SA
480F74=30104_CT	Start M2S , SW45,5	406440600000000480F74SA
480F74=30204_CT	Start M2S , SW45,5	406440600000000480F74SA
480F74=30204_HUB	Start M2S , SW45,5	406440600000000480F74SA
480F74=30704_CT	Start M2S , SW45,5	406440600000000480F74SA
480F74=30704_HUB	Start M2S , SW45,5	406440600000000480F74SA
480F74=30804_CT	Start M2S , SW45,5	406440600000000480F74SA
480F74=30804_HUB	Start M2S , SW45,5	406440600000000480F74SA
480F74=30904_CT	Start M2S , SW45,5	406440600000000480F74SA
480F74=30904_HUB	Start M2S , SW45,5	406440600000000480F74SA
480F74=31004_CT	Start M2S , SW45,5	406440600000000480F74SA
480F74=31004_HUB	Start M2S , SW45,5	406440600000000480F74SA
480F74=30105_CT	Start M2S , SW48	406440600000000480F74SA
480F74=30105_HUB	Start M2S , SW48	406440600000000480F74SA
480F74=30205_CT	Start M2S , SW48	406440600000000480F74SA
480F74=30205_HUB	Start M2S , SW48	406440600000000480F74SA
480F74=30705_CT	Start M2S , SW48	406440600000000480F74SA
480F74=30705_HUB	Start M2S , SW48	406440600000000480F74SA
480F74=30805_CT	Start M2S , SW48	406440600000000480F74SA
480F74=30805_HUB	Start M2S , SW48	406440600000000480F74SA
480F74=30905_CT	Start M2S , SW48	406440600000000480F74SA
480F74=30905_HUB	Start M2S , SW48	406440600000000480F74SA
480F74=31005_CT	Start M2S , SW48	406440600000000480F74SA
480F74=31005_HUB	Start M2S , SW48	406440600000000480F74SA
480F74=31105_CT	Start M2S , SW48	406440600000000480F74SA
480F74=30106_CT	Start M2S , SW50,5	406440600000000480F74SA
480F74=30206_CT	Start M2S , SW50,5	406440600000000480F74SA
480F74=30206_HUB	Start M2S , SW50,5	406440600000000480F74SA
480F74=30706_CT	Start M2S , SW50,5	406440600000000480F74SA
480F74=30706_HUB	Start M2S , SW50,5	406440600000000480F74SA
480F74=30806_CT	Start M2S , SW50,5	406440600000000480F74SA

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Wheelchairs, Nonpowered, Lightweight	17-620
Intended Purpose	The wheelchair is intended for everyday indoor and outdoor use, by the user or an attendant, of people with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up.	
480F74=30806_HUB	Start M2S , SW50,5	406440600000000480F74SA
480F74=30906_CT	Start M2S , SW50,5	406440600000000480F74SA
480F74=30906_HUB	Start M2S , SW50,5	406440600000000480F74SA
480F74=31006_CT	Start M2S , SW50,5	406440600000000480F74SA
480F74=31006_HUB	Start M2S , SW50,5	406440600000000480F74SA
480F74=30107_CT	Start M2S , SW53	406440600000000480F74SA
480F74=30107_HUB	Start M2S , SW53	406440600000000480F74SA
480F74=30207_CT	Start M2S , SW53	406440600000000480F74SA
480F74=30207_HUB	Start M2S , SW53	406440600000000480F74SA
480F74=30707_CT	Start M2S , SW53	406440600000000480F74SA
480F74=30707_HUB	Start M2S , SW53	406440600000000480F74SA
480F74=30807_CT	Start M2S , SW53	406440600000000480F74SA
480F74=30807_HUB	Start M2S , SW53	406440600000000480F74SA
480F74=30907_CT	Start M2S , SW53	406440600000000480F74SA
480F74=30907_HUB	Start M2S , SW53	406440600000000480F74SA
480F74=31007_CT	Start M2S , SW53	406440600000000480F74SA
480F74=31007_HUB	Start M2S , SW53	406440600000000480F74SA
480F74=31107_CT	Start M2S , SW53	406440600000000480F74SA
480F74=30102_HUB	Start M2S , SW40,5	406440600000000480F74SA
480F74=31102_CT	Start M2S , SW40,5	406440600000000480F74SA
480F74=30104_HUB	Start M2S , SW45,5	406440600000000480F74SA
480F74=31104_CT	Start M2S , SW45,5	406440600000000480F74SA
480F74=30106_HUB	Start M2S , SW50,5	406440600000000480F74SA
480F74=31106_CT	Start M2S , SW50,5	406440600000000480F74SA
480S26=10000_K	Invader Allday	406440600000000480S26TY
480S26=20000_K	Invader Sport	406440600000000480S26TY

MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Wheelchairs	14-449
Intended Purpose	The wheelchair is intended for everyday indoor and outdoor use, by the user or an attendant, of people with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up.	
480F14=20101	standard steel-wheelchair Centro S1, 14"	406440600000000480F14RQ
480F14=20102	standard steel-wheelchair Centro S1, 16"	406440600000000480F14RQ
480F14=20103	standard steel-wheelchair Centro S1, 17"	406440600000000480F14RQ
480F14=20104	standard steel-wheelchair Centro S1, 18"	406440600000000480F14RQ
480F14=20105	standard steel-wheelchair Centro S1, 20"	406440600000000480F14RQ
480F14=20201	standard steel-wheelchair Centro S1, 14"	406440600000000480F14RQ
480F14=20202	standard steel-wheelchair Centro S1, 16"	406440600000000480F14RQ
480F14=20203	standard steel-wheelchair Centro S1, 17"	406440600000000480F14RQ

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Wheelchairs	14-449
Intended Purpose	The wheelchair is intended for everyday indoor and outdoor use, by the user or an attendant, of people with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up.	
480F14=20204	standard steel-wheelchair Centro S1, 18"	406440600000000480F14RQ
480F14=20205	standard steel-wheelchair Centro S1, 20"	406440600000000480F14RQ
480F14=20401	standard steel-wheelchair Centro S1, 14"	406440600000000480F14RQ
480F14=20402	standard steel-wheelchair Centro S1, 16"	406440600000000480F14RQ
480F14=20403	standard steel-wheelchair Centro S1, 17"	406440600000000480F14RQ
480F14=20404	standard steel-wheelchair Centro S1, 18"	406440600000000480F14RQ
480F14=20405	standard steel-wheelchair Centro S1, 20"	406440600000000480F14RQ
480F74=10101_CT	Start B2, SW38	406440600000000480F74SA
480F74=10102_CT	Start B2, SW40,5	406440600000000480F74SA
480F74=10103_CT	Start B2, SW43	406440600000000480F74SA
480F74=10104_CT	Start B2, SW45,5	406440600000000480F74SA
480F74=10105_CT	Start B2, SW48	406440600000000480F74SA

MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Wheelchairs, Nonpowered	16-949
Intended Purpose	The wheelchair is intended for everyday indoor and outdoor use, by the user or an attendant, of people with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up.	
480A25=00000_K	Ventus	406440600000000480A25R4
480F160=0_C	Avantgarde 4	4064406000000480F160=04U
480F160=1_C	Zenit	4064406000000480F160=14W
480F168=1_C	Zenit onn	40644060000480F168=1_CP7
480F45=30000_K	Avantgarde Teen 2 T	406440600000000480F45S3
480F45=40000_K	Avantgarde Teen 2 VR	406440600000000480F45S3
480F45=50000_K	Avantgarde XXL2	406440600000000480F45S3
480F61=2_C	Motus	406440600000000480F61RZ
482M166=00001_CT	START MULTI S 12"	406440600000000482M166WZ
482M166=00001_HUB	START MULTI S 12"	406440600000000482M166WZ
482M166=00002_CT	START MULTI M 12"	406440600000000482M166WZ
482M166=00002_HUB	START MULTI M 12"	406440600000000482M166WZ
482M166=00003_CT	START MULTI L 12"	406440600000000482M166WZ
482M166=00003_HUB	START MULTI L 12"	406440600000000482M166WZ
482M166=00004_CT	START MULTI S 24"	406440600000000482M166WZ
482M166=00004_HUB	START MULTI S 24"	406440600000000482M166WZ
482M166=00005_CT	START MULTI M 24"	406440600000000482M166WZ
482M166=00005_HUB	START MULTI M 24"	406440600000000482M166WZ
482M166=00006_CT	START MULTI L 24"	406440600000000482M166WZ
482M166=00006_HUB	START MULTI L 24"	406440600000000482M166WZ
482M166=10001_HUB	START MULTI S 12"	406440600000000482M166WZ
482M166=10002_HUB	START MULTI M 12"	406440600000000482M166WZ
482M166=10003_HUB	START MULTI L 12"	406440600000000482M166WZ

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Wheelchairs, Nonpowered	16-949
Intended Purpose	The wheelchair is intended for everyday indoor and outdoor use, by the user or an attendant, of people with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up.	
482M166=10004_HUB	START MULTI S 24"	40644060000000482M166WZ
482M166=10005_HUB	START MULTI M 24"	40644060000000482M166WZ
482M166=10006_HUB	START MULTI L 24"	40644060000000482M166WZ
482M166=10001_CT	START MULTI S 12"	40644060000000482M166WZ
482M166=10002_CT	START MULTI M 12"	40644060000000482M166WZ
482M166=10003_CT	START MULTI L 12"	40644060000000482M166WZ
482M166=10004_CT	START MULTI S 24"	40644060000000482M166WZ
482M166=10005_CT	START MULTI M 24"	40644060000000482M166WZ
482M166=10006_CT	START MULTI L 24"	40644060000000482M166WZ
470G42=00000_K	Dino 3	406440600000000470G42RP
HR3204_C	DISCOVERY - wheelchair	406440600000000HR32047Q

MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Walkers, Wheeled	17-630
Intended Purpose	The product is intended for everyday indoor and outdoor use by people with temporary or permanent limitations of the ability to walk or difficulty standing up and is used by the user.	
HR2426=0000_K	Nurmi Neo	4064406000000000HR24UC

MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Chairs, Rehabilitation	10-801
Intended Purpose	The product is intended for everyday indoor and outdoor use, by an attendant, of children with temporary or permanent limitations of the ability to walk, inability to walk or difficulty standing up.	
HR3401=0000_K	Kimba Cross	406440600000000470G71RW
HR3255=0000_K	Kimba Inline	406440600000000470G71RW
470G71=5_C	Kimba	406440600000000470G71RW
HR2233=0000_K	Kimba - underframe for indoor use	406440600000000470G71RW
HR22330000-011	Home Underframe, Indoor Use Sz 1, Compl.	406440600000000470G71RW
HR22430000-011	Kimba indoor frame s.2	406440600000000470G71RW
HR32130001-027	Lisa Rehab Buggy s.1 (SD=30cm)	406440600000000HR321ZK
HR32130002-027	Lisa Rehab Buggy s. 1 (SD=35cm)	406440600000000HR321ZK
HR32140001-027	Lisa Rehab Buggy s. 2 (SD=35cm)	406440600000000HR321ZK
HR32140002-027	Lisa Rehab Buggy s. 2 (SD=40cm)	406440600000000HR321ZK
HR32100001-011	Eco-Buggy	406440600000000HR32107K

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Cushions, Wheelchair	11-100
Intended Purpose	The product is intended exclusively as a wheelchair seat cushion for adults with intact skin who use a wheelchair on a temporary or permanent basis.	
476C00=SK100	CubicFoam seat cushion	4064406000000000476C0P9
476C00=SK160	CubicFoam seat cushion SW40.5xSD40.5	4064406000000000476C0P9
476C00=SK161	CubicFoam seat cushion SW45.5 x SW45.5	4064406000000000476C0P9
476C00=SK162	CubicFoam seat cushion SW40.5 x SD45.5	4064406000000000476C0P9
476C00=SK163	CubicFoam seat cushion SW50.5 x SD45.5	4064406000000000476C0P9
476C00=SK164	CubicFoam seat cushion SW50.5 x ST48	4064406000000000476C0P9
476C00=SK165	CubicFoam seat cushion SW55.5 x SD45.5	4064406000000000476C0P9
476C00=SK166	CubicFoam seat cushion SW55.5 x SD48	4064406000000000476C0P9
476C00=SK901	CubicFoam - Cushion SW36 x SD36	4064406000000000476C0P9
476C00=SK902	CubicFoam - Cushion SW36 x SD38	4064406000000000476C0P9
476C00=SK903	CubicFoam - Cushion SW36 x SD40	4064406000000000476C0P9
476C00=SK904	CubicFoam - Cushion SW38 x SD38	4064406000000000476C0P9
476C00=SK905	CubicFoam Cushion SW38 x SD40	4064406000000000476C0P9
476C00=SK906	CubicFoam seat cushion SW38 x SD42	4064406000000000476C0P9
476C00=SK907	CubicFoam - Cushion SW38 x SD38	4064406000000000476C0P9
476C00=SK908	CubicFoam - Cushion SW40 x SD42	4064406000000000476C0P9
476C00=SK909	CubicFoam - Cushion SW40 x SD44	4064406000000000476C0P9
476C00=SK910	CubicFoam - Cushion SW40 x SD46	4064406000000000476C0P9
476C00=SK911	CubicFoam Cushion SW42 x SD40	4064406000000000476C0P9
476C00=SK912	CubicFoam Cushion SW42 x SD42	4064406000000000476C0P9
476C00=SK913	CubicFoam - Cushion SW42 x SD44	4064406000000000476C0P9
476C00=SK914	CubicFoam Cushion SW42 x SD46	4064406000000000476C0P9
476C00=SK915	CubicFoam - Cushion SW44 x SD40	4064406000000000476C0P9
476C00=SK916	CubicFoam - Cushion SW44 x SD42	4064406000000000476C0P9
476C00=SK917	CubicFoam - Cushion SW44 x SD44	4064406000000000476C0P9
476C00=SK918	CubicFoam - Cushion SW44 x SD46	4064406000000000476C0P9
476C00=SK919	CubicFoam Cushion SW46 x SD40	4064406000000000476C0P9
476C00=SK920	CubicFoam Cushion SW46 x SD42	4064406000000000476C0P9
476C00=SK921	CubicFoam - Cushion SW46 x SD44	4064406000000000476C0P9
476C00=SK922	CubicFoam - Cushion SW46 x SD46	4064406000000000476C0P9
476C00=SK923	CubicFoam Cushion SW48 x SD40	4064406000000000476C0P9
476C00=SK924	CubicFoam Cushion SW48 x SD42	4064406000000000476C0P9
476C00=SK925	CubicFoam - Cushion SW48 x SD44	4064406000000000476C0P9
476C00=SK926	CubicFoam Cushion SW48 x SD46	4064406000000000476C0P9
476C00=SK927	CubicFoam Cushion SW48 x SD48	4064406000000000476C0P9
476C00=SK928	CubicFoam Cushion SW50 x SD46	4064406000000000476C0P9
476C00=SK929	CubicFoam Cushion SW50 x SD48	4064406000000000476C0P9
476C00=SK930	CubicFoam Cushion SW50 x SD50	4064406000000000476C0P9

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Cushions, Wheelchair	11-100
Intended Purpose	The product is intended exclusively as a wheelchair seat cushion for adults with intact skin who use a wheelchair on a temporary or permanent basis.	
476C00=SK1170	CubicFoam seat cushion SW38 x SD45.5	4064406000000000476C0P9
476C00=SK1171	CubicFoam seat cushion SW38 x SD48	4064406000000000476C0P9
476C00=SK1172	CubicFoam seat cushion SW38 x SD50.5	4064406000000000476C0P9
476C00=SK1173	CubicFoam seat cushion SW40,5 x SD50.5	4064406000000000476C0P9
476C00=SK1174	CubicFoam seat cushion SW43 x SD50.5	4064406000000000476C0P9
476C00=SK1175	CubicFoam seat cushion SW50.5 x SD40,5	4064406000000000476C0P9
476C00=SK1176	CubicFoam seat cushion SW50.5 x SD43	4064406000000000476C0P9
476C00=SK1177	CubicFoam seat cushion SW53xSD46	4064406000000000476C0P9
476C00=SK1178	CubicFoam seat cushion SW58xSD46	4064406000000000476C0P9
476C00=SK349	Evolight seat cushion Avantgarde XXL2	4064406000000000476C0P9
476C00=SK350	Evolight seat cushion	4064406000000000476C0P9
476C00=SK351	Evolight seat cushion SW40.5 x SD40,5	4064406000000000476C0P9
476C00=SK352	Evolight seat cushion SW45.5 x SD40,5	4064406000000000476C0P9
476C00=SK353	Evolight seat cushion SW45.5 x SD45,5	4064406000000000476C0P9
476C00=SK354	Evolight seat cushion SW50.5 x SD45,5	4064406000000000476C0P9
476C00=SK355	Evolight seat cushion SW50.5 x SD48	4064406000000000476C0P9
476C00=SK356	Evolight seat cushion SW55.5 x SD45,5	4064406000000000476C0P9
476C00=SK357	Evolight seat cushion SW55,5 x SD48	4064406000000000476C0P9
476C00=SK361	Evolight seat cushion SW36 x SD36	4064406000000000476C0P9
476C00=SK362	Evolight seat cushion SW36 x SD38	4064406000000000476C0P9
476C00=SK363	Evolight seat cushion SW36 x SD40	4064406000000000476C0P9
476C00=SK364	Evolight seat cushion SW38 x SD38	4064406000000000476C0P9
476C00=SK365	Evolight seat cushion SW38 x SD40	4064406000000000476C0P9
476C00=SK366	Evolight seat cushion SW38 x SD42	4064406000000000476C0P9
476C00=SK367	Evolight seat cushion SW40 x SD40	4064406000000000476C0P9
476C00=SK368	Evolight seat cushion SW40 x SD42	4064406000000000476C0P9
476C00=SK369	Evolight seat cushion SW40 x SD44	4064406000000000476C0P9
476C00=SK370	Evolight seat cushion SW40 x SD46	4064406000000000476C0P9
476C00=SK371	Evolight seat cushion SW42 x SD40	4064406000000000476C0P9
476C00=SK372	Evolight seat cushion SW42 x SD42	4064406000000000476C0P9
476C00=SK373	Evolight seat cushion SW42 x SD42	4064406000000000476C0P9
476C00=SK374	Evolight seat cushion SW42 x SD46	4064406000000000476C0P9
476C00=SK375	Evolight seat cushion SW44 x SD40	4064406000000000476C0P9
476C00=SK376	Evolight seat cushion SW44 x SD42	4064406000000000476C0P9
476C00=SK377	Evolight seat cushion SW44 x SD44	4064406000000000476C0P9
476C00=SK378	Evolight seat cushion SW44 x SD46	4064406000000000476C0P9
476C00=SK379	Evolight seat cushion SW46 x SD40	4064406000000000476C0P9
476C00=SK380	Evolight seat cushion SW46 x SD42	4064406000000000476C0P9
476C00=SK381	Evolight seat cushion SW46 x SD44	4064406000000000476C0P9
476C00=SK382	Evolight seat cushion SW46 x SD46	4064406000000000476C0P9

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Cushions, Wheelchair	11-100
Intended Purpose	The product is intended exclusively as a wheelchair seat cushion for adults with intact skin who use a wheelchair on a temporary or permanent basis.	
476C00=SK383	Evolight seat cushion SW48 x SD40	4064406000000000476C0P9
476C00=SK384	Evolight seat cushion SW48 x SD42	4064406000000000476C0P9
476C00=SK385	Evolight seat cushion SW48 x SD44	4064406000000000476C0P9
476C00=SK386	Evolight seat cushion SW48 x SD46	4064406000000000476C0P9
476C00=SK387	Evolight seat cushion SW48 x SD48	4064406000000000476C0P9
476C00=SK388	Evolight seat cushion SW50 x SD46	4064406000000000476C0P9
476C00=SK389	Evolight seat cushion SW50 x SD48	4064406000000000476C0P9
476C00=SK390	Evolight seat cushion SW50 x SD50	4064406000000000476C0P9
476C00=SK1150	Evolight seat cushion SW38 x SD45,5	4064406000000000476C0P9
476C00=SK1151	Evolight seat cushion SW38 x SD48	4064406000000000476C0P9
476C00=SK1152	Evolight seat cushion SW38 x SD50,5	4064406000000000476C0P9
476C00=SK1153	Evolight seat cushion SW40,5 x SD48	4064406000000000476C0P9
476C00=SK1154	Evolight seat cushion SW40,5 x SD50,5	4064406000000000476C0P9
476C00=SK1155	Evolight seat cushion SW43 x SD48	4064406000000000476C0P9
476C00=SK1156	Evolight seat cushion SW43 x SD50,5	4064406000000000476C0P9
476C00=SK1157	Evolight seat cushion SW45,5 x SD48	4064406000000000476C0P9
476C00=SK1158	Evolight seat cushion SW45,5 x SD50,5	4064406000000000476C0P9
476C00=SK1159	Evolight seat cushion SW48 x SD50,5	4064406000000000476C0P9
476C00=SK1160	Evolight seat cushion SW50,5 x SD40,5	4064406000000000476C0P9
476C00=SK1161	Evolight seat cushion SW50,5 x SD43	4064406000000000476C0P9
476C00=SK1162	Evolight Sitzkissen Avantgarde XXL2	4064406000000000476C0P9
476C00=SK1163	Evolight seat cushion	4064406000000000476C0P9
476C00=SK461	Incontinence Barrier, 35.5 X 35.5	4064406000000000476C0P9
476C00=SK450	Incontinence Barrier, 35.5 X 40.5	4064406000000000476C0P9
476C00=SK451	Incontinence Barrier, 38.0 X 40.5	4064406000000000476C0P9
476C00=SK452	Incontinence Barrier, 40.5 X 40.5	4064406000000000476C0P9
476C00=SK458	Incontinence Barrier, 40.5 X 43.0	4064406000000000476C0P9
476C00=SK453	Incontinence Barrier, 40.5 x 45.5	4064406000000000476C0P9
476C00=SK462	Incontinence Barrier, 40.5 X 50.5	4064406000000000476C0P9
476C00=SK463	Incontinence Barrier, 43.0 X 40.5	4064406000000000476C0P9
476C00=SK459	Incontinence Barrier, 43.0 X 43.0	4064406000000000476C0P9
476C00=SK454	Incontinence Barrier, 43.0 x 45.5	4064406000000000476C0P9
476C00=SK464	Incontinence Barrier, 43.0 X 50.5	4064406000000000476C0P9
476C00=SK455	Incontinence Barrier, 45.5 x 40.5	4064406000000000476C0P9
476C00=SK460	Incontinence Barrier, 45.5 X 43.0	4064406000000000476C0P9
476C00=SK456	Incontinence Barrier, 45.5 x 45.5	4064406000000000476C0P9
476C00=SK465	Incontinence Barrier, 45.5 X 50.5	4064406000000000476C0P9
476C00=SK466	Incontinence Barrier, 50.5 X 40.5	4064406000000000476C0P9
476C00=SK457	Incontinence Barrier, 50.5 x 45.5	4064406000000000476C0P9
476C00=SK467	Incontinence Barrier, 50.5 X 50.5	4064406000000000476C0P9
476C00=SK468	Incontinence Barrier, 58.0 x 58.0	4064406000000000476C0P9

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Cushions, Wheelchair	11-100
Intended Purpose	The product is intended exclusively as a wheelchair seat cushion for adults with intact skin who use a wheelchair on a temporary or permanent basis.	
476C00=SA200	Cushion Cloud Special Size	4064406000000000476C0P9
476C00=SK681	Aquos/Terra Aquos Cushion, 35.5x35.5	4064406000000000476C0P9
476C00=SK658	Aquos/Terra Aquos Cushion, 35.5x40.5	4064406000000000476C0P9
476C00=SK656	Aquos/Terra Aquos Cushion, 38X40.5	4064406000000000476C0P9
476C00=SK651	Aquos/Terra Aquos Cushion, 40.5x40.5	4064406000000000476C0P9
476C00=SK690	Aquos/Terra Aquos Cushion, 40,5x43	4064406000000000476C0P9
476C00=SK654	Aquos/Terra Aquos Cushion, 40.5x45.5	4064406000000000476C0P9
476C00=SK682	Aquos/Terra Aquos Cushion, 40.5x50.5	4064406000000000476C0P9
476C00=SK683	Aquos/Terra Aquos Cushion, 43x40.5	4064406000000000476C0P9
476C00=SK688	Aquos/Terra Aquos Cushion, 43x43	4064406000000000476C0P9
476C00=SK657	Aquos/Terra Aquos Cushion, 43x45.5	4064406000000000476C0P9
476C00=SK684	Aquos/Terra Aquos Cushion, 43x50.5	4064406000000000476C0P9
476C00=SK653	Aquos/Terra Aquos Cushion, 45.5x40.5	4064406000000000476C0P9
476C00=SK689	Aquos/Terra Aquos Cushion, 45,5x43	4064406000000000476C0P9
476C00=SK652	Aquos/Terra Aquos Cushion, 45.5x45.5	4064406000000000476C0P9
476C00=SK685	Aquos/Terra Aquos Cushion, 45.5x50.5	4064406000000000476C0P9
476C00=SK686	Aquos/Terra Aquos Cushion, 50.5x40.5	4064406000000000476C0P9
476C00=SK655	Aquos/Terra Aquos Cushion, 50.5x45.5	4064406000000000476C0P9
476C00=SK687	Aquos/Terra Aquos Cushion, 50.5x50.5	4064406000000000476C0P9
476C00=FFC12X12	Cloud Seat Cushion 12" x12"	4064406000000000476C0P9
476C00=FFC14X14	Cloud Seat Cushion 14" x14"	4064406000000000476C0P9
476C00=FFC14X16	Cloud Seat Cushion 14" x16"	4064406000000000476C0P9
476C00=FFC15X15	Cloud Seat Cushion 15" x15"	4064406000000000476C0P9
476C00=FFC15X16	Cloud Seat Cushion 15" x16"	4064406000000000476C0P9
476C00=FFC16.5X16	Cloud Seat Cushion 16.5" x16"	4064406000000000476C0P9
476C00=FC16.5X16.5	Cloud Seat Cushion 16.5" x16.5"	4064406000000000476C0P9
476C00=FFC16X16	Cloud Seat Cushion 16" x16"	4064406000000000476C0P9
476C00=FFC16X16.5	Cloud Seat Cushion 16" x16.5"	4064406000000000476C0P9
476C00=FFC16X18	Cloud Seat Cushion 16" x18"	4064406000000000476C0P9
476C00=FC17.5X16.5	Cloud Seat Cushion 17.5" x16.5"	4064406000000000476C0P9
476C00=FFC17X17	Cloud Seat Cushion 17" x17"	4064406000000000476C0P9
476C00=FFC17X18	Cloud Seat Cushion 17" x18"	4064406000000000476C0P9
476C00=FFC18X16	Cloud Seat Cushion 18" x16"	4064406000000000476C0P9
476C00=FFC18X16.5	Cloud Seat Cushion 18" x16.5"	4064406000000000476C0P9
476C00=FFC18X18	Cloud Seat Cushion 18" x18"	4064406000000000476C0P9
476C00=FFC18X20	Cloud Seat Cushion 18" x20"	4064406000000000476C0P9
476C00=FFC19X18	Cloud Seat Cushion 19" x18"	4064406000000000476C0P9
476C00=FFC20X16	Cloud Seat Cushion 20" x16"	4064406000000000476C0P9
476C00=FFC20X18	Cloud Seat Cushion 20" x18"	4064406000000000476C0P9
476C00=FFC20X20	Cloud Seat Cushion 20" x20"	4064406000000000476C0P9
476C00=FFC22X16	Cloud Seat Cushion 22" x16"	4064406000000000476C0P9

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Cushions, Wheelchair	11-100
Intended Purpose	The product is intended exclusively as a wheelchair seat cushion for adults with intact skin who use a wheelchair on a temporary or permanent basis.	
476C00=FFC22X18	Cloud Seat Cushion 22" x18"	4064406000000000476C0P9
476C00=FFC22X20	Cloud Seat Cushion 22" x20"	4064406000000000476C0P9
476C00=FFC24X16	Cloud Seat Cushion 24" x16"	4064406000000000476C0P9
476C00=SA660	Terra Aquos Cushion, custom size 50x43	4064406000000000476C0P9
476C00=SK820	Terra Flair Plus cushion 38x40,5	4064406000000000476C0P9
476C00=SK821	Terra Flair Plus cushion 40,5x40,5	4064406000000000476C0P9
476C00=SK822	Terra Flair Plus cushion 40,5x43	4064406000000000476C0P9
476C00=SK823	Terra Flair Plus cushion 40,5x45,5	4064406000000000476C0P9
476C00=SK824	Terra Flair Plus cushion 40,5x50,5	4064406000000000476C0P9
476C00=SK825	Terra Flair Plus cushion 43x40,5	4064406000000000476C0P9
476C00=SK826	Terra Flair Plus cushion 43x43	4064406000000000476C0P9
476C00=SK827	Terra Flair Plus cushion 43x45,5	4064406000000000476C0P9
476C00=SK828	Terra Flair Plus cushion 43x50,5	4064406000000000476C0P9
476C00=SK829	Terra Flair Plus cushion 45,5x40,5	4064406000000000476C0P9
476C00=SK830	Terra Flair Plus cushion 45,5x43	4064406000000000476C0P9
476C00=SK831	Terra Flair Plus cushion 45,5x45,5	4064406000000000476C0P9
476C00=SK832	Terra Flair Plus cushion 45,5x50,5	4064406000000000476C0P9
476C00=SK833	Terra Flair Plus cushion 50,5x40,5	4064406000000000476C0P9
476C00=SK834	Terra Flair Plus cushion 50,5x45,5	4064406000000000476C0P9
476C00=SK835	Terra Flair Plus cushion 50,5x50,5	4064406000000000476C0P9
476C00=SK878	Terra Flair cushion, 35,5x40,5	4064406000000000476C0P9
476C00=SK876	Terra Flair Cushion, 38x40.5	4064406000000000476C0P9
476C00=SK871	Terra Flair Cushion, 40.5x40.5	4064406000000000476C0P9
476C00=SK879	Terra Flair cushion, 40,5x43	4064406000000000476C0P9
476C00=SK874	Terra Flair Cushion, 40.5x45.5	4064406000000000476C0P9
476C00=SK882	Terra Flair Cushion, 40.5x50.5	4064406000000000476C0P9
476C00=SK883	Terra Flair Cushion, 43x40.5	4064406000000000476C0P9
476C00=SK888	Terra Flair cushion, 43x43	4064406000000000476C0P9
476C00=SK877	Terra Flair Cushion, 43x45.5	4064406000000000476C0P9
476C00=SK884	Terra Flair Cushion, 43x50.5	4064406000000000476C0P9
476C00=SK873	Terra Flair Cushion, 45.5x40.5	4064406000000000476C0P9
476C00=SK889	Terra Flair cushion, 45,5x43	4064406000000000476C0P9
476C00=SK872	Terra Flair Cushion, 45.5x45.5	4064406000000000476C0P9
476C00=SK885	Terra Flair Cushion, 45.5x50.5	4064406000000000476C0P9
476C00=SK886	Terra Flair Cushion, 50.5x40.5	4064406000000000476C0P9
476C00=SK875	Terra Flair Cushion, 50.5x45.5	4064406000000000476C0P9
476C00=SK887	Terra Flair Cushion, 50.5x50.5	4064406000000000476C0P9
476C00=SA880	Terra Flair Cushion, custom size 50x43	4064406000000000476C0P9
476C00=SK631	Terra Cushion, 35,5x35,5	4064406000000000476C0P9
476C00=SK608	Terra Cushion, 35,5x40,5	4064406000000000476C0P9
476C00=SK606	Terra Cushion, 38X40,5	4064406000000000476C0P9

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Cushions, Wheelchair	11-100
Intended Purpose	The product is intended exclusively as a wheelchair seat cushion for adults with intact skin who use a wheelchair on a temporary or permanent basis.	
476C00=SK601	Terra cushion, 40,5x40,5	4064406000000000476C0P9
476C00=SK640	Terra Cushion, 40,5x43	4064406000000000476C0P9
476C00=SK604	Terra Cushion, 40,5x45,5	4064406000000000476C0P9
476C00=SK632	Terra Cushion, 40,5x50,5	4064406000000000476C0P9
476C00=SK633	Terra Cushion, 43x40.5	4064406000000000476C0P9
476C00=SK638	Terra Cushion, 43x43	4064406000000000476C0P9
476C00=SK607	Terra Cushion, 43x45,5	4064406000000000476C0P9
476C00=SK634	Terra Cushion, 43x50.5	4064406000000000476C0P9
476C00=SK603	Terra Cushion, 45,5x40,5	4064406000000000476C0P9
476C00=SK639	Terra Cushion, 45,5x43	4064406000000000476C0P9
476C00=SK602	Terra cushion, 45,5x45,5	4064406000000000476C0P9
476C00=SK635	Terra Cushion, 45.5x50.5	4064406000000000476C0P9
476C00=SK636	Terra Cushion, 50.5x40.5	4064406000000000476C0P9
476C00=SK605	Terra Cushion, 50,5x45,5	4064406000000000476C0P9
476C00=SK637	Terra Cushion, 50.5x50.5	4064406000000000476C0P9
476C00=SA620	Terra Cushion, custom size 50x43	4064406000000000476C0P9

MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Supports, Upper-Extremity	18-028
Intended Purpose	The transfer boards can be used in case of the loss of functionality/use of the legs and pelvis, with adequate use of the upper limbs and retained torso function, to allow the user to independently reposition themselves.	
RR1701600000	Transfer board	4064406000000000RR17057
RR1703900000	Transfer board	4064406000000000RR17057
RR1704100000	Transfer board	4064406000000000RR17057

MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	bath-seat	13-609
Intended Purpose	The product is intended to support and optimise the seating position of children while bathing.	
HR51040000-027	Robby 1	4064406000000000HR510ZQ
HR51050000-027	Robby 2	4064406000000000HR510ZQ

Reference list of Declaration of Conformity from February 26, 2026

MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Arm Boards	10-184
Intended Purpose	The product is intended exclusively for use on wheelchairs, rehab-buggies or seating shell mobility bases with seating solutions. The accessories are intended to provide support or optimise the user's seating position. They permit adaptation of the product to the individual needs of the user.	
476E52=SK015	Swivel Unit, Complete, ø19, Black	4064406000000000476E5PR
476E52=SK025	Swivel Unit, Complete, ø20, Black	4064406000000000476E5PR
476E52=SK035	Swivel Unit, Complete, ø22,2, Black	4064406000000000476E5PR
476E52=SK045	Swivel Unit, Complete, ø25.4, Black	4064406000000000476E5PR
436A3=2-7	Modular Channel Forearm Support, 1 Pc	40644060000000000436ALM
436A2=1-7	Modular Arm Support, Large	40644060000000000436ALM
436A2=3-7	Modular Arm Support, Small	40644060000000000436ALM
436A2=2-7	Modular Arm Support, Medium	40644060000000000436ALM
Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Arm Boards	10-184
Intended Purpose	The product is intended exclusively for use on wheelchairs, rehab-buggies or seating shell mobility bases with seating solutions. The accessories are intended to provide support or optimise the user's seating position. They permit adaptation of the product to the individual needs of the user.	
436P3=L1-7	Modular Hand Support Horn Type, Left, L	40644060000000000436PMK
436P3=L2-7	Modular Hand Support Horn Type, Left, S	40644060000000000436PMK
436P3=R1-7	Modular Hand Support Horn Type, Right, L	40644060000000000436PMK
436P3=R2-7	Modular Hand Support Horn Type, Right, S	40644060000000000436PMK
436P5=1-7	Modular Hand Support Flat, Large	40644060000000000436PMK
436P5=2-7	Modular Hand Support Flat, Small	40644060000000000436PMK
436P2=L1-7	Modular Hand Support Concave, Left, L	40644060000000000436PMK
436P2=L2-7	Modular Hand Support Concave, Left, S	40644060000000000436PMK
436P2=R1-7	Modular Hand Support Concave, Right, L	40644060000000000436PMK
436P2=R2-7	Modular Hand Support Concave, Right, S	40644060000000000436PMK
436P4=L2-7	Modular Hand Support Cone Type, Left, S	40644060000000000436PMK
436P4=R1-7	Modular Hand Support Cone Type, Right, L	40644060000000000436PMK
436P4=R2-7	Modular Hand Support Cone Type, Right, S	40644060000000000436PMK
436P4=L1-7	Modular Hand Support Cone Type, Left, L	40644060000000000436PMK
436S1=1-7	Superior Lower Arm Support	40644060000000000436SMR

Reference list of Declaration of Conformity from February 26, 2026

MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Supports, Upper-Extremity	18-028
Intended Purpose	The product is intended exclusively for use on wheelchairs, rehab-buggies or seating shell mobility bases with seating solutions. The accessories are intended to provide support or optimise the user's seating position. They permit adaptation of the product to the individual needs of the user.	
476P52=SK027	Anterior Trunk Support, Slimline, L	4064406000000000476P5QS
476P52=SK026	Anterior Trunk Support, Slimline, M	4064406000000000476P5QS
476P52=SK025	Anterior Trunk Support, Slimline, S	4064406000000000476P5QS
481E00=SK260	Therapy Tray Size 1	4064406000000000481E81S9
481E00=SK270	Therapy Tray Size 2	4064406000000000481E81S9
481E00=SK280	Therapy Tray Size 3	4064406000000000481E81S9
481E00=SK290	Therapy Tray Size 4	4064406000000000481E81S9
481E00=SK290_HUB	Therapy Tray Size 4	4064406000000000481E81S9
481E00=SK300	Therapy Tray Size 5	4064406000000000481E81S9
481E00=SK300_HUB	Therapy Tray Size 5	4064406000000000481E81S9
434F3=L-7	Mounting Set, Offset, Left, Black	40644060000000000434FLR
434F3=R-7	Mounting Set, Offset, Right, Black	40644060000000000434FLR
434H1=1-7	Clamp, 1", Black	40644060000000000434HLV
434H1=3/4-7	Clamp, 3/4", Black	40644060000000000434HLV
434H1=7/8-7	Clamp, 7/8", Black	40644060000000000434HLV
Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Supports, Upper-Extremity	18-028
Intended Purpose	The product is intended exclusively for use on wheelchairs, rehab-buggies or seating shell mobility bases with seating solutions. The accessories are intended to provide support or optimise the user's seating position. They permit adaptation of the product to the individual needs of the user.	
477D52=SK030	Clamp small, 1", Black	4064406000000000477D52SU
477D52=SK036	Clamps small, 3/4", Black	4064406000000000477D52SU
477D52=SK042	Clamp small, 7/8", Black	4064406000000000477D52SU
442Q1=1	Drop Base Plate	40644060000000000442QME
434F1=L-7	S.T.S. Rod Assembly, Standard Black	40644060000000000434FLR
434F1=R-7	Mounting Set, Standard, Right, Black	40644060000000000434FLR
434F2=L-7	Mounting Set, Extended, Left, Black	40644060000000000434FLR
434F2=R-7	Mounting Set, Extended, Right, Black	40644060000000000434FLR
434P1=1-7	Lateral Thoracic Support, Large	40644060000000000434PMD
434P1=3-7	Lateral Thoracic Support, Small	40644060000000000434PMD
434P1=2-7	Lateral Thoracic Support, Medium	40644060000000000434PMD

Reference list of Declaration of Conformity from February 26, 2026

MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Restraints, Wheelchair Occupant	13-356
Intended Purpose	The product is intended exclusively for use on wheelchairs, rehab-buggies or seating shell mobility bases with seating solutions. The accessories are intended to provide support or optimise the user's seating position. They permit adaptation of the product to the individual needs of the user.	
434S7=1.5-7	Anterior Trunk Support Without Padding	4064406000000000434SMK
446B1=2-7	Anterior Pelvic Support, Plastic Buckle	4064406000000000446BLU
446B10=1.5-7	Anterior Pelvic Support With Metal Lock	4064406000000000446BLU
446B10=2-7	Anterior Pelvic Support With Metal Lock	4064406000000000446BLU
473K00=SK020	Anterior Trunk Support, Std., Size 1, Bl	4064406000000000473K0PJ
473K00=SK021	Anterior Trunk Support, Std., Size 2, Bl	4064406000000000473K0PJ
473K00=SK022	Anterior Trunk Support, Std., Size 3, Bl	4064406000000000473K0PJ
473N00=SK012	Circum. Pelvic Support, Size 1, Black	4064406000000000473N0PT
473N00=SK013	Circum. Pelvic Support, Size 2, Black	4064406000000000473N0PT
473N00=SK014	Circum. Pelvic Support, Size 3, Black	4064406000000000473N0PT
476P52=SK004	2-Pt Ant Pelvic , Plastic , 2-Pull	4064406000000000476P5QS
476P52=SK002	2-Pt Ant Pelvic , Metal Lock, Mid-Pull	4064406000000000476P5QS
476P52=SK006	2-Pt Child Ant Pelvic , Plastic , 2-Pull	4064406000000000476P5QS
476P52=SK005	4-Pt Child Ant Pelvic , Plastic , 2-Pull	4064406000000000476P5QS
476P52=SK003	4-Pt Ant Pelvic , Plastic , 2-Pull	4064406000000000476P5QS
476P52=SK001	4-Pt Ant Pelvic , Metal Lock, Mid-Pull	4064406000000000476P5QS
476P52=SK012	Anterior Trunk Support, Dynamic, L	4064406000000000476P5QS
476P52=SK011	Anterior Trunk Support, Dynamic, M	4064406000000000476P5QS
476P52=SK010	Anterior Trunk Support, Dynamic, S	4064406000000000476P5QS
476P52=SK009	Anterior Trunk Support, Dynamic, XS	4064406000000000476P5QS
476P52=SK022	Anterior Shoulder Support, L	4064406000000000476P5QS
Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Restraints, Wheelchair Occupant	13-356
Intended Purpose	The product is intended exclusively for use on wheelchairs, rehab-buggies or seating shell mobility bases with seating solutions. The accessories are intended to provide support or optimise the user's seating position. They permit adaptation of the product to the individual needs of the user.	
476P52=SK021	Anterior Shoulder Support, M	4064406000000000476P5QS
476P52=SK020	Anterior Shoulder Support, S	4064406000000000476P5QS
476P52=SK017	Anterior Trunk Support, L	4064406000000000476P5QS
476P52=SK016	Anterior Trunk Support, M	4064406000000000476P5QS
476P52=SK015	Anterior Trunk Support, S	4064406000000000476P5QS
481C08=SK079	Anterior Pelvic Support, Plastic Buckle	4064406000000000481C08RM
481C08=SK070	Anterior Pelvic Support With Metal Lock	4064406000000000481C08RM
481C17=SK020	Anterior Pelvic Support, Plastic Buckle	4064406000000000481C17RN
481C17=SK030	Anterior Pelvic Support With Metal Lock	4064406000000000481C17RN

Reference list of Declaration of Conformity from February 26, 2026

MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Leg Rests	12-315
Intended Purpose	The product is intended exclusively for use on wheelchairs, rehab-buggies or seating shell mobility bases with seating solutions. The accessories are intended to provide support or optimise the user's seating position. They permit adaptation of the product to the individual needs of the user.	
440P2=1-7	Posterior Lower Leg Support - S	40644060000000000440PM6
440R9=1-7	Inferior Foot Support Shell - Large	40644060000000000440RMA
440R9=2-7	Inferior Foot Support Shell - Small	40644060000000000440RMA
476B52=SK020	Circum. Foot Support - Sandals - L	4064406000000000476B52SB
476B52=SK015	Circum. Foot Support - Sandals - M	4064406000000000476B52SB
476B52=SK010	Circum. Foot Support - Sandals - S	4064406000000000476B52SB
476P52=SK033	Circum. Ankle Support - L (Pair)	4064406000000000476P5QS
476P52=SK032	Circum. Ankle Support - M (Pair)	4064406000000000476P5QS
476P52=SK031	Circum. Ankle Support - S (Pair)	4064406000000000476P5QS
476P52=SK034	Circum. Ankle Support - XL (Pair)	4064406000000000476P5QS
476P52=SK030	Circum. Ankle Support - XS (Pair)	4064406000000000476P5QS
446C1=1-7	Pommel Pad	40644060000000000446CLW

MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Headrests	11-964
Intended Purpose	The product is intended exclusively for use on wheelchairs, rehab-buggies or seating shell mobility bases with seating solutions. The accessories are intended to provide support or optimise the user's seating position. They permit adaptation of the product to the individual needs of the user.	
430C1=1-7	Combined Head/Neck Support, Large	40644060000000000430CL7
430C1=3-7	Combined Head/Neck Support, Small	40644060000000000430CL7
430C2=1-7	Head /Neck Sup, Lateral Control, Large	40644060000000000430CL7
430C2=3-7	Head/Neck Support Lateral Control, Small	40644060000000000430CL7
430C3=1-7	X-Shaped Head Support, Large	40644060000000000430CL7
430C4=1-7	X-Shaped Head Support, Small	40644060000000000430CL7
430H1=1-7	Head Support, Large	40644060000000000430HLH
430H1=3-7	Head Support, Small	40644060000000000430HLH
476D52=SK085	Clinical Mount (310 - 370 mm), Black	4064406000000000476D52SM
476D52=SK080	Clinical Assembly set (31-37cm), Silver	4064406000000000476D52SM
476D52=SK065	Clinical Mount (380 - 420 mm), Black	4064406000000000476D52SM
476D52=SK015	Clinical Mount (430-530 mm), Black	4064406000000000476D52SM
476D52=SK025	Clinical Mount (540-640 mm), Black	4064406000000000476D52SM
476D52=SK035	Mount (170 - 420 mm), Black	4064406000000000476D52SM
476D52=SK045	Mount (400 - 540 mm), Black	4064406000000000476D52SM
476D52=SK055	Mount (520 - 630 mm), Black	4064406000000000476D52SM
476L52=SK035	Head Sup Mount Set, Gooseneck	4064406000000000476L5QE
476L52=SK025	Head Sup Mount Set, Multi-axis, Straight	4064406000000000476L5QE
476L52=SK015	Head Sup Mount Set, Multi-axis, Offset	4064406000000000476L5QE
476L52=SK016	Head Sup. Mount Set, Offset, 17mm	4064406000000000476L5QE

Reference list of Declaration of Conformity from February 26, 2026

Item N°	Description	Basic UDI-DI (GMN)
MDR Classification	UMDNS Term	UMDNS-N°
(Annex VIII, MDR) I	Headrests	11-964
Intended Purpose	The product is intended exclusively for use on wheelchairs, rehab-buggies or seating shell mobility bases with seating solutions. The accessories are intended to provide support or optimise the user's seating position. They permit adaptation of the product to the individual needs of the user.	
476L52=SK026	Head Sup. Mount Set, Straight, 17mm	4064406000000000476L5QE
476L52=SK036	Head Sup. Mount Set, Gooseneck. 17mm	4064406000000000476L5QE