

MONIER

Logica Plana



Part of **BMI**

Monier[®] Logica Plana, Truly Flat, Smooth and Durable Clay Tiles

Created by the prestigious Benedito Design, Logica Plana clay roof tiles exude contemporary beauty with straight lines, minimalist and clean looks. Pressed into plaster moulds and baked at high temperatures to ensure toughness and precision, Logica Plana clay roof tiles offer high durability, low water absorption (<5%) and total flatness in line with contemporary design.



ABSOLUTELY FLAT & SMOOTH SURFACE

- 100% flat and captivatingly smooth surface to exude modern aesthetics



EXCELLENT WATER-TIGHTNESS

- Deep interlock design to ensure water-tightness and ease of installation



HIGH STRENGTH & DURABILITY

- Multiple ribs at the back of the tile maximize its mechanical strength and ensure perfect flatness



EXCELLENT GEOMETRIC ACCURACY

- Gypsum moulds provides precision and smooth tile surface during production. H-cassettes prevent distortion and ensure dimension consistency.



CE EN 1304




IQNET ISO-9001

LOGICA PLANA COLOUR PALETTE



The colours shown here are reproduced as close to the original as printing technology allows. For best accuracy on colour selection, refer to actual tile.



PRODUCT & TECHNICAL DATA


Dimension	283mm (W) x 455mm (L)
Batten Spacing*	330mm - 350mm
Minimum Headlap	105mm - 125mm / 115mm ± 10mm
Coverage	12.2pcs (based on 105mm headlap)
Weight	Weight/piece 4.7kg/pcs (approximate)
	Weight/m ² 57.4kg/m ² (approximate based on 12.2pcs)
Minimum Pitch	20° (cross bond) / 25° (cross / straightbond)



*Batten Spacing has to be calculated based on actual rafter length. The maximum rafter length span up to 6 meters at minimum roof pitch stated.

In view of innovation, the specifications are subject to change without any prior notice and in the event of such changes, Monier shall ensure that the new specifications are equivalent if not better.

LOGICA PLANA FITTINGS SERIES



ROOF SOLUTION

CoolRoof™			Leak-Proof™			Safe-Roof™			
Pest Guard™ for Ventilation at the Eaves	Radenshield® (Underlay)	Ridge Tree	Compactroll®II for Ridge & Hip Ventilation	EasyFlash® Plus (Wall Flashing Dry Fix)	Wakastrap	Pest Guard™ Against Pest Intrusion	Cut Tile Clip for Secure Fixing at Valleys & Hips	Ridge Clip	Fixings (Nails/Screw/Clips)

MONIER



Scan QR Code for
BMI Malaysia



Scan QR Code for
Showroom & Sales
office location

BMI ROOFING SYSTEMS SDN. BHD.

Registration No.197401002179 (19163-M)
(Formerly known as Monier Malaysia Sdn. Bhd.)
Suite 11.02, 11th Floor, Menara JKG,
No. 282, Jalan Raja Laut,
50350 Kuala Lumpur, Malaysia
T (+60) (3) 21760600
Toll Free: 1800 88 0865
roofing-malaysia@bmgroupp.com

bmgroupp.com/my



ABOUT BMI GROUP

BMI Group was born out of a recognition that customers now expect a single point of expertise to help them find their ideal roof. Bringing together some of the industries most trusted brands to become the largest supplier of both flat and pitched roofing and waterproofing solutions throughout Europe, BMI Group has over 173 years of experience and innovation to offer its clients.

As a **Standard Industries** company, BMI Group, headquartered in London, has the support, reach and resources of a global enterprise. With over 120 production facilities across Europe, Africa and Asia, and more than 9,500 employees worldwide, the business is well positioned to provide an unparalleled level of service to homeowners, specifiers, contractors, property owners and developers.

Find out more at www.bmgroupp.com