




# Advanced Contour<sup>®</sup> Roof System


# BMI Monier<sup>®</sup> Advanced Contour<sup>®</sup>, Structured Art-Line & 'Kilat' Effect

BMI Monier<sup>®</sup> ADVANCED CONTOUR<sup>®</sup> Roof System offers a contemporary outlook while its Kilat Tech (Malaysia 1st eco-labelled concrete roof tile) gives a glossy and shiny finish it's that you desire. We offer even-coloured and glossy single-sided tiles for non-exposed roofs; as well as consistently thorough coloured tiles for exposed roofs.



## DURABLE SHINY COATING & SMOOTH SURFACE

The surface coating provides exceptional durability of up to 10 years\* while its smooth and shiny surface provides optimum surface durability and better ageing.




## HIGH TILE STRENGTH AND QUALITY

We merge our technical excellence of design engineering and production technology to give you high tile strength, with high compressed exposed edge for better ageing.



## MODERN COLOURS

Available in a range of modern glossy and shiny colours and as well as matt colours for specific roof styles.



## MODERN & STRUCTURED ART-LINE

The unique modern design is emphasised by the precise curves and sharp lines of the tiles, creating an impressive roof.



\*Accelerated ageing tests performed by BMI MONIER<sup>®</sup> Technical centre to simulate products performance under Malaysia weather conditions.



# ADVANCED CONTOUR® COLOUR PALETTE

BMI MONIER® ADVANCED CONTOUR® Roof System has a range of contemporary colours incorporated with Kilat Tech to create a shiny and polished look.

## ADVANCED CONTOUR®



\*The colours shown here are reproduced as close to the original as printing technology allows. For best accuracy on colour selection, refer to actual tile.  
\*\*Other colours not featured on this page are available upon request.

### PRODUCT & TECHNICAL DATA

Dimension	330mm (W) x 420mm (L)	
Batten Spacing*	295mm - 345mm	
Headlap	75mm - 125mm	
Coverage	9.7pcs/m <sup>2</sup> (based on 75mm headlap)	
Weight	Weight/piece	4.50 kg (+0.0, -0.30)
	Weight/m <sup>2</sup>	43.6kg/m <sup>2</sup> (+0.0, -2.8kg/m <sup>2</sup> )
Minimum Pitch	17.5°	



\*Batten Spacing has to be calculated based on actual rafter length. The maximum rafter length span up to 6 meters at minimum roof pitch stated.

In view of innovation, the specifications are subject to change without any prior notice and in the event of such changes, MONIER® shall ensure that the new specifications are equivalent if not better.

### BMI MONIER® DESIGN FITTING SERIES



Ridge & Hip Tile  
(Coverage: 3.38 pcs/m)



2-Way Ridge Tile



Ridge End Tile




Hip End




3 Way Apex



4 Way Apex



Universal Verge Tile  
(Coverage: 2.90 pcs/m)



Universal Verge End Tile



**MONIER MALAYSIA SDN. BHD.** (19163-M)  
Suite 12W, 12th Floor  
Wisma FGV  
Jalan Raja Laut  
50350 Kuala Lumpur  
Malaysia  
T (+60) (3) 21760600 F (+60) (3) 26040335  
Toll Free: 1800 88 0865  
roofing-malaysia@bmigroup.com

[bmigroup.com/my](http://bmigroup.com/my)



**ABOUT BMI GROUP**

BMI Group was born out of a recognition that customers now expect a single point of expertise to help them find their ideal roof. Bringing together some of the industries most trusted brands to become the largest supplier of both flat and pitched roofing and waterproofing solutions throughout Europe, BMI Group has over 165 years of experience and innovation to offer its clients.

As a **Standard Industries** company, BMI Group, headquartered in London, has the support, reach and resources of a global enterprise. With over 120 production facilities across Europe, Africa and Asia, and more than 9,500 employees worldwide, the business is well positioned to provide an unparalleled level of service to homeowners, specifiers, contractors, property owners and developers.

Find out more at [www.bmigroup.com](http://www.bmigroup.com)