

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
AH01	Armhole-Straight	3/16	3/16	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
AH02	Armhole-Bodice Point to SS-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
AH03	Armhole-Bodice Point to SS-Along Curve	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
AH04	Armhole Drop from HPS-(straight)- @ SS	3/16	3/16	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
BB01	Bib Seam from HPS @ CF-(under10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
BB01.1	Bib Seam from HPS @ CF-(over10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
BB02	Bib Seam from CF @ Shoulder Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BB03	Bib Seam from CF @ Neck Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BB04	Bib Seam from CF @ Across Chest Placement	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BC01	Bust Cup Height @ Center	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
BC02	Bust Cup Width @ Ends	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
BD01	Bottom Band Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	1	1	1	@	1	1	1 1/2	1 1/2	1 1/2			
BT01.1	Belt Length-Total @ _____	1/2	1/2	1	1	1	@	1	1	1 1/2	1 1/2	1 1/2			
BT02	Belt Height	1/16	1/16	0	0	0	@	0	0	0	0	0			
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	1	1	1	@	1	1	1 1/2	1 1/2	1 1/2			
BT04	Belt Loop Length	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT05	Belt Loop Length @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT06	Belt Loop Length @ Sides	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT07	Belt Loop Width	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT08	Belt Loop Width @ Top	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT09	Belt Loop Width @ Bottom	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT10	Belt Loop from HPS @ SS	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
BT10.1	Belt Loop from Armhole @ SS	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
BT11	Front Belt Loop from HPS	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
BT12	Back Belt Loop from HPS	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
BT13	CB Belt Loop from HPS	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
BT14	Front Belt Loop from CF @ Top of Loop	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
BT14.1	Front Belt Loop from CF @ Bottom of Loop	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	5/16	5/16	5/16			
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT16	Back Belt Loop from CB @ Top of Loop	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BT17	Belt Loop from Bottom Sleeve Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT18	_____ Belt Loop Spacing	1/8	1/8				@								
CF01	Cuff Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
CF02	Cuff Height Exposed	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL01	Collar Height @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL02	Collar Roll Height-Inside CB Neck Seam to Top Roll	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL03	Collar Length @ Outer Edge-Point to Point	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
CL04	Collar Length @ Outer Edge-CB To CF Along Curve	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
CL05	Collar Length @ Neck Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
CL05.1	Collar Length @ Top Neckband Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
CL06	Collar Point	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL07	Collar Spread	1/4	1/4	0	0	0	@	0	0	0	0	0			
CL08	Collar Spacing Apart @ CF Neck Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL09	Neckband Height @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL10	Neckband Height @ Front Edge	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL11	Neckband Length @ Top Band Along Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
CL12	Neckband Length @ Bottom Band Along Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
CL13	Neckband-Center of Button to Front End of Btnhole	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
CL14	Notch Intersection from HPS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
CL15	Lapel Point from HPS-(Lapel Folded)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
CL16	Lapel Point	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL17	Lapel Width-(Roll Line to Lapel Point-Straight)	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL18	Lapel Width-(Lapel Seam to Lapel Point-Straight)	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL19	Lapel Notch Spread	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL20	Lapel-Neckband Overlap Width @ Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL21	Collar Height Cape @ 3 inches	1/8	1/8				@								
DP01	Center of 1st _____ from HPS(under 10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DP02	Center of 1st _____ from HPS (over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
DP03	Center of (spec #) _____ from HPS (over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
DP04	Center of _____ from Bottom Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
DP05	_____ Vertical Spacing Apart-Center to Center	1/8	1/8				@								
DP06	_____ Horizontal Spacing Apart-Center to Center	1/8	1/8				@								
DS01	Drawstring Length Total	1/2	1/2	1	1	1	@	1	1	1 1/2	1 1/2	1 1/2			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 0-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
DS02	Drawstring Exposed Length-(each)-Tunnel Extended	1/4	1/4	0	0	0	@	0	0	0	0	0			
DS03	Drawstring Height	1/16	1/16	0	0	0	@	0	0	0	0	0			
DT01	Bust Dart Apex (point) from HPS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
DT02	Bust Dart Apex (point) from Armhole	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
DT03	Bust Dart Leg from HPS @ SS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
DT04	Bust Dart Leg from Armhole @ SS	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
DT05	Bust Dart Length	1/8	1/4	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT06	Front Waist Dart Apex (point) from HPS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
DT07	Front Waist Dart Apex (point) from Armhole	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
DT08	Front Waist Dart Apex (point) from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT09	Front Waist Dart from CF @ Bodice Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT10	Front Waist Dart from CF @ Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT11	Front Waist Dart from CF @ Top Pocket	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT11.1	Front Waist Dart from CF @ Bottom Opening	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT12	Front Waist Dart Length	1/8	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT13	Back Waist Dart Apex (point) from HPS	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
DT14	Back Waist Dart Apex (point) from Armhole	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
DT15	Back Waist Dart Apex (point) from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT16	Back Waist Dart from CB @ Bodice Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT17	Back Waist Dart from CB @ Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT17.1	Back Waist Dart from CB @ Bottom Opening	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT18	Back Waist Dart Length	1/8	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT19	Front Dart Length from Top Waist	1/8	1/4	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
DT19.1	Back Dart Length from Top Waist	1/8	1/4	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
DT20	Front Dart from CF @ Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT21	Back Dart from CB @ Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT22	Front Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT23	Front Neck Dart Apex (point) Spacing Apart	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT24	Front Neck Dart Length	1/8	1/4	0	0	0	@	0	0	0	0	0			
DT25	Back Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT26	Back Neck Dart Apex (point) Spacing Apart	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT27	Back Neck Dart Length	1/8	1/4	0	0	0	@	0	0	0	0	0			
DT28	Elbow Dart Leg from Armhole Along Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT29	Elbow Dart Leg Spacing Apart @ Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
DT30	Elbow Dart Apex (point) Spacing Apart	1/8	1/8	0	0	0	@	0	0	0	0	0			
DT31	Elbow Dart Length	1/8	1/4	0	0	0	@	0	0	0	0	0			
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	0	0	0	@	0	0	0	0	0			
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	0	0	0	@	0	0	0	0	0			
DT35	Knee Dart Length	1/8	1/4	0	0	0	@	0	0	0	0	0			
DT36	_____ Dart Intake-(flat)	1/16	1/16	0	0	0	@	0	0	0	0	0			
DT37	Shoulder Dart Length	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT38	Bust Dart Apex from Raglan Peak	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT39	Front Waist Dart Apex from Raglan Peak	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
DT40	Back Waist Dart Apex from Raglan Peak	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
EP01	Epaulet Length @ Center	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
EP02	Epaulet Length @ Sides	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
EP03	Epaulet Width	1/16	1/16	0	0	0	@	0	0	0	0	0			
EP04	Epaulet Edge from Neck Edge	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
FC01	Facing Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
FC02	Facing Width	1/8	1/8	0	0	0	@	0	0	0	0	0			
FL01	Flounce Height @ CF	1/8	1/8	0	0	0	@	0	0	0	0	0			
FL02	Flounce Height @ SS	1/8	1/8	0	0	0	@	0	0	0	0	0			
FL03	Flounce Height @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0			
FL04	Sleeve Flounce Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
GD01	Godet Height @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0			
GD02	Godet Width @ Bottom-Along Curve or Straight	1/8	1/8	0	0	0	@	0	0	0	0	0			
GD03	Godet Point from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
GD04	Godet Point from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
GD05	Godet Spacing Apart-Point to Point	1/8	1/8				@								
HB01	Back Neck Width-Seam to Seam @ Shldr. Sm.	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HB01.1	Back Neck Width Egde-Edge @ Shldr. Sm. 8-11"	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HB01.2	Back Neck Width Egde-Edge @ Shldr. Sm. over 11"	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
HB02	Back Neck Width-Edge to Edge @ Shldr Sm.	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HB02.1	Back Neck Width Seam -Seam @ Shldr. Sm. 8-11"	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HB02.2	Back Neck Width Seam -Seam @ Shldr. Sm.over 11"	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
HB03	Raglan Seams Apart @ Back Neck	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 0-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
HB04	Across Back-Seam to Seam	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HB04.1	Across Back-Edge to Edge	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HB05	Back Bottom Opening-SS to SS Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HB06	Back Sweep-SS to SS Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HB07	Back Chest Along Edge Between Side Seams	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HB08	Across Shoulder Edge to Edge @ Back Shldr. Sm.	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HB08.1	Across Shoulder Seam to Seam @ Back Shldr. Sm	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HD01	Hood Opening- Along Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HD02	Hood Height-Straight from HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HD02.1	Hood Height @ CF	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
HD03	Hood Width @ __from HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HD04	Hood Center Panel Width @ Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
HD05	Hood Center Panel Width @ Back Neck Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
HD06	Hood Center Panel Length @ Center	3/16	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HF00.1	Neck Width Edge to Edge @ HPS (8 - 11")	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HF00.2	Neck Width Edge to Edge @ HPS (+11in.)	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
HF00.3	Neck Width Seam to Seam @ HPS (8 - 11")	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HF00.4	Neck Width Seam to Seam @ HPS (+11")	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
HF00.5	Neck Width Edge to Edge @ Shldr Sm (8 -11")	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HF00.6	Neck Width Edge to Edge @ Shlder Sm (+ 11")	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
HF00.7	Neck Width Seam to Seam @ Shldr Sm (8 - 11")	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HF00.8	Neck Width Seam to Seam @ Shldr Sm (+11")	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
HF01	Neck Width-Seam to Seam @ HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
HF01.1	Neck Width-Edge to Edge @ HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF01.2	Neck Width- @ Top Band Opening-Straight	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF01.3	Neck Width Seam to Seam @ Shoulder Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF01.4	Neck Width Edge to Edge @ Shoulder Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF02	Front Neck Width-Seam to Seam @ HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF02.1	Front Neck Width - Edge to Edge @ HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF03	Neck Width-Seam to Seam @ Across Chest	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF03.1	Neck Width-Edge to Edge @ Across Chest	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF04	Neck Width-Seam to Seam @ Front Neck Drop	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF05	Neck Width-Edge to Edge @ Front Neck Drop	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF06	Raglan Seams Apart @ Front Neck	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF07	Across Shoulder-Seam to Seam @ Back Fold	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HF07.1	Across Shoulder-Edge to Edge @ Back Fold	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HF08	Across Chest-Seam to Seam	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HF08.1	Across Chest-Edge to Edge	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HF09	Chest @ Armhole	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF09.1	Chest @ Armhole CF to CB	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF10	Chest @ 1" Below Armhole	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF10.1	Chest @ 1" Below Armhole CF to CB	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF10.2	Chest @ Specified Placement	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF11	Chest @ Bodice Seam-Straight	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF12	Waist	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF13	Waist @ Seam-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
HF14	Waist @ Top	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF15	Waist @ Bottom	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF16	Waist Extended	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF17	Waist Relaxed	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF18	High Hip	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF19	High Hip-Along Yoke Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF20	Low Hip	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF21	Low Hip-Along Yoke Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF22	Bottom Opening-Straight	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF22.1	Front Bottom Opening-CF to SS-Straight	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HF23	Bottom Opening-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF23.1	Front Bottom Opening-CF to SS-Along Curve	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HF24	Sweep-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF24.1	Front Sweep-SS to SS-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF25	Lining Sweep-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HL01	Hanger Loop-Total Length	1/4	1/4	0	0	0	@	0	0	0	0	0			
HL02	Hanger Loop from _____	1/4	1/4	0	0	0	@	0	0	0	0	0			
HM01	Hem Height	1/16	1/16	0	0	0	@	0	0	0	0	0			
HM02	Hem Height-Include Binding	1/8	1/8	0	0	0	@	0	0	0	0	0			
HM03	Hem Height-to Lining Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
HM04	Hem Height - To Finished Lining Edge	1/8	1/8	0	0	0	@	0	0	0	0	0			
KH01	Keyhole Opening-Edge to Edge	1/8	1/8	0	0	0	@	0	0	0	0	0			
KH02	Keyhole Width @ Center-Edge to Edge	1/8	1/8	0	0	0	@	0	0	0	0	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
MS01	Minimum Stretch @ Neck Opening	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
MS02	Minimum Stretch @ Back Neck	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
MS03	Minimum Stretch @ Waist	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
MS04	Minimum Stretch @ Bottom Opening	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
MS05	Minimum Stretch @ Top Cuff Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
MS06	Minimum Stretch @ Sleeve Opening	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PA01	Placket Length @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0			
PA02	Placket Length @ Sides	1/8	1/8	0	0	0	@	0	0	0	0	0			
PA03	Placket Width	1/16	1/16	0	0	0	@	0	0	0	0	0			
PA04	Placket Facing Width	1/8	1/8	0	0	0	@	0	0	0	0	0			
PK01	Chest Pocket from HPS @ CF Side	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PK02	Chest Pocket from HPS @ SS Side	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PK03	_____ Pocket from HPS @ CF Side-(over 10")	1/4	1/4				@								
PK04	_____ Pocket from HPS @ SS Side-(over 10")	1/4	1/4				@								
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK08.1	Jean Pocket from Bottom WB @ SS Side	1/8	1/8	0	1/8	0	@	0	0	1/8	0	0			
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK10.1	Pocket from Bottom Waist @ Outer Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 0-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
PK11.1	Pocket from CF @ Bottom (use for graded pockets)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PK12.2	Pocket from CF @ Bottom (use for non-graded pkts)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PK15.3	Pocket frm CB @ Bottom (use for graded pocket)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK15.4	Pocket frm CB @ Bottom (use for non-graded pocket)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PK16	_____ Pocket Height @ Center	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK17	_____ Pocket Height @ Sides	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK22	_____ Pocket Width @ Top	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK23	_____ Pocket Width @ Bottom	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
PK26	Welt or Besom Pocket Height	1/16	1/16	0	0	0	@	0	0	0	0	0			
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK28	Pocket Opening-(on seam)-from HPS-(over 10")	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
PK29	Pocket Opening-(on seam)-from Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PK30	Pocket Opening-(on seam)	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK31	Pocket Bag Depth from Opening	1/4	1/4	0	0	0	@	0	0	0	0	0			
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4				@								
PK35	_____ Pocket from Bottom Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
PK36	Coin Pocket Height (Exposed)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK39	Coin Pocket Width (Exposed)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PL01	Pleat from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PL02	Pleat from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PL03	Pleat Spacing Apart-Fold to Fold	1/8	1/8	0	0	0	@	0	0	0	0	0			
PL04	Pleat Depth-(flat)	1/16	1/16	0	0	0	@	0	0	0	0	0			
PL05	Pleat Depth-(Flat)-from CF @ Yoke Seam	1/16	1/16	0	0	0	@	0	0	0	0	0			
PL05.1	Pleat Depth-(Flat)-from CB @ Yoke Seam	1/16	1/16	0	0	0	@	0	0	0	0	0			
PL06	Pleat Depth-(Flat)-from CF @ Bottom Opening	1/16	1/16	0	0	0	@	0	0	0	0	0			
PL06.1	Pleat Depth-(Flat)-from CB @ Bottom Opening	1/16	1/16	0	0	0	@	0	0	0	0	0			
PL07	Sleeve Pleat From Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
PL08	Stitched Pleat Length	1/16	1/16	0	0	0	@	0	0	0	0	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
PM01	Peplum Height @ CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PM02	Peplum Height @ SS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PM03	Peplum Height @ CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PP01	Print Placement from HPS-(under 10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PP01.1	Print Placement from HPS-(over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PP02	Print Placement from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PP03	Print Placement from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PP04	Print Placement from Top Pocket	1/8	1/8	0	0	0	@	0	0	0	0	0			
PP05	Print Placement from SS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PP06	Print Placement from Bottom Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
PP07	Print Placement from Sleeve Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
PP08	Print Placement from Shoulder Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PS01	Princess Seam from HPS @ Front Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PS02	Princess Seam from CF @ Neck Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS03	Princess Seam from CF or CB @ Shoulder Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS04	Princess Seam from CF @ Raglan Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS05	Princess Seam from CF @ Yoke Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS06	Princess Seam from CF @ Chest	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS07	Princess Seam from CF @ Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS08	Princess Seam from CF @ Top Pocket	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS09	Princess Seam from CF @ Bottom Opening-Along Curve	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS10	Princess Seam from CF @ Bottom Opening-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS11	Princess Seam from HPS @ Back Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
PS12	Princess Seam from CB @ Neck Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS13	Princess Seam from CB @ Raglan Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS14	Princess Seam from CB @ Yoke Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS15	Princess Seam from CB @ Chest	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS16	Princess Seam from CB @ Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS17	Princess Seam from CB @ Bottom Opening-Along Curve	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS18	Princess Seam from CB @ Bottom Opening-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PT01	Front Rise from Top Waist	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
PT01.1	Front Rise From Bottom of WB	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
PT02	Back Rise from Top Waist	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
PT02.1	Back Rise From Bottom of WB	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
PT03	Thigh @ 1" Below Crotch	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	1/2	1/2	1/2			
PT04	Thigh @ __" Below Crotch	1/4	1/4	5/16	5/16	5/16	@	5/16	5/16	3/8	3/8	3/8			
PT05	Knee @ __" Below Crotch	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
PT06	Leg Opening-(for inseams over 6")	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
PT07	Leg Opening-(for inseams under 6")	1/4	1/4	5/16	5/16	5/16	@	5/16	5/16	3/8	3/8	3/8			
PT08	Inseam-(22" or Longer)	1/2	1/2	0	0	0	@	0	0	0	0	0			
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	1/2	1/2	0	0	0	@	0	0	0	0	0			
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	1/2	1/2	0	0	0	@	0	0	0	0	0			
PT08.3	Inseam (men's gang grade)	1/2	1/2				@								
PT09	Inseam-(under 6")	1/4	1/4	0	0	0	@	0	0	0	0	0			
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	0	0	0	@	0	0	0	0	0			
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	0	0	0	@	0	0	0	0	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
PT09.3	Inseam-(6" to 21")	1/4	1/4	0	0	0	@	0	0	0	0	0			
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/4	1/4	0	0	0	@	0	0	0	0	0			
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/4	1/4	0	0	0	@	0	0	0	0	0			
PT10	Outseam from Top Waist-(22" or Longer)	5/8	5/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22"or L)	5/8	5/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22"or L)	5/8	5/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT11	Outseam from Top Waist-(under 6")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT11.1	Outseam from Top Waist w/Cuff Rolled Up(under 6")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT11.3	Outseam from Top Waist-(6" to 21")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT11.4	Outseam from Top Waist w/Cuff Rolled Up(6"to21")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6"to21")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT12	Back Knee Seam from Bottom Opening	1/4	1/4	0	0	0	@	0	0	0	0	0			
PT13	Front Leg Seam from CF Seam @ Waist	1/16	1/16	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PT13.1	Front Leg Seam from Ineam @ Leg Opening	1/16	1/16	3/32	3/32	3/32	@	3/32	3/32	3/32	3/32	3/32			
PT14	Back Leg Seam from CB Seam @ Waist	1/16	1/16	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PT14.1	Back Leg Seam from Ineam @ Leg Opening	1/16	1/16	3/32	3/32	3/32	@	3/32	3/32	3/32	3/32	3/32			
PT15	Side Front Leg Seam from CF Seam @ Waist	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
PT15.1	Side Front Leg Seam from Ineam @ Leg Opening	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
PT16	Side Back Leg Seam from CF Seam @ Waist	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
PT16.1	Side Back Leg Seam from Ineam @ Leg Opening	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
PT17	Side Leg Panel Width @ Top & Bottom	1/8	1/8	0	0	0	@	0	0	0	0	0			
RF01	Ruffle Height-Total	1/8	1/8	0	0	0	@	0	0	0	0	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
RF02	Ruffle Height-Exposed	1/8	1/8	0	0	0	@	0	0	0	0	0			
RF03	Ruffle Width-Total	1/8	1/8	0	0	0	@	0	0	0	0	0			
RF04	Ruffle Width-Exposed	1/8	1/8	0	0	0	@	0	0	0	0	0			
SH01	Shirring from CF	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
SH02	Shirring from CB	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
SH03	Shirring Width @ _____	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SK01	CF Waist Level Drop from CB	0	0	0	0	0	@	0	0	0	0	0			
SK02	Waist Curve from SS to CB	0	0	0	0	0	@	0	0	0	0	0			
SK03	Skirt Length from Top Waist @ CB-(18" or over)	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SK03.1	Skirt Length from Top Waist @ CB-(under 18")	1/4	1/4	1/4	0	1/4	@	1/4	1/4	1/4	1/4	1/4			
SK04	Skirt Length from Top Waist @ SS-(18" or over)	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SK04.1	Skirt Length from Top Waist @ SS-(under 18")	1/4	1/4	1/4	0	1/4	@	1/4	1/4	1/4	1/4	1/4			
SK05	Skirt Length From Top Waist @CF (18" or over)	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SK05.1	Skirt Length From Top Waist @CF (under 18")	1/4	1/4	1/4	0	1/4	@	1/4	1/4	1/4	1/4	1/4			
SK06	High Hip Placement from Top of Waist	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SK06.1	Low Hip Placement from Top of Waist	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SM01	Smocking from HPS @ CF	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SM02	Smocking from HPS @ SS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SM03	Smocking from HPS @ CB	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SM04	Smocking from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
SM05	Smocking Height-(eval stch gauge & grade accrdly)	1/8	1/8				@								
SM06	Smocking Width (non-graded option)	1/4	1/4	0	0	0	@	0	0	0	0	0			
SM07	Smocking Width @ Top- (graded option)	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
SM08	Smocking Width @ Bottom-(graded option)	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SP01	Surplice Wrap Point from HPS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SP02	Surplice Overlap Total Width @ Bodice Seam-und 4"	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SP03	Surplice Overlap Total Width @ Bodice Seam-ovr 4"	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS02	Sleeve Length from Shoulder-Long	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SS02.1	Sleeve Length from Shoulder w/ Cuff Rolled Up-Long	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SS02.2	Sleeve Length frm Shoulder w/ Cuff Unrolled-Long	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SS03	Sleeve Length from Shoulder-Short	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS03.1	Sleeve Length from Shoulder w/Cuff Rolled Up-Short	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS03.2	Sleeve Length from Shoulder w/ Cuff Unrolled-Short	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS04	Sleeve Length from Neck Seam @ HPS-Long	1/2	1/2	5/16	5/16	5/16	@	5/16	5/16	3/8	3/8	3/8			
SS04.1	Sleeve Length from Neck Edge @ HPS-Long	1/2	1/2	5/16	5/16	5/16	@	5/16	5/16	3/8	3/8	3/8			
SS05	Sleeve Length from Neck Seam @ HPS-Short	3/8	3/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS05.1	Sleeve Length from Neck Edge @ HPS-Short	3/8	3/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS06	Undersleeve Length-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS07	Undersleeve Length-Short	1/16	1/16	0	0	0	@	0	0	0	0	0			
SS07.1	Sleeve Cap Height	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS08	Sleeve Cap Width @ 3" from Shoulder	1/4	1/4				@								
SS09	Sleeve Width @ 1" Below Armhole	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS10	Sleeve Width @ 13" from Shoulder	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
SS11	Sleeve Width @ 5" up from Opening	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS11.1	Sleeve Width @6" up from Cuff Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS12	Sleeve Width @ Top Cuff Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
SS13	Sleeve Width @ Top Cuff Seam-Relaxed	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS14	Sleeve Width @ Top Cuff Seam-Extended	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS15	Sleeve Width @ Opening-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS16	Sleeve Width @ Opening-Relaxed-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS17	Sleeve Width @ Opening-Extended-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS18	Sleeve Width @ Opening-Along Curve-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS19	Sleeve Width @ Opening-Short	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS20	Sleeve Width @ Opening-Relaxed-Short	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS21	Sleeve Width @ Opening-Extended-Short	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS21.1	Cap Sleeve Width @ Opening-Along Curve-Short	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS21.2	Cap Sleeve Width @ Opening-Along Curve-Total	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	1/2	1/2	1/2			
SS22	Front Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS23	Front Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/8	1/8	1/8			
SS24	Back Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS25	Back Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/8	1/8	1/8			
SS26	Armhole Gusset Width Front to Back	1/8	1/8	0	0	0	@	0	0	0	0	0			
SS27	Armhole Gusset Height End to End	1/8	1/8	0	0	0	@	0	0	0	0	0			
SS28	Front Neck Length @ Raglan Slv.Edge	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
SS28.1	Front Neck Length @ Raglan Slv.Seam	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
SS29	Back Neck Length @ Raglan Slv.Edge	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
SS29.1	Back Neck Length @ Raglan Slv.Seam	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
SS30	Total Raglan Sleeve Neck Length @ Edge RLXD	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS30.1	Total Raglan Sleeve Neck Length @ Edge XTND	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
SS31	Total Raglan Sleeve Neck Length @ Seam RLXD	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS31.1	Total Raglan Sleeve Neck Length @ Seam XTND	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
ST01	Strap Length-Total (extends to across back)	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
ST01.1	Strap Length - Total (extends to back chest)	1/4	1/4	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16			
ST02	Strap Overlap from Top "o" Ring to Center Slider	0	0	0	0	0	@	0	0	0	0	0			
ST03	Strap Width-(1/2" or under)	0	0	0	0	0	@	0	0	0	0	0			
ST04	Strap Width-(5/8" to 1 3/8")	1/16	1/16	0	0	0	@	0	0	0	0	0			
ST05	Strap Width-(1 1/2" or over)	1/8	1/8	0	0	0	@	0	0	0	0	0			
ST06	Front Straps Apart-Inside	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
ST07	Back Straps Apart-Inside	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
SW01	Stitches Per 1" Height	2	2	0	0	0	@	0	0	0	0	0			
SW02	Stitches Per 1" Width	2	2	0	0	0	@	0	0	0	0	0			
SW03	Net Weight	0	0	0	0	0	@	0	0	0	0	0			
TB01	Tab Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB02	Tab Height @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB03	Tab Height @ Sides	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB04	Tab Width	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB05	Tab Width @ Top	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB06	Tab Width @ Bottom	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB07	Tab from HPS @ CF	1/4	1/4				@								
TB08	Tab from HPS @ SS	1/4	1/4				@								
TB09	Tab from HPS @ CB	1/4	1/4				@								

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
TB10	Tab from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
TB11	Tab from SS on Front	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/8	1/8	1/8			
TB12	Tab from SS on Back	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/8	1/8	1/8			
TB13	Tab from Bottom Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
TK01	Tuck from CF	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
TK02	Tuck from CB	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
TK03	_____Tuck Spacing Apart-Fold to Fold	1/16	1/16	0	0	0	@	0	0	0	0	0			
TK04	_____Tuck Depth- Fold to Stitch	1/16	1/16	0	0	0	@	0	0	0	0	0			
TN01	_____Tunnel Height	1/16	1/16	0	0	0	@	0	0	0	0	0			
TN02	Top of Tunnel Placement from HPS @ _____	1/4	1/4				@								
TR01	_____Tier Placement from HPS-(under 10")	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
TR02	_____Tier Placement from HPS-(over 10")	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
TR03	_____Tier Placement from Shoulder	1/8	1/8				@								
TR04	_____Tier Placement from Top Waist Seam	1/8	1/8				@								
TR05	_____Tier Height-Exposed	1/8	1/8	0	0	0	@	0	0	0	0	0			
TS01	Tie Placement from HPS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
TS02	Tie Height	1/2	1/2	0	0	0	@	0	0	0	0	0			
TS03	Tie Length- Each	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
TS04	Tie Spacing Apart @ CF-(graded)	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
TS04.1	Tie Spacing Apart @ CF-(nongraded)	1/4	1/4	0	0	0	@	0	0	0	0	0			
TS05	Tie Spacing Apart @ CB-(graded)	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
TS05.1	Tie Spacing Apart @ CB-(nongraded)	1/4	1/4	0	0	0	@	0	0	0	0	0			
UG01	Waist @ Top Relaxed	1/2	1/2				@								

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
UG01.1	Front Waist (Thong)	1/2	1/2				@								
UG02	Waist @ Top Extended	1/2	1/2				@								
UG03	Upper Front Width Placement from Crotch Seam	0	0				@								
UG03.1	Upper Front Width Placement from Top Waist	0	0				@								
UG04	Upper Front Width	1/4	1/4				@								
UG04.1	Upper Front Width (Thong)	1/8	1/8				@								
UG05	Lower Front Width Placement from Crotch Seam	0	0				@								
UG05.1	Lower Front Width Placement from Top Waist	0	0				@								
UG06	Lower Front Width	1/4	1/4				@								
UG06.1	Lower Front Width (Thong)	1/8	1/8				@								
UG07	Front Crotch Width-Along Seam	1/4	1/4				@								
UG07.1	Front Crotch Width @ Crotch Panel Edge	1/8	1/8				@								
UG08	Narrowest Crotch Width Plcmnt from Bk Crotch Seam	0	0				@								
UG09	Narrowest Crotch Width	1/8	1/8				@								
UG10	Back Crotch Width Along Seam	1/4	1/4				@								
UG11	Crotch Panel Length @ Center	1/4	1/4				@								
UG12	Upper Back Width Placement from Crotch Seam	0	0				@								
UG12.1	Upper Back Width Placement from Top Waist	0	0				@								
UG13	Upper Back Width	1/4	1/4				@								
UG14	Lower Back Width Placement from Crotch Seam	0	0				@								
UG14.1	Lower Back Width Placement from Top Waist	0	0				@								
UG15	Lower Back Width	1/4	1/4				@								
UG16	Front Panel Length from Top to Crotch Seam	1/4	1/4				@								

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 0-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
UG17	Back Panel Length from Top to Crotch Seam	1/4	1/4				@								
UG18	Side Length from Top @ Seam	1/4	1/4				@								
UG18.1	Side Length from Top @ Fold	1/4	1/4				@								
UG19	Leg Opening (1/2) Relaxed	1/4	1/4				@								
UG19.1	Thong Leg Opening to Point - Relaxed	1/4	1/4				@								
UG19.2	Thong Leg Opening Total - Relaxed	1/4	1/4				@								
UG20	Leg Opening (1/2) Extended	1/4	1/4				@								
UG20.1	Thong Leg Opening to Point - Extended	1/4	1/4				@								
UG20.2	Thong Leg Opening Total - Extended	1/4	1/4				@								
UG21	Minimum Stretch @ Waist (1/2)	1/4	1/4				@								
UG22	Minimum Stretch @ Leg Opening (1/2)	1/4	1/4				@								
UG22.1	Min Stretch @ Thong Leg Opening to Point	1/4	1/4				@								
UG22.2	Min Stretch @ Thong Leg Opening Total	1/4	1/4				@								
UG23	Thong Back Width	1/8	1/8				@								
UG24	Back Crotch Sean from Crotch Foldline	1/8	1/8				@								
VB01	Body Length @ CB from HPS	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
VB02	Body Length @ CB from CB Neck	1/8	1/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
VB02.1	CB Length from Raglan Peak	1/4	1/4	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16			
VB03	Body Length @ CB from Armhole	1/8	1/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
VB033	Peak Height @ CB	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VB04	Back Neck Drop-HPS to Seam-(under 3")	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VB04.1	Back Neck Drop-HPS to Edge-(under 3")	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VB04.2	Back Neck Drop-HPS to Seam-(over 3")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
VB04.3	Back Neck Drop-HPS to Edge-(over 3")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VB05	Back Neck Drop-from Armhole	1/8	1/8	0	0	0	@	0	0	0	0	0			
VB06	Back Neck Drop-Excluding Straps	1/8	1/8	0	0	0	@	0	0	0	0	0			
VB06.1	Back Neck Drop from Raglan Peak	1/16	1/16	0	0	0	@	0	0	0	0	0			
VB06.2	Back Neck Drop to Seam from Raglan Peak	1/16	1/16	0	0	0	@	0	0	0	0	0			
VB07	Across Back Placement from HPS	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VB07.1	Across Back Placement from Raglan Peak	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VB08	Bodice Seam from HPS @ CB	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VB09	Bodice Seam from Back Neck @ CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VB10	Bodice Seam from Armhole @ CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VB11	Back Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VB44	Back Shirt Tail Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF01	Shoulder Forward Seam from HPS @ Neck	0	0	0	0	0	@	0	0	0	0	0			
VF02	Shoulder Forward Seam from HPS @ Armhole	0	0	0	0	0	@	0	0	0	0	0			
VF03	Shoulder Slope from HPS to Armhole Seam@Back Fold	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF03.1	Shoulder Slope from HPS @ Specified Placement	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF03.2	Shoulder Slope Placement from CB	0	0	1/4	1/4	1/4	@	1/4	1/4	5/16	5/16	5/16			
VF03.3	Shoulder Slope from HPS @ Shldr. Sm. to Armhole Sm	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF04	Body Length @ CF from HPS	3/8	3/8	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
VF04.1	Body Length @ CF from HPS (Bodysuit)	3/8	3/8				@								
VF04.2	Body Length @ SS from HPS	3/8	3/8	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
VF04.3	Body Length @ CF from Neck Edge	3/8	3/8	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16			
VF04.4	Body Length @ CF from Neck Seam	3/8	3/8	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 0-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
VF05	Body Length @ CF from Top Bodice	1/4	1/4	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16			
VF05.1	Body Length @ CF from Top Bodice (Bodysuit)	1/4	1/4				@								
VF05.2	CF Length from Raglan Peak	1/4	1/4	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16			
VF06	Body Length @ CF from Armhole	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
VF06.1	Body Length @ CF from Armhole (Bodysuit)	1/4	1/4				@								
VF06.2	Body Length @ SS from Armhole	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
VF07	Peak Height @ CF	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF08	Front Neck Drop- HPS to Seam (under 5")	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VF08.1	Front Neck Drop - HPS to Edge (under 5")	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VF09	Front Neck Drop- HPS to Seam (under 10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF09.1	Front Neck Drop- HPS to Edge (under 10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF10	Front Neck Drop- HPS to Seam (over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF10.1	Front Neck Drop- HPS to Edge (over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF11	Front Neck Drop-Top Bodice to Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF11.1	Front Neck Drop-Top Bodice to Edge	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF11.2	Front Neck Drop to Edge from Raglan Peak	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF11.3	Front Neck Drop to Seam from Raglan Peak	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF12	Front Neck Drop- from Armhole	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF13	Front Neck Drop- Excluding Straps	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF14	Funnel Neck Height from HPS	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF15	Front Neck Height from Armhole	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VF16	Bodice/Waist Seam from HPS @ CF	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF17	Bodice/Waist Seam from HPS @ Dart	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
VF18	Bodice/Waist Seam from HPS @ SS	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF19	Bodice/Waist Seam from Top Bodice @ CF	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
VF20	Bodice/Waist Seam from Top Bodice @ Dart	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
VF21	Bodice/Waist Seam from Top Bodice @ SS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
VF22	Bodice/Waist Seam from Armhole @ CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF23	Bodice/Waist Seam from Armhole @ Dart	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF24	Bodice/Waist Seam from Armhole @ SS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF29	Across Chest Placement from HPS	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF29.1	Chest Placement from HPS	0	0	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
VF29.2	Across Chest Placement from Raglan Peak	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VF30	Waist Placement from HPS	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF31	High Hip Placement from HPS	0	0	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
VF32	Low Hip Placement from HPS	0	0	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
VF33	Chest Placement from Top Bodice	0	0	0	0	0	@	0	0	0	0	0			
VF34	Waist Placement from Top Bodice	0	0	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
VF35	High Hip Placement from Top Bodice	0	0	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16			
VF36	Low Hip Placement from Top Bodice	0	0	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16			
VF37	Chest Placement from Armhole	0	0	0	0	0	@	0	0	0	0	0			
VF38	Waist Placement from Armhole	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF39	High Hip Placement from Armhole	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF40	Low Hip Placement from Armhole	0	0	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
VF41	High Hip Placement from Top Waist	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF41.1	High Hip Placement from Bottom WB	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
VF42	Low Hip Placement from Top Waist	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF42.1	Low Hip Placement from Bottom WB	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF43	Front Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF44	Front Shirt Tail Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF45	Across Chest Placement from Armhole	0	0	0	0	0	@	0	0	0	0	0			
VF46	Bodice Height @ Tie End from Armhole	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
VF47	Bodice Height @ Seam from Armhole (inside edge)	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VF48	Bodice Height @ Seam from Armhole (outside edge)	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VS01	Vent Opening Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
VS02	Slit Opening Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
VS03	Sleeve Vent Height @ Point	1/8	1/8	0	0	0	@	0	0	0	0	0			
VS04	Sleeve Vent Height @ Side	1/8	1/8	0	0	0	@	0	0	0	0	0			
VS05	Sleeve Vent Width	1/16	1/16	0	0	0	@	0	0	0	0	0			
WB01	WB-(top seam)- from HPS @ CF	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
WB02	WB-(top seam)- from HPS @ SS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
WB03	WB-(top seam)- from HPS @ CB	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
WB04	WB Height	1/16	1/16	0	0	0	@	0	0	0	0	0			
WB05	WB Height @ CF	1/16	1/16	0	0	0	@	0	0	0	0	0			
WB06	WB Height @ SS	1/16	1/16	0	0	0	@	0	0	0	0	0			
WB07	WB Height @ CB	1/16	1/16	0	0	0	@	0	0	0	0	0			
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0			
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	0	0	0	@	0	0	0	0	0			
YK01	Front Yoke Seam from HPS @ Neck	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
YK01.1	Front Yoke Seam Point from HPS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK02	Front Yoke Seam from HPS @ CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK03	Front Yoke Seam from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK04	Back Yoke Seam from HPS @ Neck	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
YK04.1	Back Yoke Seam Point from HPS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK05	Back Yoke Seam from HPS @ CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK06	Back Yoke Seam from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK07	Front Yoke Flap from HPS-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK08	Front Yoke Flap from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK09	Back Yoke Flap from HPS @ CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK10	Back Yoke Flap from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK11	Yoke Seam from Top Waist @ CF	1/8	1/8	0	0	0	@	0	0	0	0	0			
YK12	Yoke Seam from Top Waist @ SS	1/8	1/8	0	0	0	@	0	0	0	0	0			
YK12.1	Yoke Seam From Bottom WB @ SS	1/8	1/8	0	0	0	@	0	0	0	0	0			
YK13	Yoke Seam from Top Waist @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0			
YK13.1	Yoke Seam From Bottom WB @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0			
YK14	Raglan Yoke Seam from Neck Seam	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
YK14.1	Raglan Yoke Seam from Neck Edge	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
ZF01	Fly Length from Top Waist-(pants)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0			
ZF01.1	Fly Length From Bottom of WB - pants	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0			
ZF02	Fly Length from Top Waist-(skirts)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0			
ZF03	Fly Width	1/16	1/16	0	0	0	@	0	0	0	0	0			
ZF04	Zipper Length-(pants)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
ZF05	Zipper Length-(skirts)	1/4	1/4	0	0	0	@	0	0	0	0	0			
ZF06	Zipper Opening from Armhole @ Left SS	1/8	1/8	0	0	0	@	0	0	0	0	0			
ZF07	Zipper Opening- (over 8")	1/2	1/2	0	1/2	0	@	0	1/2	0	1/2	0			
ZF07.1	Zipper Opening- (8" or under)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0			
ZF08	Zipper Tape Length-(over 8")	1/2	1/2	0	1/2	0	@	0	1/2	0	1/2	0			
ZF08.1	Zipper Tape Length-(8" or under)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
AH01	Armhole-Straight	3/16	3/16	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
AH02	Armhole-Bodice Point to SS-Straight	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
AH03	Armhole-Bodice Point to SS-Along Curve	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
AH04	Armhole Drop from HPS-(straight)- @ SS	3/16	3/16	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
BB01	Bib Seam from HPS @ CF-(under10")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
BB01.1	Bib Seam from HPS @ CF-(over10")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
BB02	Bib Seam from CF @ Shoulder Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BB03	Bib Seam from CF @ Neck Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BB04	Bib Seam from CF @ Across Chest Placement	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BC01	Bust Cup Height @ Center	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
BC02	Bust Cup Width @ Ends	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
BD01	Bottom Band Height	1/8	1/8					@							
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	1 1 1/2	1 1 1/2	1 1 1/2	1 1 1/2	@ 1 1/2	1	1	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
BT01.1	Belt Length-Total @ _____	1/2	1/2	1 1 1/2	1 1 1/2	1 1 1/2	1 1 1/2	@ 1 1/2	1	1	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
BT02	Belt Height	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	1 1 1/2	1 1 1/2	1 1 1/2	1 1 1/2	@ 1 1/2	1	1	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
BT04	Belt Loop Length	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT05	Belt Loop Length @ Center	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT06	Belt Loop Length @ Sides	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT07	Belt Loop Width	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT08	Belt Loop Width @ Top	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT09	Belt Loop Width @ Bottom	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT10	Belt Loop from HPS @ SS	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
BT10.1	Belt Loop from Armhole @ SS	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
BT11	Front Belt Loop from HPS	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
BT12	Back Belt Loop from HPS	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
BT13	CB Belt Loop from HPS	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
BT14	Front Belt Loop from CF @ Top of Loop	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT14.1	Front Belt Loop from CF @ Bottom of Loop	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT16	Back Belt Loop from CB @ Top of Loop	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT17	Belt Loop from Bottom Sleeve Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT18	_____ Belt Loop Spacing	1/8	1/8					@							
CF01	Cuff Height	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CF02	Cuff Height Exposed	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL01	Collar Height @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL02	Collar Roll Height-Inside CB Neck Seam to Top Roll	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL03	Collar Length @ Outer Edge-Point to Point	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
CL04	Collar Length @ Outer Edge-CB To CF Along Curve	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
CL05	Collar Length @ Neck Seam	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
CL05.1	Collar Length @ Top Neckband Seam	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
CL06	Collar Point	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL07	Collar Spread	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL08	Collar Spacing Apart @ CF Neck Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL09	Neckband Height @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL10	Neckband Height @ Front Edge	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL11	Neckband Length @ Top Band Along Seam	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
CL12	Neckband Length @ Bottom Band Along Seam	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
CL13	Neckband-Center of Button to Front End of Btnhole	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
CL14	Notch Intersection from HPS	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
CL15	Lapel Point from HPS-(Lapel Folded)	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
CL16	Lapel Point	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL17	Lapel Width-(Roll Line to Lapel Point-Straight)	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL18	Lapel Width-(Lapel Seam to Lapel Point-Straight)	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL19	Lapel Notch Spread	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL20	Lapel-Neckband Overlap Width @ Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL21	Collar Height Cape @ 3 inches	1/8	1/8					@							
DP01	Center of 1st _____ from HPS(under 10")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
DP02	Center of 1st _____ from HPS (over 10")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
DP03	Center of (spec #) _____ from HPS (over 10")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
DP04	Center of _____ from Bottom Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DP05	_____ Vertical Spacing Apart-Center to Center	1/8	1/8					@							
DP06	_____ Horizontal Spacing Apart-Center to Center	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DS01	Drawstring Length Total	1/2	1/2	1 1 1/2	1 1 1/2	1 1 1/2	1 1 1/2	@ 1 1/2	1	1	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
DS02	Drawstring Exposed Length-(each)-Tunnel Extended	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DS03	Drawstring Height	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT01	Bust Dart Apex (point) from HPS	1/8	1/8	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT02	Bust Dart Apex (point) from Armhole	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
DT03	Bust Dart Leg from HPS @ SS	1/8	1/8	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT04	Bust Dart Leg from Armhole @ SS	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
DT05	Bust Dart Length	1/8	1/4	1/16 1/8	1/16 1/8	1/16 1/8	1/16 1/8	@ 1/8	1/16	1/16	1/8	1/8	1/8	1/8	1/8
DT06	Front Waist Dart Apex (point) from HPS	1/8	1/8	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT07	Front Waist Dart Apex (point) from Armhole	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
DT08	Front Waist Dart Apex (point) from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT09	Front Waist Dart from CF @ Bodice Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT10	Front Waist Dart from CF @ Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT11	Front Waist Dart from CF @ Top Pocket	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT11.1	Front Waist Dart from CF @ Bottom Opening	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT12	Front Waist Dart Length	1/8	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT13	Back Waist Dart Apex (point) from HPS	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT14	Back Waist Dart Apex (point) from Armhole	1/8	1/8	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
DT15	Back Waist Dart Apex (point) from CB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT16	Back Waist Dart from CB @ Bodice Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT17	Back Waist Dart from CB @ Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT17.1	Back Waist Dart from CB @ Bottom Opening	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT18	Back Waist Dart Length	1/8	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT19	Front Dart Length from Top Waist	1/8	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
DT19.1	Back Dart Length from Top Waist	1/8	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT20	Front Dart from CF @ Top Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT21	Back Dart from CB @ Top Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT22	Front Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT23	Front Neck Dart Apex (point) Spacing Apart	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT24	Front Neck Dart Length	1/8	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT25	Back Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT26	Back Neck Dart Apex (point) Spacing Apart	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT27	Back Neck Dart Length	1/8	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT28	Elbow Dart Leg from Armhole Along Seam	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
DT29	Elbow Dart Leg Spacing Apart @ Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT30	Elbow Dart Apex (point) Spacing Apart	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT31	Elbow Dart Length	1/8	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT35	Knee Dart Length	1/8	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT36	_____ Dart Intake (flat)	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT37	Shoulder Dart Length	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
EP01	Epaulet Length @ Center	1/8	1/8	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
EP02	Epaulet Length @ Sides	1/8	1/8	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
EP03	Epaulet Width	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
EP04	Epaulet Edge from Neck Edge	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
FC01	Facing Height	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
FC02	Facing Width	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
FL01	Flounce Height @ CF	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
FL02	Flounce Height @ SS	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
FL03	Flounce Height @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
FL04	Sleeve Flounce Height	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
GD01	Godet Height @ Center	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
GD02	Godet Width @ Bottom-Along Curve or Straight	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
GD03	Godet Point from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
GD04	Godet Point from CB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
GD05	Godet Spacing Apart-Point to Point	1/8	1/8					@							
HB01	Back Neck Width-Seam to Seam @ Shldr. Sm.	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HB02	Back Neck Width-Edge to Edge @ Shldr Sm.	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HB03	Raglan Seams Apart @ Back Neck	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HB04	Across Back-Seam to Seam	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HB04.1	Across Back-Edge to Edge	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HB05	Back Bottom Opening-SS to SS Along Curve	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HB06	Back Sweep-SS to SS Along Curve	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
HB07	Back Chest Along Edge Between Side Seams	1/4	1/4					@							
HD01	Hood Opening- Along Seam	1/4	1/4	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
HD02	Hood Height-Straight from HPS	1/4	1/4	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
HD02.1	Hood Height @ CF	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HD03	Hood Width @ __from HPS	1/4	1/4	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
HD04	Hood Center Panel Width @ Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HD05	Hood Center Panel Width @ Back Neck Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HD06	Hood Center Panel Length @ Center	3/16	3/16	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF00.1	Neck Width Edge to Edge @ HPS (8 - 11")	1/8	1/8					@							
HF00.2	Neck Width Edge to Edge @ HPS (+11in.)	1/8	1/8					@							
HF00.3	Neck Width Seam to Seam @ HPS (8 - 11")	1/8	1/8					@							
HF00.4	Neck Width Seam to Seam @ HPS (+11")	1/8	1/8					@							
HF00.5	Neck Width Edge to Edge @ Shldr Sm (8 -11")	1/8	1/8					@							
HF00.6	Neck Width Edge to Edge @ Shlder Sm (+ 11")	1/8	1/8					@							
HF00.7	Neck Width Seam to Seam @ Shldr Sm (8 - 11")	1/8	1/8					@							
HF00.8	Neck Width Seam to Seam @ Shldr Sm (+11")	1/8	1/8					@							
HF01	Neck Width-Seam to Seam @ HPS	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF01.1	Neck Width-Edge to Edge @ HPS	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF01.2	Neck Width- @ Top Band Opening-Straight	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF01.3	Neck Width Seam to Seam @ Shoulder Seam	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF01.4	Neck Width Edge to Edge @ Shoulder Seam	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF02	Front Neck Width-Seam to Seam @ HPS	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF02.1	Front Neck Width - Edge to Edge @ HPS	1/4	1/4					@							
HF03	Neck Width-Seam to Seam @ Across Chest	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF03.1	Neck Width-Edge to Edge @ Across Chest	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF04	Neck Width-Seam to Seam @ Front Neck Drop	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
HF05	Neck Width-Edge to Edge @ Front Neck Drop	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF06	Raglan Seams Apart @ Front Neck	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF07	Across Shoulder-Seam to Seam @ Back Fold	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HF07.1	Across Shoulder-Edge to Edge @ Back Fold	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HF08	Across Chest-Seam to Seam	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HF08.1	Across Chest-Edge to Edge	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HF09	Chest @ Armhole	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF09.1	Chest @ Armhole CF to CB	1/4	1/4					@							
HF10	Chest @ 1" Below Armhole	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF10.1	Chest @ 1" Below Armhole CF to CB	1/4	1/4					@							
HF11	Chest @ Bodice Seam-Straight	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF12	Waist	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF13	Waist @ Seam-Along Curve	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF14	Waist @ Top	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF15	Waist @ Bottom	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF16	Waist Extended	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF17	Waist Relaxed	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF18	High Hip	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF19	High Hip-Along Yoke Seam	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF20	Low Hip	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF21	Low Hip-Along Yoke Seam	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF22	Bottom Opening-Straight	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF22.1	Front Bottom Opening-CF to SS-Straight	1/8	1/8	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
HF23	Bottom Opening-Along Curve	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF23.1	Front Bottom Opening-CF to SS-Along Curve	1/8	1/8	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HF24	Sweep-Along Curve	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF24.1	Front Sweep-SS to SS-Along Curve	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF25	Lining Sweep-Along Curve	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HL01	Hanger Loop-Total Length	1/4	1/4					@							
HL02	Hanger Loop from _____	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HM01	Hem Height	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HM02	Hem Height-Include Binding	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HM03	Hem Height-to Lining Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HM04	Hem Height - To Finished Lining Edge	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
KH01	Keyhole Opening-Edge to Edge	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
KH02	Keyhole Width @ Center-Edge to Edge	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
MS01	Minimum Stretch @ Neck Opening	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
MS02	Minimum Stretch @ Back Neck	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
MS03	Minimum Stretch @ Waist	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
MS04	Minimum Stretch @ Bottom Opening	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
MS05	Minimum Stretch @ Top Cuff Seam	1/4	1/4	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
MS06	Minimum Stretch @ Sleeve Opening	1/4	1/4	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PA01	Placket Length @ Center	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PA02	Placket Length @ Sides	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PA03	Placket Width	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PA04	Placket Facing Width	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
PK01	Chest Pocket from HPS @ CF Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK02	Chest Pocket from HPS @ SS Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK03	_____ Pocket from HPS @ CF Side-(over 10")	1/4	1/4					@							
PK04	_____ Pocket from HPS @ SS Side-(over 10")	1/4	1/4					@							
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK08.1	Jean Pocket from Bottom WB @ SS Side	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK10.1	Pocket from Bottom Waist @ Outer Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK11.1	Pocket from CF @ Bottom (use for graded pockets)	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK12.2	Pocket from CF @ Bottom (use for non-graded pkts)	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	1/16 1/8	1/16 1/8	1/16 1/8	1/16 1/8	@ 1/8	1/16	1/16	1/8	1/8	1/8	1/8	1/8
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	1/16 1/8	1/16 1/8	1/16 1/8	1/16 1/8	@ 1/8	1/16	1/16	1/8	1/8	1/8	1/8	1/8
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK15.3	Pocket frm CB @ Bottom (use for graded pocket)	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK15.4	Pocket frm CB @ Bottom (use for non-graded pocket)	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK16	_____ Pocket Height @ Center	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK17	_____ Pocket Height @ Sides	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK22	_____ Pocket Width @ Top	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK23	_____ Pocket Width @ Bottom	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK26	Welt or Besom Pocket Height	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK28	Pocket Opening-(on seam)-from HPS-(over 10")	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PK29	Pocket Opening-(on seam)-from Top Waist	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK30	Pocket Opening-(on seam)	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK31	Pocket Bag Depth from Opening	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4					@							
PK35	_____ Pocket from Bottom Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PK36	Coin Pocket Height (Exposed)	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK39	Coin Pocket Width (Exposed)	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PL01	Pleat from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PL02	Pleat from CB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PL03	Pleat Spacing Apart-Fold to Fold	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PL04	Pleat Depth-(flat)	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PL05	Pleat Depth-(Flat)-from CF @ Yoke Seam	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
PL05.1	Pleat Depth-(Flat)-from CB @ Yoke Seam	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
PL06	Pleat Depth-(Flat)-from CF @ Bottom Opening	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PL06.1	Pleat Depth-(Flat)-from CB @ Bottom Opening	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PL07	Sleeve Pleat From Opening	1/8	1/8					@							
PL08	Stitched Pleat Length	1/16	1/16					@							
PM01	Peplum Height @ CF	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PM02	Peplum Height @ SS	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PM03	Peplum Height @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PP01	Print Placement from HPS-(under 10")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PP01.1	Print Placement from HPS-(over 10")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PP02	Print Placement from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PP03	Print Placement from CB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PP04	Print Placement from Top Pocket	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PP05	Print Placement from SS	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PP06	Print Placement from Bottom Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
PP07	Print Placement from Sleeve Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PP08	Print Placement from Shoulder Seam	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PS01	Princess Seam from HPS @ Front Armhole	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PS02	Princess Seam from CF @ Neck Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS03	Princess Seam from CF or CB @ Shoulder Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS04	Princess Seam from CF @ Raglan Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS05	Princess Seam from CF @ Yoke Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS06	Princess Seam from CF @ Chest	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS07	Princess Seam from CF @ Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS08	Princess Seam from CF @ Top Pocket	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS09	Princess Seam from CF @ Bottom Opening-Along Curve	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS10	Princess Seam from CF @ Bottom Opening-Straight	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS11	Princess Seam from HPS @ Back Armhole	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PS12	Princess Seam from CB @ Neck Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS13	Princess Seam from CB @ Raglan Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS14	Princess Seam from CB @ Yoke Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS15	Princess Seam from CB @ Chest	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS16	Princess Seam from CB @ Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS17	Princess Seam from CB @ Bottom Opening-Along Curve	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS18	Princess Seam from CB @ Bottom Opening-Straight	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PT01	Front Rise from Top Waist	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PT01.1	Front Rise From Bottom of WB	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PT02	Back Rise from Top Waist	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
PT02.1	Back Rise From Bottom of WB	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PT03	Thigh @ 1" Below Crotch	1/4	1/4	3/8 1/2	3/8 1/2	3/8 1/2	3/8 1/2	@ 1/2	3/8	3/8	1/2	1/2	1/2	1/2	1/2
PT04	Thigh @ ___" Below Crotch	1/4	1/4	5/16 3/8	5/16 3/8	5/16 3/8	5/16 3/8	@ 3/8	5/16	5/16	3/8	3/8	3/8	3/8	3/8
PT05	Knee @ ___" Below Crotch	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT06	Leg Opening-(for inseams over 6")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT07	Leg Opening-(for inseams under 6")	1/4	1/4	3/8 1/2	3/8 1/2	3/8 1/2	3/8 1/2	@ 1/2	3/8	3/8	1/2	1/2	1/2	1/2	1/2
PT08	Inseam-(22" or Longer)	1/2	1/2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	1/2	1/2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	1/2	1/2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT08.3	Inseam (men's gang grade)	1/2	1/2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT09	Inseam-(under 6")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT09.3	Inseam-(6" to 21")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT10	Outseam from Top Waist-(22" or Longer)	5/8	5/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22" or L)	5/8	5/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22" or L)	5/8	5/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11	Outseam from Top Waist-(under 6")	3/8	3/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.1	Outseam from Top Waist w/Cuff Rolled Up-(under 6")	3/8	3/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	3/8	3/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.3	Outseam from Top Waist-(6" to 21")	3/8	3/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
PT11.4	Outseam from Top Waist w/Cuff Rolled Up(6"to21")	3/8	3/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6"to21")	3/8	3/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT12	Back Knee Seam from Bottom Opening	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT13	Front Leg Seam from CF Seam @ Waist	1/16	1/16	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PT13.1	Front Leg Seam from Ineam @ Leg Opening	1/16	1/16	3/32 3/32	3/32 3/32	3/32 3/32	3/32 3/32	@ 3/32	3/32	3/32	3/32	3/32	3/32	3/32	3/32
PT14	Back Leg Seam from CB Seam @ Waist	1/16	1/16	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PT14.1	Back Leg Seam from Ineam @ Leg Opening	1/16	1/16	3/32 3/32	3/32 3/32	3/32 3/32	3/32 3/32	@ 3/32	3/32	3/32	3/32	3/32	3/32	3/32	3/32
PT15	Side Front Leg Seam from CF Seam @ Waist	1/8	1/8	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
PT15.1	Side Front Leg Seam from Ineam @ Leg Opening	1/8	1/8	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
PT16	Side Back Leg Seam from CF Seam @ Waist	1/8	1/8	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
PT16.1	Side Back Leg Seam from Ineam @ Leg Opening	1/8	1/8	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
PT17	Side Leg Panel Width @ Top & Bottom	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
RF01	Ruffle Height-Total	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
RF02	Ruffle Height-Exposed	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
RF03	Ruffle Width-Total	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
RF04	Ruffle Width-Exposed	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SH01	Shirring from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SH02	Shirring from CB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SH03	Shirring Width @ _____	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SK01	CF Waist Level Drop from CB	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SK02	Waist Curve from SS to CB	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SK03	Skirt Length from Top Waist @ CB-(18" or over)	3/8	3/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SK03.1	Skirt Length from Top Waist @ CB-(under 18")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
SK04	Skirt Length from Top Waist @ SS-(18" or over)	3/8	3/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SK04.1	Skirt Length from Top Waist @ SS-(under 18")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SK05	Skirt Length From Top Waist @CF (18" or over)	3/8	3/8					@							
SK05.1	Skirt Length From Top Waist @CF (under 18")	1/4	1/4					@							
SK06	High Hip Placement from Top of Waist	0	0					@							
SK06.1	Low Hip Placement from Top of Waist	0	0					@							
SM01	Smocking from HPS @ CF	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SM02	Smocking from HPS @ SS	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SM03	Smocking from HPS @ CB	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SM04	Smocking from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SM05	Smocking Height-(eval stch gauge & grade accrdly)	1/8	1/8					@							
SM06	Smocking Width (non-graded option)	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SM07	Smocking Width @ Top- (graded option)	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
SM08	Smocking Width @ Bottom-(graded option)	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
SP01	Surplice Wrap Point from HPS	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SP02	Surplice Overlap Total Width @ Bodice Seam-und 4"	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SP03	Surplice Overlap Total Width @ Bodice Seam-ovr 4"	1/4	1/4	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SS02	Sleeve Length from Shoulder-Long	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SS02.1	Sleeve Length from Shoulder w/ Cuff Rolled Up-Long	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SS02.2	Sleeve Length frm Shoulder w/ Cuff Unrolled-Long	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SS03	Sleeve Length from Shoulder-Short	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS03.1	Sleeve Length from Shoulder w/Cuff Rolled Up-Short	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS03.2	Sleeve Length from Shoulder w/ Cuff Unrolled-Short	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
SS04	Sleeve Length from Neck Seam @ HPS-Long	1/2	1/2	3/8 1/2	3/8 1/2	3/8 1/2	3/8 1/2	@ 1/2	3/8	3/8	1/2	1/2	1/2	1/2	1/2
SS04.1	Sleeve Length from Neck Edge @ HPS-Long	1/2	1/2	3/8 1/2	3/8 1/2	3/8 1/2	3/8 1/2	@ 1/2	3/8	3/8	1/2	1/2	1/2	1/2	1/2
SS05	Sleeve Length from Neck Seam @ HPS-Short	3/8	3/8	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
SS05.1	Sleeve Length from Neck Edge @ HPS-Short	3/8	3/8	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
SS06	Undersleeve Length-Long	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS07	Undersleeve Length-Short	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SS07.1	Sleeve Cap Height	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS08	Sleeve Cap Width @ 3" from Shoulder	1/4	1/4					@							
SS09	Sleeve Width @ 1" Below Armhole	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
SS10	Sleeve Width @ 13" from Shoulder	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SS11	Sleeve Width @ 5" up from Opening	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS11.1	Sleeve Width @6" up from Cuff Seam	1/8	1/8					@							
SS12	Sleeve Width @ Top Cuff Seam	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS13	Sleeve Width @ Top Cuff Seam-Relaxed	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS14	Sleeve Width @ Top Cuff Seam-Extended	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS15	Sleeve Width @ Opening-Long	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS16	Sleeve Width @ Opening-Relaxed-Long	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS17	Sleeve Width @ Opening-Extended-Long	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS18	Sleeve Width @ Opening-Along Curve-Long	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS19	Sleeve Width @ Opening-Short	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
SS20	Sleeve Width @ Opening-Relaxed-Short	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
SS21	Sleeve Width @ Opening-Extended-Short	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
SS21.1	Cap Sleeve Width @ Opening-Along Curve-Short	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
SS21.2	Cap Sleeve Width @ Opening-Along Curve-Total	1/4	1/4	3/8 5/16	3/8 5/16	3/8 5/16	3/8 5/16	@ 5/16	3/8	3/8	5/16	5/16	5/16	5/16	5/16
SS22	Front Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS23	Front Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SS24	Back Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS25	Back Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SS26	Armhole Gusset Width Front to Back	1/8	1/8					@							
SS27	Armhole Gusset Height End to End	1/8	1/8					@							
ST01	Strap Length-Total (extends to across back)	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
ST01.1	Strap Length - Total (extends to back chest)	1/4	1/4					@							
ST02	Strap Overlap from Top "o" Ring to Center Slider	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ST03	Strap Width-(1/2" or under)	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ST04	Strap Width-(5/8" to 1 3/8")	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ST05	Strap Width-(1 1/2" or over)	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ST06	Front Straps Apart-Inside	1/4	1/4	1/4 5/16	1/4 5/16	1/4 5/16	1/4 5/16	@ 5/16	1/4	1/4	5/16	5/16	5/16	5/16	5/16
ST07	Back Straps Apart-Inside	1/4	1/4	1/4 5/16	1/4 5/16	1/4 5/16	1/4 5/16	@ 5/16	1/4	1/4	5/16	5/16	5/16	5/16	5/16
SW01	Stitches Per 1" Height	2	2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SW02	Stitches Per 1" Width	2	2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SW03	Net Weight	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB01	Tab Height	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB02	Tab Height @ Center	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB03	Tab Height @ Sides	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB04	Tab Width	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
TB05	Tab Width @ Top	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB06	Tab Width @ Bottom	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB07	Tab from HPS @ CF	1/4	1/4					@							
TB08	Tab from HPS @ SS	1/4	1/4					@							
TB09	Tab from HPS @ CB	1/4	1/4					@							
TB10	Tab from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TB11	Tab from SS on Front	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TB12	Tab from SS on Back	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TB13	Tab from Bottom Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TK01	Tuck from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TK02	Tuck from CB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TK03	_____Tuck Spacing Apart-Fold to Fold	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TK04	_____Tuck Depth- Fold to Stitch	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TN01	_____Tunnel Height	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TN02	Top of Tunnel Placement from HPS @_____	1/4	1/4					@							
TR01	_____Tier Placement from HPS-(under 10")	1/8	1/8	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
TR02	_____Tier Placement from HPS-(over 10")	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
TR03	_____Tier Placement from Shoulder	1/8	1/8					@							
TR04	_____Tier Placement from Top Waist Seam	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
TR05	_____Tier Height-Exposed	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TS01	Tie Placement from HPS	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
TS02	Tie Height	1/2	1/2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TS03	Tie Length- Each	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
TS04	Tie Spacing Apart @ CF-(graded)	1/4	1/4	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TS04.1	Tie Spacing Apart @ CF-(nongraded)	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TS05	Tie Spacing Apart @ CB-(graded)	1/4	1/4	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TS05.1	Tie Spacing Apart @ CB-(nongraded)	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
UG01	Waist @ Top Relaxed	1/2	1/2					@							
UG01.1	Front Waist (Thong)	1/2	1/2					@							
UG02	Waist @ Top Extended	1/2	1/2					@							
UG03	Upper Front Width Placement from Crotch Seam	0	0					@							
UG03.1	Upper Front Width Placement from Top Waist	0	0					@							
UG04	Upper Front Width	1/4	1/4					@							
UG04.1	Upper Front Width (Thong)	1/8	1/8					@							
UG05	Lower Front Width Placement from Crotch Seam	0	0					@							
UG05.1	Lower Front Width Placement from Top Waist	0	0					@							
UG06	Lower Front Width	1/4	1/4					@							
UG06.1	Lower Front Width (Thong)	1/8	1/8					@							
UG07	Front Crotch Width-Along Seam	1/4	1/4					@							
UG07.1	Front Crotch Width @ Crotch Panel Edge	1/8	1/8					@							
UG08	Narrowest Crotch Width Plcmnt from Bk Crotch Seam	0	0					@							
UG09	Narrowest Crotch Width	1/8	1/8					@							
UG10	Back Crotch Width Along Seam	1/4	1/4					@							
UG11	Crotch Panel Length @ Center	1/4	1/4					@							
UG12	Upper Back Width Placement from Crotch Seam	0	0					@							
UG12.1	Upper Back Width Placement from Top Waist	0	0					@							

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
UG13	Upper Back Width	1/4	1/4					@							
UG14	Lower Back Width Placement from Crotch Seam	0	0					@							
UG14.1	Lower Back Width Placement from Top Waist	0	0					@							
UG15	Lower Back Width	1/4	1/4					@							
UG16	Front Panel Length from Top to Crotch Seam	1/4	1/4					@							
UG17	Back Panel Length from Top to Crotch Seam	1/4	1/4					@							
UG18	Side Length from Top @ Seam	1/4	1/4					@							
UG18.1	Side Length from Top @ Fold	1/4	1/4					@							
UG19	Leg Opening (1/2) Relaxed	1/4	1/4					@							
UG19.1	Thong Leg Opening to Point - Relaxed	1/4	1/4					@							
UG19.2	Thong Leg Opening Total - Relaxed	1/4	1/4					@							
UG20	Leg Opening (1/2) Extended	1/4	1/4					@							
UG20.1	Thong Leg Opening to Point - Extended	1/4	1/4					@							
UG20.2	Thong Leg Opening Total - Extended	1/4	1/4					@							
UG21	Minimum Stretch @ Waist (1/2)	1/4	1/4					@							
UG22	Minimum Stretch @ Leg Opening (1/2)	1/4	1/4					@							
UG22.1	Min Stretch @ Thong Leg Opening to Point	1/4	1/4					@							
UG22.2	Min Stretch @ Thong Leg Opening Total	1/4	1/4					@							
UG23	Thong Back Width	1/8	1/8					@							
UG24	Back Crotch Sean from Crotch Foldline	1/8	1/8					@							
VB01	Body Length @ CB from HPS	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
VB02	Body Length @ CB from CB Neck	1/8	1/8	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VB03	Body Length @ CB from Armhole	1/8	1/8	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
VB033	Peak Height @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VB04	Back Neck Drop-HPS to Seam-(under 3")	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
VB04.1	Back Neck Drop-HPS to Edge-(under 3")	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
VB04.2	Back Neck Drop-HPS to Seam-(over 3")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VB04.3	Back Neck Drop-HPS to Edge-(over 3")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VB05	Back Neck Drop-from Armhole	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VB06	Back Neck Drop-Excluding Straps	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VB07	Across Back Placement from HPS	0	0	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VB08	Bodice Seam from HPS @ CB	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VB09	Bodice Seam from Back Neck @ CB	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VB10	Bodice Seam from Armhole @ CB	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VB11	Back Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
VB44	Back Shirt Tail Height	1/8	1/8					@							
VF01	Shoulder Forward Seam from HPS @ Neck	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF02	Shoulder Forward Seam from HPS @ Armhole	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF03	Shoulder Slope from HPS to Armhole Seam@Back Fold	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF03.1	Shoulder Slope from HPS @ Specified Placement	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF03.2	Shoulder Slope Placement from CB	0	0	1/4 5/16	1/4 5/16	1/4 5/16	1/4 5/16	@ 5/16	1/4	1/4	5/16	5/16	5/16	5/16	5/16
VF04	Body Length @ CF from HPS	3/8	3/8	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
VF04.1	Body Length @ CF from HPS (Bodysuit)	3/8	3/8					@							
VF04.2	Body Length @ SS from HPS	3/8	3/8	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
VF05	Body Length @ CF from Top Bodice	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VF05.1	Body Length @ CF from Top Bodice (Bodysuit)	1/4	1/4					@							

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
VF06	Body Length @ CF from Armhole	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VF06.1	Body Length @ CF from Armhole (Bodysuit)	1/4	1/4					@							
VF06.2	Body Length @ SS from Armhole	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VF07	Peak Height @ CF	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF08	Front Neck Drop- HPS to Seam (under 5")	1/8	1/8					@							
VF08.1	Front Neck Drop - HPS to Edge (under 5")	1/8	1/8					@							
VF09	Front Neck Drop- HPS to Seam (under 10")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF09.1	Front Neck Drop- HPS to Edge (under 10")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF10	Front Neck Drop- HPS to Seam (over 10")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF10.1	Front Neck Drop- HPS to Edge (over 10")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF11	Front Neck Drop-Top Bodice to Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF11.1	Front Neck Drop-Top Bodice to Edge	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF12	Front Neck Drop- from Armhole	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF13	Front Neck Drop- Excluding Straps	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF14	Funnel Neck Height from HPS	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF15	Front Neck Height from Armhole	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF16	Bodice/Waist Seam from HPS @ CF	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF17	Bodice/Waist Seam from HPS @ Dart	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF18	Bodice/Waist Seam from HPS @ SS	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF19	Bodice/Waist Seam from Top Bodice @ CF	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF20	Bodice/Waist Seam from Top Bodice @ Dart	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF21	Bodice/Waist Seam from Top Bodice @ SS	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF22	Bodice/Waist Seam from Armhole @ CF	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
VF23	Bodice/Waist Seam from Armhole @ Dart	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF24	Bodice/Waist Seam from Armhole @ SS	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF29	Across Chest Placement from HPS	0	0	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF29.1	Chest Placement from HPS	0	0	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
VF30	Waist Placement from HPS	0	0	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF31	High Hip Placement from HPS	0	0	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VF32	Low Hip Placement from HPS	0	0	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
VF33	Chest Placement from Top Bodice	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF34	Waist Placement from Top Bodice	0	0	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF35	High Hip Placement from Top Bodice	0	0	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF36	Low Hip Placement from Top Bodice	0	0	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VF37	Chest Placement from Armhole	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF38	Waist Placement from Armhole	0	0	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF39	High Hip Placement from Armhole	0	0	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF40	Low Hip Placement from Armhole	0	0	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VF41	High Hip Placement from Top Waist	0	0	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF41.1	High Hip Placement from Bottom WB	0	0	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF42	Low Hip Placement from Top Waist	0	0	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF42.1	Low Hip Placement from Bottom WB	0	0	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF43	Front Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF44	Front Shirt Tail Height	1/8	1/8					@							
VF45	Across Chest Placement from Armhole	0	0					@							
VF46	Bodice Height @ Tie End from Armhole	1/8	1/8					@							

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
VF47	Bodice Height @ Seam from Armhole (inside edge)	1/8	1/8					@							
VF48	Bodice Height @ Seam from Armhole (outside edge)	1/8	1/8					@							
VS01	Vent Opening Height	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VS02	Slit Opening Height	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VS03	Sleeve Vent Height @ Point	1/8	1/8					@							
VS04	Sleeve Vent Height @ Side	1/8	1/8					@							
VS05	Sleeve Vent Width	1/16	1/16					@							
WB01	WB-(top seam)- from HPS @ CF	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
WB02	WB-(top seam)- from HPS @ SS	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
WB03	WB-(top seam)- from HPS @ CB	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
WB04	WB Height	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
WB05	WB Height @ CF	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
WB06	WB Height @ SS	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
WB07	WB Height @ CB	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
YK01	Front Yoke Seam from HPS @ Neck	1/8	1/8	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
YK01.1	Front Yoke Seam Point from HPS	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK02	Front Yoke Seam from HPS @ CF	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK03	Front Yoke Seam from HPS @ Armhole	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK04	Back Yoke Seam from HPS @ Neck	1/8	1/8	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
YK04.1	Back Yoke Seam Point from HPS	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK05	Back Yoke Seam from HPS @ CB	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
YK06	Back Yoke Seam from HPS @ Armhole	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK07	Front Yoke Flap from HPS-Straight	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK08	Front Yoke Flap from HPS @ Armhole	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK09	Back Yoke Flap from HPS @ CB	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK10	Back Yoke Flap from HPS @ Armhole	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK11	Yoke Seam from Top Waist @ CF	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
YK12	Yoke Seam from Top Waist @ SS	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
YK12.1	Yoke Seam From Bottom WB @ SS	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
YK13	Yoke Seam from Top Waist @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
YK13.1	Yoke Seam From Bottom WB @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
YK14	Raglan Yoke Seam from Neck Seam	1/8	1/8					@							
YK14.1	Raglan Yoke Seam from Neck Edge	1/8	1/8					@							
ZF01	Fly Length from Top Waist-(pants)	1/4	1/4	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0
ZF01.1	Fly Length From Bottom of WB - pants	1/4	1/4	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0
ZF02	Fly Length from Top Waist-(skirts)	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ZF03	Fly Width	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ZF04	Zipper Length-(pants)	1/4	1/4	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0
ZF05	Zipper Length-(skirts)	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ZF06	Zipper Opening from Armhole @ Left SS	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ZF07	Zipper Opening- (over 8")	1/2	1/2	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0
ZF07.1	Zipper Opening- (8" or under)	1/4	1/4	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0
ZF08	Zipper Tape Length-(over 8")	1/2	1/2	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0
ZF08.1	Zipper Tape Length-(8" or under)	1/4	1/4	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
AH01	Armhole-Straight	3/16	3/16	3/8	@	3/8	1/2	1/2	1/2						
AH02	Armhole-Bodice Point to SS-Straight	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
AH03	Armhole-Bodice Point to SS-Along Curve	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
AH04	Armhole Drop from HPS-(straight)- @ SS	3/16	3/16	1/4	@	1/4	1/4	1/4	1/4						
BB01	Bib Seam from HPS @ CF-(under10")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BB01.1	Bib Seam from HPS @ CF-(over10")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
BB02	Bib Seam from CF @ Shoulder Seam	1/8	1/8	1/4	@	1/4	1/4	3/8	3/8						
BB03	Bib Seam from CF @ Neck Seam	1/8	1/8	1/4	@	1/4	1/4	3/8	3/8						
BB04	Bib Seam from CF @ Across Chest Placement	1/8	1/8	1/4	@	1/4	1/4	3/8	3/8						
BC01	Bust Cup Height @ Center	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BC02	Bust Cup Width @ Ends	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BD01	Bottom Band Height	1/8	1/8	0	@	0	0	0	0						
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	2	@	2	3	3	3						
BT01.1	Belt Length-Total @ _____	1/2	1/2	2	@	2	3	3	3						
BT02	Belt Height	1/16	1/16	0	@	0	0	0	0						
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	2	@	2	3	3	3						
BT04	Belt Loop Length	1/8	1/8	0	@	0	0	0	0						
BT05	Belt Loop Length @ Center	1/8	1/8	0	@	0	0	0	0						
BT06	Belt Loop Length @ Sides	1/8	1/8	0	@	0	0	0	0						
BT07	Belt Loop Width	1/8	1/8	0	@	0	0	0	0						
BT08	Belt Loop Width @ Top	1/8	1/8	0	@	0	0	0	0						
BT09	Belt Loop Width @ Bottom	1/8	1/8	0	@	0	0	0	0						
BT10	Belt Loop from HPS @ SS	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
BT10.1	Belt Loop from Armhole @ SS	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
BT11	Front Belt Loop from HPS	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
BT12	Back Belt Loop from HPS	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
BT13	CB Belt Loop from HPS	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
BT14	Front Belt Loop from CF @ Top of Loop	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT14.1	Front Belt Loop from CF @ Bottom of Loop	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	0	@	0	0	0	0						
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	0	@	0	0	0	0						
BT16	Back Belt Loop from CB @ Top of Loop	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT17	Belt Loop from Bottom Sleeve Opening	1/8	1/8	0	@	0	0	0	0						
BT18	_____ Belt Loop Spacing	1/8	1/8	0	@	0	0	0	0						
CF01	Cuff Height	1/8	1/8	0	@	0	0	0	0						
CF02	Cuff Height Exposed	1/8	1/8	0	@	0	0	0	0						
CL01	Collar Height @ CB	1/8	1/8	0	@	0	0	0	0						
CL02	Collar Roll Height-Inside CB Neck Seam to Top Roll	1/8	1/8	0	@	0	0	0	0						
CL03	Collar Length @ Outer Edge-Point to Point	1/4	1/4	1	@	1	1	1	1						
CL04	Collar Length @ Outer Edge-CB To CF Along Curve	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
CL05	Collar Length @ Neck Seam	1/4	1/4	1	@	1	1	1	1						
CL05.1	Collar Length @ Top Neckband Seam	1/4	1/4	1	@	1	1	1	1						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
CL06	Collar Point	1/8	1/8	0	@	0	0	0	0						
CL07	Collar Spread	1/4	1/4	0	@	0	0	0	0						
CL08	Collar Spacing Apart @ CF Neck Seam	1/8	1/8	0	@	0	0	0	0						
CL09	Neckband Height @ CB	1/8	1/8	0	@	0	0	0	0						
CL10	Neckband Height @ Front Edge	1/8	1/8	0	@	0	0	0	0						
CL11	Neckband Length @ Top Band Along Seam	1/4	1/4	1	@	1	1	1	1						
CL12	Neckband Length @ Bottom Band Along Seam	1/4	1/4	1	@	1	1	1	1						
CL13	Neckband-Center of Button to Front End of Btnhole	1/4	1/4	1	@	1	1	1	1						
CL14	Notch Intersection from HPS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
CL15	Lapel Point from HPS-(Lapel Folded)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
CL16	Lapel Point	1/8	1/8	0	@	0	0	0	0						
CL17	Lapel Width-(Roll Line to Lapel Point-Straight)	1/8	1/8	0	@	0	0	0	0						
CL18	Lapel Width-(Lapel Seam to Lapel Point-Straight)	1/8	1/8	0	@	0	0	0	0						
CL19	Lapel Notch Spread	1/8	1/8	0	@	0	0	0	0						
CL20	Lapel-Neckband Overlap Width @ Seam	1/8	1/8	0	@	0	0	0	0						
CL21	Collar Height Cape @ 3 inches	1/8	1/8		@										
DP01	Center of 1st _____ from HPS(under 10")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DP02	Center of 1st _____ from HPS (over 10")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
DP03	Center of (spec #) _____ from HPS (over 10")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
DP04	Center of _____ from Bottom Opening	1/8	1/8	0	@	0	0	0	0						
DP05	_____ Vertical Spacing Apart-Center to Center	1/8	1/8		@										
DP06	_____ Horizontal Spacing Apart-Center to Center	1/8	1/8	0	@	0	0	0	0						
DS01	Drawstring Length Total	1/2	1/2	2	@	2	3	3	3						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: XS-XXL

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
DS02	Drawstring Exposed Length-(each)-Tunnel Extended	1/4	1/4	0	@	0	0	0	0						
DS03	Drawstring Height	1/16	1/16	0	@	0	0	0	0						
DT01	Bust Dart Apex (point) from HPS	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
DT02	Bust Dart Apex (point) from Armhole	1/16	1/16	1/8	@	1/8	1/8	1/8	1/8						
DT03	Bust Dart Leg from HPS @ SS	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
DT04	Bust Dart Leg from Armhole @ SS	1/16	1/16	1/8	@	1/8	1/8	1/8	1/8						
DT05	Bust Dart Length	1/8	1/4	1/4	@	1/4	3/8	3/8	3/8						
DT06	Front Waist Dart Apex (point) from HPS	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
DT07	Front Waist Dart Apex (point) from Armhole	1/16	1/16	1/8	@	1/8	1/8	1/8	1/8						
DT08	Front Waist Dart Apex (point) from CF	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT09	Front Waist Dart from CF @ Bodice Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT10	Front Waist Dart from CF @ Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT11	Front Waist Dart from CF @ Top Pocket	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT11.1	Front Waist Dart from CF @ Bottom Opening	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT12	Front Waist Dart Length	1/8	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT13	Back Waist Dart Apex (point) from HPS	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
DT14	Back Waist Dart Apex (point) from Armhole	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
DT15	Back Waist Dart Apex (point) from CB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT16	Back Waist Dart from CB @ Bodice Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT17	Back Waist Dart from CB @ Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT17.1	Back Waist Dart from CB @ Bottom Opening	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT18	Back Waist Dart Length	1/8	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT19	Front Dart Length from Top Waist	1/8	1/4	1/8	@	1/8	1/8	1/8	1/8						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
DT19.1	Back Dart Length from Top Waist	1/8	1/4	1/8	@	1/8	1/8	1/8	1/8						
DT20	Front Dart from CF @ Top Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT21	Back Dart from CB @ Top Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT22	Front Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT23	Front Neck Dart Apex (point) Spacing Apart	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT24	Front Neck Dart Length	1/8	1/4	0	@	0	0	0	0						
DT25	Back Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT26	Back Neck Dart Apex (point) Spacing Apart	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT27	Back Neck Dart Length	1/8	1/4	0	@	0	0	0	0						
DT28	Elbow Dart Leg from Armhole Along Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT29	Elbow Dart Leg Spacing Apart @ Seam	1/8	1/8	0	@	0	0	0	0						
DT30	Elbow Dart Apex (point) Spacing Apart	1/8	1/8	0	@	0	0	0	0						
DT31	Elbow Dart Length	1/8	1/4	0	@	0	0	0	0						
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	0	@	0	0	0	0						
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	0	@	0	0	0	0						
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	0	@	0	0	0	0						
DT35	Knee Dart Length	1/8	1/4	0	@	0	0	0	0						
DT36	_____ Dart Intake-(flat)	1/16	1/16	0	@	0	0	0	0						
DT37	Shoulder Dart Length	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT38	Bust Dart Apex from Raglan Peak	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT39	Front Waist Dart Apex from Raglan Peak	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
DT40	Back Waist Dart Apex from Raglan Peak	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
EP01	Epaulet Length @ Center	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
EP02	Epaulet Length @ Sides	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
EP03	Epaulet Width	1/16	1/16	0	@	0	0	0	0						
EP04	Epaulet Edge from Neck Edge	1/16	1/16	1/8	@	1/8	1/8	1/8	1/8						
FC01	Facing Height	1/8	1/8	0	@	0	0	0	0						
FC02	Facing Width	1/8	1/8	0	@	0	0	0	0						
FL01	Flounce Height @ CF	1/8	1/8	0	@	0	0	0	0						
FL02	Flounce Height @ SS	1/8	1/8	0	@	0	0	0	0						
FL03	Flounce Height @ CB	1/8	1/8	0	@	0	0	0	0						
FL04	Sleeve Flounce Height	1/8	1/8	0	@	0	0	0	0						
GD01	Godet Height @ Center	1/8	1/8	0	@	0	0	0	0						
GD02	Godet Width @ Bottom-Along Curve or Straight	1/8	1/8	0	@	0	0	0	0						
GD03	Godet Point from CF	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
GD04	Godet Point from CB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
GD05	Godet Spacing Apart-Point to Point	1/8	1/8	0	@	0	0	0	0						
HB01	Back Neck Width-Seam to Seam @ Shldr. Sm.	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HB01.1	Back Neck Width Egde-Edge @ Shldr. Sm. 8-11"	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
HB01.2	Back Neck Width Egde-Edge @ Shldr. Sm. over 11"	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
HB02	Back Neck Width-Edge to Edge @ Shldr Sm.	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HB02.1	Back Neck Width Seam -Seam @ Shldr. Sm. 8-11"	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
HB02.2	Back Neck Width Seam -Seam @ Shldr. Sm. over 11"	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
HB03	Raglan Seams Apart @ Back Neck	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
HB04	Across Back-Seam to Seam	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HB04.1	Across Back-Edge to Edge	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HB05	Back Bottom Opening-SS to SS Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HB06	Back Sweep-SS to SS Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HB07	Back Chest Along Edge Between Side Seams	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HB08	Across Shoulder Edge to Edge @ Back Shldr. Sm.	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HB08.1	Across Shoulder Seam to Seam @ Back Shldr. Sm	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HD01	Hood Opening- Along Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HD02	Hood Height-Straight from HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HD02.1	Hood Height @ CF	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
HD03	Hood Width @ __from HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HD04	Hood Center Panel Width @ Opening	1/8	1/8	0	@	0	0	0	0						
HD05	Hood Center Panel Width @ Back Neck Seam	1/8	1/8	0	@	0	0	0	0						
HD06	Hood Center Panel Length @ Center	3/16	3/16	3/8	@	3/8	3/8	3/8	3/8						
HF00.1	Neck Width Edge to Edge @ HPS (8 - 11")	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
HF00.2	Neck Width Edge to Edge @ HPS (+11in.)	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
HF00.3	Neck Width Seam to Seam @ HPS (8 - 11")	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
HF00.4	Neck Width Seam to Seam @ HPS (+11")	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
HF00.5	Neck Width Edge to Edge @ Shldr Sm (8 -11")	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
HF00.6	Neck Width Edge to Edge @ Shlder Sm (+ 11")	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
HF00.7	Neck Width Seam to Seam @ Shldr Sm (8 - 11")	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
HF00.8	Neck Width Seam to Seam @ Shldr Sm (+11")	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
HF01	Neck Width-Seam to Seam @ HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
HF01.1	Neck Width-Edge to Edge @ HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF01.2	Neck Width- @ Top Band Opening-Straight	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF01.3	Neck Width Seam to Seam @ Shoulder Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF01.4	Neck Width Edge to Edge @ Shoulder Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF02	Front Neck Width-Seam to Seam @ HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF02.1	Front Neck Width - Edge to Edge @ HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF03	Neck Width-Seam to Seam @ Across Chest	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF03.1	Neck Width-Edge to Edge @ Across Chest	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF04	Neck Width-Seam to Seam @ Front Neck Drop	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF05	Neck Width-Edge to Edge @ Front Neck Drop	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF06	Raglan Seams Apart @ Front Neck	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF07	Across Shoulder-Seam to Seam @ Back Fold	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HF07.1	Across Shoulder-Edge to Edge @ Back Fold	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HF08	Across Chest-Seam to Seam	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HF08.1	Across Chest-Edge to Edge	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HF09	Chest @ Armhole	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF09.1	Chest @ Armhole CF to CB	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF10	Chest @ 1" Below Armhole	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF10.1	Chest @ 1" Below Armhole CF to CB	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF10.2	Chest @ Specified Placement	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF11	Chest @ Bodice Seam-Straight	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF12	Waist	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF13	Waist @ Seam-Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
HF14	Waist @ Top	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF15	Waist @ Bottom	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF16	Waist Extended	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF17	Waist Relaxed	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF18	High Hip	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF19	High Hip-Along Yoke Seam	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF20	Low Hip	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF21	Low Hip-Along Yoke Seam	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF22	Bottom Opening-Straight	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF22.1	Front Bottom Opening-CF to SS-Straight	1/8	1/8	1/2	@	1/2	3/4	3/4	3/4						
HF23	Bottom Opening-Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF23.1	Front Bottom Opening-CF to SS-Along Curve	1/8	1/8	1/2	@	1/2	3/4	3/4	3/4						
HF24	Sweep-Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF24.1	Front Sweep-SS to SS-Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF25	Lining Sweep-Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HL01	Hanger Loop-Total Length	1/4	1/4	0	@	0	0	0	0						
HL02	Hanger Loop from _____	1/4	1/4	0	@	0	0	0	0						
HM01	Hem Height	1/16	1/16	0	@	0	0	0	0						
HM02	Hem Height-Include Binding	1/8	1/8	0	@	0	0	0	0						
HM03	Hem Height-to Lining Seam	1/8	1/8	0	@	0	0	0	0						
HM04	Hem Height - To Finished Lining Edge	1/8	1/8	0	@	0	0	0	0						
KH01	Keyhole Opening-Edge to Edge	1/8	1/8	0	@	0	0	0	0						
KH02	Keyhole Width @ Center-Edge to Edge	1/8	1/8	0	@	0	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
MS01	Minimum Stretch @ Neck Opening	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
MS02	Minimum Stretch @ Back Neck	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
MS03	Minimum Stretch @ Waist	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
MS04	Minimum Stretch @ Bottom Opening	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
MS05	Minimum Stretch @ Top Cuff Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
MS06	Minimum Stretch @ Sleeve Opening	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
PA01	Placket Length @ Center	1/8	1/8	0	@	0	0	0	0						
PA02	Placket Length @ Sides	1/8	1/8	0	@	0	0	0	0						
PA03	Placket Width	1/16	1/16	0	@	0	0	0	0						
PA04	Placket Facing Width	1/8	1/8	0	@	0	0	0	0						
PK01	Chest Pocket from HPS @ CF Side	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK02	Chest Pocket from HPS @ SS Side	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK03	_____ Pocket from HPS @ CF Side-(over 10")	1/4	1/4		@										
PK04	_____ Pocket from HPS @ SS Side-(over 10")	1/4	1/4		@										
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK08.1	Jean Pocket from Bottom WB @ SS Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK10.1	Pocket from Bottom Waist @ Outer Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PK11.1	Pocket from CF @ Bottom (use for graded pockets)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK12.2	Pocket from CF @ Bottom (use for non-graded pkts)	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK15.3	Pocket frm CB @ Bottom (use for graded pocket)	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK15.4	Pocket frm CB @ Bottom (use for non-graded pocket)	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK16	_____ Pocket Height @ Center	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK17	_____ Pocket Height @ Sides	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK22	_____ Pocket Width @ Top	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK23	_____ Pocket Width @ Bottom	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PK26	Welt or Besom Pocket Height	1/16	1/16	0	@	0	0	0	0						
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK28	Pocket Opening-(on seam)-from HPS-(over 10")	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
PK29	Pocket Opening-(on seam)-from Top Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK30	Pocket Opening-(on seam)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK31	Pocket Bag Depth from Opening	1/4	1/4	0	@	0	0	0	0						
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4		@										
PK35	_____ Pocket from Bottom Opening	1/8	1/8	0	@	0	0	0	0						
PK36	Coin Pocket Height (Exposed)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK39	Coin Pocket Width (Exposed)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PL01	Pleat from CF	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PL02	Pleat from CB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PL03	Pleat Spacing Apart-Fold to Fold	1/8	1/8	0	@	0	0	0	0						
PL04	Pleat Depth-(flat)	1/16	1/16	0	@	0	0	0	0						
PL05	Pleat Depth-(Flat)-from CF @ Yoke Seam	1/16	1/16	0	@	0	0	0	0						
PL05.1	Pleat Depth-(Flat)-from CB @ Yoke Seam	1/16	1/16	0	@	0	0	0	0						
PL06	Pleat Depth-(Flat)-from CF @ Bottom Opening	1/16	1/16	0	@	0	0	0	0						
PL06.1	Pleat Depth-(Flat)-from CB @ Bottom Opening	1/16	1/16	0	@	0	0	0	0						
PL07	Sleeve Pleat From Opening	1/8	1/8	0	@	0	0	0	0						
PL08	Stitched Pleat Length	1/16	1/16	0	@	0	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PM01	Peplum Height @ CF	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PM02	Peplum Height @ SS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PM03	Peplum Height @ CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PP01	Print Placement from HPS-(under 10")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PP01.1	Print Placement from HPS-(over 10")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
PP02	Print Placement from CF	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PP03	Print Placement from CB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PP04	Print Placement from Top Pocket	1/8	1/8	0	@	0	0	0	0						
PP05	Print Placement from SS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PP06	Print Placement from Bottom Opening	1/8	1/8	0	@	0	0	0	0						
PP07	Print Placement from Sleeve Opening	1/8	1/8	0	@	0	0	0	0						
PP08	Print Placement from Shoulder Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS01	Princess Seam from HPS @ Front Armhole	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS02	Princess Seam from CF @ Neck Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS03	Princess Seam from CF or CB @ Shoulder Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS04	Princess Seam from CF @ Raglan Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS05	Princess Seam from CF @ Yoke Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS06	Princess Seam from CF @ Chest	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS07	Princess Seam from CF @ Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS08	Princess Seam from CF @ Top Pocket	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS09	Princess Seam from CF @ Bottom Opening-Along Curve	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS10	Princess Seam from CF @ Bottom Opening-Straight	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS11	Princess Seam from HPS @ Back Armhole	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PS12	Princess Seam from CB @ Neck Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS13	Princess Seam from CB @ Raglan Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS14	Princess Seam from CB @ Yoke Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS15	Princess Seam from CB @ Chest	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS16	Princess Seam from CB @ Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS17	Princess Seam from CB @ Bottom Opening-Along Curve	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS18	Princess Seam from CB @ Bottom Opening-Straight	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PT01	Front Rise from Top Waist	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
PT01.1	Front Rise From Bottom of WB	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
PT02	Back Rise from Top Waist	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
PT02.1	Back Rise From Bottom of WB	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
PT03	Thigh @ 1" Below Crotch	1/4	1/4	3/4	@	3/4	1	1	1						
PT04	Thigh @ __" Below Crotch	1/4	1/4	5/8	@	5/8	3/4	3/4	3/4						
PT05	Knee @ __" Below Crotch	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
PT06	Leg Opening-(for inseams over 6")	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
PT07	Leg Opening-(for inseams under 6")	1/4	1/4	5/8	@	5/8	5/8	5/8	5/8						
PT08	Inseam-(22" or Longer)	1/2	1/2	0	@	0	0	0	0						
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	1/2	1/2	0	@	0	0	0	0						
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	1/2	1/2	0	@	0	0	0	0						
PT08.3	Inseam (men's gang grade)	1/2	1/2		@										
PT09	Inseam-(under 6")	1/4	1/4	0	@	0	0	0	0						
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	0	@	0	0	0	0						
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	0	@	0	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PT09.3	Inseam-(6" to 21")	1/4	1/4	0	@	0	0	0	0						
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/4	1/4	0	@	0	0	0	0						
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/4	1/4	0	@	0	0	0	0						
PT10	Outseam from Top Waist-(22" or Longer)	5/8	5/8	1/2	@	1/2	1/2	1/2	1/2						
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22"or L)	5/8	5/8	1/2	@	1/2	1/2	1/2	1/2						
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22"or L)	5/8	5/8	1/2	@	1/2	1/2	1/2	1/2						
PT11	Outseam from Top Waist-(under 6")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PT11.1	Outseam from Top Waist w/Cuff Rolled Up(under 6")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PT11.3	Outseam from Top Waist-(6" to 21")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PT11.4	Outseam from Top Waist w/Cuff Rolled Up(6"to21")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6"to21")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PT12	Back Knee Seam from Bottom Opening	1/4	1/4	0	@	0	0	0	0						
PT13	Front Leg Seam from CF Seam @ Waist	1/16	1/16	1/4	@	1/4	3/8	3/8	3/8						
PT13.1	Front Leg Seam from Ineam @ Leg Opening	1/16	1/16	3/16	@	3/16	3/16	3/16	3/16						
PT14	Back Leg Seam from CB Seam @ Waist	1/16	1/16	1/4	@	1/4	3/8	3/8	3/8						
PT14.1	Back Leg Seam from Ineam @ Leg Opening	1/16	1/16	3/16	@	3/16	3/16	3/16	3/16						
PT15	Side Front Leg Seam from CF Seam @ Waist	1/8	1/8	1/2	@	1/2	3/4	3/4	3/4						
PT15.1	Side Front Leg Seam from Ineam @ Leg Opening	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
PT16	Side Back Leg Seam from CF Seam @ Waist	1/8	1/8	1/2	@	1/2	3/4	3/4	3/4						
PT16.1	Side Back Leg Seam from Ineam @ Leg Opening	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
PT17	Side Leg Panel Width @ Top & Bottom	1/8	1/8	0	@	0	0	0	0						
RF01	Ruffle Height-Total	1/8	1/8	0	@	0	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
RF02	Ruffle Height-Exposed	1/8	1/8	0	@	0	0	0	0						
RF03	Ruffle Width-Total	1/8	1/8	0	@	0	0	0	0						
RF04	Ruffle Width-Exposed	1/8	1/8	0	@	0	0	0	0						
SH01	Shirring from CF	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SH02	Shirring from CB	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SH03	Shirring Width @ _____	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SK01	CF Waist Level Drop from CB	0	0	0	@	0	0	0	0						
SK02	Waist Curve from SS to CB	0	0	0	@	0	0	0	0						
SK03	Skirt Length from Top Waist @ CB-(18" or over)	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
SK03.1	Skirt Length from Top Waist @ CB-(under 18")	1/4	1/4	1/4	@	1/2	1/2	1/2	1/2						
SK04	Skirt Length from Top Waist @ SS-(18" or over)	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
SK04.1	Skirt Length from Top Waist @ SS-(under 18")	1/4	1/4	1/4	@	1/2	1/2	1/2	1/2						
SK05	Skirt Length From Top Waist @CF (18" or over)	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
SK05.1	Skirt Length From Top Waist @CF (under 18")	1/4	1/4	1/4	@	1/2	1/2	1/2	1/2						
SK06	High Hip Placement from Top of Waist	0	0	1/4	@	1/4	1/4	1/4	1/4						
SK06.1	Low Hip Placement from Top of Waist	0	0	1/2	@	1/2	1/2	1/2	1/2						
SM01	Smocking from HPS @ CF	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SM02	Smocking from HPS @ SS	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SM03	Smocking from HPS @ CB	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SM04	Smocking from CF	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
SM05	Smocking Height-(eval stch gauge & grade accrdly)	1/8	1/8		@										
SM06	Smocking Width (non-graded option)	1/4	1/4	0	@	0	0	0	0						
SM07	Smocking Width @ Top- (graded option)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
SM08	Smocking Width @ Bottom-(graded option)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SP01	Surplice Wrap Point from HPS	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SP02	Surplice Overlap Total Width @ Bodice Seam-und 4"	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SP03	Surplice Overlap Total Width @ Bodice Seam-ovr 4"	1/4	1/4	3/8	@	3/8	1/2	1/2	1/2						
SS02	Sleeve Length from Shoulder-Long	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SS02.1	Sleeve Length from Shoulder w/ Cuff Rolled Up-Long	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SS02.2	Sleeve Length frm Shoulder w/ Cuff Unrolled-Long	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SS03	Sleeve Length from Shoulder-Short	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS03.1	Sleeve Length from Shoulder w/Cuff Rolled Up-Short	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS03.2	Sleeve Length from Shoulder w/ Cuff Unrolled-Short	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS04	Sleeve Length from Neck Seam @ HPS-Long	1/2	1/2	5/8	@	5/8	3/4	3/4	3/4						
SS04.1	Sleeve Length from Neck Edge @ HPS-Long	1/2	1/2	5/8	@	5/8	3/4	3/4	3/4						
SS05	Sleeve Length from Neck Seam @ HPS-Short	3/8	3/8	3/8	@	3/8	1/2	1/2	1/2						
SS05.1	Sleeve Length from Neck Edge @ HPS-Short	3/8	3/8	3/8	@	3/8	1/2	1/2	1/2						
SS06	Undersleeve Length-Long	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS07	Undersleeve Length-Short	1/16	1/16	0	@	0	0	0	0						
SS07.1	Sleeve Cap Height	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS08	Sleeve Cap Width @ 3" from Shoulder	1/4	1/4		@										
SS09	Sleeve Width @ 1" Below Armhole	1/8	1/8	3/8	@	3/8	1/2	1/2	1/2						
SS10	Sleeve Width @ 13" from Shoulder	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
SS11	Sleeve Width @ 5" up from Opening	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS11.1	Sleeve Width @6" up from Cuff Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS12	Sleeve Width @ Top Cuff Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
SS13	Sleeve Width @ Top Cuff Seam-Relaxed	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS14	Sleeve Width @ Top Cuff Seam-Extended	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS15	Sleeve Width @ Opening-Long	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS16	Sleeve Width @ Opening-Relaxed-Long	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS17	Sleeve Width @ Opening-Extended-Long	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS18	Sleeve Width @ Opening-Along Curve-Long	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS19	Sleeve Width @ Opening-Short	1/8	1/8	3/8	@	3/8	1/2	1/2	1/2						
SS20	Sleeve Width @ Opening-Relaxed-Short	1/8	1/8	3/8	@	3/8	1/2	1/2	1/2						
SS21	Sleeve Width @ Opening-Extended-Short	1/8	1/8	3/8	@	3/8	1/2	1/2	1/2						
SS21.1	Cap Sleeve Width @ Opening-Along Curve-Short	1/8	1/8	3/8	@	3/8	1/2	1/2	1/2						
SS21.2	Cap Sleeve Width @ Opening-Along Curve-Total	1/4	1/4	3/4	@	3/4	1	1	1						
SS22	Front Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS23	Front Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/8	@	1/8	1/4	1/4	1/4						
SS24	Back Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS25	Back Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/8	@	1/8	1/4	1/4	1/4						
SS26	Armhole Gusset Width Front to Back	1/8	1/8	0	@	0	0	0	0						
SS27	Armhole Gusset Height End to End	1/8	1/8	0	@	0	0	0	0						
SS28	Front Neck Length @ Raglan Slv.Edge	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SS28.1	Front Neck Length @ Raglan Slv.Seam	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SS29	Back Neck Length @ Raglan Slv.Edge	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SS29.1	Back Neck Length @ Raglan Slv.Seam	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SS30	Total Raglan Sleeve Neck Length @ Edge RLXD	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS30.1	Total Raglan Sleeve Neck Length @ Edge XTND	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
SS31	Total Raglan Sleeve Neck Length @ Seam RLXD	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS31.1	Total Raglan Sleeve Neck Length @ Seam XTND	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
ST01	Strap Length-Total (extends to across back)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ST01.1	Strap Length - Total (extends to back chest)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ST02	Strap Overlap from Top "o" Ring to Center Slider	0	0	0	@	0	0	0	0						
ST03	Strap Width-(1/2" or under)	0	0	0	@	0	0	0	0						
ST04	Strap Width-(5/8" to 1 3/8")	1/16	1/16	0	@	0	0	0	0						
ST05	Strap Width-(1 1/2" or over)	1/8	1/8	0	@	0	0	0	0						
ST06	Front Straps Apart-Inside	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
ST07	Back Straps Apart-Inside	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
SW01	Stitches Per 1" Height	2	2	0	@	0	0	0	0						
SW02	Stitches Per 1" Width	2	2	0	@	0	0	0	0						
SW03	Net Weight	0	0	0	@	0	0	0	0						
TB01	Tab Height	1/8	1/8	0	@	0	0	0	0						
TB02	Tab Height @ Center	1/8	1/8	0	@	0	0	0	0						
TB03	Tab Height @ Sides	1/8	1/8	0	@	0	0	0	0						
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	0	@	0	0	0	0						
TB04	Tab Width	1/8	1/8	0	@	0	0	0	0						
TB05	Tab Width @ Top	1/8	1/8	0	@	0	0	0	0						
TB06	Tab Width @ Bottom	1/8	1/8	0	@	0	0	0	0						
TB07	Tab from HPS @ CF	1/4	1/4		@										
TB08	Tab from HPS @ SS	1/4	1/4		@										
TB09	Tab from HPS @ CB	1/4	1/4		@										

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: XS-XXL

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
TB10	Tab from CF	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
TB11	Tab from SS on Front	1/8	1/8	1/8	@	1/8	1/4	1/4	1/4						
TB12	Tab from SS on Back	1/8	1/8	1/8	@	1/8	1/4	1/4	1/4						
TB13	Tab from Bottom Opening	1/8	1/8	0	@	0	0	0	0						
TK01	Tuck from CF	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
TK02	Tuck from CB	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
TK03	_____Tuck Spacing Apart-Fold to Fold	1/16	1/16	0	@	0	0	0	0						
TK04	_____Tuck Depth- Fold to Stitch	1/16	1/16	0	@	0	0	0	0						
TN01	_____Tunnel Height	1/16	1/16	0	@	0	0	0	0						
TN02	Top of Tunnel Placement from HPS @ _____	1/4	1/4		@										
TR01	_____Tier Placement from HPS-(under 10")	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
TR02	_____Tier Placement from HPS-(over 10")	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
TR03	_____Tier Placement from Shoulder	1/8	1/8		@										
TR04	_____Tier Placement from Top Waist Seam	1/8	1/8		@										
TR05	_____Tier Height-Exposed	1/8	1/8	0	@	0	0	0	0						
TS01	Tie Placement from HPS	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
TS02	Tie Height	1/2	1/2	0	@	0	0	0	0						
TS03	Tie Length- Each	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
TS04	Tie Spacing Apart @ CF-(graded)	1/4	1/4	1/4	@	1/4	3/8	3/8	3/8						
TS04.1	Tie Spacing Apart @ CF-(nongraded)	1/4	1/4	0	@	0	0	0	0						
TS05	Tie Spacing Apart @ CB-(graded)	1/4	1/4	1/4	@	1/4	3/8	3/8	3/8						
TS05.1	Tie Spacing Apart @ CB-(nongraded)	1/4	1/4	0	@	0	0	0	0						
UG01	Waist @ Top Relaxed	1/2	1/2	1	@	1	1 1/2	1 1/2	1 1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
UG01.1	Front Waist (Thong)	1/2	1/2	3/8	@	3/8	3/8	3/8	3/8						
UG02	Waist @ Top Extended	1/2	1/2	1	@	1	1 1/2	1 1/2	1 1/2						
UG03	Upper Front Width Placement from Crotch Seam	0	0	1/4	@	1/4	1/4	1/4	1/4						
UG03.1	Upper Front Width Placement from Top Waist	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG04	Upper Front Width	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
UG04.1	Upper Front Width (Thong)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
UG05	Lower Front Width Placement from Crotch Seam	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG05.1	Lower Front Width Placement from Top Waist	0	0	1/4	@	1/4	1/4	1/4	1/4						
UG06	Lower Front Width	1/4	1/4	3/8	@	3/8	1/2	1/2	1/2						
UG06.1	Lower Front Width (Thong)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
UG07	Front Crotch Width-Along Seam	1/4	1/4	1/8	@	1/8	1/4	1/4	1/4						
UG07.1	Front Crotch Width @ Crotch Panel Edge	1/8	1/8	1/8	@	1/8	1/4	1/4	1/4						
UG08	Narrowest Crotch Width Plcmnt from Bk Crotch Seam	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG09	Narrowest Crotch Width	1/8	1/8	0	@	0	0	0	0						
UG10	Back Crotch Width Along Seam	1/4	1/4	1/8	@	1/8	1/4	1/4	1/4						
UG11	Crotch Panel Length @ Center	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
UG12	Upper Back Width Placement from Crotch Seam	0	0	1/4	@	1/4	1/4	1/4	1/4						
UG12.1	Upper Back Width Placement from Top Waist	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG13	Upper Back Width	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
UG14	Lower Back Width Placement from Crotch Seam	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG14.1	Lower Back Width Placement from Top Waist	0	0	1/4	@	1/4	1/4	1/4	1/4						
UG15	Lower Back Width	1/4	1/4	3/8	@	3/8	1/2	1/2	1/2						
UG16	Front Panel Length from Top to Crotch Seam	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
UG17	Back Panel Length from Top to Crotch Seam	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG18	Side Length from Top @ Seam	1/4	1/4	0	@	0	0	0	0						
UG18.1	Side Length from Top @ Fold	1/4	1/4	0	@	0	0	0	0						
UG19	Leg Opening (1/2) Relaxed	1/4	1/4	5/8	@	5/8	3/4	3/4	3/4						
UG19.1	Thong Leg Opening to Point - Relaxed	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG19.2	Thong Leg Opening Total - Relaxed	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
UG20	Leg Opening (1/2) Extended	1/4	1/4	5/8	@	5/8	3/4	3/4	3/4						
UG20.1	Thong Leg Opening to Point - Extended	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG20.2	Thong Leg Opening Total - Extended	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG21	Minimum Stretch @ Waist (1/2)	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
UG22	Minimum Stretch @ Leg Opening (1/2)	1/4	1/4	5/8	@	5/8	3/4	3/4	3/4						
UG22.1	Min Stretch @ Thong Leg Opening to Point	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG22.2	Min Stretch @ Thong Leg Opening Total	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
UG23	Thong Back Width	1/8	1/8	0	@	0	0	0	0						
UG24	Back Crotch Sean from Crotch Foldline	1/8	1/8	0	@	0	0	0	0						
VB01	Body Length @ CB from HPS	1/4	1/4	1	@	1	1	1	1						
VB02	Body Length @ CB from CB Neck	1/8	1/8	3/4	@	3/4	3/4	3/4	3/4						
VB02.1	CB Length from Raglan Peak	1/4	1/4	7/8	@	7/8	7/8	7/8	7/8						
VB03	Body Length @ CB from Armhole	1/8	1/8	3/4	@	3/4	3/4	3/4	3/4						
VB033	Peak Height @ CB	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VB04	Back Neck Drop-HPS to Seam-(under 3")	1/16	1/16	1/8	@	1/8	1/8	1/8	1/8						
VB04.1	Back Neck Drop-HPS to Edge-(under 3")	1/16	1/16	1/8	@	1/8	1/8	1/8	1/8						
VB04.2	Back Neck Drop-HPS to Seam-(over 3")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VB04.3	Back Neck Drop-HPS to Edge-(over 3")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VB05	Back Neck Drop-from Armhole	1/8	1/8	0	@	0	0	0	0						
VB06	Back Neck Drop-Excluding Straps	1/8	1/8	0	@	0	0	0	0						
VB06.1	Back Neck Drop from Raglan Peak	1/16	1/16	0	@	0	0	0	0						
VB06.2	Back Neck Drop to Seam from Raglan Peak	1/16	1/16	0	@	0	0	0	0						
VB07	Across Back Placement from HPS	0	0	1/4	@	1/4	1/4	1/4	1/4						
VB07.1	Across Back Placement from Raglan Peak	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VB08	Bodice Seam from HPS @ CB	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
VB09	Bodice Seam from Back Neck @ CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VB10	Bodice Seam from Armhole @ CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VB11	Back Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VB44	Back Shirt Tail Height	1/8	1/8	0	@	0	0	0	0						
VF01	Shoulder Forward Seam from HPS @ Neck	0	0	0	@	0	0	0	0						
VF02	Shoulder Forward Seam from HPS @ Armhole	0	0	0	@	0	0	0	0						
VF03	Shoulder Slope from HPS to Armhole Seam@Back Fold	1/8	1/8	0	@	0	0	0	0						
VF03.1	Shoulder Slope from HPS @ Specified Placement	1/8	1/8	0	@	0	0	0	0						
VF03.2	Shoulder Slope Placement from CB	0	0	1/4	@	1/4	3/8	3/8	3/8						
VF03.3	Shoulder Slope from HPS @ Shldr. Sm. to Armhole Sm	1/8	1/8	0	@	0	0	0	0						
VF04	Body Length @ CF from HPS	3/8	3/8	1	@	1	1	1	1						
VF04.1	Body Length @ CF from HPS (Bodysuit)	3/8	3/8	1	@	1	1	1	1						
VF04.2	Body Length @ SS from HPS	3/8	3/8	1	@	1	1	1	1						
VF04.3	Body Length @ CF from Neck Edge	3/8	3/8	7/8	@	7/8	7/8	7/8	7/8						
VF04.4	Body Length @ CF from Neck Seam	3/8	3/8	7/8	@	7/8	7/8	7/8	7/8						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VF05	Body Length @ CF from Top Bodice	1/4	1/4	7/8	@	7/8	7/8	7/8	7/8						
VF05.1	Body Length @ CF from Top Bodice (Bodysuit)	1/4	1/4	1	@	1	1	1	1						
VF05.2	CF Length from Raglan Peak	1/4	1/4	7/8	@	7/8	7/8	7/8	7/8						
VF06	Body Length @ CF from Armhole	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
VF06.1	Body Length @ CF from Armhole (Bodysuit)	1/4	1/4	7/8	@	7/8	7/8	7/8	7/8						
VF06.2	Body Length @ SS from Armhole	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
VF07	Peak Height @ CF	1/8	1/8	0	@	0	0	0	0						
VF08	Front Neck Drop- HPS to Seam (under 5")	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF08.1	Front Neck Drop - HPS to Edge (under 5")	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF09	Front Neck Drop- HPS to Seam (under 10")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VF09.1	Front Neck Drop- HPS to Edge (under 10")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VF10	Front Neck Drop- HPS to Seam (over 10")	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VF10.1	Front Neck Drop- HPS to Edge (over 10")	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VF11	Front Neck Drop-Top Bodice to Seam	1/8	1/8	0	@	0	0	0	0						
VF11.1	Front Neck Drop-Top Bodice to Edge	1/8	1/8	0	@	0	0	0	0						
VF11.2	Front Neck Drop to Edge from Raglan Peak	1/8	1/8	0	@	0	0	0	0						
VF11.3	Front Neck Drop to Seam from Raglan Peak	1/8	1/8	0	@	0	0	0	0						
VF12	Front Neck Drop- from Armhole	1/8	1/8	0	@	0	0	0	0						
VF13	Front Neck Drop- Excluding Straps	1/8	1/8	0	@	0	0	0	0						
VF14	Funnel Neck Height from HPS	1/8	1/8	0	@	0	0	0	0						
VF15	Front Neck Height from Armhole	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF16	Bodice/Waist Seam from HPS @ CF	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
VF17	Bodice/Waist Seam from HPS @ Dart	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VF18	Bodice/Waist Seam from HPS @ SS	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
VF19	Bodice/Waist Seam from Top Bodice @ CF	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
VF20	Bodice/Waist Seam from Top Bodice @ Dart	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
VF21	Bodice/Waist Seam from Top Bodice @ SS	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
VF22	Bodice/Waist Seam from Armhole @ CF	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VF23	Bodice/Waist Seam from Armhole @ Dart	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VF24	Bodice/Waist Seam from Armhole @ SS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VF29	Across Chest Placement from HPS	0	0	1/4	@	1/4	1/4	1/4	1/4						
VF29.1	Chest Placement from HPS	0	0	3/8	@	3/8	3/8	3/8	3/8						
VF29.2	Across Chest Placement from Raglan Peak	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF30	Waist Placement from HPS	0	0	1/2	@	1/2	1/2	1/2	1/2						
VF31	High Hip Placement from HPS	0	0	3/4	@	3/4	3/4	3/4	3/4						
VF32	Low Hip Placement from HPS	0	0	1	@	1	1	1	1						
VF33	Chest Placement from Top Bodice	0	0	0	@	0	0	0	0						
VF34	Waist Placement from Top Bodice	0	0	3/8	@	3/8	3/8	3/8	3/8						
VF35	High Hip Placement from Top Bodice	0	0	5/8	@	5/8	5/8	5/8	5/8						
VF36	Low Hip Placement from Top Bodice	0	0	7/8	@	7/8	7/8	7/8	7/8						
VF37	Chest Placement from Armhole	0	0	0	@	0	0	0	0						
VF38	Waist Placement from Armhole	0	0	1/4	@	1/4	1/4	1/4	1/4						
VF39	High Hip Placement from Armhole	0	0	1/2	@	1/2	1/2	1/2	1/2						
VF40	Low Hip Placement from Armhole	0	0	3/4	@	3/4	3/4	3/4	3/4						
VF41	High Hip Placement from Top Waist	0	0	1/4	@	1/4	1/4	1/4	1/4						
VF41.1	High Hip Placement from Bottom WB	0	0	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VF42	Low Hip Placement from Top Waist	0	0	1/2	@	1/2	1/2	1/2	1/2						
VF42.1	Low Hip Placement from Bottom WB	0	0	1/2	@	1/2	1/2	1/2	1/2						
VF43	Front Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VF44	Front Shirt Tail Height	1/8	1/8	0	@	0	0	0	0						
VF45	Across Chest Placement from Armhole	0	0	0	@	0	0	0	0						
VF46	Bodice Height @ Tie End from Armhole	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
VF47	Bodice Height @ Seam from Armhole (inside edge)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF48	Bodice Height @ Seam from Armhole (outside edge)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VS01	Vent Opening Height	1/8	1/8	0	@	0	0	0	0						
VS02	Slit Opening Height	1/8	1/8	0	@	0	0	0	0						
VS03	Sleeve Vent Height @ Point	1/8	1/8	0	@	0	0	0	0						
VS04	Sleeve Vent Height @ Side	1/8	1/8	0	@	0	0	0	0						
VS05	Sleeve Vent Width	1/16	1/16	0	@	0	0	0	0						
WB01	WB-(top seam)- from HPS @ CF	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
WB02	WB-(top seam)- from HPS @ SS	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
WB03	WB-(top seam)- from HPS @ CB	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
WB04	WB Height	1/16	1/16	0	@	0	0	0	0						
WB05	WB Height @ CF	1/16	1/16	0	@	0	0	0	0						
WB06	WB Height @ SS	1/16	1/16	0	@	0	0	0	0						
WB07	WB Height @ CB	1/16	1/16	0	@	0	0	0	0						
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	0	@	0	0	0	0						
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	0	@	0	0	0	0						
YK01	Front Yoke Seam from HPS @ Neck	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
YK01.1	Front Yoke Seam Point from HPS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK02	Front Yoke Seam from HPS @ CF	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK03	Front Yoke Seam from HPS @ Armhole	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK04	Back Yoke Seam from HPS @ Neck	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
YK04.1	Back Yoke Seam Point from HPS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK05	Back Yoke Seam from HPS @ CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK06	Back Yoke Seam from HPS @ Armhole	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK07	Front Yoke Flap from HPS-Straight	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK08	Front Yoke Flap from HPS @ Armhole	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK09	Back Yoke Flap from HPS @ CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK10	Back Yoke Flap from HPS @ Armhole	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
YK11	Yoke Seam from Top Waist @ CF	1/8	1/8	0	@	0	0	0	0						
YK12	Yoke Seam from Top Waist @ SS	1/8	1/8	0	@	0	0	0	0						
YK12.1	Yoke Seam From Bottom WB @ SS	1/8	1/8	0	@	0	0	0	0						
YK13	Yoke Seam from Top Waist @ CB	1/8	1/8	0	@	0	0	0	0						
YK13.1	Yoke Seam From Bottom WB @ CB	1/8	1/8	0	@	0	0	0	0						
YK14	Raglan Yoke Seam from Neck Seam	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
YK14.1	Raglan Yoke Seam from Neck Edge	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
ZF01	Fly Length from Top Waist-(pants)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF01.1	Fly Length From Bottom of WB - pants	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF02	Fly Length from Top Waist-(skirts)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF03	Fly Width	1/16	1/16	0	@	0	0	0	0						
ZF04	Zipper Length-(pants)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
ZF05	Zipper Length-(skirts)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF06	Zipper Opening from Armhole @ Left SS	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
ZF07	Zipper Opening- (over 8")	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
ZF07.1	Zipper Opening- (8" or under)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF08	Zipper Tape Length-(over 8")	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
ZF08.1	Zipper Tape Length-(8" or under)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: Men's 28-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	28 40	29	30	31	32	33	34	35	36	37	38	39
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	1 1	1	1	1	@	1	1	1	1	1	1	1
BT01.1	Belt Length-Total @ _____	1/2	1/2	1 1	1	1	1	@	1	1	1	1	1	1	1
BT02	Belt Height	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	1 1	1	1	1	@	1	1	1	1	1	1	1
BT04	Belt Loop Length	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
BT05	Belt Loop Length @ Center	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
BT06	Belt Loop Length @ Sides	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
BT07	Belt Loop Width	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
BT08	Belt Loop Width @ Top	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
BT09	Belt Loop Width @ Bottom	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	1/8 1/8	0	1/8	0	@	0	1/8	0	1/8	0	1/8	0
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	1/8 1/8	0	1/8	0	@	0	1/8	0	1/8	0	1/8	0
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
BT18	_____ Belt Loop Spacing	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
DT19	Front Dart Length from Top Waist	1/8	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0
DT19.1	Back Dart Length from Top Waist	1/8	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0
DT20	Front Dart from CF @ Top Waist	1/8	1/8	1/8 1/8	0	1/8	0	@	0	1/8	0	1/8	0	1/8	0
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	1/8 1/8	0	1/8	0	@	0	1/8	0	1/8	0	1/8	0
DT21	Back Dart from CB @ Top Waist	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's 28-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	28 40	29	30	31	32	33	34	35	36	37	38	39
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
DT35	Knee Dart Length	1/8	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0
DT36	_____ Dart Intake-(flat)	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
EP01	Epaulet Length @ Center	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
EP02	Epaulet Length @ Sides	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
EP03	Epaulet Width	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
FC01	Facing Height	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
FC02	Facing Width	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
HM01	Hem Height	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
HM02	Hem Height-Include Binding	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
HM03	Hem Height-to Lining Seam	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	1/8 1/8	0	1/8	0	@	0	1/8	0	1/8	0	1/8	0
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	1/8 1/8	0	1/8	0	@	0	1/8	0	1/8	0	1/8	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: Men's 28-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	28 40	29	30	31	32	33	34	35	36	37	38	39
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	1/16 1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	1/8 1/8	0	1/8	0	@	0	1/8	0	1/8	0	1/8	0
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	1/16 1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK16	_____ Pocket Height @ Center	1/8	1/8	0 0	1/4	0	0	@	1/4	0	0	1/4	0	0	1/4
PK17	_____ Pocket Height @ Sides	1/8	1/8	0 0	1/4	0	0	@	1/4	0	0	1/4	0	0	1/4
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	0 0	1/8	0	0	@	1/8	0	0	1/8	0	0	1/8
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	0 0	1/8	0	0	@	1/8	0	0	1/8	0	0	1/8
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	0 0	1/4	0	0	@	1/4	0	0	1/4	0	0	1/4
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	0 0	1/4	0	0	@	1/4	0	0	1/4	0	0	1/4
PK22	_____ Pocket Width @ Top	1/8	1/8	0 0	1/4	0	0	@	1/4	0	0	1/4	0	0	1/4
PK23	_____ Pocket Width @ Bottom	1/8	1/8	0 0	1/4	0	0	@	1/4	0	0	1/4	0	0	1/4
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	0 0	1/4	0	0	@	1/4	0	0	1/4	0	0	1/4
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	0 0	1/4	0	0	@	1/4	0	0	1/4	0	0	1/4
PK26	Welt or Besom Pocket Height	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	0 0	1/4	0	0	@	1/4	0	0	1/4	0	0	1/4
PK29	Pocket Opening-(on seam)-from Top Waist	1/8	1/8	1/16 1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/8	1/8	1/16 1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16
PK30	Pocket Opening-(on seam)	1/8	1/8	0 0	1/4	0	0	@	1/4	0	0	1/4	0	0	1/4
PK31	Pocket Bag Depth from Opening	1/4	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's 28-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	28 40	29	30	31	32	33	34	35	36	37	38	39
PK36	Coin Pocket Height (Exposed)	1/8	1/8	1/8 1/8	0	1/8	0	@	0	1/8	0	1/8	0	1/8	0
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	1/8 1/8	0	1/8	0	@	0	1/8	0	1/8	0	1/8	0
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	1/8 1/8	0	1/8	0	@	0	1/8	0	1/8	0	1/8	0
PK39	Coin Pocket Width (Exposed)	1/8	1/8	1/8 1/8	0	1/8	0	@	0	1/8	0	1/8	0	1/8	0
PL01	Pleat from CF	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PL02	Pleat from CB	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PL03	Pleat Spacing Apart-Fold to Fold	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
PL04	Pleat Depth-(flat)	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
PT08.3	Inseam (men's gang grade)	1/2	1/2	0 1/2	0	1/2	0	@	0	1/2	0	0	1/2	0	0
TB01	Tab Height	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
TB02	Tab Height @ Center	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
TB03	Tab Height @ Sides	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
TB04	Tab Width	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
TB05	Tab Width @ Top	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
TB06	Tab Width @ Bottom	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
TB10	Tab from CF	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
TB11	Tab from SS on Front	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
TB12	Tab from SS on Back	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
TK01	Tuck from CF	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
TK02	Tuck from CB	1/8	1/8	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
TK03	_____Tuck Spacing Apart-Fold to Fold	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
TK04	_____Tuck Depth- Fold to Stitch	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's 28-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	28 40	29	30	31	32	33	34	35	36	37	38	39
TN01	_____Tunnel Height	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
WB04	WB Height	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
WB05	WB Height @ CF	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
WB06	WB Height @ SS	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
WB07	WB Height @ CB	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
YK11	Yoke Seam from Top Waist @ CF	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
YK12	Yoke Seam from Top Waist @ SS	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
YK12.1	Yoke Seam From Bottom WB @ SS	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
YK13	Yoke Seam from Top Waist @ CB	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
YK13.1	Yoke Seam From Bottom WB @ CB	1/8	1/8	0 0	0	0	0	@	0	0	0	0	0	0	0
ZF01	Fly Length from Top Waist-(pants)	1/4	1/4	0 1/2	0	1/2	0	@	0	1/2	0	0	1/2	0	0
ZF01.1	Fly Length From Bottom of WB - pants	1/4	1/4	0 1/2	0	1/2	0	@	0	1/2	0	0	1/2	0	0
ZF03	Fly Width	1/16	1/16	0 0	0	0	0	@	0	0	0	0	0	0	0
ZF04	Zipper Length-(pants)	1/4	1/4	0 1/2	0	1/2	0	@	0	1/2	0	0	1/2	0	0
ZF07	Zipper Opening- (over 8")	1/2	1/2	0 1/2	0	1/2	0	@	0	1/2	0	0	1/2	0	0
ZF07.1	Zipper Opening- (8" or under)	1/4	1/4	0 1/2	0	1/2	0	@	0	1/2	0	0	1/2	0	0
ZF08	Zipper Tape Length-(over 8")	1/2	1/2	0 1/2	0	1/2	0	@	0	1/2	0	0	1/2	0	0
ZF08.1	Zipper Tape Length-(8" or under)	1/4	1/4	0 1/2	0	1/2	0	@	0	1/2	0	0	1/2	0	0
VF41	High Hip Placement from Top Waist	0	0	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF41.1	High Hip Placement from Bottom WB	0	0	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF42	Low Hip Placement from Top Waist	0	0	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's 28-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	28 40	29	30	31	32	33	34	35	36	37	38	39
VF42.1	Low Hip Placement from Bottom WB	0	0	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4
HF12	Waist	1/4	1/4	1/2 1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2
HF14	Waist @ Top	1/4	1/4	1/2 1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2
HF15	Waist @ Bottom	1/4	1/4	1/2 1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2
HF16	Waist Extended	1/4	1/4	1/2 1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2
HF17	Waist Relaxed	1/4	1/4	1/2 1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2
HF18	High Hip	1/4	1/4	1/2 1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2
HF19	High Hip-Along Yoke Seam	1/4	1/4	1/2 1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2
HF20	Low Hip	1/4	1/4	1/2 1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2
HF21	Low Hip-Along Yoke Seam	1/4	1/4	1/2 1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2
PT01	Front Rise from Top Waist	1/4	1/4	3/8 3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PT01.1	Front Rise From Bottom of WB	1/4	1/4	1/4 3/8	1/4	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PT02	Back Rise from Top Waist	1/4	1/4	3/8 3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PT02.1	Back Rise From Bottom of WB	1/4	1/4	3/8 3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PT03	Thigh @ 1" Below Crotch	1/4	1/4	5/16 3/8	5/16	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PT04	Thigh @ ___" Below Crotch	1/4	1/4	3/8 3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PT05	Knee @ ___" Below Crotch	1/4	1/4	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT06	Leg Opening-(for inseams over 6")	1/4	1/4	1/8 1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PT07	Leg Opening-(for inseams under 6")	1/4	1/4	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT08	Inseam-(22" or Longer)	1/2	1/2	0 0	0	0	0	@	0	0	0	0	0	0	0
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	1/2	1/2	0 0	0	0	0	@	0	0	0	0	0	0	0
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	1/2	1/2	0 0	0	0	0	@	0	0	0	0	0	0	0
PT09	Inseam-(under 6")	1/4	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: Men's 28-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	28 40	29	30	31	32	33	34	35	36	37	38	39
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0
PT09.3	Inseam-(6" to 21")	1/4	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/4	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/4	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0
PT10	Outseam from Top Waist-(22" or Longer)	5/8	5/8	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22" or L)	5/8	5/8	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22" or L)	5/8	5/8	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11	Outseam from Top Waist-(under 6")	3/8	3/8	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.1	Outseam from Top Waist w/Cuff Rolled Up-(under 6")	3/8	3/8	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	3/8	3/8	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.3	Outseam from Top Waist-(6" to 21")	3/8	3/8	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.4	Outseam from Top Waist w/Cuff Rolled Up(6"to21")	3/8	3/8	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6"to21")	3/8	3/8	1/4 1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT12	Back Knee Seam from Bottom Opening	1/4	1/4	0 0	0	0	0	@	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
BB01	Bib Seam from HPS @ CF-(under10")	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
BB01.1	Bib Seam from HPS @ CF-(over10")	1/4	1/4	1/2	1/2	@	1/2	1/2	1/2						
BB02	Bib Seam from CF @ Shoulder Seam	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
BB03	Bib Seam from CF @ Neck Seam	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
BB04	Bib Seam from CF @ Across Chest Placement	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	2	2	@	3	3	3						
BT01.1	Belt Length-Total @ _____	1/2	1/2	2	2	@	3	3	3						
BT02	Belt Height	1/16	1/16	0	0	@	0	0	0						
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	2	2	@	3	3	3						
BT04	Belt Loop Length	1/8	1/8	0	0	@	0	0	0						
BT05	Belt Loop Length @ Center	1/8	1/8	0	0	@	0	0	0						
BT06	Belt Loop Length @ Sides	1/8	1/8	0	0	@	0	0	0						
BT07	Belt Loop Width	1/8	1/8	0	0	@	0	0	0						
BT08	Belt Loop Width @ Top	1/8	1/8	0	0	@	0	0	0						
BT09	Belt Loop Width @ Bottom	1/8	1/8	0	0	@	0	0	0						
BT10	Belt Loop from HPS @ SS	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
BT10.1	Belt Loop from Armhole @ SS	1/8	1/8	1/8	1/8	@	1/4	1/4	1/4						
BT11	Front Belt Loop from HPS	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
BT12	Back Belt Loop from HPS	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
BT13	CB Belt Loop from HPS	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
BT14	Front Belt Loop from CF @ Top of Loop	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
BT14.1	Front Belt Loop from CF @ Bottom of Loop	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	0	0	@	0	0	0						
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	0	0	@	0	0	0						
BT16	Back Belt Loop from CB @ Top of Loop	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
BT18	_____ Belt Loop Spacing	1/8	1/8	0	0	@	0	0	0						
CF01	Cuff Height	1/8	1/8	0	0	@	0	0	0						
CF02	Cuff Height Exposed	1/8	1/8	0	0	@	0	0	0						
CL01	Collar Height @ CB	1/8	1/8	0	0	@	0	0	0						
CL02	Collar Roll Height-Inside CB Neck Seam to Top Roll	1/8	1/8	0	0	@	0	0	0						
CL03	Collar Length @ Outer Edge-Point to Point	1/4	1/4	1 1/4	1 1/4	@	1 1/4	1 1/4	1 1/4						
CL05	Collar Length @ Neck Seam	1/4	1/4	1 1/4	1 1/4	@	1 1/4	1 1/4	1 1/4						
CL05.1	Collar Length @ Top Neckband Seam	1/4	1/4	1 1/4	1 1/4	@	1 1/4	1 1/4	1 1/4						
CL06	Collar Point	1/8	1/8	0	0	@	0	0	0						
CL07	Collar Spread	1/4	1/4	0	0	@	0	0	0						
CL08	Collar Spacing Apart @ CF Neck Seam	1/8	1/8	0	0	@	0	0	0						
CL09	Neckband Height @ CB	1/8	1/8	0	0	@	0	0	0						
CL10	Neckband Height @ Front Edge	1/8	1/8	0	0	@	0	0	0						
CL11	Neckband Length @ Top Band Along Seam	1/4	1/4	1 1/4	1 1/4	@	1 1/4	1 1/4	1 1/4						
CL12	Neckband Length @ Bottom Band Along Seam	1/4	1/4	1 1/4	1 1/4	@	1 1/4	1 1/4	1 1/4						
CL13	Neckband-Center of Button to Front End of Btnhole	1/4	1/4	1 1/4	1 1/4	@	1 1/4	1 1/4	1 1/4						
CL14	Notch Intersection from HPS	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
CL15	Lapel Point from HPS-(Lapel Folded)	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
CL16	Lapel Point	1/8	1/8	0	0	@	0	0	0						
CL17	Lapel Width-(Roll Line to Lapel Point-Straight)	1/8	1/8	0	0	@	0	0	0						
CL18	Lapel Width-(Lapel Seam to Lapel Point-Straight)	1/8	1/8	0	0	@	0	0	0						
CL19	Lapel Notch Spread	1/8	1/8	0	0	@	0	0	0						
CL21	Collar Height Cape @ 3 inches	1/8	1/8	0	0	@	0	0	0						
DP01	Center of 1st _____ from HPS(under 10")	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
DP02	Center of 1st _____ from HPS (over 10")	1/4	1/4	3/8	3/8	@	1/2	1/2	1/2						
DP03	Center of (spec #) _____ from HPS (over 10")	1/4	1/4	3/8	3/8	@	1/2	1/2	1/2						
DP04	Center of _____ from Bottom Opening	1/8	1/8	0	0	@	0	0	0						
DP05	_____ Vertical Spacing Apart-Center to Center	1/8	1/8			@									
DP06	_____ Horizontal Spacing Apart-Center to Center	1/8	1/8	0	0	@	0	0	0						
DS01	Drawstring Length Total	1/2	1/2	1	1	@	1	1	1						
DS02	Drawstring Exposed Length-(each)-Tunnel Extended	1/4	1/4	0	0	@	0	0	0						
DS03	Drawstring Height	1/16	1/16	0	0	@	0	0	0						
DT06	Front Waist Dart Apex (point) from HPS	1/8	1/8	1/4	1/4	@	1/2	1/2	1/2						
DT07	Front Waist Dart Apex (point) from Armhole	1/16	1/16	1/8	1/8	@	1/8	1/8	1/8						
DT08	Front Waist Dart Apex (point) from CF	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
DT10	Front Waist Dart from CF @ Waist	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
DT11	Front Waist Dart from CF @ Top Pocket	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
DT11.1	Front Waist Dart from CF @ Bottom Opening	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
DT12	Front Waist Dart Length	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4						
DT13	Back Waist Dart Apex (point) from HPS	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: Men's XS-XXL

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
DT14	Back Waist Dart Apex (point) from Armhole	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8						
DT15	Back Waist Dart Apex (point) from CB	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
DT17	Back Waist Dart from CB @ Waist	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
DT17.1	Back Waist Dart from CB @ Bottom Opening	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
DT18	Back Waist Dart Length	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4						
DT19	Front Dart Length from Top Waist	1/8	1/4	1/4	1/4	@	3/8	3/8	3/8						
DT19.1	Back Dart Length from Top Waist	1/8	1/4	1/4	1/4	@	3/8	3/8	3/8						
DT20	Front Dart from CF @ Top Waist	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
DT21	Back Dart from CB @ Top Waist	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
DT28	Elbow Dart Leg from Armhole Along Seam	1/8	1/8	1/4	1/4	@	5/16	5/16	5/16						
DT29	Elbow Dart Leg Spacing Apart @ Seam	1/8	1/8	0	0	@	0	0	0						
DT30	Elbow Dart Apex (point) Spacing Apart	1/8	1/8	0	0	@	0	0	0						
DT31	Elbow Dart Length	1/8	1/4	0	0	@	0	0	0						
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	0	0	@	0	0	0						
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	0	0	@	0	0	0						
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	0	0	@	0	0	0						
DT35	Knee Dart Length	1/8	1/4	0	0	@	0	0	0						
DT36	_____ Dart Intake-(flat)	1/16	1/16	0	0	@	0	0	0						
DT37	Shoulder Dart Length	1/8	1/8	0	0	@	0	0	0						
EP01	Epaulet Length @ Center	1/8	1/8	0	0	@	0	0	0						
EP02	Epaulet Length @ Sides	1/8	1/8	0	0	@	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
EP03	Epaulet Width	1/16	1/16	0	0	@	0	0	0						
FC01	Facing Height	1/8	1/8	0	0	@	0	0	0						
FC02	Facing Width	1/8	1/8	0	0	@	0	0	0						
HD01	Hood Opening- Along Seam	1/4	1/4	1/2	1/2	@	1/2	1/2	1/2						
HD02	Hood Height-Straight from HPS	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4						
HD02.1	Hood Height @ CF	1/8	1/8	0	0	@	0	0	0						
HD03	Hood Width @ __from HPS	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
HD04	Hood Center Panel Width @ Opening	1/8	1/8	0	0	@	0	0	0						
HD05	Hood Center Panel Width @ Back Neck Seam	1/8	1/8	0	0	@	0	0	0						
HD06	Hood Center Panel Length @ Center	3/16	3/16	3/4	3/4	@	3/4	3/4	3/4						
HM01	Hem Height	1/16	1/16	0	0	@	0	0	0						
HM02	Hem Height-Include Binding	1/8	1/8	0	0	@	0	0	0						
HM03	Hem Height-to Lining Seam	1/8	1/8	0	0	@	0	0	0						
KH01	Keyhole Opening-Edge to Edge	1/8	1/8	0	0	@	0	0	0						
KH02	Keyhole Width @ Center-Edge to Edge	1/8	1/8	0	0	@	0	0	0						
MS01	Minimum Stretch @ Neck Opening	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
MS03	Minimum Stretch @ Waist	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
MS04	Minimum Stretch @ Bottom Opening	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
MS05	Minimum Stretch @ Top Cuff Seam	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4						
MS06	Minimum Stretch @ Sleeve Opening	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4						
PA01	Placket Length @ Center	1/8	1/8	0	0	@	0	0	0						
PA02	Placket Length @ Sides	1/8	1/8	0	0	@	0	0	0						
PA03	Placket Width	1/16	1/16	0	0	@	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PA04	Placket Facing Width	1/8	1/8	0	0	@	0	0	0						
PK01	Chest Pocket from HPS @ CF Side	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
PK02	Chest Pocket from HPS @ SS Side	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
PK03	_____ Pocket from HPS @ CF Side-(over 10")	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
PK04	_____ Pocket from HPS @ SS Side-(over 10")	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	0	0	@	0	0	0						
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	0	0	@	0	0	0						
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	0	0	@	0	0	0						
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	0	0	@	0	0	0						
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	0	0	@	0	0	0						
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	0	0	@	0	0	0						
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8						
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8						
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PK16	_____ Pocket Height @ Center	1/8	1/8	0	1/4	@	0	1/4	0						
PK17	_____ Pocket Height @ Sides	1/8	1/8	0	1/4	@	0	1/4	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	0	1/8	@	0	1/8	0						
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	0	1/8	@	0	1/8	0						
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	0	1/4	@	0	1/4	0						
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	0	1/4	@	0	1/4	0						
PK22	_____ Pocket Width @ Top	1/8	1/8	0	1/4	@	0	1/4	0						
PK23	_____ Pocket Width @ Bottom	1/8	1/8	0	1/4	@	0	1/4	0						
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	0	1/4	@	0	1/4	0						
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	0	1/4	@	0	1/4	0						
PK26	Welt or Besom Pocket Height	1/16	1/16	0	0	@	0	0	0						
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	0	1/4	@	0	1/4	0						
PK28	Pocket Opening-(on seam)-from HPS-(over 10")	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
PK29	Pocket Opening-(on seam)-from Top Waist	1/8	1/8	0	0	@	0	0	0						
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/8	1/8	0	0	@	0	0	0						
PK30	Pocket Opening-(on seam)	1/8	1/8	0	0	@	0	0	0						
PK31	Pocket Bag Depth from Opening	1/4	1/4	0	0	@	0	0	0						
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4	0	0	@	0	0	0						
PK35	_____ Pocket from Bottom Opening	1/8	1/8	0	0	@	0	0	0						
PK36	Coin Pocket Height (Exposed)	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8						
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8						
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8						
PK39	Coin Pocket Width (Exposed)	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8						
PL01	Pleat from CF	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PL02	Pleat from CB	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: Men's XS-XXL

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PL03	Pleat Spacing Apart-Fold to Fold	1/8	1/8	0	0	@	0	0	0						
PL04	Pleat Depth-(flat)	1/16	1/16	0	0	@	0	0	0						
PL05	Pleat Depth-(Flat)-from CF @ Yoke Seam	1/16	1/16	0	0	@	0	0	0						
PL05.1	Pleat Depth-(Flat)-from CB @ Yoke Seam	1/16	1/16	0	0	@	0	0	0						
PL06	Pleat Depth-(Flat)-from CF @ Bottom Opening	1/16	1/16	0	0	@	0	0	0						
PL06.1	Pleat Depth-(Flat)-from CB @ Bottom Opening	1/16	1/16	0	0	@	0	0	0						
PL07	Sleeve Pleat From Opening	1/8	1/8	0	0	@	0	0	0						
PP01	Print Placement from HPS-(under 10")	1/8	1/8	1/8	1/8	@	1/4	1/4	1/4						
PP01.1	Print Placement from HPS-(over 10")	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
PP02	Print Placement from CF	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PP03	Print Placement from CB	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PP04	Print Placement from Top Pocket	1/8	1/8	0	0	@	0	0	0						
PP05	Print Placement from SS	1/8	1/8	0	0	@	0	0	0						
PP06	Print Placement from Bottom Opening	1/8	1/8	0	0	@	0	0	0						
PP07	Print Placement from Sleeve Opening	1/8	1/8	0	0	@	0	0	0						
PP08	Print Placement from Shoulder Seam	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
PS01	Princess Seam from HPS @ Front Armhole	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
PS02	Princess Seam from CF @ Neck Seam	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
PS03	Princess Seam from CF or CB @ Shoulder Seam	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PS04	Princess Seam from CF @ Raglan Seam	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PS05	Princess Seam from CF @ Yoke Seam	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PS06	Princess Seam from CF @ Chest	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PS07	Princess Seam from CF @ Waist	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PS08	Princess Seam from CF @ Top Pocket	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PS09	Princess Seam from CF @ Bottom Opening-Along Curve	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PS10	Princess Seam from CF @ Bottom Opening-Straight	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PS11	Princess Seam from HPS @ Back Armhole	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
PS12	Princess Seam from CB @ Neck Seam	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
PS13	Princess Seam from CB @ Raglan Seam	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PS14	Princess Seam from CB @ Yoke Seam	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PS15	Princess Seam from CB @ Chest	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PS16	Princess Seam from CB @ Waist	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PS17	Princess Seam from CB @ Bottom Opening-Along Curve	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PS18	Princess Seam from CB @ Bottom Opening-Straight	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
PT08.3	Inseam (men's gang grade)	1/2	1/2	1/4	1/4	@	1/2	1/2	1/2						
SH01	Shirring from CF	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
SH02	Shirring from CB	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
SH03	Shirring Width @ _____	1/8	1/8	0	0	@	0	0	0						
SS11.1	Sleeve Width @6" up from Cuff Seam	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
ST01	Strap Length-Total	1/4	1/4	1/2	1/2	@	3/4	3/4	3/4						
ST03	Strap Width-(1/2" or under)	0	0	0	0	@	0	0	0						
ST04	Strap Width-(5/8" to 1 3/8")	1/16	1/16	0	0	@	0	0	0						
ST05	Strap Width-(1 1/2" or over)	1/8	1/8	0	0	@	0	0	0						
ST06	Front Straps Apart-Inside	1/4	1/4	1/2	1/2	@	5/8	5/8	5/8						
ST07	Back Straps Apart-Inside	1/4	1/4	1/2	1/2	@	5/8	5/8	5/8						
TB01	Tab Height	1/8	1/8	0	0	@	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
TB02	Tab Height @ Center	1/8	1/8	0	0	@	0	0	0						
TB03	Tab Height @ Sides	1/8	1/8	0	0	@	0	0	0						
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	0	0	@	0	0	0						
TB04	Tab Width	1/8	1/8	0	0	@	0	0	0						
TB05	Tab Width @ Top	1/8	1/8	0	0	@	0	0	0						
TB06	Tab Width @ Bottom	1/8	1/8	0	0	@	0	0	0						
TB07	Tab from HPS @ CF	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
TB08	Tab from HPS @ SS	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
TB09	Tab from HPS @ CB	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
TB10	Tab from CF	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
TB11	Tab from SS on Front	1/8	1/8	0	0	@	0	0	0						
TB12	Tab from SS on Back	1/8	1/8	0	0	@	0	0	0						
TB13	Tab from Bottom Opening	1/8	1/8	0	0	@	0	0	0						
TK01	Tuck from CF	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
TK02	Tuck from CB	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
TK03	_____Tuck Spacing Apart-Fold to Fold	1/16	1/16	0	0	@	0	0	0						
TK04	_____Tuck Depth- Fold to Stitch	1/16	1/16	0	0	@	0	0	0						
TN01	_____Tunnel Height	1/16	1/16	0	0	@	0	0	0						
TN02	Top of Tunnel Placement from HPS @ _____	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
TS01	Tie Placement from HPS	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
TS02	Tie Height	1/2	1/2	0	0	@	0	0	0						
TS03	Tie Length- Each	1/4	1/4	0	0	@	0	0	0						
TS04	Tie Spacing Apart @ CF-(graded)	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
TS04.1	Tie Spacing Apart @ CF-(nongraded)	1/4	1/4	0	0	@	0	0	0						
TS05	Tie Spacing Apart @ CB-(graded)	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
TS05.1	Tie Spacing Apart @ CB-(nongraded)	1/4	1/4	0	0	@	0	0	0						
VB44	Back Shirt Tail Height	1/8	1/8	0	0	@	0	0	0						
VF44	Front Shirt Tail Height	1/8	1/8	0	0	@	0	0	0						
VS01	Vent Opening Height	1/8	1/8	0	0	@	0	0	0						
VS02	Slit Opening Height	1/8	1/8	0	0	@	0	0	0						
VS03	Sleeve Vent Height @ Point	1/8	1/8	0	0	@	0	0	0						
VS04	Sleeve Vent Height @ Side	1/8	1/8	0	0	@	0	0	0						
VS05	Sleeve Vent Width	1/16	1/16	0	0	@	0	0	0						
WB01	WB-(top seam)- from HPS @ CF	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
WB02	WB-(top seam)- from HPS @ SS	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
WB03	WB-(top seam)- from HPS @ CB	1/4	1/4	1/4	1/4	@	1/2	1/2	1/2						
WB04	WB Height	1/16	1/16	0	0	@	0	0	0						
WB05	WB Height @ CF	1/16	1/16	0	0	@	0	0	0						
WB06	WB Height @ SS	1/16	1/16	0	0	@	0	0	0						
WB07	WB Height @ CB	1/16	1/16	0	0	@	0	0	0						
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	0	0	@	0	0	0						
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	0	0	@	0	0	0						
YK01	Front Yoke Seam from HPS @ Neck	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
YK01.1	Front Yoke Seam Point from HPS	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
YK02	Front Yoke Seam from HPS @ CF	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
YK03	Front Yoke Seam from HPS @ Armhole	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
YK04	Back Yoke Seam from HPS @ Neck	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8						
YK04.1	Back Yoke Seam Point from HPS	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8						
YK05	Back Yoke Seam from HPS @ CB	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8						
YK06	Back Yoke Seam from HPS @ Armhole	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8						
YK07	Front Yoke Flap from HPS-Straight	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
YK08	Front Yoke Flap from HPS @ Armhole	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
YK09	Back Yoke Flap from HPS @ CB	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
YK10	Back Yoke Flap from HPS @ Armhole	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
YK11	Yoke Seam from Top Waist @ CF	1/8	1/8	0	0	@	0	0	0						
YK12	Yoke Seam from Top Waist @ SS	1/8	1/8	0	0	@	0	0	0						
YK12.1	Yoke Seam From Bottom WB @ SS	1/8	1/8	0	0	@	0	0	0						
YK13	Yoke Seam from Top Waist @ CB	1/8	1/8	0	0	@	0	0	0						
YK13.1	Yoke Seam From Bottom WB @ CB	1/8	1/8	0	0	@	0	0	0						
ZF01	Fly Length from Top Waist-(pants)	1/4	1/4	3/8	3/8	@	1/2	1/2	1/2						
ZF01.1	Fly Length From Bottom of WB - pants	1/4	1/4	3/8	3/8	@	1/2	1/2	1/2						
ZF03	Fly Width	1/16	1/16	0	0	@	0	0	0						
ZF04	Zipper Length-(pants)	1/4	1/4	1/4	1/4	@	3/8	3/8	3/8						
ZF07	Zipper Opening- (over 8")	1/2	1/2	1/4	1/4	@	3/4	3/4	3/4						
ZF07.1	Zipper Opening- (8" or under)	1/4	1/4	1/4	1/4	@	3/8	3/8	3/8						
ZF08	Zipper Tape Length-(over 8")	1/2	1/2	1/4	1/4	@	3/4	3/4	3/4						
ZF08.1	Zipper Tape Length-(8" or under)	1/4	1/4	1/4	1/4	@	3/8	3/8	3/8						
VF01	Shoulder Forward Seam from HPS @ Neck	0	0	0	0	@	0	0	0						
VF02	Shoulder Forward Seam from HPS @ Armhole	0	0	0	0	@	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VF03	Shoulder Slope from HPS to Armhole Seam@Back Fold	1/8	1/8	0	0	@	0	0	0						
VF04	Body Length @ CF from HPS	3/8	3/8	1/2	1/2	@	1	1	1						
VF09	Front Neck Drop- HPS to Seam (under 10")	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
VF09.1	Front Neck Drop- HPS to Edge (under 10")	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
VF10	Front Neck Drop- HPS to Seam (over 10")	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
VF10.1	Front Neck Drop- HPS to Edge (over 10")	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
VF14	Funnel Neck Height from HPS	1/8	1/8	0	0	@	0	0	0						
VF29	Across Chest Placement from HPS	0	0	1/4	1/4	@	1/4	1/4	1/4						
VF30	Waist Placement from HPS	0	0	1/4	1/4	@	1/2	1/2	1/2						
VF41	High Hip Placement from Top Waist	0	0	1/4	1/4	@	1/4	1/4	1/4						
VF41.1	High Hip Placement from Bottom WB	0	0	1/4	1/4	@	1/4	1/4	1/4						
VF42	Low Hip Placement from Top Waist	0	0	1/2	1/2	@	1/2	1/2	1/2						
VF42.1	Low Hip Placement from Bottom WB	0	0	1/2	1/2	@	1/2	1/2	1/2						
VF43	Front Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
HF01	Neck Width-Seam to Seam @ HPS	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
HF01.1	Neck Width-Edge to Edge @ HPS	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
HF02	Front Neck Width-Seam to Seam @ HPS	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
HF03	Neck Width-Seam to Seam @ Across Chest	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
HF03.1	Neck Width-Edge to Edge @ Across Chest	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
HF04	Neck Width-Seam to Seam @ Front Neck Drop	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
HF05	Neck Width-Edge to Edge @ Front Neck Drop	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
HF06	Raglan Seams Apart @ Front Neck	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
HF07	Across Shoulder-Seam to Seam @ Back Fold	1/4	1/4	1/2	1/2	@	3/4	3/4	3/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
HF07.1	Across Shoulder-Edge to Edge @ Back Fold	1/4	1/4	1/2	1/2	@	3/4	3/4	3/4						
HF08	Across Chest-Seam to Seam	1/4	1/4	1/2	1/2	@	3/4	3/4	3/4						
HF08.1	Across Chest-Edge to Edge	1/4	1/4	1/2	1/2	@	3/4	3/4	3/4						
HF09	Chest @ Armhole	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF10	Chest @ 1" Below Armhole	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF12	Waist	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF13	Waist @ Seam-Along Curve	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF14	Waist @ Top	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF15	Waist @ Bottom	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF16	Waist Extended	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF17	Waist Relaxed	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF18	High Hip	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF19	High Hip-Along Yoke Seam	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF20	Low Hip	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF21	Low Hip-Along Yoke Seam	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF22	Bottom Opening-Straight	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF22.1	Front Bottom Opening-CF to SS-Straight	1/8	1/8	1/2	1/2	@	3/4	3/4	3/4						
HF23	Bottom Opening-Along Curve	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
HF23.1	Front Bottom Opening-CF to SS-Along Curve	1/8	1/8	1/2	1/2	@	3/4	3/4	3/4						
VB01	Body Length @ CB from HPS	1/4	1/4	1/2	1/2	@	1	1	1						
VB02	Body Length @ CB from CB Neck	1/8	1/8	3/8	3/8	@	7/8	7/8	7/8						
VB04	Back Neck Drop-HPS to Seam-(under 3")	1/16	1/16	1/8	1/8	@	1/8	1/8	1/8						
VB04.1	Back Neck Drop-HPS to Edge-(under 3")	1/16	1/16	1/8	1/8	@	1/8	1/8	1/8						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VB04.2	Back Neck Drop-HPS to Seam-(over 3")	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
VB04.3	Back Neck Drop-HPS to Edge-(over 3")	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
VB07	Across Back Placement from HPS	0	0	1/4	1/4	@	1/4	1/4	1/4						
VB11	Back Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8						
HB01	Back Neck Width-Seam to Seam	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
HB02	Back Neck Width-Edge to Edge	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
HB03	Raglan Seams Apart @ Back Neck	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
HB04	Across Back-Seam to Seam	1/4	1/4	1/2	1/2	@	3/4	3/4	3/4						
HB04.1	Across Back-Edge to Edge	1/4	1/4	1/2	1/2	@	3/4	3/4	3/4						
HB05	Back Bottom Opening-SS to SS Along Curve	1/4	1/4	1	1	@	1 1/2	1 1/2	1 1/2						
AH01	Armhole-Straight	3/16	3/16	3/8	3/8	@	1/2	1/2	1/2						
AH04	Armhole Drop from HPS-(straight)- @ SS	3/16	3/16	3/8	3/8	@	3/8	3/8	3/8						
SS02	Sleeve Length from Shoulder-Long	1/4	1/4	1/2	1/2	@	5/8	5/8	5/8						
SS02.1	Sleeve Length from Shoulder w/ Cuff Rolled Up-Long	1/4	1/4	1/2	1/2	@	5/8	5/8	5/8						
SS02.2	Sleeve Length frm Shoulder w/ Cuff Unrolled-Long	1/4	1/4	1/2	1/2	@	5/8	5/8	5/8						
SS03	Sleeve Length from Shoulder-Short	1/8	1/8	3/8	3/8	@	1/2	1/2	1/2						
SS03.1	Sleeve Length from Shoulder w/Cuff Rolled Up-Short	1/8	1/8	3/8	3/8	@	1/2	1/2	1/2						
SS03.2	Sleeve Length from Shoulder w/ Cuff Unrolled-Short	1/8	1/8	3/8	3/8	@	1/2	1/2	1/2						
SS04	Sleeve Length from Neck Seam @ HPS-Long	1/2	1/2	3/4	3/4	@	7/8	7/8	7/8						
SS04.1	Sleeve Length from Neck Edge @ HPS-Long	1/2	1/2	3/4	3/4	@	7/8	7/8	7/8						
SS05	Sleeve Length from Neck Seam @ HPS-Short	3/8	3/8	1/2	1/2	@	5/8	5/8	5/8						
SS05.1	Sleeve Length from Neck Edge @ HPS-Short	3/8	3/8	1/2	1/2	@	5/8	5/8	5/8						
SS06	Undersleeve Length-Long	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
SS07	Undersleeve Length-Short	1/16	1/16	1/8	1/8	@	1/8	1/8	1/8						
SS07.1	Sleeve Cap Height	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
SS08	Sleeve Cap Width @ 3" from Shoulder	1/4	1/4	1/4	1/4	@	3/8	3/8	3/8						
SS09	Sleeve Width @ 1" Below Armhole	1/8	1/8	3/8	3/8	@	1/2	1/2	1/2						
SS10	Sleeve Width @ 13" from Shoulder	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
SS11	Sleeve Width @ 5" up from Opening	1/8	1/8	1/4	1/4	@	3/8	3/8	3/8						
SS12	Sleeve Width @ Top Cuff Seam	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
SS13	Sleeve Width @ Top Cuff Seam-Relaxed	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
SS14	Sleeve Width @ Top Cuff Seam-Extended	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
SS15	Sleeve Width @ Opening-Long	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
SS16	Sleeve Width @ Opening-Relaxed-Long	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
SS17	Sleeve Width @ Opening-Extended-Long	1/8	1/8	1/4	1/4	@	1/4	1/4	1/4						
SS19	Sleeve Width @ Opening-Short	1/8	1/8	3/8	3/8	@	1/2	1/2	1/2						
SS20	Sleeve Width @ Opening-Relaxed-Short	1/8	1/8	3/8	3/8	@	1/2	1/2	1/2						
SS21	Sleeve Width @ Opening-Extended-Short	1/8	1/8	3/8	3/8	@	1/2	1/2	1/2						
SS21.1	Cap Sleeve Width @ Opening-Along Curve-Short	1/8	1/8	3/8	3/8	@	1/2	1/2	1/2						
SS21.2	Cap Sleeve Width @ Opening-Along Curve-Total	1/4	1/4	3/8	3/8	@	1/2	1/2	1/2						
PT01	Front Rise from Top Waist	1/4	1/4	3/4	3/4	@	3/4	3/4	3/4						
PT01.1	Front Rise From Bottom of WB	1/4	1/4	3/4	3/4	@	3/4	3/4	3/4						
PT02	Back Rise from Top Waist	1/4	1/4	3/4	3/4	@	3/4	3/4	3/4						
PT02.1	Back Rise From Bottom of WB	1/4	1/4	3/4	3/4	@	3/4	3/4	3/4						
PT03	Thigh @ 1" Below Crotch	1/4	1/4	3/4	3/4	@	1	1	1						
PT04	Thigh @ __" Below Crotch	1/4	1/4	5/8	5/8	@	3/4	3/4	3/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: Men's XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PT05	Knee @ ___" Below Crotch	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
PT06	Leg Opening-(for inseams over 6")	1/4	1/4	3/8	3/8	@	3/8	3/8	3/8						
PT07	Leg Opening-(for inseams under 6")	1/4	1/4	3/4	3/4	@	1	1	1						
PT08	Inseam-(22" or Longer)	1/2	1/2	0	0	@	0	0	0						
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	1/2	1/2	0	0	@	0	0	0						
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	1/2	1/2	0	0	@	0	0	0						
PT09	Inseam-(under 6")	1/4	1/4	0	0	@	0	0	0						
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	0	0	@	0	0	0						
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	0	0	@	0	0	0						
PT09.3	Inseam-(6" to 21")	1/4	1/4	0	0	@	0	0	0						
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/4	1/4	0	0	@	0	0	0						
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/4	1/4	0	0	@	0	0	0						
PT10	Outseam from Top Waist-(22" or Longer)	5/8	5/8	1/2	1/2	@	1/2	1/2	1/2						
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22"or L)	5/8	5/8	1/2	1/2	@	1/2	1/2	1/2						
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22"or L)	5/8	5/8	1/2	1/2	@	1/2	1/2	1/2						
PT11	Outseam from Top Waist-(under 6")	3/8	3/8	1/2	1/2	@	1/2	1/2	1/2						
PT11.1	Outseam from Top Waist w/Cuff Rolled Up(under 6")	3/8	3/8	1/2	1/2	@	1/2	1/2	1/2						
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	3/8	3/8	1/2	1/2	@	1/2	1/2	1/2						
PT11.3	Outseam from Top Waist-(6" to 21")	3/8	3/8	1/2	1/2	@	1/2	1/2	1/2						
PT11.4	Outseam from Top Waist w/Cuff Rolled Up(6"to21")	3/8	3/8	1/2	1/2	@	1/2	1/2	1/2						
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6"to21")	3/8	3/8	1/2	1/2	@	1/2	1/2	1/2						
PT12	Back Knee Seam from Bottom Opening	1/4	1/4	0	0	@	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
AH01	Armhole-Straight	3/16	3/16	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
AH02	Armhole-Bodice Point to SS-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
AH03	Armhole-Bodice Point to SS-Along Curve	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
AH04	Armhole Drop from HPS-(straight)- @ SS	3/16	3/16	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
BB01	Bib Seam from HPS @ CF-(under10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
BB01.1	Bib Seam from HPS @ CF-(over10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
BB02	Bib Seam from CF @ Shoulder Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BB03	Bib Seam from CF @ Neck Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BB04	Bib Seam from CF @ Across Chest Placement	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BC01	Bust Cup Height @ Center	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
BC02	Bust Cup Width @ Ends	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
BD01	Bottom Band Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	1	1	1	@	1	1	1 1/2	1 1/2	1 1/2			
BT01.1	Belt Length-Total @ _____	1/2	1/2	1	1	1	@	1	1	1 1/2	1 1/2	1 1/2			
BT02	Belt Height	1/16	1/16	0	0	0	@	0	0	0	0	0			
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	1	1	1	@	1	1	1 1/2	1 1/2	1 1/2			
BT04	Belt Loop Length	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT05	Belt Loop Length @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT06	Belt Loop Length @ Sides	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT07	Belt Loop Width	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT08	Belt Loop Width @ Top	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT09	Belt Loop Width @ Bottom	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT10	Belt Loop from HPS @ SS	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
BT10.1	Belt Loop from Armhole @ SS	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
BT11	Front Belt Loop from HPS	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
BT12	Back Belt Loop from HPS	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
BT13	CB Belt Loop from HPS	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
BT14	Front Belt Loop from CF @ Top of Loop	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
BT14.1	Front Belt Loop from CF @ Bottom of Loop	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	5/16	5/16	5/16			
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT16	Back Belt Loop from CB @ Top of Loop	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
BT17	Belt Loop from Bottom Sleeve Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
BT18	_____ Belt Loop Spacing	1/8	1/8				@								
CF01	Cuff Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
CF02	Cuff Height Exposed	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL01	Collar Height @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL02	Collar Roll Height-Inside CB Neck Seam to Top Roll	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL03	Collar Length @ Outer Edge-Point to Point	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
CL04	Collar Length @ Outer Edge-CB To CF Along Curve	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
CL05	Collar Length @ Neck Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
CL05.1	Collar Length @ Top Neckband Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
CL06	Collar Point	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL07	Collar Spread	1/4	1/4	0	0	0	@	0	0	0	0	0			
CL08	Collar Spacing Apart @ CF Neck Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL09	Neckband Height @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL10	Neckband Height @ Front Edge	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL11	Neckband Length @ Top Band Along Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
CL12	Neckband Length @ Bottom Band Along Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
CL13	Neckband-Center of Button to Front End of Btnhole	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
CL14	Notch Intersection from HPS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
CL15	Lapel Point from HPS-(Lapel Folded)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
CL16	Lapel Point	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL17	Lapel Width-(Roll Line to Lapel Point-Straight)	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL18	Lapel Width-(Lapel Seam to Lapel Point-Straight)	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL19	Lapel Notch Spread	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL20	Lapel-Neckband Overlap Width @ Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
CL21	Collar Height Cape @ 3 inches	1/8	1/8				@								
DP01	Center of 1st _____ from HPS(under 10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DP02	Center of 1st _____ from HPS (over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
DP03	Center of (spec #) _____ from HPS (over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
DP04	Center of _____ from Bottom Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
DP05	_____ Vertical Spacing Apart-Center to Center	1/8	1/8				@								
DP06	_____ Horizontal Spacing Apart-Center to Center	1/8	1/8				@								
DS01	Drawstring Length Total	1/2	1/2	1	1	1	@	1	1	1 1/2	1 1/2	1 1/2			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 0-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
DS02	Drawstring Exposed Length-(each)-Tunnel Extended	1/4	1/4	0	0	0	@	0	0	0	0	0			
DS03	Drawstring Height	1/16	1/16	0	0	0	@	0	0	0	0	0			
DT01	Bust Dart Apex (point) from HPS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
DT02	Bust Dart Apex (point) from Armhole	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
DT03	Bust Dart Leg from HPS @ SS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
DT04	Bust Dart Leg from Armhole @ SS	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
DT05	Bust Dart Length	1/8	1/4	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT06	Front Waist Dart Apex (point) from HPS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
DT07	Front Waist Dart Apex (point) from Armhole	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
DT08	Front Waist Dart Apex (point) from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT09	Front Waist Dart from CF @ Bodice Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT10	Front Waist Dart from CF @ Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT11	Front Waist Dart from CF @ Top Pocket	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT11.1	Front Waist Dart from CF @ Bottom Opening	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT12	Front Waist Dart Length	1/8	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT13	Back Waist Dart Apex (point) from HPS	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
DT14	Back Waist Dart Apex (point) from Armhole	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
DT15	Back Waist Dart Apex (point) from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT16	Back Waist Dart from CB @ Bodice Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT17	Back Waist Dart from CB @ Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT17.1	Back Waist Dart from CB @ Bottom Opening	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT18	Back Waist Dart Length	1/8	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT19	Front Dart Length from Top Waist	1/8	1/4	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
DT19.1	Back Dart Length from Top Waist	1/8	1/4	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
DT20	Front Dart from CF @ Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT21	Back Dart from CB @ Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
DT22	Front Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT23	Front Neck Dart Apex (point) Spacing Apart	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT24	Front Neck Dart Length	1/8	1/4	0	0	0	@	0	0	0	0	0			
DT25	Back Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT26	Back Neck Dart Apex (point) Spacing Apart	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT27	Back Neck Dart Length	1/8	1/4	0	0	0	@	0	0	0	0	0			
DT28	Elbow Dart Leg from Armhole Along Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT29	Elbow Dart Leg Spacing Apart @ Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
DT30	Elbow Dart Apex (point) Spacing Apart	1/8	1/8	0	0	0	@	0	0	0	0	0			
DT31	Elbow Dart Length	1/8	1/4	0	0	0	@	0	0	0	0	0			
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	0	0	0	@	0	0	0	0	0			
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	0	0	0	@	0	0	0	0	0			
DT35	Knee Dart Length	1/8	1/4	0	0	0	@	0	0	0	0	0			
DT36	_____ Dart Intake-(flat)	1/16	1/16	0	0	0	@	0	0	0	0	0			
DT37	Shoulder Dart Length	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT38	Bust Dart Apex from Raglan Peak	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
DT39	Front Waist Dart Apex from Raglan Peak	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
DT40	Back Waist Dart Apex from Raglan Peak	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
EP01	Epaulet Length @ Center	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
EP02	Epaulet Length @ Sides	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
EP03	Epaulet Width	1/16	1/16	0	0	0	@	0	0	0	0	0			
EP04	Epaulet Edge from Neck Edge	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
FC01	Facing Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
FC02	Facing Width	1/8	1/8	0	0	0	@	0	0	0	0	0			
FL01	Flounce Height @ CF	1/8	1/8	0	0	0	@	0	0	0	0	0			
FL02	Flounce Height @ SS	1/8	1/8	0	0	0	@	0	0	0	0	0			
FL03	Flounce Height @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0			
FL04	Sleeve Flounce Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
GD01	Godet Height @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0			
GD02	Godet Width @ Bottom-Along Curve or Straight	1/8	1/8	0	0	0	@	0	0	0	0	0			
GD03	Godet Point from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
GD04	Godet Point from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
GD05	Godet Spacing Apart-Point to Point	1/8	1/8				@								
HB01	Back Neck Width-Seam to Seam @ Shldr. Sm.	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HB01.1	Back Neck Width Egde-Edge @ Shldr. Sm. 8-11"	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HB01.2	Back Neck Width Egde-Edge @ Shldr. Sm. over 11"	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
HB02	Back Neck Width-Edge to Edge @ Shldr Sm.	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HB02.1	Back Neck Width Seam -Seam @ Shldr. Sm. 8-11"	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HB02.2	Back Neck Width Seam -Seam @ Shldr. Sm. over 11"	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
HB03	Raglan Seams Apart @ Back Neck	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
HB04	Across Back-Seam to Seam	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HB04.1	Across Back-Edge to Edge	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HB05	Back Bottom Opening-SS to SS Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HB06	Back Sweep-SS to SS Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HB07	Back Chest Along Edge Between Side Seams	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HB08	Across Shoulder Edge to Edge @ Back Shldr. Sm.	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HB08.1	Across Shoulder Seam to Seam @ Back Shldr. Sm	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HD01	Hood Opening- Along Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HD02	Hood Height-Straight from HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HD02.1	Hood Height @ CF	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
HD03	Hood Width @ __from HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HD04	Hood Center Panel Width @ Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
HD05	Hood Center Panel Width @ Back Neck Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
HD06	Hood Center Panel Length @ Center	3/16	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HF00.1	Neck Width Edge to Edge @ HPS (8 - 11")	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HF00.2	Neck Width Edge to Edge @ HPS (+11in.)	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
HF00.3	Neck Width Seam to Seam @ HPS (8 - 11")	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HF00.4	Neck Width Seam to Seam @ HPS (+11")	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
HF00.5	Neck Width Edge to Edge @ Shldr Sm (8 -11")	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HF00.6	Neck Width Edge to Edge @ Shlder Sm (+ 11")	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
HF00.7	Neck Width Seam to Seam @ Shldr Sm (8 - 11")	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
HF00.8	Neck Width Seam to Seam @ Shldr Sm (+11")	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
HF01	Neck Width-Seam to Seam @ HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
HF01.1	Neck Width-Edge to Edge @ HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF01.2	Neck Width- @ Top Band Opening-Straight	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF01.3	Neck Width Seam to Seam @ Shoulder Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF01.4	Neck Width Edge to Edge @ Shoulder Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF02	Front Neck Width-Seam to Seam @ HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF02.1	Front Neck Width - Edge to Edge @ HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF03	Neck Width-Seam to Seam @ Across Chest	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF03.1	Neck Width-Edge to Edge @ Across Chest	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF04	Neck Width-Seam to Seam @ Front Neck Drop	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF05	Neck Width-Edge to Edge @ Front Neck Drop	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF06	Raglan Seams Apart @ Front Neck	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
HF07	Across Shoulder-Seam to Seam @ Back Fold	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HF07.1	Across Shoulder-Edge to Edge @ Back Fold	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HF08	Across Chest-Seam to Seam	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HF08.1	Across Chest-Edge to Edge	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HF09	Chest @ Armhole	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF09.1	Chest @ Armhole CF to CB	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF10	Chest @ 1" Below Armhole	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF10.1	Chest @ 1" Below Armhole CF to CB	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF10.2	Chest @ Specified Placement	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF11	Chest @ Bodice Seam-Straight	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF12	Waist	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF13	Waist @ Seam-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
HF14	Waist @ Top	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF15	Waist @ Bottom	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF16	Waist Extended	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF17	Waist Relaxed	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF18	High Hip	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF19	High Hip-Along Yoke Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF20	Low Hip	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF21	Low Hip-Along Yoke Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF22	Bottom Opening-Straight	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF22.1	Front Bottom Opening-CF to SS-Straight	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HF23	Bottom Opening-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF23.1	Front Bottom Opening-CF to SS-Along Curve	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
HF24	Sweep-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF24.1	Front Sweep-SS to SS-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HF25	Lining Sweep-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	3/4	3/4	3/4			
HL01	Hanger Loop-Total Length	1/4	1/4	0	0	0	@	0	0	0	0	0			
HL02	Hanger Loop from _____	1/4	1/4	0	0	0	@	0	0	0	0	0			
HM01	Hem Height	1/16	1/16	0	0	0	@	0	0	0	0	0			
HM02	Hem Height-Include Binding	1/8	1/8	0	0	0	@	0	0	0	0	0			
HM03	Hem Height-to Lining Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
HM04	Hem Height - To Finished Lining Edge	1/8	1/8	0	0	0	@	0	0	0	0	0			
KH01	Keyhole Opening-Edge to Edge	1/8	1/8	0	0	0	@	0	0	0	0	0			
KH02	Keyhole Width @ Center-Edge to Edge	1/8	1/8	0	0	0	@	0	0	0	0	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
MS01	Minimum Stretch @ Neck Opening	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
MS02	Minimum Stretch @ Back Neck	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
MS03	Minimum Stretch @ Waist	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
MS04	Minimum Stretch @ Bottom Opening	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
MS05	Minimum Stretch @ Top Cuff Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
MS06	Minimum Stretch @ Sleeve Opening	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PA01	Placket Length @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0			
PA02	Placket Length @ Sides	1/8	1/8	0	0	0	@	0	0	0	0	0			
PA03	Placket Width	1/16	1/16	0	0	0	@	0	0	0	0	0			
PA04	Placket Facing Width	1/8	1/8	0	0	0	@	0	0	0	0	0			
PK01	Chest Pocket from HPS @ CF Side	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PK02	Chest Pocket from HPS @ SS Side	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PK03	_____ Pocket from HPS @ CF Side-(over 10")	1/4	1/4				@								
PK04	_____ Pocket from HPS @ SS Side-(over 10")	1/4	1/4				@								
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK08.1	Jean Pocket from Bottom WB @ SS Side	1/8	1/8	0	1/8	0	@	0	0	1/8	0	0			
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK10.1	Pocket from Bottom Waist @ Outer Side	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
PK11.1	Pocket from CF @ Bottom (use for graded pockets)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PK12.2	Pocket from CF @ Bottom (use for non-graded pkts)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PK15.3	Pocket frm CB @ Bottom (use for graded pocket)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK15.4	Pocket frm CB @ Bottom (use for non-graded pocket)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PK16	_____ Pocket Height @ Center	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK17	_____ Pocket Height @ Sides	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK22	_____ Pocket Width @ Top	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK23	_____ Pocket Width @ Bottom	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
PK26	Welt or Besom Pocket Height	1/16	1/16	0	0	0	@	0	0	0	0	0			
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK28	Pocket Opening-(on seam)-from HPS-(over 10")	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
PK29	Pocket Opening-(on seam)-from Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PK30	Pocket Opening-(on seam)	1/8	1/8	0	1/4	0	@	0	1/4	0	1/4	0			
PK31	Pocket Bag Depth from Opening	1/4	1/4	0	0	0	@	0	0	0	0	0			
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4				@								
PK35	_____ Pocket from Bottom Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
PK36	Coin Pocket Height (Exposed)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PK39	Coin Pocket Width (Exposed)	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0			
PL01	Pleat from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PL02	Pleat from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PL03	Pleat Spacing Apart-Fold to Fold	1/8	1/8	0	0	0	@	0	0	0	0	0			
PL04	Pleat Depth-(flat)	1/16	1/16	0	0	0	@	0	0	0	0	0			
PL05	Pleat Depth-(Flat)-from CF @ Yoke Seam	1/16	1/16	0	0	0	@	0	0	0	0	0			
PL05.1	Pleat Depth-(Flat)-from CB @ Yoke Seam	1/16	1/16	0	0	0	@	0	0	0	0	0			
PL06	Pleat Depth-(Flat)-from CF @ Bottom Opening	1/16	1/16	0	0	0	@	0	0	0	0	0			
PL06.1	Pleat Depth-(Flat)-from CB @ Bottom Opening	1/16	1/16	0	0	0	@	0	0	0	0	0			
PL07	Sleeve Pleat From Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
PL08	Stitched Pleat Length	1/16	1/16	0	0	0	@	0	0	0	0	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
PM01	Peplum Height @ CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PM02	Peplum Height @ SS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PM03	Peplum Height @ CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PP01	Print Placement from HPS-(under 10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PP01.1	Print Placement from HPS-(over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PP02	Print Placement from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PP03	Print Placement from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PP04	Print Placement from Top Pocket	1/8	1/8	0	0	0	@	0	0	0	0	0			
PP05	Print Placement from SS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PP06	Print Placement from Bottom Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
PP07	Print Placement from Sleeve Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
PP08	Print Placement from Shoulder Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PS01	Princess Seam from HPS @ Front Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
PS02	Princess Seam from CF @ Neck Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS03	Princess Seam from CF or CB @ Shoulder Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS04	Princess Seam from CF @ Raglan Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS05	Princess Seam from CF @ Yoke Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS06	Princess Seam from CF @ Chest	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS07	Princess Seam from CF @ Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS08	Princess Seam from CF @ Top Pocket	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS09	Princess Seam from CF @ Bottom Opening-Along Curve	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS10	Princess Seam from CF @ Bottom Opening-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS11	Princess Seam from HPS @ Back Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
PS12	Princess Seam from CB @ Neck Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS13	Princess Seam from CB @ Raglan Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS14	Princess Seam from CB @ Yoke Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS15	Princess Seam from CB @ Chest	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS16	Princess Seam from CB @ Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS17	Princess Seam from CB @ Bottom Opening-Along Curve	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PS18	Princess Seam from CB @ Bottom Opening-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PT01	Front Rise from Top Waist	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
PT01.1	Front Rise From Bottom of WB	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
PT02	Back Rise from Top Waist	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
PT02.1	Back Rise From Bottom of WB	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
PT03	Thigh @ 1" Below Crotch	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	1/2	1/2	1/2			
PT04	Thigh @ __" Below Crotch	1/4	1/4	5/16	5/16	5/16	@	5/16	5/16	3/8	3/8	3/8			
PT05	Knee @ __" Below Crotch	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
PT06	Leg Opening-(for inseams over 6")	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
PT07	Leg Opening-(for inseams under 6")	1/4	1/4	5/16	5/16	5/16	@	5/16	5/16	3/8	3/8	3/8			
PT08	Inseam-(22" or Longer)	1/2	1/2	0	0	0	@	0	0	0	0	0			
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	1/2	1/2	0	0	0	@	0	0	0	0	0			
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	1/2	1/2	0	0	0	@	0	0	0	0	0			
PT08.3	Inseam (men's gang grade)	1/2	1/2				@								
PT09	Inseam-(under 6")	1/4	1/4	0	0	0	@	0	0	0	0	0			
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	0	0	0	@	0	0	0	0	0			
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	0	0	0	@	0	0	0	0	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
PT09.3	Inseam-(6" to 21")	1/4	1/4	0	0	0	@	0	0	0	0	0			
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/4	1/4	0	0	0	@	0	0	0	0	0			
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/4	1/4	0	0	0	@	0	0	0	0	0			
PT10	Outseam from Top Waist-(22" or Longer)	5/8	5/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22"or L)	5/8	5/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22"or L)	5/8	5/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT11	Outseam from Top Waist-(under 6")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT11.1	Outseam from Top Waist w/Cuff Rolled Up(under 6")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT11.3	Outseam from Top Waist-(6" to 21")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT11.4	Outseam from Top Waist w/Cuff Rolled Up(6"to21")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6"to21")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
PT12	Back Knee Seam from Bottom Opening	1/4	1/4	0	0	0	@	0	0	0	0	0			
PT13	Front Leg Seam from CF Seam @ Waist	1/16	1/16	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PT13.1	Front Leg Seam from Ineam @ Leg Opening	1/16	1/16	3/32	3/32	3/32	@	3/32	3/32	3/32	3/32	3/32			
PT14	Back Leg Seam from CB Seam @ Waist	1/16	1/16	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
PT14.1	Back Leg Seam from Ineam @ Leg Opening	1/16	1/16	3/32	3/32	3/32	@	3/32	3/32	3/32	3/32	3/32			
PT15	Side Front Leg Seam from CF Seam @ Waist	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
PT15.1	Side Front Leg Seam from Ineam @ Leg Opening	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
PT16	Side Back Leg Seam from CF Seam @ Waist	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
PT16.1	Side Back Leg Seam from Ineam @ Leg Opening	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
PT17	Side Leg Panel Width @ Top & Bottom	1/8	1/8	0	0	0	@	0	0	0	0	0			
RF01	Ruffle Height-Total	1/8	1/8	0	0	0	@	0	0	0	0	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
RF02	Ruffle Height-Exposed	1/8	1/8	0	0	0	@	0	0	0	0	0			
RF03	Ruffle Width-Total	1/8	1/8	0	0	0	@	0	0	0	0	0			
RF04	Ruffle Width-Exposed	1/8	1/8	0	0	0	@	0	0	0	0	0			
SH01	Shirring from CF	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
SH02	Shirring from CB	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
SH03	Shirring Width @ _____	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SK01	CF Waist Level Drop from CB	0	0	0	0	0	@	0	0	0	0	0			
SK02	Waist Curve from SS to CB	0	0	0	0	0	@	0	0	0	0	0			
SK03	Skirt Length from Top Waist @ CB-(18" or over)	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SK03.1	Skirt Length from Top Waist @ CB-(under 18")	1/4	1/4	1/4	0	1/4	@	1/4	1/4	1/4	1/4	1/4			
SK04	Skirt Length from Top Waist @ SS-(18" or over)	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SK04.1	Skirt Length from Top Waist @ SS-(under 18")	1/4	1/4	1/4	0	1/4	@	1/4	1/4	1/4	1/4	1/4			
SK05	Skirt Length From Top Waist @CF (18" or over)	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SK05.1	Skirt Length From Top Waist @CF (under 18")	1/4	1/4	1/4	0	1/4	@	1/4	1/4	1/4	1/4	1/4			
SK06	High Hip Placement from Top of Waist	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SK06.1	Low Hip Placement from Top of Waist	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SM01	Smocking from HPS @ CF	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SM02	Smocking from HPS @ SS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SM03	Smocking from HPS @ CB	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SM04	Smocking from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
SM05	Smocking Height-(eval stch gauge & grade accrdly)	1/8	1/8				@								
SM06	Smocking Width (non-graded option)	1/4	1/4	0	0	0	@	0	0	0	0	0			
SM07	Smocking Width @ Top- (graded option)	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
SM08	Smocking Width @ Bottom-(graded option)	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SP01	Surplice Wrap Point from HPS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SP02	Surplice Overlap Total Width @ Bodice Seam-und 4"	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SP03	Surplice Overlap Total Width @ Bodice Seam-ovr 4"	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS02	Sleeve Length from Shoulder-Long	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SS02.1	Sleeve Length from Shoulder w/ Cuff Rolled Up-Long	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SS02.2	Sleeve Length frm Shoulder w/ Cuff Unrolled-Long	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
SS03	Sleeve Length from Shoulder-Short	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS03.1	Sleeve Length from Shoulder w/Cuff Rolled Up-Short	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS03.2	Sleeve Length from Shoulder w/ Cuff Unrolled-Short	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS04	Sleeve Length from Neck Seam @ HPS-Long	1/2	1/2	5/16	5/16	5/16	@	5/16	5/16	3/8	3/8	3/8			
SS04.1	Sleeve Length from Neck Edge @ HPS-Long	1/2	1/2	5/16	5/16	5/16	@	5/16	5/16	3/8	3/8	3/8			
SS05	Sleeve Length from Neck Seam @ HPS-Short	3/8	3/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS05.1	Sleeve Length from Neck Edge @ HPS-Short	3/8	3/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS06	Undersleeve Length-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS07	Undersleeve Length-Short	1/16	1/16	0	0	0	@	0	0	0	0	0			
SS07.1	Sleeve Cap Height	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS08	Sleeve Cap Width @ 3" from Shoulder	1/4	1/4				@								
SS09	Sleeve Width @ 1" Below Armhole	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS10	Sleeve Width @ 13" from Shoulder	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
SS11	Sleeve Width @ 5" up from Opening	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS11.1	Sleeve Width @6" up from Cuff Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS12	Sleeve Width @ Top Cuff Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
SS13	Sleeve Width @ Top Cuff Seam-Relaxed	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS14	Sleeve Width @ Top Cuff Seam-Extended	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS15	Sleeve Width @ Opening-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS16	Sleeve Width @ Opening-Relaxed-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS17	Sleeve Width @ Opening-Extended-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS18	Sleeve Width @ Opening-Along Curve-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS19	Sleeve Width @ Opening-Short	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS20	Sleeve Width @ Opening-Relaxed-Short	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS21	Sleeve Width @ Opening-Extended-Short	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS21.1	Cap Sleeve Width @ Opening-Along Curve-Short	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	1/4	1/4	1/4			
SS21.2	Cap Sleeve Width @ Opening-Along Curve-Total	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	1/2	1/2	1/2			
SS22	Front Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS23	Front Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/8	1/8	1/8			
SS24	Back Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS25	Back Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/8	1/8	1/8			
SS26	Armhole Gusset Width Front to Back	1/8	1/8	0	0	0	@	0	0	0	0	0			
SS27	Armhole Gusset Height End to End	1/8	1/8	0	0	0	@	0	0	0	0	0			
SS28	Front Neck Length @ Raglan Slv.Edge	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
SS28.1	Front Neck Length @ Raglan Slv.Seam	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
SS29	Back Neck Length @ Raglan Slv.Edge	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
SS29.1	Back Neck Length @ Raglan Slv.Seam	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
SS30	Total Raglan Sleeve Neck Length @ Edge RLXD	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS30.1	Total Raglan Sleeve Neck Length @ Edge XTND	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
SS31	Total Raglan Sleeve Neck Length @ Seam RLXD	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
SS31.1	Total Raglan Sleeve Neck Length @ Seam XTND	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
ST01	Strap Length-Total (extends to across back)	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
ST01.1	Strap Length - Total (extends to back chest)	1/4	1/4	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16			
ST02	Strap Overlap from Top "o" Ring to Center Slider	0	0	0	0	0	@	0	0	0	0	0			
ST03	Strap Width-(1/2" or under)	0	0	0	0	0	@	0	0	0	0	0			
ST04	Strap Width-(5/8" to 1 3/8")	1/16	1/16	0	0	0	@	0	0	0	0	0			
ST05	Strap Width-(1 1/2" or over)	1/8	1/8	0	0	0	@	0	0	0	0	0			
ST06	Front Straps Apart-Inside	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
ST07	Back Straps Apart-Inside	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	3/8	3/8	3/8			
SW01	Stitches Per 1" Height	2	2	0	0	0	@	0	0	0	0	0			
SW02	Stitches Per 1" Width	2	2	0	0	0	@	0	0	0	0	0			
SW03	Net Weight	0	0	0	0	0	@	0	0	0	0	0			
TB01	Tab Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB02	Tab Height @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB03	Tab Height @ Sides	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB04	Tab Width	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB05	Tab Width @ Top	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB06	Tab Width @ Bottom	1/8	1/8	0	0	0	@	0	0	0	0	0			
TB07	Tab from HPS @ CF	1/4	1/4				@								
TB08	Tab from HPS @ SS	1/4	1/4				@								
TB09	Tab from HPS @ CB	1/4	1/4				@								

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
TB10	Tab from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
TB11	Tab from SS on Front	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/8	1/8	1/8			
TB12	Tab from SS on Back	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/8	1/8	1/8			
TB13	Tab from Bottom Opening	1/8	1/8	0	0	0	@	0	0	0	0	0			
TK01	Tuck from CF	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
TK02	Tuck from CB	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
TK03	_____Tuck Spacing Apart-Fold to Fold	1/16	1/16	0	0	0	@	0	0	0	0	0			
TK04	_____Tuck Depth- Fold to Stitch	1/16	1/16	0	0	0	@	0	0	0	0	0			
TN01	_____Tunnel Height	1/16	1/16	0	0	0	@	0	0	0	0	0			
TN02	Top of Tunnel Placement from HPS @ _____	1/4	1/4				@								
TR01	_____Tier Placement from HPS-(under 10")	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
TR02	_____Tier Placement from HPS-(over 10")	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
TR03	_____Tier Placement from Shoulder	1/8	1/8				@								
TR04	_____Tier Placement from Top Waist Seam	1/8	1/8				@								
TR05	_____Tier Height-Exposed	1/8	1/8	0	0	0	@	0	0	0	0	0			
TS01	Tie Placement from HPS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
TS02	Tie Height	1/2	1/2	0	0	0	@	0	0	0	0	0			
TS03	Tie Length- Each	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
TS04	Tie Spacing Apart @ CF-(graded)	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
TS04.1	Tie Spacing Apart @ CF-(nongraded)	1/4	1/4	0	0	0	@	0	0	0	0	0			
TS05	Tie Spacing Apart @ CB-(graded)	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	3/16	3/16	3/16			
TS05.1	Tie Spacing Apart @ CB-(nongraded)	1/4	1/4	0	0	0	@	0	0	0	0	0			
UG01	Waist @ Top Relaxed	1/2	1/2				@								

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
UG01.1	Front Waist (Thong)	1/2	1/2				@								
UG02	Waist @ Top Extended	1/2	1/2				@								
UG03	Upper Front Width Placement from Crotch Seam	0	0				@								
UG03.1	Upper Front Width Placement from Top Waist	0	0				@								
UG04	Upper Front Width	1/4	1/4				@								
UG04.1	Upper Front Width (Thong)	1/8	1/8				@								
UG05	Lower Front Width Placement from Crotch Seam	0	0				@								
UG05.1	Lower Front Width Placement from Top Waist	0	0				@								
UG06	Lower Front Width	1/4	1/4				@								
UG06.1	Lower Front Width (Thong)	1/8	1/8				@								
UG07	Front Crotch Width-Along Seam	1/4	1/4				@								
UG07.1	Front Crotch Width @ Crotch Panel Edge	1/8	1/8				@								
UG08	Narrowest Crotch Width Plcmnt from Bk Crotch Seam	0	0				@								
UG09	Narrowest Crotch Width	1/8	1/8				@								
UG10	Back Crotch Width Along Seam	1/4	1/4				@								
UG11	Crotch Panel Length @ Center	1/4	1/4				@								
UG12	Upper Back Width Placement from Crotch Seam	0	0				@								
UG12.1	Upper Back Width Placement from Top Waist	0	0				@								
UG13	Upper Back Width	1/4	1/4				@								
UG14	Lower Back Width Placement from Crotch Seam	0	0				@								
UG14.1	Lower Back Width Placement from Top Waist	0	0				@								
UG15	Lower Back Width	1/4	1/4				@								
UG16	Front Panel Length from Top to Crotch Seam	1/4	1/4				@								

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 0-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
UG17	Back Panel Length from Top to Crotch Seam	1/4	1/4				@								
UG18	Side Length from Top @ Seam	1/4	1/4				@								
UG18.1	Side Length from Top @ Fold	1/4	1/4				@								
UG19	Leg Opening (1/2) Relaxed	1/4	1/4				@								
UG19.1	Thong Leg Opening to Point - Relaxed	1/4	1/4				@								
UG19.2	Thong Leg Opening Total - Relaxed	1/4	1/4				@								
UG20	Leg Opening (1/2) Extended	1/4	1/4				@								
UG20.1	Thong Leg Opening to Point - Extended	1/4	1/4				@								
UG20.2	Thong Leg Opening Total - Extended	1/4	1/4				@								
UG21	Minimum Stretch @ Waist (1/2)	1/4	1/4				@								
UG22	Minimum Stretch @ Leg Opening (1/2)	1/4	1/4				@								
UG22.1	Min Stretch @ Thong Leg Opening to Point	1/4	1/4				@								
UG22.2	Min Stretch @ Thong Leg Opening Total	1/4	1/4				@								
UG23	Thong Back Width	1/8	1/8				@								
UG24	Back Crotch Sean from Crotch Foldline	1/8	1/8				@								
VB01	Body Length @ CB from HPS	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
VB02	Body Length @ CB from CB Neck	1/8	1/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
VB02.1	CB Length from Raglan Peak	1/4	1/4	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16			
VB03	Body Length @ CB from Armhole	1/8	1/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
VB033	Peak Height @ CB	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VB04	Back Neck Drop-HPS to Seam-(under 3")	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VB04.1	Back Neck Drop-HPS to Edge-(under 3")	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VB04.2	Back Neck Drop-HPS to Seam-(over 3")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
VB04.3	Back Neck Drop-HPS to Edge-(over 3")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VB05	Back Neck Drop-from Armhole	1/8	1/8	0	0	0	@	0	0	0	0	0			
VB06	Back Neck Drop-Excluding Straps	1/8	1/8	0	0	0	@	0	0	0	0	0			
VB06.1	Back Neck Drop from Raglan Peak	1/16	1/16	0	0	0	@	0	0	0	0	0			
VB06.2	Back Neck Drop to Seam from Raglan Peak	1/16	1/16	0	0	0	@	0	0	0	0	0			
VB07	Across Back Placement from HPS	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VB07.1	Across Back Placement from Raglan Peak	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VB08	Bodice Seam from HPS @ CB	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VB09	Bodice Seam from Back Neck @ CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VB10	Bodice Seam from Armhole @ CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VB11	Back Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VB44	Back Shirt Tail Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF01	Shoulder Forward Seam from HPS @ Neck	0	0	0	0	0	@	0	0	0	0	0			
VF02	Shoulder Forward Seam from HPS @ Armhole	0	0	0	0	0	@	0	0	0	0	0			
VF03	Shoulder Slope from HPS to Armhole Seam@Back Fold	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF03.1	Shoulder Slope from HPS @ Specified Placement	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF03.2	Shoulder Slope Placement from CB	0	0	1/4	1/4	1/4	@	1/4	1/4	5/16	5/16	5/16			
VF03.3	Shoulder Slope from HPS @ Shldr. Sm. to Armhole Sm	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF04	Body Length @ CF from HPS	3/8	3/8	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
VF04.1	Body Length @ CF from HPS (Bodysuit)	3/8	3/8				@								
VF04.2	Body Length @ SS from HPS	3/8	3/8	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
VF04.3	Body Length @ CF from Neck Edge	3/8	3/8	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16			
VF04.4	Body Length @ CF from Neck Seam	3/8	3/8	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 0-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
VF05	Body Length @ CF from Top Bodice	1/4	1/4	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16			
VF05.1	Body Length @ CF from Top Bodice (Bodysuit)	1/4	1/4				@								
VF05.2	CF Length from Raglan Peak	1/4	1/4	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16			
VF06	Body Length @ CF from Armhole	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
VF06.1	Body Length @ CF from Armhole (Bodysuit)	1/4	1/4				@								
VF06.2	Body Length @ SS from Armhole	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
VF07	Peak Height @ CF	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF08	Front Neck Drop- HPS to Seam (under 5")	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VF08.1	Front Neck Drop - HPS to Edge (under 5")	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VF09	Front Neck Drop- HPS to Seam (under 10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF09.1	Front Neck Drop- HPS to Edge (under 10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF10	Front Neck Drop- HPS to Seam (over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF10.1	Front Neck Drop- HPS to Edge (over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF11	Front Neck Drop-Top Bodice to Seam	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF11.1	Front Neck Drop-Top Bodice to Edge	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF11.2	Front Neck Drop to Edge from Raglan Peak	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF11.3	Front Neck Drop to Seam from Raglan Peak	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF12	Front Neck Drop- from Armhole	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF13	Front Neck Drop- Excluding Straps	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF14	Funnel Neck Height from HPS	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF15	Front Neck Height from Armhole	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VF16	Bodice/Waist Seam from HPS @ CF	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF17	Bodice/Waist Seam from HPS @ Dart	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
VF18	Bodice/Waist Seam from HPS @ SS	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF19	Bodice/Waist Seam from Top Bodice @ CF	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
VF20	Bodice/Waist Seam from Top Bodice @ Dart	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
VF21	Bodice/Waist Seam from Top Bodice @ SS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
VF22	Bodice/Waist Seam from Armhole @ CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF23	Bodice/Waist Seam from Armhole @ Dart	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF24	Bodice/Waist Seam from Armhole @ SS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF29	Across Chest Placement from HPS	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF29.1	Chest Placement from HPS	0	0	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
VF29.2	Across Chest Placement from Raglan Peak	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VF30	Waist Placement from HPS	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF31	High Hip Placement from HPS	0	0	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
VF32	Low Hip Placement from HPS	0	0	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2			
VF33	Chest Placement from Top Bodice	0	0	0	0	0	@	0	0	0	0	0			
VF34	Waist Placement from Top Bodice	0	0	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
VF35	High Hip Placement from Top Bodice	0	0	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16			
VF36	Low Hip Placement from Top Bodice	0	0	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16			
VF37	Chest Placement from Armhole	0	0	0	0	0	@	0	0	0	0	0			
VF38	Waist Placement from Armhole	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF39	High Hip Placement from Armhole	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF40	Low Hip Placement from Armhole	0	0	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8			
VF41	High Hip Placement from Top Waist	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF41.1	High Hip Placement from Bottom WB	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 0-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
VF42	Low Hip Placement from Top Waist	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF42.1	Low Hip Placement from Bottom WB	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
VF43	Front Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
VF44	Front Shirt Tail Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
VF45	Across Chest Placement from Armhole	0	0	0	0	0	@	0	0	0	0	0			
VF46	Bodice Height @ Tie End from Armhole	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16			
VF47	Bodice Height @ Seam from Armhole (inside edge)	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VF48	Bodice Height @ Seam from Armhole (outside edge)	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
VS01	Vent Opening Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
VS02	Slit Opening Height	1/8	1/8	0	0	0	@	0	0	0	0	0			
VS03	Sleeve Vent Height @ Point	1/8	1/8	0	0	0	@	0	0	0	0	0			
VS04	Sleeve Vent Height @ Side	1/8	1/8	0	0	0	@	0	0	0	0	0			
VS05	Sleeve Vent Width	1/16	1/16	0	0	0	@	0	0	0	0	0			
WB01	WB-(top seam)- from HPS @ CF	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
WB02	WB-(top seam)- from HPS @ SS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
WB03	WB-(top seam)- from HPS @ CB	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4			
WB04	WB Height	1/16	1/16	0	0	0	@	0	0	0	0	0			
WB05	WB Height @ CF	1/16	1/16	0	0	0	@	0	0	0	0	0			
WB06	WB Height @ SS	1/16	1/16	0	0	0	@	0	0	0	0	0			
WB07	WB Height @ CB	1/16	1/16	0	0	0	@	0	0	0	0	0			
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0			
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	0	0	0	@	0	0	0	0	0			
YK01	Front Yoke Seam from HPS @ Neck	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
YK01.1	Front Yoke Seam Point from HPS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK02	Front Yoke Seam from HPS @ CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK03	Front Yoke Seam from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK04	Back Yoke Seam from HPS @ Neck	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
YK04.1	Back Yoke Seam Point from HPS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK05	Back Yoke Seam from HPS @ CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK06	Back Yoke Seam from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK07	Front Yoke Flap from HPS-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK08	Front Yoke Flap from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK09	Back Yoke Flap from HPS @ CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK10	Back Yoke Flap from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8			
YK11	Yoke Seam from Top Waist @ CF	1/8	1/8	0	0	0	@	0	0	0	0	0			
YK12	Yoke Seam from Top Waist @ SS	1/8	1/8	0	0	0	@	0	0	0	0	0			
YK12.1	Yoke Seam From Bottom WB @ SS	1/8	1/8	0	0	0	@	0	0	0	0	0			
YK13	Yoke Seam from Top Waist @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0			
YK13.1	Yoke Seam From Bottom WB @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0			
YK14	Raglan Yoke Seam from Neck Seam	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
YK14.1	Raglan Yoke Seam from Neck Edge	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16			
ZF01	Fly Length from Top Waist-(pants)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0			
ZF01.1	Fly Length From Bottom of WB - pants	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0			
ZF02	Fly Length from Top Waist-(skirts)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0			
ZF03	Fly Width	1/16	1/16	0	0	0	@	0	0	0	0	0			
ZF04	Zipper Length-(pants)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 0-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	0	2	4	6	8	10	12	14	16			
ZF05	Zipper Length-(skirts)	1/4	1/4	0	0	0	@	0	0	0	0	0			
ZF06	Zipper Opening from Armhole @ Left SS	1/8	1/8	0	0	0	@	0	0	0	0	0			
ZF07	Zipper Opening- (over 8")	1/2	1/2	0	1/2	0	@	0	1/2	0	1/2	0			
ZF07.1	Zipper Opening- (8" or under)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0			
ZF08	Zipper Tape Length-(over 8")	1/2	1/2	0	1/2	0	@	0	1/2	0	1/2	0			
ZF08.1	Zipper Tape Length-(8" or under)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0			

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
BB01	Bib Seam from HPS @ CF-(under10")	1/8	1/8	@	1/4									
BB01.1	Bib Seam from HPS @ CF-(over10")	1/4	1/4	@	1/2									
BB02	Bib Seam from CF @ Shoulder Seam	1/8	1/8	@	1/4									
BB03	Bib Seam from CF @ Neck Seam	1/8	1/8	@	1/4									
BB04	Bib Seam from CF @ Across Chest Placement	1/8	1/8	@	1/4									
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	@	3									
BT01.1	Belt Length-Total @ _____	1/2	1/2	@	3									
BT02	Belt Height	1/16	1/16	@	0									
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	@	3									
BT04	Belt Loop Length	1/8	1/8	@	0									
BT05	Belt Loop Length @ Center	1/8	1/8	@	0									
BT06	Belt Loop Length @ Sides	1/8	1/8	@	0									
BT07	Belt Loop Width	1/8	1/8	@	0									
BT08	Belt Loop Width @ Top	1/8	1/8	@	0									
BT09	Belt Loop Width @ Bottom	1/8	1/8	@	0									
BT10	Belt Loop from HPS @ SS	1/4	1/4	@	1/2									
BT10.1	Belt Loop from Armhole @ SS	1/8	1/8	@	1/4									
BT11	Front Belt Loop from HPS	1/4	1/4	@	1/2									
BT12	Back Belt Loop from HPS	1/4	1/4	@	1/2									
BT13	CB Belt Loop from HPS	1/4	1/4	@	1/2									
BT14	Front Belt Loop from CF @ Top of Loop	1/8	1/8	@	3/8									
BT14.1	Front Belt Loop from CF @ Bottom of Loop	1/8	1/8	@	3/8									
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	@	3/8									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	@	3/8									
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	@	0									
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	@	0									
BT16	Back Belt Loop from CB @ Top of Loop	1/8	1/8	@	3/8									
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	@	3/8									
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	@	3/8									
BT17	Belt Loop from Bottom Sleeve Opening	1/8	1/8	@	0									
BT18	_____ Belt Loop Spacing	1/8	1/8	@	0									
CF01	Cuff Height	1/8	1/8	@	0									
CF02	Cuff Height Exposed	1/8	1/8	@	0									
CL01	Collar Height @ CB	1/8	1/8	@	0									
CL02	Collar Roll Height-Inside CB Neck Seam to Top Roll	1/8	1/8	@	0									
CL03	Collar Length @ Outer Edge-Point to Point	1/4	1/4	@	1									
CL04	Collar Length @ Outer Edge-CB To CF Along Curve	1/8	1/8	@	1/2									
CL05	Collar Length @ Neck Seam	1/4	1/4	@	1									
CL05.1	Collar Length @ Top Neckband Seam	1/4	1/4	@	1									
CL06	Collar Point	1/8	1/8	@	0									
CL07	Collar Spread	1/4	1/4	@	0									
CL08	Collar Spacing Apart @ CF Neck Seam	1/8	1/8	@	0									
CL09	Neckband Height @ CB	1/8	1/8	@	0									
CL10	Neckband Height @ Front Edge	1/8	1/8	@	0									
CL11	Neckband Length @ Top Band Along Seam	1/4	1/4	@	1									
CL12	Neckband Length @ Bottom Band Along Seam	1/4	1/4	@	1									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
CL13	Neckband-Center of Button to Front End of Btnhole	1/4	1/4	@	1									
CL14	Notch Intersection from HPS	1/8	1/8	@	1/4									
CL15	Lapel Point from HPS-(Lapel Folded)	1/8	1/8	@	1/4									
CL16	Lapel Point	1/8	1/8	@	0									
CL17	Lapel Width-(Roll Line to Lapel Point-Straight)	1/8	1/8	@	0									
CL18	Lapel Width-(Lapel Seam to Lapel Point-Straight)	1/8	1/8	@	0									
CL19	Lapel Notch Spread	1/8	1/8	@	0									
CL20	Lapel-Neckband Overlap Width @ Seam	1/8	1/8	@	0									
DP01	Center of 1st _____ from HPS(under 10")	1/8	1/8	@	1/4									
DP02	Center of 1st _____ from HPS (over 10")	1/4	1/4	@	1/2									
DP03	Center of (spec #) _____ from HPS (over 10")	1/4	1/4	@	1/2									
DP04	Center of _____ from Bottom Opening	1/8	1/8	@	0									
DP05	_____ Vertical Spacing Apart-Center to Center	1/8	1/8	@										
DP06	_____ Horizontal Spacing Apart-Center to Center	1/8	1/8	@	0									
DS01	Drawstring Length Total	1/2	1/2	@	3									
DS02	Drawstring Exposed Length-(each)-Tunnel Extended	1/4	1/4	@	0									
DS03	Drawstring Height	1/16	1/16	@	0									
DT01	Bust Dart Apex (point) from HPS	1/8	1/8	@	3/8									
DT02	Bust Dart Apex (point) from Armhole	1/16	1/16	@	1/8									
DT03	Bust Dart Leg from HPS @ SS	1/8	1/8	@	3/8									
DT04	Bust Dart Leg from Armhole @ SS	1/16	1/16	@	1/8									
DT05	Bust Dart Length	1/8	1/4	@	1/4									
DT06	Front Waist Dart Apex (point) from HPS	1/8	1/8	@	3/8									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
DT07	Front Waist Dart Apex (point) from Armhole	1/16	1/16	@	1/8									
DT08	Front Waist Dart Apex (point) from CF	1/8	1/8	@	3/8									
DT09	Front Waist Dart from CF @ Bodice Seam	1/8	1/8	@	3/8									
DT10	Front Waist Dart from CF @ Waist	1/8	1/8	@	3/8									
DT11	Front Waist Dart from CF @ Top Pocket	1/8	1/8	@	3/8									
DT11.1	Front Waist Dart from CF @ Bottom Opening	1/8	1/8	@	3/8									
DT12	Front Waist Dart Length	1/8	1/4	@	1/4									
DT13	Back Waist Dart Apex (point) from HPS	1/4	1/4	@	3/8									
DT14	Back Waist Dart Apex (point) from Armhole	1/8	1/8	@	1/8									
DT15	Back Waist Dart Apex (point) from CB	1/8	1/8	@	3/8									
DT16	Back Waist Dart from CB @ Bodice Seam	1/8	1/8	@	3/8									
DT17	Back Waist Dart from CB @ Waist	1/8	1/8	@	3/8									
DT17.1	Back Waist Dart from CB @ Bottom Opening	1/8	1/8	@	3/8									
DT18	Back Waist Dart Length	1/8	1/4	@	1/4									
DT19	Front Dart Length from Top Waist	1/8	1/4	@	0									
DT19.1	Back Dart Length from Top Waist	1/8	1/4	@	0									
DT20	Front Dart from CF @ Top Waist	1/8	1/8	@	3/8									
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	@	3/8									
DT21	Back Dart from CB @ Top Waist	1/8	1/8	@	3/8									
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	@	3/8									
DT22	Front Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	@	3/8									
DT23	Front Neck Dart Apex (point) Spacing Apart	1/4	1/4	@	3/8									
DT24	Front Neck Dart Length	1/8	1/4	@	0									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML										
DT25	Back Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	@	3/8										
DT26	Back Neck Dart Apex (point) Spacing Apart	1/4	1/4	@	3/8										
DT27	Back Neck Dart Length	1/8	1/4	@	0										
DT28	Elbow Dart Leg from Armhole Along Seam	1/8	1/8	@	0										
DT29	Elbow Dart Leg Spacing Apart @ Seam	1/8	1/8	@	0										
DT30	Elbow Dart Apex (point) Spacing Apart	1/8	1/8	@	0										
DT31	Elbow Dart Length	1/8	1/4	@	0										
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	@	0										
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	@	0										
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	@	0										
DT35	Knee Dart Length	1/8	1/4	@	0										
DT36	_____ Dart Intake-(flat)	1/16	1/16	@	0										
DT37	Shoulder Dart Length	1/8	1/8	@	0										
EP01	Epaulet Length @ Center	1/8	1/8	@	0										
EP02	Epaulet Length @ Sides	1/8	1/8	@	0										
EP03	Epaulet Width	1/16	1/16	@	0										
FC01	Facing Height	1/8	1/8	@	0										
FC02	Facing Width	1/8	1/8	@	0										
FL01	Flounce Height @ CF	1/8	1/8	@	0										
FL02	Flounce Height @ SS	1/8	1/8	@	0										
FL03	Flounce Height @ CB	1/8	1/8	@	0										
FL04	Sleeve Flounce Height	1/8	1/8	@	0										
GD01	Godet Height @ Center	1/8	1/8	@	0										

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
GD02	Godet Width @ Bottom-Along Curve or Straight	1/8	1/8	@	0									
GD03	Godet Point from CF	1/8	1/8	@	3/8									
GD04	Godet Point from CB	1/8	1/8	@	3/8									
GD05	Godet Spacing Apart-Point to Point	1/8	1/8	@	0									
HD01	Hood Opening- Along Seam	1/4	1/4	@	1/4									
HD02	Hood Height-Straight from HPS	1/4	1/4	@	0									
HD02.1	Hood Height @ CF	1/8	1/8	@	0									
HD03	Hood Width @__from HPS	1/4	1/4	@	3/8									
HD04	Hood Center Panel Width @ Opening	1/8	1/8	@	0									
HD05	Hood Center Panel Width @ Back Neck Seam	1/8	1/8	@	0									
HD06	Hood Center Panel Length @ Center	3/16	3/16	@	1/2									
HL01	Hanger Loop-Total Length	1/4	1/4	@	0									
HL02	Hanger Loop from _____	1/4	1/4	@	0									
HM01	Hem Height	1/16	1/16	@	0									
HM02	Hem Height-Include Binding	1/8	1/8	@	0									
HM03	Hem Height-to Lining Seam	1/8	1/8	@	0									
KH01	Keyhole Opening-Edge to Edge	1/8	1/8	@	0									
KH02	Keyhole Width @ Center-Edge to Edge	1/8	1/8	@	0									
MS01	Minimum Stretch @ Neck Opening	1/4	1/4	@	3/8									
MS02	Minimum Stretch @ Back Neck	1/4	1/4	@	3/8									
MS03	Minimum Stretch @ Waist	1/4	1/4	@	1 1/2									
MS04	Minimum Stretch @ Bottom Opening	1/4	1/4	@	1 1/2									
MS05	Minimum Stretch @ Top Cuff Seam	1/4	1/4	@	1/4									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
MS06	Minimum Stretch @ Sleeve Opening	1/4	1/4	@	1/4									
PA01	Placket Length @ Center	1/8	1/8	@	0									
PA02	Placket Length @ Sides	1/8	1/8	@	0									
PA03	Placket Width	1/16	1/16	@	0									
PA04	Placket Facing Width	1/8	1/8	@	0									
PK01	Chest Pocket from HPS @ CF Side	1/8	1/8	@	1/4									
PK02	Chest Pocket from HPS @ SS Side	1/8	1/8	@	1/4									
PK03	_____ Pocket from HPS @ CF Side-(over 10")	1/4	1/4	@	1/2									
PK04	_____ Pocket from HPS @ SS Side-(over 10")	1/4	1/4	@	1/2									
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	@	0									
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	@	0									
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	@	0									
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	@	0									
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	@	0									
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	@	0									
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	@	3/8									
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	@	3/8									
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	@	3/8									
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	@	3/8									
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	@	1/8									
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	@	3/8									
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	@	1/8									
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	@	3/8									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	@	3/8									
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	@	3/8									
PK16	_____ Pocket Height @ Center	1/8	1/8	@	1/4									
PK17	_____ Pocket Height @ Sides	1/8	1/8	@	1/4									
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	@	1/8									
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	@	1/8									
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	@	1/4									
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	@	1/4									
PK22	_____ Pocket Width @ Top	1/8	1/8	@	1/4									
PK23	_____ Pocket Width @ Bottom	1/8	1/8	@	1/4									
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	@	1/4									
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	@	1/4									
PK26	Welt or Besom Pocket Height	1/16	1/16	@	0									
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	@	1/4									
PK28	Pocket Opening-(on seam)-from HPS-(over 10")	1/4	1/4	@	1/2									
PK29	Pocket Opening-(on seam)-from Top Waist	1/8	1/8	@	0									
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/8	1/8	@	0									
PK30	Pocket Opening-(on seam)	1/8	1/8	@	0									
PK31	Pocket Bag Depth from Opening	1/4	1/4	@	0									
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4	@	0									
PK35	_____ Pocket from Bottom Opening	1/8	1/8	@	0									
PK36	Coin Pocket Height (Exposed)	1/8	1/8	@	1/8									
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	@	1/8									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML										
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	@	1/8										
PK39	Coin Pocket Width (Exposed)	1/8	1/8	@	1/8										
PL01	Pleat from CF	1/8	1/8	@	3/8										
PL02	Pleat from CB	1/8	1/8	@	3/8										
PL03	Pleat Spacing Apart-Fold to Fold	1/8	1/8	@	0										
PL04	Pleat Depth-(flat)	1/16	1/16	@	0										
PL05	Pleat Depth-(Flat)-from CF @ Yoke Seam	1/16	1/16	@	0										
PL05.1	Pleat Depth-(Flat)-from CB @ Yoke Seam	1/16	1/16	@	0										
PL06	Pleat Depth-(Flat)-from CF @ Bottom Opening	1/16	1/16	@	0										
PL06.1	Pleat Depth-(Flat)-from CB @ Bottom Opening	1/16	1/16	@	0										
PM01	Peplum Height @ CF	1/8	1/8	@	0										
PM02	Peplum Height @ SS	1/8	1/8	@	0										
PM03	Peplum Height @ CB	1/8	1/8	@	0										
PP01	Print Placement from HPS-(under 10")	1/8	1/8	@	1/4										
PP01.1	Print Placement from HPS-(over 10")	1/4	1/4	@	1/2										
PP02	Print Placement from CF	1/8	1/8	@	3/8										
PP03	Print Placement from CB	1/8	1/8	@	3/8										
PP04	Print Placement from Top Pocket	1/8	1/8	@	0										
PP05	Print Placement from SS	1/8	1/8	@	0										
PP06	Print Placement from Bottom Opening	1/8	1/8	@	0										
PP07	Print Placement from Sleeve Opening	1/8	1/8	@	0										
PP08	Print Placement from Shoulder Seam	1/8	1/8	@	1/4										
PS01	Princess Seam from HPS @ Front Armhole	1/8	1/8	@	1/4										

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
PS02	Princess Seam from CF @ Neck Seam	1/8	1/8	@	3/8									
PS03	Princess Seam from CF or CB @ Shoulder Seam	1/8	1/8	@	3/8									
PS04	Princess Seam from CF @ Raglan Seam	1/8	1/8	@	3/8									
PS05	Princess Seam from CF @ Yoke Seam	1/8	1/8	@	3/8									
PS06	Princess Seam from CF @ Chest	1/8	1/8	@	3/8									
PS07	Princess Seam from CF @ Waist	1/8	1/8	@	3/8									
PS08	Princess Seam from CF @ Top Pocket	1/8	1/8	@	3/8									
PS09	Princess Seam from CF @ Bottom Opening-Along Curve	1/8	1/8	@	3/8									
PS10	Princess Seam from CF @ Bottom Opening-Straight	1/8	1/8	@	3/8									
PS11	Princess Seam from HPS @ Back Armhole	1/8	1/8	@	1/4									
PS12	Princess Seam from CB @ Neck Seam	1/8	1/8	@	3/8									
PS13	Princess Seam from CB @ Raglan Seam	1/8	1/8	@	3/8									
PS14	Princess Seam from CB @ Yoke Seam	1/8	1/8	@	3/8									
PS15	Princess Seam from CB @ Chest	1/8	1/8	@	3/8									
PS16	Princess Seam from CB @ Waist	1/8	1/8	@	3/8									
PS17	Princess Seam from CB @ Bottom Opening-Along Curve	1/8	1/8	@	3/8									
PS18	Princess Seam from CB @ Bottom Opening-Straight	1/8	1/8	@	3/8									
RF01	Ruffle Height-Total	1/8	1/8	@	0									
RF02	Ruffle Height-Exposed	1/8	1/8	@	0									
RF03	Ruffle Width-Total	1/8	1/8	@	0									
RF04	Ruffle Width-Exposed	1/8	1/8	@	0									
SH01	Shirring from CF	1/8	1/8	@	3/8									
SH02	Shirring from CB	1/8	1/8	@	3/8									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
SH03	Shirring Width @ _____	1/8	1/8	@	0									
SM01	Smocking from HPS @ CF	1/4	1/4	@	1/2									
SM02	Smocking from HPS @ SS	1/4	1/4	@	1/2									
SM03	Smocking from HPS @ CB	1/4	1/4	@	1/2									
SM04	Smocking from CF	1/8	1/8	@	3/8									
SM05	Smocking Height-(eval stch gauge & grade accrdly)	1/8	1/8	@										
SM06	Smocking Width (non-graded option)	1/4	1/4	@	0									
SM07	Smocking Width @ Top- (graded option)	1/4	1/4	@	3/4									
SM08	Smocking Width @ Bottom-(graded option)	1/4	1/4	@	3/4									
SP01	Surplice Wrap Point from HPS	1/4	1/4	@	3/8									
SP02	Surplice Overlap Total Width @ Bodice Seam-und 4"	1/8	1/8	@	0									
SP03	Surplice Overlap Total Width @ Bodice Seam-ovr 4"	1/4	1/4	@	3/4									
ST01	Strap Length-Total	1/4	1/4	@	1/2									
ST02	Strap Overlap from Top "o" Ring to Center Slider	0	0	@	0									
ST03	Strap Width-(1/2" or under)	0	0	@	0									
ST04	Strap Width-(5/8" to 1 3/8")	1/16	1/16	@	0									
ST05	Strap Width-(1 1/2" or over)	1/8	1/8	@	0									
ST06	Front Straps Apart-Inside	1/4	1/4	@	5/8									
ST07	Back Straps Apart-Inside	1/4	1/4	@	5/8									
SW01	Stitches Per 1" Height	2	2	@	0									
SW02	Stitches Per 1" Width	2	2	@	0									
SW03	Net Weight	0	0	@	0									
TB01	Tab Height	1/8	1/8	@	0									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
TB02	Tab Height @ Center	1/8	1/8	@	0									
TB03	Tab Height @ Sides	1/8	1/8	@	0									
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	@	0									
TB04	Tab Width	1/8	1/8	@	0									
TB05	Tab Width @ Top	1/8	1/8	@	0									
TB06	Tab Width @ Bottom	1/8	1/8	@	0									
TB07	Tab from HPS @ CF	1/4	1/4	@	1/2									
TB08	Tab from HPS @ SS	1/4	1/4	@	1/2									
TB09	Tab from HPS @ CB	1/4	1/4	@	1/2									
TB10	Tab from CF	1/8	1/8	@	3/8									
TB11	Tab from SS on Front	1/8	1/8	@	0									
TB12	Tab from SS on Back	1/8	1/8	@	0									
TB13	Tab from Bottom Opening	1/8	1/8	@	0									
TK01	Tuck from CF	1/8	1/8	@	3/8									
TK02	Tuck from CB	1/8	1/8	@	3/8									
TK03	____Tuck Spacing Apart-Fold to Fold	1/16	1/16	@	0									
TK04	____Tuck Depth- Fold to Stitch	1/16	1/16	@	0									
TN01	____Tunnel Height	1/16	1/16	@	0									
TN02	Top of Tunnel Placement from HPS @ ____	1/4	1/4	@	1/2									
TR01	____Tier Placement from HPS-(under 10")	1/8	1/8	@	1/4									
TR02	____Tier Placement from HPS-(over 10")	1/4	1/4	@	1/2									
TR03	____Tier Placement from Shoulder	1/8	1/8	@	1/4									
TR04	____Tier Placement from Top Waist Seam	1/8	1/8	@	0									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
TR05	____ Tier Height-Exposed	1/8	1/8	@	0									
TS01	Tie Placement from HPS	1/4	1/4	@	1/2									
TS02	Tie Height	1/2	1/2	@	0									
TS03	Tie Length- Each	1/4	1/4	@	1 1/2									
TS04	Tie Spacing Apart @ CF-(graded)	1/4	1/4	@	3/4									
TS04.1	Tie Spacing Apart @ CF-(nongraded)	1/4	1/4	@	0									
TS05	Tie Spacing Apart @ CB-(graded)	1/4	1/4	@	3/4									
TS05.1	Tie Spacing Apart @ CB-(nongraded)	1/4	1/4	@	0									
VS01	Vent Opening Height	1/8	1/8	@	0									
VS02	Slit Opening Height	1/8	1/8	@	0									
WB01	WB-(top seam)- from HPS @ CF	1/4	1/4	@	1/2									
WB02	WB-(top seam)- from HPS @ SS	1/4	1/4	@	1/2									
WB03	WB-(top seam)- from HPS @ CB	1/4	1/4	@	1/2									
WB04	WB Height	1/16	1/16	@	0									
WB05	WB Height @ CF	1/16	1/16	@	0									
WB06	WB Height @ SS	1/16	1/16	@	0									
WB07	WB Height @ CB	1/16	1/16	@	0									
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	@	0									
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	@	0									
YK01	Front Yoke Seam from HPS @ Neck	1/8	1/8	@	1/4									
YK01.1	Front Yoke Seam Point from HPS	1/8	1/8	@	1/4									
YK02	Front Yoke Seam from HPS @ CF	1/8	1/8	@	1/4									
YK03	Front Yoke Seam from HPS @ Armhole	1/8	1/8	@	1/4									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
YK04	Back Yoke Seam from HPS @ Neck	1/8	1/8	@	1/8									
YK04.1	Back Yoke Seam Point from HPS	1/8	1/8	@	1/8									
YK05	Back Yoke Seam from HPS @ CB	1/8	1/8	@	1/8									
YK06	Back Yoke Seam from HPS @ Armhole	1/8	1/8	@	1/8									
YK07	Front Yoke Flap from HPS-Straight	1/8	1/8	@	1/4									
YK08	Front Yoke Flap from HPS @ Armhole	1/8	1/8	@	1/4									
YK09	Back Yoke Flap from HPS @ CB	1/8	1/8	@	1/8									
YK10	Back Yoke Flap from HPS @ Armhole	1/8	1/8	@	1/8									
YK11	Yoke Seam from Top Waist @ CF	1/8	1/8	@	0									
YK12	Yoke Seam from Top Waist @ SS	1/8	1/8	@	0									
YK13	Yoke Seam from Top Waist @ CB	1/8	1/8	@	0									
ZF01	Fly Length from Top Waist-(pants)	1/4	1/4	@	1/2									
ZF02	Fly Length from Top Waist-(skirts)	1/4	1/4	@	0									
ZF03	Fly Width	1/16	1/16	@	0									
ZF04	Zipper Length-(pants)	1/4	1/4	@	1/2									
ZF05	Zipper Length-(skirts)	1/4	1/4	@	0									
ZF06	Zipper Opening from Armhole @ Left SS	1/8	1/8	@	0									
ZF07	Zipper Opening- (over 8")	1/2	1/2	@	1/2									
ZF07.1	Zipper Opening- (8" or under)	1/4	1/4	@	0									
ZF08	Zipper Tape Length-(over 8")	1/2	1/2	@	1/2									
ZF08.1	Zipper Tape Length-(8" or under)	1/4	1/4	@	0									
VF01	Shoulder Forward Seam from HPS @ Neck	0	0	@	0									
VF02	Shoulder Forward Seam from HPS @ Armhole	0	0	@	0									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
VF03	Shoulder Slope from HPS to Armhole Seam@Back Fold	1/8	1/8	@	0									
VF03.1	Shoulder Slope from HPS @ Specified Placement	1/8	1/8	@	0									
VF03.2	Shoulder Slope Placement from CB	0	0	@	1/8									
VF04	Body Length @ CF from HPS	3/8	3/8	@	3/4									
VF05	Body Length @ CF from Top Bodice	1/4	1/4	@	1/2									
VF06	Body Length @ CF from Armhole	1/4	1/4	@	1/2									
VF07	Peak Height @ CF	1/8	1/8	@	0									
VF09	Front Neck Drop- HPS to Seam (under 10")	1/8	1/8	@	1/4									
VF09.1	Front Neck Drop- HPS to Edge (under 10")	1/8	1/8	@	1/4									
VF10	Front Neck Drop- HPS to Seam (over 10")	1/4	1/4	@	3/8									
VF10.1	Front Neck Drop- HPS to Edge (over 10")	1/4	1/4	@	3/8									
VF11	Front Neck Drop-Top Bodice to Seam	1/8	1/8	@	0									
VF11.1	Front Neck Drop-Top Bodice to Edge	1/8	1/8	@	0									
VF12	Front Neck Drop- from Armhole	1/8	1/8	@	0									
VF13	Front Neck Drop- Excluding Straps	1/8	1/8	@	0									
VF14	Funnel Neck Height from HPS	1/8	1/8	@	0									
VF15	Front Neck Height from Armhole	1/8	1/8	@	0									
VF16	Bodice Seam from HPS @ CF	1/8	1/8	@	1/2									
VF17	Bodice Seam from HPS @ Dart	1/8	1/8	@	1/2									
VF18	Bodice Seam from HPS @ SS	1/8	1/8	@	1/2									
VF19	Bodice Seam from Top Bodice @ CF	1/8	1/8	@	1/4									
VF20	Bodice Seam from Top Bodice @ Dart	1/8	1/8	@	1/4									
VF21	Bodice Seam from Top Bodice @ SS	1/8	1/8	@	1/4									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
VF22	Bodice Seam from Armhole @ CF	1/8	1/8	@	1/4									
VF23	Bodice Seam from Armhole @ Dart	1/8	1/8	@	1/4									
VF24	Bodice Seam from Armhole @ SS	1/8	1/8	@	1/4									
VF29	Across Chest Placement from HPS	0	0	@	1/4									
VF29.1	Chest Placement from HPS	0	0	@	3/8									
VF30	Waist Placement from HPS	0	0	@	1/2									
VF31	High Hip Placement from HPS	0	0	@	5/8									
VF32	Low Hip Placement from HPS	0	0	@	3/4									
VF33	Chest Placement from Top Bodice	0	0	@	0									
VF34	Waist Placement from Top Bodice	0	0	@	1/4									
VF35	High Hip Placement from Top Bodice	0	0	@	3/8									
VF36	Low Hip Placement from Top Bodice	0	0	@	1/2									
VF37	Chest Placement from Armhole	0	0	@	0									
VF38	Waist Placement from Armhole	0	0	@	1/4									
VF39	High Hip Placement from Armhole	0	0	@	3/8									
VF40	Low Hip Placement from Armhole	0	0	@	1/2									
VF41	High Hip Placement from Top Waist	0	0	@	1/4									
VF41.1	High Hip Placement from Bottom WB	0	0	@	1/4									
VF42	Low Hip Placement from Top Waist	0	0	@	1/2									
VF42.1	Low Hip Placement from Bottom WB	0	0	@	1/2									
VF43	Front Raglan Seam from HPS @ Neck Seam	1/8	1/8	@	1/4									
HF01	Neck Width-Seam to Seam @ HPS	1/4	1/4	@	3/8									
HF01.1	Neck Width-Edge to Edge @ HPS	1/4	1/4	@	3/8									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
HF01.2	Neck Width- @ Top Band Opening-Straight	1/4	1/4	@	3/8									
HF02	Front Neck Width-Seam to Seam @ HPS	1/4	1/4	@	3/8									
HF03	Neck Width-Seam to Seam @ Across Chest	1/4	1/4	@	3/8									
HF03.1	Neck Width-Edge to Edge @ Across Chest	1/4	1/4	@	3/8									
HF04	Neck Width-Seam to Seam @ Front Neck Drop	1/4	1/4	@	3/8									
HF05	Neck Width-Edge to Edge @ Front Neck Drop	1/4	1/4	@	3/8									
HF06	Raglan Seams Apart @ Front Neck	1/4	1/4	@	3/8									
HF07	Across Shoulder-Seam to Seam @ Back Fold	1/4	1/4	@	3/4									
HF07.1	Across Shoulder-Edge to Edge @ Back Fold	1/4	1/4	@	3/4									
HF08	Across Chest-Seam to Seam	1/4	1/4	@	3/4									
HF08.1	Across Chest-Edge to Edge	1/4	1/4	@	3/4									
HF09	Chest @ Armhole	1/4	1/4	@	1 1/2									
HF10	Chest @ 1" Below Armhole	1/4	1/4	@	1 1/2									
HF11	Chest @ Bodice Seam-Straight	1/4	1/4	@	1 1/2									
HF12	Waist	1/4	1/4	@	1 1/2									
HF13	Waist @ Seam-Along Curve	1/4	1/4	@	1 1/2									
HF14	Waist @ Top	1/4	1/4	@	1 1/2									
HF15	Waist @ Bottom	1/4	1/4	@	1 1/2									
HF16	Waist Extended	1/4	1/4	@	1 1/2									
HF17	Waist Relaxed	1/4	1/4	@	1 1/2									
HF18	High Hip	1/4	1/4	@	1 1/2									
HF19	High Hip-Along Yoke Seam	1/4	1/4	@	1 1/2									
HF20	Low Hip	1/4	1/4	@	1 1/2									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
HF21	Low Hip-Along Yoke Seam	1/4	1/4	@	1 1/2									
HF22	Bottom Opening-Straight	1/4	1/4	@	1 1/2									
HF22.1	Front Bottom Opening-CF to SS-Straight	1/8	1/8	@	1 1/2									
HF23	Bottom Opening-Along Curve	1/4	1/4	@	1 1/2									
HF23.1	Front Bottom Opening-CF to SS-Along Curve	1/8	1/8	@	3/4									
HF24	Sweep-Along Curve	1/4	1/4	@	1 1/2									
HF24.1	Front Sweep-SS to SS-Along Curve	1/4	1/4	@	1 1/2									
HF25	Lining Sweep-Along Curve	1/4	1/4	@	1 1/2									
VB01	Body Length @ CB from HPS	1/4	1/4	@	3/4									
VB02	Body Length @ CB from CB Neck	1/8	1/8	@	1/2									
VB03	Body Length @ CB from Armhole	1/8	1/8	@	1/2									
VB033	Peak Height @ CB	1/8	1/8	@	0									
VB04	Back Neck Drop-HPS to Seam-(under 3")	1/16	1/16	@	1/8									
VB04.1	Back Neck Drop-HPS to Edge-(under 3")	1/16	1/16	@	1/8									
VB04.2	Back Neck Drop-HPS to Seam-(over 3")	1/8	1/8	@	1/4									
VB04.3	Back Neck Drop-HPS to Edge-(over 3")	1/8	1/8	@	1/4									
VB05	Back Neck Drop-from Armhole	1/8	1/8	@	0									
VB06	Back Neck Drop-Excluding Straps	1/8	1/8	@	0									
VB07	Across Back Placement from HPS	0	0	@	1/4									
VB08	Bodice Seam from HPS @ CB	1/8	1/8	@	1/2									
VB09	Bodice Seam from Back Neck @ CB	1/8	1/8	@	1/4									
VB10	Bodice Seam from Armhole @ CB	1/8	1/8	@	1/4									
VB11	Back Raglan Seam from HPS @ Neck Seam	1/8	1/8	@	1/8									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
HB01	Back Neck Width-Seam to Seam	1/4	1/4	@	3/8									
HB02	Back Neck Width-Edge to Edge	1/4	1/4	@	3/8									
HB03	Raglan Seams Apart @ Back Neck	1/4	1/4	@	3/8									
HB04	Across Back-Seam to Seam	1/4	1/4	@	3/4									
HB04.1	Across Back-Edge to Edge	1/4	1/4	@	3/4									
HB05	Back Bottom Opening-SS to SS Along Curve	1/4	1/4	@	1 1/2									
HB06	Back Sweep-SS to SS Along Curve	1/4	1/4	@	1 1/2									
AH01	Armhole-Straight	3/16	3/16	@	1/2									
AH02	Armhole-Bodice Point to SS-Straight	1/8	1/8	@	1/4									
AH03	Armhole-Bodice Point to SS-Along Curve	1/8	1/8	@	1/4									
AH04	Armhole Drop from HPS-(straight)- @ SS	3/16	3/16	@	3/8									
SS02	Sleeve Length from Shoulder-Long	1/4	1/4	@	1/2									
SS02.1	Sleeve Length from Shoulder w/ Cuff Rolled Up-Long	1/4	1/4	@	1/2									
SS02.2	Sleeve Length frm Shoulder w/ Cuff Unrolled-Long	1/4	1/4	@	1/2									
SS03	Sleeve Length from Shoulder-Short	1/8	1/8	@	1/4									
SS03.1	Sleeve Length from Shoulder w/Cuff Rolled Up-Short	1/8	1/8	@	1/4									
SS03.2	Sleeve Length from Shoulder w/ Cuff Unrolled-Short	1/8	1/8	@	1/4									
SS04	Sleeve Length from Neck Seam @ HPS-Long	1/2	1/2	@	1									
SS04.1	Sleeve Length from Neck Edge @ HPS-Long	1/2	1/2	@	1									
SS05	Sleeve Length from Neck Seam @ HPS-Short	3/8	3/8	@	3/4									
SS05.1	Sleeve Length from Neck Edge @ HPS-Short	3/8	3/8	@	3/4									
SS06	Undersleeve Length-Long	1/8	1/8	@	1/4									
SS07	Undersleeve Length-Short	1/16	1/16	@	1/8									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
SS07.1	Sleeve Cap Height	1/8	1/8	@	1/4									
SS08	Sleeve Cap Width @ 3" from Shoulder	1/4	1/4	@										
SS09	Sleeve Width @ 1" Below Armhole	1/8	1/8	@	1/2									
SS10	Sleeve Width @ 13" from Shoulder	1/8	1/8	@	3/8									
SS11	Sleeve Width @ 5" up from Opening	1/8	1/8	@	1/4									
SS12	Sleeve Width @ Top Cuff Seam	1/8	1/8	@	1/4									
SS13	Sleeve Width @ Top Cuff Seam-Relaxed	1/8	1/8	@	1/4									
SS14	Sleeve Width @ Top Cuff Seam-Extended	1/8	1/8	@	1/4									
SS15	Sleeve Width @ Opening-Long	1/8	1/8	@	1/4									
SS16	Sleeve Width @ Opening-Relaxed-Long	1/8	1/8	@	1/4									
SS17	Sleeve Width @ Opening-Extended-Long	1/8	1/8	@	1/4									
SS18	Sleeve Width @ Opening-Along Curve-Long	1/8	1/8	@	1/4									
SS19	Sleeve Width @ Opening-Short	1/8	1/8	@	1/2									
SS20	Sleeve Width @ Opening-Relaxed-Short	1/8	1/8	@	1/2									
SS21	Sleeve Width @ Opening-Extended-Short	1/8	1/8	@	1/2									
SS21.1	Cap Sleeve Width @ Opening-Along Curve-Short	1/8	1/8	@	1/2									
SS21.2	Cap Sleeve Width @ Opening-Along Curve-Total	1/4	1/4	@	1									
SS22	Front Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	@	1/4									
SS23	Front Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	@	1/2									
SS24	Back Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	@	1/4									
SS25	Back Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	@	1/2									
PT01	Front Rise from Top Waist	1/4	1/4	@	3/4									
PT02	Back Rise from Top Waist	1/4	1/4	@	3/4									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
PT03	Thigh @ 1" Below Crotch	1/4	1/4	@	1									
PT04	Thigh @ __" Below Crotch	1/4	1/4	@	3/4									
PT05	Knee @ __" Below Crotch	1/4	1/4	@	1/2									
PT06	Leg Opening-(for inseams over 6")	1/4	1/4	@	1/2									
PT07	Leg Opening-(for inseams under 6")	1/4	1/4	@	1									
PT08	Inseam-(22" or Longer)	1/2	1/2	@	0									
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	1/2	1/2	@	0									
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	1/2	1/2	@	0									
PT09	Inseam-(under 6")	1/4	1/4	@	0									
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	@	0									
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	@	0									
PT09.3	Inseam-(6" to 21")	1/4	1/4	@	0									
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/4	1/4	@	0									
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/4	1/4	@	0									
PT10	Outseam from Top Waist-(22" or Longer)	5/8	5/8	@	1/2									
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22"or L)	5/8	5/8	@	1/2									
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22"or L)	5/8	5/8	@	1/2									
PT11	Outseam from Top Waist-(under 6")	3/8	3/8	@	1/2									
PT11.1	Outseam from Top Waist w/Cuff Rolled Up(under 6")	3/8	3/8	@	1/2									
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	3/8	3/8	@	1/2									
PT11.3	Outseam from Top Waist-(6" to 21")	3/8	3/8	@	1/2									
PT11.4	Outseam from Top Waist w/Cuff Rolled Up(6"to21")	3/8	3/8	@	1/2									
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6"to21")	3/8	3/8	@	1/2									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML									
PT12	Back Knee Seam from Bottom Opening	1/4	1/4	@	0									
SK01	CF Waist Level Drop from CB	0	0	@	0									
SK02	Waist Curve from SS to CB	0	0	@	0									
SK03	Skirt Length from Top Waist @ CB-(18" or over)	3/8	3/8	@	0									
SK03.1	Skirt Length from Top Waist @ CB-(under 18")	1/4	1/4	@	0									
SK04	Skirt Length from Top Waist @ SS-(18" or over)	3/8	3/8	@	0									
SK04.1	Skirt Length from Top Waist @ SS-(under 18")	1/4	1/4	@	0									
UG01	Waist @ Top Relaxed			@	1 1/2									
UG02	Waist @ Top Extended			@	1 1/2									
UG03	Upper Front Width Placement from Crotch Seam			@	1/4									
UG04	Upper Front Width			@	3/4									
UG05	Lower Front Width Placement from Crotch Seam			@	1/8									
UG06	Lower Front Width			@	1/2									
UG07	Front Crotch Width-Along Seam			@	1/4									
UG07.1	Front Crotch Width @ Crotch Panel Edge			@	1/4									
UG08	Narrowest Crotch Width Plcmnt from Bk Crotch Seam			@	1/8									
UG09	Narrowest Crotch Width			@	0									
UG10	Back Crotch Width Along Seam			@	1/4									
UG11	Crotch Panel Length @ Center			@	1/4									
UG12	Upper Back Width Placement from Crotch Seam			@	1/4									
UG13	Upper Back Width			@	3/4									
UG14	Lower Back Width Placement from Crotch Seam			@	1/8									
UG15	Lower Back Width			@	1/2									

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: SM-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	SM	ML										
UG16	Front Panel Length from Top to Crotch Seam			@	3/8										
UG17	Back Panel Length from Top to Crotch Seam			@	3/8										
UG18	Side Length from Top @ Seam			@	0										
UG18.1	Side Length from Top @ Fold			@	0										
UG19	Leg Opening (1/2) Relaxed			@	3/4										
UG20	Leg Opening (1/2) Extended			@	3/4										
UG21	Minimum Stretch @ Waist (1/2)			@	1 1/2										
UG22	Minimum Stretch @ Leg Opening (1/2)			@	3/4										

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
AH01	Armhole-Straight	3/16	3/16	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
AH02	Armhole-Bodice Point to SS-Straight	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
AH03	Armhole-Bodice Point to SS-Along Curve	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
AH04	Armhole Drop from HPS-(straight)- @ SS	3/16	3/16	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
BB01	Bib Seam from HPS @ CF-(under10")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
BB01.1	Bib Seam from HPS @ CF-(over10")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
BB02	Bib Seam from CF @ Shoulder Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BB03	Bib Seam from CF @ Neck Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BB04	Bib Seam from CF @ Across Chest Placement	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BC01	Bust Cup Height @ Center	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
BC02	Bust Cup Width @ Ends	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
BD01	Bottom Band Height	1/8	1/8					@							
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	1 1 1/2	1 1 1/2	1 1 1/2	1 1 1/2	@ 1 1/2	1	1	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
BT01.1	Belt Length-Total @ _____	1/2	1/2	1 1 1/2	1 1 1/2	1 1 1/2	1 1 1/2	@ 1 1/2	1	1	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
BT02	Belt Height	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	1 1 1/2	1 1 1/2	1 1 1/2	1 1 1/2	@ 1 1/2	1	1	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
BT04	Belt Loop Length	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT05	Belt Loop Length @ Center	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT06	Belt Loop Length @ Sides	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT07	Belt Loop Width	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT08	Belt Loop Width @ Top	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT09	Belt Loop Width @ Bottom	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT10	Belt Loop from HPS @ SS	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
BT10.1	Belt Loop from Armhole @ SS	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
BT11	Front Belt Loop from HPS	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
BT12	Back Belt Loop from HPS	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
BT13	CB Belt Loop from HPS	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
BT14	Front Belt Loop from CF @ Top of Loop	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT14.1	Front Belt Loop from CF @ Bottom of Loop	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT16	Back Belt Loop from CB @ Top of Loop	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
BT17	Belt Loop from Bottom Sleeve Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
BT18	_____ Belt Loop Spacing	1/8	1/8					@							
CF01	Cuff Height	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CF02	Cuff Height Exposed	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL01	Collar Height @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL02	Collar Roll Height-Inside CB Neck Seam to Top Roll	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL03	Collar Length @ Outer Edge-Point to Point	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
CL04	Collar Length @ Outer Edge-CB To CF Along Curve	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
CL05	Collar Length @ Neck Seam	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
CL05.1	Collar Length @ Top Neckband Seam	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
CL06	Collar Point	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL07	Collar Spread	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL08	Collar Spacing Apart @ CF Neck Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL09	Neckband Height @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL10	Neckband Height @ Front Edge	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL11	Neckband Length @ Top Band Along Seam	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
CL12	Neckband Length @ Bottom Band Along Seam	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
CL13	Neckband-Center of Button to Front End of Btnhole	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
CL14	Notch Intersection from HPS	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
CL15	Lapel Point from HPS-(Lapel Folded)	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
CL16	Lapel Point	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL17	Lapel Width-(Roll Line to Lapel Point-Straight)	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL18	Lapel Width-(Lapel Seam to Lapel Point-Straight)	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL19	Lapel Notch Spread	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL20	Lapel-Neckband Overlap Width @ Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
CL21	Collar Height Cape @ 3 inches	1/8	1/8					@							
DP01	Center of 1st _____ from HPS(under 10")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
DP02	Center of 1st _____ from HPS (over 10")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
DP03	Center of (spec #) _____ from HPS (over 10")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
DP04	Center of _____ from Bottom Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DP05	_____ Vertical Spacing Apart-Center to Center	1/8	1/8					@							
DP06	_____ Horizontal Spacing Apart-Center to Center	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DS01	Drawstring Length Total	1/2	1/2	1 1 1/2	1 1 1/2	1 1 1/2	1 1 1/2	@ 1 1/2	1	1	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
DS02	Drawstring Exposed Length-(each)-Tunnel Extended	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DS03	Drawstring Height	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT01	Bust Dart Apex (point) from HPS	1/8	1/8	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT02	Bust Dart Apex (point) from Armhole	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
DT03	Bust Dart Leg from HPS @ SS	1/8	1/8	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT04	Bust Dart Leg from Armhole @ SS	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
DT05	Bust Dart Length	1/8	1/4	1/16 1/8	1/16 1/8	1/16 1/8	1/16 1/8	@ 1/8	1/16	1/16	1/8	1/8	1/8	1/8	1/8
DT06	Front Waist Dart Apex (point) from HPS	1/8	1/8	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT07	Front Waist Dart Apex (point) from Armhole	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
DT08	Front Waist Dart Apex (point) from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT09	Front Waist Dart from CF @ Bodice Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT10	Front Waist Dart from CF @ Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT11	Front Waist Dart from CF @ Top Pocket	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT11.1	Front Waist Dart from CF @ Bottom Opening	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT12	Front Waist Dart Length	1/8	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT13	Back Waist Dart Apex (point) from HPS	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT14	Back Waist Dart Apex (point) from Armhole	1/8	1/8	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
DT15	Back Waist Dart Apex (point) from CB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT16	Back Waist Dart from CB @ Bodice Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT17	Back Waist Dart from CB @ Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT17.1	Back Waist Dart from CB @ Bottom Opening	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT18	Back Waist Dart Length	1/8	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT19	Front Dart Length from Top Waist	1/8	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
DT19.1	Back Dart Length from Top Waist	1/8	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT20	Front Dart from CF @ Top Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT21	Back Dart from CB @ Top Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
DT22	Front Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT23	Front Neck Dart Apex (point) Spacing Apart	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT24	Front Neck Dart Length	1/8	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT25	Back Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT26	Back Neck Dart Apex (point) Spacing Apart	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
DT27	Back Neck Dart Length	1/8	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT28	Elbow Dart Leg from Armhole Along Seam	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
DT29	Elbow Dart Leg Spacing Apart @ Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT30	Elbow Dart Apex (point) Spacing Apart	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT31	Elbow Dart Length	1/8	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT35	Knee Dart Length	1/8	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT36	_____ Dart Intake (flat)	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
DT37	Shoulder Dart Length	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
EP01	Epaulet Length @ Center	1/8	1/8	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
EP02	Epaulet Length @ Sides	1/8	1/8	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
EP03	Epaulet Width	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
EP04	Epaulet Edge from Neck Edge	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
FC01	Facing Height	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
FC02	Facing Width	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
FL01	Flounce Height @ CF	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
FL02	Flounce Height @ SS	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
FL03	Flounce Height @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
FL04	Sleeve Flounce Height	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
GD01	Godet Height @ Center	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
GD02	Godet Width @ Bottom-Along Curve or Straight	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
GD03	Godet Point from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
GD04	Godet Point from CB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
GD05	Godet Spacing Apart-Point to Point	1/8	1/8					@							
HB01	Back Neck Width-Seam to Seam @ Shldr. Sm.	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HB02	Back Neck Width-Edge to Edge @ Shldr Sm.	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HB03	Raglan Seams Apart @ Back Neck	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HB04	Across Back-Seam to Seam	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HB04.1	Across Back-Edge to Edge	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HB05	Back Bottom Opening-SS to SS Along Curve	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HB06	Back Sweep-SS to SS Along Curve	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
HB07	Back Chest Along Edge Between Side Seams	1/4	1/4					@							
HD01	Hood Opening- Along Seam	1/4	1/4	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
HD02	Hood Height-Straight from HPS	1/4	1/4	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
HD02.1	Hood Height @ CF	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HD03	Hood Width @ __from HPS	1/4	1/4	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
HD04	Hood Center Panel Width @ Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HD05	Hood Center Panel Width @ Back Neck Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HD06	Hood Center Panel Length @ Center	3/16	3/16	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF00.1	Neck Width Edge to Edge @ HPS (8 - 11")	1/8	1/8					@							
HF00.2	Neck Width Edge to Edge @ HPS (+11in.)	1/8	1/8					@							
HF00.3	Neck Width Seam to Seam @ HPS (8 - 11")	1/8	1/8					@							
HF00.4	Neck Width Seam to Seam @ HPS (+11")	1/8	1/8					@							
HF00.5	Neck Width Edge to Edge @ Shldr Sm (8 -11")	1/8	1/8					@							
HF00.6	Neck Width Edge to Edge @ Shlder Sm (+ 11")	1/8	1/8					@							
HF00.7	Neck Width Seam to Seam @ Shldr Sm (8 - 11")	1/8	1/8					@							
HF00.8	Neck Width Seam to Seam @ Shldr Sm (+11")	1/8	1/8					@							
HF01	Neck Width-Seam to Seam @ HPS	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF01.1	Neck Width-Edge to Edge @ HPS	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF01.2	Neck Width- @ Top Band Opening-Straight	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF01.3	Neck Width Seam to Seam @ Shoulder Seam	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF01.4	Neck Width Edge to Edge @ Shoulder Seam	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF02	Front Neck Width-Seam to Seam @ HPS	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF02.1	Front Neck Width - Edge to Edge @ HPS	1/4	1/4					@							
HF03	Neck Width-Seam to Seam @ Across Chest	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF03.1	Neck Width-Edge to Edge @ Across Chest	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF04	Neck Width-Seam to Seam @ Front Neck Drop	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
HF05	Neck Width-Edge to Edge @ Front Neck Drop	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF06	Raglan Seams Apart @ Front Neck	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
HF07	Across Shoulder-Seam to Seam @ Back Fold	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HF07.1	Across Shoulder-Edge to Edge @ Back Fold	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HF08	Across Chest-Seam to Seam	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HF08.1	Across Chest-Edge to Edge	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HF09	Chest @ Armhole	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF09.1	Chest @ Armhole CF to CB	1/4	1/4					@							
HF10	Chest @ 1" Below Armhole	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF10.1	Chest @ 1" Below Armhole CF to CB	1/4	1/4					@							
HF11	Chest @ Bodice Seam-Straight	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF12	Waist	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF13	Waist @ Seam-Along Curve	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF14	Waist @ Top	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF15	Waist @ Bottom	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF16	Waist Extended	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF17	Waist Relaxed	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF18	High Hip	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF19	High Hip-Along Yoke Seam	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF20	Low Hip	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF21	Low Hip-Along Yoke Seam	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF22	Bottom Opening-Straight	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF22.1	Front Bottom Opening-CF to SS-Straight	1/8	1/8	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
HF23	Bottom Opening-Along Curve	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF23.1	Front Bottom Opening-CF to SS-Along Curve	1/8	1/8	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
HF24	Sweep-Along Curve	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF24.1	Front Sweep-SS to SS-Along Curve	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HF25	Lining Sweep-Along Curve	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
HL01	Hanger Loop-Total Length	1/4	1/4					@							
HL02	Hanger Loop from _____	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HM01	Hem Height	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HM02	Hem Height-Include Binding	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HM03	Hem Height-to Lining Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
HM04	Hem Height - To Finished Lining Edge	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
KH01	Keyhole Opening-Edge to Edge	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
KH02	Keyhole Width @ Center-Edge to Edge	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
MS01	Minimum Stretch @ Neck Opening	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
MS02	Minimum Stretch @ Back Neck	1/4	1/4	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
MS03	Minimum Stretch @ Waist	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
MS04	Minimum Stretch @ Bottom Opening	1/4	1/4	1/2 3/4	1/2 3/4	1/2 3/4	1/2 3/4	@ 3/4	1/2	1/2	3/4	3/4	3/4	3/4	3/4
MS05	Minimum Stretch @ Top Cuff Seam	1/4	1/4	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
MS06	Minimum Stretch @ Sleeve Opening	1/4	1/4	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PA01	Placket Length @ Center	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PA02	Placket Length @ Sides	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PA03	Placket Width	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PA04	Placket Facing Width	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
PK01	Chest Pocket from HPS @ CF Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK02	Chest Pocket from HPS @ SS Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK03	_____ Pocket from HPS @ CF Side-(over 10")	1/4	1/4					@							
PK04	_____ Pocket from HPS @ SS Side-(over 10")	1/4	1/4					@							
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK08.1	Jean Pocket from Bottom WB @ SS Side	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK10.1	Pocket from Bottom Waist @ Outer Side	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK11.1	Pocket from CF @ Bottom (use for graded pockets)	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK12.2	Pocket from CF @ Bottom (use for non-graded pkts)	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	1/16 1/8	1/16 1/8	1/16 1/8	1/16 1/8	@ 1/8	1/16	1/16	1/8	1/8	1/8	1/8	1/8
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	1/16 1/8	1/16 1/8	1/16 1/8	1/16 1/8	@ 1/8	1/16	1/16	1/8	1/8	1/8	1/8	1/8
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK15.3	Pocket frm CB @ Bottom (use for graded pocket)	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK15.4	Pocket frm CB @ Bottom (use for non-graded pocket)	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PK16	_____ Pocket Height @ Center	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK17	_____ Pocket Height @ Sides	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK22	_____ Pocket Width @ Top	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK23	_____ Pocket Width @ Bottom	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK26	Welt or Besom Pocket Height	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK28	Pocket Opening-(on seam)-from HPS-(over 10")	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PK29	Pocket Opening-(on seam)-from Top Waist	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PK30	Pocket Opening-(on seam)	1/8	1/8	0 1/4	0 0	1/4 0	0 1/4	@ 0	0	1/4	0	0	1/4	0	0
PK31	Pocket Bag Depth from Opening	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4					@							
PK35	_____ Pocket from Bottom Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PK36	Coin Pocket Height (Exposed)	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PK39	Coin Pocket Width (Exposed)	1/8	1/8	0 1/8	0 0	1/8 0	0 1/8	@ 0	0	1/8	0	0	1/8	0	0
PL01	Pleat from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PL02	Pleat from CB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PL03	Pleat Spacing Apart-Fold to Fold	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PL04	Pleat Depth-(flat)	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PL05	Pleat Depth-(Flat)-from CF @ Yoke Seam	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
PL05.1	Pleat Depth-(Flat)-from CB @ Yoke Seam	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
PL06	Pleat Depth-(Flat)-from CF @ Bottom Opening	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PL06.1	Pleat Depth-(Flat)-from CB @ Bottom Opening	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PL07	Sleeve Pleat From Opening	1/8	1/8					@							
PL08	Stitched Pleat Length	1/16	1/16					@							
PM01	Peplum Height @ CF	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PM02	Peplum Height @ SS	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PM03	Peplum Height @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PP01	Print Placement from HPS-(under 10")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PP01.1	Print Placement from HPS-(over 10")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PP02	Print Placement from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PP03	Print Placement from CB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PP04	Print Placement from Top Pocket	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PP05	Print Placement from SS	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PP06	Print Placement from Bottom Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
PP07	Print Placement from Sleeve Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PP08	Print Placement from Shoulder Seam	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PS01	Princess Seam from HPS @ Front Armhole	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PS02	Princess Seam from CF @ Neck Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS03	Princess Seam from CF or CB @ Shoulder Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS04	Princess Seam from CF @ Raglan Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS05	Princess Seam from CF @ Yoke Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS06	Princess Seam from CF @ Chest	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS07	Princess Seam from CF @ Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS08	Princess Seam from CF @ Top Pocket	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS09	Princess Seam from CF @ Bottom Opening-Along Curve	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS10	Princess Seam from CF @ Bottom Opening-Straight	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS11	Princess Seam from HPS @ Back Armhole	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
PS12	Princess Seam from CB @ Neck Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS13	Princess Seam from CB @ Raglan Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS14	Princess Seam from CB @ Yoke Seam	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS15	Princess Seam from CB @ Chest	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS16	Princess Seam from CB @ Waist	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS17	Princess Seam from CB @ Bottom Opening-Along Curve	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PS18	Princess Seam from CB @ Bottom Opening-Straight	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PT01	Front Rise from Top Waist	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PT01.1	Front Rise From Bottom of WB	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PT02	Back Rise from Top Waist	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
PT02.1	Back Rise From Bottom of WB	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
PT03	Thigh @ 1" Below Crotch	1/4	1/4	3/8 1/2	3/8 1/2	3/8 1/2	3/8 1/2	@ 1/2	3/8	3/8	1/2	1/2	1/2	1/2	1/2
PT04	Thigh @ ___" Below Crotch	1/4	1/4	5/16 3/8	5/16 3/8	5/16 3/8	5/16 3/8	@ 3/8	5/16	5/16	3/8	3/8	3/8	3/8	3/8
PT05	Knee @ ___" Below Crotch	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT06	Leg Opening-(for inseams over 6")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT07	Leg Opening-(for inseams under 6")	1/4	1/4	3/8 1/2	3/8 1/2	3/8 1/2	3/8 1/2	@ 1/2	3/8	3/8	1/2	1/2	1/2	1/2	1/2
PT08	Inseam-(22" or Longer)	1/2	1/2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	1/2	1/2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	1/2	1/2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT08.3	Inseam (men's gang grade)	1/2	1/2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT09	Inseam-(under 6")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT09.3	Inseam-(6" to 21")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT10	Outseam from Top Waist-(22" or Longer)	5/8	5/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22" or L)	5/8	5/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22" or L)	5/8	5/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11	Outseam from Top Waist-(under 6")	3/8	3/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.1	Outseam from Top Waist w/Cuff Rolled Up-(under 6")	3/8	3/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	3/8	3/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.3	Outseam from Top Waist-(6" to 21")	3/8	3/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
PT11.4	Outseam from Top Waist w/Cuff Rolled Up(6"to21")	3/8	3/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6"to21")	3/8	3/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
PT12	Back Knee Seam from Bottom Opening	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
PT13	Front Leg Seam from CF Seam @ Waist	1/16	1/16	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PT13.1	Front Leg Seam from Ineam @ Leg Opening	1/16	1/16	3/32 3/32	3/32 3/32	3/32 3/32	3/32 3/32	@ 3/32	3/32	3/32	3/32	3/32	3/32	3/32	3/32
PT14	Back Leg Seam from CB Seam @ Waist	1/16	1/16	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
PT14.1	Back Leg Seam from Ineam @ Leg Opening	1/16	1/16	3/32 3/32	3/32 3/32	3/32 3/32	3/32 3/32	@ 3/32	3/32	3/32	3/32	3/32	3/32	3/32	3/32
PT15	Side Front Leg Seam from CF Seam @ Waist	1/8	1/8	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
PT15.1	Side Front Leg Seam from Ineam @ Leg Opening	1/8	1/8	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
PT16	Side Back Leg Seam from CF Seam @ Waist	1/8	1/8	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
PT16.1	Side Back Leg Seam from Ineam @ Leg Opening	1/8	1/8	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
PT17	Side Leg Panel Width @ Top & Bottom	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
RF01	Ruffle Height-Total	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
RF02	Ruffle Height-Exposed	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
RF03	Ruffle Width-Total	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
RF04	Ruffle Width-Exposed	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SH01	Shirring from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SH02	Shirring from CB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SH03	Shirring Width @ _____	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SK01	CF Waist Level Drop from CB	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SK02	Waist Curve from SS to CB	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SK03	Skirt Length from Top Waist @ CB-(18" or over)	3/8	3/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SK03.1	Skirt Length from Top Waist @ CB-(under 18")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
SK04	Skirt Length from Top Waist @ SS-(18" or over)	3/8	3/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SK04.1	Skirt Length from Top Waist @ SS-(under 18")	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SK05	Skirt Length From Top Waist @CF (18" or over)	3/8	3/8					@							
SK05.1	Skirt Length From Top Waist @CF (under 18")	1/4	1/4					@							
SK06	High Hip Placement from Top of Waist	0	0					@							
SK06.1	Low Hip Placement from Top of Waist	0	0					@							
SM01	Smocking from HPS @ CF	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SM02	Smocking from HPS @ SS	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SM03	Smocking from HPS @ CB	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SM04	Smocking from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SM05	Smocking Height-(eval stch gauge & grade accrdly)	1/8	1/8					@							
SM06	Smocking Width (non-graded option)	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SM07	Smocking Width @ Top- (graded option)	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
SM08	Smocking Width @ Bottom-(graded option)	1/4	1/4	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
SP01	Surplice Wrap Point from HPS	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SP02	Surplice Overlap Total Width @ Bodice Seam-und 4"	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SP03	Surplice Overlap Total Width @ Bodice Seam-ovr 4"	1/4	1/4	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SS02	Sleeve Length from Shoulder-Long	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SS02.1	Sleeve Length from Shoulder w/ Cuff Rolled Up-Long	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SS02.2	Sleeve Length frm Shoulder w/ Cuff Unrolled-Long	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
SS03	Sleeve Length from Shoulder-Short	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS03.1	Sleeve Length from Shoulder w/Cuff Rolled Up-Short	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS03.2	Sleeve Length from Shoulder w/ Cuff Unrolled-Short	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
SS04	Sleeve Length from Neck Seam @ HPS-Long	1/2	1/2	3/8 1/2	3/8 1/2	3/8 1/2	3/8 1/2	@ 1/2	3/8	3/8	1/2	1/2	1/2	1/2	1/2
SS04.1	Sleeve Length from Neck Edge @ HPS-Long	1/2	1/2	3/8 1/2	3/8 1/2	3/8 1/2	3/8 1/2	@ 1/2	3/8	3/8	1/2	1/2	1/2	1/2	1/2
SS05	Sleeve Length from Neck Seam @ HPS-Short	3/8	3/8	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
SS05.1	Sleeve Length from Neck Edge @ HPS-Short	3/8	3/8	1/4 3/8	1/4 3/8	1/4 3/8	1/4 3/8	@ 3/8	1/4	1/4	3/8	3/8	3/8	3/8	3/8
SS06	Undersleeve Length-Long	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS07	Undersleeve Length-Short	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SS07.1	Sleeve Cap Height	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS08	Sleeve Cap Width @ 3" from Shoulder	1/4	1/4					@							
SS09	Sleeve Width @ 1" Below Armhole	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
SS10	Sleeve Width @ 13" from Shoulder	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SS11	Sleeve Width @ 5" up from Opening	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS11.1	Sleeve Width @6" up from Cuff Seam	1/8	1/8					@							
SS12	Sleeve Width @ Top Cuff Seam	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS13	Sleeve Width @ Top Cuff Seam-Relaxed	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS14	Sleeve Width @ Top Cuff Seam-Extended	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS15	Sleeve Width @ Opening-Long	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS16	Sleeve Width @ Opening-Relaxed-Long	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS17	Sleeve Width @ Opening-Extended-Long	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS18	Sleeve Width @ Opening-Along Curve-Long	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS19	Sleeve Width @ Opening-Short	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
SS20	Sleeve Width @ Opening-Relaxed-Short	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
SS21	Sleeve Width @ Opening-Extended-Short	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4
SS21.1	Cap Sleeve Width @ Opening-Along Curve-Short	1/8	1/8	3/16 1/4	3/16 1/4	3/16 1/4	3/16 1/4	@ 1/4	3/16	3/16	1/4	1/4	1/4	1/4	1/4

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
SS21.2	Cap Sleeve Width @ Opening-Along Curve-Total	1/4	1/4	3/8 5/16	3/8 5/16	3/8 5/16	3/8 5/16	@ 5/16	3/8	3/8	5/16	5/16	5/16	5/16	5/16
SS22	Front Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS23	Front Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SS24	Back Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
SS25	Back Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
SS26	Armhole Gusset Width Front to Back	1/8	1/8					@							
SS27	Armhole Gusset Height End to End	1/8	1/8					@							
ST01	Strap Length-Total (extends to across back)	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
ST01.1	Strap Length - Total (extends to back chest)	1/4	1/4					@							
ST02	Strap Overlap from Top "o" Ring to Center Slider	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ST03	Strap Width-(1/2" or under)	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ST04	Strap Width-(5/8" to 1 3/8")	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ST05	Strap Width-(1 1/2" or over)	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ST06	Front Straps Apart-Inside	1/4	1/4	1/4 5/16	1/4 5/16	1/4 5/16	1/4 5/16	@ 5/16	1/4	1/4	5/16	5/16	5/16	5/16	5/16
ST07	Back Straps Apart-Inside	1/4	1/4	1/4 5/16	1/4 5/16	1/4 5/16	1/4 5/16	@ 5/16	1/4	1/4	5/16	5/16	5/16	5/16	5/16
SW01	Stitches Per 1" Height	2	2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SW02	Stitches Per 1" Width	2	2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
SW03	Net Weight	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB01	Tab Height	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB02	Tab Height @ Center	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB03	Tab Height @ Sides	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB04	Tab Width	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
TB05	Tab Width @ Top	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB06	Tab Width @ Bottom	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TB07	Tab from HPS @ CF	1/4	1/4					@							
TB08	Tab from HPS @ SS	1/4	1/4					@							
TB09	Tab from HPS @ CB	1/4	1/4					@							
TB10	Tab from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TB11	Tab from SS on Front	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TB12	Tab from SS on Back	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TB13	Tab from Bottom Opening	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TK01	Tuck from CF	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TK02	Tuck from CB	1/8	1/8	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TK03	____Tuck Spacing Apart-Fold to Fold	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TK04	____Tuck Depth- Fold to Stitch	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TN01	____Tunnel Height	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TN02	Top of Tunnel Placement from HPS @____	1/4	1/4					@							
TR01	____Tier Placement from HPS-(under 10")	1/8	1/8	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
TR02	____Tier Placement from HPS-(over 10")	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
TR03	____Tier Placement from Shoulder	1/8	1/8					@							
TR04	____Tier Placement from Top Waist Seam	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
TR05	____Tier Height-Exposed	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TS01	Tie Placement from HPS	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
TS02	Tie Height	1/2	1/2	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TS03	Tie Length- Each	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
TS04	Tie Spacing Apart @ CF-(graded)	1/4	1/4	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TS04.1	Tie Spacing Apart @ CF-(nongraded)	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
TS05	Tie Spacing Apart @ CB-(graded)	1/4	1/4	1/8 3/16	1/8 3/16	1/8 3/16	1/8 3/16	@ 3/16	1/8	1/8	3/16	3/16	3/16	3/16	3/16
TS05.1	Tie Spacing Apart @ CB-(nongraded)	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
UG01	Waist @ Top Relaxed	1/2	1/2					@							
UG01.1	Front Waist (Thong)	1/2	1/2					@							
UG02	Waist @ Top Extended	1/2	1/2					@							
UG03	Upper Front Width Placement from Crotch Seam	0	0					@							
UG03.1	Upper Front Width Placement from Top Waist	0	0					@							
UG04	Upper Front Width	1/4	1/4					@							
UG04.1	Upper Front Width (Thong)	1/8	1/8					@							
UG05	Lower Front Width Placement from Crotch Seam	0	0					@							
UG05.1	Lower Front Width Placement from Top Waist	0	0					@							
UG06	Lower Front Width	1/4	1/4					@							
UG06.1	Lower Front Width (Thong)	1/8	1/8					@							
UG07	Front Crotch Width-Along Seam	1/4	1/4					@							
UG07.1	Front Crotch Width @ Crotch Panel Edge	1/8	1/8					@							
UG08	Narrowest Crotch Width Plcmnt from Bk Crotch Seam	0	0					@							
UG09	Narrowest Crotch Width	1/8	1/8					@							
UG10	Back Crotch Width Along Seam	1/4	1/4					@							
UG11	Crotch Panel Length @ Center	1/4	1/4					@							
UG12	Upper Back Width Placement from Crotch Seam	0	0					@							
UG12.1	Upper Back Width Placement from Top Waist	0	0					@							

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
UG13	Upper Back Width	1/4	1/4					@							
UG14	Lower Back Width Placement from Crotch Seam	0	0					@							
UG14.1	Lower Back Width Placement from Top Waist	0	0					@							
UG15	Lower Back Width	1/4	1/4					@							
UG16	Front Panel Length from Top to Crotch Seam	1/4	1/4					@							
UG17	Back Panel Length from Top to Crotch Seam	1/4	1/4					@							
UG18	Side Length from Top @ Seam	1/4	1/4					@							
UG18.1	Side Length from Top @ Fold	1/4	1/4					@							
UG19	Leg Opening (1/2) Relaxed	1/4	1/4					@							
UG19.1	Thong Leg Opening to Point - Relaxed	1/4	1/4					@							
UG19.2	Thong Leg Opening Total - Relaxed	1/4	1/4					@							
UG20	Leg Opening (1/2) Extended	1/4	1/4					@							
UG20.1	Thong Leg Opening to Point - Extended	1/4	1/4					@							
UG20.2	Thong Leg Opening Total - Extended	1/4	1/4					@							
UG21	Minimum Stretch @ Waist (1/2)	1/4	1/4					@							
UG22	Minimum Stretch @ Leg Opening (1/2)	1/4	1/4					@							
UG22.1	Min Stretch @ Thong Leg Opening to Point	1/4	1/4					@							
UG22.2	Min Stretch @ Thong Leg Opening Total	1/4	1/4					@							
UG23	Thong Back Width	1/8	1/8					@							
UG24	Back Crotch Sean from Crotch Foldline	1/8	1/8					@							
VB01	Body Length @ CB from HPS	1/4	1/4	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
VB02	Body Length @ CB from CB Neck	1/8	1/8	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VB03	Body Length @ CB from Armhole	1/8	1/8	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
VB033	Peak Height @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VB04	Back Neck Drop-HPS to Seam-(under 3")	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
VB04.1	Back Neck Drop-HPS to Edge-(under 3")	1/16	1/16	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
VB04.2	Back Neck Drop-HPS to Seam-(over 3")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VB04.3	Back Neck Drop-HPS to Edge-(over 3")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VB05	Back Neck Drop-from Armhole	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VB06	Back Neck Drop-Excluding Straps	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VB07	Across Back Placement from HPS	0	0	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VB08	Bodice Seam from HPS @ CB	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VB09	Bodice Seam from Back Neck @ CB	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VB10	Bodice Seam from Armhole @ CB	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VB11	Back Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
VB44	Back Shirt Tail Height	1/8	1/8					@							
VF01	Shoulder Forward Seam from HPS @ Neck	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF02	Shoulder Forward Seam from HPS @ Armhole	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF03	Shoulder Slope from HPS to Armhole Seam@Back Fold	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF03.1	Shoulder Slope from HPS @ Specified Placement	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF03.2	Shoulder Slope Placement from CB	0	0	1/4 5/16	1/4 5/16	1/4 5/16	1/4 5/16	@ 5/16	1/4	1/4	5/16	5/16	5/16	5/16	5/16
VF04	Body Length @ CF from HPS	3/8	3/8	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
VF04.1	Body Length @ CF from HPS (Bodysuit)	3/8	3/8					@							
VF04.2	Body Length @ SS from HPS	3/8	3/8	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
VF05	Body Length @ CF from Top Bodice	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VF05.1	Body Length @ CF from Top Bodice (Bodysuit)	1/4	1/4					@							

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: 24-40

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
VF06	Body Length @ CF from Armhole	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VF06.1	Body Length @ CF from Armhole (Bodysuit)	1/4	1/4					@							
VF06.2	Body Length @ SS from Armhole	1/4	1/4	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VF07	Peak Height @ CF	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF08	Front Neck Drop- HPS to Seam (under 5")	1/8	1/8					@							
VF08.1	Front Neck Drop - HPS to Edge (under 5")	1/8	1/8					@							
VF09	Front Neck Drop- HPS to Seam (under 10")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF09.1	Front Neck Drop- HPS to Edge (under 10")	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF10	Front Neck Drop- HPS to Seam (over 10")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF10.1	Front Neck Drop- HPS to Edge (over 10")	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF11	Front Neck Drop-Top Bodice to Seam	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF11.1	Front Neck Drop-Top Bodice to Edge	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF12	Front Neck Drop- from Armhole	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF13	Front Neck Drop- Excluding Straps	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF14	Funnel Neck Height from HPS	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF15	Front Neck Height from Armhole	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF16	Bodice/Waist Seam from HPS @ CF	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF17	Bodice/Waist Seam from HPS @ Dart	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF18	Bodice/Waist Seam from HPS @ SS	1/8	1/8	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF19	Bodice/Waist Seam from Top Bodice @ CF	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF20	Bodice/Waist Seam from Top Bodice @ Dart	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF21	Bodice/Waist Seam from Top Bodice @ SS	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF22	Bodice/Waist Seam from Armhole @ CF	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
VF23	Bodice/Waist Seam from Armhole @ Dart	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF24	Bodice/Waist Seam from Armhole @ SS	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF29	Across Chest Placement from HPS	0	0	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF29.1	Chest Placement from HPS	0	0	3/16 3/16	3/16 3/16	3/16 3/16	3/16 3/16	@ 3/16	3/16	3/16	3/16	3/16	3/16	3/16	3/16
VF30	Waist Placement from HPS	0	0	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF31	High Hip Placement from HPS	0	0	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VF32	Low Hip Placement from HPS	0	0	1/2 1/2	1/2 1/2	1/2 1/2	1/2 1/2	@ 1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
VF33	Chest Placement from Top Bodice	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF34	Waist Placement from Top Bodice	0	0	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF35	High Hip Placement from Top Bodice	0	0	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF36	Low Hip Placement from Top Bodice	0	0	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VF37	Chest Placement from Armhole	0	0	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VF38	Waist Placement from Armhole	0	0	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF39	High Hip Placement from Armhole	0	0	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF40	Low Hip Placement from Armhole	0	0	3/8 3/8	3/8 3/8	3/8 3/8	3/8 3/8	@ 3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
VF41	High Hip Placement from Top Waist	0	0	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF41.1	High Hip Placement from Bottom WB	0	0	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF42	Low Hip Placement from Top Waist	0	0	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF42.1	Low Hip Placement from Bottom WB	0	0	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
VF43	Front Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
VF44	Front Shirt Tail Height	1/8	1/8					@							
VF45	Across Chest Placement from Armhole	0	0					@							
VF46	Bodice Height @ Tie End from Armhole	1/8	1/8					@							

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
VF47	Bodice Height @ Seam from Armhole (inside edge)	1/8	1/8					@							
VF48	Bodice Height @ Seam from Armhole (outside edge)	1/8	1/8					@							
VS01	Vent Opening Height	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VS02	Slit Opening Height	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
VS03	Sleeve Vent Height @ Point	1/8	1/8					@							
VS04	Sleeve Vent Height @ Side	1/8	1/8					@							
VS05	Sleeve Vent Width	1/16	1/16					@							
WB01	WB-(top seam)- from HPS @ CF	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
WB02	WB-(top seam)- from HPS @ SS	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
WB03	WB-(top seam)- from HPS @ CB	1/4	1/4	1/4 1/4	1/4 1/4	1/4 1/4	1/4 1/4	@ 1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
WB04	WB Height	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
WB05	WB Height @ CF	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
WB06	WB Height @ SS	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
WB07	WB Height @ CB	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
YK01	Front Yoke Seam from HPS @ Neck	1/8	1/8	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
YK01.1	Front Yoke Seam Point from HPS	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK02	Front Yoke Seam from HPS @ CF	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK03	Front Yoke Seam from HPS @ Armhole	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK04	Back Yoke Seam from HPS @ Neck	1/8	1/8	1/16 1/16	1/16 1/16	1/16 1/16	1/16 1/16	@ 1/16	1/16	1/16	1/16	1/16	1/16	1/16	1/16
YK04.1	Back Yoke Seam Point from HPS	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK05	Back Yoke Seam from HPS @ CB	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: 24-40

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	24 36	25 37	26 38	27 39	28 40	29	30	31	32	33	34	35
YK06	Back Yoke Seam from HPS @ Armhole	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK07	Front Yoke Flap from HPS-Straight	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK08	Front Yoke Flap from HPS @ Armhole	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK09	Back Yoke Flap from HPS @ CB	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK10	Back Yoke Flap from HPS @ Armhole	1/8	1/8	1/8 1/8	1/8 1/8	1/8 1/8	1/8 1/8	@ 1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8
YK11	Yoke Seam from Top Waist @ CF	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
YK12	Yoke Seam from Top Waist @ SS	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
YK12.1	Yoke Seam From Bottom WB @ SS	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
YK13	Yoke Seam from Top Waist @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
YK13.1	Yoke Seam From Bottom WB @ CB	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
YK14	Raglan Yoke Seam from Neck Seam	1/8	1/8					@							
YK14.1	Raglan Yoke Seam from Neck Edge	1/8	1/8					@							
ZF01	Fly Length from Top Waist-(pants)	1/4	1/4	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0
ZF01.1	Fly Length From Bottom of WB - pants	1/4	1/4	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0
ZF02	Fly Length from Top Waist-(skirts)	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ZF03	Fly Width	1/16	1/16	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ZF04	Zipper Length-(pants)	1/4	1/4	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0
ZF05	Zipper Length-(skirts)	1/4	1/4	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ZF06	Zipper Opening from Armhole @ Left SS	1/8	1/8	0 0	0 0	0 0	0 0	@ 0	0	0	0	0	0	0	0
ZF07	Zipper Opening- (over 8")	1/2	1/2	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0
ZF07.1	Zipper Opening- (8" or under)	1/4	1/4	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0
ZF08	Zipper Tape Length-(over 8")	1/2	1/2	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0
ZF08.1	Zipper Tape Length-(8" or under)	1/4	1/4	0 1/2	0 0	1/2 1/2	0 0	@ 1/2	0	1/2	0	1/2	0	1/2	0

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
AH01	Armhole-Straight	3/16	3/16	3/8	@	3/8	1/2	1/2	1/2						
AH02	Armhole-Bodice Point to SS-Straight	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
AH03	Armhole-Bodice Point to SS-Along Curve	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
AH04	Armhole Drop from HPS-(straight)- @ SS	3/16	3/16	1/4	@	1/4	1/4	1/4	1/4						
BB01	Bib Seam from HPS @ CF-(under10")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BB01.1	Bib Seam from HPS @ CF-(over10")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
BB02	Bib Seam from CF @ Shoulder Seam	1/8	1/8	1/4	@	1/4	1/4	3/8	3/8						
BB03	Bib Seam from CF @ Neck Seam	1/8	1/8	1/4	@	1/4	1/4	3/8	3/8						
BB04	Bib Seam from CF @ Across Chest Placement	1/8	1/8	1/4	@	1/4	1/4	3/8	3/8						
BC01	Bust Cup Height @ Center	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BC02	Bust Cup Width @ Ends	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BD01	Bottom Band Height	1/8	1/8	0	@	0	0	0	0						
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	2	@	2	3	3	3						
BT01.1	Belt Length-Total @ _____	1/2	1/2	2	@	2	3	3	3						
BT02	Belt Height	1/16	1/16	0	@	0	0	0	0						
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	2	@	2	3	3	3						
BT04	Belt Loop Length	1/8	1/8	0	@	0	0	0	0						
BT05	Belt Loop Length @ Center	1/8	1/8	0	@	0	0	0	0						
BT06	Belt Loop Length @ Sides	1/8	1/8	0	@	0	0	0	0						
BT07	Belt Loop Width	1/8	1/8	0	@	0	0	0	0						
BT08	Belt Loop Width @ Top	1/8	1/8	0	@	0	0	0	0						
BT09	Belt Loop Width @ Bottom	1/8	1/8	0	@	0	0	0	0						
BT10	Belt Loop from HPS @ SS	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: XS-XXL

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
BT10.1	Belt Loop from Armhole @ SS	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
BT11	Front Belt Loop from HPS	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
BT12	Back Belt Loop from HPS	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
BT13	CB Belt Loop from HPS	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
BT14	Front Belt Loop from CF @ Top of Loop	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT14.1	Front Belt Loop from CF @ Bottom of Loop	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	0	@	0	0	0	0						
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	0	@	0	0	0	0						
BT16	Back Belt Loop from CB @ Top of Loop	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
BT17	Belt Loop from Bottom Sleeve Opening	1/8	1/8	0	@	0	0	0	0						
BT18	_____ Belt Loop Spacing	1/8	1/8	0	@	0	0	0	0						
CF01	Cuff Height	1/8	1/8	0	@	0	0	0	0						
CF02	Cuff Height Exposed	1/8	1/8	0	@	0	0	0	0						
CL01	Collar Height @ CB	1/8	1/8	0	@	0	0	0	0						
CL02	Collar Roll Height-Inside CB Neck Seam to Top Roll	1/8	1/8	0	@	0	0	0	0						
CL03	Collar Length @ Outer Edge-Point to Point	1/4	1/4	1	@	1	1	1	1						
CL04	Collar Length @ Outer Edge-CB To CF Along Curve	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
CL05	Collar Length @ Neck Seam	1/4	1/4	1	@	1	1	1	1						
CL05.1	Collar Length @ Top Neckband Seam	1/4	1/4	1	@	1	1	1	1						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
CL06	Collar Point	1/8	1/8	0	@	0	0	0	0						
CL07	Collar Spread	1/4	1/4	0	@	0	0	0	0						
CL08	Collar Spacing Apart @ CF Neck Seam	1/8	1/8	0	@	0	0	0	0						
CL09	Neckband Height @ CB	1/8	1/8	0	@	0	0	0	0						
CL10	Neckband Height @ Front Edge	1/8	1/8	0	@	0	0	0	0						
CL11	Neckband Length @ Top Band Along Seam	1/4	1/4	1	@	1	1	1	1						
CL12	Neckband Length @ Bottom Band Along Seam	1/4	1/4	1	@	1	1	1	1						
CL13	Neckband-Center of Button to Front End of Btnhole	1/4	1/4	1	@	1	1	1	1						
CL14	Notch Intersection from HPS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
CL15	Lapel Point from HPS-(Lapel Folded)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
CL16	Lapel Point	1/8	1/8	0	@	0	0	0	0						
CL17	Lapel Width-(Roll Line to Lapel Point-Straight)	1/8	1/8	0	@	0	0	0	0						
CL18	Lapel Width-(Lapel Seam to Lapel Point-Straight)	1/8	1/8	0	@	0	0	0	0						
CL19	Lapel Notch Spread	1/8	1/8	0	@	0	0	0	0						
CL20	Lapel-Neckband Overlap Width @ Seam	1/8	1/8	0	@	0	0	0	0						
CL21	Collar Height Cape @ 3 inches	1/8	1/8		@										
DP01	Center of 1st _____ from HPS(under 10")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DP02	Center of 1st _____ from HPS (over 10")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
DP03	Center of (spec #) _____ from HPS (over 10")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
DP04	Center of _____ from Bottom Opening	1/8	1/8	0	@	0	0	0	0						
DP05	_____ Vertical Spacing Apart-Center to Center	1/8	1/8		@										
DP06	_____ Horizontal Spacing Apart-Center to Center	1/8	1/8	0	@	0	0	0	0						
DS01	Drawstring Length Total	1/2	1/2	2	@	2	3	3	3						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
DS02	Drawstring Exposed Length-(each)-Tunnel Extended	1/4	1/4	0	@	0	0	0	0						
DS03	Drawstring Height	1/16	1/16	0	@	0	0	0	0						
DT01	Bust Dart Apex (point) from HPS	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
DT02	Bust Dart Apex (point) from Armhole	1/16	1/16	1/8	@	1/8	1/8	1/8	1/8						
DT03	Bust Dart Leg from HPS @ SS	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
DT04	Bust Dart Leg from Armhole @ SS	1/16	1/16	1/8	@	1/8	1/8	1/8	1/8						
DT05	Bust Dart Length	1/8	1/4	1/4	@	1/4	3/8	3/8	3/8						
DT06	Front Waist Dart Apex (point) from HPS	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
DT07	Front Waist Dart Apex (point) from Armhole	1/16	1/16	1/8	@	1/8	1/8	1/8	1/8						
DT08	Front Waist Dart Apex (point) from CF	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT09	Front Waist Dart from CF @ Bodice Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT10	Front Waist Dart from CF @ Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT11	Front Waist Dart from CF @ Top Pocket	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT11.1	Front Waist Dart from CF @ Bottom Opening	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT12	Front Waist Dart Length	1/8	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT13	Back Waist Dart Apex (point) from HPS	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
DT14	Back Waist Dart Apex (point) from Armhole	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
DT15	Back Waist Dart Apex (point) from CB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT16	Back Waist Dart from CB @ Bodice Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT17	Back Waist Dart from CB @ Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT17.1	Back Waist Dart from CB @ Bottom Opening	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT18	Back Waist Dart Length	1/8	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT19	Front Dart Length from Top Waist	1/8	1/4	1/8	@	1/8	1/8	1/8	1/8						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
DT19.1	Back Dart Length from Top Waist	1/8	1/4	1/8	@	1/8	1/8	1/8	1/8						
DT20	Front Dart from CF @ Top Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT21	Back Dart from CB @ Top Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
DT22	Front Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT23	Front Neck Dart Apex (point) Spacing Apart	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT24	Front Neck Dart Length	1/8	1/4	0	@	0	0	0	0						
DT25	Back Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT26	Back Neck Dart Apex (point) Spacing Apart	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT27	Back Neck Dart Length	1/8	1/4	0	@	0	0	0	0						
DT28	Elbow Dart Leg from Armhole Along Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT29	Elbow Dart Leg Spacing Apart @ Seam	1/8	1/8	0	@	0	0	0	0						
DT30	Elbow Dart Apex (point) Spacing Apart	1/8	1/8	0	@	0	0	0	0						
DT31	Elbow Dart Length	1/8	1/4	0	@	0	0	0	0						
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	0	@	0	0	0	0						
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	0	@	0	0	0	0						
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	0	@	0	0	0	0						
DT35	Knee Dart Length	1/8	1/4	0	@	0	0	0	0						
DT36	_____ Dart Intake-(flat)	1/16	1/16	0	@	0	0	0	0						
DT37	Shoulder Dart Length	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT38	Bust Dart Apex from Raglan Peak	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT39	Front Waist Dart Apex from Raglan Peak	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
DT40	Back Waist Dart Apex from Raglan Peak	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
EP01	Epaulet Length @ Center	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
EP02	Epaulet Length @ Sides	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
EP03	Epaulet Width	1/16	1/16	0	@	0	0	0	0						
EP04	Epaulet Edge from Neck Edge	1/16	1/16	1/8	@	1/8	1/8	1/8	1/8						
FC01	Facing Height	1/8	1/8	0	@	0	0	0	0						
FC02	Facing Width	1/8	1/8	0	@	0	0	0	0						
FL01	Flounce Height @ CF	1/8	1/8	0	@	0	0	0	0						
FL02	Flounce Height @ SS	1/8	1/8	0	@	0	0	0	0						
FL03	Flounce Height @ CB	1/8	1/8	0	@	0	0	0	0						
FL04	Sleeve Flounce Height	1/8	1/8	0	@	0	0	0	0						
GD01	Godet Height @ Center	1/8	1/8	0	@	0	0	0	0						
GD02	Godet Width @ Bottom-Along Curve or Straight	1/8	1/8	0	@	0	0	0	0						
GD03	Godet Point from CF	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
GD04	Godet Point from CB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
GD05	Godet Spacing Apart-Point to Point	1/8	1/8	0	@	0	0	0	0						
HB01	Back Neck Width-Seam to Seam @ Shldr. Sm.	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HB01.1	Back Neck Width Egde-Edge @ Shldr. Sm. 8-11"	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
HB01.2	Back Neck Width Egde-Edge @ Shldr. Sm. over 11"	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
HB02	Back Neck Width-Edge to Edge @ Shldr Sm.	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HB02.1	Back Neck Width Seam -Seam @ Shldr. Sm. 8-11"	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
HB02.2	Back Neck Width Seam -Seam @ Shldr. Sm. over 11"	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
HB03	Raglan Seams Apart @ Back Neck	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
HB04	Across Back-Seam to Seam	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HB04.1	Across Back-Edge to Edge	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HB05	Back Bottom Opening-SS to SS Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HB06	Back Sweep-SS to SS Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HB07	Back Chest Along Edge Between Side Seams	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HB08	Across Shoulder Edge to Edge @ Back Shldr. Sm.	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HB08.1	Across Shoulder Seam to Seam @ Back Shldr. Sm	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HD01	Hood Opening- Along Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HD02	Hood Height-Straight from HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HD02.1	Hood Height @ CF	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
HD03	Hood Width @ __from HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HD04	Hood Center Panel Width @ Opening	1/8	1/8	0	@	0	0	0	0						
HD05	Hood Center Panel Width @ Back Neck Seam	1/8	1/8	0	@	0	0	0	0						
HD06	Hood Center Panel Length @ Center	3/16	3/16	3/8	@	3/8	3/8	3/8	3/8						
HF00.1	Neck Width Edge to Edge @ HPS (8 - 11")	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
HF00.2	Neck Width Edge to Edge @ HPS (+11in.)	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
HF00.3	Neck Width Seam to Seam @ HPS (8 - 11")	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
HF00.4	Neck Width Seam to Seam @ HPS (+11")	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
HF00.5	Neck Width Edge to Edge @ Shldr Sm (8 -11")	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
HF00.6	Neck Width Edge to Edge @ Shlder Sm (+ 11")	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
HF00.7	Neck Width Seam to Seam @ Shldr Sm (8 - 11")	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
HF00.8	Neck Width Seam to Seam @ Shldr Sm (+11")	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
HF01	Neck Width-Seam to Seam @ HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
HF01.1	Neck Width-Edge to Edge @ HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF01.2	Neck Width- @ Top Band Opening-Straight	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF01.3	Neck Width Seam to Seam @ Shoulder Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF01.4	Neck Width Edge to Edge @ Shoulder Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF02	Front Neck Width-Seam to Seam @ HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF02.1	Front Neck Width - Edge to Edge @ HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF03	Neck Width-Seam to Seam @ Across Chest	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF03.1	Neck Width-Edge to Edge @ Across Chest	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF04	Neck Width-Seam to Seam @ Front Neck Drop	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF05	Neck Width-Edge to Edge @ Front Neck Drop	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF06	Raglan Seams Apart @ Front Neck	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF07	Across Shoulder-Seam to Seam @ Back Fold	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HF07.1	Across Shoulder-Edge to Edge @ Back Fold	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HF08	Across Chest-Seam to Seam	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HF08.1	Across Chest-Edge to Edge	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
HF09	Chest @ Armhole	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF09.1	Chest @ Armhole CF to CB	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF10	Chest @ 1" Below Armhole	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF10.1	Chest @ 1" Below Armhole CF to CB	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF10.2	Chest @ Specified Placement	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF11	Chest @ Bodice Seam-Straight	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF12	Waist	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF13	Waist @ Seam-Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
HF14	Waist @ Top	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF15	Waist @ Bottom	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF16	Waist Extended	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF17	Waist Relaxed	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF18	High Hip	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF19	High Hip-Along Yoke Seam	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF20	Low Hip	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF21	Low Hip-Along Yoke Seam	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF22	Bottom Opening-Straight	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF22.1	Front Bottom Opening-CF to SS-Straight	1/8	1/8	1/2	@	1/2	3/4	3/4	3/4						
HF23	Bottom Opening-Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF23.1	Front Bottom Opening-CF to SS-Along Curve	1/8	1/8	1/2	@	1/2	3/4	3/4	3/4						
HF24	Sweep-Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF24.1	Front Sweep-SS to SS-Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HF25	Lining Sweep-Along Curve	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
HL01	Hanger Loop-Total Length	1/4	1/4	0	@	0	0	0	0						
HL02	Hanger Loop from _____	1/4	1/4	0	@	0	0	0	0						
HM01	Hem Height	1/16	1/16	0	@	0	0	0	0						
HM02	Hem Height-Include Binding	1/8	1/8	0	@	0	0	0	0						
HM03	Hem Height-to Lining Seam	1/8	1/8	0	@	0	0	0	0						
HM04	Hem Height - To Finished Lining Edge	1/8	1/8	0	@	0	0	0	0						
KH01	Keyhole Opening-Edge to Edge	1/8	1/8	0	@	0	0	0	0						
KH02	Keyhole Width @ Center-Edge to Edge	1/8	1/8	0	@	0	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
MS01	Minimum Stretch @ Neck Opening	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
MS02	Minimum Stretch @ Back Neck	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
MS03	Minimum Stretch @ Waist	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
MS04	Minimum Stretch @ Bottom Opening	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
MS05	Minimum Stretch @ Top Cuff Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
MS06	Minimum Stretch @ Sleeve Opening	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
PA01	Placket Length @ Center	1/8	1/8	0	@	0	0	0	0						
PA02	Placket Length @ Sides	1/8	1/8	0	@	0	0	0	0						
PA03	Placket Width	1/16	1/16	0	@	0	0	0	0						
PA04	Placket Facing Width	1/8	1/8	0	@	0	0	0	0						
PK01	Chest Pocket from HPS @ CF Side	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK02	Chest Pocket from HPS @ SS Side	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK03	_____ Pocket from HPS @ CF Side-(over 10")	1/4	1/4		@										
PK04	_____ Pocket from HPS @ SS Side-(over 10")	1/4	1/4		@										
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK08.1	Jean Pocket from Bottom WB @ SS Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK10.1	Pocket from Bottom Waist @ Outer Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PK11.1	Pocket from CF @ Bottom (use for graded pockets)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK12.2	Pocket from CF @ Bottom (use for non-graded pkts)	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK15.3	Pocket frm CB @ Bottom (use for graded pocket)	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK15.4	Pocket frm CB @ Bottom (use for non-graded pocket)	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PK16	_____ Pocket Height @ Center	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK17	_____ Pocket Height @ Sides	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK22	_____ Pocket Width @ Top	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK23	_____ Pocket Width @ Bottom	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PK26	Welt or Besom Pocket Height	1/16	1/16	0	@	0	0	0	0						
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK28	Pocket Opening-(on seam)-from HPS-(over 10")	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
PK29	Pocket Opening-(on seam)-from Top Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK30	Pocket Opening-(on seam)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK31	Pocket Bag Depth from Opening	1/4	1/4	0	@	0	0	0	0						
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4		@										
PK35	_____ Pocket from Bottom Opening	1/8	1/8	0	@	0	0	0	0						
PK36	Coin Pocket Height (Exposed)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK39	Coin Pocket Width (Exposed)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PL01	Pleat from CF	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PL02	Pleat from CB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PL03	Pleat Spacing Apart-Fold to Fold	1/8	1/8	0	@	0	0	0	0						
PL04	Pleat Depth-(flat)	1/16	1/16	0	@	0	0	0	0						
PL05	Pleat Depth-(Flat)-from CF @ Yoke Seam	1/16	1/16	0	@	0	0	0	0						
PL05.1	Pleat Depth-(Flat)-from CB @ Yoke Seam	1/16	1/16	0	@	0	0	0	0						
PL06	Pleat Depth-(Flat)-from CF @ Bottom Opening	1/16	1/16	0	@	0	0	0	0						
PL06.1	Pleat Depth-(Flat)-from CB @ Bottom Opening	1/16	1/16	0	@	0	0	0	0						
PL07	Sleeve Pleat From Opening	1/8	1/8	0	@	0	0	0	0						
PL08	Stitched Pleat Length	1/16	1/16	0	@	0	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PM01	Peplum Height @ CF	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PM02	Peplum Height @ SS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PM03	Peplum Height @ CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PP01	Print Placement from HPS-(under 10")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PP01.1	Print Placement from HPS-(over 10")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
PP02	Print Placement from CF	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PP03	Print Placement from CB	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PP04	Print Placement from Top Pocket	1/8	1/8	0	@	0	0	0	0						
PP05	Print Placement from SS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PP06	Print Placement from Bottom Opening	1/8	1/8	0	@	0	0	0	0						
PP07	Print Placement from Sleeve Opening	1/8	1/8	0	@	0	0	0	0						
PP08	Print Placement from Shoulder Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS01	Princess Seam from HPS @ Front Armhole	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS02	Princess Seam from CF @ Neck Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS03	Princess Seam from CF or CB @ Shoulder Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS04	Princess Seam from CF @ Raglan Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS05	Princess Seam from CF @ Yoke Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS06	Princess Seam from CF @ Chest	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS07	Princess Seam from CF @ Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS08	Princess Seam from CF @ Top Pocket	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS09	Princess Seam from CF @ Bottom Opening-Along Curve	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS10	Princess Seam from CF @ Bottom Opening-Straight	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS11	Princess Seam from HPS @ Back Armhole	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PS12	Princess Seam from CB @ Neck Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS13	Princess Seam from CB @ Raglan Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS14	Princess Seam from CB @ Yoke Seam	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS15	Princess Seam from CB @ Chest	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS16	Princess Seam from CB @ Waist	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS17	Princess Seam from CB @ Bottom Opening-Along Curve	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PS18	Princess Seam from CB @ Bottom Opening-Straight	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
PT01	Front Rise from Top Waist	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
PT01.1	Front Rise From Bottom of WB	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
PT02	Back Rise from Top Waist	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
PT02.1	Back Rise From Bottom of WB	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
PT03	Thigh @ 1" Below Crotch	1/4	1/4	3/4	@	3/4	1	1	1						
PT04	Thigh @ __" Below Crotch	1/4	1/4	5/8	@	5/8	3/4	3/4	3/4						
PT05	Knee @ __" Below Crotch	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
PT06	Leg Opening-(for inseams over 6")	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
PT07	Leg Opening-(for inseams under 6")	1/4	1/4	5/8	@	5/8	5/8	5/8	5/8						
PT08	Inseam-(22" or Longer)	1/2	1/2	0	@	0	0	0	0						
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	1/2	1/2	0	@	0	0	0	0						
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	1/2	1/2	0	@	0	0	0	0						
PT08.3	Inseam (men's gang grade)	1/2	1/2		@										
PT09	Inseam-(under 6")	1/4	1/4	0	@	0	0	0	0						
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	0	@	0	0	0	0						
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	0	@	0	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PT09.3	Inseam-(6" to 21")	1/4	1/4	0	@	0	0	0	0						
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/4	1/4	0	@	0	0	0	0						
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/4	1/4	0	@	0	0	0	0						
PT10	Outseam from Top Waist-(22" or Longer)	5/8	5/8	1/2	@	1/2	1/2	1/2	1/2						
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22"or L)	5/8	5/8	1/2	@	1/2	1/2	1/2	1/2						
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22"or L)	5/8	5/8	1/2	@	1/2	1/2	1/2	1/2						
PT11	Outseam from Top Waist-(under 6")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PT11.1	Outseam from Top Waist w/Cuff Rolled Up(under 6")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PT11.3	Outseam from Top Waist-(6" to 21")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PT11.4	Outseam from Top Waist w/Cuff Rolled Up(6"to21")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6"to21")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PT12	Back Knee Seam from Bottom Opening	1/4	1/4	0	@	0	0	0	0						
PT13	Front Leg Seam from CF Seam @ Waist	1/16	1/16	1/4	@	1/4	3/8	3/8	3/8						
PT13.1	Front Leg Seam from Ineam @ Leg Opening	1/16	1/16	3/16	@	3/16	3/16	3/16	3/16						
PT14	Back Leg Seam from CB Seam @ Waist	1/16	1/16	1/4	@	1/4	3/8	3/8	3/8						
PT14.1	Back Leg Seam from Ineam @ Leg Opening	1/16	1/16	3/16	@	3/16	3/16	3/16	3/16						
PT15	Side Front Leg Seam from CF Seam @ Waist	1/8	1/8	1/2	@	1/2	3/4	3/4	3/4						
PT15.1	Side Front Leg Seam from Ineam @ Leg Opening	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
PT16	Side Back Leg Seam from CF Seam @ Waist	1/8	1/8	1/2	@	1/2	3/4	3/4	3/4						
PT16.1	Side Back Leg Seam from Ineam @ Leg Opening	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
PT17	Side Leg Panel Width @ Top & Bottom	1/8	1/8	0	@	0	0	0	0						
RF01	Ruffle Height-Total	1/8	1/8	0	@	0	0	0	0						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
RF02	Ruffle Height-Exposed	1/8	1/8	0	@	0	0	0	0						
RF03	Ruffle Width-Total	1/8	1/8	0	@	0	0	0	0						
RF04	Ruffle Width-Exposed	1/8	1/8	0	@	0	0	0	0						
SH01	Shirring from CF	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SH02	Shirring from CB	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SH03	Shirring Width @ _____	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SK01	CF Waist Level Drop from CB	0	0	0	@	0	0	0	0						
SK02	Waist Curve from SS to CB	0	0	0	@	0	0	0	0						
SK03	Skirt Length from Top Waist @ CB-(18" or over)	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
SK03.1	Skirt Length from Top Waist @ CB-(under 18")	1/4	1/4	1/4	@	1/2	1/2	1/2	1/2						
SK04	Skirt Length from Top Waist @ SS-(18" or over)	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
SK04.1	Skirt Length from Top Waist @ SS-(under 18")	1/4	1/4	1/4	@	1/2	1/2	1/2	1/2						
SK05	Skirt Length From Top Waist @CF (18" or over)	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
SK05.1	Skirt Length From Top Waist @CF (under 18")	1/4	1/4	1/4	@	1/2	1/2	1/2	1/2						
SK06	High Hip Placement from Top of Waist	0	0	1/4	@	1/4	1/4	1/4	1/4						
SK06.1	Low Hip Placement from Top of Waist	0	0	1/2	@	1/2	1/2	1/2	1/2						
SM01	Smocking from HPS @ CF	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SM02	Smocking from HPS @ SS	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SM03	Smocking from HPS @ CB	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SM04	Smocking from CF	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
SM05	Smocking Height-(eval stch gauge & grade accrdly)	1/8	1/8		@										
SM06	Smocking Width (non-graded option)	1/4	1/4	0	@	0	0	0	0						
SM07	Smocking Width @ Top- (graded option)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
SM08	Smocking Width @ Bottom-(graded option)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SP01	Surplice Wrap Point from HPS	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SP02	Surplice Overlap Total Width @ Bodice Seam-und 4"	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SP03	Surplice Overlap Total Width @ Bodice Seam-ovr 4"	1/4	1/4	3/8	@	3/8	1/2	1/2	1/2						
SS02	Sleeve Length from Shoulder-Long	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SS02.1	Sleeve Length from Shoulder w/ Cuff Rolled Up-Long	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SS02.2	Sleeve Length frm Shoulder w/ Cuff Unrolled-Long	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SS03	Sleeve Length from Shoulder-Short	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS03.1	Sleeve Length from Shoulder w/Cuff Rolled Up-Short	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS03.2	Sleeve Length from Shoulder w/ Cuff Unrolled-Short	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS04	Sleeve Length from Neck Seam @ HPS-Long	1/2	1/2	5/8	@	5/8	3/4	3/4	3/4						
SS04.1	Sleeve Length from Neck Edge @ HPS-Long	1/2	1/2	5/8	@	5/8	3/4	3/4	3/4						
SS05	Sleeve Length from Neck Seam @ HPS-Short	3/8	3/8	3/8	@	3/8	1/2	1/2	1/2						
SS05.1	Sleeve Length from Neck Edge @ HPS-Short	3/8	3/8	3/8	@	3/8	1/2	1/2	1/2						
SS06	Undersleeve Length-Long	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS07	Undersleeve Length-Short	1/16	1/16	0	@	0	0	0	0						
SS07.1	Sleeve Cap Height	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS08	Sleeve Cap Width @ 3" from Shoulder	1/4	1/4		@										
SS09	Sleeve Width @ 1" Below Armhole	1/8	1/8	3/8	@	3/8	1/2	1/2	1/2						
SS10	Sleeve Width @ 13" from Shoulder	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
SS11	Sleeve Width @ 5" up from Opening	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS11.1	Sleeve Width @6" up from Cuff Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS12	Sleeve Width @ Top Cuff Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
SS13	Sleeve Width @ Top Cuff Seam-Relaxed	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS14	Sleeve Width @ Top Cuff Seam-Extended	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS15	Sleeve Width @ Opening-Long	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS16	Sleeve Width @ Opening-Relaxed-Long	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS17	Sleeve Width @ Opening-Extended-Long	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS18	Sleeve Width @ Opening-Along Curve-Long	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS19	Sleeve Width @ Opening-Short	1/8	1/8	3/8	@	3/8	1/2	1/2	1/2						
SS20	Sleeve Width @ Opening-Relaxed-Short	1/8	1/8	3/8	@	3/8	1/2	1/2	1/2						
SS21	Sleeve Width @ Opening-Extended-Short	1/8	1/8	3/8	@	3/8	1/2	1/2	1/2						
SS21.1	Cap Sleeve Width @ Opening-Along Curve-Short	1/8	1/8	3/8	@	3/8	1/2	1/2	1/2						
SS21.2	Cap Sleeve Width @ Opening-Along Curve-Total	1/4	1/4	3/4	@	3/4	1	1	1						
SS22	Front Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS23	Front Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/8	@	1/8	1/4	1/4	1/4						
SS24	Back Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS25	Back Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/8	@	1/8	1/4	1/4	1/4						
SS26	Armhole Gusset Width Front to Back	1/8	1/8	0	@	0	0	0	0						
SS27	Armhole Gusset Height End to End	1/8	1/8	0	@	0	0	0	0						
SS28	Front Neck Length @ Raglan Slv.Edge	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SS28.1	Front Neck Length @ Raglan Slv.Seam	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SS29	Back Neck Length @ Raglan Slv.Edge	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SS29.1	Back Neck Length @ Raglan Slv.Seam	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SS30	Total Raglan Sleeve Neck Length @ Edge RLXD	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS30.1	Total Raglan Sleeve Neck Length @ Edge XTND	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
SS31	Total Raglan Sleeve Neck Length @ Seam RLXD	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS31.1	Total Raglan Sleeve Neck Length @ Seam XTND	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
ST01	Strap Length-Total (extends to across back)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ST01.1	Strap Length - Total (extends to back chest)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ST02	Strap Overlap from Top "o" Ring to Center Slider	0	0	0	@	0	0	0	0						
ST03	Strap Width-(1/2" or under)	0	0	0	@	0	0	0	0						
ST04	Strap Width-(5/8" to 1 3/8")	1/16	1/16	0	@	0	0	0	0						
ST05	Strap Width-(1 1/2" or over)	1/8	1/8	0	@	0	0	0	0						
ST06	Front Straps Apart-Inside	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
ST07	Back Straps Apart-Inside	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
SW01	Stitches Per 1" Height	2	2	0	@	0	0	0	0						
SW02	Stitches Per 1" Width	2	2	0	@	0	0	0	0						
SW03	Net Weight	0	0	0	@	0	0	0	0						
TB01	Tab Height	1/8	1/8	0	@	0	0	0	0						
TB02	Tab Height @ Center	1/8	1/8	0	@	0	0	0	0						
TB03	Tab Height @ Sides	1/8	1/8	0	@	0	0	0	0						
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	0	@	0	0	0	0						
TB04	Tab Width	1/8	1/8	0	@	0	0	0	0						
TB05	Tab Width @ Top	1/8	1/8	0	@	0	0	0	0						
TB06	Tab Width @ Bottom	1/8	1/8	0	@	0	0	0	0						
TB07	Tab from HPS @ CF	1/4	1/4		@										
TB08	Tab from HPS @ SS	1/4	1/4		@										
TB09	Tab from HPS @ CB	1/4	1/4		@										

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
TB10	Tab from CF	1/8	1/8	1/4	@	1/4	3/8	3/8	3/8						
TB11	Tab from SS on Front	1/8	1/8	1/8	@	1/8	1/4	1/4	1/4						
TB12	Tab from SS on Back	1/8	1/8	1/8	@	1/8	1/4	1/4	1/4						
TB13	Tab from Bottom Opening	1/8	1/8	0	@	0	0	0	0						
TK01	Tuck from CF	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
TK02	Tuck from CB	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
TK03	_____Tuck Spacing Apart-Fold to Fold	1/16	1/16	0	@	0	0	0	0						
TK04	_____Tuck Depth- Fold to Stitch	1/16	1/16	0	@	0	0	0	0						
TN01	_____Tunnel Height	1/16	1/16	0	@	0	0	0	0						
TN02	Top of Tunnel Placement from HPS @ _____	1/4	1/4		@										
TR01	_____Tier Placement from HPS-(under 10")	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
TR02	_____Tier Placement from HPS-(over 10")	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
TR03	_____Tier Placement from Shoulder	1/8	1/8		@										
TR04	_____Tier Placement from Top Waist Seam	1/8	1/8		@										
TR05	_____Tier Height-Exposed	1/8	1/8	0	@	0	0	0	0						
TS01	Tie Placement from HPS	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
TS02	Tie Height	1/2	1/2	0	@	0	0	0	0						
TS03	Tie Length- Each	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
TS04	Tie Spacing Apart @ CF-(graded)	1/4	1/4	1/4	@	1/4	3/8	3/8	3/8						
TS04.1	Tie Spacing Apart @ CF-(nongraded)	1/4	1/4	0	@	0	0	0	0						
TS05	Tie Spacing Apart @ CB-(graded)	1/4	1/4	1/4	@	1/4	3/8	3/8	3/8						
TS05.1	Tie Spacing Apart @ CB-(nongraded)	1/4	1/4	0	@	0	0	0	0						
UG01	Waist @ Top Relaxed	1/2	1/2	1	@	1	1 1/2	1 1/2	1 1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
UG01.1	Front Waist (Thong)	1/2	1/2	3/8	@	3/8	3/8	3/8	3/8						
UG02	Waist @ Top Extended	1/2	1/2	1	@	1	1 1/2	1 1/2	1 1/2						
UG03	Upper Front Width Placement from Crotch Seam	0	0	1/4	@	1/4	1/4	1/4	1/4						
UG03.1	Upper Front Width Placement from Top Waist	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG04	Upper Front Width	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
UG04.1	Upper Front Width (Thong)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
UG05	Lower Front Width Placement from Crotch Seam	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG05.1	Lower Front Width Placement from Top Waist	0	0	1/4	@	1/4	1/4	1/4	1/4						
UG06	Lower Front Width	1/4	1/4	3/8	@	3/8	1/2	1/2	1/2						
UG06.1	Lower Front Width (Thong)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
UG07	Front Crotch Width-Along Seam	1/4	1/4	1/8	@	1/8	1/4	1/4	1/4						
UG07.1	Front Crotch Width @ Crotch Panel Edge	1/8	1/8	1/8	@	1/8	1/4	1/4	1/4						
UG08	Narrowest Crotch Width Plcmnt from Bk Crotch Seam	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG09	Narrowest Crotch Width	1/8	1/8	0	@	0	0	0	0						
UG10	Back Crotch Width Along Seam	1/4	1/4	1/8	@	1/8	1/4	1/4	1/4						
UG11	Crotch Panel Length @ Center	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
UG12	Upper Back Width Placement from Crotch Seam	0	0	1/4	@	1/4	1/4	1/4	1/4						
UG12.1	Upper Back Width Placement from Top Waist	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG13	Upper Back Width	1/4	1/4	1/2	@	1/2	3/4	3/4	3/4						
UG14	Lower Back Width Placement from Crotch Seam	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG14.1	Lower Back Width Placement from Top Waist	0	0	1/4	@	1/4	1/4	1/4	1/4						
UG15	Lower Back Width	1/4	1/4	3/8	@	3/8	1/2	1/2	1/2						
UG16	Front Panel Length from Top to Crotch Seam	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
UG17	Back Panel Length from Top to Crotch Seam	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG18	Side Length from Top @ Seam	1/4	1/4	0	@	0	0	0	0						
UG18.1	Side Length from Top @ Fold	1/4	1/4	0	@	0	0	0	0						
UG19	Leg Opening (1/2) Relaxed	1/4	1/4	5/8	@	5/8	3/4	3/4	3/4						
UG19.1	Thong Leg Opening to Point - Relaxed	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG19.2	Thong Leg Opening Total - Relaxed	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
UG20	Leg Opening (1/2) Extended	1/4	1/4	5/8	@	5/8	3/4	3/4	3/4						
UG20.1	Thong Leg Opening to Point - Extended	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG20.2	Thong Leg Opening Total - Extended	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG21	Minimum Stretch @ Waist (1/2)	1/4	1/4	1	@	1	1 1/2	1 1/2	1 1/2						
UG22	Minimum Stretch @ Leg Opening (1/2)	1/4	1/4	5/8	@	5/8	3/4	3/4	3/4						
UG22.1	Min Stretch @ Thong Leg Opening to Point	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG22.2	Min Stretch @ Thong Leg Opening Total	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
UG23	Thong Back Width	1/8	1/8	0	@	0	0	0	0						
UG24	Back Crotch Sean from Crotch Foldline	1/8	1/8	0	@	0	0	0	0						
VB01	Body Length @ CB from HPS	1/4	1/4	1	@	1	1	1	1						
VB02	Body Length @ CB from CB Neck	1/8	1/8	3/4	@	3/4	3/4	3/4	3/4						
VB02.1	CB Length from Raglan Peak	1/4	1/4	7/8	@	7/8	7/8	7/8	7/8						
VB03	Body Length @ CB from Armhole	1/8	1/8	3/4	@	3/4	3/4	3/4	3/4						
VB033	Peak Height @ CB	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VB04	Back Neck Drop-HPS to Seam-(under 3")	1/16	1/16	1/8	@	1/8	1/8	1/8	1/8						
VB04.1	Back Neck Drop-HPS to Edge-(under 3")	1/16	1/16	1/8	@	1/8	1/8	1/8	1/8						
VB04.2	Back Neck Drop-HPS to Seam-(over 3")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VB04.3	Back Neck Drop-HPS to Edge-(over 3")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VB05	Back Neck Drop-from Armhole	1/8	1/8	0	@	0	0	0	0						
VB06	Back Neck Drop-Excluding Straps	1/8	1/8	0	@	0	0	0	0						
VB06.1	Back Neck Drop from Raglan Peak	1/16	1/16	0	@	0	0	0	0						
VB06.2	Back Neck Drop to Seam from Raglan Peak	1/16	1/16	0	@	0	0	0	0						
VB07	Across Back Placement from HPS	0	0	1/4	@	1/4	1/4	1/4	1/4						
VB07.1	Across Back Placement from Raglan Peak	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VB08	Bodice Seam from HPS @ CB	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
VB09	Bodice Seam from Back Neck @ CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VB10	Bodice Seam from Armhole @ CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VB11	Back Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VB44	Back Shirt Tail Height	1/8	1/8	0	@	0	0	0	0						
VF01	Shoulder Forward Seam from HPS @ Neck	0	0	0	@	0	0	0	0						
VF02	Shoulder Forward Seam from HPS @ Armhole	0	0	0	@	0	0	0	0						
VF03	Shoulder Slope from HPS to Armhole Seam@Back Fold	1/8	1/8	0	@	0	0	0	0						
VF03.1	Shoulder Slope from HPS @ Specified Placement	1/8	1/8	0	@	0	0	0	0						
VF03.2	Shoulder Slope Placement from CB	0	0	1/4	@	1/4	3/8	3/8	3/8						
VF03.3	Shoulder Slope from HPS @ Shldr. Sm. to Armhole Sm	1/8	1/8	0	@	0	0	0	0						
VF04	Body Length @ CF from HPS	3/8	3/8	1	@	1	1	1	1						
VF04.1	Body Length @ CF from HPS (Bodysuit)	3/8	3/8	1	@	1	1	1	1						
VF04.2	Body Length @ SS from HPS	3/8	3/8	1	@	1	1	1	1						
VF04.3	Body Length @ CF from Neck Edge	3/8	3/8	7/8	@	7/8	7/8	7/8	7/8						
VF04.4	Body Length @ CF from Neck Seam	3/8	3/8	7/8	@	7/8	7/8	7/8	7/8						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VF05	Body Length @ CF from Top Bodice	1/4	1/4	7/8	@	7/8	7/8	7/8	7/8						
VF05.1	Body Length @ CF from Top Bodice (Bodysuit)	1/4	1/4	1	@	1	1	1	1						
VF05.2	CF Length from Raglan Peak	1/4	1/4	7/8	@	7/8	7/8	7/8	7/8						
VF06	Body Length @ CF from Armhole	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
VF06.1	Body Length @ CF from Armhole (Bodysuit)	1/4	1/4	7/8	@	7/8	7/8	7/8	7/8						
VF06.2	Body Length @ SS from Armhole	1/4	1/4	3/4	@	3/4	3/4	3/4	3/4						
VF07	Peak Height @ CF	1/8	1/8	0	@	0	0	0	0						
VF08	Front Neck Drop- HPS to Seam (under 5")	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF08.1	Front Neck Drop - HPS to Edge (under 5")	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF09	Front Neck Drop- HPS to Seam (under 10")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VF09.1	Front Neck Drop- HPS to Edge (under 10")	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VF10	Front Neck Drop- HPS to Seam (over 10")	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VF10.1	Front Neck Drop- HPS to Edge (over 10")	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VF11	Front Neck Drop-Top Bodice to Seam	1/8	1/8	0	@	0	0	0	0						
VF11.1	Front Neck Drop-Top Bodice to Edge	1/8	1/8	0	@	0	0	0	0						
VF11.2	Front Neck Drop to Edge from Raglan Peak	1/8	1/8	0	@	0	0	0	0						
VF11.3	Front Neck Drop to Seam from Raglan Peak	1/8	1/8	0	@	0	0	0	0						
VF12	Front Neck Drop- from Armhole	1/8	1/8	0	@	0	0	0	0						
VF13	Front Neck Drop- Excluding Straps	1/8	1/8	0	@	0	0	0	0						
VF14	Funnel Neck Height from HPS	1/8	1/8	0	@	0	0	0	0						
VF15	Front Neck Height from Armhole	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF16	Bodice/Waist Seam from HPS @ CF	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
VF17	Bodice/Waist Seam from HPS @ Dart	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VF18	Bodice/Waist Seam from HPS @ SS	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
VF19	Bodice/Waist Seam from Top Bodice @ CF	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
VF20	Bodice/Waist Seam from Top Bodice @ Dart	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
VF21	Bodice/Waist Seam from Top Bodice @ SS	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
VF22	Bodice/Waist Seam from Armhole @ CF	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VF23	Bodice/Waist Seam from Armhole @ Dart	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VF24	Bodice/Waist Seam from Armhole @ SS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VF29	Across Chest Placement from HPS	0	0	1/4	@	1/4	1/4	1/4	1/4						
VF29.1	Chest Placement from HPS	0	0	3/8	@	3/8	3/8	3/8	3/8						
VF29.2	Across Chest Placement from Raglan Peak	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF30	Waist Placement from HPS	0	0	1/2	@	1/2	1/2	1/2	1/2						
VF31	High Hip Placement from HPS	0	0	3/4	@	3/4	3/4	3/4	3/4						
VF32	Low Hip Placement from HPS	0	0	1	@	1	1	1	1						
VF33	Chest Placement from Top Bodice	0	0	0	@	0	0	0	0						
VF34	Waist Placement from Top Bodice	0	0	3/8	@	3/8	3/8	3/8	3/8						
VF35	High Hip Placement from Top Bodice	0	0	5/8	@	5/8	5/8	5/8	5/8						
VF36	Low Hip Placement from Top Bodice	0	0	7/8	@	7/8	7/8	7/8	7/8						
VF37	Chest Placement from Armhole	0	0	0	@	0	0	0	0						
VF38	Waist Placement from Armhole	0	0	1/4	@	1/4	1/4	1/4	1/4						
VF39	High Hip Placement from Armhole	0	0	1/2	@	1/2	1/2	1/2	1/2						
VF40	Low Hip Placement from Armhole	0	0	3/4	@	3/4	3/4	3/4	3/4						
VF41	High Hip Placement from Top Waist	0	0	1/4	@	1/4	1/4	1/4	1/4						
VF41.1	High Hip Placement from Bottom WB	0	0	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VF42	Low Hip Placement from Top Waist	0	0	1/2	@	1/2	1/2	1/2	1/2						
VF42.1	Low Hip Placement from Bottom WB	0	0	1/2	@	1/2	1/2	1/2	1/2						
VF43	Front Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
VF44	Front Shirt Tail Height	1/8	1/8	0	@	0	0	0	0						
VF45	Across Chest Placement from Armhole	0	0	0	@	0	0	0	0						
VF46	Bodice Height @ Tie End from Armhole	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
VF47	Bodice Height @ Seam from Armhole (inside edge)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF48	Bodice Height @ Seam from Armhole (outside edge)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VS01	Vent Opening Height	1/8	1/8	0	@	0	0	0	0						
VS02	Slit Opening Height	1/8	1/8	0	@	0	0	0	0						
VS03	Sleeve Vent Height @ Point	1/8	1/8	0	@	0	0	0	0						
VS04	Sleeve Vent Height @ Side	1/8	1/8	0	@	0	0	0	0						
VS05	Sleeve Vent Width	1/16	1/16	0	@	0	0	0	0						
WB01	WB-(top seam)- from HPS @ CF	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
WB02	WB-(top seam)- from HPS @ SS	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
WB03	WB-(top seam)- from HPS @ CB	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
WB04	WB Height	1/16	1/16	0	@	0	0	0	0						
WB05	WB Height @ CF	1/16	1/16	0	@	0	0	0	0						
WB06	WB Height @ SS	1/16	1/16	0	@	0	0	0	0						
WB07	WB Height @ CB	1/16	1/16	0	@	0	0	0	0						
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	0	@	0	0	0	0						
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	0	@	0	0	0	0						
YK01	Front Yoke Seam from HPS @ Neck	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW
Size Range: XS-XXL

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
YK01.1	Front Yoke Seam Point from HPS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK02	Front Yoke Seam from HPS @ CF	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK03	Front Yoke Seam from HPS @ Armhole	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK04	Back Yoke Seam from HPS @ Neck	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
YK04.1	Back Yoke Seam Point from HPS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK05	Back Yoke Seam from HPS @ CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK06	Back Yoke Seam from HPS @ Armhole	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK07	Front Yoke Flap from HPS-Straight	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK08	Front Yoke Flap from HPS @ Armhole	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK09	Back Yoke Flap from HPS @ CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
YK10	Back Yoke Flap from HPS @ Armhole	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
YK11	Yoke Seam from Top Waist @ CF	1/8	1/8	0	@	0	0	0	0						
YK12	Yoke Seam from Top Waist @ SS	1/8	1/8	0	@	0	0	0	0						
YK12.1	Yoke Seam From Bottom WB @ SS	1/8	1/8	0	@	0	0	0	0						
YK13	Yoke Seam from Top Waist @ CB	1/8	1/8	0	@	0	0	0	0						
YK13.1	Yoke Seam From Bottom WB @ CB	1/8	1/8	0	@	0	0	0	0						
YK14	Raglan Yoke Seam from Neck Seam	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
YK14.1	Raglan Yoke Seam from Neck Edge	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
ZF01	Fly Length from Top Waist-(pants)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF01.1	Fly Length From Bottom of WB - pants	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF02	Fly Length from Top Waist-(skirts)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF03	Fly Width	1/16	1/16	0	@	0	0	0	0						
ZF04	Zipper Length-(pants)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						

Grade Rule Report

Company: ANTHROPOLOGIE/URBAN - NEW

Size Range: XS-XXL

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
ZF05	Zipper Length-(skirts)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF06	Zipper Opening from Armhole @ Left SS	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
ZF07	Zipper Opening- (over 8")	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
ZF07.1	Zipper Opening- (8" or under)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF08	Zipper Tape Length-(over 8")	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
ZF08.1	Zipper Tape Length-(8" or under)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
AH01	Armhole-Straight	3/16	3/16	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
AH02	Armhole-Bodice Point to SS-Straight	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
AH03	Armhole-Bodice Point to SS-Along Curve	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
AH04	Armhole Drop from HPS-(straight)- @ SS	3/16	3/16	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BB01	Bib Seam from HPS @ CF-(under10")	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BB01.1	Bib Seam from HPS @ CF-(over10")	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
BB02	Bib Seam from CF @ Shoulder Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BB03	Bib Seam from CF @ Neck Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BB04	Bib Seam from CF @ Across Chest Placement	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BC01	Bust Cup Height @ Center	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BC02	Bust Cup Width @ Ends	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BD01	Bottom Band Height	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	1	1	1	1	@	1	1	1	1	1		
BT01.1	Belt Length-Total @ _____	1/2	1/2	1	1	1	1	@	1	1	1	1	1		
BT02	Belt Height	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	1	1	1	1	@	1	1	1	1	1		
BT04	Belt Loop Length	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
BT05	Belt Loop Length @ Center	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
BT06	Belt Loop Length @ Sides	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
BT07	Belt Loop Width	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
BT08	Belt Loop Width @ Top	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
BT09	Belt Loop Width @ Bottom	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
BT10	Belt Loop from HPS @ SS	1/4	1/4	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: 00-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
BT10.1	Belt Loop from Armhole @ SS	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
BT11	Front Belt Loop from HPS	1/4	1/4	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
BT12	Back Belt Loop from HPS	1/4	1/4	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
BT13	CB Belt Loop from HPS	1/4	1/4	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
BT14	Front Belt Loop from CF @ Top of Loop	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BT14.1	Front Belt Loop from CF @ Bottom of Loop	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
BT16	Back Belt Loop from CB @ Top of Loop	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
BT17	Belt Loop from Bottom Sleeve Opening	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
BT18	_____ Belt Loop Spacing	1/8	1/8					@							
CF01	Cuff Height	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
CF02	Cuff Height Exposed	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
CL01	Collar Height @ CB	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
CL02	Collar Roll Height-Inside CB Neck Seam to Top Roll	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
CL03	Collar Length @ Outer Edge-Point to Point	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
CL04	Collar Length @ Outer Edge-CB To CF Along Curve	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
CL05	Collar Length @ Neck Seam	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
CL05.1	Collar Length @ Top Neckband Seam	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
CL06	Collar Point	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
CL07	Collar Spread	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
CL08	Collar Spacing Apart @ CF Neck Seam	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
CL09	Neckband Height @ CB	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
CL10	Neckband Height @ Front Edge	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
CL11	Neckband Length @ Top Band Along Seam	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
CL12	Neckband Length @ Bottom Band Along Seam	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
CL13	Neckband-Center of Button to Front End of Btnhole	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
CL14	Notch Intersection from HPS	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
CL15	Lapel Point from HPS-(Lapel Folded)	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
CL16	Lapel Point	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
CL17	Lapel Width-(Roll Line to Lapel Point-Straight)	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
CL18	Lapel Width-(Lapel Seam to Lapel Point-Straight)	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
CL19	Lapel Notch Spread	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
CL20	Lapel-Neckband Overlap Width @ Seam	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
DP01	Center of 1st _____ from HPS(under 10")	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DP02	Center of 1st _____ from HPS (over 10")	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
DP03	Center of (spec #) _____ from HPS (over 10")	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
DP04	Center of _____ from Bottom Opening	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
DP05	_____ Vertical Spacing Apart-Center to Center	1/8	1/8					@							
DP06	_____ Horizontal Spacing Apart-Center to Center	1/8	1/8					@							
DS01	Drawstring Length Total	1/2	1/2	1	1	1	1	@	1	1	1	1	1		
DS02	Drawstring Exposed Length-(each)-Tunnel Extended	1/4	1/4	0	0	0	0	@	0	0	0	0	0		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
DS03	Drawstring Height	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
DT01	Bust Dart Apex (point) from HPS	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
DT02	Bust Dart Apex (point) from Armhole	1/16	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
DT03	Bust Dart Leg from HPS @ SS	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
DT04	Bust Dart Leg from Armhole @ SS	1/16	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
DT05	Bust Dart Length	1/8	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT06	Front Waist Dart Apex (point) from HPS	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
DT07	Front Waist Dart Apex (point) from Armhole	1/16	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
DT08	Front Waist Dart Apex (point) from CF	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT09	Front Waist Dart from CF @ Bodice Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT10	Front Waist Dart from CF @ Waist	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT11	Front Waist Dart from CF @ Top Pocket	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT11.1	Front Waist Dart from CF @ Bottom Opening	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT12	Front Waist Dart Length	1/8	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT13	Back Waist Dart Apex (point) from HPS	1/4	1/4	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
DT14	Back Waist Dart Apex (point) from Armhole	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
DT15	Back Waist Dart Apex (point) from CB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT16	Back Waist Dart from CB @ Bodice Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT17	Back Waist Dart from CB @ Waist	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT17.1	Back Waist Dart from CB @ Bottom Opening	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT18	Back Waist Dart Length	1/8	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT19	Front Dart Length from Top Waist	1/8	1/4	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
DT19.1	Back Dart Length from Top Waist	1/8	1/4	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
DT20	Front Dart from CF @ Top Waist	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT21	Back Dart from CB @ Top Waist	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT22	Front Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT23	Front Neck Dart Apex (point) Spacing Apart	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT24	Front Neck Dart Length	1/8	1/4	0	0	0	0	@	0	0	0	0	0		
DT25	Back Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT26	Back Neck Dart Apex (point) Spacing Apart	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT27	Back Neck Dart Length	1/8	1/4	0	0	0	0	@	0	0	0	0	0		
DT28	Elbow Dart Leg from Armhole Along Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT29	Elbow Dart Leg Spacing Apart @ Seam	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
DT30	Elbow Dart Apex (point) Spacing Apart	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
DT31	Elbow Dart Length	1/8	1/4	0	0	0	0	@	0	0	0	0	0		
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
DT35	Knee Dart Length	1/8	1/4	0	0	0	0	@	0	0	0	0	0		
DT36	_____ Dart Intake-(flat)	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
DT37	Shoulder Dart Length	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT38	Bust Dart Apex from Raglan Peak	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT39	Front Waist Dart Apex from Raglan Peak	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
DT40	Back Waist Dart Apex from Raglan Peak	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: 00-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
EP01	Epaulet Length @ Center	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
EP02	Epaulet Length @ Sides	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
EP03	Epaulet Width	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
EP04	Epaulet Edge from Neck Edge	1/16	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
FC01	Facing Height	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
FC02	Facing Width	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
FL01	Flounce Height @ CF	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
FL02	Flounce Height @ SS	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
FL03	Flounce Height @ CB	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
FL04	Sleeve Flounce Height	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
GD01	Godet Height @ Center	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
GD02	Godet Width @ Bottom-Along Curve or Straight	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
GD03	Godet Point from CF	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
GD04	Godet Point from CB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
GD05	Godet Spacing Apart-Point to Point	1/8	1/8					@							
HB01	Back Neck Width-Seam to Seam @ Shldr Sm	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HB01.1	Bk Neck Width-Seam to Seam @ Shldr Sm 8 -11	1/4	1/4	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
HB01.2	Bk Neck Width-Seam to Seam @ Shldr Sm over	3/8	3/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HB02	Back Neck Width-Edge to Edge @ Shldr Sm	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HB02.1	Bk Neck Width-Seam to Seam @ Shldr Sm 8 -11	1/4	1/4	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
HB02.2	Bk Neck Width-Edge -Edge @ Shldr Sm over 11	3/8	3/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HB03	Raglan Seams Apart @ Back Neck	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HB04	Across Back-Seam to Seam	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
HB04.1	Across Back-Edge to Edge	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HB05	Back Bottom Opening-SS to SS Along Curve	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HB06	Back Sweep-SS to SS Along Curve	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HB07	Back Chest Along Edge Between Side Seams	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HB08	Across Shoulder Edge to Edge @Back Shldr. Sm	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HB08.1	Across Shoulder Seam to Seam @ Back Shldr	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HD01	Hood Opening- Along Seam	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HD02	Hood Height-Straight from HPS	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HD02.1	Hood Height @ CF	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
HD03	Hood Width @ __from HPS	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HD04	Hood Center Panel Width @ Opening	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
HD05	Hood Center Panel Width @ Back Neck Seam	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
HD06	Hood Center Panel Length @ Center	3/16	3/16	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
HF00.1	Neck Width Edge to Edge @ HPS(8 - 11")	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
HF00.2	Neck Width Edge to Edge @ HPS(+ 11")	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HF00.3	Neck Width Seam to Seam @ HPS (8 to 11")	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
HF00.4	Neck Width Seam to Seam @ HPS (+ 11")	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HF00.5	Neck Width Edge to Edge @ Shldr Sm (8-11")	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
HF00.6	Neck Width Edge to Edge @ Shldr Sm (+ 11")	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HF00.7	Neck Width Seam to Seam @ Shldr Sm (8-11")	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
HF00.8	Neck Width Seam to Seam @ Shldr Sm (+ 11")	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HF01	Neck Width-Seam to Seam @ HPS	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HF01.1	Neck Width-Edge to Edge @ HPS	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
HF01.2	Neck Width- @ Top Band Opening-Straight	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HF01.3	Neck Width Seam to Seam @ Shoulder Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HF01.4	Neck Width Edge to Edge @ Shoulder Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HF02	Front Neck Width-Seam to Seam @ HPS	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HF02.1	Front Neck Width- Edge to Edge @ HPS	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HF03	Neck Width-Seam to Seam @ Across Chest	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HF03.1	Neck Width-Edge to Edge @ Across Chest	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HF04	Neck Width-Seam to Seam @ Front Neck Drop	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HF05	Neck Width-Edge to Edge @ Front Neck Drop	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HF06	Raglan Seams Apart @ Front Neck	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
HF07	Across Shoulder-Seam to Seam @ Back Fold	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HF07.1	Across Shoulder-Edge to Edge @ Back Fold	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HF08	Across Chest-Seam to Seam	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HF08.1	Across Chest-Edge to Edge	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HF09	Chest @ Armhole	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF09.1	Chest @ Armhole CF to CB	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF10	Chest @ 1" Below Armhole	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF10.1	Chest @ 1" Below Armhole CF to CB	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF10.2	Chest @ Specified Placement	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF11	Chest @ Bodice Seam-Straight	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF12	Waist	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF13	Waist @ Seam-Along Curve	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF14	Waist @ Top	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
HF15	Waist @ Bottom	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF16	Waist Extended	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF17	Waist Relaxed	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF18	High Hip	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF19	High Hip-Along Yoke Seam	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF20	Low Hip	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF21	Low Hip-Along Yoke Seam	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF22	Bottom Opening-Straight	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF22.1	Front Bottom Opening-CF to SS-Straight	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HF23	Bottom Opening-Along Curve	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF23.1	Front Bottom Opening-CF to SS-Along Curve	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
HF24	Sweep-Along Curve	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF24.1	Front Sweep-SS to SS-Along Curve	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HF25	Lining Sweep-Along Curve	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
HL01	Hanger Loop-Total Length	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
HL02	Hanger Loop from _____	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
HM01	Hem Height	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
HM02	Hem Height-Include Binding	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
HM03	Hem Height-to Lining Seam	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
HM04	Hem Height - To Finished Lining Edge	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
KH01	Keyhole Opening-Edge to Edge	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
KH02	Keyhole Width @ Center-Edge to Edge	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
MS01	Minimum Stretch @ Neck Opening	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
MS02	Minimum Stretch @ Back Neck	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
MS03	Minimum Stretch @ Waist	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
MS04	Minimum Stretch @ Bottom Opening	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
MS05	Minimum Stretch @ Top Cuff Seam	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
MS06	Minimum Stretch @ Sleeve Opening	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PA01	Placket Length @ Center	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
PA02	Placket Length @ Sides	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
PA03	Placket Width	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
PA04	Placket Facing Width	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
PK01	Chest Pocket from HPS @ CF Side	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PK02	Chest Pocket from HPS @ SS Side	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PK03	_____ Pocket from HPS @ CF Side-(over 10")	1/4	1/4					@							
PK04	_____ Pocket from HPS @ SS Side-(over 10")	1/4	1/4					@							
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
PK08.1	Jean Pocket from Bottom WB @ SS	1/8	1/8	0	0	1/8	0	@	0	0	1/8	0	0		
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
PK10.1	Pocket from Bottom Waist @ Outer Side	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	0	0	1/8	0	@	0	1/8	0	1/8	0		
PK11.1	Pocket from CF @ Bottom (use for graded pockets)	1/8	1/8	0	0	1/8	0	@	0	1/8	0	1/8	0		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PK12.2	Pocket from CF @ Bottom (use for non-graded pkt)	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0		
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PK15.3	Pocket from CB @ Bottom (use for graded pkts)	1/8	1/8	1/8	0	1/8	0	@	0	1/8	0	1/8	0		
PK15.4	Pocket from CB @ Bottom (use for non-graded pkts)	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PK16	_____ Pocket Height @ Center	1/8	1/8	0	0	1/4	0	@	0	1/4	0	1/4	0		
PK17	_____ Pocket Height @ Sides	1/8	1/8	0	0	1/4	0	@	0	1/4	0	1/4	0		
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	0	0	1/8	0	@	0	1/8	0	1/8	0		
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	0	0	1/8	0	@	0	1/8	0	1/8	0		
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	0	0	1/4	0	@	0	1/4	0	1/4	0		
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	0	0	1/4	0	@	0	1/4	0	1/4	0		
PK22	_____ Pocket Width @ Top	1/8	1/8	0	0	1/4	0	@	0	1/4	0	1/4	0		
PK23	_____ Pocket Width @ Bottom	1/8	1/8	0	0	1/4	0	@	0	1/4	0	1/4	0		
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	0	0	1/4	0	@	0	1/4	0	1/4	0		
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	0	0	1/4	0	@	0	1/4	0	1/4	0		
PK26	Welt or Besom Pocket Height	1/16	1/16	0	0	0	0	@	0	0	0	0	0		

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: 00-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	0	0	1/4	0	@	0	1/4	0	1/4	0		
PK28	Pocket Opening-(on seam)-from HPS-(over 10")	1/4	1/4	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
PK29	Pocket Opening-(on seam)-from Top Waist	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PK30	Pocket Opening-(on seam)	1/8	1/8	0	0	1/4	0	@	0	1/4	0	1/4	0		
PK31	Pocket Bag Depth from Top of Opening	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4					@							
PK35	_____ Pocket from Bottom Opening	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
PK36	Coin Pocket Height (Exposed)	1/8	1/8	0	0	1/8	0	@	0	1/8	0	1/8	0		
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	0	0	1/8	0	@	0	1/8	0	1/8	0		
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	0	0	1/8	0	@	0	1/8	0	1/8	0		
PK39	Coin Pocket Width (Exposed)	1/8	1/8	0	0	1/8	0	@	0	1/8	0	1/8	0		
PL01	Pleat from CF	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PL02	Pleat from CB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PL03	Pleat Spacing Apart-Fold to Fold	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
PL04	Pleat Depth-(flat)	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
PL05	Pleat Depth-(Flat)-from CF @ Yoke Seam	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
PL05.1	Pleat Depth-(Flat)-from CB @ Yoke Seam	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
PL06	Pleat Depth-(Flat)-from CF @ Bottom Opening	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
PL06.1	Pleat Depth-(Flat)-from CB @ Bottom Opening	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
PL08	Pleat Stitched Length	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
PM01	Peplum Height @ CF	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PM02	Peplum Height @ SS	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
PM03	Peplum Height @ CB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PP01	Print Placement from HPS-(under 10")	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PP01.1	Print Placement from HPS-(over 10")	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
PP02	Print Placement from CF	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PP03	Print Placement from CB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PP04	Print Placement from Top Pocket	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
PP05	Print Placement from SS	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PP06	Print Placement from Bottom Opening	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
PP07	Print Placement from Sleeve Opening	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
PP08	Print Placement from Shoulder Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS01	Princess Seam from HPS @ Front Armhole	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS02	Princess Seam from CF @ Neck Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS03	Princess Seam from CF or CB @ Shoulder Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS04	Princess Seam from CF @ Raglan Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS05	Princess Seam from CF @ Yoke Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS06	Princess Seam from CF @ Chest	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS07	Princess Seam from CF @ Waist	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS08	Princess Seam from CF @ Top Pocket	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS09	Princess Seam from CF @ Bottom Opening-Along Curve	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS10	Princess Seam from CF @ Bottom Opening-Straight	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS11	Princess Seam from HPS @ Back Armhole	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS12	Princess Seam from CB @ Neck Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS13	Princess Seam from CB @ Raglan Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: 00-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
PS14	Princess Seam from CB @ Yoke Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS15	Princess Seam from CB @ Chest	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS16	Princess Seam from CB @ Waist	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS17	Princess Seam from CB @ Bottom Opening-Along Curve	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PS18	Princess Seam from CB @ Bottom Opening-Straight	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PT01	Front Rise from Top Waist	1/4	1/4	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
PT02	Back Rise from Top Waist	1/4	1/4	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
PT03	Thigh @ 1" Below Crotch	1/4	1/4	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
PT04	Thigh @ __" Below Crotch	1/4	1/4	5/16	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16		
PT05	Knee @ __" Below Crotch	1/4	1/4	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
PT06	Leg Opening-(for inseams over 6")	1/4	1/4	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
PT07	Leg Opening-(for inseams under 6")	1/4	1/4	5/16	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16		
PT08	Inseam-(22" or Longer)	1/2	1/2	0	0	0	0	@	0	0	0	0	0		
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	1/2	1/2	0	0	0	0	@	0	0	0	0	0		
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	1/2	1/2	0	0	0	0	@	0	0	0	0	0		
PT09	Inseam-(under 6")	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
PT09.3	Inseam-(6" to 21")	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
PT10	Outseam from Top Waist-(22" or Longer)	5/8	5/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22" or L)	5/8	5/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22"or L)	5/8	5/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
PT11	Outseam from Top Waist-(under 6")	3/8	3/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
PT11.1	Outseam from Top Waist w/Cuff Rolled Up(under 6")	3/8	3/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	3/8	3/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
PT11.3	Outseam from Top Waist-(6" to 21")	3/8	3/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
PT11.4	Outseam from Top Waist w/Cuff Rolled Up(6"to21")	3/8	3/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6"to21")	3/8	3/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
PT12	Back Knee Seam from Bottom Opening	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
PT13	Front Leg Seam from CF Seam @ Waist	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PT13.1	Front Leg Seam from Inseam @ Leg Opening	1/8	1/8	1/32	1/32	1/32	1/32	@	1/32	1/32	1/32	1/32	1/32		
PT14	Back Leg Seam from CB Seam @ Waist	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
PT14.1	Back Leg Seam from Inseam @ Leg Opening	1/8	1/8	1/32	1/32	1/32	1/32	@	1/32	1/32	1/32	1/32	1/32		
PT15	Side Front Leg Seam from CF Seam @ Waist	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
PT15.1	Side Front Leg Seam from Inseam @ Leg Ope	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
PT16	Side Back Leg Seam from CB Seam @ Waist	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
PT16.1	Side Back Leg Seam from Inseam @ Leg Open	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
PT17	Side Leg Panel Width @ Top & Bottom	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
RF01	Ruffle Height-Total	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
RF02	Ruffle Height-Exposed	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
RF03	Ruffle Width-Total	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
RF04	Ruffle Width-Exposed	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
SH01	Shirring from CF	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
SH02	Shirring from CB	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
SH03	Shirring Width	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SK01	CF Waist Level Drop from CB	0	0	0	0	0	0	@	0	0	0	0	0		
SK02	Waist Curve from SS to CB	0	0	0	0	0	0	@	0	0	0	0	0		
SK03	Skirt Length from Top Waist @ CB-(18" or over)	3/8	3/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SK03.1	Skirt Length from Top Waist @ CB-(under 18")	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SK04	Skirt Length from Top Waist @ SS-(18" or over)	3/8	3/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SK04.1	Skirt Length from Top Waist @ SS-(under 18")	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SK05	Skirt Length From Top Waist @ CF (18" or over)	3/8	3/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SK05.1	Skirt Length From Top Waist @ CF (under 18")	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SK06	High Hip Placement From Top Waist	0	0	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SK06.1	Low Hip Placement From Top Waist	0	0	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SM01	Smocking from HPS @ CF	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SM02	Smocking from HPS @ SS	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SM03	Smocking from HPS @ CB	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SM04	Smocking from CF	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SM05	Smocking Height-(eval stch gauge & grade accrdly)	1/8	1/8					@							
SM06	Smocking Width (non-graded option)	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
SM07	Smocking Width @ Top- (graded option)	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SM08	Smocking Width @ Bottom-(graded option)	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SP01	Surplice Wrap Point from HPS	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SP02	Surplice Overlap Total Width @ Bodice Seam-und 4"	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SP03	Surplice Overlap Total Width @ Bodice Seam-ovr 4"	1/4	1/4	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
SS02	Sleeve Length from Shoulder-Long	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
SS02.1	Sleeve Length from Shoulder w/ Cuff Rolled Up-Long	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SS02.2	Sleeve Length frm Shoulder w/ Cuff Unrolled-Long	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SS03	Sleeve Length from Shoulder-Short	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS03.1	Sleeve Length from Shoulder w/Cuff Rolled Up-Short	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS03.2	Sleeve Length from Shoulder w/ Cuff Unrolled-Short	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS04	Sleeve Length from Neck Seam @ HPS-Long	1/2	1/2	5/16	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16		
SS04.1	Sleeve Length from Neck Edge @ HPS-Long	1/2	1/2	5/16	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16		
SS05	Sleeve Length from Neck Seam @ HPS-Short	3/8	3/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
SS05.1	Sleeve Length from Neck Edge @ HPS-Short	3/8	3/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
SS06	Undersleeve Length-Long	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS07	Undersleeve Length-Short	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
SS07.1	Sleeve Cap Height	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS08	Sleeve Cap Width @ 3" from Shoulder	1/4	1/4					@							
SS09	Sleeve Width @ 1" Below Armhole	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
SS10	Sleeve Width @ 13" from Shoulder	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS11	Sleeve Width @ 5" up from Opening	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS12	Sleeve Width @ Top Cuff Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS13	Sleeve Width @ Top Cuff Seam-Relaxed	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS14	Sleeve Width @ Top Cuff Seam-Extended	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS15	Sleeve Width @ Opening-Long	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS16	Sleeve Width @ Opening-Relaxed-Long	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS17	Sleeve Width @ Opening-Extended-Long	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS18	Sleeve Width @ Opening-Along Curve-Long	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
SS19	Sleeve Width @ Opening-Short	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
SS20	Sleeve Width @ Opening-Relaxed-Short	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
SS21	Sleeve Width @ Opening-Extended-Short	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
SS21.1	Cap Sleeve Width @ Opening-Along Curve-Short	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
SS21.2	Cap Sleeve Width @ Opening-Along Curve-Total	1/4	1/4	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
SS22	Front Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS23	Front Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
SS24	Back Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS25	Back Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
SS26	Armhole Gusset Width Front to Back	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
SS27	Armhole Gusset Height End to End	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
SS28	Front Neck Length @ Raglan Slv.Edge	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
SS28.1	Front Neck Length @ Raglan Slv.Seam	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
SS29	Back Neck Length @ Raglan Slv.Edge	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
SS29.1	Back Neck Length @ Raglan Slv.Seam	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
SS30	Total Raglan Sleeve Neck Length @ Edge RLXD	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS30.1	Total Raglan Sleeve Neck Length @ Edge XTND	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS31	Total Raglan Sleeve Neck Length @ Seam RLXD	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
SS31.1	Total Raglan Sleeve Neck Length @ Seam XTND	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
ST01	Strap Length-Total (extends to across back)	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
ST01.1	Strap Length - Total (extends to back chest)	1/4	1/4	5/16	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16		
ST02	Strap Overlap from Top "o" Ring to Center Slider	0	0	0	0	0	0	@	0	0	0	0	0		
ST03	Strap Width-(1/2" or under)	0	0	0	0	0	0	@	0	0	0	0	0		

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: 00-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
ST04	Strap Width-(5/8" to 1 3/8")	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
ST05	Strap Width-(1 1/2" or over)	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
ST06	Front Straps Apart-Inside	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
ST07	Back Straps Apart-Inside	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
SW01	Stitches Per 1" Height	2	2	0	0	0	0	@	0	0	0	0	0		
SW02	Stitches Per 1" Width	2	2	0	0	0	0	@	0	0	0	0	0		
SW03	Net Weight	0	0	0	0	0	0	@	0	0	0	0	0		
TB01	Tab Height	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
TB02	Tab Height @ Center	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
TB03	Tab Height @ Sides	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
TB04	Tab Width	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
TB05	Tab Width @ Top	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
TB06	Tab Width @ Bottom	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
TB07	Tab from HPS @ CF	1/4	1/4					@							
TB08	Tab from HPS @ SS	1/4	1/4					@							
TB09	Tab from HPS @ CB	1/4	1/4					@							
TB10	Tab from CF	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
TB11	Tab from SS on Front	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
TB12	Tab from SS on Back	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
TB13	Tab from Bottom Opening	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
TK01	Tuck from CF	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
TK02	Tuck from CB	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
TK03	____Tuck Spacing Apart-Fold to Fold	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
TK04	____Tuck Depth- Fold to Stitch	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
TN01	____Tunnel Height	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
TN02	Top of Tunnel Placement from HPS @_____	1/4	1/4					@							
TR01	____Tier Placement from HPS-(under 18")	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
TR02	____Tier Placement from HPS-(over 18")	1/4	1/4	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
TR03	____Tier Placement from Shoulder	1/8	1/8					@							
TR04	____Tier Placement from Top Waist Seam	1/8	1/8					@							
TR05	____Tier Height-Exposed	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
TS01	Tie Placement from HPS	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
TS02	Tie Height	1/2	1/2	0	0	0	0	@	0	0	0	0	0		
TS03	Tie Length- Each	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
TS04	Tie Spacing Apart @ CF-(graded)	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
TS04.1	Tie Spacing Apart @ CF-(nongraded)	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
TS05	Tie Spacing Apart @ CB-(graded)	1/4	1/4	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
TS05.1	Tie Spacing Apart @ CB-(nongraded)	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
UG01	Waist @ Top Relaxed							@							
UG01.1	Front Waist (thong)							@							
UG02	Waist @ Top Extended							@							
UG03	Upper Front Width Placement from Crotch Seam							@							
UG03.1	Upper Front Width Placement from Top Waist							@							
UG04	Upper Front Width							@							
UG04.1	Upper Front Width (thong)							@							

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
UG05	Lower Front Width Placement from Crotch Seam							@							
UG05.1	Lower Front Width Placement From Top Waist							@							
UG06	Lower Front Width							@							
UG06.1	Lower Front Width (thong)							@							
UG07	Front Crotch Width-Along Seam							@							
UG07.1	Front Crotch Width @ Crotch Panel Edge							@							
UG08	Narrowest Crotch Width Plcmnt from Bk Crotch Seam							@							
UG09	Narrowest Crotch Width							@							
UG10	Back Crotch Width Along Seam							@							
UG11	Crotch Panel Length @ Center							@							
UG12	Upper Back Width Placement from Crotch Seam							@							
UG12.1	Upper Back Width Placement from Top Waist							@							
UG13	Upper Back Width							@							
UG14	Lower Back Width Placement from Crotch Seam							@							
UG14.1	Lower Back Width Placement from Top Waist							@							
UG15	Lower Back Width							@							
UG16	Front Panel Length from Top to Crotch Seam							@							
UG17	Back Panel Length from Top to Crotch Seam							@							
UG18	Side Length from Top @ Seam							@							
UG18.1	Side Length from Top @ Fold							@							
UG19	Leg Opening (1/2) Relaxed							@							
UG19.1	Thong Leg Opening to Point - Relaxed							@							
UG19.2	Thong Leg Opening Total - relaxed							@							

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
UG20	Leg Opening (1/2) Extended							@							
UG20.1	Thong Leg Opening to Point - Extended							@							
UG20.2	Thong Leg Opening Total - Extended							@							
UG21	Minimum Stretch @ Waist (1/2)							@							
UG22	Minimum Stretch @ Leg Opening (1/2)							@							
UG22.1	Min Stretch @ Thong Leg Opening to Point							@							
UG22.2	Min Stretch @ Thong Leg Opening Total							@							
UG23	Thong Back Width							@							
UG24	Back Crotch Seam From Crotch Foldline							@							
VB01	Body Length @ CB from HPS	1/4	1/4	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
VB02	Body Length @ CB from CB Neck	1/8	1/8	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
VB03	Body Length @ CB from Armhole	1/8	1/8	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
VB033	Peak Height @ CB	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
VB04	Back Neck Drop-HPS to Seam-(under 3")	1/16	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
VB04.1	Back Neck Drop-HPS to Edge-(under 3")	1/16	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
VB04.2	Back Neck Drop-HPS to Seam-(over 3")	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VB04.3	Back Neck Drop-HPS to Edge-(over 3")	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VB05	Back Neck Drop-from Armhole	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VB06	Back Neck Drop-Excluding Straps	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VB06.1	Back Neck Drop from Raglan Peak	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VB06.2	Back Neck Drop to Seam from Raglan Peak	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VB07	Across Back Placement from HPS	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VB07.1	Across Back Placement from Raglan Peak	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
VB08	Bodice Seam from HPS @ CB	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
VB09	Bodice Seam from Back Neck @ CB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VB10	Bodice Seam from Armhole @ CB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VB11	Back Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
VB44	Back Shirt Tail Height	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VF01	Shoulder Forward Seam from HPS @ Neck	0	0	0	0	0	0	@	0	0	0	0	0		
VF02	Shoulder Forward Seam from HPS @ Armhole	0	0	0	0	0	0	@	0	0	0	0	0		
VF03	Shoulder Slope from HPS to Armhole Seam@Back Fold	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VF03.1	Shoulder Slope from HPS @ Specified Placement	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VF03.2	Shoulder Slope Placement from CB	0	0	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
VF03.3	Shoulder Slope From HPS @ Shldr. Sm. to Armhole	0	0	0	0	0	0	@	0	0	0	0	0		
VF04	Body Length @ CF from HPS	3/8	3/8	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
VF04.1	Body Length @ CF from HPS (Bodysuit)	3/8	3/8					@							
VF04.2	Body Length @ SS from HPS	3/8	3/8	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
VF04.3	Body Length @ CF from Neck Edge	3/8	3/8	7/16	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16		
VF04.4	Body Length @ CF from Neck Seam	3/8	3/8	7/16	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16		
VF05	Body Length @ CF from Top Bodice	1/4	1/4	7/16	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16		
VF05.1	Body Length @ CF from Top Bodice (Bodysuit)	1/4	1/4					@							
VF06	Body Length @ CF from Armhole	1/4	1/4	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
VF06.1	Body Length @ CF from Armhole (Bodysuit)	1/4	1/4					@							
VF06.2	Body Length @ SS from Armhole	1/4	1/4	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
VF07	Peak Height @ CF	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VF08	Front Neck Drop - HPS to Seam (under 5")	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
VF08.1	Front Neck Drop - HPS to Edge (under 5")	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
VF09	Front Neck Drop- HPS to Seam (under 10")	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VF09.1	Front Neck Drop- HPS to Edge (under 10")	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VF10	Front Neck Drop- HPS to Seam (over 10")	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
VF10.1	Front Neck Drop- HPS to Edge (over 10")	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
VF11	Front Neck Drop-Top Bodice to Seam	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VF11.1	Front Neck Drop-Top Bodice to Edge	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VF12	Front Neck Drop- from Armhole	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VF13	Front Neck Drop- Excluding Straps	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VF14	Funnel Neck Height from HPS	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VF15	Front Neck Height from Armhole	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
VF16	Bodice/Waist Seam from HPS @ CF	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
VF17	Bodice/Waist Seam from HPS @ Dart	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
VF18	Bodice/Waist Seam from HPS @ SS	1/8	1/8	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
VF19	Bodice/Waist Seam from Top Bodice @ CF	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
VF20	Bodice/Waist Seam from Top Bodice @ Dart	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
VF21	Bodice/Waist Seam from Top Bodice @ SS	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
VF22	Bodice/Waist Seam from Armhole @ CF	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VF23	Bodice/Waist Seam from Armhole @ Dart	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VF24	Bodice/Waist Seam from Armhole @ SS	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VF29	Across Chest Placement from HPS	0	0	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VF29.1	Chest Placement from HPS	0	0	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
VF29.2	Across Chest Placement from Raglan Peak	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
VF30	Waist Placement from HPS	0	0	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
VF31	High Hip Placement from HPS	0	0	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
VF32	Low Hip Placement from HPS	0	0	1/2	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2		
VF33	Chest Placement from Top Bodice	0	0	0	0	0	0	@	0	0	0	0	0		
VF34	Waist Placement from Top Bodice	0	0	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
VF35	High Hip Placement from Top Bodice	0	0	5/16	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16		
VF36	Low Hip Placement from Top Bodice	0	0	7/16	7/16	7/16	7/16	@	7/16	7/16	7/16	7/16	7/16		
VF37	Chest Placement from Armhole	0	0	0	0	0	0	@	0	0	0	0	0		
VF38	Waist Placement from Armhole	0	0	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VF39	High Hip Placement from Armhole	0	0	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
VF40	Low Hip Placement from Armhole	0	0	3/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8		
VF41	High Hip Placement from Top Waist - Pant	0	0	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VF41.1	High Hip Placement from Bottom WB - Pant	0	0	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VF42	Low Hip Placement from Top Waist - Pant	0	0	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
VF42.1	Low Hip Placement from Bottom WB - Pant	0	0	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
VF43	Front Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
VF44	Front Shirt Tail Height	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VF45	Across Chest Placement from Armhole	0	0	0	0	0	0	@	0	0	0	0	0		
VF46	Bodice Height @ Tie End from Armhole	1/8	1/8	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16		
VF47	Bodice Height @ Seam from Armhole (inside edge)	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
VF48	Bodice Height @ Seam from Armhole (outside edge)	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
VS01	Vent Opening Height	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
VS02	Slit Opening Height	1/8	1/8	0	0	0	0	@	0	0	0	0	0		

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: 00-16

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
VS03	Sleeve Vent Height @ Point	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
VS04	Sleeve Vent Height @ Side	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
VS05	Sleeve Vent Width	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
WB01	WB-(top seam)- from HPS @ CF	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
WB02	WB-(top seam)- from HPS @ SS	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
WB03	WB-(top seam)- from HPS @ CB	1/4	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4		
WB04	WB Height	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
WB05	WB Height @ CF	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
WB06	WB Height @ SS	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
WB07	WB Height @ CB	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
YK01	Front Yoke Seam from HPS @ Neck	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
YK01.1	Front Yoke Seam Point from HPS	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
YK02	Front Yoke Seam from HPS @ CF	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
YK03	Front Yoke Seam from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
YK04	Back Yoke Seam from HPS @ Neck	1/8	1/8	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
YK04.1	Back Yoke Seam Point from HPS	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
YK05	Back Yoke Seam from HPS @ CB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
YK06	Back Yoke Seam from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
YK07	Front Yoke Flap from HPS-Straight	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
YK08	Front Yoke Flap from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
YK09	Back Yoke Flap from HPS @ CB	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 00-16

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	00	0	2	4	6	8	10	12	14	16		
YK10	Back Yoke Flap from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8		
YK11	Yoke Seam from Top Waist @ CF	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
YK12	Yoke Seam from Top Waist @ SS	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
YK13	Yoke Seam from Top Waist @ CB	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
YK14	Raglan Yoke Seam from Neck Seam	1/4	1/4	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
YK14.1	Raglan Yoke Seam from Neck Edge	1/4	1/4	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16		
ZF01	Fly Length from Top Waist-(pants)	1/4	1/4	1/2	0	1/2	0	@	0	1/2	0	1/2	0		
ZF01.1	Fly Length From Bottom of Waistband - Pants	1/4	1/4	1/2	0	1/2	0	@	0	1/2	0	1/2	0		
ZF02	Fly Length from Top Waist-(skirts)	1/4	1/4	1/2	0	1/2	0	@	0	1/2	0	1/2	0		
ZF03	Fly Width	1/16	1/16	0	0	0	0	@	0	0	0	0	0		
ZF04	Zipper Length-(pants)	1/4	1/4	1/2	0	1/2	0	@	0	1/2	0	1/2	0		
ZF05	Zipper Length-(skirts)	1/4	1/4	0	0	0	0	@	0	0	0	0	0		
ZF06	Zipper Opening from Armhole @ Left SS	1/8	1/8	0	0	0	0	@	0	0	0	0	0		
ZF07	Zipper Opening- (over 8")	1/2	1/2	1/2	0	1/2	0	@	0	1/2	0	1/2	0		
ZF07.1	Zipper Opening- (8" or under)	1/4	1/4	1/2	0	1/2	0	@	0	1/2	0	1/2	0		
ZF08	Zipper Tape Length-(over 8")	1/2	1/2	1/2	0	1/2	0	@	0	1/2	0	1/2	0		
ZF08.1	Zipper Tape Length-(8" or under)	1/4	1/4	1/2	0	1/2	0	@	0	1/2	0	1/2	0		

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
AH01	Armhole-Straight	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8						
AH02	Armhole-Bodice Point to SS-Straight	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
AH03	Armhole-Bodice Point to SS-Along Curve	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
AH04	Armhole Drop from HPS-(straight)- @ SS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
BB01	Bib Seam from HPS @ CF-(under10")	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
BB01.1	Bib Seam from HPS @ CF-(over10")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
BB02	Bib Seam from CF @ Shoulder Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BB03	Bib Seam from CF @ Neck Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BB04	Bib Seam from CF @ Across Chest Placement	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BC01	Bust Cup Height @ Center	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BC02	Bust Cup Width @ Ends	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BD01	Bottom Band Height	1/8	1/8	0	@	0	0	0	0						
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	2	@	2	2	2	2						
BT01.1	Belt Length-Total @ _____	1/2	1/2	2	@	2	2	2	2						
BT02	Belt Height	1/16	1/16	0	@	0	0	0	0						
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	2	@	2	2	2	2						
BT04	Belt Loop Length	1/8	1/8	0	@	0	0	0	0						
BT05	Belt Loop Length @ Center	1/8	1/8	0	@	0	0	0	0						
BT06	Belt Loop Length @ Sides	1/8	1/8	0	@	0	0	0	0						
BT07	Belt Loop Width	1/16	1/16	0	@	0	0	0	0						
BT08	Belt Loop Width @ Top	1/16	1/16	0	@	0	0	0	0						
BT09	Belt Loop Width @ Bottom	1/16	1/16	0	@	0	0	0	0						
BT10	Belt Loop from HPS @ SS	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
BT10.1	Belt Loop from Armhole @ SS	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
BT11	Front Belt Loop from HPS	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						
BT12	Back Belt Loop from HPS	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						
BT13	CB Belt Loop from HPS	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						
BT14	Front Belt Loop from CF @ Top of Loop	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BT14.1	Front Belt Loop from CF @ Bottom of Loop	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	0	@	0	0	0	0						
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	0	@	0	0	0	0						
BT16	Back Belt Loop from CB @ Top of Loop	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
BT17	Belt Loop from Bottom Sleeve Opening	1/8	1/8	0	@	0	0	0	0						
BT18	_____ Belt Loop Spacing	1/8	1/8	0	@	0	0	0	0						
CF01	Cuff Height	1/8	1/8	0	@	0	0	0	0						
CF02	Cuff Height Exposed	1/8	1/8	0	@	0	0	0	0						
CL01	Collar Height @ CB	1/8	1/8	0	@	0	0	0	0						
CL02	Collar Roll Height-Inside CB Neck Seam to Top Roll	1/8	1/8	0	@	0	0	0	0						
CL03	Collar Length @ Outer Edge-Point to Point	1/2	1/2	1	@	1	1	1	1						
CL04	Collar Length @ Outer Edge-CB To CF Along Curve	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
CL05	Collar Length @ Neck Seam	1/2	1/2	1	@	1	1	1	1						
CL05.1	Collar Length @ Top Neckband Seam	1/2	1/2	1	@	1	1	1	1						

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS-XXL

Size Class: General
Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
CL06	Collar Point	1/8	1/8	0	@	0	0	0	0						
CL07	Collar Spread	1/4	1/4	0	@	0	0	0	0						
CL08	Collar Spacing Apart @ CF Neck Seam	1/8	1/8	0	@	0	0	0	0						
CL09	Neckband Height @ CB	1/8	1/8	0	@	0	0	0	0						
CL10	Neckband Height @ Front Edge	1/8	1/8	0	@	0	0	0	0						
CL11	Neckband Length @ Top Band Along Seam	1/2	1/2	1	@	1	1	1	1						
CL12	Neckband Length @ Bottom Band Along Seam	1/2	1/2	1	@	1	1	1	1						
CL13	Neckband-Center of Button to Front End of Btnhole	1/2	1/2	1	@	1	1	1	1						
CL14	Notch Intersection from HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
CL15	Lapel Point from HPS-(Lapel Folded)	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
CL16	Lapel Point	1/8	1/8	0	@	0	0	0	0						
CL17	Lapel Width-(Roll Line to Lapel Point-Straight)	1/8	1/8	0	@	0	0	0	0						
CL18	Lapel Width-(Lapel Seam to Lapel Point-Straight)	1/8	1/8	0	@	0	0	0	0						
CL19	Lapel Notch Spread	1/8	1/8	0	@	0	0	0	0						
CL20	Lapel-Neckband Overlap Width @ Seam	1/8	1/8	0	@	0	0	0	0						
DP01	Center of 1st _____ from HPS(under 10")	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DP02	Center of 1st _____ from HPS (over 10")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
DP03	Center of (spec #) _____ from HPS (over 10")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
DP04	Center of _____ from Bottom Opening	1/4	1/4	0	@	0	0	0	0						
DP05	_____ Vertical Spacing Apart-Center to Center	1/8	1/8		@										
DP06	_____ Horizontal Spacing Apart-Center to Center	1/8	1/8	0	@	0	0	0	0						
DS01	Drawstring Length Total	1/2	1/2	2	@	2	2	2	2						
DS02	Drawstring Exposed Length-(each)-Tunnel Extended	1/4	1/4	0	@	0	0	0	0						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
DS03	Drawstring Height	1/16	1/16	0	@	0	0	0	0						
DT01	Bust Dart Apex (point) from HPS	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
DT02	Bust Dart Apex (point) from Armhole	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
DT03	Bust Dart Leg from HPS @ SS	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
DT04	Bust Dart Leg from Armhole @ SS	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
DT05	Bust Dart Length	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT06	Front Waist Dart Apex (point) from HPS	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
DT07	Front Waist Dart Apex (point) from Armhole	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
DT08	Front Waist Dart Apex (point) from CF	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT09	Front Waist Dart from CF @ Bodice Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT10	Front Waist Dart from CF @ Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT11	Front Waist Dart from CF @ Top Pocket	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT11.1	Front Waist Dart from CF @ Bottom Opening	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT12	Front Waist Dart Length	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT13	Back Waist Dart Apex (point) from HPS	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
DT14	Back Waist Dart Apex (point) from Armhole	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
DT15	Back Waist Dart Apex (point) from CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT16	Back Waist Dart from CB @ Bodice Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT17	Back Waist Dart from CB @ Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT17.1	Back Waist Dart from CB @ Bottom Opening	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT18	Back Waist Dart Length	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT19	Front Dart Length from Top Waist	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
DT19.1	Back Dart Length from Top Waist	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
DT20	Front Dart from CF @ Top Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT21	Back Dart from CB @ Top Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT22	Front Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT23	Front Neck Dart Apex (point) Spacing Apart	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT24	Front Neck Dart Length	1/8	1/8	0	@	0	0	0	0						
DT25	Back Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT26	Back Neck Dart Apex (point) Spacing Apart	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT27	Back Neck Dart Length	1/8	1/8	0	@	0	0	0	0						
DT28	Elbow Dart Leg from Armhole Along Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
DT29	Elbow Dart Leg Spacing Apart @ Seam	1/8	1/8	0	@	0	0	0	0						
DT30	Elbow Dart Apex (point) Spacing Apart	1/8	1/8	0	@	0	0	0	0						
DT31	Elbow Dart Length	1/8	1/8	0	@	0	0	0	0						
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	0	@	0	0	0	0						
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	0	@	0	0	0	0						
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	0	@	0	0	0	0						
DT35	Knee Dart Length	1/8	1/8	0	@	0	0	0	0						
DT36	_____ Dart Intake-(flat)	1/16	1/16	0	@	0	0	0	0						
DT37	Shoulder Dart Length	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT38	Bust Dart Apex from Raglan Peak	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT39	Front Waist Dart Apex from Raglan Peak	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
DT40	Back Waist Dart Apex from Raglan Peak	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS-XXL

Size Class: General
Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
EP01	Epaulet Length @ Center	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
EP02	Epaulet Length @ Sides	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
EP03	Epaulet Width	1/8	1/8	0	@	0	0	0	0						
EP04	Epaulet Edge from Neck Edge	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
FC01	Facing Height	1/8	1/8	0	@	0	0	0	0						
FC02	Facing Width	1/8	1/8	0	@	0	0	0	0						
FL01	Flounce Height @ CF	1/4	1/4	0	@	0	0	0	0						
FL02	Flounce Height @ SS	1/4	1/4	0	@	0	0	0	0						
FL03	Flounce Height @ CB	1/4	1/4	0	@	0	0	0	0						
FL04	Sleeve Flounce Height	1/4	1/4	0	@	0	0	0	0						
GD01	Godet Height @ Center	1/4	1/4	0	@	0	0	0	0						
GD02	Godet Width @ Bottom-Along Curve or Straight	1/4	1/4	0	@	0	0	0	0						
GD03	Godet Point from CF	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
GD04	Godet Point from CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
GD05	Godet Spacing Apart-Point to Point	1/4	1/4	0	@	0	0	0	0						
HB01	Back Neck Width-Seam to Seam @ Shldr Sm	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
HB01.1	Bk Neck Width-Seam to Seam @ Shldr Sm 8 -11	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
HB01.2	Bk Neck Width-Seam to Seam @ Shldr Sm over	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
HB02	Back Neck Width-Edge to Edge @ Shldr Sm	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
HB02.1	Bk Neck Width-Seam to Seam @ Shldr Sm 8 -11	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
HB02.2	Bk Neck Width-Edge -Edge @ Shldr Sm over 11	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
HB03	Raglan Seams Apart @ Back Neck	3/8	3/8	1/4	@	1/4	1/4	1/4	1/4						
HB04	Across Back-Seam to Seam	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS-XXL

Size Class: General
Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
HB04.1	Across Back-Edge to Edge	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
HB05	Back Bottom Opening-SS to SS Along Curve	1/2	1/2	1	@	1	1	1	1						
HB06	Back Sweep-SS to SS Along Curve	1/2	1/2	1	@	1	1	1	1						
HB07	Back Chest Along Edge Between Side Seams	1/2	1/2	1	@	1	1	1	1						
HB08	Across Shoulder Edge to Edge @Back Shldr. Sm	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
HB08.1	Across Shoulder Seam to Seam @ Back Shldr	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
HD01	Hood Opening- Along Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HD02	Hood Height-Straight from HPS	1/4	1/4	0	@	0	0	0	0						
HD02.1	Hood Height @ CF	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
HD03	Hood Width @ __from HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HD04	Hood Center Panel Width @ Opening	1/8	1/8	0	@	0	0	0	0						
HD05	Hood Center Panel Width @ Back Neck Seam	1/8	1/8	0	@	0	0	0	0						
HD06	Hood Center Panel Length @ Center	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
HF00.1	Neck Width Edge to Edge @ HPS(8 - 11")	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
HF00.2	Neck Width Edge to Edge @ HPS(+ 11")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
HF00.3	Neck Width Seam to Seam @ HPS (8 to 11")	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
HF00.4	Neck Width Seam to Seam @ HPS (+ 11")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
HF00.5	Neck Width Edge to Edge @ Shldr Sm (8-11")	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
HF00.6	Neck Width Edge to Edge @ Shldr Sm (+ 11")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
HF00.7	Neck Width Seam to Seam @ Shldr Sm (8-11")	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
HF00.8	Neck Width Seam to Seam @ Shldr Sm (+ 11")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
HF01	Neck Width-Seam to Seam @ HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF01.1	Neck Width-Edge to Edge @ HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS-XXL

Size Class: General
Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
HF01.2	Neck Width- @ Top Band Opening-Straight	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF01.3	Neck Width Seam to Seam @ Shoulder Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF01.4	Neck Width Edge to Edge @ Shoulder Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF02	Front Neck Width-Seam to Seam @ HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF02.1	Front Neck Width- Edge to Edge @ HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF03	Neck Width-Seam to Seam @ Across Chest	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF03.1	Neck Width-Edge to Edge @ Across Chest	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF04	Neck Width-Seam to Seam @ Front Neck Drop	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF05	Neck Width-Edge to Edge @ Front Neck Drop	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF06	Raglan Seams Apart @ Front Neck	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
HF07	Across Shoulder-Seam to Seam @ Back Fold	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
HF07.1	Across Shoulder-Edge to Edge @ Back Fold	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
HF08	Across Chest-Seam to Seam	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
HF08.1	Across Chest-Edge to Edge	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
HF09	Chest @ Armhole	1/2	1/2	1	@	1	1	1	1						
HF09.1	Chest @ Armhole CF to CB	1/2	1/2	1	@	1	1	1	1						
HF10	Chest @ 1" Below Armhole	1/2	1/2	1	@	1	1	1	1						
HF10.1	Chest @ 1" Below Armhole CF to CB	1/2	1/2	1	@	1	1	1	1						
HF10.2	Chest @ Specified Placement	1/2	1/2	1	@	1	1	1	1						
HF11	Chest @ Bodice Seam-Straight	1/2	1/2	1	@	1	1	1	1						
HF12	Waist	1/2	1/2	1	@	1	1	1	1						
HF13	Waist @ Seam-Along Curve	1/2	1/2	1	@	1	1	1	1						
HF14	Waist @ Top	1/2	1/2	1	@	1	1	1	1						

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS-XXL

Size Class: General
Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
HF15	Waist @ Bottom	1/2	1/2	1	@	1	1	1	1						
HF16	Waist Extended	1/2	1/2	1	@	1	1	1	1						
HF17	Waist Relaxed	1/2	1/2	1	@	1	1	1	1						
HF18	High Hip	1/2	1/2	1	@	1	1	1	1						
HF19	High Hip-Along Yoke Seam	1/2	1/2	1	@	1	1	1	1						
HF20	Low Hip	1/2	1/2	1	@	1	1	1	1						
HF21	Low Hip-Along Yoke Seam	1/2	1/2	1	@	1	1	1	1						
HF22	Bottom Opening-Straight	1/2	1/2	1	@	1	1	1	1						
HF22.1	Front Bottom Opening-CF to SS-Straight	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
HF23	Bottom Opening-Along Curve	1/2	1/2	1	@	1	1	1	1						
HF23.1	Front Bottom Opening-CF to SS-Along Curve	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
HF24	Sweep-Along Curve	1/2	1/2	1	@	1	1	1	1						
HF24.1	Front Sweep-SS to SS-Along Curve	1/2	1/2	1	@	1	1	1	1						
HF25	Lining Sweep-Along Curve	1/2	1/2	1	@	1	1	1	1						
HL01	Hanger Loop-Total Length	1/4	1/4	0	@	0	0	0	0						
HL02	Hanger Loop from _____	1/4	1/4	0	@	0	0	0	0						
HM01	Hem Height	1/8	1/8	0	@	0	0	0	0						
HM02	Hem Height-Include Binding	1/8	1/8	0	@	0	0	0	0						
HM03	Hem Height-to Lining Seam	1/8	1/8	0	@	0	0	0	0						
HM04	Hem Height - To Finished Lining Edge	1/8	1/8	0	@	0	0	0	0						
KH01	Keyhole Opening-Edge to Edge	1/8	1/8	0	@	0	0	0	0						
KH02	Keyhole Width @ Center-Edge to Edge	1/8	1/8	0	@	0	0	0	0						
MS01	Minimum Stretch @ Neck Opening	3/8	3/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
MS02	Minimum Stretch @ Back Neck	3/8	3/8	1/4	@	1/4	1/4	1/4	1/4						
MS03	Minimum Stretch @ Waist	1/2	1/2	1	@	1	1	1	1						
MS04	Minimum Stretch @ Bottom Opening	1/2	1/2	1	@	1	1	1	1						
MS05	Minimum Stretch @ Top Cuff Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
MS06	Minimum Stretch @ Sleeve Opening	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
PA01	Placket Length @ Center	1/8	1/8	0	@	0	0	0	0						
PA02	Placket Length @ Sides	1/8	1/8	0	@	0	0	0	0						
PA03	Placket Width	1/8	1/8	0	@	0	0	0	0						
PA04	Placket Facing Width	1/8	1/8	0	@	0	0	0	0						
PK01	Chest Pocket from HPS @ CF Side	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
PK02	Chest Pocket from HPS @ SS Side	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
PK03	_____ Pocket from HPS @ CF Side-(over 10")	3/8	3/8		@										
PK04	_____ Pocket from HPS @ SS Side-(over 10")	3/8	3/8		@										
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK08.1	Jean Pocket from Bottom WB @ SS	1/8	1/8	0	@	0	1/8	0	0						
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK10.1	Pocket from Bottom Waist @ Outer Side	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK11.1	Pocket from CF @ Bottom (use for graded pockets)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK12.2	Pocket from CF @ Bottom (use for non-graded pkt)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK15.3	Pocket from CB @ Bottom (use for graded pkts)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK15.4	Pocket from CB @ Bottom (use for non-graded pkts)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK16	_____ Pocket Height @ Center	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK17	_____ Pocket Height @ Sides	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK22	_____ Pocket Width @ Top	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK23	_____ Pocket Width @ Bottom	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK26	Welt or Besom Pocket Height	1/16	1/16	0	@	0	0	0	0						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK28	Pocket Opening-(on seam)-from HPS-(over 10")	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						
PK29	Pocket Opening-(on seam)-from Top Waist	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
PK30	Pocket Opening-(on seam)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PK31	Pocket Bag Depth from Top of Opening	1/4	1/4	0	@	0	0	0	0						
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4		@										
PK35	_____ Pocket from Bottom Opening	1/4	1/4	0	@	0	0	0	0						
PK36	Coin Pocket Height (Exposed)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PK39	Coin Pocket Width (Exposed)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
PL01	Pleat from CF	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PL02	Pleat from CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PL03	Pleat Spacing Apart-Fold to Fold	1/16	1/16	0	@	0	0	0	0						
PL04	Pleat Depth-(flat)	1/16	1/16	0	@	0	0	0	0						
PL05	Pleat Depth-(Flat)-from CF @ Yoke Seam	1/16	1/16	0	@	0	0	0	0						
PL05.1	Pleat Depth-(Flat)-from CB @ Yoke Seam	1/16	1/16	0	@	0	0	0	0						
PL06	Pleat Depth-(Flat)-from CF @ Bottom Opening	1/16	1/16	0	@	0	0	0	0						
PL06.1	Pleat Depth-(Flat)-from CB @ Bottom Opening	1/16	1/16	0	@	0	0	0	0						
PL08	Pleat Stitched Length	1/16	1/16	0	@	0	0	0	0						
PM01	Peplum Height @ CF	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
PM02	Peplum Height @ SS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PM03	Peplum Height @ CB	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
PP01	Print Placement from HPS-(under 10")	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
PP01.1	Print Placement from HPS-(over 10")	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
PP02	Print Placement from CF	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PP03	Print Placement from CB	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PP04	Print Placement from Top Pocket	1/8	1/8	0	@	0	0	0	0						
PP05	Print Placement from SS	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PP06	Print Placement from Bottom Opening	1/8	1/8	0	@	0	0	0	0						
PP07	Print Placement from Sleeve Opening	1/8	1/8	0	@	0	0	0	0						
PP08	Print Placement from Shoulder Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS01	Princess Seam from HPS @ Front Armhole	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
PS02	Princess Seam from CF @ Neck Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS03	Princess Seam from CF or CB @ Shoulder Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS04	Princess Seam from CF @ Raglan Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS05	Princess Seam from CF @ Yoke Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS06	Princess Seam from CF @ Chest	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS07	Princess Seam from CF @ Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS08	Princess Seam from CF @ Top Pocket	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS09	Princess Seam from CF @ Bottom Opening-Along Curve	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS10	Princess Seam from CF @ Bottom Opening-Straight	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS11	Princess Seam from HPS @ Back Armhole	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
PS12	Princess Seam from CB @ Neck Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS13	Princess Seam from CB @ Raglan Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PS14	Princess Seam from CB @ Yoke Seam	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS15	Princess Seam from CB @ Chest	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS16	Princess Seam from CB @ Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS17	Princess Seam from CB @ Bottom Opening-Along Curve	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PS18	Princess Seam from CB @ Bottom Opening-Straight	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PT01	Front Rise from Top Waist	1/2	1/2	3/4	@	3/4	3/4	3/4	3/4						
PT02	Back Rise from Top Waist	1/2	1/2	3/4	@	3/4	3/4	3/4	3/4						
PT03	Thigh @ 1" Below Crotch	1/2	1/2	3/4	@	3/4	3/4	3/4	3/4						
PT04	Thigh @ __ " Below Crotch	1/2	1/2	5/8	@	5/8	5/8	5/8	5/8						
PT05	Knee @ __ " Below Crotch	1/2	1/2	3/8	@	3/8	3/8	3/8	3/8						
PT06	Leg Opening-(for inseams over 6")	1/2	1/2	3/8	@	3/8	3/8	3/8	3/8						
PT07	Leg Opening-(for inseams under 6")	1/2	1/2	5/8	@	5/8	5/8	5/8	5/8						
PT08	Inseam-(22" or Longer)	3/4	3/4	0	@	0	0	0	0						
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	3/4	3/4	0	@	0	0	0	0						
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	3/4	3/4	0	@	0	0	0	0						
PT09	Inseam-(under 6")	1/4	1/4	0	@	0	0	0	0						
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	0	@	0	0	0	0						
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	0	@	0	0	0	0						
PT09.3	Inseam-(6" to 21")	1/2	1/2	0	@	0	0	0	0						
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/2	1/2	0	@	0	0	0	0						
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/2	1/2	0	@	0	0	0	0						
PT10	Outseam from Top Waist-(22" or Longer)	1	1	1/2	@	1/2	1/2	1/2	1/2						
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22" or L)	1	1	1/2	@	1/2	1/2	1/2	1/2						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22"or L)	1	1	1/2	@	1/2	1/2	1/2	1/2						
PT11	Outseam from Top Waist-(under 6")	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
PT11.1	Outseam from Top Waist w/Cuff Rolled Up(under 6")	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
PT11.3	Outseam from Top Waist-(6" to 21")	3/4	3/4	1/2	@	1/2	1/2	1/2	1/2						
PT11.4	Outseam from Top Waist w/Cuff Rolled Up(6"to21")	3/4	3/4	1/2	@	1/2	1/2	1/2	1/2						
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6"to21")	3/4	3/4	1/2	@	1/2	1/2	1/2	1/2						
PT12	Back Knee Seam from Bottom Opening	3/8	3/8	0	@	0	0	0	0						
PT13	Front Leg Seam from CF Seam @ Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PT13.1	Front Leg Seam from Inseam @ Leg Opening	1/8	1/8	3/16	@	3/16	3/16	3/16	3/16						
PT14	Back Leg Seam from CB Seam @ Waist	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
PT14.1	Back Leg Seam from Inseam @ Leg Opening	1/8	1/8	3/16	@	3/16	3/16	3/16	3/16						
PT15	Side Front Leg Seam from CF Seam @ Waist	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
PT15.1	Side Front Leg Seam from Inseam @ Leg Ope	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
PT16	Side Back Leg Seam from CB Seam @ Waist	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
PT16.1	Side Back Leg Seam from Inseam @ Leg Open	1/8	1/8	3/8	@	3/8	3/8	3/8	3/8						
PT17	Side Leg Panel Width @ Top & Bottom	1/8	1/8	0	@	0	0	0	0						
RF01	Ruffle Height-Total	1/8	1/8	0	@	0	0	0	0						
RF02	Ruffle Height-Exposed	1/8	1/8	0	@	0	0	0	0						
RF03	Ruffle Width-Total	1/8	1/8	0	@	0	0	0	0						
RF04	Ruffle Width-Exposed	1/8	1/8	0	@	0	0	0	0						
SH01	Shirring from CF	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SH02	Shirring from CB	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
SH03	Shirring Width	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
SK01	CF Waist Level Drop from CB	1/8	1/8	0	@	0	0	0	0						
SK02	Waist Curve from SS to CB	1/8	1/8	0	@	0	0	0	0						
SK03	Skirt Length from Top Waist @ CB-(18" or over)	5/8	5/8	1/2	@	1/2	1/2	1/2	1/2						
SK03.1	Skirt Length from Top Waist @ CB-(under 18")	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
SK04	Skirt Length from Top Waist @ SS-(18" or over)	5/8	5/8	1/2	@	1/2	1/2	1/2	1/2						
SK04.1	Skirt Length from Top Waist @ SS-(under 18")	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
SK05	Skirt Length From Top Waist @ CF (18" or over)	5/8	5/8	1/2	@	1/2	1/2	1/2	1/2						
SK05.1	Skirt Length From Top Waist @ CF (under 18")	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2						
SK06	High Hip Placement From Top Waist	0	0	1/4	@	1/4	1/4	1/4	1/4						
SK06.1	Low Hip Placement From Top Waist	0	0	1/2	@	1/2	1/2	1/2	1/2						
SM01	Smocking from HPS @ CF	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
SM02	Smocking from HPS @ SS	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
SM03	Smocking from HPS @ CB	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
SM04	Smocking from CF	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SM05	Smocking Height-(eval stch gauge & grade accrdly)	1/8	1/8		@										
SM06	Smocking Width (non-graded option)	1/4	1/4	0	@	0	0	0	0						
SM07	Smocking Width @ Top- (graded option)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SM08	Smocking Width @ Bottom-(graded option)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SP01	Surplice Wrap Point from HPS	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
SP02	Surplice Overlap Total Width @ Bodice Seam-und 4"	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
SP03	Surplice Overlap Total Width @ Bodice Seam-ovr 4"	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8						
SS02	Sleeve Length from Shoulder-Long	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
SS02.1	Sleeve Length from Shoulder w/ Cuff Rolled Up-Long	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
SS02.2	Sleeve Length frm Shoulder w/ Cuff Unrolled-Long	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
SS03	Sleeve Length from Shoulder-Short	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
SS03.1	Sleeve Length from Shoulder w/Cuff Rolled Up-Short	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
SS03.2	Sleeve Length from Shoulder w/ Cuff Unrolled-Short	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
SS04	Sleeve Length from Neck Seam @ HPS-Long	5/8	5/8	5/8	@	5/8	5/8	5/8	5/8						
SS04.1	Sleeve Length from Neck Edge @ HPS-Long	5/8	5/8	5/8	@	5/8	5/8	5/8	5/8						
SS05	Sleeve Length from Neck Seam @ HPS-Short	1/2	1/2	3/8	@	3/8	3/8	3/8	3/8						
SS05.1	Sleeve Length from Neck Edge @ HPS-Short	1/2	1/2	3/8	@	3/8	3/8	3/8	3/8						
SS06	Undersleeve Length-Long	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
SS07	Undersleeve Length-Short	1/8	1/8		@										
SS07.1	Sleeve Cap Height	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
SS08	Sleeve Cap Width @ 3" from Shoulder	3/4	3/4		@										
SS09	Sleeve Width @ 1" Below Armhole	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8						
SS10	Sleeve Width @ 13" from Shoulder	3/8	3/8	1/4	@	1/4	1/4	1/4	1/4						
SS11	Sleeve Width @ 5" up from Opening	3/8	3/8	1/4	@	1/4	1/4	1/4	1/4						
SS12	Sleeve Width @ Top Cuff Seam	3/8	3/8	1/4	@	1/4	1/4	1/4	1/4						
SS13	Sleeve Width @ Top Cuff Seam-Relaxed	3/8	3/8	1/4	@	1/4	1/4	1/4	1/4						
SS14	Sleeve Width @ Top Cuff Seam-Extended	1/2	1/2	1/4	@	1/4	1/4	1/4	1/4						
SS15	Sleeve Width @ Opening-Long	3/8	3/8	1/4	@	1/4	1/4	1/4	1/4						
SS16	Sleeve Width @ Opening-Relaxed-Long	1/2	1/2	1/4	@	1/4	1/4	1/4	1/4						
SS17	Sleeve Width @ Opening-Extended-Long	1/2	1/2	1/4	@	1/4	1/4	1/4	1/4						
SS18	Sleeve Width @ Opening-Along Curve-Long	3/8	3/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
SS19	Sleeve Width @ Opening-Short	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8						
SS20	Sleeve Width @ Opening-Relaxed-Short	1/2	1/2	3/8	@	3/8	3/8	3/8	3/8						
SS21	Sleeve Width @ Opening-Extended-Short	1/2	1/2	3/8	@	3/8	3/8	3/8	3/8						
SS21.1	Cap Sleeve Width @ Opening-Along Curve-Short	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8						
SS21.2	Cap Sleeve Width @ Opening-Along Curve-Total	3/4	3/4	3/4	@	3/4	3/4	3/4	3/4						
SS22	Front Sleeve Hem from HPS @ Armhole-Straight	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
SS23	Front Sleeve Hem from SS @ Armhole-Along Curve	1/4	1/4	1/8	@	1/8	1/8	1/8	1/8						
SS24	Back Sleeve Hem from HPS @ Armhole-Straight	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
SS25	Back Sleeve Hem from SS @ Armhole-Along Curve	1/4	1/4	1/8	@	1/8	1/8	1/8	1/8						
SS26	Armhole Gusset Width Front to Back	1/8	1/8	0	@	0	0	0	0						
SS27	Armhole Gusset Height End to End	1/8	1/8	0	@	0	0	0	0						
SS28	Front Neck Length @ Raglan Slv.Edge	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SS28.1	Front Neck Length @ Raglan Slv.Seam	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SS29	Back Neck Length @ Raglan Slv.Edge	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SS29.1	Back Neck Length @ Raglan Slv.Seam	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
SS30	Total Raglan Sleeve Neck Length @ Edge RLXD	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
SS30.1	Total Raglan Sleeve Neck Length @ Edge XTND	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
SS31	Total Raglan Sleeve Neck Length @ Seam RLXD	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
SS31.1	Total Raglan Sleeve Neck Length @ Seam XTND	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
ST01	Strap Length-Total (extends to across back)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ST01.1	Strap Length - Total (extends to back chest)	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ST02	Strap Overlap from Top "o" Ring to Center Slider	0	0	0	@	0	0	0	0						
ST03	Strap Width-(1/2" or under)	0	0	0	@	0	0	0	0						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
ST04	Strap Width-(5/8" to 1 3/8")	1/16	1/16	0	@	0	0	0	0						
ST05	Strap Width-(1 1/2" or over)	1/8	1/8	0	@	0	0	0	0						
ST06	Front Straps Apart-Inside	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
ST07	Back Straps Apart-Inside	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
SW01	Stitches Per 1" Height	2	2	0	@	0	0	0	0						
SW02	Stitches Per 1" Width	2	2	0	@	0	0	0	0						
SW03	Net Weight	0	0	0	@	0	0	0	0						
TB01	Tab Height	1/8	1/8	0	@	0	0	0	0						
TB02	Tab Height @ Center	1/8	1/8	0	@	0	0	0	0						
TB03	Tab Height @ Sides	1/8	1/8	0	@	0	0	0	0						
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	0	@	0	0	0	0						
TB04	Tab Width	1/8	1/8	0	@	0	0	0	0						
TB05	Tab Width @ Top	1/8	1/8	0	@	0	0	0	0						
TB06	Tab Width @ Bottom	1/8	1/8	0	@	0	0	0	0						
TB07	Tab from HPS @ CF	3/8	3/8		@										
TB08	Tab from HPS @ SS	3/8	3/8		@										
TB09	Tab from HPS @ CB	3/8	3/8		@										
TB10	Tab from CF	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						
TB11	Tab from SS on Front	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
TB12	Tab from SS on Back	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
TB13	Tab from Bottom Opening	1/4	1/4	0	@	0	0	0	0						
TK01	Tuck from CF	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
TK02	Tuck from CB	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS-XXL

Size Class: General
Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
TK03	_____Tuck Spacing Apart-Fold to Fold	1/16	1/16	0	@	0	0	0	0						
TK04	_____Tuck Depth- Fold to Stitch	1/16	1/16	0	@	0	0	0	0						
TN01	_____Tunnel Height	1/16	1/16	0	@	0	0	0	0						
TN02	Top of Tunnel Placement from HPS @_____	3/8	3/8		@										
TR01	_____Tier Placement from HPS-(under 18")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
TR02	_____Tier Placement from HPS-(over 18")	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						
TR03	_____Tier Placement from Shoulder	1/4	1/4		@										
TR04	_____Tier Placement from Top Waist Seam	1/4	1/4		@										
TR05	_____Tier Height-Exposed	1/4	1/4	0	@	0	0	0	0						
TS01	Tie Placement from HPS	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
TS02	Tie Height	1/16	1/16	0	@	0	0	0	0						
TS03	Tie Length- Each	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
TS04	Tie Spacing Apart @ CF-(graded)	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
TS04.1	Tie Spacing Apart @ CF-(nongraded)	1/4	1/4	0	@	0	0	0	0						
TS05	Tie Spacing Apart @ CB-(graded)	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
TS05.1	Tie Spacing Apart @ CB-(nongraded)	1/4	1/4	0	@	0	0	0	0						
UG01	Waist @ Top Relaxed	3/8	3/8	1	@	1	1	1	1						
UG01.1	Front Waist (thong)	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG02	Waist @ Top Extended	3/8	3/8	1	@	1	1	1	1						
UG03	Upper Front Width Placement from Crotch Seam	0	0	1/4	@	1/4	1/4	1/4	1/4						
UG03.1	Upper Front Width Placement from Top Waist	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG04	Upper Front Width	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
UG04.1	Upper Front Width (thong)	1/8	1/8	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS-XXL

Size Class: General
Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
UG05	Lower Front Width Placement from Crotch Seam	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG05.1	Lower Front Width Placement From Top Waist	0	0	1/4	@	1/4	1/4	1/4	1/4						
UG06	Lower Front Width	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG06.1	Lower Front Width (thong)	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
UG07	Front Crotch Width-Along Seam	1/4	1/4	1/8	@	1/8	1/8	1/8	1/8						
UG07.1	Front Crotch Width @ Crotch Panel Edge	1/4	1/4	1/8	@	1/8	1/8	1/8	1/8						
UG08	Narrowest Crotch Width Plcmnt from Bk Crotch Seam	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG09	Narrowest Crotch Width	1/8	1/8	0	@	0	0	0	0						
UG10	Back Crotch Width Along Seam	1/4	1/4	1/8	@	1/8	1/8	1/8	1/8						
UG11	Crotch Panel Length @ Center	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
UG12	Upper Back Width Placement from Crotch Seam	0	0	1/4	@	1/4	1/4	1/4	1/4						
UG12.1	Upper Back Width Placement from Top Waist	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG13	Upper Back Width	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
UG14	Lower Back Width Placement from Crotch Seam	0	0	1/8	@	1/8	1/8	1/8	1/8						
UG14.1	Lower Back Width Placement from Top Waist	0	0	1/4	@	1/4	1/4	1/4	1/4						
UG15	Lower Back Width	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG16	Front Panel Length from Top to Crotch Seam	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG17	Back Panel Length from Top to Crotch Seam	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
UG18	Side Length from Top @ Seam	1/8	1/8	0	@	0	0	0	0						
UG18.1	Side Length from Top @ Fold	1/8	1/8	0	@	0	0	0	0						
UG19	Leg Opening (1/2) Relaxed	3/8	3/8	5/8	@	5/8	5/8	5/8	5/8						
UG19.1	Thong Leg Opening to Point - Relaxed	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8						
UG19.2	Thong Leg Opening Total - relaxed	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS-XXL

Size Class: General
Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
UG20	Leg Opening (1/2) Extended	3/8	3/8	5/8	@	5/8	5/8	5/8	5/8						
UG20.1	Thong Leg Opening to Point - Extended	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8						
UG20.2	Thong Leg Opening Total - Extended	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						
UG21	Minimum Stretch @ Waist (1/2)	3/8	3/8	1	@	1	1	1	1						
UG22	Minimum Stretch @ Leg Opening (1/2)	3/8	3/8	5/8	@	5/8	5/8	5/8	5/8						
UG22.1	Min Stretch @ Thong Leg Opening to Point	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8						
UG22.2	Min Stretch @ Thong Leg Opening Total	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						
UG23	Thong Back Width	1/4	1/4	0	@	0	0	0	0						
UG24	Back Crotch Seam From Crotch Foldline	1/4	1/4	0	@	0	0	0	0						
VB01	Body Length @ CB from HPS	5/8	5/8	1	@	1	1	1	1						
VB02	Body Length @ CB from CB Neck	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						
VB02.1	CB Length from Raglan Peak	3/8	3/8	7/8	@	7/8	7/8	7/8	7/8						
VB03	Body Length @ CB from Armhole	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						
VB033	Peak Height @ CB	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VB04	Back Neck Drop-HPS to Seam-(under 3")	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VB04.1	Back Neck Drop-HPS to Edge-(under 3")	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VB04.2	Back Neck Drop-HPS to Seam-(over 3")	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VB04.3	Back Neck Drop-HPS to Edge-(over 3")	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VB05	Back Neck Drop-from Armhole	1/8	1/8	0	@	0	0	0	0						
VB06	Back Neck Drop-Excluding Straps	1/8	1/8	0	@	0	0	0	0						
VB06.1	Back Neck Drop from Raglan Peak	1/8	1/8	0	@	0	0	0	0						
VB06.2	Back Neck Drop to Seam from Raglan Peak	1/8	1/8	0	@	0	0	0	0						
VB07	Across Back Placement from HPS	0	0	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VB07.1	Across Back Placement from Raglan Peak	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VB08	Bodice Seam from HPS @ CB	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
VB09	Bodice Seam from Back Neck @ CB	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VB10	Bodice Seam from Armhole @ CB	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VB11	Back Raglan Seam from HPS @ Neck Seam	1/4	1/4	1/8	@	1/8	1/8	1/8	1/8						
VB44	Back Shirt Tail Height	1/8	1/8	0	@	0	0	0	0						
VF01	Shoulder Forward Seam from HPS @ Neck	0	0	0	@	0	0	0	0						
VF02	Shoulder Forward Seam from HPS @ Armhole	0	0	0	@	0	0	0	0						
VF03	Shoulder Slope from HPS to Armhole Seam@Back Fold	1/8	1/8	0	@	0	0	0	0						
VF03.1	Shoulder Slope from HPS @ Specified Placement	1/8	1/8	0	@	0	0	0	0						
VF03.2	Shoulder Slope Placement from CB	0	0	1/4	@	1/4	1/4	1/4	1/4						
VF03.3	Shoulder Slope From HPS @ Shldr. Sm. to Armhole	0	0	0	@	0	0	0	0						
VF04	Body Length @ CF from HPS	5/8	5/8	1	@	1	1	1	1						
VF04.1	Body Length @ CF from HPS (Bodysuit)	5/8	5/8	1 1/4	@	1 1/4	1 1/4	1 1/4	1 1/4						
VF04.2	Body Length @ SS from HPS	5/8	5/8	1	@	1	1	1	1						
VF04.3	Body Length @ CF from Neck Edge	1/2	1/2	7/8	@	7/8	7/8	7/8	7/8						
VF04.4	Body Length @ CF from Neck Seam	1/2	1/2	7/8	@	7/8	7/8	7/8	7/8						
VF05	Body Length @ CF from Top Bodice	3/8	3/8	7/8	@	7/8	7/8	7/8	7/8						
VF05.1	Body Length @ CF from Top Bodice (Bodysuit)	3/8	3/8	1	@	1	1	1	1						
VF06	Body Length @ CF from Armhole	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						
VF06.1	Body Length @ CF from Armhole (Bodysuit)	3/8	3/8	7/8	@	7/8	7/8	7/8	7/8						
VF06.2	Body Length @ SS from Armhole	3/8	3/8	3/4	@	3/4	3/4	3/4	3/4						
VF07	Peak Height @ CF	1/8	1/8	0	@	0	0	0	0						

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS-XXL

Size Class: General
Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VF08	Front Neck Drop - HPS to Seam (under 5")	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF08.1	Front Neck Drop - HPS to Edge (under 5")	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF09	Front Neck Drop- HPS to Seam (under 10")	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VF09.1	Front Neck Drop- HPS to Edge (under 10")	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VF10	Front Neck Drop- HPS to Seam (over 10")	3/8	3/8	1/4	@	1/4	1/4	1/4	1/4						
VF10.1	Front Neck Drop- HPS to Edge (over 10")	3/8	3/8	1/4	@	1/4	1/4	1/4	1/4						
VF11	Front Neck Drop-Top Bodice to Seam	1/4	1/4	0	@	0	0	0	0						
VF11.1	Front Neck Drop-Top Bodice to Edge	1/4	1/4	0	@	0	0	0	0						
VF12	Front Neck Drop- from Armhole	1/4	1/4	0	@	0	0	0	0						
VF13	Front Neck Drop- Excluding Straps	1/4	1/4	0	@	0	0	0	0						
VF14	Funnel Neck Height from HPS	1/4	1/4	0	@	0	0	0	0						
VF15	Front Neck Height from Armhole	1/4	1/4	1/8	@	1/8	1/8	1/8	1/8						
VF16	Bodice/Waist Seam from HPS @ CF	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
VF17	Bodice/Waist Seam from HPS @ Dart	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
VF18	Bodice/Waist Seam from HPS @ SS	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
VF19	Bodice/Waist Seam from Top Bodice @ CF	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
VF20	Bodice/Waist Seam from Top Bodice @ Dart	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
VF21	Bodice/Waist Seam from Top Bodice @ SS	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
VF22	Bodice/Waist Seam from Armhole @ CF	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VF23	Bodice/Waist Seam from Armhole @ Dart	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VF24	Bodice/Waist Seam from Armhole @ SS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VF29	Across Chest Placement from HPS	0	0	1/4	@	1/4	1/4	1/4	1/4						
VF29.1	Chest Placement from HPS	0	0	3/8	@	3/8	3/8	3/8	3/8						

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS-XXL

Size Class: General
Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VF29.2	Across Chest Placement from Raglan Peak	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8						
VF30	Waist Placement from HPS	0	0	1/2	@	1/2	1/2	1/2	1/2						
VF31	High Hip Placement from HPS	0	0	3/4	@	3/4	3/4	3/4	3/4						
VF32	Low Hip Placement from HPS	0	0	1	@	1	1	1	1						
VF33	Chest Placement from Top Bodice	0	0	0	@	0	0	0	0						
VF34	Waist Placement from Top Bodice	0	0	3/8	@	3/8	3/8	3/8	3/8						
VF35	High Hip Placement from Top Bodice	0	0	5/8	@	5/8	5/8	5/8	5/8						
VF36	Low Hip Placement from Top Bodice	0	0	7/8	@	7/8	7/8	7/8	7/8						
VF37	Chest Placement from Armhole	0	0	0	@	0	0	0	0						
VF38	Waist Placement from Armhole	0	0	1/4	@	1/4	1/4	1/4	1/4						
VF39	High Hip Placement from Armhole	0	0	1/2	@	1/2	1/2	1/2	1/2						
VF40	Low Hip Placement from Armhole	0	0	3/4	@	3/4	3/4	3/4	3/4						
VF41	High Hip Placement from Top Waist - Pant	0	0	1/4	@	1/4	1/4	1/4	1/4						
VF41.1	High Hip Placement from Bottom WB - Pant	0	0	1/4	@	1/4	1/4	1/4	1/4						
VF42	Low Hip Placement from Top Waist - Pant	0	0	1/2	@	1/2	1/2	1/2	1/2						
VF42.1	Low Hip Placement from Bottom WB - Pant	0	0	1/2	@	1/2	1/2	1/2	1/2						
VF43	Front Raglan Seam from HPS @ Neck Seam	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
VF44	Front Shirt Tail Height	1/8	1/8	0	@	0	0	0	0						
VF45	Across Chest Placement from Armhole	0	0	0	@	0	0	0	0						
VF46	Bodice Height @ Tie End from Armhole	1/4	1/4	3/8	@	3/8	3/8	3/8	3/8						
VF47	Bodice Height @ Seam from Armhole (inside edge)	1/4	1/4	1/8	@	1/8	1/8	1/8	1/8						
VF48	Bodice Height @ Seam from Armhole (outside edge)	1/4	1/4	1/8	@	1/8	1/8	1/8	1/8						
VS01	Vent Opening Height	1/8	1/8	0	@	0	0	0	0						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
VS02	Slit Opening Height	1/8	1/8	0	@	0	0	0	0						
VS03	Sleeve Vent Height @ Point	1/4	1/4	0	@	0	0	0	0						
VS04	Sleeve Vent Height @ Side	1/4	1/4	0	@	0	0	0	0						
VS05	Sleeve Vent Width	1/8	1/8	0	@	0	0	0	0						
WB01	WB-(top seam)- from HPS @ CF	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
WB02	WB-(top seam)- from HPS @ SS	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
WB03	WB-(top seam)- from HPS @ CB	3/8	3/8	1/2	@	1/2	1/2	1/2	1/2						
WB04	WB Height	1/8	1/8	0	@	0	0	0	0						
WB05	WB Height @ CF	1/8	1/8	0	@	0	0	0	0						
WB06	WB Height @ SS	1/8	1/8	0	@	0	0	0	0						
WB07	WB Height @ CB	1/8	1/8	0	@	0	0	0	0						
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	0	@	0	0	0	0						
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	0	@	0	0	0	0						
YK01	Front Yoke Seam from HPS @ Neck	1/4	1/4	1/8	@	1/8	1/8	1/8	1/8						
YK01.1	Front Yoke Seam Point from HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
YK02	Front Yoke Seam from HPS @ CF	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
YK03	Front Yoke Seam from HPS @ Armhole	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
YK04	Back Yoke Seam from HPS @ Neck	1/4	1/4	1/8	@	1/8	1/8	1/8	1/8						
YK04.1	Back Yoke Seam Point from HPS	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
YK05	Back Yoke Seam from HPS @ CB	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
YK06	Back Yoke Seam from HPS @ Armhole	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
YK07	Front Yoke Flap from HPS-Straight	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
YK08	Front Yoke Flap from HPS @ Armhole	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS-XXL

Size Class: General

Product: K1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS	S	M	L	XL	XXL						
YK09	Back Yoke Flap from HPS @ CB	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
YK10	Back Yoke Flap from HPS @ Armhole	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4						
YK11	Yoke Seam from Top Waist @ CF	1/4	1/4	0	@	0	0	0	0						
YK12	Yoke Seam from Top Waist @ SS	1/4	1/4	0	@	0	0	0	0						
YK13	Yoke Seam from Top Waist @ CB	1/4	1/4	0	@	0	0	0	0						
YK14	Raglan Yoke Seam from Neck Seam	3/8	3/8	1/8	@	1/8	1/8	1/8	1/8						
YK14.1	Raglan Yoke Seam from Neck Edge	3/8	3/8	1/8	@	1/8	1/8	1/8	1/8						
ZF01	Fly Length from Top Waist-(pants)	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
ZF01.1	Fly Length From Bottom of Waistband - Pants	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
ZF02	Fly Length from Top Waist-(skirts)	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
ZF03	Fly Width	1/16	1/16	0	@	0	0	0	0						
ZF04	Zipper Length-(pants)	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
ZF05	Zipper Length-(skirts)	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
ZF06	Zipper Opening from Armhole @ Left SS	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF07	Zipper Opening- (over 8")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF07.1	Zipper Opening- (8" or under)	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						
ZF08	Zipper Tape Length-(over 8")	1/4	1/4	1/2	@	1/2	1/2	1/2	1/2						
ZF08.1	Zipper Tape Length-(8" or under)	1/8	1/8	1/2	@	1/2	1/2	1/2	1/2						

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
AH01	Armhole-Straight	3/16	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
AH02	Armhole-Bodice Point to SS-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
AH03	Armhole-Bodice Point to SS-Along Curve	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
AH04	Armhole Drop from HPS-(straight)- @ SS	3/16	3/16	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
BB01	Bib Seam from HPS @ CF-(under10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
BB01.1	Bib Seam from HPS @ CF-(over10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
BB02	Bib Seam from CF @ Shoulder Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
BB03	Bib Seam from CF @ Neck Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
BB04	Bib Seam from CF @ Across Chest Placement	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	1	1	1	@	1	1	1	1	1	1	1	
BT01.1	Belt Length-Total @ _____	1/2	1/2	1	1	1	@	1	1	1	1	1	1	1	
BT02	Belt Height	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	1	1	1	@	1	1	1	1	1	1	1	
BT04	Belt Loop Length	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
BT05	Belt Loop Length @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
BT06	Belt Loop Length @ Sides	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
BT07	Belt Loop Width	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
BT08	Belt Loop Width @ Top	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
BT09	Belt Loop Width @ Bottom	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
BT10	Belt Loop from HPS @ SS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
BT10.1	Belt Loop from Armhole @ SS	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16	
BT11	Front Belt Loop from HPS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
BT12	Back Belt Loop from HPS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
BT13	CB Belt Loop from HPS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
BT14	Front Belt Loop from CF @ Top of Loop	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
BT14.1	Front Belt Loop from CF @ Bottom of Loop	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
BT16	Back Belt Loop from CB @ Top of Loop	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
BT17	Belt Loop from Bottom Sleeve Opening	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
BT18	_____ Belt Loop Spacing	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
CF01	Cuff Height	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
CF02	Cuff Height Exposed	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
CL01	Collar Height @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
CL02	Collar Roll Height-Inside CB Neck Seam to Top Roll	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
CL03	Collar Length @ Outer Edge-Point to Point	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
CL04	Collar Length @ Outer Edge-CB To CF Along Curve	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
CL05	Collar Length @ Neck Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
CL05.1	Collar Length @ Top Neckband Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
CL06	Collar Point	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
CL07	Collar Spread	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
CL08	Collar Spacing Apart @ CF Neck Seam	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: 25-35

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
CL09	Neckband Height @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
CL10	Neckband Height @ Front Edge	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
CL11	Neckband Length @ Top Band Along Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
CL12	Neckband Length @ Bottom Band Along Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
CL13	Neckband-Center of Button to Front End of Btnhole	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
CL14	Notch Intersection from HPS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
CL15	Lapel Point from HPS-(Lapel Folded)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
CL16	Lapel Point	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
CL17	Lapel Width-(Roll Line to Lapel Point-Straight)	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
CL18	Lapel Width-(Lapel Seam to Lapel Point-Straight)	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
CL19	Lapel Notch Spread	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
CL20	Lapel-Neckband Overlap Width @ Seam	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
DP01	Center of 1st _____ from HPS(under 10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DP02	Center of 1st _____ from HPS (over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
DP03	Center of (spec #) _____ from HPS (over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
DP04	Center of _____ from Bottom Opening	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
DP05	_____ Vertical Spacing Apart-Center to Center	1/8	1/8				@								
DP06	_____ Horizontal Spacing Apart-Center to Center	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
DS01	Drawstring Length Total	1/2	1/2	1	1	1	@	1	1	1	1	1	1	1	
DS02	Drawstring Exposed Length-(each)-Tunnel Extended	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
DS03	Drawstring Height	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
DT01	Bust Dart Apex (point) from HPS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
DT02	Bust Dart Apex (point) from Armhole	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
DT03	Bust Dart Leg from HPS @ SS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
DT04	Bust Dart Leg from Armhole @ SS	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
DT05	Bust Dart Length	1/8	1/4	1/16	1/16	1/16	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT06	Front Waist Dart Apex (point) from HPS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
DT07	Front Waist Dart Apex (point) from Armhole	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
DT08	Front Waist Dart Apex (point) from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT09	Front Waist Dart from CF @ Bodice Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT10	Front Waist Dart from CF @ Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT11	Front Waist Dart from CF @ Top Pocket	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT11.1	Front Waist Dart from CF @ Bottom Opening	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT12	Front Waist Dart Length	1/8	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT13	Back Waist Dart Apex (point) from HPS	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
DT14	Back Waist Dart Apex (point) from Armhole	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
DT15	Back Waist Dart Apex (point) from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT16	Back Waist Dart from CB @ Bodice Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT17	Back Waist Dart from CB @ Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT17.1	Back Waist Dart from CB @ Bottom Opening	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT18	Back Waist Dart Length	1/8	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT19	Front Dart Length from Top Waist	1/8	1/4	0	0	0	@	0	0	0	0	0	0	0	
DT19.1	Back Dart Length from Top Waist	1/8	1/4	0	0	0	@	0	0	0	0	0	0	0	
DT20	Front Dart from CF @ Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT21	Back Dart from CB @ Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: 25-35

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT22	Front Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
DT23	Front Neck Dart Apex (point) Spacing Apart	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
DT24	Front Neck Dart Length	1/8	1/4	0	0	0	@	0	0	0	0	0	0	0	
DT25	Back Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
DT26	Back Neck Dart Apex (point) Spacing Apart	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
DT27	Back Neck Dart Length	1/8	1/4	0	0	0	@	0	0	0	0	0	0	0	
DT28	Elbow Dart Leg from Armhole Along Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
DT29	Elbow Dart Leg Spacing Apart @ Seam	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
DT30	Elbow Dart Apex (point) Spacing Apart	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
DT31	Elbow Dart Length	1/8	1/4	0	0	0	@	0	0	0	0	0	0	0	
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
DT35	Knee Dart Length	1/8	1/4	0	0	0	@	0	0	0	0	0	0	0	
DT36	_____ Dart Intake-(flat)	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
DT37	Shoulder Dart Length	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
EP01	Epaulet Length @ Center	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
EP02	Epaulet Length @ Sides	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
EP03	Epaulet Width	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
FC01	Facing Height	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
FC02	Facing Width	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
FL01	Flounce Height @ CF	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
FL02	Flounce Height @ SS	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
FL03	Flounce Height @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
FL04	Sleeve Flounce Height	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
GD01	Godet Height @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
GD02	Godet Width @ Bottom-Along Curve or Straight	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
GD03	Godet Point from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
GD04	Godet Point from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
GD05	Godet Spacing Apart-Point to Point	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
HB01	Back Neck Width-Seam to Seam @ Shldr Sm	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HB02	Back Neck Width-Edge to Edge @ Shldr Sm	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HB03	Raglan Seams Apart @ Back Neck	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HB04	Across Back-Seam to Seam	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
HB04.1	Across Back-Edge to Edge	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
HB05	Back Bottom Opening-SS to SS Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HB06	Back Sweep-SS to SS Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HD01	Hood Opening- Along Seam	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
HD02	Hood Height-Straight from HPS	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
HD02.1	Hood Height @ CF	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
HD03	Hood Width @__from HPS	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HD04	Hood Center Panel Width @ Opening	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
HD05	Hood Center Panel Width @ Back Neck Seam	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
HD06	Hood Center Panel Length @ Center	3/16	3/16	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16	5/16	5/16	
HF01	Neck Width-Seam to Seam @ HPS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
HF01.1	Neck Width-Edge to Edge @ HPS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HF01.2	Neck Width- @ Top Band Opening-Straight	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HF01.3	Neck Width Seam to Seam @ Shoulder Seam	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HF01.4	Neck Width Edge to Edge @ Shoulder Seam	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HF02	Front Neck Width-Seam to Seam @ HPS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HF02.1	Front Neck Width- Edge to Edge @ HPS	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HF03	Neck Width-Seam to Seam @ Across Chest	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HF03.1	Neck Width-Edge to Edge @ Across Chest	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HF04	Neck Width-Seam to Seam @ Front Neck Drop	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HF05	Neck Width-Edge to Edge @ Front Neck Drop	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HF06	Raglan Seams Apart @ Front Neck	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
HF07	Across Shoulder-Seam to Seam @ Back Fold	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
HF07.1	Across Shoulder-Edge to Edge @ Back Fold	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
HF08	Across Chest-Seam to Seam	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
HF08.1	Across Chest-Edge to Edge	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
HF09	Chest @ Armhole	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF10	Chest @ 1" Below Armhole	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF11	Chest @ Bodice Seam-Straight	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF12	Waist	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF13	Waist @ Seam-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF14	Waist @ Top	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF15	Waist @ Bottom	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF16	Waist Extended	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
HF17	Waist Relaxed	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF18	High Hip	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF19	High Hip-Along Yoke Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF20	Low Hip	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF21	Low Hip-Along Yoke Seam	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF22	Bottom Opening-Straight	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF22.1	Front Bottom Opening-CF to SS-Straight	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
HF23	Bottom Opening-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF23.1	Front Bottom Opening-CF to SS-Along Curve	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
HF24	Sweep-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF24.1	Front Sweep-SS to SS-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HF25	Lining Sweep-Along Curve	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
HL01	Hanger Loop-Total Length	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
HL02	Hanger Loop from _____	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
HM01	Hem Height	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
HM02	Hem Height-Include Binding	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
HM03	Hem Height-to Lining Seam	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
KH01	Keyhole Opening-Edge to Edge	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
KH02	Keyhole Width @ Center-Edge to Edge	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
MS01	Minimum Stretch @ Neck Opening	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
MS02	Minimum Stretch @ Back Neck	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
MS03	Minimum Stretch @ Waist	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
MS04	Minimum Stretch @ Bottom Opening	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
MS05	Minimum Stretch @ Top Cuff Seam	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
MS06	Minimum Stretch @ Sleeve Opening	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PA01	Placket Length @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PA02	Placket Length @ Sides	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PA03	Placket Width	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
PA04	Placket Facing Width	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PK01	Chest Pocket from HPS @ CF Side	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PK02	Chest Pocket from HPS @ SS Side	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PK03	_____ Pocket from HPS @ CF Side-(over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
PK04	_____ Pocket from HPS @ SS Side-(over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PK08.1	Jean Pocket from Bottom WB @ SS	1/8	1/8	0	1/8	0	@	0	0	1/8	0	0	1/8	0	
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	1/8	0	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	1/8	0	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16	
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16	
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	1/8	0	1/8	@	1/8	0	1/8	1/8	0	1/8	1/8	
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	1/8	0	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PK16	_____ Pocket Height @ Center	1/8	1/8	0	1/4	0	@	0	0	1/4	0	0	1/4	0	
PK17	_____ Pocket Height @ Sides	1/8	1/8	0	1/4	0	@	0	0	1/4	0	0	1/4	0	
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	0	1/8	0	@	0	0	1/8	0	0	1/8	0	
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	0	1/8	0	@	0	0	1/8	0	0	1/8	0	
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	0	1/4	0	@	0	0	1/4	0	0	1/4	0	
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	0	1/4	0	@	0	0	1/4	0	0	1/4	0	
PK22	_____ Pocket Width @ Top	1/8	1/8	0	1/4	0	@	0	0	1/4	0	0	1/4	0	
PK23	_____ Pocket Width @ Bottom	1/8	1/8	0	1/4	0	@	0	0	1/4	0	0	1/4	0	
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	0	1/4	0	@	0	0	1/4	0	0	1/4	0	
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	0	1/4	0	@	0	0	1/4	0	0	1/4	0	
PK26	Welt or Besom Pocket Height	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	0	1/4	0	@	0	0	1/4	0	0	1/4	0	
PK28	Pocket Opening-(on seam)-from HPS-(over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
PK29	Pocket Opening-(on seam)-from Top Waist	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PK30	Pocket Opening-(on seam)	1/8	1/8	0	1/4	0	@	0	0	1/4	0	0	1/4	0	
PK31	Pocket Bag Depth from Top of Opening	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4				@								
PK35	_____ Pocket from Bottom Opening	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
PK36	Coin Pocket Height (Exposed)	1/8	1/8	0	1/8	0	@	0	0	1/8	0	0	1/8	0	
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	0	1/8	0	@	0	0	1/8	0	0	1/8	0	
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	0	1/8	0	@	0	0	1/8	0	0	1/8	0	
PK39	Coin Pocket Width (Exposed)	1/8	1/8	0	1/8	0	@	0	0	1/8	0	0	1/8	0	
PL01	Pleat from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PL02	Pleat from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PL03	Pleat Spacing Apart-Fold to Fold	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PL04	Pleat Depth-(flat)	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
PL05	Pleat Depth-(Flat)-from CF @ Yoke Seam	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
PL05.1	Pleat Depth-(Flat)-from CB @ Yoke Seam	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
PL06	Pleat Depth-(Flat)-from CF @ Bottom Opening	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
PL06.1	Pleat Depth-(Flat)-from CB @ Bottom Opening	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
PM01	Peplum Height @ CF	1/8	1/8				@								
PM02	Peplum Height @ SS	1/8	1/8				@								
PM03	Peplum Height @ CB	1/8	1/8				@								
PP01	Print Placement from HPS-(under 10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PP01.1	Print Placement from HPS-(over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
PP02	Print Placement from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PP03	Print Placement from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PP04	Print Placement from Top Pocket	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PP05	Print Placement from SS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PP06	Print Placement from Bottom Opening	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
PP07	Print Placement from Sleeve Opening	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
PP08	Print Placement from Shoulder Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS01	Princess Seam from HPS @ Front Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS02	Princess Seam from CF @ Neck Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS03	Princess Seam from CF or CB @ Shoulder Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS04	Princess Seam from CF @ Raglan Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS05	Princess Seam from CF @ Yoke Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS06	Princess Seam from CF @ Chest	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS07	Princess Seam from CF @ Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS08	Princess Seam from CF @ Top Pocket	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS09	Princess Seam from CF @ Bottom Opening-Along Curve	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS10	Princess Seam from CF @ Bottom Opening-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS11	Princess Seam from HPS @ Back Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS12	Princess Seam from CB @ Neck Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS13	Princess Seam from CB @ Raglan Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS14	Princess Seam from CB @ Yoke Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS15	Princess Seam from CB @ Chest	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS16	Princess Seam from CB @ Waist	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS17	Princess Seam from CB @ Bottom Opening-Along Curve	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PS18	Princess Seam from CB @ Bottom Opening-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PT01	Front Rise from Top Waist	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
PT02	Back Rise from Top Waist	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
PT03	Thigh @ 1" Below Crotch	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
PT04	Thigh @ ___" Below Crotch	1/4	1/4	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16	5/16	5/16	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
PT05	Knee @ ___" Below Crotch	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
PT06	Leg Opening-(for inseams over 6")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
PT07	Leg Opening-(for inseams under 6")	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
PT08	Inseam-(22" or Longer)	1/2	1/2	0	0	0	@	0	0	0	0	0	0	0	
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	1/2	1/2	0	0	0	@	0	0	0	0	0	0	0	
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	1/2	1/2	0	0	0	@	0	0	0	0	0	0	0	
PT09	Inseam-(under 6")	1/4	1/4	0	0	0	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	0	0	0	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	0	0	0	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
PT09.3	Inseam-(6" to 21")	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
PT10	Outseam from Top Waist-(22" or Longer)	5/8	5/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22" or L)	5/8	5/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22" or L)	5/8	5/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
PT11	Outseam from Top Waist-(under 6")	3/8	3/8	1/4	1/4	1/4	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
PT11.1	Outseam from Top Waist w/Cuff Rolled Up-(under 6")	3/8	3/8	1/4	1/4	1/4	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	3/8	3/8	1/4	1/4	1/4	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
PT11.3	Outseam from Top Waist-(6" to 21")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
PT11.4	Outseam from Top Waist w/Cuff Rolled Up-(6" to 21")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6" to 21")	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
PT12	Back Knee Seam from Bottom Opening	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
RF01	Ruffle Height-Total	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
RF02	Ruffle Height-Exposed	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
RF03	Ruffle Width-Total	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
RF04	Ruffle Width-Exposed	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
SH01	Shirring from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SH02	Shirring from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SH03	Shirring Width	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
SK01	CF Waist Level Drop from CB	0	0	0	0	0	@	0	0	0	0	0	0	0	
SK02	Waist Curve from SS to CB	0	0	0	0	0	@	0	0	0	0	0	0	0	
SK03	Skirt Length from Top Waist @ CB-(18" or over)	3/8	3/8	0	0	0	@	0	0	0	0	0	0	0	
SK03.1	Skirt Length from Top Waist @ CB-(under 18")	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
SK04	Skirt Length from Top Waist @ SS-(18" or over)	3/8	3/8	0	0	0	@	0	0	0	0	0	0	0	
SK04.1	Skirt Length from Top Waist @ SS-(under 18")	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
SM01	Smocking from HPS @ CF	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
SM02	Smocking from HPS @ SS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
SM03	Smocking from HPS @ CB	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
SM04	Smocking from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SM05	Smocking Height-(eval stch gauge & grade accrdly)	1/8	1/8				@								
SM06	Smocking Width (non-graded option)	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
SM07	Smocking Width @ Top- (graded option)	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
SM08	Smocking Width @ Bottom-(graded option)	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
SP01	Surplice Wrap Point from HPS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
SP02	Surplice Overlap Total Width @ Bodice Seam-und 4"	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
SP03	Surplice Overlap Total Width @ Bodice Seam-ovr 4"	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
SS02	Sleeve Length from Shoulder-Long	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
SS02.1	Sleeve Length from Shoulder w/ Cuff Rolled Up-Long	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
SS02.2	Sleeve Length frm Shoulder w/ Cuff Unrolled-Long	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
SS03	Sleeve Length from Shoulder-Short	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS03.1	Sleeve Length from Shoulder w/Cuff Rolled Up-Short	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS03.2	Sleeve Length from Shoulder w/ Cuff Unrolled-Short	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS04	Sleeve Length from Neck Seam @ HPS-Long	1/2	1/2	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
SS04.1	Sleeve Length from Neck Edge @ HPS-Long	1/2	1/2	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
SS05	Sleeve Length from Neck Seam @ HPS-Short	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
SS05.1	Sleeve Length from Neck Edge @ HPS-Short	3/8	3/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
SS06	Undersleeve Length-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS07	Undersleeve Length-Short	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
SS07.1	Sleeve Cap Height	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS08	Sleeve Cap Width @ 3" from Shoulder	1/4	1/4				@								
SS09	Sleeve Width @ 1" Below Armhole	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
SS10	Sleeve Width @ 13" from Shoulder	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS11	Sleeve Width @ 5" up from Opening	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS12	Sleeve Width @ Top Cuff Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS13	Sleeve Width @ Top Cuff Seam-Relaxed	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS14	Sleeve Width @ Top Cuff Seam-Extended	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS15	Sleeve Width @ Opening-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS16	Sleeve Width @ Opening-Relaxed-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS17	Sleeve Width @ Opening-Extended-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
SS18	Sleeve Width @ Opening-Along Curve-Long	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS19	Sleeve Width @ Opening-Short	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
SS20	Sleeve Width @ Opening-Relaxed-Short	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
SS21	Sleeve Width @ Opening-Extended-Short	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
SS21.1	Cap Sleeve Width @ Opening-Along Curve-Short	1/8	1/8	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
SS21.2	Cap Sleeve Width @ Opening-Along Curve-Total	1/4	1/4	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
SS22	Front Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS23	Front Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS24	Back Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
SS25	Back Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
ST01	Strap Length-Total (extends to across back)	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
ST02	Strap Overlap from Top "o" Ring to Center Slider	0	0	0	0	0	@	0	0	0	0	0	0	0	
ST03	Strap Width-(1/2" or under)	0	0	0	0	0	@	0	0	0	0	0	0	0	
ST04	Strap Width-(5/8" to 1 3/8")	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
ST05	Strap Width-(1 1/2" or over)	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
ST06	Front Straps Apart-Inside	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
ST07	Back Straps Apart-Inside	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
SW01	Stitches Per 1" Height	2	2	0	0	0	@	0	0	0	0	0	0	0	
SW02	Stitches Per 1" Width	2	2	0	0	0	@	0	0	0	0	0	0	0	
SW03	Net Weight	0	0	0	0	0	@	0	0	0	0	0	0	0	
TB01	Tab Height	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
TB02	Tab Height @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
TB03	Tab Height @ Sides	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
TB04	Tab Width	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
TB05	Tab Width @ Top	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
TB06	Tab Width @ Bottom	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
TB07	Tab from HPS @ CF	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
TB08	Tab from HPS @ SS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
TB09	Tab from HPS @ CB	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
TB10	Tab from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
TB11	Tab from SS on Front	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
TB12	Tab from SS on Back	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
TB13	Tab from Bottom Opening	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
TK01	Tuck from CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
TK02	Tuck from CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
TK03	_____Tuck Spacing Apart-Fold to Fold	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
TK04	_____Tuck Depth- Fold to Stitch	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
TN01	_____Tunnel Height	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
TN02	Top of Tunnel Placement from HPS @_____	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
TR01	_____Tier Placement from HPS-(under 18")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
TR02	_____Tier Placement from HPS-(over 18")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
TR03	_____Tier Placement from Shoulder	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
TR04	_____Tier Placement from Top Waist Seam	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
TR05	_____Tier Height-Exposed	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
TS01	Tie Placement from HPS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
TS02	Tie Height	1/2	1/2	0	0	0	@	0	0	0	0	0	0	0	
TS03	Tie Length- Each	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
TS04	Tie Spacing Apart @ CF-(graded)	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
TS04.1	Tie Spacing Apart @ CF-(nongraded)	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
TS05	Tie Spacing Apart @ CB-(graded)	1/4	1/4	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
TS05.1	Tie Spacing Apart @ CB-(nongraded)	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
UG01	Waist @ Top Relaxed						@								
UG02	Waist @ Top Extended						@								
UG03	Upper Front Width Placement from Crotch Seam						@								
UG04	Upper Front Width						@								
UG05	Lower Front Width Placement from Crotch Seam						@								
UG06	Lower Front Width						@								
UG07	Front Crotch Width-Along Seam						@								
UG07.1	Front Crotch Width @ Crotch Panel Edge						@								
UG08	Narrowest Crotch Width Plcmnt from Bk Crotch Seam						@								
UG09	Narrowest Crotch Width						@								
UG10	Back Crotch Width Along Seam						@								
UG11	Crotch Panel Length @ Center						@								
UG12	Upper Back Width Placement from Crotch Seam						@								
UG13	Upper Back Width						@								
UG14	Lower Back Width Placement from Crotch Seam						@								
UG15	Lower Back Width						@								
UG16	Front Panel Length from Top to Crotch Seam						@								

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
UG17	Back Panel Length from Top to Crotch Seam						@								
UG18	Side Length from Top @ Seam						@								
UG18.1	Side Length from Top @ Fold						@								
UG19	Leg Opening (1/2) Relaxed						@								
UG20	Leg Opening (1/2) Extended						@								
UG21	Minimum Stretch @ Waist (1/2)						@								
UG22	Minimum Stretch @ Leg Opening (1/2)						@								
VB01	Body Length @ CB from HPS	1/4	1/4	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
VB02	Body Length @ CB from CB Neck	1/8	1/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
VB03	Body Length @ CB from Armhole	1/8	1/8	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
VB033	Peak Height @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
VB04	Back Neck Drop-HPS to Seam-(under 3")	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16	
VB04.1	Back Neck Drop-HPS to Edge-(under 3")	1/16	1/16	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16	
VB04.2	Back Neck Drop-HPS to Seam-(over 3")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VB04.3	Back Neck Drop-HPS to Edge-(over 3")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VB05	Back Neck Drop-from Armhole	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
VB06	Back Neck Drop-Excluding Straps	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
VB07	Across Back Placement from HPS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VB08	Bodice Seam from HPS @ CB	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
VB09	Bodice Seam from Back Neck @ CB	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16	
VB10	Bodice Seam from Armhole @ CB	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16	
VB11	Back Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16	
VF01	Shoulder Forward Seam from HPS @ Neck	0	0	0	0	0	@	0	0	0	0	0	0	0	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
VF02	Shoulder Forward Seam from HPS @ Armhole	0	0	0	0	0	@	0	0	0	0	0	0	0	
VF03	Shoulder Slope from HPS to Armhole Seam@Back Fold	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
VF03.1	Shoulder Slope from HPS @ Specified Placement	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
VF03.2	Shoulder Slope Placement from CB	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VF04	Body Length @ CF from HPS	3/8	3/8	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
VF05	Body Length @ CF from Top Bodice	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
VF06	Body Length @ CF from Armhole	1/4	1/4	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
VF07	Peak Height @ CF	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
VF09	Front Neck Drop- HPS to Seam (under 10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VF09.1	Front Neck Drop- HPS to Edge (under 10")	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VF10	Front Neck Drop- HPS to Seam (over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
VF10.1	Front Neck Drop- HPS to Edge (over 10")	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
VF11	Front Neck Drop-Top Bodice to Seam	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
VF11.1	Front Neck Drop-Top Bodice to Edge	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
VF12	Front Neck Drop- from Armhole	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
VF13	Front Neck Drop- Excluding Straps	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
VF14	Funnel Neck Height from HPS	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
VF15	Front Neck Height from Armhole	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
VF16	Bodice/Waist Seam from HPS @ CF	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
VF17	Bodice/Waist Seam from HPS @ Dart	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
VF18	Bodice/Waist Seam from HPS @ SS	1/8	1/8	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
VF19	Bodice/Waist Seam from Top Bodice @ CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VF20	Bodice/Waist Seam from Top Bodice @ Dart	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: 25-35

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
VF21	Bodice/Waist Seam from Top Bodice @ SS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VF22	Bodice/Waist Seam from Armhole @ CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VF23	Bodice/Waist Seam from Armhole @ Dart	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VF24	Bodice/Waist Seam from Armhole @ SS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VF29	Across Chest Placement from HPS	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VF29.1	Chest Placement from HPS	0	0	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
VF30	Waist Placement from HPS	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
VF31	High Hip Placement from HPS	0	0	3/8	3/8	3/8	@	3/8	3/8	3/8	3/8	3/8	3/8	3/8	
VF32	Low Hip Placement from HPS	0	0	1/2	1/2	1/2	@	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
VF33	Chest Placement from Top Bodice	0	0	0	0	0	@	0	0	0	0	0	0	0	
VF34	Waist Placement from Top Bodice	0	0	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16	
VF35	High Hip Placement from Top Bodice	0	0	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
VF36	Low Hip Placement from Top Bodice	0	0	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16	5/16	5/16	
VF37	Chest Placement from Armhole	0	0	0	0	0	@	0	0	0	0	0	0	0	
VF38	Waist Placement from Armhole	0	0	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16	
VF39	High Hip Placement from Armhole	0	0	3/16	3/16	3/16	@	3/16	3/16	3/16	3/16	3/16	3/16	3/16	
VF40	Low Hip Placement from Armhole	0	0	5/16	5/16	5/16	@	5/16	5/16	5/16	5/16	5/16	5/16	5/16	
VF41	High Hip Placement from Top Waist - Pant	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VF41.1	High Hip Placement from Bottom WB - Pant	0	0	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VF42	Low Hip Placement from Top Waist - Pant	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
VF42.1	Low Hip Placement from Bottom WB - Pant	0	0	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
VF43	Front Raglan Seam from HPS @ Neck Seam	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
VS01	Vent Opening Height	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
VS02	Slit Opening Height	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
WB01	WB-(top seam)- from HPS @ CF	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
WB02	WB-(top seam)- from HPS @ SS	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
WB03	WB-(top seam)- from HPS @ CB	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
WB04	WB Height	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
WB05	WB Height @ CF	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
WB06	WB Height @ SS	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
WB07	WB Height @ CB	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
YK01	Front Yoke Seam from HPS @ Neck	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16	
YK01.1	Front Yoke Seam Point from HPS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
YK02	Front Yoke Seam from HPS @ CF	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
YK03	Front Yoke Seam from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
YK04	Back Yoke Seam from HPS @ Neck	1/8	1/8	1/16	1/16	1/16	@	1/16	1/16	1/16	1/16	1/16	1/16	1/16	
YK04.1	Back Yoke Seam Point from HPS	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
YK05	Back Yoke Seam from HPS @ CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
YK06	Back Yoke Seam from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
YK07	Front Yoke Flap from HPS-Straight	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
YK08	Front Yoke Flap from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
YK09	Back Yoke Flap from HPS @ CB	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
YK10	Back Yoke Flap from HPS @ Armhole	1/8	1/8	1/8	1/8	1/8	@	1/8	1/8	1/8	1/8	1/8	1/8	1/8	
YK11	Yoke Seam from Top Waist @ CF	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: 25-35

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	25	26	27	28	29	30	31	32	33	34	35	
YK12	Yoke Seam from Top Waist @ SS	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
YK13	Yoke Seam from Top Waist @ CB	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
YK14	Raglan Yoke Seam from Neck Seam	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
YK14.1	Raglan Yoke Seam from Neck Edge	1/4	1/4	1/4	1/4	1/4	@	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
ZF01	Fly Length from Top Waist-(pants)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0	1/2	0	
ZF01.1	Fly Length From Bottom of Waistband - Pants	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0	1/2	0	
ZF02	Fly Length from Top Waist-(skirts)	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
ZF03	Fly Width	1/16	1/16	0	0	0	@	0	0	0	0	0	0	0	
ZF04	Zipper Length-(pants)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0	1/2	0	
ZF05	Zipper Length-(skirts)	1/4	1/4	0	0	0	@	0	0	0	0	0	0	0	
ZF06	Zipper Opening from Armhole @ Left SS	1/8	1/8	0	0	0	@	0	0	0	0	0	0	0	
ZF07	Zipper Opening- (over 8")	1/2	1/2	0	1/2	0	@	0	1/2	0	1/2	0	1/2	0	
ZF07.1	Zipper Opening- (8" or under)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0	1/2	0	
ZF08	Zipper Tape Length-(over 8")	1/2	1/2	0	1/2	0	@	0	1/2	0	1/2	0	1/2	0	
ZF08.1	Zipper Tape Length-(8" or under)	1/4	1/4	0	1/2	0	@	0	1/2	0	1/2	0	1/2	0	

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
BB01	Bib Seam from HPS @ CF-(under10")	1/8	1/8	@	1/4									
BB01.1	Bib Seam from HPS @ CF-(over10")	1/4	1/4	@	1/2									
BB02	Bib Seam from CF @ Shoulder Seam	1/8	1/8	@	1/4									
BB03	Bib Seam from CF @ Neck Seam	1/8	1/8	@	1/4									
BB04	Bib Seam from CF @ Across Chest Placement	1/8	1/8	@	1/4									
BT01	Belt Length-Total from Center Buckle to End	1/2	1/2	@	3									
BT01.1	Belt Length-Total @ _____	1/2	1/2	@	3									
BT02	Belt Height	1/16	1/16	@	0									
BT03	Center of Middle Grommet from Center of Buckle	1/4	1/4	@	3									
BT04	Belt Loop Length	1/8	1/8	@	0									
BT05	Belt Loop Length @ Center	1/8	1/8	@	0									
BT06	Belt Loop Length @ Sides	1/8	1/8	@	0									
BT07	Belt Loop Width	1/8	1/8	@	0									
BT08	Belt Loop Width @ Top	1/8	1/8	@	0									
BT09	Belt Loop Width @ Bottom	1/8	1/8	@	0									
BT10	Belt Loop from HPS @ SS	1/4	1/4	@	1/2									
BT10.1	Belt Loop from Armhole @ SS	1/8	1/8	@	1/4									
BT11	Front Belt Loop from HPS	1/4	1/4	@	1/2									
BT12	Back Belt Loop from HPS	1/4	1/4	@	1/2									
BT13	CB Belt Loop from HPS	1/4	1/4	@	1/2									
BT14	Front Belt Loop from CF @ Top of Loop	1/8	1/8	@	3/8									
BT14.1	Front Belt Loop from CF @ Bottom of Loop	1/8	1/8	@	3/8									
BT15	Front Belt Loop from SS @ Top Waist	1/8	1/8	@	3/8									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
BT15.1	Front Belt Loop from SS @ Bottom WB	1/8	1/8	@	3/8									
BT15.2	Front Belt Loop from Front Pocket Edge @ Top Waist	1/8	1/8	@	0									
BT15.3	Front Belt Loop from Front Pocket Edge @ Bottom WB	1/8	1/8	@	0									
BT16	Back Belt Loop from CB @ Top of Loop	1/8	1/8	@	3/8									
BT16.1	Back Belt Loop from CB @ Bottom of Loop	1/8	1/8	@	3/8									
BT16.2	Back Belt Loop from CB @ Bottom WB	1/8	1/8	@	3/8									
BT17	Belt Loop from Bottom Sleeve Opening	1/8	1/8	@	0									
BT18	_____ Belt Loop Spacing	1/8	1/8	@	0									
CF01	Cuff Height	1/8	1/8	@	0									
CF02	Cuff Height Exposed	1/8	1/8	@	0									
CL01	Collar Height @ CB	1/8	1/8	@	0									
CL02	Collar Roll Height-Inside CB Neck Seam to Top Roll	1/8	1/8	@	0									
CL03	Collar Length @ Outer Edge-Point to Point	1/4	1/4	@	1									
CL04	Collar Length @ Outer Edge-CB To CF Along Curve	1/8	1/8	@	1/2									
CL05	Collar Length @ Neck Seam	1/4	1/4	@	1									
CL05.1	Collar Length @ Top Neckband Seam	1/4	1/4	@	1									
CL06	Collar Point	1/8	1/8	@	0									
CL07	Collar Spread	1/4	1/4	@	0									
CL08	Collar Spacing Apart @ CF Neck Seam	1/8	1/8	@	0									
CL09	Neckband Height @ CB	1/8	1/8	@	0									
CL10	Neckband Height @ Front Edge	1/8	1/8	@	0									
CL11	Neckband Length @ Top Band Along Seam	1/4	1/4	@	1									
CL12	Neckband Length @ Bottom Band Along Seam	1/4	1/4	@	1									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
CL13	Neckband-Center of Button to Front End of Btnhole	1/4	1/4	@	1									
CL14	Notch Intersection from HPS	1/8	1/8	@	1/4									
CL15	Lapel Point from HPS-(Lapel Folded)	1/8	1/8	@	1/4									
CL16	Lapel Point	1/8	1/8	@	0									
CL17	Lapel Width-(Roll Line to Lapel Point-Straight)	1/8	1/8	@	0									
CL18	Lapel Width-(Lapel Seam to Lapel Point-Straight)	1/8	1/8	@	0									
CL19	Lapel Notch Spread	1/8	1/8	@	0									
CL20	Lapel-Neckband Overlap Width @ Seam	1/8	1/8	@	0									
DP01	Center of 1st _____ from HPS(under 10")	1/8	1/8	@	1/4									
DP02	Center of 1st _____ from HPS (over 10")	1/4	1/4	@	1/2									
DP03	Center of (spec #) _____ from HPS (over 10")	1/4	1/4	@	1/2									
DP04	Center of _____ from Bottom Opening	1/8	1/8	@	0									
DP05	_____ Vertical Spacing Apart-Center to Center	1/8	1/8	@										
DP06	_____ Horizontal Spacing Apart-Center to Center	1/8	1/8	@	0									
DS01	Drawstring Length Total	1/2	1/2	@	3									
DS02	Drawstring Exposed Length-(each)-Tunnel Extended	1/4	1/4	@	0									
DS03	Drawstring Height	1/16	1/16	@	0									
DT01	Bust Dart Apex (point) from HPS	1/8	1/8	@	3/8									
DT02	Bust Dart Apex (point) from Armhole	1/16	1/16	@	1/8									
DT03	Bust Dart Leg from HPS @ SS	1/8	1/8	@	3/8									
DT04	Bust Dart Leg from Armhole @ SS	1/16	1/16	@	1/8									
DT05	Bust Dart Length	1/8	1/4	@	1/4									
DT06	Front Waist Dart Apex (point) from HPS	1/8	1/8	@	3/8									

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS/S-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
DT07	Front Waist Dart Apex (point) from Armhole	1/16	1/16	@	1/8									
DT08	Front Waist Dart Apex (point) from CF	1/8	1/8	@	3/8									
DT09	Front Waist Dart from CF @ Bodice Seam	1/8	1/8	@	3/8									
DT10	Front Waist Dart from CF @ Waist	1/8	1/8	@	3/8									
DT11	Front Waist Dart from CF @ Top Pocket	1/8	1/8	@	3/8									
DT11.1	Front Waist Dart from CF @ Bottom Opening	1/8	1/8	@	3/8									
DT12	Front Waist Dart Length	1/8	1/4	@	1/4									
DT13	Back Waist Dart Apex (point) from HPS	1/4	1/4	@	3/8									
DT14	Back Waist Dart Apex (point) from Armhole	1/8	1/8	@	1/8									
DT15	Back Waist Dart Apex (point) from CB	1/8	1/8	@	3/8									
DT16	Back Waist Dart from CB @ Bodice Seam	1/8	1/8	@	3/8									
DT17	Back Waist Dart from CB @ Waist	1/8	1/8	@	3/8									
DT17.1	Back Waist Dart from CB @ Bottom Opening	1/8	1/8	@	3/8									
DT18	Back Waist Dart Length	1/8	1/4	@	1/4									
DT19	Front Dart Length from Top Waist	1/8	1/4	@	0									
DT19.1	Back Dart Length from Top Waist	1/8	1/4	@	0									
DT20	Front Dart from CF @ Top Waist	1/8	1/8	@	3/8									
DT20.1	Front Dart from CF @ Bottom WB	1/8	1/8	@	3/8									
DT21	Back Dart from CB @ Top Waist	1/8	1/8	@	3/8									
DT21.1	Back Dart from CB @ Bottom WB	1/8	1/8	@	3/8									
DT22	Front Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	@	3/8									
DT23	Front Neck Dart Apex (point) Spacing Apart	1/4	1/4	@	3/8									
DT24	Front Neck Dart Length	1/8	1/4	@	0									

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS/S-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
DT25	Back Neck Dart Spacing Apart @ Neck Seam	1/4	1/4	@	3/8									
DT26	Back Neck Dart Apex (point) Spacing Apart	1/4	1/4	@	3/8									
DT27	Back Neck Dart Length	1/8	1/4	@	0									
DT28	Elbow Dart Leg from Armhole Along Seam	1/8	1/8	@	0									
DT29	Elbow Dart Leg Spacing Apart @ Seam	1/8	1/8	@	0									
DT30	Elbow Dart Apex (point) Spacing Apart	1/8	1/8	@	0									
DT31	Elbow Dart Length	1/8	1/4	@	0									
DT32	Knee Dart from Bottom Opening Along Seam	1/4	1/4	@	0									
DT33	Knee Dart Leg Spacing Apart @ Seam	1/8	1/8	@	0									
DT34	Knee Dart Apex (point) Spacing Apart	1/8	1/8	@	0									
DT35	Knee Dart Length	1/8	1/4	@	0									
DT36	_____ Dart Intake-(flat)	1/16	1/16	@	0									
DT37	Shoulder Dart Length	1/8	1/8	@	0									
EP01	Epaulet Length @ Center	1/8	1/8	@	0									
EP02	Epaulet Length @ Sides	1/8	1/8	@	0									
EP03	Epaulet Width	1/16	1/16	@	0									
FC01	Facing Height	1/8	1/8	@	0									
FC02	Facing Width	1/8	1/8	@	0									
FL01	Flounce Height @ CF	1/8	1/8	@	0									
FL02	Flounce Height @ SS	1/8	1/8	@	0									
FL03	Flounce Height @ CB	1/8	1/8	@	0									
FL04	Sleeve Flounce Height	1/8	1/8	@	0									
GD01	Godet Height @ Center	1/8	1/8	@	0									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
GD02	Godet Width @ Bottom-Along Curve or Straight	1/8	1/8	@	0									
GD03	Godet Point from CF	1/8	1/8	@	3/8									
GD04	Godet Point from CB	1/8	1/8	@	3/8									
GD05	Godet Spacing Apart-Point to Point	1/8	1/8	@	0									
HD01	Hood Opening- Along Seam	1/4	1/4	@	1/4									
HD02	Hood Height-Straight from HPS	1/4	1/4	@	0									
HD02.1	Hood Height @ CF	1/8	1/8	@	0									
HD03	Hood Width @ __from HPS	1/4	1/4	@	3/8									
HD04	Hood Center Panel Width @ Opening	1/8	1/8	@	0									
HD05	Hood Center Panel Width @ Back Neck Seam	1/8	1/8	@	0									
HD06	Hood Center Panel Length @ Center	3/16	3/16	@	1/2									
HL01	Hanger Loop-Total Length	1/4	1/4	@	0									
HL02	Hanger Loop from _____	1/4	1/4	@	0									
HM01	Hem Height	1/16	1/16	@	0									
HM02	Hem Height-Include Binding	1/8	1/8	@	0									
HM03	Hem Height-to Lining Seam	1/8	1/8	@	0									
KH01	Keyhole Opening-Edge to Edge	1/8	1/8	@	0									
KH02	Keyhole Width @ Center-Edge to Edge	1/8	1/8	@	0									
MS01	Minimum Stretch @ Neck Opening	1/4	1/4	@	3/8									
MS02	Minimum Stretch @ Back Neck	1/4	1/4	@	3/8									
MS03	Minimum Stretch @ Waist	1/4	1/4	@	1 1/2									
MS04	Minimum Stretch @ Bottom Opening	1/4	1/4	@	1 1/2									
MS05	Minimum Stretch @ Top Cuff Seam	1/4	1/4	@	1/4									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
MS06	Minimum Stretch @ Sleeve Opening	1/4	1/4	@	1/4									
PA01	Placket Length @ Center	1/8	1/8	@	0									
PA02	Placket Length @ Sides	1/8	1/8	@	0									
PA03	Placket Width	1/16	1/16	@	0									
PA04	Placket Facing Width	1/8	1/8	@	0									
PK01	Chest Pocket from HPS @ CF Side	1/8	1/8	@	1/4									
PK02	Chest Pocket from HPS @ SS Side	1/8	1/8	@	1/4									
PK03	_____ Pocket from HPS @ CF Side-(over 10")	1/4	1/4	@	1/2									
PK04	_____ Pocket from HPS @ SS Side-(over 10")	1/4	1/4	@	1/2									
PK05	_____ Pocket from Top Waist @ CF Side	1/8	1/8	@	0									
PK06	_____ Pocket from Bottom WB @ CF Side	1/8	1/8	@	0									
PK07	_____ Pocket from Top Waist @ SS Side	1/8	1/8	@	0									
PK08	_____ Pocket from Bottom WB @ SS Side	1/8	1/8	@	0									
PK09	_____ Pocket from Top Waist @ CB Side	1/8	1/8	@	0									
PK10	_____ Pocket from Bottom WB @ CB Side	1/8	1/8	@	0									
PK11	_____ Pocket from CF @ Top-(use for graded pkts)	1/8	1/8	@	3/8									
PK12	_____ Pocket from CF@Top-(use for nongraded pkts)	1/8	1/8	@	3/8									
PK12.1	_____ Pocket Opening from CF-Along Seam	1/8	1/8	@	3/8									
PK13	Jean Pocket from SS @ Top Waist	1/8	1/8	@	3/8									
PK13.1	1/4 Top Pocket from SS @ Top Waist	1/8	1/8	@	1/8									
PK14	Jean Pocket from SS @ Bottom WB	1/8	1/8	@	3/8									
PK14.1	1/4 Top Pocket from SS @ Bottom WB	1/8	1/8	@	1/8									
PK15	_____ Pocket from CB @ Top-(use for graded pkts)	1/8	1/8	@	3/8									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
PK15.1	_____ Pocket from CB@Top-(use for nongraded pkts)	1/8	1/8	@	3/8									
PK15.2	_____ Pocket Opening from CB-Along Seam	1/8	1/8	@	3/8									
PK16	_____ Pocket Height @ Center	1/8	1/8	@	1/4									
PK17	_____ Pocket Height @ Sides	1/8	1/8	@	1/4									
PK18	_____ Pocket Flap Height @ Center	1/8	1/8	@	1/8									
PK19	_____ Pocket Flap Height @ Sides	1/8	1/8	@	1/8									
PK20	_____ Pocket Height @ Center from Top Flap	1/8	1/8	@	1/4									
PK21	_____ Pocket Height @ Sides from Top Flap	1/8	1/8	@	1/4									
PK22	_____ Pocket Width @ Top	1/8	1/8	@	1/4									
PK23	_____ Pocket Width @ Bottom	1/8	1/8	@	1/4									
PK24	_____ Pocket Flap Width @ Top	1/8	1/8	@	1/4									
PK25	_____ Pocket Flap Width @ Bottom	1/8	1/8	@	1/4									
PK26	Welt or Besom Pocket Height	1/16	1/16	@	0									
PK27	Welt or Besom Pocket Opening-Seam to Seam	1/8	1/8	@	1/4									
PK28	Pocket Opening-(on seam)-from HPS-(over 10")	1/4	1/4	@	1/2									
PK29	Pocket Opening-(on seam)-from Top Waist	1/8	1/8	@	0									
PK29.1	Pocket Opening-(on seam)-from Bottom WB	1/8	1/8	@	0									
PK30	Pocket Opening-(on seam)	1/8	1/8	@	0									
PK31	Pocket Bag Depth from Opening	1/4	1/4	@	0									
PK32	Pocket Bag Width (@center) from Opening	1/4	1/4	@	0									
PK35	_____ Pocket from Bottom Opening	1/8	1/8	@	0									
PK36	Coin Pocket Height (Exposed)	1/8	1/8	@	1/8									
PK37	Coin Pocket Height @ CF Side (Exposed)	1/8	1/8	@	1/8									

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS/S-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
PK38	Coin Pocket Height @ SS Side (Exposed)	1/8	1/8	@	1/8									
PK39	Coin Pocket Width (Exposed)	1/8	1/8	@	1/8									
PL01	Pleat from CF	1/8	1/8	@	3/8									
PL02	Pleat from CB	1/8	1/8	@	3/8									
PL03	Pleat Spacing Apart-Fold to Fold	1/8	1/8	@	0									
PL04	Pleat Depth-(flat)	1/16	1/16	@	0									
PL05	Pleat Depth-(Flat)-from CF @ Yoke Seam	1/16	1/16	@	0									
PL05.1	Pleat Depth-(Flat)-from CB @ Yoke Seam	1/16	1/16	@	0									
PL06	Pleat Depth-(Flat)-from CF @ Bottom Opening	1/16	1/16	@	0									
PL06.1	Pleat Depth-(Flat)-from CB @ Bottom Opening	1/16	1/16	@	0									
PM01	Peplum Height @ CF	1/8	1/8	@	0									
PM02	Peplum Height @ SS	1/8	1/8	@	0									
PM03	Peplum Height @ CB	1/8	1/8	@	0									
PP01	Print Placement from HPS-(under 10")	1/8	1/8	@	1/4									
PP01.1	Print Placement from HPS-(over 10")	1/4	1/4	@	1/2									
PP02	Print Placement from CF	1/8	1/8	@	3/8									
PP03	Print Placement from CB	1/8	1/8	@	3/8									
PP04	Print Placement from Top Pocket	1/8	1/8	@	0									
PP05	Print Placement from SS	1/8	1/8	@	0									
PP06	Print Placement from Bottom Opening	1/8	1/8	@	0									
PP07	Print Placement from Sleeve Opening	1/8	1/8	@	0									
PP08	Print Placement from Shoulder Seam	1/8	1/8	@	1/4									
PS01	Princess Seam from HPS @ Front Armhole	1/8	1/8	@	1/4									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
PS02	Princess Seam from CF @ Neck Seam	1/8	1/8	@	3/8									
PS03	Princess Seam from CF or CB @ Shoulder Seam	1/8	1/8	@	3/8									
PS04	Princess Seam from CF @ Raglan Seam	1/8	1/8	@	3/8									
PS05	Princess Seam from CF @ Yoke Seam	1/8	1/8	@	3/8									
PS06	Princess Seam from CF @ Chest	1/8	1/8	@	3/8									
PS07	Princess Seam from CF @ Waist	1/8	1/8	@	3/8									
PS08	Princess Seam from CF @ Top Pocket	1/8	1/8	@	3/8									
PS09	Princess Seam from CF @ Bottom Opening-Along Curve	1/8	1/8	@	3/8									
PS10	Princess Seam from CF @ Bottom Opening-Straight	1/8	1/8	@	3/8									
PS11	Princess Seam from HPS @ Back Armhole	1/8	1/8	@	1/4									
PS12	Princess Seam from CB @ Neck Seam	1/8	1/8	@	3/8									
PS13	Princess Seam from CB @ Raglan Seam	1/8	1/8	@	3/8									
PS14	Princess Seam from CB @ Yoke Seam	1/8	1/8	@	3/8									
PS15	Princess Seam from CB @ Chest	1/8	1/8	@	3/8									
PS16	Princess Seam from CB @ Waist	1/8	1/8	@	3/8									
PS17	Princess Seam from CB @ Bottom Opening-Along Curve	1/8	1/8	@	3/8									
PS18	Princess Seam from CB @ Bottom Opening-Straight	1/8	1/8	@	3/8									
RF01	Ruffle Height-Total	1/8	1/8	@	0									
RF02	Ruffle Height-Exposed	1/8	1/8	@	0									
RF03	Ruffle Width-Total	1/8	1/8	@	0									
RF04	Ruffle Width-Exposed	1/8	1/8	@	0									
SH01	Shirring from CF	1/8	1/8	@	3/8									
SH02	Shirring from CB	1/8	1/8	@	3/8									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
SH03	Shirring Width	1/8	1/8	@	0									
SM01	Smocking from HPS @ CF	1/4	1/4	@	1/2									
SM02	Smocking from HPS @ SS	1/4	1/4	@	1/2									
SM03	Smocking from HPS @ CB	1/4	1/4	@	1/2									
SM04	Smocking from CF	1/8	1/8	@	3/8									
SM05	Smocking Height-(eval stch gauge & grade accrdly)	1/8	1/8	@										
SM06	Smocking Width (non-graded option)	1/4	1/4	@	0									
SM07	Smocking Width @ Top- (graded option)	1/4	1/4	@	3/4									
SM08	Smocking Width @ Bottom-(graded option)	1/4	1/4	@	3/4									
SP01	Surplice Wrap Point from HPS	1/4	1/4	@	3/8									
SP02	Surplice Overlap Total Width @ Bodice Seam-und 4"	1/8	1/8	@	0									
SP03	Surplice Overlap Total Width @ Bodice Seam-ovr 4"	1/4	1/4	@	3/4									
ST01	Strap Length-Total	1/4	1/4	@	1/2									
ST02	Strap Overlap from Top "o" Ring to Center Slider	0	0	@	0									
ST03	Strap Width-(1/2" or under)	0	0	@	0									
ST04	Strap Width-(5/8" to 1 3/8")	1/16	1/16	@	0									
ST05	Strap Width-(1 1/2" or over)	1/8	1/8	@	0									
ST06	Front Straps Apart-Inside	1/4	1/4	@	5/8									
ST07	Back Straps Apart-Inside	1/4	1/4	@	5/8									
SW01	Stitches Per 1" Height	2	2	@	0									
SW02	Stitches Per 1" Width	2	2	@	0									
SW03	Net Weight	0	0	@	0									
TB01	Tab Height	1/8	1/8	@	0									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
TB02	Tab Height @ Center	1/8	1/8	@	0									
TB03	Tab Height @ Sides	1/8	1/8	@	0									
TB03.1	Tab Height Exposed w/Cuff Rolled Up	1/8	1/8	@	0									
TB04	Tab Width	1/8	1/8	@	0									
TB05	Tab Width @ Top	1/8	1/8	@	0									
TB06	Tab Width @ Bottom	1/8	1/8	@	0									
TB07	Tab from HPS @ CF	1/4	1/4	@	1/2									
TB08	Tab from HPS @ SS	1/4	1/4	@	1/2									
TB09	Tab from HPS @ CB	1/4	1/4	@	1/2									
TB10	Tab from CF	1/8	1/8	@	3/8									
TB11	Tab from SS on Front	1/8	1/8	@	0									
TB12	Tab from SS on Back	1/8	1/8	@	0									
TB13	Tab from Bottom Opening	1/8	1/8	@	0									
TK01	Tuck from CF	1/8	1/8	@	3/8									
TK02	Tuck from CB	1/8	1/8	@	3/8									
TK03	_____Tuck Spacing Apart-Fold to Fold	1/16	1/16	@	0									
TK04	_____Tuck Depth- Fold to Stitch	1/16	1/16	@	0									
TN01	_____Tunnel Height	1/16	1/16	@	0									
TN02	Top of Tunnel Placement from HPS @ _____	1/4	1/4	@	1/2									
TR01	_____Tier Placement from HPS-(under 10")	1/8	1/8	@	1/4									
TR02	_____Tier Placement from HPS-(over 10")	1/4	1/4	@	1/2									
TR03	_____Tier Placement from Shoulder	1/8	1/8	@	1/4									
TR04	_____Tier Placement from Top Waist Seam	1/8	1/8	@	0									

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS/S-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
TR05	____ Tier Height-Exposed	1/8	1/8	@	0									
TS01	Tie Placement from HPS	1/4	1/4	@	1/2									
TS02	Tie Height	1/2	1/2	@	0									
TS03	Tie Length- Each	1/4	1/4	@	1 1/2									
TS04	Tie Spacing Apart @ CF-(graded)	1/4	1/4	@	3/4									
TS04.1	Tie Spacing Apart @ CF-(nongraded)	1/4	1/4	@	0									
TS05	Tie Spacing Apart @ CB-(graded)	1/4	1/4	@	3/4									
TS05.1	Tie Spacing Apart @ CB-(nongraded)	1/4	1/4	@	0									
VS01	Vent Opening Height	1/8	1/8	@	0									
VS02	Slit Opening Height	1/8	1/8	@	0									
WB01	WB-(top seam)- from HPS @ CF	1/4	1/4	@	1/2									
WB02	WB-(top seam)- from HPS @ SS	1/4	1/4	@	1/2									
WB03	WB-(top seam)- from HPS @ CB	1/4	1/4	@	1/2									
WB04	WB Height	1/16	1/16	@	0									
WB05	WB Height @ CF	1/16	1/16	@	0									
WB06	WB Height @ SS	1/16	1/16	@	0									
WB07	WB Height @ CB	1/16	1/16	@	0									
WB08	WB Extension (overlap) from Fly Edge @ Center	1/8	1/8	@	0									
WB09	WB Extension (overlap) from Fly Edge @ Top & Btm	1/8	1/8	@	0									
YK01	Front Yoke Seam from HPS @ Neck	1/8	1/8	@	1/4									
YK01.1	Front Yoke Seam Point from HPS	1/8	1/8	@	1/4									
YK02	Front Yoke Seam from HPS @ CF	1/8	1/8	@	1/4									
YK03	Front Yoke Seam from HPS @ Armhole	1/8	1/8	@	1/4									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
YK04	Back Yoke Seam from HPS @ Neck	1/8	1/8	@	1/8									
YK04.1	Back Yoke Seam Point from HPS	1/8	1/8	@	1/8									
YK05	Back Yoke Seam from HPS @ CB	1/8	1/8	@	1/8									
YK06	Back Yoke Seam from HPS @ Armhole	1/8	1/8	@	1/8									
YK07	Front Yoke Flap from HPS-Straight	1/8	1/8	@	1/4									
YK08	Front Yoke Flap from HPS @ Armhole	1/8	1/8	@	1/4									
YK09	Back Yoke Flap from HPS @ CB	1/8	1/8	@	1/8									
YK10	Back Yoke Flap from HPS @ Armhole	1/8	1/8	@	1/8									
YK11	Yoke Seam from Top Waist @ CF	1/8	1/8	@	0									
YK12	Yoke Seam from Top Waist @ SS	1/8	1/8	@	0									
YK13	Yoke Seam from Top Waist @ CB	1/8	1/8	@	0									
YK14	Raglan Yoke Seam from Neck Seam	1/4	1/4	@	1/2									
YK14.1	Raglan Yoke Seam from Neck Edge	1/4	1/4	@	1/2									
ZF01	Fly Length from Top Waist-(pants)	1/4	1/4	@	1/2									
ZF02	Fly Length from Top Waist-(skirts)	1/4	1/4	@	0									
ZF03	Fly Width	1/16	1/16	@	0									
ZF04	Zipper Length-(pants)	1/4	1/4	@	1/2									
ZF05	Zipper Length-(skirts)	1/4	1/4	@	0									
ZF06	Zipper Opening from Armhole @ Left SS	1/8	1/8	@	0									
ZF07	Zipper Opening- (over 8")	1/2	1/2	@	1/2									
ZF07.1	Zipper Opening- (8" or under)	1/4	1/4	@	0									
ZF08	Zipper Tape Length-(over 8")	1/2	1/2	@	1/2									
ZF08.1	Zipper Tape Length-(8" or under)	1/4	1/4	@	0									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
VF01	Shoulder Forward Seam from HPS @ Neck	0	0	@	0									
VF02	Shoulder Forward Seam from HPS @ Armhole	0	0	@	0									
VF03	Shoulder Slope from HPS to Armhole Seam@Back Fold	1/8	1/8	@	0									
VF03.1	Shoulder Slope from HPS @ Specified Placement	1/8	1/8	@	0									
VF03.2	Shoulder Slope Placement from CB	0	0	@	1/8									
VF04	Body Length @ CF from HPS	3/8	3/8	@	3/4									
VF05	Body Length @ CF from Top Bodice	1/4	1/4	@	1/2									
VF06	Body Length @ CF from Armhole	1/4	1/4	@	1/2									
VF07	Peak Height @ CF	1/8	1/8	@	0									
VF09	Front Neck Drop- HPS to Seam (under 10")	1/8	1/8	@	1/4									
VF09.1	Front Neck Drop- HPS to Edge (under 10")	1/8	1/8	@	1/4									
VF10	Front Neck Drop- HPS to Seam (over 10")	1/4	1/4	@	3/8									
VF10.1	Front Neck Drop- HPS to Edge (over 10")	1/4	1/4	@	3/8									
VF11	Front Neck Drop-Top Bodice to Seam	1/8	1/8	@	0									
VF11.1	Front Neck Drop-Top Bodice to Edge	1/8	1/8	@	0									
VF12	Front Neck Drop- from Armhole	1/8	1/8	@	0									
VF13	Front Neck Drop- Excluding Straps	1/8	1/8	@	0									
VF14	Funnel Neck Height from HPS	1/8	1/8	@	0									
VF15	Front Neck Height from Armhole	1/8	1/8	@	0									
VF16	Bodice Seam from HPS @ CF	1/8	1/8	@	1/2									
VF17	Bodice Seam from HPS @ Dart	1/8	1/8	@	1/2									
VF18	Bodice Seam from HPS @ SS	1/8	1/8	@	1/2									
VF19	Bodice Seam from Top Bodice @ CF	1/8	1/8	@	1/4									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
VF20	Bodice Seam from Top Bodice @ Dart	1/8	1/8	@	1/4									
VF21	Bodice Seam from Top Bodice @ SS	1/8	1/8	@	1/4									
VF22	Bodice Seam from Armhole @ CF	1/8	1/8	@	1/4									
VF23	Bodice Seam from Armhole @ Dart	1/8	1/8	@	1/4									
VF24	Bodice Seam from Armhole @ SS	1/8	1/8	@	1/4									
VF29	Across Chest Placement from HPS	0	0	@	1/4									
VF29.1	Chest Placement from HPS	0	0	@	3/8									
VF30	Waist Placement from HPS	0	0	@	1/2									
VF31	High Hip Placement from HPS	0	0	@	5/8									
VF32	Low Hip Placement from HPS	0	0	@	3/4									
VF33	Chest Placement from Top Bodice	0	0	@	0									
VF34	Waist Placement from Top Bodice	0	0	@	1/4									
VF35	High Hip Placement from Top Bodice	0	0	@	3/8									
VF36	Low Hip Placement from Top Bodice	0	0	@	1/2									
VF37	Chest Placement from Armhole	0	0	@	0									
VF38	Waist Placement from Armhole	0	0	@	1/4									
VF39	High Hip Placement from Armhole	0	0	@	3/8									
VF40	Low Hip Placement from Armhole	0	0	@	1/2									
VF41	High Hip Placement from Top Waist	0	0	@	1/4									
VF41.1	High Hip Placement from Bottom WB	0	0	@	1/4									
VF42	Low Hip Placement from Top Waist	0	0	@	1/2									
VF42.1	Low Hip Placement from Bottom WB	0	0	@	1/2									
VF43	Front Raglan Seam from HPS @ Neck Seam	1/8	1/8	@	1/4									

Grade Rule Report

Company: FREE PEOPLE - NEW
Size Range: XS/S-ML

Size Class: General
Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
HF01	Neck Width-Seam to Seam @ HPS	1/4	1/4	@	3/8									
HF01.1	Neck Width-Edge to Edge @ HPS	1/4	1/4	@	3/8									
HF01.2	Neck Width- @ Top Band Opening-Straight	1/4	1/4	@	3/8									
HF02	Front Neck Width-Seam to Seam @ HPS	1/4	1/4	@	3/8									
HF02.1	Front Neck Width- Edge to Edge @ HPS	1/4	1/4	@	3/8									
HF03	Neck Width-Seam to Seam @ Across Chest	1/4	1/4	@	3/8									
HF03.1	Neck Width-Edge to Edge @ Across Chest	1/4	1/4	@	3/8									
HF04	Neck Width-Seam to Seam @ Front Neck Drop	1/4	1/4	@	3/8									
HF05	Neck Width-Edge to Edge @ Front Neck Drop	1/4	1/4	@	3/8									
HF06	Raglan Seams Apart @ Front Neck	1/4	1/4	@	3/8									
HF07	Across Shoulder-Seam to Seam @ Back Fold	1/4	1/4	@	3/4									
HF07.1	Across Shoulder-Edge to Edge @ Back Fold	1/4	1/4	@	3/4									
HF08	Across Chest-Seam to Seam	1/4	1/4	@	3/4									
HF08.1	Across Chest-Edge to Edge	1/4	1/4	@	3/4									
HF09	Chest @ Armhole	1/4	1/4	@	1 1/2									
HF10	Chest @ 1" Below Armhole	1/4	1/4	@	1 1/2									
HF11	Chest @ Bodice Seam-Straight	1/4	1/4	@	1 1/2									
HF12	Waist	1/4	1/4	@	1 1/2									
HF13	Waist @ Seam-Along Curve	1/4	1/4	@	1 1/2									
HF14	Waist @ Top	1/4	1/4	@	1 1/2									
HF15	Waist @ Bottom	1/4	1/4	@	1 1/2									
HF16	Waist Extended	1/4	1/4	@	1 1/2									
HF17	Waist Relaxed	1/4	1/4	@	1 1/2									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
HF18	High Hip	1/4	1/4	@	1 1/2									
HF19	High Hip-Along Yoke Seam	1/4	1/4	@	1 1/2									
HF20	Low Hip	1/4	1/4	@	1 1/2									
HF21	Low Hip-Along Yoke Seam	1/4	1/4	@	1 1/2									
HF22	Bottom Opening-Straight	1/4	1/4	@	1 1/2									
HF22.1	Front Bottom Opening-CF to SS-Straight	1/8	1/8	@	1 1/2									
HF23	Bottom Opening-Along Curve	1/4	1/4	@	1 1/2									
HF23.1	Front Bottom Opening-CF to SS-Along Curve	1/8	1/8	@	3/4									
HF24	Sweep-Along Curve	1/4	1/4	@	1 1/2									
HF24.1	Front Sweep-SS to SS-Along Curve	1/4	1/4	@	1 1/2									
HF25	Lining Sweep-Along Curve	1/4	1/4	@	1 1/2									
VB01	Body Length @ CB from HPS	1/4	1/4	@	3/4									
VB02	Body Length @ CB from CB Neck	1/8	1/8	@	1/2									
VB03	Body Length @ CB from Armhole	1/8	1/8	@	1/2									
VB033	Peak Height @ CB	1/8	1/8	@	0									
VB04	Back Neck Drop-HPS to Seam-(under 3")	1/16	1/16	@	1/8									
VB04.1	Back Neck Drop-HPS to Edge-(under 3")	1/16	1/16	@	1/8									
VB04.2	Back Neck Drop-HPS to Seam-(over 3")	1/8	1/8	@	1/4									
VB04.3	Back Neck Drop-HPS to Edge-(over 3")	1/8	1/8	@	1/4									
VB05	Back Neck Drop-from Armhole	1/8	1/8	@	0									
VB06	Back Neck Drop-Excluding Straps	1/8	1/8	@	0									
VB07	Across Back Placement from HPS	0	0	@	1/4									
VB08	Bodice Seam from HPS @ CB	1/8	1/8	@	1/2									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
VB09	Bodice Seam from Back Neck @ CB	1/8	1/8	@	1/4									
VB10	Bodice Seam from Armhole @ CB	1/8	1/8	@	1/4									
VB11	Back Raglan Seam from HPS @ Neck Seam	1/8	1/8	@	1/8									
HB01	Back Neck Width-Seam to Seam	1/4	1/4	@	3/8									
HB02	Back Neck Width-Edge to Edge	1/4	1/4	@	3/8									
HB03	Raglan Seams Apart @ Back Neck	1/4	1/4	@	3/8									
HB04	Across Back-Seam to Seam	1/4	1/4	@	3/4									
HB04.1	Across Back-Edge to Edge	1/4	1/4	@	3/4									
HB05	Back Bottom Opening-SS to SS Along Curve	1/4	1/4	@	1 1/2									
HB06	Back Sweep-SS to SS Along Curve	1/4	1/4	@	1 1/2									
AH01	Armhole-Straight	3/16	3/16	@	1/2									
AH02	Armhole-Bodice Point to SS-Straight	1/8	1/8	@	1/4									
AH03	Armhole-Bodice Point to SS-Along Curve	1/8	1/8	@	1/4									
AH04	Armhole Drop from HPS-(straight)- @ SS	3/16	3/16	@	3/8									
SS02	Sleeve Length from Shoulder-Long	1/4	1/4	@	1/2									
SS02.1	Sleeve Length from Shoulder w/ Cuff Rolled Up-Long	1/4	1/4	@	1/2									
SS02.2	Sleeve Length frm Shoulder w/ Cuff Unrolled-Long	1/4	1/4	@	1/2									
SS03	Sleeve Length from Shoulder-Short	1/8	1/8	@	1/4									
SS03.1	Sleeve Length from Shoulder w/Cuff Rolled Up-Short	1/8	1/8	@	1/4									
SS03.2	Sleeve Length from Shoulder w/ Cuff Unrolled-Short	1/8	1/8	@	1/4									
SS04	Sleeve Length from Neck Seam @ HPS-Long	1/2	1/2	@	1									
SS04.1	Sleeve Length from Neck Edge @ HPS-Long	1/2	1/2	@	1									
SS05	Sleeve Length from Neck Seam @ HPS-Short	3/8	3/8	@	3/4									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
SS05.1	Sleeve Length from Neck Edge @ HPS-Short	3/8	3/8	@	3/4									
SS06	Undersleeve Length-Long	1/8	1/8	@	1/4									
SS07	Undersleeve Length-Short	1/16	1/16	@	1/8									
SS07.1	Sleeve Cap Height	1/8	1/8	@	1/4									
SS08	Sleeve Cap Width @ 3" from Shoulder	1/4	1/4	@										
SS09	Sleeve Width @ 1" Below Armhole	1/8	1/8	@	1/2									
SS10	Sleeve Width @ 13" from Shoulder	1/8	1/8	@	3/8									
SS11	Sleeve Width @ 5" up from Opening	1/8	1/8	@	1/4									
SS12	Sleeve Width @ Top Cuff Seam	1/8	1/8	@	1/4									
SS13	Sleeve Width @ Top Cuff Seam-Relaxed	1/8	1/8	@	1/4									
SS14	Sleeve Width @ Top Cuff Seam-Extended	1/8	1/8	@	1/4									
SS15	Sleeve Width @ Opening-Long	1/8	1/8	@	1/4									
SS16	Sleeve Width @ Opening-Relaxed-Long	1/8	1/8	@	1/4									
SS17	Sleeve Width @ Opening-Extended-Long	1/8	1/8	@	1/4									
SS18	Sleeve Width @ Opening-Along Curve-Long	1/8	1/8	@	1/4									
SS19	Sleeve Width @ Opening-Short	1/8	1/8	@	1/2									
SS20	Sleeve Width @ Opening-Relaxed-Short	1/8	1/8	@	1/2									
SS21	Sleeve Width @ Opening-Extended-Short	1/8	1/8	@	1/2									
SS21.1	Cap Sleeve Width @ Opening-Along Curve-Short	1/8	1/8	@	1/2									
SS21.2	Cap Sleeve Width @ Opening-Along Curve-Total	1/4	1/4	@	1									
SS22	Front Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	@	1/4									
SS23	Front Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	@	1/2									
SS24	Back Sleeve Hem from HPS @ Armhole-Straight	1/8	1/8	@	1/4									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
SS25	Back Sleeve Hem from SS @ Armhole-Along Curve	1/8	1/8	@	1/2									
PT01	Front Rise from Top Waist	1/4	1/4	@	3/4									
PT02	Back Rise from Top Waist	1/4	1/4	@	3/4									
PT03	Thigh @ 1" Below Crotch	1/4	1/4	@	1									
PT04	Thigh @ __" Below Crotch	1/4	1/4	@	3/4									
PT05	Knee @ __" Below Crotch	1/4	1/4	@	1/2									
PT06	Leg Opening-(for inseams over 6")	1/4	1/4	@	1/2									
PT07	Leg Opening-(for inseams under 6")	1/4	1/4	@	1									
PT08	Inseam-(22" or Longer)	1/2	1/2	@	0									
PT08.1	Inseam w/ Cuff Rolled Up-(22" or Longer)	1/2	1/2	@	0									
PT08.2	Inseam w/ Cuff Unrolled-(22" or Longer)	1/2	1/2	@	0									
PT09	Inseam-(under 6")	1/4	1/4	@	0									
PT09.1	Inseam w/ Cuff Rolled Up-(under 6")	1/4	1/4	@	0									
PT09.2	Inseam w/ Cuff Unrolled-(under 6")	1/4	1/4	@	0									
PT09.3	Inseam-(6" to 21")	1/4	1/4	@	0									
PT09.4	Inseam w/ Cuff Rolled Up-(6" to 21")	1/4	1/4	@	0									
PT09.5	Inseam w/ Cuff Unrolled-(6" to 21")	1/4	1/4	@	0									
PT10	Outseam from Top Waist-(22" or Longer)	5/8	5/8	@	1/2									
PT10.1	Outseam from Top Waist w/Cuff Rolled Up-(22"or L)	5/8	5/8	@	1/2									
PT10.2	Outseam from Top Waist w/Cuff Unrolled-(22"or L)	5/8	5/8	@	1/2									
PT11	Outseam from Top Waist-(under 6")	3/8	3/8	@	1/2									
PT11.1	Outseam from Top Waist w/Cuff Rolled Up(under 6")	3/8	3/8	@	1/2									
PT11.2	Outseam from Top Waist w/Cuff Unrolled-(under 6")	3/8	3/8	@	1/2									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Range: XS/S-ML

Size Class: General

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
PT11.3	Outseam from Top Waist-(6" to 21")	3/8	3/8	@	1/2									
PT11.4	Outseam from Top Waist w/Cuff Rolled Up(6"to21")	3/8	3/8	@	1/2									
PT11.5	Outseam from Top Waist w/Cuff Unrolled-(6"to21")	3/8	3/8	@	1/2									
PT12	Back Knee Seam from Bottom Opening	1/4	1/4	@	0									
SK01	CF Waist Level Drop from CB	0	0	@	0									
SK02	Waist Curve from SS to CB	0	0	@	0									
SK03	Skirt Length from Top Waist @ CB-(18" or over)	3/8	3/8	@	0									
SK03.1	Skirt Length from Top Waist @ CB-(under 18")	1/4	1/4	@	0									
SK04	Skirt Length from Top Waist @ SS-(18" or over)	3/8	3/8	@	0									
SK04.1	Skirt Length from Top Waist @ SS-(under 18")	1/4	1/4	@	0									
UG01	Waist @ Top Relaxed			@	1 1/2									
UG02	Waist @ Top Extended			@	1 1/2									
UG03	Upper Front Width Placement from Crotch Seam			@	1/4									
UG04	Upper Front Width			@	3/4									
UG05	Lower Front Width Placement from Crotch Seam			@	1/8									
UG06	Lower Front Width			@	1/2									
UG07	Front Crotch Width-Along Seam			@	1/4									
UG07.1	Front Crotch Width @ Crotch Panel Edge			@	1/4									
UG08	Narrowest Crotch Width Plcmnt from Bk Crotch Seam			@	1/8									
UG09	Narrowest Crotch Width			@	0									
UG10	Back Crotch Width Along Seam			@	1/4									
UG11	Crotch Panel Length @ Center			@	1/4									
UG12	Upper Back Width Placement from Crotch Seam			@	1/4									

Grade Rule Report

Company: FREE PEOPLE - NEW

Size Class: General

Size Range: XS/S-ML

Product: W1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	XS/S	ML									
UG13	Upper Back Width			@	3/4									
UG14	Lower Back Width Placement from Crotch Seam			@	1/8									
UG15	Lower Back Width			@	1/2									
UG16	Front Panel Length from Top to Crotch Seam			@	3/8									
UG17	Back Panel Length from Top to Crotch Seam			@	3/8									
UG18	Side Length from Top @ Seam			@	0									
UG18.1	Side Length from Top @ Fold			@	0									
UG19	Leg Opening (1/2) Relaxed			@	3/4									
UG20	Leg Opening (1/2) Extended			@	3/4									
UG21	Minimum Stretch @ Waist (1/2)			@	1 1/2									
UG22	Minimum Stretch @ Leg Opening (1/2)			@	3/4									

Grade Rule Report

Company: BRAS
Size Range: 32A-36D

Size Class: General
Product: B1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	32A	34A	36A	32B	34B	36B	32C	34C	36C	32D	34D	36D
BRA01	Front Nk Length-(CF Cup to Strap Point)Along Curve	1/8	1/8	-1/4	-1/4	1/4	-1/4	@	1/4	-1/4	1/4	1/4	1/4	1/4	1/4
BRA02	Side Wing Height @ Cup Seam- Along Curve	1/4	1/4	-5/16	-5/16	5/16	-5/16	@	5/16	-5/16	5/16	5/16	-5/16	5/16	5/16
BRA03	CB Closure Height (1 hook 3 adj)- Edge to Edge	1/8	1/8	0	0	0	0	@	0	0	0	0	0	0	0
BRA04	Back Straps Apart-Inside-(on tightest adjustment)	3/8	3/8	-1/2	-1/2	1	-1/2	@	1/2	-1	1/2	1/2	-1	1/2	1/2
BRA05	Strap Width	0	0	0	0	0	0	@	0	0	0	0	0	0	0
BRA06	Strap Length-(total)-w/ 2" between O ring&slider	3/8	3/8	0	0	0	0	@	0	0	0	0	0	0	0
BRA07	Side Bone Tunnel Height	1/8	1/8	-3/16	-3/16	3/16	-3/16	@	3/16	-3/16	3/16	3/16	-3/16	3/16	3/16
BRA08	Bottom Width- Flat- (on tightest adjustment)	1/2	1/2	-1	-1	2	-1	@	1	-2	1	1	-2	1	1
BRA09	Bottom Width-Total- (Hook to 1st eye)	1	1	-2	-2	4	-2	@	2	-4	2	2	-4	2	2
BRA10	Wire Tunnel Length- Along Outside Curve Edge	3/8	3/8	-5/8	-5/8	5/8	-5/8	@	5/8	-5/8	5/8	5/8	-5/8	5/8	5/8
BRA11	Gore Height @ Cup Seam- Along Curve	1/8	1/8	-1/8	-1/8	1/8	-1/8	@	1/8	-1/8	1/8	1/8	-1/8	1/8	1/8
BRA12	Gore Height @ CF-Straight	1/8	1/8	-1/8	-1/8	1/8	-1/8	@	1/8	-1/8	1/8	1/8	-1/8	1/8	1/8
BRA13	Gore Width @ Top Edge-Straight	1/8	1/8	1/16	1/16	-1/16	1/16	@	-1/16	1/16	-1/16	-1/16	1/16	-1/16	-1/16
BRA14	Gore Width @ Bottom Edge-Straight	1/8	1/8	1/16	1/16	-1/16	1/16	@	-1/16	1/16	-1/16	-1/16	1/16	-1/16	-1/16
BRA15	Front A/H Length-(Side Cup to Strap Pt)Along Curve	1/4	1/4	-1/4	-1/4	1/4	-1/4	@	1/4	-1/4	1/4	1/4	-1/4	1/4	1/4
BRA16	Top Side Wing Length-(Cup Seam to Hook/1st eye)	1/4	1/4	-3/4	-3/4	3/4	-3/4	@	3/4	-3/4	3/4	3/4	3/4	3/4	3/4
BRA17	Bottom Side Wing Length-(Cup Seam to Hook/1st eye)	1/4	1/4	-3/4	-3/4	3/4	-3/4	@	3/4	-3/4	3/4	3/4	3/4	3/4	3/4
BRA18	Wing Distance Apart@Bottom Cup-Straight (Hook Up)	3/8	3/8	-1/2	-1/2	1/2	-1/2	@	1/2	-1/2	1/2	1/2	1/2	1/2	1/2
BRA19	Front Strap Length (including hardware) Relaxed	1/4	1/4	0	0	0	0	@	0	0	0	0	0	0	0
BRA20	Front Strap Length (including hardware) Extended	1/4	1/4	0	0	0	0	@	0	0	0	0	0	0	0
BRA21	Back Strap Width	0	0	0	0	0	0	@	0	0	0	0	0	0	0
BRA22	Back Strap Length-(back strap point to ring)	1/4	1/4	0	0	0	0	@	0	0	0	0	0	0	0
BRA23	Across Cup Width- Along Seam- Seam to Seam	1/4	1/4	-1/2	-1/2	1/2	-1/2	@	1/2	-1/2	1/2	1/2	-1/2	1/2	1/2

Grade Rule Report

Company: BRAS
Size Range: 32A-36D

Size Class: General
Product: B1 Tolerance

Ref Code	Description (Variation)	Tol +	Tol -	32A	34A	36A	32B	34B	36B	32C	34C	36C	32D	34D	36D
BRA24	Cup Height-Total-Strap Point to Bottom Cup Edge	1/4	1/4	-3/8	-3/8	3/8	-3/8	@	3/8	-3/8	3/8	3/8	-3/8	3/8	3/8
BRA25	Bottom Cup Height @ Center	1/8	1/8	-3/16	-3/16	3/16	-3/16	@	3/16	-3/16	3/16	3/16	-3/16	3/16	3/16
BRA26	Across Cup Seam from Top Edge @ CF-Along Wire	1/4	1/4	-1/8	-1/8	1/8	-1/8	@	1/8	-1/8	1/8	1/8	-1/8	1/8	1/8
BRA27	Across Cup Seam from Top Edge @ SS-Along Wire	1/4	1/4	-1/8	-1/8	1/8	-1/8	@	1/8	-1/8	1/8	1/8	-1/8	1/8	1/8
BRA28	Wire Bone Play Width	1/8	1/8	0	0	0	0	@	0	0	0	0	0	0	0
BRA29	Side Bone Tunnel Placement from Side Cup @ Top	1/4	1/4	-1/4	-1/4	1/4	-1/4	@	1/4	-1/4	1/4	1/4	-1/4	1/4	1/4
BRA30	Back Neck Drop-Strap Point to Edge (racerback)	1/8	1/8	-1/8	-1/8	1/8	-1/8	@	1/8	-1/8	1/8	1/8	-1/8	1/8	1/8
BRA31	Across Back@2 1/2" from Strap Point-Edge to Edge	1/4	1/4	0	0	0	0	@	0	0	0	0	0	0	0
BRA32	Back Length from Strap Point to Bottom Edge(racer)	1/4	1/4	0	0	0	0	@	0	0	0	0	0	0	0
BRA33	Dart Legs Apart @ Bottom Cup Seam	3/8	3/8	-1/2	-1/2	1/2	-1/2	@	1/2	-1/2	1/2	1/2	-1/2	1/2	1/2
BRA34	Dart Length	1/8	1/8	-1/8	-1/8	1/8	-1/8	@	1/8	-1/8	1/8	1/8	-1/8	1/8	1/8
BRA35	Back Straps (inside) from Hook/1st eye	3/16	3/16	-1/4	-1/4	1/2	-1/4	@	1/4	-1/2	1/4	1/4	-1/2	1/4	1/4