
IT MAY TAKE TIME TO CREATE MAJOR ADVANCES IN SOIL QUALITY, HOWEVER PROGRESS CAN BE DISCOVERED BY FOLLOWING FOUR BASIC PRINCIPLES:

- Minimize Disturbance. Unlike soil texture, the soil's structure can be greatly impacted by tillage. Disturbing the soil destroys pore space, ultimately decreasing infiltration of water and the movement of oxygen. Whereas minimum-tillage systems have had a huge impact in improving soil organic matter (a leading indicator of soil quality), however no-till by itself isn't enough.
- **Maximize Biodiversity.** As soil is less disturbed and plant diversity is improved, nutrients become more available for cash crops while restricting unwanted plants and organisms.
- Maximize Soil Cover. Bare soils introduce the probability of wind and water erosion, during which nutrients and organic matter can be carried away and the opportunity for carbon capture is lost.
- Provide Continuous Living Roots. Living organic material (OM) and dead plant residues in the soil improves soil structure and stores nutrients, making them available later for cash crops. Adding continuous roots speeds up organic matter gains and at the very least maintains organic matter levels. Building OM levels offsets the "mining" action of cash crops.



MATCHING COVER CROPS TO YOUR GOAL

SEQUESTER & CYCLE NUTRIENTS:

Cover crops can aggressively scavenge and cycle nutrients from deep within the soil profile making them available in the root zone of subsequent crops, improving yields and reducing runoff into sensitive watersheds.

REDUCE SOIL EROSION:

Extensive root systems cling to the top layer of soil creating an interior shield from erosion while top growth minimizes wind and water erosion.

CREATE A NITROGEN SOURCE:

Legumes produce additional nitrogen (N) by converting atmospheric nitroger into nutrients plants can use.

BREAK UP SOIL COMPACTION

Deep burrowing roots break through compacted soil to create pore space improving aeration, water movement and helping soil organisms flourish.

PROVIDE WEED CONTROL:

Cover crops create competition for winter annuals and other weeds by shading them out, and preventing them from robbing valuable moisture and nutrients from subsequent cash crops (with the potential of lowering herbicide requirements per acre).

SUPPORT PEST CONTROL:

Most cover crops that suppress weeds during the winter months can consequently reduce nematode populations. Some cover crops deplete nematode populations by causing premature egg hatching. Other species provide control by eliminating winter annuals that provide a refuge for nematode populations. Still other cover crops contain chemicals that naturally fumigate at-risk soil environments.

GENERATE EXTRA FORAGE:

Most cover crop species have the added benefit of being "dual-purpose", meaning they provide both the benefit of a soil cover while providing a valuable forage source for livestock.

ADD HABITAT FOR WILDLIFE & SHELTER POLLINATORS:

Fall, winter and spring cover crops create environments crucial for wildlife protection and nesting. Additionally, the biodiversity created by many cover crop systems have positive effects on native pollinators.

BUILD ORGANIC MATERIAL:

As cover crops grow, die and break-down, they add carbon to soil, feeding the soil food web, improving soil tilth, soil quality and water holding capacity.

INCREASE SOIL STRUCTURE:

Active plant roots contain mycorrhizal hyphae which form soil aggregates that act like a net capturing organic matter and soil particles. Aggregate stability builds soil structure that leads to better nutrient cycling and better movement of water and oxygen.

11 CONSERVE SOIL MOISTURE:

By converting the sun's energy into growing biomass and the opportunity for organic matter, soil moisture is increased while reducing runoff, evaporation and overall variability from weather extremes.

CREATE FINANCIAL VALUE:
The above benefits create the opportunity for better yield potential in cash crops, lower input costs and ultimately higher land values. In addition many states and counties offer cost-sharing initiatives for this important practice.

Soil First® Cover Crop Seed



Solving the **SOIL HEALTH** Puzzle?

HAVE YOU COVERED



		PLAN [*]	TING SE	ASON		NON-FORAGE BENEFITS (5 = Excellent, 1 = Poor)										_					
EST USED BEFORE	SOIL .	SUMMER	LATE SUMMER		DAYS TO HARVEST	COMPACTION ALLEVIATION	WEED SUPPRESSION	BIOMASS PRODUCTION	EROSION CONTROL	DISEASE/PEST CONTROL	POLLINATOR/BENEFICIALS	P & K CYCLING	EASE OF ESTABLISHMENT	PRODUCT BENEFIT KEY	Benefit icons reflect the l	CLING BI highest rated bene 5 - 16 of the Soil F	LINATOR COMPACTION ALLEVIATION effts as referenced in the Soil Firs irst® Management Guide - Editio	WEED BIOMAS SUPPRESSION PRODUCT to Management Guide - Edition 7. In n 7, or visit lacrosseseed.com for add	most cases each pr	oduct has many more be	enefits.
BES	FIRST® MIXES	SUM	LATE	FALL	DAY	COM	WEE	BIO	ERO:	DISE	POLI	P&	EAS		OR SCAVENGER		SEEDING RA	TE (LBS/ACRE)	KE	Y BENEFITS	
BEANS	SF 101 COVER STARTER		~	~	45 - 50	5	5	5	4	3	2	4	4	10 - 13	SCAVENGER	2 - 5	DRILL: 30 - 35 AERIAL: 30 - 40	BRDCAST: 35 - 40 FORAGE: 40 - 50			
BEANS	SF 102 COVER STARTER+		~	~	45 - 50	5	⑤	4	5	3	2	4	4	12 - 15	вотн	2 - 5	DRILL: 30 - 35 AERIAL: 30 - 40	BRDCAST: 35 - 40 FORAGE: 40 - 50			
CORN	SF 125 N-HANCER	~	~		45 - 50	4	4	4	5	2	3	4	4	14 - 18	FIXER	2 - 5	DRILL: 35-40 AERIAL: NR	BRDCAST: 40 - 50 FORAGE: 40 - 50		⚠ €	
BEANS	SF 140 MULTI-PURPOSE	~	~	~	45 - 50	4	⑤	5	3	3	2	3	5	11 - 14	вотн	3 - 5	DRILL: 35-40 AERIAL: NR	BRDCAST: 40 - 50 FORAGE: 40 - 50			
CORN	SF 142 CLASSIC	~	~		45 - 60	4	3	3	3	3	3	4	4	16 - 18	вотн	2 - 4	DRILL: 12 - 15 AERIAL: 20 - 25	BRDCAST: 15 - 20 FORAGE: 15 - 20			
CORN	SF 150 FIELD FIT	~	~		45 - 50	5	5	4	3	3	2	3	5	13 - 17	SCAVENGER	2 - 4	DRILL: 30 - 35 AERIAL: 30 - 40	BRDCAST: 35 - 40 FORAGE: 40 - 50			
CORN & BEANS	SF 160 ROOTING		~	~	45 - 50	5	4	4	4	4	3	4	4	10 - 14	SCAVENGER	2 - 4	DRILL: 15 - 20 AERIAL: 20 - 25	BRDCAST: 20 - 25 FORAGE: 20 - 25			
CORN & BEANS	SF 175 ACCUSPREAD		~	~	45 - 50	5	4	4	4	4	3	4	4	10 - 16	вотн	2-5	DRILL: 20 - 25 AERIAL: 25 - 30	BRDCAST: 25 - 30 FORAGE: 25 - 30			
. 0	NITROUS WINTER TRITICALE		~	~	SPRING	2	4	5	4	3	1	4	4	12	SCAVENGER	2.5 - 4	DRILL: 30 - 50 AERIAL: 20 - 60	BRDCAST: 40 - 60 FORAGE: 80 - 120			
. 0	GUARDIAN® WINTER RYE		~	~	0	4	⑤	4	5	3	1	4	4	10 - 14	SCAVENGER	2.5 - 5	DRILL: 30 - 50 AERIAL: 20 - 60	BRDCAST: 40 - 60 FORAGE: 80 - 120			
0	COLDSNAP® ANNUAL RYEGRASS		~	~	٥	5	⑤	3	5	3	2	3	5	9	SCAVENGER	.5 - 2	DRILL: 15-30 AERIAL: 15-35	BRDCAST: 20 - 40 FORAGE: 25 - 35			
. 0	TILLAGE RADISH®		~		45	5	⑤	4	4	3	2	4	5	18	SCAVENGER	2 - 4	DRILL: 3-8 AERIAL: 3-8	BRDCAST: 4 - 10 FORAGE: 5 - 8			
0	COVER CROP INOCULANT	TREATMENT SIZES & PACKAGING SPECIFICATIONS: Unit Treatment Size: 500 lbs. (29.5 kg) Case Treatment Size: 2,000 lbs. 60 ounces per package; 4 packages/case; 54 cases/pallet												54 cases/pall	et	Easy to Apply					