




Come closer

Beosound Premiere. A spatial soundbar for those who know the difference.

Whether it's the first viewing of a film, or the unveiling of a long-anticipated album, Beosound Premiere brings life to sound. A spatial audio experience, precisionengineered to put you in the best seat in the house, recreates what the artist intended. Every beat authentic. Every silence intentional. Every note delivered with unwavering fidelity. The way it's meant to be.

A first-of-its-kind form: bold, sculptural, unapologetic. More than a soundbar, it's a statement. Designed for those who hear the difference. Made to take centre stage.



Why you'll love it



Spatial. Seen differently



The art of aluminium



Performance that lasts





Beosound Premiere SPECIFICATIONS



Basic

PLACEMENT OPTIONS

- · Table stand
- · Wall mounted

WEIGHT 8,5 kg

RECOMMENDED ROOM SIZE

10 - 40 m²

Product Dimensions

WALL MOUNTED





TABLE STAND







Beosound Premiere



Technical

CABINET PRINCIPLE

Closed cabinet

LOCAL BUTTONS

Top touch UI:

Volume up/down, Play/pause, Step forward/previous, Touch to join and 4 favorite buttons

Side UI:

Standby, Connectivity/Set-up, Slider for microphone mute

LOUDSPEAKER

7 Internal channels:
Left, Centre, Right front-firing
Left & Right side-firing (adjustable width)
Left & Right up-firing (adjustable width & height)

AMPLIFIER

10 power amplifiers: 4 x 70 watts amplifiers for woofers 1 x 50 watts amplifier for tweeter 5 x 50 watts amplifiers for left/right/up firing/side firing full ranges

SPEAKER CONFIGURATION

10 custom speaker drivers 4 x 4x3" Racetrack drivers 2 x 2" full range (front firing) 2 x 2" full range (side firing) 1 x 1,5" full range (up firing) 1 x 0.8" tweeter

ADVANCED SOUND FEATURES

Integrated 7.1.4 Dolby Atmos decoding and custom-tuned post-processing with proprietary True Image up- / downmixing algorithm.

Wide Stage technologyTM Advanced Bass management system Adaptive Bass Linearisation (ABL) Thermal protection

ACTIVE ROOMCOMPENSATION

Yes

FREQUENCY RANGE

32 Hz - 23,000 Hz

MAXIMUM OUTPUT LEVEL (SPL) @1M

102 dB SPL

BASS CAPABILITY @1M

86 dB SPL

SOUND FORMAT HDMI

Dolby Atmos supporting:
Dolby Digital TrueHD
Dolby Digital plus 7.1 (including DD5.1)
Dolby Atmos, Dolby MAT

PCM 7.1 multichannel

MPEG-2 AAC MPEG-4 HE-AAC

TOUCH UI WITH PROXIMITY SENSOR

Ultrasonic sound for dectection of a person within 60 cm range

POWER CONSUMPTION

Typical: 80 W

TV SCREEN

Optimised for LG OLED C & G series



Beosound Premiere SPECIFICATIONS



Connectivity

WIRED CONNECTIVITY

1 x HDMI eARC with passthrough 4K 120FPS / 8K 60FPS / 40Gbit with CEC input Analogue audio in via USB-C (3.5 mm passive jack adaptor required. B&O partno. 6271374) Ethernet switch with 3 x 1 Gbit ports. One port assigned TV

WIRELESS CONNECTIONS

Dual band WLAN 2.4 / 5GHz IEEE 802.11 b/g/a/n/ac/ax Bluetooth 5.4 (BLE and EDR) Bluetooth Codecs: Android (SBC) iOS: (SBC and AAC)

INTEGRATED MUSIC SERVICES

Bang & Olufsen Radio TIDAL Deezer (incl. Deezer HiFi)

VOICE ASSISTANT

Via external Google assistant device

REMOTE CONTROL

Integrated system control, including LG OLED TV Beoremote One BT Bang & Olufsen App for music streaming Beoremote Halo for music streaming

STREAMING SERVICES

Apple AirPlay Bluetooth audio streaming HomeMedia **Spotify Connect TIDAL Connect** Deezer Connect QPlay 2.0

BEOLINK SURROUND

Enjoy a true surround sound experience by connecting additional speakers to your setup through wired or wireless connections.

MULTIROOM

Apple Airplay multiroom Beolink Multiroom incl join of TV / HDMI input sound (not in sync) and analogue line-in

SPEAKER OUTPUTS

4 x Digital Power Link

CONTROL CONNECTOR

For future use cases

Other information

DESIGNER

Bang & Olufsen Design team

SOUND MODES

5 pre-defined sound modes

LISTENING POSITIONS

Yes, via manual set-up

IN THE BOX

Beosound Premiere HDMI cable LAN cable Mains cable

Soundbar universal stand (combined wall & table solution) Soundbar wall plate

Installation guide Important guide

Drilling template for wall mounting of

soundbar Torx screw driver Screws for bracket/stand Tool for removing speaker cover USB-C to AUX Adapter Polishing cloth

Beosound Premiere VARIANTS



FRAME

Silver aluminium





FRAME

Silver aluminium





FRAME

Black Anthracite aluminium



SPEAKER COVER

Dark oak

FRAME Gold Tone aluminium



SPEAKER COVER

Oak

Accessories

It is possible to buy the different covers, and match them to your preference.

Ask in store or visit <u>www.bang-olufsen.com</u> for more information.

