


Come closer

Beosound Premiere. A spatial soundbar for those who know the difference.

Whether it's the first viewing of a film, or the unveiling of a long-anticipated album, Beosound Premiere brings life to sound. A spatial audio experience, precision-engineered to put you in the best seat in the house, recreates what the artist intended. Every beat authentic. Every silence intentional. Every note delivered with unwavering fidelity. The way it's meant to be.

A first-of-its-kind form: bold, sculptural, unapologetic. More than a soundbar, it's a statement. Designed for those who hear the difference. Made to take centre stage.



Why you'll love it

-  Spatial. Seen differently
-  The art of aluminium
-  Performance that lasts



11.2025V02



Basic

PLACEMENT OPTIONS

- Table stand
- Wall mounted

RECOMMENDED ROOM SIZE

10 - 45 m²

WEIGHT

8,5 kg

Product Dimensions

WALL MOUNTED



TABLE STAND





Technical

CABINET PRINCIPLE

Closed cabinet

LOCAL BUTTONS

Top touch UI:
Volume up/down, Play/pause,
Step forward/previous, Touch to join
and 4 favorite buttons

Side UI:
Standby, Connectivity/Set-up,
Slider for microphone mute

LOUDSPEAKER

7 Internal channels:
Left, Centre, Right front-firing
Left & Right side-firing (adjustable width)
Left & Right up-firing (adjustable width &
height)

AMPLIFIER

10 power amplifiers:
4 x 70 watts amplifiers for woofers
1 x 50 watts amplifier for tweeter
5 x 50 watts amplifiers for left/right/up
firing/side firing full ranges

SPEAKER CONFIGURATION

10 custom speaker drivers
4 x 4x3" Racetrack drivers
2 x 2" full range (front firing)
2 x 2" full range (side firing)
1 x 1,5" full range (up firing)
1 x 0,8" tweeter

ADVANCED SOUND FEATURES

Integrated 7.1.4 Dolby Atmos decoding
and custom-tuned post-processing with
proprietary True Image up- / downmixing
algorithm.
Wide Stage technology™
Advanced Bass management system
Adaptive Bass Linearisation (ABL)
Thermal protection

ACTIVE ROOMCOMPENSATION

Yes

FREQUENCY RANGE

34 Hz - 23,000 Hz

MAXIMUM OUTPUT LEVEL (SPL) @1M

102 dB SPL

BASS CAPABILITY @1M

86 dB SPL

SOUND FORMAT HDMI

Dolby Atmos supporting:
Dolby Digital TrueHD
Dolby Digital plus 7.1 (including DD5.1)
Dolby Atmos, Dolby MAT

PCM 7.1 multichannel

MPEG-2 AAC

MPEG-4 HE-AAC

TOUCH UI WITH PROXIMITY SENSOR

Ultrasonic sound for detection of
a person within 60 cm range

POWER CONSUMPTION

Typical: 80 W

TV SCREEN

Optimised for LG OLED C & G series



Connectivity

WIRED CONNECTIVITY

1 x HDMI eARC with passthrough 4K 120FPS / 8K 60FPS / 40Gbit with CEC input
Analogue audio in via USB-C (3.5 mm passive jack adaptor required. B&O partno. 6271374)
Ethernet switch with 3 x 1 Gbit ports.
One port assigned TV

WIRELESS CONNECTIONS

Dual band WLAN 2.4 / 5GHz IEEE 802.11 b/g/a/n/ac/ax
Bluetooth 5.4 (BLE and EDR)
Bluetooth Codecs: Android (SBC)
iOS: (SBC and AAC)

INTEGRATED MUSIC SERVICES

Bang & Olufsen Radio
TIDAL
Deezer (incl. Deezer HiFi)

REMOTE CONTROL

Integrated system control, including LG OLED TV
Beoremove One BT
Bang & Olufsen App for music streaming
Beoremove Halo for music streaming

STREAMING SERVICES

Apple AirPlay
Bluetooth audio streaming
HomeMedia
Spotify Connect
TIDAL Connect
Deezer Connect
QPlay 2.0

BEOLINK SURROUND

Enjoy a true surround sound experience by connecting additional speakers to your setup through wired or wireless connections.

MULTIROOM

Apple AirPlay multiroom
Beolink Multiroom incl. join of TV / HDMI input sound (not in sync) and analogue line-in

SPEAKER OUTPUTS

4 x Digital Power Link

CONTROL CONNECTOR

For future use cases

Other information

DESIGNER

Bang & Olufsen Design team

SOUND MODES

5 pre-defined sound modes

LISTENING POSITIONS

Yes, via manual set-up

CRADLE TO CRADLE

Cradle to Cradle Certified®
Full Scope: Bronze (v4.1)

IN THE BOX

Beosound Premiere
HDMI cable
LAN cable
Mains cable
Soundbar universal stand (combined wall & table solution)
Soundbar wall plate
Installation guide
Important guide
Drilling template for wall mounting of soundbar
Hex screwdriver
Screws for bracket/ stand
Tool for removing speaker cover
USB-C to AUX Adapter
Polishing cloth



FRAME

Natural aluminium



SPEAKER COVER

Oak

FRAME

Natural aluminium



SPEAKER COVER

Grey Mélange fabric

FRAME

Black Anthracite
aluminium
(Available March 2026)



SPEAKER COVER

Dark oak
(Available March 2026)

FRAME

Gold Tone aluminium
(Available February 2026)



SPEAKER COVER

Oak



Accessories

It is possible to buy the different covers,
and match them to your preference.

Ask in store or visit www.bang-olufsen.com
for more information.

