

Fidelity from every angle

We've crafted three new speakers: a surround-sound powerhouse, a standalone masterpiece and a stirring stereo experience. The twist? They're all the same speaker.

Beolab 8 is the embodiment of versatility. Hear it shine on its own, sing in any set up and perform wherever you place it.




Why you'll love it

- Groundbreaking, room-shaking sound.
- High-resolution wireless streaming built in.
- Maps your room for peak playback.
- Plays anywhere. Table, floor, wall, it's your call.
- Future-ready: swappable covers and upgradeable parts.



Measurements



Basic

PRODUCT DIMENSIONS

On a table or shelf: 16.5 W x 29 H x 18.9 D cm

On the floor: $30.0 \text{ W} \times 114.0 \text{ H} \times 30 \text{ D} \text{ cm}$

Wall mounted: 16.5 W x 27.9 H x 21.5 D cm

WEIGHT

Speaker only: 4.1 kg

RECOMMENDED ROOM SIZE

10 - 50 m²

MATERIALS

Aluminium Fabric / Wood Polymer

PLACEMENT

Table, shelf, floor or wall mounted

OPERATING CONDITIONS

Temperature: 0-40° C Humidity: 30-70% RH





Technical

POWER AMPLIFIERS

1 x 50 watt, class D for tweeter 1 x 50 watt, class D for mid-range 1 x 200 watt, class D for woofer

28 - 23.000 Hz

FREQUENCY RANGE

POWER SUPPLY
Power supply built-in
Power cable included

SPEAKER DRIVERS

1 x 0.6" tweeter 1 x 3.0" mid-range 1 x 5.25" woofer

ADVANCED SOUND FEATURES

- Active Room Compensation
- Beam Width Control
- Thermal Protection
- · Adaptive Bass Linearization
- Fluid Sweet Spot (Expected early 2024)

MAXIMUM SOUND

PRESSURE LEVEL @1M 101 dB SPL (single speaker)

104 dB SPL (pair)

BASS CAPABILITY @1M

84 dB SPL (single speaker) 90 dB SPL (pair)

Connectivity

WIRELESS CONNECTIONS

Dual band WLAN 2.4 & 5 GHz IEEE 802.11 b/g/a/n/ac/ax Bluetooth 5.3

STEREO PAIRING

B&O Stereo Pairing¹

CONNECTIONS

2 x Ethernet 10/100 Mbit

1 x USB-C

1 x Powerlink (RJ45) 2 channels

WIRELESS POWERLINK

Wireless Power Link (24 bit / 48 kHz)

INTEGRATED MUSIC SERVICES

Bang & Olufsen Radio

MULTIROOM

Apple AirPlay, Chromecast and BeoLink Multiroom® technologies are integrated and ready for you to create a wireless Multiroom setup with Beolab 8.

SUPPORTED AUDIO FORMATS

MP3, WMA, AAC, ALAC, FLAC,

WAV, AIFF, OGG, HLS

Standard sample rates up to 192 kHz, stereo and up to 24 bit

Note: WMA lossless is not supported

STREAMING FORMATS

- · Chromecast built-in^{TM 2}
- Apple AirPlay
- · Bluetooth audio streaming
- Spotify Connect
- · Tidal Connect

VOICE ASSISTANT

Nο

REMOTE CONTROL

Beoremote One BT Beoremote Halo Bang & Olufsen App

Bang & Olufsen Stereo Pairing is factory default encoded using LC3plus high resolution Codec. LC3plus is licensed by Fraunhofer IIS: www.iis.fraunhofer.dk/audio

²Google and Chromecast built-in are trademarks of Google LLC. Google Assistant is not available in certain languages and countries.



Other information

DESIGNER

Noto Design GmbH

IN THE BOX

Beolab 8
Power cable
Quick start guide
Speaker bracket (part that connect the speaker to the stands)
Back covers (Left and Right)

BASE

 $Natural\ aluminium$



FRONT COVER

Grey Melange fabric or oak



Black Anthracite aluminium



FRONT COVER

Dark oak



Gold Tone aluminium



FRONT COVER

Light oak



