

## bebionic hand.

Complete and send order to: [order@ottobock.se](mailto:order@ottobock.se)

### Customer

Customer no.	
Company	
Street	
Postal code	City
OT	

### Shipping address (if different from customer address)

Customer no.	
Company	
Street	
Postal code	City
Commision	

### Prosthesis user

#### Name

#### Gender

Female

Male

Diverse

#### Amputation side

Left

Right

#### Serial number of the previous hand:

Initial prosthetic fitting (user was not previously fitted with a bebionic hand or Michelangelo hand)

IFollow-up prosthetic fitting (user was previously fitted with a bebionic hand or Michelangelo hand)

### bebionic hand main components



#### System: bebionic hand with EQD wrist (quick disconnect)

Article no.	Side	Size	Colour	
8E70=L-S-* -1	Left (L)	Small	Black	White
8E70=L-M-B-1	Left (L)	Medium	Black	
8E70=R-S-* -1	Right (R)	Small	Black	White
8E70=R-M-B-1	Right (R)	Medium	Black	



#### System: bebionic hand with short wrist

Article no.	Side	Size	Colour	
8E71=L-S-* -1	Left (L)	Small	Black	White
8E71=L-M-B-1	Left (L)	Medium	Black	
8E71=R-S-* -1	Right (R)	Small	Black	White
8E71=R-M-B-1	Right (R)	Medium	Black	



#### System: bebionic hand with flex wrist (three-stage wrist)

Article no.	Side	Size	Colour	
8E72=L-S-* -1	Left (L)	Small	Black	White
8E72=L-M-B-1	Left (L)	Medium	Black	
8E72=R-S-* -1	Right (R)	Small	Black	White
8E72=R-M-B-1	Right (R)	Medium	Black	

Notice: B = Black, W = White

## bebionic hand.

Complete and send order to: [order@ottobock.se](mailto:order@ottobock.se)

### Additional components

#### Hand adapter

Article no.	Description
10S1=45	Lamination ring for SM hands (diameter: 45 mm)
10S1=50	Lamination ring for MD hands (diameter: 50 mm)
13E190	Distributor (only for short wrist)
13E190=150	Distributor (only for short wrist)

#### Passive rotation

Article no.	Description
10S4	Coupling piece
9E169	Coaxial plug

#### Active rotation

Article no.	Description
10S17	Electric rotator
13E205	MyoRotronic *

#### bebionic Skin Silicone glove

Article no.	Side	Size	Colour
8S711	Left (L) Right (R)	S	02 03 04
		M	06 09 11
		L	14 16
8S710	Left (L) Right (R)	S	20
		M	
		L	

L (only for Steeper bebionic large hands already in the field)

#### Battery management

Article no.	Description	Qty
757L35	MyoCharge Integral	
757L43	USB Adapter for charging (optional)	
757B35=	MyoEnergy Integral	
	-3 1,150 mAh	
	-4 2,350 mAh	
	-5 3,450 mAh	

#### Electrodes\*

Article no.	Description	Frequency	Qty
13E200	Standard electrodes	50 Hz	
		60 Hz	
13E202	Suction socket electrodes	50 Hz	
		60 Hz	

#### Electrode cable\*

Article no.	Cable length	Qty
13E129	G300 G600 G1,000	

#### Tube valve

Article no.	Qty
12V10	

#### PVC connection tube

Article no.	Qty
99B13=21	

#### Warranty concept for the bebionic (Care packages, optional)

Article no.	Description
SP-8E7=3-CP	3 years warranty
SP-8E7=5-CP	5 years warranty
SP-8E7=3+2-CP	Warranty extension to 5 years

#### Optional accessories

Article no.	Description	Qty
B33061	Bluetooth Long Dongle	
560X12=V1.6	Ottobock bebalance+ software	
640F12	Special cleaner (for glove)	
640F13	Pump sprayer	
OC1560=TR	Donning sheath	
OC1560=TH	Donning sheath	
OC1560=Kids	Donning sheath	

#### For transhumeral fitting\*

##### DynamicArm

Article no.	Colour
12K100N=45	04 (standard) 07 (black)
12K100N=50	04 (standard) 11 15 07 (black)

##### DynamicArm Plus

Article no.	Colour
12K110N=45	04 (standard) 07 (black)
12K110N=50	04 (standard) 11 15 07 (black)

##### Carbon shell

Article no.
13Z157=45
13Z157=50

#### Warranty concept (Care packages, optional)

Article no.	Description
SP-12K100N=3-CP	3-year warranty for DynamicArm
SP-12K110N=3-CP	3-year warranty for DynamicArm Plus
SP-12K100N=5-CP	5-year warranty for DynamicArm
SP-12K110N=5-CP	5-year warranty for DynamicArm Plus
SP-12K100N=3+2-CP	Extension of warranty to 5 years
SP-12K110N=3+2-CP	Extension of warranty to 5 years

Notice: The warranty extension can be obtained up to 36 months after the delivery date.

##### ErgoArm Electronic Plus

Article no.	Colour
12K50=45	04 (standard) 07 (black)
12K50=50	04 (standard) 11 15 07 (black)

##### ErgoArm Hybrid Plus

Article no.	Colour
12K44=45	04 (standard) 07 (black)
12K44=50	04 (standard) 11 15 07 (black)

\* Not required in combination with Myo Plus

## Myo Plus pattern recognition.

Complete and send order to: [order@ottobock.se](mailto:order@ottobock.se)



### 13E520 Myo Plus TR

Article no.	Description	Qty
13E520	Myo Plus TR	<input type="text"/>



### 13E400=\* Remote electrode

Article no.	Description	Connection	Length	Frequency	Qty
13E400=G90	Remote electrode	2-pin	90 mm	50 Hz 60 Hz	<input type="text"/>
13E400=G140	Remote electrode	2-pin	140 mm	50 Hz 60 Hz	<input type="text"/>

Notice: Six of the 13E400=\* remote electrodes are required per fitting.



### 13E401=\* Remote electrode

Article no.	Description	Connection	Length	Frequency	Qty
13E401=G90	Remote electrode	3-pin	90 mm	50 Hz 60 Hz	<input type="text"/>
13E401=G140	Remote electrode	3-pin	140 mm	50 Hz 60 Hz	<input type="text"/>

Notice: Two of the 13E401=\* remote electrodes are required per fitting.



### Electrode dome

Article no.	Description	Package
13Z161	Electrode dome, flat (package contents: 6 pcs), height: 2.2 mm	<input type="text"/>
13Z162	Electrode dome, medium (package contents: 6 pcs), height: 3.5 mm	<input type="text"/>
13Z163	Electrode dome, high (package contents: 6 pcs), height: 4.2 mm	<input type="text"/>

Notice: a total of 3 packing units (18 pcs) are needed per fitting.

Date

Place

Signature