

6Y110 Skeo Sealing and 6Y111 Skeo Sealing 3D.

The Skeo Sealing family.

To a large extent, a good prosthetic fitting depends on the fit of the liner. The *Skeo Sealing family* consists of two liners for TF amputees: the *Skeo Sealing* with standard shape and the *Skeo Sealing 3D*, which has a more conical shape. Height of the sealing ring and appearance remains the same.

The ring

Maximum vacuum adhesion is achieved with a choice of two sealing heights of the sealing ring on the liner (optionally 10 or 17 cm between the sealing ring and the distal end of the liner). Thanks to a special procedure, the sealing ring is permanently bonded to the liner. In contrast to glued variants, the sealing ring cannot separate from the body of the liner. In combination with an expulsion valve vacuum is achieved below the ring.

The material

The liner features easy handling and is skin-friendly. It is easy to clean and dries very quickly.

The orientation aid

The liner has visual and haptic orientation arrows on the inner side. They assist the user with optimal positioning of the liner on the residual limb when putting it on.

Benefits at a glance

- Integrated sealing ring for a long lifetime
- Inside of the liner is textured for a pleasant feeling on the skin
- Silky-smooth outer coating
- Orientation aid on the inner side
- Selection chart is provided to simplify the decision which liner shape should be used



6Y110 Skeo Sealing and 6Y111 Skeo Sealing 3D.

The Skeo Sealing family.

Article number	6Y110, 6Y111			
Sealing	Integrated sealing lip that seals the socket			
Amputation level	Transfemoral (TF)			
Textile	No			
Sizes in mm (see distal circumference)	Ring height 10 cm		Ring height 17 cm	
	250 x 10 (only 6Y111)	360 x 10	250 x 17 (only 6Y111)	360 x 17
	265 x 10 (only 6Y111)	380 x 10	265 x 17 (only 6Y111)	380 x 17
	280 x 10	400 x 10	280 x 17	400 x 17
	300 x 10	450 x 10	300 x 17	450 x 17
	320 x 10	500 x 10 (only 6Y110)	320 x 17	500 x 17 (only 6Y110)
	340 x 10	550 x 10 (only 6Y110)	340 x 17	550 x 17 (only 6Y110)



The ring



The material



The orientation aid