

## 1. Product and company identification

### Product identifier

Trade name: 636W23-B - UHU PLUS Binder

This safety data sheet pertains to the following products:  
636W23 = UHU-plus, endfest 300

### Recommended use and restrictions on use

General use: Adhesive  
Reserved for industrial and professional use.

### Initial supplier identifier

Company name: Otto Bock HealthCare Canada Ltd.

Street/POB-No.: 5470 Harvester Road

Postal Code, city: Burlington, ON L7L 5N5, CA  
Canada

WWW: [www.ottobock.ca](http://www.ottobock.ca)

E-mail: [info.canada@ottobock.com](mailto:info.canada@ottobock.com)

Telephone: (800) 665-3327

Telefax: (800) 463-3659

Department responsible for information:

Mark Agro, Telephone: (800) 665-3327 (9 am - 5 pm)

Additional information:

Corporate headquarters:  
Ottobock SE & Co. KGaA  
Max-Näder-Straße 15  
Duderstadt  
Germany

### Emergency phone number

**COLLECT, Telephone: (613) 996-6666**

**Transport:**

**CONSULTANK Lutz Harder GmbH (Contract QUALI003)**

**Telephone: +49 (0)178-4337434 (from USA: 01149 178 4337434)**

## 2. Hazards identification

### Emergency overview

Appearance: Physical state at 20 °C and 101.3 kPa: liquid

Color: colorless

Odor: weak, characteristic

Classification: Skin Irritation 2. Eye Irritation 2A. Sensitization - skin 1. Aquatic toxicity - chronic 2.

Hazard symbols:



Signal word:

**Warning**

Hazard statements:

- Causes skin irritation.
- May cause an allergic skin reaction.
- Causes serious eye irritation.
- Toxic to aquatic life with long lasting effects.

Precautionary statements:

- Avoid breathing mist/vapors/spray.
- Wash hands and face thoroughly after handling.
- Avoid release to the environment.
- Wear protective gloves/protective clothing/eye protection.
- If skin irritation or rash occurs: Get medical advice/attention.
- If eye irritation persists: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.
- Collect spillage.

## Regulatory status

This material is considered hazardous by the WHMIS in Canada.

## Hazards not otherwise classified

Special danger of slipping by leaking/spilling product.  
see section 11: Toxicological information

## 3. Composition / Information on ingredients

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions

Relevant ingredients:

CAS No.	Designation	Concentration	Classification
CAS 25068-38-6	Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq 700$ )	50 - 100 %	Eye Irritation 2A. Sensitization - skin 1. Specific Target Organ Toxicity (Repeated Exposure) 2. Aquatic toxicity - chronic 2.
CAS 9003-36-5	Bisphenol-F epoxy resin with average molecular weight $\leq 700$	2.5 - 10 %	Skin Irritation 2. Sensitization - skin 1. Aquatic toxicity - chronic 2.

## 4. First aid measures

General information: If medical advice is needed, have product container or label at hand. Take off contaminated clothing and wash it before reuse.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if irritation persists.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.  
Do not induce vomiting. Immediately get medical attention.

### Most important symptoms and effects, both acute and delayed

Causes skin irritation. May cause an allergic skin reaction.

Causes serious eye irritation.

### Information to physician

Treat symptomatically.

## 5. Fire fighting measures

Flash point/flash point range:

> 150 °C

Auto-ignition temperature: not self-igniting

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, carbon dioxide

Extinguishing media which must not be used for safety reasons:

Full water jet

### Specific hazards arising from the chemical

On heating or in case of fire toxic gases may form.

In case of fire may be liberated: carbon monoxide and carbon dioxide.

Special protective equipment and precautions for fire-fighters:

Wear self-contained breathing apparatus.

Additional information:

Use fine water spray to cool endangered containers. Do not allow fire water to penetrate into surface or ground water. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

## 6. Accidental release measures

Personal precautions:

Avoid breathing mist/vapors/spray. Avoid contact with the substance.

Wear appropriate protective equipment. Keep unprotected people away.

Provide adequate ventilation. If possible, eliminate leakage.

Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse.

Environmental precautions:

Do not allow to enter into ground-water, surface water or drains.

Methods for clean-up:

Collect with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents, or sawdust) and place in closed containers for disposal.

Additional information:

Special danger of slipping by leaking/spilling product.

## 7. Handling and storage

### Handling

Advices on safe handling:

Make sure there is sufficient air exchange and / or that working rooms are air suctioned.

Avoid contact with skin and eyes.

Avoid breathing mist/vapors/spray. Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

Have eye wash bottle or eye rinse ready at work place.

Precautions against fire and explosion:

Keep away from sources of ignition - No smoking.

## Storage

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.  
Keep container dry. Keep only in the original container.  
Protect from heat and direct sunlight.  
Store containers in upright position.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.

## 8. Exposure controls / personal protection

### Engineering controls

Make sure there is sufficient air exchange and / or that working rooms are air suctioned.  
See also information in chapter 7, section storage.

### Personal protection equipment (PPE)

Eye/face protection: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.

Skin protection: Wear suitable protective clothing.  
Protective gloves according to OSHA Standard - 29 CFR: 1910.138.  
permanent contact, Glove material: butyl caoutchouc (butyl rubber), ethylene vinyl alcohol laminate (EVAL)  
Layer thickness: 0.7 mm  
Breakthrough time: >480 min.  
During splash contact, Glove material: Neoprene, nitrile rubber  
Breakthrough time: 10 - 480 min  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Wear half-mask respirator with combination filter for organic vapors and particles. The filter class must be suitable for the maximum contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product.

General hygiene considerations:

Avoid breathing mist/vapors/spray. Avoid contact with skin and eyes.  
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.  
Have eye wash bottle or eye rinse ready at work place.

### Environmental exposure controls

Refer to 6.: Section "Environmental precautions".

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid  
Color: colorless  
Odor: weak, characteristic  
Odor threshold: No data available  
pH: at 20 °C: 6

Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	> 150 °C
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Density:	at 20 °C: 1.15 g/mL
Water solubility:	at 20 °C: immiscible
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	not self-igniting
Thermal decomposition:	No data available
Viscosity, dynamic:	at 20 °C: 40,000 mPa*s
Explosive properties:	Product is not explosive.
Ignition temperature:	Not applicable
Solid content:	91 %

## 10. Stability and reactivity

Reactivity:	Refer to subsection "Possibility of hazardous reactions".
Chemical stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	No hazardous reaction when handled and stored according to provisions.
Conditions to avoid:	Keep away from heat sources, sparks and open flames. Protect from direct sunlight.
Incompatible materials:	No data available
Hazardous decomposition products:	No decomposition when used properly.
Thermal decomposition:	No data available

## 11. Toxicological information

### Toxicological tests

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Skin Irritation 2 = Causes skin irritation.

Serious eye damage/irritation: Eye Irritation 2A = Causes serious eye irritation.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Sensitization - skin 1 = May cause an allergic skin reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

### Symptoms

After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

## 12. Ecological information

### Ecotoxicity

Aquatic toxicity: Toxic to aquatic life with long lasting effects.

### Mobility in soil

No data available

### Persistence and degradability

Further details: No data available

### Additional ecological information

Volatile organic compounds (VOC):

0 % by weight

General information:

Do not allow to penetrate into soil, waterbodies or drains.

Avoid spills and leaks. Very small amounts contaminates drinking water.

## 13. Disposal considerations

### Product

Recommendation: Dispose of waste according to applicable legislation.  
Do not dispose of with household waste.

### Package

Recommendation: Handle contaminated packages in the same way as the substance itself.  
Dispose of waste according to applicable legislation.

## 14. Transport information

### UN number

ADR/RID, IMDG, IATA-DGR:

UN 3082

### UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq 700$ ) and Bisphenol-F epoxy resin with average molecular weight  $\leq 700$ )

### Transport hazard class(es)

ADR/RID: Class 9, Code: M6

IMDG: Class 9, Subrisk -

IATA-DGR: Class 9

### Packing group

ADR/RID, IMDG, IATA-DGR:

III

### Environmental hazards

Marine pollutant: yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

### Canada: Transportation of Dangerous Goods (TDG)

UN Number: UN3082

Shipping name: UN 3082,  
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq 700$ ) and Bisphenol-F epoxy resin with average molecular weight  $\leq 700$ )

TDG class: 9

Packing group: III

Special provisions: 16, 99

Explosive limit and limited quantity index: 5 L

Marine pollutant: P



### Sea transport (IMDG)

UN number:	UN 3082
Proper shipping name::	UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700) and Bisphenol-F epoxy resin with average molecular weight $\leq$ 700)
Class or division, Subsidiary risk:	Class 9, Subrisk -
Packing Group:	III
EmS:	F-A, S-F
Special Provisions:	274 335 375 969
Limited quantities:	5 L
Excepted quantities:	E1
Package - Instructions:	P001, LP01
Package - Provisions:	PP1
IBC - Instructions:	IBC03
IBC - Provisions:	-
Tank instructions - IMO:	-
Tank instructions - UN:	T4
Tank instructions - Provisions:	TP1, TP29
Stowage and handling:	Category A.
Properties and observations:	-
Marine pollutant:	yes
Segregation group:	none

### Air transport (IATA)

UN/ID number:	UN 3082
Proper shipping name::	UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700) and Bisphenol-F epoxy resin with average molecular weight $\leq$ 700)
Class or division, Subsidiary risk:	Class 9
Packing Group:	III
Hazard label:	Miscellaneous & Environmentally hazardous
Excepted Quantity Code:	E1
Passenger and Cargo Aircraft: Ltd.Qty.:	Pack.Instr. Y964 - Max. Net Qty/Pkg. 30 kg G
Passenger and Cargo Aircraft:	Pack.Instr. 964 - Max. Net Qty/Pkg. 450 L
Cargo Aircraft only:	Pack.Instr. 964 - Max. Net Qty/Pkg. 450 L
Special Provisions:	A97 A158 A197 A215
Emergency Response Guide-Code (ERG):	9L

## 15. Regulatory information

### National regulations - Canada

Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700):	DSL: listed
Bisphenol-F epoxy resin with average molecular weight $\leq$ 700:	DSL: listed



## 16. Other information

Text for labeling:

Contains 50 - 100 % Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq 700$ ), 2.5 - 10 % Bisphenol-F epoxy resin with average molecular weight  $\leq 700$ .

Hazard rating systems:



NFPA Hazard Rating:

Health: 1 (Slight)

Fire: 1 (Slight)

Reactivity: 0 (Minimal)

HMIS Version III Rating:

Health: 1 (Slight)

Flammability: 1 (Slight)

Physical Hazard: 0 (Minimal)

Personal Protection: X = Consult your supervisor

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
	X

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
 Aquatic toxicity - chronic: Hazardous to the aquatic environment - chronic  
 AS/NZS: Australian Standards/New Zealand Standards  
 CAS: Chemical Abstracts Service  
 CFR: Code of Federal Regulations  
 CLP: Classification, Labelling and Packaging  
 DMEL: Derived minimal effect level  
 DNEL: Derived no-effect level  
 EC: European Community  
 EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods  
 EN: European Standard  
 EQ: Excepted quantities  
 Eye Irritation: Eye irritation  
 IATA: International Air Transport Association  
 IATA-DGR: International Air Transport Association – Dangerous Goods Regulations  
 IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IMDG Code: International Maritime Dangerous Goods Code  
 IMO: International Maritime Organization  
 MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
 OSHA: Occupational Safety and Health Administration  
 PBT: Persistent, bioaccumulative and toxic  
 PNEC: Predicted no-effect concentration  
 RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
 Sensitization - skin: Skin sensitisation  
 Skin Irritation: Skin irritation  
 STOT RE: Specific target organ toxicity - repeated exposure  
 TRGS: Technical Rules for Hazardous Substances  
 UN: United Nations  
 vPvB: Very persistent and very bioaccumulative  
 WHMIS: Workplace Hazardous Materials Information System

Reason of change:

Changes in section 14: IMDG 2025

Date of first version:

10/9/1994

### Department issuing data sheet

Contact person:

see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.