

SiOCX TR Flex Socket 8T351=1

Order form

Contact		Customer number		Date	
Customer			Shipping address (if different from customer address)		
Company			Company		
Street			Street		
Postal code/city			Postal code/city		
Email			Phone		
Patient ID			PO#		US Tax ID#

Affected side:

☐ Left ☐ Right

Has the patient had a SiOCX socket before?

☐ yes ☐ no

Note: A well fitting trial prosthesis must be sent along with this order form, this includes: a well fitting check socket, fitting frame with wrist unit dummy attached in proper alignment and length.

Silicone inner socket

Colour of the inner socket

- ☐ OB swatch #
☐ Other solid colour

Attachment points

- ☐ Standard
☐ Own specification

Electrode

- ☐ Without ☐ 13E202 ☐ 13E200

Myoelectric contact surfaces - Conductive Silicone

- ☐ Yes* (only used with 13E200 electrodes)
☐ No

Prepreg outer socket

- ☐ **Flexible outer socket areas**
 (please mark position and size)

Surface design

- ☐ Finished carbon design
☐ Water transfer finish*
☐ Lycra fabric colour

Componentry

- ☐ Attach lamination ring (wrist unit)
☐ Enclose
☐ Complete assembly of all components
 (please send all components with order)

Silicone surface covering

- ☐ OB swatch #
☐ Other solid colour
☐ Special design

Pull tube or valve options

- ☐ 12V10 Pull tube and valve for suction socket*
☐ 21Y139=1 Expulsion valve* (if not using pull tube)

Rigid foam shaping

Olecranon-wrist measurement:.....mm

Height every 3 cm

Sound arm

* Take first measurement starting at the wrist

Comments:

.....

*Surcharge