

Order Form – TF and KD

Custom Liner *Uneo Unique* 6Y430, 6Y432 & 6Y434 Custom Liner *Skeo Unique* 6Y730, 6Y732 & 6Y734

Complete and send order to: order@ottobock.se

Contact	Customer number	Date
---------	-----------------	------

Customer

Company	
Street	
Postal code	City
Email	
Order	

Shipping address (if different from customer address)

Company	
Street	
Postal code	City
Email	
Order number	
Patient ID	
Order ID (iCC)	

Important

If the order form is not filled in completely, production can only start after clarification of open points and this results in a corresponding extension of the delivery time. In the case of replacement orders, wall thickness tolerances of ± 1 mm may occur.

Amputation information

Left Right
TF KD Other

Measurements

Extend dimensions as needed. Mark all problem areas on the scan, graphic or plaster.

Product selection

Uneo Unique (Polyurethane) (6Y4)

Skeo Unique (Silicone) (6Y7)

Product type

New Liner (...30)

Replacement Liner (...32) (Serial No.)

Alteration Liner (...34) (Serial No.)

Locking Mechanism

Yes* (L): Pin KISS

No (C)

*Locking Liners must have exterior textile selected

Textil

Uncovered (W)

Full Textile Cover (T)

Textile Color: Anthracite (7) Grey (1) Tan (0)

For liners with textile cover, the wall thickness increases by 1 mm.

Wall Thickness

Tapered*

Uniform 4 mm 5 mm 6 mm

* Minimal residual limb length of 20 cm upwards

* Uneo Unique: From 6 mm distal to 3 mm proximal

* Skeo Unique: From 4.5 mm distal to 2.5 mm proximal
Manufacturing tolerance is +/-1 mm.

Distal Cushion

Standard 13 mm


7 mm 9 mm 11 mm 15 mm

17 mm 19 mm 21 mm

For liners with distal connection, the distal wall thickness increases by 10 mm.

Additives

With Skinguard (G) - antibacterial additive



Important

*Regardless of the limb length, the circumference of 50 mm from the distal end in the proximal direction is necessary.

Ottobock maintains all rights, title and ownership to the custom liner mold and will keep the mold on file for 2 years from the last order date.