

1. Product and company identification

Product identifier

Trade name: 84V1 - Vaseline

Relevant identified uses of the substance or mixture and uses advised against

General use: For orthopedic procedures, for insulating the skin for plaster casts
Reserved for industrial and professional use.

Details of the supplier of the safety data sheet

Company name: Otto Bock Health Care
Street/POB-No.: 3820 W. Great Lakes Drive
Postal Code, city: Salt Lake City, UT 84120
USA

WWW: www.ottobockus.com

Telephone: +1 (801) 956-2400

Telefax: +1 (801) 956-2401

Department responsible for information:

Quality Department,
Telephone: +1 (801) 954-2304 (7 AM – 3 PM, Mountain Time),
Email: USRegulatory@ottobock.com

Additional information: Corporate headquarters:
Ottobock SE & Co. KGaA
Max-Näder-Straße 15
Duderstadt
Germany

Emergency phone number

CHEMTREC, Telephone: +1 (800) 424-9300

Transport:

CONSULTANK Lutz Harder GmbH (Contract QUALI003)

Telephone: +49 (0)178-4337434 (from USA: 01149 178 4337434)

2. Hazards identification

Emergency overview

Appearance: Form: pasty

Color: white

Odor: almost odorless

Classification: This substance is classified as not hazardous.

Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards not otherwise classified

see section 11: Toxicological information

3. Composition / Information on ingredients

Chemical characterization: Aliphatic hydrocarbons

CAS-Number: 8009-03-8

4. First aid measures

In case of inhalation: Vaseline Vapors:
Provide fresh air. Seek medical advice.

Following skin contact: After contact with molten product, cool skin area rapidly with cold water. Seek medical treatment in case of troubles.

After eye contact: Hot molten mass:
Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.
Subsequently consult an ophthalmologist.

After swallowing: Hot molten mass:
Avoid vomiting. Aspiration hazard: in case of swallowing or vomiting danger of penetration into the lungs. Seek medical attention.

Most important symptoms/effects, acute and delayed

After contact with skin: In case of heating: risk of burns.

After eye contact: Hot molten mass, liquid splashes: risk of burns.

Information to physician

Treat symptomatically.

5. Fire fighting measures

Flash point/flash point range:

> 302 °F (DIN/ISO 2592)

Auto-ignition temperature: No data available

Suitable extinguishing media:

Foam, Extinguishing powder, carbon dioxide, sand.

Extinguishing media which must not be used for safety reasons:

Water

Specific hazards arising from the chemical

In case of fire may be liberated: Smoke, aldehydes, carbon monoxide and carbon dioxide.

Protective equipment and precautions for firefighters:

Wear self-contained breathing apparatus.

Additional information:

Cool endangered containers with water jetspray.

6. Accidental release measures

Personal precautions: Hot molten mass:

Protective gloves against thermic risks.

Wear closely fitting protective glasses in case of splashes.

Environmental precautions:

Do not allow to penetrate into soil, waterbodies or drains.

Methods for clean-up: Pasty: Take up mechanically, placing in appropriate containers for disposal.
Hot molten mass: Contain hot liquid after spilling and let it cool down (solidify); then collect mechanically.

Additional information: Special danger of slipping by leaking/spilling product.

7. Handling and storage

Handling

Advices on safe handling: Hot molten mass:
Protective gloves against thermic risks.
Wear closely fitting protective glasses in case of splashes.

Precautions against fire and explosion:
Keep away from sources of ignition.
Take precautionary measures against static discharges.

Specific use(s) For orthopedic procedures, for insulating the skin for plaster casts

Storage

Requirements for storerooms and containers:
Keep container tightly closed and dry.
storage temperature: 32 - 104 °F
Store containers in upright position.

Hints on joint storage: Do not store together with oxidizing agents.

8. Exposure controls / personal protection

Engineering controls

Provide adequate ventilation, and local exhaust as needed.
See also information in chapter 7, section storage.

Personal protection equipment (PPE)

Eye/face protection: Wear safety goggles when handling hot molten mass.
According to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2003.

Skin protection: Hot molten mass:
Protective gloves against thermic risks. OSHA Standard - 29 CFR: 1910.138
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Respiratory protection: If necessary: Use filter type A (= against vapors of organic substances) according to OSHA Standard - 29 CFR: 1910.134 or ANSI Z88.2.

General hygiene considerations:
Protect from excessive heat.
Wash hands before breaks and after work.

Environmental exposure controls

Refer to 6.: Section "Environmental precautions".

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance:	Form: pasty Color: white
Odor:	almost odorless
Odor threshold:	No data available
pH:	No data available
Melting point/freezing point:	122 - 132.8 °F (DIN/ISO 2207)
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	> 302 °F (DIN/ISO 2592)
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapor pressure:	at 68 °F: ≤ 0.01 hPa
Vapor density:	No data available
Density:	at 176 °F: 0.82 g/mL
Solubility:	at 176 °F: soluble in white spirit
Water solubility:	practically insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Thermal decomposition:	No data available
Viscosity, kinematic:	at 212 °F: 5.5 - 8.6 mm ² /s (DIN 51562)
Drop point/drop range:	140 °F

10. Stability and reactivity

Reactivity:	refer to section 10.3
Chemical stability:	Product is stable under normal storage conditions.
Possibility of hazardous reactions:	No dangerous reactions are known.
Conditions to avoid:	No data available
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	In case of fire may be liberated: Smoke, aldehydes, carbon monoxide and carbon dioxide.
Thermal decomposition:	No data available

11. Toxicological information

Toxicological tests

Toxicological effects:

- Acute toxicity (oral): Lack of data.
- Acute toxicity (dermal): Lack of data.
- Acute toxicity (inhalative): Lack of data.
- Skin corrosion/irritation: Lack of data.
- Serious eye damage/irritation: Lack of data.
- Sensitisation to the respiratory tract: Lack of data.
- Skin sensitisation: Lack of data.
- Germ cell mutagenicity/Genotoxicity: Lack of data.
- Carcinogenicity: Lack of data.
- Reproductive toxicity: Lack of data.
- Effects on or via lactation: Lack of data.
- Specific target organ toxicity (single exposure): Lack of data.
- Specific target organ toxicity (repeated exposure): Lack of data.
- Aspiration hazard: Lack of data.

Symptoms

After contact with skin: In case of heating: risk of burns.
After eye contact: Hot molten mass, liquid splashes: risk of burns.

12. Ecological information

Ecotoxicity

Further details: No data available

Mobility in soil

No data available

Persistence and degradability

Further details: No data available

Additional ecological information

General information: Elimination from sewage water with oil/grease separators.

13. Disposal considerations

Product

Recommendation: Incinerate according to applicable local, state and federal regulations.

Package

Recommendation: Dispose of waste according to applicable legislation.
Non-contaminated packages may be recycled.

14. Transport information

UN number

ADR/RID, IMDG, IATA-DGR:

not applicable

UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

Environmental hazards

Marine pollutant:

no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

USA: Department of Transportation (DOT)

Proper shipping name:

Not restricted

Sea transport (IMDG)

Proper shipping name::

Not restricted

Marine pollutant:

no

Air transport (IATA)

Proper shipping name::

Not restricted

Further information

No dangerous good in sense of these transport regulations.

15. Regulatory information

National regulations - U.S. Federal Regulations

TSCA Inventory: listed; UVCB

National regulations - U.S. State Regulations

No data available

National regulations - Great Britain

Hazchem-Code:

-

16. Other information

Hazard rating systems:



NFPA Hazard Rating:

Health: 1 (Slight)

Fire: 1 (Slight)

Reactivity: 0 (Minimal)

HMIS Version III Rating:

Health: 1 (Slight)

Flammability: 1 (Slight)

Physical Hazard: 0 (Minimal)

Personal Protection: X = Consult your supervisor

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
	X

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
 CAS: Chemical Abstracts Service
 CFR: Code of Federal Regulations
 CLP: Classification, Labelling and Packaging
 DMEL: Derived minimal effect level
 DNEL: Derived no-effect level
 EC: European Community
 EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
 EN: European Standard
 EQ: Excepted quantities
 IATA: International Air Transport Association
 IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
 IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IMDG Code: International Maritime Dangerous Goods Code
 IMO: International Maritime Organization
 MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
 OSHA: Occupational Safety and Health Administration
 PBT: Persistent, bioaccumulative and toxic
 PNEC: Predicted no-effect concentration
 RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
 TRGS: Technical Rules for Hazardous Substances
 vPvB: Very persistent and very bioaccumulative

Reason of change: General revision

Date of first version: 8/19/2008

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.